OpenMax with Clustering for Open-Set Classification

Bachelor Thesis

Dennys Huber
18-919-688

Submitted on
January 1, 2024

Thesis Supervisor
Prof. Dr. Manuel Günther



Bachelor Thesis

Author: Dennys Huber, dennys.huber@uzh.ch

Project period: 01.07.2023 - 01.01.2024

Artificial Intelligence and Machine Learning Group
Department of Informatics, University of Zurich

Acknowledgements

I want to thank first and foremost Prof. Dr. Manuel Günther for his continuous help and generous support during this thesis. In addition, I want to thank my family and friends, who gave me a lot of mental strength and support to complete this thesis.

Abstract

This paper introduces clustering and various optimizations, such as accounting for negative activation values, to OpenMax, an Open-Set classification method, that replaces the commonly used SoftMax during testing as the final layer in a deep neural network. OpenMax uses a distance-based procedure in deep features space to compute a probability based on Extreme Value Theory (EVT) in order to detect samples that belong to one of the unknown classes. The results of the experiments show that optimizations introduced to OpenMax to account for negative activation values did not outperform the original implementation. However, the different clustering types showed clear performance improvement over the original implementation.

Contents

1 Introduction **1**

2 Related Work **5**
2.1 Solving the Closed-Set problem . . . 5
2.1.1 Open-Set Recognition . . . 5
2.2 Open-set Classification . . . 6
2.2.1 Feature-based methodbes . . . 6
2.2.2 Training-based methods . . . 7
2.3 Clustering . . . 8
2.3.1 Hierarchical Clustering . . . 8
2.3.2 Partitional Clustering . . . 8

3 Background **9**
3.1 Extreme Value Theory . . . 9
3.1.1 Extreme Value Distribution . . . 9
3.2 OpenMax . . . 10
3.2.1 Softmax . . . 10
3.2.2 Multi-class Meta-Recognition . . . 10
3.2.3 OpenMax Layer . . . 11
3.3 Clustering . . . 12
3.3.1 Definition . . . 12
3.4 Clustering Techniques . . . 14
3.4.1 Agglomerative Clustering . . . 14

4 Data **17**
4.1 EMNIST . . . 17

5 Approach **19**
5.1 Improving OpenMax . . . 19
5.1.1 Handling negative activation values . . . 19
5.1.2 Removing the alpha parameter . . . 19
5.2 Applying Clustering Techniques . . . 20
5.2.1 Feature Clustering . . . 20
5.2.2 Input Clustering . . . 21
5.2.3 Revised Activation Vector . . . 22
5.2.4 Applying clustering to OpenMax . . . 22
5.3 Evaluation Metrics . . . 22

5.3.1 Open-Set Classification Rate . . . 22
5.3.2 Comparing OSCR Scores . . . 23

6 Experiments **25**
6.1 Experimental Setup . . . 25
6.1.1 Datasets and Neural Networks . . . 25
6.1.2 Clustering . . . 25
6.1.3 Parameters . . . 26
6.2 Improving OpenMax . . . 26
6.3 Can clustering improve OpenMax? . . . 29
6.4 Which clustering approach is optimal . . . 29

7 Discussion **33**
7.0.1 Improving OpenMax (RQ1) . . . 33
7.0.2 OpenMax with Clustering (RQ2, RQ3) . . . 33

8 Conclusion **35**

A Attachments **37**
A.1 Experiment Scores . . . 37
A.1.1 Baseline . . . 37
A.1.2 Training Features Cluster . . . 71
A.1.3 Validation Features Cluster . . . 96
A.1.4 Input Cluster . . . 120
A.1.5 Input Training Features Cluster . . . 145
A.1.6 Input Validation Features Cluster . . . 294

Chapter 1

Introduction

In recent years, machine learning (ML) has become increasingly incorporated into our everyday lives in applications such as self-driving cars, speech recognition, and medical diagnostic tests. One widely adopted supervised learning process is classification, where a classifier tries to predict a predetermined category based on a given input. Most of these classifiers act under the closed-set assumption, where the classifier assumes that all the samples seen during testing belong to one of the predefined classes learned during training. Even though these classifiers have been proven to be very successful when confronted with a sample that does not belong to one of the predefined classes, research has shown the possibility of the classifier assigning the sample to a predefined class with high confidence. This issue sparked the birth of Open-Set Classification (OSC) with the intent to not only correctly classify predefined classes but also reject samples that do not belong to these classes. Furthermore, this open-set scenario is more relevant for real-world applications, where many of these applications encounter unseen samples. In OSC, we differentiate between the following types of classes as introduced in Palechor et al. (2022):

- **Known classes** $\mathcal{C}$: These classes are learned during training and must be correctly classified.
- **Unknown classes** $\mathcal{U}$: Set of classes encountered during testing that were not seen during training or validation. These classes need to be rejected during testing.
- **Negative classes** $\mathcal{N}$: Set of labeled classes the model learns to reject during training.

Many different approaches have been explored in OSC, and one of the promising methods is OpenMax (Bendale and Boult, 2015). Developed as a replacement for the widely used SoftMax layer during testing (Bridle, 1989), OpenMax introduces a mechanism that computes a probability for the likelihood of a sample belonging to the unknown classes and adjusts the logits of a sample accordingly. Further methods were developed based on OpenMax, such as G-OpenMax (Ge et al., 2017), which introduces synthetically images generated by Generative Adversarial Network (GAN) during training, or MetaMax (Lyu et al., 2022) which uses an alternative method to calculate the probabilities of unknown classes. If we look beyond OpenMax-based methods, other OSC based approaches include Extreme Value Maschine (EVM) (Rudd et al., 2018), PlaceholdeRs for Open-SEt Recognition (PROSER) (Zhou et al., 2021), Entropic Open-Set Loss (EOS) and Objectosphere loss (Dhamija et al., 2018).

While classification is a core task in supervised learning, clustering, on the other hand, is an unsupervised learning technique that groups a set of objects so that objects in the same group are more alike than those in other groups. Clustering has found countless use cases in medical imaging, social network analysis, Anomaly Detection (AD), and beyond. There are many different clustering algorithms, each with suitable use cases. Examples of commonly used algorithms



(a) Distribution of the original dataset

(b) Traditional classification problem

(c) Open-set classification problem

Figure 1.1: COMPARISION BETWEEN CLOSED-SET CLASSIFICATION AND OPEN-SET CLASSIFICATION. *a shows the distribution of a dataset that includes known and unknown classes (here denoted as UUC). The known classes are learned, while unknown classes appear during testing. b shows the decision boundary created by a classifier working under the closed set assumption. Here, the unknown class 'UUC6' would be misclassified as 'Class 1'. c shows the same situation using open-set classification, here 'UUC6' would be classified as unknown and rejected. (Source: Geng et al. (2021))*

are K-Means clustering (MacQueen, 1967), Density-based spatial clustering of applications with noise (DBSCAN) (Ester et al., 1996) or Hierarchical Agglomerative Clustering.

While clustering has been successfully applied to many other open-set problems by Henrydoss et al. (2020), Li et al. (2023), or Miller et al. (2021), clustering was never used to optimize OpenMax. By introducing clustering to OpenMax, this thesis assesses if OpenMax's effectiveness, accuracy, and robustness to unknown samples can be enhanced. We introduce hierarchical agglomerative clustering to OpenMax and create different clustering types based on different data sources gathered during the training and validation of the neural network. Furthermore, the current version of OpenMax comes with an oversight and does not account for negative logits. Hence, the following research questions were chosen:

RQ1: Can OpenMax performance be enhanced by accounting for negative activation values?

RQ2: Can clustering improve OpenMax's performance?

RQ3: If clustering improves OpenMax, which clustering type is optimal, and by using which parameters?

These research questions are addressed by modifying the OpenMax implementation taken from the Vision And Security Technology Lab (VAST) [1] and tested on the Extended Modified NIST (EMNIST) (Cohen et al., 2017).

Thesis outline

The thesis is outlined as follows:

- **Related Work**: In this chapter, several relevant OSC approaches are introduced on a non-technical level and a high-level introduction to the different categories of clustering.
- **Background**: OpenMax is introduced in this chapter in full detail, including the theoretical background, which includes EVT, furthermore a clustering model is defined, and the process of Hierarchical Agglomerative clustering is explained in detail.

[1] https://github.com/Vastlab

- **Data**: The EMNIST dataset is introduced.
- **Approach**: In this chapter, we introduce the different optimizations for OpenMax, introduce different clustering types for OpenMax, introduce Open-Set Classification Rate (OSCR) and two additional metrics in order to compare the different approaches.
- **Experiments**: We introduce the experiments run for the individual research questions and present the results.
- **Discussion**: The results are interpreted, and the research questions are answered in this chapter
- **Conclusion**: In this chapter, we provide a summary and point at possible future work.

Chapter 2

Related Work

2.1 Solving the Closed-Set problem

Several methods were developed over the last decade to enhance neural networks' performance, robustness, and reliability under the open-set assumption. Many new challenges arose, with numerous approaches being developed and tested, in fields such as AD, Open-set recognition/-classification (OSRC), or Out-of-Distribution Detection (OOD). While the objective in AD is to classify whether a sample deviates significantly from others. OSRC increases the level of supervision and not only focuses on rejecting unknown samples but also intends to correctly classify the known samples. The problem of OOD is similar to AD. The goal is to detect data that significantly deviates from its training set. While in OSRC, known, negative, and unknown samples are usually from similar or related datasets, OOD widens the spectrum of the learning task by including data that does not have a lot in common.
In practice, the methods belonging to the above-mentioned fields have been successfully applied in face recognition (Günther et al., 2017), self-driving cars, medical imaging, and many more.

2.1.1 Open-Set Recognition

For an open-set problem, Scheirer et al. (2012) introduced the concept of *openness* O defined by equation (2.1). If the openness is zero, then the problem is closed. Otherwise, if the openness gets larger, the problem becomes more open.
Let $\mathcal{C}$, $\mathcal{C}^{\text{train}}$ and $\mathcal{C}^{\text{test}}$ be the set of classes to be recognized, a set of classes being used during training and testing.

$$O = 1 - \sqrt{\frac{2 \times |\mathcal{C}|}{|\mathcal{C}^{\text{train}}| + |\mathcal{C}^{\text{test}}|}} \tag{2.1}$$

Furthermore, the space far from known data is considered *open space* $\mathcal{O}$, labeling any data in this space as known comes with an inherent risk, which can be measured by the so-called *open space risk* $R_{\mathcal{O}}$, which is calculated by the ratio of open space to the overall measure space $S_{\mathcal{O}}$

$$R_{\mathcal{O}}(f) = \frac{\int_{\mathcal{O}} f(x)\,dx}{\int_{S_{\mathcal{O}}} f(x)\,dx} \tag{2.2}$$

here f is the *measurable recognition function* defined by:

$$f(x) = \begin{cases} 1 & \text{if } x \in \mathcal{C} \\ 0 & \text{otherwise} \end{cases} \tag{2.3}$$

The *open set recognition problem* can then be formally defined for a measurable recognition function $f \in H$ and the training data V as

$$\arg\min_{f \in H} \{R_O(f) + \lambda_r R_\epsilon(f(V))\} \tag{2.4}$$

where λ_r is a constant for regularizing the empirical risk R_ϵ, which is a function that calculates the average loss over the data points. The goal is to find a measurable recognition function f, which minimizes the Open Set Risk (2.4).

2.2 Open-set Classification

Bisgin et al. (2023) point out that AD and OOD are very effective in detecting samples for unknown classes that are far from known classes but struggle with classes that are similar. In this scenario, methods based on OSC can be used, which are commonly used classifiers that receive the ability to reject unknown samples. These methods can be categorized into feature- and training-based methods (Bisgin et al., 2023).

2.2.1 Feature-based methodbes

Feature-based methods use existing features extracted from a closed-set network. In addition, they learn a secondary classifier that has the option to reject samples.

OpenMax

One of the earliest approaches presented by Bendale and Boult (2015) is OpenMax. OpenMax adopted the concept of nearest class mean and created a class representation by creating a mean activation vector (MAV) [1] based on the features of the correctly classified sample during training. In addition, a Weibull distribution is created on a per-class basis, based on the distances between the MAV and each correct classified sample. Each class's probability is computed based on the distance between the sample features and the mean average vectors during testing. A pseudo activation vector is then created by multiplying these probabilities with the activation score. Furthermore, an activation score for the unknown class is computed. This is then concatenated with the pseudo activation vector, given to the SoftMax function, and rejected if the unknown class has the highest probability or all the probabilities are below a certain threshold. The OpenMax algorithm is described in detail in section 3.2.

G-OpenMax

Since OpenMax was published, other approaches were developed based on OpenMax. This includes G-OpenMax by Ge et al. (2017). This method adds artificially generated negative samples to fine-tune OpenMax during training by adding an additional optional class; see figure **??**. These artificial images are then added as an extra label during training. To generate these samples, a conditional GAN is trained on the known classes.

[1] i.e., Activation vector are the scores for a sample in the penultimate layer (fully connected layer before SoftMax)



Figure 2.1: DIFFERENCES BETWEEN OPENMAX AND G-OPENMAX. *On the left, it shows the introduction of artificially generated images added as an additional class to the training of the closed-set classifier. These results in additional class during the calibration of OpenMax, shown on the left.*

MetaMax

MetaMax (Lyu et al., 2022) is a newly proposed method that claims to increase effectiveness by directly modeling class activation vectors using the non-match scores. MetaMax considers the non-match scores as all the scores except the highest, given by a correctly classified image. By creating a Weibull distribution in this manner, the need to compute the MAV and the calculation of the distances between each sample and the MAV is omitted. This version of acquiring a Weibull distribution results in more data points being assembled, and precise parameters can be calculated for each model.

Extreme Value Maschine (EVM)

EVM (Rudd et al., 2018), like OpenMax, uses EVT to calculate a probability of sample inclusion for known classes based on the similarity of deep features. In contrast to OpenMax, EVM does not use distances between classes based on the samples and the MAV of a class but estimates these distances.

2.2.2 Training-based methods

In contrast to feature-based methods, training-based methods already try to include the rejection option during network training. Here negative classes come into play, which can be generated in multiple ways, as seen with G-OpenMax.

SoftMax with Garbage Class

When using a garbage class, SoftMax needs to not only classify the $C = |\mathcal{C}|$ known classes but also an additional class $C + 1$, called Garbage or Background class.

$$\mathbf{y}_{i,c} = \sigma(\mathbf{z}_i)_c = \frac{e^{\mathbf{z}_{i,n}}}{\sum_{c'=1}^{C+1} e^{\mathbf{z}_{i,c'}}} \tag{2.5}$$

EOS Loss and Objectosphere Loss

Another approach is to use specialized loss functions for OSC. The EOS and Objectoshere loss introduced by Dhamija et al. (2018) are examples. Both extend the commonly used SoftMax loss function in such a way that it can deal with negative samples.

2.3 Clustering

In machine learning, clustering can be described as an unsupervised machine-learning task. A plethora of different algorithms can be used to solve the task of clustering, each with its strengths and weaknesses. Choosing the optimal algorithm depends on various factors such as the type and size of your dataset, shapes and number of your cluster, how to handle noise and outliers, and many more.

Ezugwu et al. (2022) define a taxonomy of clustering algorithms, where the algorithms are broadly classified into two categories, Hierarchical and Partitional Clustering.

2.3.1 Hierarchical Clustering

In Hierarchical Clustering, there are two primary strategies to approach the clustering task; the bottom-up approach or agglomeration clustering places each data point in its own cluster, and then pairs of clusters are merged until only a single cluster remains. Each merging step can then be interpreted as a hierarchical level, which enables data analysis on different granularity levels. The other strategy takes the opposite approach and starts with a single cluster and then splits each cluster recursively into two clusters until every data point is its own cluster. This approach is known as top-down or divisive clustering. A proximity measure, called the linkage metric, determines which clusters are merged or split.
Many different algorithms have been developed over the years in this category, noteworthy modern algorithms, do not require any hyper-parameters, distance thresholds or a specified number of clusters, such as FINCH (Sarfraz et al., 2019) or Agglomerative Clustering with Threshold Optimization via Extreme Value Theory by Li et al. (2022).

2.3.2 Partitional Clustering

In contrast to Hierarchical Clustering, Partitional Clustering creates groups of data points without any hierarchical structure. This is especially suitable for problems where the construction of a dendrogram is computationally expensive or not needed. The goal is to show an existing natural grouping of the data. The partitional clustering algorithms function by defining an initial partition on the dataset and then iteratively assigning data points or patterns to the clusters. In order to determine to which cluster the data points are assigned, a criterion function is used, which needs to be optimized. The most common example of such a criterion function is the squared error minimization, often used in K-Means clustering (MacQueen, 1967). Partitional Clustering has many subcategories based on the technique used to generate and the nature of the resulting clusters. This includes Density-based clustering algorithms, such as DBSCAN (Ester et al., 1996), fuzzy-based clustering (Dunn, 1973), swarm intelligence (Figueiredo et al., 2019), distribution-based clustering (Xu et al., 1998), spectral clustering (von Luxburg, 2007) and many more.

Chapter 3

Background

3.1 Extreme Value Theory

One of the most common approaches to reject unknown samples is to calculate the distance or distances to known samples that were correctly classified. But at what distance do you consider a sample "too far away" to be a sample of a known class? Here, EVT comes into play. EVT is a branch of statistics that deals with the stochastic behavior of extreme events. In other words, EVT aims to predict probabilities of irregular events occurring greater (or smaller) than prior recorded events. For example, EVT has been applied in seismology to predict the probability of mega-earthquake.

3.1.1 Extreme Value Distribution

Extrem Values are the subject of study in EVT and are either very small or very large values in a probability distribution found in the tail of distributions. Those distributions are commonly referred to as extreme value distributions, which are limiting[1] models for the minimum and maximum of a data set. All those distributions can be classified by their Cumulative Distribution Function (CDF) of the Generalized Extreme Value (GEV) distribution (Coles, 2001):

$$F(x;\beta,\lambda,\gamma) = \exp\left\{-\left[1+\gamma\left(\frac{x-\beta}{\lambda}\right)\right]^{-\frac{1}{\gamma}}\right\} \tag{3.1}$$

The distribution depends on three parameters. β is the location and indicates where on the horizontal axis the graph is located, λ is the scale parameter shrinking and expanding the distribution, and finally, γ influences the general shape of a distribution.
For the equation (3.1) $\lambda > 0$ and $1 + \frac{\gamma(x-\beta)}{\lambda} > 0$. As long as the distribution is *well-behaved*, the extremes from any dataset can be modeled.
By taking the derivative of (3.1), one can derive the Probability Density Function (PDF), which is given by

$$f(x;\beta,\lambda,\gamma) = \frac{1}{\lambda}t(x)^{\gamma+1}\exp(-t(x)), \tag{3.2}$$

where $t(x)$ is given by

$$t(x) = \begin{cases} \left[1+\gamma\left(\frac{x-\beta}{\lambda}\right)\right]^{-\frac{1}{\gamma}} & \text{if } \gamma \neq 0 \\ \exp(-\frac{x-\beta}{\lambda}) & \text{if } \gamma = 0 \end{cases} \tag{3.3}$$

[1] Often also referred to as asymptotic distributions, which are the convergence of a sequence of distributions

Furthermore, depending on the shape parameter γ, the distributions can be categorized into three types, commonly referred to as type I ($\gamma = 0$), type II ($\gamma > 0$), and type III ($\gamma < 0$). Only type III, also known as Weibull Distribution, is of interest for this thesis. For failure analysis, the Weibull distribution is often written in the two-parameter form, where the location parameter is omitted. Resulting in the following function for the PDF (Kızılersü et al., 2018)

$$f(x;\lambda,\gamma) = \begin{cases} \frac{\gamma}{\lambda}(\frac{x}{\lambda})^{\gamma-1}\exp(\frac{-x}{\lambda})^{\gamma}, & x \geq 0, \\ 0, & x < 0. \end{cases} \tag{3.4}$$

and CDF

$$F(x;\lambda,\gamma) = \begin{cases} 1 - \exp(\frac{x}{\lambda})^{\gamma}, & x \geq 0, \\ 0, & x < 0. \end{cases} \tag{3.5}$$

3.2 OpenMax

3.2.1 Softmax

Before diving deeper into OpenMax, it is critical to understand what purpose SoftMax (Bridle, 1989) has and why OpenMax was developed as a replacement for it during testing.
Softmax is a popular function used in deep networks as the final layer for multiclass classification tasks. In this scenario, we want to describe a probability distribution over a discrete variable with a finite number of classes. Therefore all the outputs can be found in the interval $[0, 1]$ and can be directly interpreted as the likelihood of a sample being a certain class. Furthermore, because SoftMax describes a probability distribution where the classes are mutually exclusive, the score over all classes adds up to 1. More formally, Let C be the number of possible classes, then the softmax function $\sigma(z_i)$ takes as an input a vector with logits $z_{i,c}$, which is the network output for a sample x_i associate with class c:

$$y_{i,c} = \sigma(\mathbf{z}_i)_c = \frac{e^{\mathbf{z}_{i,c}}}{\sum_{c'}^{C} e^{\mathbf{z}_{i,c'}}} \tag{3.6}$$

Here $y_{i,c}$ is the probability of sample i being of class c.

If we introduce unknown samples to a closed-set deep network with SoftMax as the final layer, the first instinct is to introduce a threshold, where the sample is rejected when the maximum probability is below a certain probability. Even though this can somewhat improve open-set classification, multiple research efforts have shown that softmax thresholding is insufficient and that images can be produced, which results in high confidence scores (Nguyen et al., 2015). The SoftMax layer is one of the key reasons this happens due to its closed nature. OpenMax addresses this issue by weighting the activation scores of known classes and introducing an activation score for the unknown class, enabling SoftMax to predict not only the known classes.

3.2.2 Multi-class Meta-Recognition

In order to estimate the likelihood that a sample belongs to the unknown class, OpenMax adapts the concept of Meta-Recognition. Meta-recognition was initially developed as "a performance prediction method for recognition algorithms" by Scheirer et al. (2011). They developed a new statistical predictor based upon the Weibull distribution using the score of each match instance,[2]

[2]In a face recognition system, for example, a new face (probe) is compared to all faces (gallery) in its database, where each comparison generates a score, that reflects their similarity

that predicts if the recognition system will succeed or fail on his task.

Instead of using scores, OpenMax creates a Weibull Distribution for each class during training based on distances, with the data coming from the penultimate layer of the network, which is a fully connected layer before the SoftMax layer. Bendale and Boult (2015) refer to the scores of this layer as an activation vector (AV). In this thesis, scores from this particular layer will also be referred to as (deep) feature vectors.
The AV of all correctly classified samples is extracted during training and given as the input to algorithm 1. Here for each class c, a MAV μ_c is computed. The distance from all the input AV to its corresponding MAV is given as an input to function "FitHigh", which does a Weibull fitting onto the η largest distances (tail size), which returns a set of parameters ρ_c representing the computed Weibull distribution.

Algorithm 1 EVT Meta-Recognition Calibration for Open Set Deep Networks, with per class Weibull fit η largest distance to mean activation vector. Returns libMR models ρ_c, which includes parameters β for shifting the data as well as the Weibull shape and scale parameters: γ_c, λ_c.

Require: FitHigh function from libMR
Require: Activation levels in the penultimate network layer $\mathbf{w}(\mathbf{x}) = w_1(x) \dots w_C(x)$
Require: For each class c let $\mathbf{S}_{i,c} = \mathbf{w}\left(x_{i,c}\right)$ for each correctly classified training example $x_{i,c}$.
Require: mean function that calculates the mean over all rows of a Matrix
Require: $\Delta_{\cos}$ function that calculates cosine distances between each row of a matrix and a vector.
1: **for** $c = 1 \dots C$ **do**
2: **Compute mean AV**, $\mu_c = \text{mean}(\mathbf{S}_c)$
3: EVT Fit $\rho_c = (\beta_c, \gamma_c, \lambda_c) = \text{FitHigh}(\Delta_{\cos}(\mathbf{S}_c, \mu_c), \eta)$
4: **end for**
5: **return** means μ_c and libMR models ρ_c

3.2.3 OpenMax Layer

During testing, which includes known and unknown samples, SoftMax is replaced with the OpenMax algorithm 2. In order to decide if a testing sample belongs to one of the known classes or needs to be rejected. OpenMax requires as an input the logits and the feature vector of the testing sample in question, the MAV and the Weibull parameters computed by the OpenMax calibration algorithm 1 for every class. In addition, a new parameter α is introduced, which refers to the α classes with the highest activation scores. After the activation vector is sorted in descending order, for each of the α classes, the probability $\omega_{s(i)}$ sample belonging to the class $s(i)$ is computed (line 4) using the CDF of the Weibull distribution. The CDF uses the distance between the sample's feature vector $\mathbf{w}$ and the MAV to calculate the probability. Furthermore, each probability is scaled based on the α parameter and position given by an index i in the sorted activation vector. These results are combined in a vector ω, which mirrors the activation vector. In Line 6, a revised activation vector is defined using the probabilities as weights, then elementwise multiplied by the activation vector $\mathbf{v}$.

Furthermore, a new activation score is defined at index 0 for the unknown class on Line 6 by summing up the activation scores multiplied by the complementary probability $1 - \omega_i(x)$ over the top-ranked α classes. The revised activation vector $\hat{v}$, including the unknown class, is then given to a SoftMax function, which results in the final probability for a sample belonging to a

certain class. Finally, the probabilities provided by softmax are returned without the softmax probability of the unknown class.

Algorithm 2 OpenMax probability estimation returns the probability for each known class.

Require: Activation vector for $\mathbf{v}(\mathbf{x}) = v_1(x), \ldots, v_C(x)$
Require: Activation levels in the penultimate network layer $\mathbf{w}(\mathbf{x}) = w_1(x) \ldots w_C(x)$
Require: **means** $\boldsymbol{\mu_c}$ and libMR models $\rho_c = (\beta_c, \gamma_c, \lambda_c)$ for every class c
1: Let $s(i) = \text{argsort}\,(v_c(x))$; Let $\omega_c = 1$
2: **for** $i = 1, \ldots \alpha$ **do**
3: $\quad l = d_{\cos}(\mathbf{w}(x), \boldsymbol{\mu}_{s(i)})$
4: $\quad \omega_{s(i)}(l) = 1 - \frac{\alpha - i}{\alpha} e^{-\left(\frac{l}{\lambda_{s(i)}}\right)^{\gamma_{s(i)}}}$
5: **end for**
6: Revise activation vector $\hat{\mathbf{v}}(x) = \mathbf{v}(\mathbf{x}) \circ \boldsymbol{\omega}(\mathbf{x})$
7: Define $\hat{v}_0(x) = \sum_i v_i(x)\,(1 - \omega_i(x))$
8:
$$\hat{y_c} = \frac{e^{\hat{\mathbf{v}}_c(\mathbf{x})}}{\sum_{c'=0}^{C} e^{\hat{\mathbf{v}}_{c'}(\mathbf{x})}}$$
9: Define $\hat{\mathbf{y}}'$ for all $\hat{y}_c$ without $\hat{y}_0$
10: **return** $\hat{\mathbf{y}}'$

In general, the distances computed in OpenMax use the cosine distance metric; furthermore, the implementation used in this thesis introduces a distance multiplier κ to the cosine distances, which allows for a more compact class representation. Figure **??** shows a histogram depicting the frequency of cosine distances between the MAV and samples belonging to the class test samples and unknown samples. Furthermore, the line plots show which probability is assigned to which distance and how this is affected by changing the distances multiplier κ and the tail size η.

3.3 Clustering

3.3.1 Definition

Intuitively, clustering can be defined as the task of dividing a set of objects into different groups, where the objects in the same group are more alike than those from other groups. This definition is rather vague and can also be ambiguous, but coming up with a more rigorous definition is unclear. One of the problems is that, in mathematical terms, similarity is not a transitive relation, while being an element of the same cluster is. In other words, let $x_1 \ldots x_m$ be a set of objects, such that x_i is similar to x_{i-1} and x_{i+1}, but x_1 and x_m are very dissimilar. If we want to create a cluster with similar elements, we will end up with dissimilar elements (x_1 and x_m) in the same cluster, thus violating the second condition. Another issue comes from the fact that clustering is an unsupervised learning problem. No "ground truth" labels or target labels exist, the goal is to organize the data meaningfully. Here meaningfully can mean multiple things depending on the context. Furthermore, the lack of target labels also leads to not having a clear success evaluation method. In conclusion there is no such thing as the "correct" clustering for a given dataset, resulting in many different clustering algorithms exist that result in vastly different clusters.

ben (2014) define a clustering model as follows:



Figure 3.1: How distances to the MAV relate to Weibull Probability. *The figure shows an example of the distribution of distances between a sample and the MAV of the handwritten digit '8' from the EMNIST dataset. The green histogram shows the distance between the digit '8' test samples and its MAV. The grey histogram does the same but with 1000 randomly picked unknown images from the test set. Furthermore, the line charts indicate the knowness probability given by the CDF of the Weibull distribution, created with different tail sizes η and distance multiplier κ.*

Let $\mathcal{X}$ be a set of data points $\{\mathbf{x_1} \dots \mathbf{x_n}\}$, where each $\mathbf{x_i}$ is a m-dimensional vector.

- **Input**: A set of elements $\mathcal{X}$ with a distance

$$d : \mathcal{X} \times \mathcal{X} \to \mathbb{R}_+ \tag{3.7}$$

that satisfies $d(\mathbf{x}, \mathbf{x}) = 0$ and $d(\mathbf{x}, \mathbf{y}) = d(\mathbf{y}, \mathbf{x})\ \forall \mathbf{x}, \mathbf{y} \in \mathcal{X}$
Or a similarity function

$$s : \mathcal{X} \times \mathcal{X} \to [0, 1] \tag{3.8}$$

similar to the distance function, the following properties must hold $d(\mathbf{x}, \mathbf{x}) = 1$ and $s(\mathbf{x}, \mathbf{y}) = s(\mathbf{y}, \mathbf{x})\ \forall \mathbf{x}, \mathbf{y} \in \mathcal{X}$
In addition, certain clustering algorithms require an input parameter k that specifies the number of clusters.

- **Output**: A set of clusters $\zeta = \{\zeta_1 \dots \zeta_k\}$, where

$$\bigcup_{i=1}^{k} \zeta_i = \mathcal{X} \tag{3.9}$$

and

$$\zeta_i \cap \zeta_j = \emptyset, \quad \text{where } i \neq j \quad \forall \zeta_i, \zeta_j \in \zeta \tag{3.10}$$

This definition holds for hard clustering algorithms, where each element can only belong to a single cluster. In contrast, there are also soft clustering algorithms that allow an element



Figure 3.2: EXAMPLE OF A DENDROGRAM. *The left shows the data points* $\mathcal{X} = \{a, b, c, d, e\} \subset \mathbb{R}^2$, while the right a dendrogram which constructed based on the euclidean distance and single linkage criterion. *Source*: ben (2014)

to be in multiple clusters at the same time, but all the algorithms used in this thesis belong to the first category. Furthermore, the model can also have a dendrogram as its output. An example can be seen in Figure 3.2. A dendrogram is a hierarchical tree of subsets, with the complete set as its root and the individual elements as leaves, where each level of the tree represents a merge or division step, depending on how you build the tree from top to bottom or bottom to top, between the parent node and its children.

3.4 Clustering Techniques

3.4.1 Agglomerative Clustering

Agglomerative Clustering belongs to the type of hierarchical clustering algorithms and uses a bottom-up approach to determine which data points belong to which cluster. Initially, every point is seen as a cluster on its own. Afterward, the two nearest clusters are merged and create a new cluster. The above-mentioned step is repeated until the number of desired clusters k is reached. This procedure creates a hierarchical structure represented by a dendrogram (3.2). In addition, there are different possibilities to determine how similar two clusters are, which can result in vastly different clusters. For this the distance function d is extended to a measure of distance between two clusters $\zeta_i, \zeta_j \in \zeta$, the most common are the following:

- **Single Linkage** calculates the similarity between the two closest points of the clusters.

$$D(\zeta_i, \zeta_j) := \min(\{d(\mathbf{x}, \mathbf{y}) : \mathbf{x} \in \zeta_i, \mathbf{y} \in \zeta_j\}) \tag{3.11}$$

- **Complete Linkage** calculates the similarity based on the two points of each cluster, which are the furthest away from each other.

$$D(\zeta_i, \zeta_j) := \max(\{d(\mathbf{x}, \mathbf{y}) : \mathbf{x} \in \zeta_i, \mathbf{y} \in \zeta_j\}) \tag{3.12}$$

- **Average Linkage**, includes the distance between every pair of data points from cluster ζ_i and ζ_j

$$D(\zeta_i, \zeta_j) := \frac{1}{|\zeta_i||\zeta_j|} \sum_{\mathbf{x} \in \zeta_i} \sum_{\mathbf{y} \in \zeta_j} d(\mathbf{x}, \mathbf{y}) \tag{3.13}$$

- **Centroid Method** calculates a centroid μ_i for each cluster

$$\mu_i = \frac{1}{|\zeta_i|} \sum_{\mathbf{x} \in \zeta_i} \mathbf{x} \tag{3.14}$$

and calculates the distances based on these centroids

$$D(\zeta_i, \zeta_j) := d(\mu_i, \mu_j) \tag{3.15}$$

- **Ward's Method** uses minimum variance to combine clusters. This is done by selecting the two clusters with the lowest merging cost, given by:

$$D(\zeta_i, \zeta_j) := \frac{|\zeta_i||\zeta_j|}{|\zeta_i| + |\zeta_j|} d_{\text{euc}}(\mu_i, \mu_j) \tag{3.16}$$

Commonly used distance functions are the Euclidean distance 3.17, cosine similarity 3.18, and cosine distance 3.19.

$$d_{\text{euc}}(\mathbf{x}, \mathbf{y}) = \sqrt{\sum_{i=1}^{m} (x_i - y_i)^2} \tag{3.17}$$

$$s_{\cos}(\mathbf{x}, \mathbf{y}) = \frac{\mathbf{x} \cdot \mathbf{y}}{\|\mathbf{x}\| \|\mathbf{y}\|} \tag{3.18}$$

$$d_{\cos}(\mathbf{x}, \mathbf{y}) = 1 - s_{\cos}(\mathbf{x}, \mathbf{y}) \tag{3.19}$$

Important to note is that Agglomerative Clustering clusters every data point, which makes it deceptive to outliers, and it is also not possible to reverse the merging process to filter out outliers. In addition, the algorithm has a high storage requirement and is therefore not preferable for big datasets.

Chapter 4

Data

4.1 EMNIST

The EMNIST dataset created by Cohen et al. (2017) contains grey scale images of handwritten digits, lowercase and uppercase letters of resolution 28×28. It extends the famous and widely used Modified NIST (MNIST) Dataset created by Lecun et al. (1998) with the inclusion of afford mentioned letters. Both are derived from a large Database created by the National Institute of Standards and Technology (NIST), called NIST Special Database 19 (Grother, 1995), which contains handwritten letters and numerals of size 128x128 pixels. The original images were binary scans from over 500 writers with 62 classes and 814'255 samples. This includes the classes of all numerals from 0 to 9 and every letter from the Latin alphabet twice, once in lowercase and once in uppercase. The conversion from the higher to the lower resolution images was done with a six-step process, which included applying a Gaussian blur filter to soften edges, removing empty padding, centering the digit while preserving the aspect ratio, adding a blank padding of 2-pixels to each side and finally downsampling the image with bi-cubic interpolation. In order to enhance the ease of use with previous implementation, EMNIST can be used as a drop-in replacement for MNIST. Furthermore, EMNIST also introduces new well-defined splits on the dataset as seen in detail in table 4.1. This includes NIST's full complement with all the classes, a merged version that puts letters with similar-looking upper and lowercase characters into the same class, and balanced splits for only digits, only letters, or both combined. These balanced splits are especially useful because they can prevent unwanted side effects such as overfitting and class biases and enhance a model's robustness and performance. Validation sets are available for all balanced splits but are not given separately. The training set has specially balanced subsets that can be used as the validation set. An additional challenge that EMNIST introduces can be seen in figure 4.1. There are certain samples that are almost impossible to classify even for humans. For example in

Table 4.1: Structure and organization of the EMNIST dataset.

Name	Classes	No. Training	No. Testing	Validation	Total
Complete	62	697'932	116'323	No	814'255
Merge	47	697'932	116'323	No	814'255
Balanced	47	112'800	18'800	Yes	131'600
Digits	10	240'000	40'000	Yes	280'000
Letters	37	88'800	14'800	Yes	103'600
MNIST	10	60'000	10'000	Yes	70'000

d the samples of class 'g' can be confused with, in order from left to right, '8', 'a', '6' and '9'.



(a) Class '2'



(b) Class '5'



(c) Class 'a'



(d) Class 'g'

Figure 4.1: EMNIST EXAMPLES. *Randomly drawn EMNIST samples. a and b are from the 'MNIST' split, while c and d are from the 'letters' split, which combines uppercase and lowercase letters into a single class.*

Chapter 5

Approach

5.1 Improving OpenMax

5.1.1 Handling negative activation values

There is an oversight in the original implementation of OpenMax (2) when creating the pseudo activation vector by doing an elementwise multiplication between the activation vector and the knowness probability. While the activation vector can be negative or positive, the probabilities are between $[0, 1]$. The multiplication has the opposite effect if the activation vector is negative and the knowness probability is $\omega_i < 1$. Instead of reducing the score by increasing the negative activation score, it decreases the score and makes the activation score "less negative". This is not the only case. Also, when creating the activation score for the unknown class, the same issue occurs.
To address this issue, two possible options will be explored:
The most intuitive approach is to introduce a revised probability vector $\hat{\boldsymbol{\omega}}(x)$, where all the values in $\boldsymbol{\omega}(\boldsymbol{x})$ that have the same index as a negative action value are adjusted as follows:

$$\hat{\omega}_i(x) = \begin{cases} \omega_i(x) & \text{if } v_i(x) \geq 0, \\ 2 - \omega_i(x) & \text{otherwise.} \end{cases} \tag{5.1}$$

This can be done identically for the creation of the unknown class AV by replacing $\boldsymbol{\omega}(x)$ with $\boldsymbol{\omega}'(x) = 1 - \boldsymbol{\omega}(x)$ in 5.1.

The second proposed approach is based on the property that SoftMax is invariant to adding a constant δ to its inputs (Goodfellow et al., 2016):

$$\sigma(\mathbf{z}_i) = \sigma(\mathbf{z}_i + \delta) \tag{5.2}$$

By extracting the smallest score of the activation vector $\delta = \arg\min v(\mathbf{x})$ and then adding it to the activation vector

$$\mathbf{v}'(\mathbf{x}) = \delta + v(\mathbf{x}), \tag{5.3}$$

all the activation values are guaranteed to be positive.

5.1.2 Removing the alpha parameter

Even though Bendale and Boult (2015) never reveals why the α parameter was introduced. By only looking at the top-ranked classes, the likelihood is high that the scores are mainly positive.

Therefore the question arises if the α parameter can be dropped if the negative activation values are handled properly. The alpha-less OpenMax algorithm can be adjusted in three places. Firstly the sorting according to the top-ranked classes can be removed. Secondly, the weighting factor based on the rank of the class for the Weibull CDF is also removed, resulting in the following function

$$\omega_i(l) = 1 - e^{-\left(\frac{l}{\lambda_i}\right)^{\gamma_i}} \tag{5.4}$$

Thirdly when creating the AV score for the unknown class, only the top α classes contributed to the score. Now potentially, every class score can. A normalizing factor ϕ is introduced, which leads to the following equation.

$$\hat{v}_0(x) = \phi \sum_{i=1}^{C} v_i(x)(1 - \omega_i(x)) \tag{5.5}$$

The proposed values of ϕ are

$$\phi_o = 1 \tag{5.6}$$

$$\phi_\omega = \frac{1}{\sum_{i=1}^{C}(1 - \omega_i(x))} \tag{5.7}$$

$$\phi_c = \frac{1}{C - 1} \tag{5.8}$$

5.2 Applying Clustering Techniques

5.2.1 Feature Clustering

The first approach is to apply clustering in the penultimate layer on a per-class basis. The goal is to create a mean average vector per cluster and therefore be able to represent each class not only with a single mean average vector but with multiple. OpenMax only uses the correctly classified samples S_c of class c to create the Weibull distribution, and the feature clustering is applied only to those. In this thesis, we always have a fixed number of clusters per class k but not a fixed number of samples per cluster, which is determined by the clustering algorithm. In other words, the total samples per cluster vary depending on the clustering and accuracy of the network used during training or validation.

Algorithm 3 EVT Meta-Recognition Calibration for Open Set Deep Networks with deep feature clustering and per class, Weibull fit η largest distance to mean activation vector. Returns libMR models ρ_j, which includes parameters τ_j for shifting the data as well as the Weibull shape and scale parameters: κ_i, λ_i.

Require: FitHigh function from libMR
Require: Activation levels in the penultimate network layer for all correctly identified examples (training or validation), given by a matrix $\mathbf{V}^{N\times P}$, where N is the number of correctly classified samples and P the dimension of the penultimate layer.
Require: $\mathbf{V}_c^{N_c\times P}$ submatrix of $\mathbf{V}$ with the number of correctly classified examples N_c belonging to class c
Require: Number of clusters per class k, this is optional depending on the clustering algorithm
for $c = 1 \dots C$ **do**
  $\mathbf{A} = \text{Cluster-Algo}(\mathbf{V}_c, k)$
  for $l = 1 \dots k$ **do**
    Compute mean AV : $\mu_l^c = \text{mean}(A_l)$
    for $i = 1 \dots N_A$ **do**
      Compute distances $\Delta_i = d_{\cos}(A_{l,i}, \mu_l^c)$
    end for
    EVT Fit $\rho_l^c = (\tau_l^c, \kappa_l^c, \lambda_l^c) = \text{FitHigh}(\Delta, \eta)$
  end for
end for
return means μ_l^c and libMR models ρ_l^c

With this, each class can be represented more accurately a more compact EVT model can be created. This clustering can be applied to different feature spaces, such as the feature space created during training or the feature space created during validation.

5.2.2 Input Clustering

Clustering can also be applied to the input data if the dataset allows it. Similar to feature clustering, the clusters are created on a per-class basis. These clusters are treated as separate classes during training, which the network must correctly classify. If there is a fixed number of clusters per class, the total number of classes is then increased by $C_{\text{input}} = k_{\text{input}} * C$; an encoding is introduced to remember which cluster class belongs to which original class. There are several options for how this can be achieved. An example would be to have the first k_{input} cluster classes belonging to one of the original classes, then the next k_{input} to another class, and so on.

There are different methods to cluster the input, which is highly dependent on the dataset used. This method is mostly valuable for datasets where the clustering is not computationally too expensive. Because the EMNIST dataset consists of low-resolution greyscale images the following process can be applied. The images are represented as $\mathbf{X}_i^{28x28}$ matrices with the greyscale, a number from 0 to 255 representing the shade, as their values. These matrices are then flattened into a single vector x_i by concatenating the rows, resulting in a single large vector of size 784. All these vectors are then grouped by class and clustered on a per-class basis.

The goal is to create clearer boundaries in feature space between the classes, which can be easier to cluster for previously introduced deep feature clustering.

5.2.3 Revised Activation Vector

In algorithm 2 the logits $\mathbf{v}(\mathbf{x})$ are elementwise multiplied with knowness probability $\boldsymbol{\omega}(\boldsymbol{x})$. The number of elements for both vectors is not the same when creating multiple MAV per class during the deep feature clustering or having multiple logits per class when using input clustering. As a consequence, the maximum is taken for each class for both the probabilities and the logits, the first depending on the number of feature clusters k_{feat} and the latter on the number of input clusters k_{input}.

5.2.4 Applying clustering to OpenMax

Based on the previously introduced clustering methods, we define the following clustering types for OpenMax:

- **Training features clustering (TFC)** Deep feature clustering applied on all correctly classified samples from training on a per-class basis.
- **Validation features clustering (VFC)** Identical to TFC, but using the validation set instead of the training set.
- **Input clustering (IC)** Clustering applied on the input data during training.
- **Input trainings feature clustering (ITFC)** Using IC during training and the applying TFC. The correctly classified samples must be classified as the correct cluster but later combined with samples from the same class. After this step, the second clustering is then applied.
- **Input validation feature clustering (IVFC)** is identical to ITFC but uses the validation data instead of the training data.

5.3 Evaluation Metrics

5.3.1 Open-Set Classification Rate

In order to evaluate how well the new approaches perform, we use the OSCR proposed by Palechor et al. (2022) and updated by Bisgin et al. (2023). OSCR treats the known and unknown samples separately by computing the Correct Classification Rate (CCR) (5.9) and the False Positive Rate (FPR) (5.10) respectively. Both metrics take as input the same parameter θ representing the probability threshold. The CCR is used to assess the performance of classifying the known samples correctly by computing the ratio between the number of all known samples, indicated by $\tau_i \leq C$, where the highest probability was given to the target class τ_i and this probability must greater or equal than the threshold θ, and the set of known samples $D_{\mathcal{C}}$

$$\text{CCR}(\theta) = \frac{\left|\left\{x_i \mid \tau_i \leq K \wedge \arg\max_{1 \leq c \leq C} y_{i,c} = \tau_i \wedge y_{i,c} \geq \theta\right\}\right|}{|D_{\mathcal{C}}|} \tag{5.9}$$

On the other hand, the FPR is calculated by the number of unknown samples $\tau_n > K$, where the maximum probability of the known classes is higher than θ. This number is then divided by the number of unknown test samples. Even though we put in a lot of effort to calculate the unknown probability in OpenMax, the maximum is only taken over the known classes because a low probability for the unknown class does not indicate a high probability for any known classes.

Hence, the probability of being the unknown class does not add useful information and can be left out. Yet the unknown probability still has an impact due to the normalization of the SoftMax function used in OpenMax 2.

$$\mathrm{FPR}(\theta) = \frac{\left|\left\{x_i \mid \tau_i > C \wedge \max_{1\leq c\leq C} y_{i,c} \geq \theta\right\}\right|}{|D_{\mathcal{U}}|} \tag{5.10}$$

The two OSCR metrics are then plotted against each other, creating the OSCR curve. Both metrics are functions depending on θ, which is not explicitly displayed in the plot. Therefore, interpreting the OSCR curve can be challenging. A perfect Open-set classifier would draw a constant line from the top left corner (FPR=10^{-4}, CCR=1) to the top right corner (FPR=1, CCR=1). Another interesting observation can be made at the extreme cases of θ. If set $\theta = 0$, then the $\mathrm{FPR}(0) = 1$ in the log scale because the highest probability is always greater or equal to 0. If we apply this knowledge to the OSCR curve, then every curve will always reach the boundary at 1 on the x-axis. Furthermore, the CCR can be interpreted as the closed-set accuracy score because the unknowns are neglected. The other extreme of $\theta = 1$ also has some interesting properties because it does not mean that the CCR will be 0 or FPR will be 10^{-4} due to the fact that maximum scores can be equal to one. This means that not all OSCR curves will continue to the left x-axis boundary of 10^{-4}. This dynamic of having different lengths of OSCR curves makes it impossible to compare different curves by calculating the area under the curve, which is one common approach used with other scores.

5.3.2 Comparing OSCR Scores

In order to compare two different OSCR curves, the goal was set to be able to compare two curves by using a single metric. Which led to two different approaches being applied:

- **γ Score** is heavily inspired by the validation score used in Palechor et al. (2022). It calculates a score individually for the known samples γ^+ (5.11) by simply summing up all the output probabilities of the target class and then dividing it by the number of known samples.
  For the unknown samples, γ^- (5.12) is calculated by taking the sum over all unknown samples and taking one minus the maximum probability. This is then normalized by dividing by the number of unknown samples. The above scores are brought together to a single score in 5.13. The idea is then that a higher γ indicates a better-performing model.

$$\gamma^+ = \frac{1}{|D_{\mathcal{C}}|} \sum_{i=1}^{|D_{\mathcal{C}}|} y_{\tau_i} \tag{5.11}$$

$$\gamma^- = \frac{1}{|D_{\mathcal{U}}|} \sum_{i=1}^{|D_{\mathcal{U}}|} \left(1 - \max_{1\leq c\leq C} y_{i,c}\right) \tag{5.12}$$

$$\gamma = \frac{\gamma^+ + \gamma^-}{2} \tag{5.13}$$

- **Σ Score** defines different thresholds t_i $\mathrm{FPR}(\theta_i) = t_i$ for the FPR, as done in Bisgin et al. (2023). Then all the corresponding CCR at those thresholds are summed up

$$\Sigma = \sum_{i=1}^{T} \mathrm{FPR@CCR}(t_i) \tag{5.14}$$

These scores are then summed up into the Σ score.

Depending on the various lengths and shapes of OSCR curves, different thresholds, and numbers should be selected experimentally to optimally capture the differences in OSCR curves.

Chapter 6

Experiments

6.1 Experimental Setup

For all the experiments a new python project was created called openmax-clustering [1] based on the open source machine learning framework PyTorch [2]. The initial implementation of OpenMax was taken from the VAST library for open-set algorithms [3]. The library provides a high-performance optimized version of OpenMax, drastically increasing the code's complexity. Hence, as an initial step, the OpenMax implementation was simplified for a better understanding and for easier modification. All the experiments were run in a two-step process: first, training, validation (if needed), and testing were run. In this step, all the necessary features and logits were saved. The second step then post-processed the data acquired in step one. This ensured that every parameter combination was run on the same underlying data extracted from the first step.

6.1.1 Datasets and Neural Networks

For the first three research questions, the EMNIST dataset was used, with the digits provided by the "MNIST" split used as the known classes and eleven handwritten letters of the "letters" split used as the unknown classes. Letters that have a large overlap in similarity with the digits were excluded. This includes 'g', 'l', 'i', and 'o'.
In order to guarantee a high accuracy score during training, the Convolutional Neural Network (CNN) LeNet (Lecun et al., 1998) was chosen, which provides an accuracy of up to 99% on the MNIST dataset.

6.1.2 Clustering

For all the experiments where clustering was applied, the same agglomeration clustering algorithm from scikit-learn [4] was used. With the wards methods as the linkage criterion and the Euclidean distance metric.

[1] https://github.com/clennys/openmax-clustering
[2] https://pytorch.org/
[3] https://github.com/Vastlab/
[4] https://scikit-learn.org/stable/modules/generated/sklearn.cluster.AgglomerativeClustering.html

6.1.3 Parameters

One of the main tasks when using OpenMax is to find the optimal set of parameters. The following are the standard parameters already used by the previous version of OpenMax. Notably, additions to the values of the parameters were made compared to previous work because $\alpha = -1$ is the non-alpha version of OpenMax and the introduction of distance multipliers that do not increase the distance but shorten them.

- **Alphas** (α): [-1, 3, 5, 7, 10]
- **Tail Sizes** (η): [10, 100, 250, 500, 750, 1000]
- **Distance Multipliers** (κ): [0.1, 0.2, 0.5, 0.7, 1.0, 1,25, 1.75, 2, 2.5, 3, 4]

Due to the proposed optimizations and the introduction of clustering, further parameters were added. The optimizations were split into two parameters, one for the proper multiplication with negative activation values, called "Negative-fix", where "Original" refers to the Original implementation, "Value Shift" to 5.3 and "Adjusted Prob" to 5.1. The second parameter refers to the different "Normalization factors" ϕ introduced in 5.6, 5.7 and 5.8.

- **Negative-fix**: ["Original", "Value shift", "Adjusted Prob"],
- **Normalization factors** (ϕ): [ϕ_o , ϕ_c , ϕ_ω]

For the clustering methods, two parameters are introduced based on the number of input and deep feature clusters. If no clustering is required for a type on either the input data or the deep features, the cluster size is set to 1. The following range of clusters per class were used:

- **Input clusters per class** (k_{Input}): [1, 2, 3, 4, 5, 6, 7]
- **Feature clusters per class** (k_{Feat}) : [1, 2, 3, 4, 5, 6, 7]

The above-mentioned parameters are the entire spectrum of plausible parameter values. These values are restricted during the experiments based on several factors, such as the aim of the research question, the clustering type, or based on prior knowledge of the preceding research question.

In order to capture the differences in OSCR curves as well as possible. The following thresholds were chosen experimentally for the Σ Score.

- **Thresholds** = [0.1, 0.2, 0.5, 0.7, 1.0]

6.2 Improving OpenMax

Initially, a baseline model was created without any of the proposed optimizations. In Figure 6.1, the best performing OSCR curves for each α are displayed with the corresponding score values. Both score metrics agree upon the top three ranking parameter sets. While the γ scores are very close, the Σ scores show a clear best score. After the top three, there is a clear gap to the bottom two options, which struggle to reject unknowns, resulting in very short OSCR curves with high a FPR and a low γ^- score. Another observation is that the best-scoring parameter set all have the same tail size ($\eta = 1000$) and distance multiplier ($\kappa = 1.0$). In order to evaluate whether the proposed optimizations bear fruit, we compare the best-performing baseline model ($\alpha = 7$, $\eta = 1000$, $\kappa = 1.0$) with all possible combinations of optimizations. This is done in a three-step process: first, we only introduce the negative fixes (6.2), then only the normalization factors (6.3),



(a) Gamma Score



(b) Sigma Score

Rank	α	η	κ	γ^+	γ^-	γ	Σ
1	7	1000	1.0	0.779	0.831	0.805	4.272
2	10	1000	1.0	0.809	0.797	0.803	3.685
3	5	1000	1.0	0.855	0.745	0.800	3.669
4	3	1000	1.0	0.935	0.501	0.718	2.855
5	-1	1000	1.0	0.974	0.227	0.600	2.899

(c) Detail Gamma Score

Rank	α	η	κ	γ^+	γ^-	γ	Σ
1	7	1000	1.0	0.779	0.831	0.805	4.272
2	10	1000	1.0	0.809	0.797	0.803	3.685
3	5	1000	1.0	0.855	0.745	0.800	3.669
4	-1	10	2.3	0.987	0.041	0.514	2.917
5	3	100	3.0	0.987	0.042	0.514	2.916

(d) Detail Sigma Score

Figure 6.1: BASELINE-MODEL. *OSCR curves of the baseline model with corresponding values ranked by γ score and Σ score*

and finally, all the possible combinations between the two (6.4).

Figure 6.2 shows that none of the normalization factors can outperform the baseline model. While having a similar CCR for very high FPR, for lower FPR, the Original version has a higher CCR when looking at 6.2a. The Σ score ranked Subfigure 6.2b, the best performing Value Shift has an identical OSCR curve compared to the baseline model but does not achieve the same CCR for high FPR rates. In addition, the optimizations appear to perform better with lower α than the baseline. Similar to the negative fixes, the normalizations ϕ on their own are not able to outperform the baseline model. In Figure 6.3, the best scoring parameter sets are displayed. Important to note here is that both scoring metrics have the same top-scoring parameter set for each ϕ. While ϕ_o slightly outperforms in terms of γ- and Σ score, ϕ_c has a very low score on the unknown classes, as seen in the γ^- score. Finally, the cross-product between all the different optimizations was taken, resulting in the best scoring combinations displayed in Figure 6.4. The results show a very similar picture to the different optimizations applied on their own. None of the combinations can outperform the baseline model. While some combinations are on par at certain FPR, they either have a lower CCR for lower or higher FPR. In addition, all the top scoring have the same tail size



(a) Gamma Score



(b) Sigma Score

Rank	α	η	κ	ϕ	Negative fix	γ^+	γ^-	γ	Σ
1	7	1000	1.0	ϕ_o	Original	0.780	0.831	0.805	4.272
2	5	1000	1.0	ϕ_o	Adjusted Prob.	0.857	0.744	0.801	3.671
3	5	500	1.0	ϕ_o	Value Shift	0.811	0.758	0.785	3.609

(c) Detail Gamma Score

Rank	α	η	κ	ϕ	Negative fix	γ^+	γ^-	γ	Σ
1	7	1000	1.0	ϕ_o	Original	0.780	0.831	0.805	4.272
2	5	1000	1.0	ϕ_o	Value Shift	0.604	0.895	0.749	4.169
3	5	1000	1.0	ϕ_o	Adjusted Prob.	0.857	0.744	0.801	3.671

(d) Detail Sigma Score

Figure 6.2: NEGATIVE FIXES. *OSCR curves of the models using the different negative fixes with corresponding values ranked by γ score and Σ score*

($\eta = 1000$) and distance multiplier ($\kappa = 1.0$). In conclusion, non of the proposed were able to improve OpenMax. The experiment also clearly shows that the α parameter can't be removed with the proposed optimizations. For the following experiments only ϕ_o, "Original" and not $\alpha = -1$ will be used.



(a) Gamma Score

Rank	α	η	κ	ϕ	Negative fix	γ^+	γ^-	γ	Σ
1	7	1000	1.0	ϕ_o	Original	0.780	0.831	0.805	4.272
2	3	1000	1.0	ϕ_ω	Original	0.875	0.709	0.792	4.176
3	10	10	2.3	ϕ_c	Original	0.987	0.042	0.515	2.917

(b) Detail Gamma Score

Figure 6.3: NORMALIZATION FACTORS. *OSCR curves of the models using the different normalization factors with corresponding values ranked by γ score and Σ score*

6.3 Can clustering improve OpenMax?

This experiment aims to answer RQ2. The goal is to show that a clustering method performs better than the best-performing model from the first experiment. The first clustering type that was tested was TFC 5.2.4 because it applies the clustering and computes the MAV on the same data as the original OpenMax. As the previous research question showed, none of the introduced optimizations were used. For this experiment, the same $\alpha = 7$ was used as in the baseline model, while the other parameters were used to create a cross-product between them. Furthermore, because of the introduction of clustering, we also opted to introduce new values for the distances multiplier κ, that not only increase the distance, but also reduce it. Looking at Figure **??**, no matter which ranking we look at, both TFC OSCR curves are shifted to the left, which indicates a higher CCR with a lower FPR. This clearly shows that clustering can improve OpenMax's performance.

6.4 Which clustering approach is optimal

After showing that clustering is able to improve OpenMax's performances, the next step is to answer RQ3 and find from the different introduced types of clustering in section 5.2 the best-performing one. Figure 6.6 shows the optimal set of parameters for each clustering type and the baseline model. Every introduced clustering type outperforms the baseline model, but there is no definitive answer on which clustering type to use. Each metric has, for each clustering type, a different top-scoring parameter set. The order is completely different, with the same clustering types in their top 4. Also, the parameters are different for each score. Looking at the γ score, the tail size is either 10 or 100 for all the clustering types, and the distance multiplier is smaller than 1, except for the IVFC. For the Σ score, on the other hand, the tail sizes are longer in comparison,



(a) Gamma Score



(b) Sigma Score

Rank	α	η	κ	ϕ	Negative fix	γ^+	γ^-	γ	Σ
1	7	1000	1.0	ϕ_o	Original	0.780	0.831	0.805	4.272
2	5	1000	1.0	ϕ_ω	Value Shift	0.855	0.747	0.801	3.578
3	5	1000	1.0	ϕ_o	Adjusted Prob.	0.857	0.744	0.801	3.671
4	3	1000	1.0	ϕ_ω	Original	0.875	0.709	0.792	4.176

(c) Detail Gamma Score

Rank	α	η	κ	ϕ	Negative fix	γ^+	γ^-	γ	Σ
1	7	1000	1.0	ϕ_o	Original	0.780	0.831	0.805	4.272
2	3	1000	1.0	ϕ_ω	Original	0.875	0.709	0.792	4.176
3	3	1000	1.0	ϕ_ω	Adjusted Prob.	0.875	0.709	0.792	4.176
4	5	1000	1.0	ϕ_o	Value Shift	0.604	0.895	0.749	4.169

(d) Detail Sigma Score

Figure 6.4: ALL THE OPTIMIZATIONS COMBINED. *OSCR curves of the models using the different normalization factors and negative fixes with corresponding values ranked by γ score and Σ score*

going from 100 to even the longest size in 1000. Also, the distance multipliers are never below 1 or increase the distance. According to both scores, input clustering combined with a second deep feature clustering comes out on top, but depending on the score, it is either ITFC or IVFC. For all the types that applied input clustering, the optimal value for the input clusters is the lowest possible in 2. For the number of feature clusters, the best-performing parameter sets us 5 or 6 clusters per class, except for ITFC, where 3 appears to be the optimal number.



(a) Gamma Score



(b) Sigma Score

Rank	α	η	κ	k_{Input}	k_{Feat}	γ^+	γ^-	γ	Σ
1	7	100	0.7	1	5	0.836	0.822	0.829	4.391
2	7	1000	1.0	1	1	0.780	0.831	0.805	4.272

(c) Detail Gamma Score

Rank	α	η	κ	k_{Input}	k_{Feat}	γ^+	γ^-	γ	Σ
1	7	750	1.25	1	6	0.607	0.930	0.768	4.450
2	7	1000	1.0	1	1	0.780	0.831	0.805	4.272

(d) Detail Sigma Score

Figure 6.5: BASELINE VS. CLUSTERING. *OSCR curves baseline model and the clustering model using training-features clustering with corresponding values ranked by γ score and Σ score*



(a) Gamma Score



(b) Sigma Score

Rank	Type	α	η	κ	k_{Input}	k_{Feat}	γ^+	γ^-	γ	Σ
1	ITFC	5	100	0.7	2	3	0.845	0.837	0.841	3.666
2	VFC	7	10	0.5	1	5	0.885	0.784	0.834	3.774
3	IVFC	5	100	1.25	2	6	0.851	0.817	0.834	4.478
4	TFC	7	100	0.7	1	5	0.836	0.822	0.829	4.391
5	IC	5	100	0.5	2	1	0.793	0.851	0.822	4.247
6	base	7	1000	1.0	1	1	0.780	0.831	0.805	4.272

(c) Detail Gamma

Rank	Type	α	η	κ	k_{Input}	k_{Feat}	γ^+	γ^-	γ	Σ
1	IVFC	5	100	1.0	2	6	0.767	0.889	0.828	4.483
2	VFC	7	250	1.25	1	5	0.543	0.941	0.742	4.475
3	TFC	7	750	1.25	1	6	0.607	0.930	0.768	4.450
4	ITFC	5	1000	1.5	2	3	0.787	0.867	0.827	4.423
5	IC	7	500	1.0	2	1	0.785	0.838	0.812	4.307
6	base	7	1000	1.0	1	1	0.780	0.831	0.805	4.272

(d) Detail Sigma

Figure 6.6: EVERY CLUSTERING TYPE VS BASELINE. *OSCR curves of the baseline model and all the clustering types with corresponding values ranked by γ score and Σ score*

Chapter 7

Discussion

7.0.1 Improving OpenMax (RQ1)

Even though the different optimizations introduced for OpenMax did not work out as expected and didn't lead to the removal of the α parameter. There are still several other optimizations that could be explored. The computation of the logit value for the unknown classes especially appears to be a crucial calculation step with a lot of potential. The non-α versions, for example, achieved high CCR but struggled with rejecting unknown classes, resulting in a high FPR and a short OSCR curve. This indicates that the score of unknown classes, must have been too low.

Also, it is important to remember that the experiment was only done on the EMNIST dataset and it is unclear how the optimization would perform on another dataset. In this experiment certain combination of the introduced optimization was almost performed on the same level as the original version.

7.0.2 OpenMax with Clustering (RQ2, RQ3)

While this thesis was able to show that is possible to introduce clustering to OpenMax, the clustering methods used were rather basic. Currently, only agglomeration clustering is applied which requires a fixed size of clusters and includes all the outliers. A more complex clustering algorithm could be used that uses individual numbers of clusters per class and different ways to deal with outliers. With agglomeration clustering, this led to situations where certain clusters had a very low number of examples per cluster. Figure **??** shows an example of clustering applied to the deep features of the validation set. Furthermore, the α, κ, and η parameters are identical for all the classes and clusters, and another improvement would be to have individual ones for each cluster, especially if they vary in size. A limitation encountered with the clustering types that used input clusters was that especially, for a higher number of input clusters a part the samples from certain clusters were never correctly classified.

Chapter 8

Conclusion

This thesis introduced various optimization and clustering to OpenMax, a replacement for SoftMax during testing as the final layer in a deep neural network, that uses a mechanism based on Extreme Value Theory (EVT) and deep features to compute the probability of a sample belonging to an unknown class. By introducing clustering, this thesis aimed to show that OpenMax's effectiveness, accuracy, and robustness can be improved. Thus, three research questions were developed. Firstly, whether OpenMax performance can be enhanced by accounting for negative activation values. Secondly, can clustering improve the performance of OpenMax? Thirdly, if clustering were to improve OpenMax, which clustering type would provide the most suitable result using which parameters? The analysis began by examining related work in Chapter 2. Existing literature has shown neural networks' difficulties under the open-set scenario and that clustering was previously successful in other problems regarding open-set. Other relevant OSC approaches were presented, such as feature-based methods in Section 2.2.1 to which OpenMax belongs and other training-based methods Section 2.2.2. The last part of the related work in Section 2.3 introduces two different categories of clustering as an unsupervised machine-learning task. Firstly, hierarchical clustering can be used with either a bottom-up or a top-down approach. Both approaches create a hierarchical structure, expressed as a dendrogram. Secondly, partitional clustering creates various groups of data points without creating a hierarchical structure. These methods are most often used when the construction of a hierarchical structure is computationally expensive or unnecessary. Chapter 3 focuses on the background of the theories behind OpenMax and the clustering algorithm used in this thesis. This includes EVT with a focus on the Weibull-Distribution and Hierarchical Agglomerative Clustering. The following chapter introduces the dataset used in the experiments in Chapter 6. Through conducting the experiments, it was found that optimizations introduced to OpenMax to account for negative activation values did not outperform the original implementation. Furthermore, it was found that clustering can improve the performance of OpenMax, but according to the two different metrics, different types and parameter sets are optimal. The limitation of the thesis is that the different methods and optimizations were only tested on a single dataset. Furthermore, only a single clustering algorithm with a fixed number of clusters and the inclusion of outliers. Future research could explore these limitations, which could focus on different datasets, introduce different ways to compute the logit score of the unknown classes, experiment with different clustering algorithms, and introduce individual parameters for each cluster.

Appendix A

Attachments

A.1 Experiment Scores

This section provides the raw score data divided into clustering and baseline types.

A.1.1 Baseline

Type	α	η	κ	k_{input}	k_{feat}	Neg fix	ϕ	$\gamma+$	$\gamma-$	γ	Σ
base	-1	10	1.0	1	1	original	ϕ_o	0.987	0.029	0.508	1.958
base	-1	10	1.25	1	1	original	ϕ_o	0.987	0.036	0.512	2.912
base	-1	10	1.5	1	1	original	ϕ_o	0.987	0.040	0.514	1.964
base	-1	10	1.7	1	1	original	ϕ_o	0.987	0.041	0.514	1.964
base	-1	10	2.0	1	1	original	ϕ_o	0.987	0.042	0.515	2.917
base	-1	10	2.3	1	1	original	ϕ_o	0.987	0.042	0.515	2.917
base	-1	10	3.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	-1	100	1.0	1	1	original	ϕ_o	0.985	0.047	0.516	1.954
base	-1	100	1.25	1	1	original	ϕ_o	0.986	0.029	0.507	1.957
base	-1	100	1.5	1	1	original	ϕ_o	0.987	0.030	0.508	1.961
base	-1	100	1.7	1	1	original	ϕ_o	0.987	0.033	0.510	0.987
base	-1	100	2.0	1	1	original	ϕ_o	0.987	0.036	0.512	1.963
base	-1	100	2.3	1	1	original	ϕ_o	0.987	0.038	0.513	1.963
base	-1	100	3.0	1	1	original	ϕ_o	0.987	0.041	0.514	2.916
base	-1	100	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	-1	250	1.0	1	1	original	ϕ_o	0.983	0.086	0.534	1.954
base	-1	250	1.25	1	1	original	ϕ_o	0.986	0.036	0.511	1.954
base	-1	250	1.5	1	1	original	ϕ_o	0.986	0.028	0.507	1.957
base	-1	250	1.7	1	1	original	ϕ_o	0.987	0.029	0.508	1.958
base	-1	250	2.0	1	1	original	ϕ_o	0.987	0.032	0.510	1.961
base	-1	250	2.3	1	1	original	ϕ_o	0.987	0.034	0.511	1.962
base	-1	250	3.0	1	1	original	ϕ_o	0.987	0.038	0.512	1.963
base	-1	250	4.0	1	1	original	ϕ_o	0.987	0.040	0.514	1.963
base	-1	500	1.0	1	1	original	ϕ_o	0.980	0.144	0.562	1.954
base	-1	500	1.25	1	1	original	ϕ_o	0.985	0.057	0.521	1.956
base	-1	500	1.5	1	1	original	ϕ_o	0.986	0.035	0.511	0.986
base	-1	500	1.7	1	1	original	ϕ_o	0.986	0.030	0.508	1.957
base	-1	500	2.0	1	1	original	ϕ_o	0.987	0.030	0.508	1.959
base	-1	500	2.3	1	1	original	ϕ_o	0.987	0.032	0.509	1.960
base	-1	500	3.0	1	1	original	ϕ_o	0.987	0.035	0.511	1.962
base	-1	500	4.0	1	1	original	ϕ_o	0.987	0.038	0.513	1.962
base	-1	750	1.0	1	1	original	ϕ_o	0.977	0.189	0.583	1.954
base	-1	750	1.25	1	1	original	ϕ_o	0.984	0.082	0.533	1.955
base	-1	750	1.5	1	1	original	ϕ_o	0.986	0.045	0.515	1.957
base	-1	750	1.7	1	1	original	ϕ_o	0.986	0.035	0.511	1.958

base	-1	750	2.0	1	1	original	ϕ_o	0.987	0.031	0.509	0.987
base	-1	750	2.3	1	1	original	ϕ_o	0.987	0.032	0.509	1.959
base	-1	750	3.0	1	1	original	ϕ_o	0.987	0.034	0.511	1.961
base	-1	750	4.0	1	1	original	ϕ_o	0.987	0.037	0.512	1.962
base	-1	1000	1.0	1	1	original	ϕ_o	0.974	0.227	0.601	2.900
base	-1	1000	1.25	1	1	original	ϕ_o	0.982	0.107	0.545	1.956
base	-1	1000	1.5	1	1	original	ϕ_o	0.985	0.056	0.521	1.957
base	-1	1000	1.7	1	1	original	ϕ_o	0.986	0.041	0.514	1.958
base	-1	1000	2.0	1	1	original	ϕ_o	0.987	0.034	0.510	1.959
base	-1	1000	2.3	1	1	original	ϕ_o	0.987	0.032	0.509	1.960
base	-1	1000	3.0	1	1	original	ϕ_o	0.987	0.034	0.510	1.961
base	-1	1000	4.0	1	1	original	ϕ_o	0.987	0.036	0.512	1.962
base	-1	10	1.0	1	1	val shift	ϕ_o	0.018	0.992	0.505	1.041
base	-1	10	1.25	1	1	val shift	ϕ_o	0.142	0.940	0.541	1.847
base	-1	10	1.5	1	1	val shift	ϕ_o	0.468	0.689	0.578	2.764
base	-1	10	1.7	1	1	val shift	ϕ_o	0.821	0.326	0.574	2.594
base	-1	10	2.0	1	1	val shift	ϕ_o	0.986	0.057	0.521	2.914
base	-1	10	2.3	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	-1	10	3.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	-1	100	1.0	1	1	val shift	ϕ_o	0.001	1.000	0.500	0.320
base	-1	100	1.25	1	1	val shift	ϕ_o	0.003	0.999	0.501	1.039
base	-1	100	1.5	1	1	val shift	ϕ_o	0.035	0.990	0.513	1.194
base	-1	100	1.7	1	1	val shift	ϕ_o	0.111	0.965	0.538	1.948
base	-1	100	2.0	1	1	val shift	ϕ_o	0.350	0.829	0.590	3.058
base	-1	100	2.3	1	1	val shift	ϕ_o	0.724	0.500	0.612	3.108
base	-1	100	3.0	1	1	val shift	ϕ_o	0.987	0.040	0.514	1.963
base	-1	100	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.514	1.964
base	-1	250	1.0	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.267
base	-1	250	1.25	1	1	val shift	ϕ_o	0.001	1.000	0.501	0.329
base	-1	250	1.5	1	1	val shift	ϕ_o	0.003	1.000	0.501	1.071
base	-1	250	1.7	1	1	val shift	ϕ_o	0.014	0.998	0.506	1.180
base	-1	250	2.0	1	1	val shift	ϕ_o	0.070	0.983	0.526	1.984
base	-1	250	2.3	1	1	val shift	ϕ_o	0.218	0.927	0.572	3.005
base	-1	250	3.0	1	1	val shift	ϕ_o	0.828	0.414	0.621	2.670
base	-1	250	4.0	1	1	val shift	ϕ_o	0.987	0.038	0.513	1.962
base	-1	500	1.0	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.234
base	-1	500	1.25	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.270
base	-1	500	1.5	1	1	val shift	ϕ_o	0.001	1.000	0.500	0.331
base	-1	500	1.7	1	1	val shift	ϕ_o	0.002	1.000	0.501	0.668
base	-1	500	2.0	1	1	val shift	ϕ_o	0.009	0.999	0.504	1.194
base	-1	500	2.3	1	1	val shift	ϕ_o	0.039	0.993	0.516	1.991
base	-1	500	3.0	1	1	val shift	ϕ_o	0.311	0.894	0.602	3.213
base	-1	500	4.0	1	1	val shift	ϕ_o	0.931	0.265	0.598	2.793
base	-1	750	1.0	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.212
base	-1	750	1.25	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.240
base	-1	750	1.5	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.279
base	-1	750	1.7	1	1	val shift	ϕ_o	0.001	1.000	0.500	0.329
base	-1	750	2.0	1	1	val shift	ϕ_o	0.003	1.000	0.501	0.708
base	-1	750	2.3	1	1	val shift	ϕ_o	0.009	0.999	0.504	1.229
base	-1	750	3.0	1	1	val shift	ϕ_o	0.114	0.975	0.544	3.036
base	-1	750	4.0	1	1	val shift	ϕ_o	0.606	0.686	0.646	3.128
base	-1	1000	1.0	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.197
base	-1	1000	1.25	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.222
base	-1	1000	1.5	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.253
base	-1	1000	1.7	1	1	val shift	ϕ_o	0.000	1.000	0.500	0.287
base	-1	1000	2.0	1	1	val shift	ϕ_o	0.001	1.000	0.501	0.642
base	-1	1000	2.3	1	1	val shift	ϕ_o	0.004	1.000	0.502	1.143
base	-1	1000	3.0	1	1	val shift	ϕ_o	0.045	0.993	0.519	2.096
base	-1	1000	4.0	1	1	val shift	ϕ_o	0.349	0.886	0.618	3.336
base	-1	10	1.0	1	1	Adj. Prob	ϕ_o	0.987	0.029	0.508	1.958
base	-1	10	1.25	1	1	Adj. Prob	ϕ_o	0.987	0.036	0.512	2.912
base	-1	10	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.514	1.964
base	-1	10	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964

base	-1	10	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	2.917
base	-1	10	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	2.917
base	-1	10	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	-1	100	1.0	1	1	Adj. Prob	ϕ_o	0.985	0.042	0.513	1.954
base	-1	100	1.25	1	1	Adj. Prob	ϕ_o	0.986	0.028	0.507	1.957
base	-1	100	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.030	0.508	1.961
base	-1	100	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.033	0.510	0.987
base	-1	100	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.036	0.512	1.963
base	-1	100	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.038	0.513	1.963
base	-1	100	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	2.916
base	-1	100	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	-1	250	1.0	1	1	Adj. Prob	ϕ_o	0.983	0.074	0.529	1.954
base	-1	250	1.25	1	1	Adj. Prob	ϕ_o	0.986	0.034	0.510	1.954
base	-1	250	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.028	0.507	1.957
base	-1	250	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.029	0.508	1.958
base	-1	250	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.032	0.510	1.961
base	-1	250	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.034	0.511	1.962
base	-1	250	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.038	0.512	1.963
base	-1	250	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.514	1.963
base	-1	500	1.0	1	1	Adj. Prob	ϕ_o	0.981	0.123	0.552	1.954
base	-1	500	1.25	1	1	Adj. Prob	ϕ_o	0.985	0.051	0.518	1.956
base	-1	500	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.034	0.510	1.957
base	-1	500	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.030	0.508	1.957
base	-1	500	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.030	0.508	1.959
base	-1	500	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.032	0.509	1.960
base	-1	500	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.035	0.511	1.962
base	-1	500	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.038	0.513	1.962
base	-1	750	1.0	1	1	Adj. Prob	ϕ_o	0.979	0.163	0.571	2.900
base	-1	750	1.25	1	1	Adj. Prob	ϕ_o	0.984	0.071	0.528	1.956
base	-1	750	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.041	0.514	1.957
base	-1	750	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.034	0.510	1.958
base	-1	750	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.031	0.509	1.959
base	-1	750	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.032	0.509	1.959
base	-1	750	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.034	0.511	1.961
base	-1	750	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.037	0.512	1.962
base	-1	1000	1.0	1	1	Adj. Prob	ϕ_o	0.976	0.195	0.586	2.900
base	-1	1000	1.25	1	1	Adj. Prob	ϕ_o	0.983	0.091	0.537	1.956
base	-1	1000	1.5	1	1	Adj. Prob	ϕ_o	0.985	0.050	0.518	1.957
base	-1	1000	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.039	0.513	1.958
base	-1	1000	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.033	0.510	1.959
base	-1	1000	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.032	0.509	0.987
base	-1	1000	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.034	0.510	1.961
base	-1	1000	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.036	0.512	1.962
base	-1	10	1.0	1	1	original	ϕ_ω	0.987	0.029	0.508	1.958
base	-1	10	1.25	1	1	original	ϕ_ω	0.987	0.036	0.512	2.912
base	-1	10	1.5	1	1	original	ϕ_ω	0.987	0.040	0.514	1.964
base	-1	10	1.7	1	1	original	ϕ_ω	0.987	0.041	0.514	1.964
base	-1	10	2.0	1	1	original	ϕ_ω	0.987	0.042	0.515	2.917
base	-1	10	2.3	1	1	original	ϕ_ω	0.987	0.042	0.515	2.917
base	-1	10	3.0	1	1	original	ϕ_ω	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	1.772
base	-1	100	1.0	1	1	original	ϕ_ω	0.985	0.047	0.516	0.986
base	-1	100	1.25	1	1	original	ϕ_ω	0.986	0.029	0.507	1.957
base	-1	100	1.5	1	1	original	ϕ_ω	0.987	0.030	0.508	1.961
base	-1	100	1.7	1	1	original	ϕ_ω	0.987	0.033	0.510	0.987
base	-1	100	2.0	1	1	original	ϕ_ω	0.987	0.036	0.512	1.963
base	-1	100	2.3	1	1	original	ϕ_ω	0.987	0.038	0.513	1.963
base	-1	100	3.0	1	1	original	ϕ_ω	0.987	0.041	0.514	2.916
base	-1	100	4.0	1	1	original	ϕ_ω	0.987	0.042	0.515	1.964
base	-1	250	1.0	1	1	original	ϕ_ω	0.983	0.085	0.534	1.954
base	-1	250	1.25	1	1	original	ϕ_ω	0.986	0.036	0.511	1.954
base	-1	250	1.5	1	1	original	ϕ_ω	0.986	0.028	0.507	0.987
base	-1	250	1.7	1	1	original	ϕ_ω	0.987	0.029	0.508	1.958

base	-1	250	2.0	1	1	original	ϕ_ω	0.987	0.032	0.510	1.961
base	-1	250	2.3	1	1	original	ϕ_ω	0.987	0.034	0.511	1.962
base	-1	250	3.0	1	1	original	ϕ_ω	0.987	0.038	0.512	1.963
base	-1	250	4.0	1	1	original	ϕ_ω	0.987	0.040	0.514	1.963
base	-1	500	1.0	1	1	original	ϕ_ω	0.980	0.143	0.562	1.954
base	-1	500	1.25	1	1	original	ϕ_ω	0.985	0.057	0.521	1.956
base	-1	500	1.5	1	1	original	ϕ_ω	0.986	0.035	0.511	0.986
base	-1	500	1.7	1	1	original	ϕ_ω	0.986	0.030	0.508	1.957
base	-1	500	2.0	1	1	original	ϕ_ω	0.987	0.030	0.508	1.959
base	-1	500	2.3	1	1	original	ϕ_ω	0.987	0.032	0.509	1.960
base	-1	500	3.0	1	1	original	ϕ_ω	0.987	0.035	0.511	1.962
base	-1	500	4.0	1	1	original	ϕ_ω	0.987	0.038	0.513	1.962
base	-1	750	1.0	1	1	original	ϕ_ω	0.977	0.189	0.583	1.954
base	-1	750	1.25	1	1	original	ϕ_ω	0.984	0.082	0.533	1.955
base	-1	750	1.5	1	1	original	ϕ_ω	0.986	0.045	0.515	1.957
base	-1	750	1.7	1	1	original	ϕ_ω	0.986	0.035	0.511	1.958
base	-1	750	2.0	1	1	original	ϕ_ω	0.987	0.031	0.509	1.959
base	-1	750	2.3	1	1	original	ϕ_ω	0.987	0.032	0.509	1.959
base	-1	750	3.0	1	1	original	ϕ_ω	0.987	0.034	0.511	1.961
base	-1	750	4.0	1	1	original	ϕ_ω	0.987	0.037	0.512	1.962
base	-1	1000	1.0	1	1	original	ϕ_ω	0.974	0.226	0.600	2.899
base	-1	1000	1.25	1	1	original	ϕ_ω	0.982	0.107	0.545	1.956
base	-1	1000	1.5	1	1	original	ϕ_ω	0.985	0.056	0.521	1.957
base	-1	1000	1.7	1	1	original	ϕ_ω	0.986	0.041	0.514	1.958
base	-1	1000	2.0	1	1	original	ϕ_ω	0.987	0.034	0.510	1.959
base	-1	1000	2.3	1	1	original	ϕ_ω	0.987	0.032	0.509	1.960
base	-1	1000	3.0	1	1	original	ϕ_ω	0.987	0.034	0.510	1.961
base	-1	1000	4.0	1	1	original	ϕ_ω	0.987	0.036	0.512	1.962
base	-1	10	1.0	1	1	val shift	ϕ_ω	0.985	0.032	0.509	1.954
base	-1	10	1.25	1	1	val shift	ϕ_ω	0.987	0.033	0.510	1.962
base	-1	10	1.5	1	1	val shift	ϕ_ω	0.987	0.039	0.513	1.963
base	-1	10	1.7	1	1	val shift	ϕ_ω	0.987	0.040	0.514	1.964
base	-1	10	2.0	1	1	val shift	ϕ_ω	0.987	0.042	0.514	2.917
base	-1	10	2.3	1	1	val shift	ϕ_ω	0.987	0.042	0.515	1.964
base	-1	10	3.0	1	1	val shift	ϕ_ω	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.772
base	-1	100	1.0	1	1	val shift	ϕ_ω	0.980	0.134	0.557	1.948
base	-1	100	1.25	1	1	val shift	ϕ_ω	0.985	0.038	0.511	0.985
base	-1	100	1.5	1	1	val shift	ϕ_ω	0.986	0.024	0.505	1.952
base	-1	100	1.7	1	1	val shift	ϕ_ω	0.987	0.026	0.507	1.957
base	-1	100	2.0	1	1	val shift	ϕ_ω	0.987	0.032	0.510	1.961
base	-1	100	2.3	1	1	val shift	ϕ_ω	0.987	0.035	0.511	1.962
base	-1	100	3.0	1	1	val shift	ϕ_ω	0.987	0.039	0.513	1.963
base	-1	100	4.0	1	1	val shift	ϕ_ω	0.987	0.042	0.514	1.964
base	-1	250	1.0	1	1	val shift	ϕ_ω	0.970	0.274	0.622	1.951
base	-1	250	1.25	1	1	val shift	ϕ_ω	0.981	0.115	0.548	0.985
base	-1	250	1.5	1	1	val shift	ϕ_ω	0.984	0.042	0.513	0.985
base	-1	250	1.7	1	1	val shift	ϕ_ω	0.986	0.025	0.505	0.986
base	-1	250	2.0	1	1	val shift	ϕ_ω	0.986	0.024	0.505	1.952
base	-1	250	2.3	1	1	val shift	ϕ_ω	0.987	0.027	0.507	1.956
base	-1	250	3.0	1	1	val shift	ϕ_ω	0.987	0.034	0.510	1.961
base	-1	250	4.0	1	1	val shift	ϕ_ω	0.987	0.038	0.513	1.962
base	-1	500	1.0	1	1	val shift	ϕ_ω	0.956	0.416	0.686	2.894
base	-1	500	1.25	1	1	val shift	ϕ_ω	0.974	0.244	0.609	1.954
base	-1	500	1.5	1	1	val shift	ϕ_ω	0.982	0.119	0.550	1.953
base	-1	500	1.7	1	1	val shift	ϕ_ω	0.984	0.060	0.522	1.950
base	-1	500	2.0	1	1	val shift	ϕ_ω	0.985	0.029	0.507	0.986
base	-1	500	2.3	1	1	val shift	ϕ_ω	0.986	0.024	0.505	1.951
base	-1	500	3.0	1	1	val shift	ϕ_ω	0.987	0.028	0.507	1.956
base	-1	500	4.0	1	1	val shift	ϕ_ω	0.987	0.033	0.510	1.960
base	-1	750	1.0	1	1	val shift	ϕ_ω	0.942	0.505	0.723	2.892
base	-1	750	1.25	1	1	val shift	ϕ_ω	0.966	0.341	0.653	2.898
base	-1	750	1.5	1	1	val shift	ϕ_ω	0.978	0.203	0.590	1.954
base	-1	750	1.7	1	1	val shift	ϕ_ω	0.982	0.120	0.551	1.954

base	-1	750	2.0	1	1	val shift	ϕ_ω	0.985	0.052	0.518	1.951
base	-1	750	2.3	1	1	val shift	ϕ_ω	0.986	0.029	0.507	0.986
base	-1	750	3.0	1	1	val shift	ϕ_ω	0.986	0.025	0.506	1.954
base	-1	750	4.0	1	1	val shift	ϕ_ω	0.987	0.030	0.509	1.958
base	-1	1000	1.0	1	1	val shift	ϕ_ω	0.928	0.565	0.747	2.890
base	-1	1000	1.25	1	1	val shift	ϕ_ω	0.958	0.413	0.686	2.899
base	-1	1000	1.5	1	1	val shift	ϕ_ω	0.973	0.275	0.624	1.955
base	-1	1000	1.7	1	1	val shift	ϕ_ω	0.979	0.183	0.581	1.956
base	-1	1000	2.0	1	1	val shift	ϕ_ω	0.984	0.090	0.537	1.956
base	-1	1000	2.3	1	1	val shift	ϕ_ω	0.985	0.044	0.515	1.952
base	-1	1000	3.0	1	1	val shift	ϕ_ω	0.986	0.025	0.505	1.953
base	-1	1000	4.0	1	1	val shift	ϕ_ω	0.987	0.028	0.507	1.957
base	-1	10	1.0	1	1	Adj. Prob	ϕ_ω	0.987	0.029	0.508	0.987
base	-1	10	1.25	1	1	Adj. Prob	ϕ_ω	0.987	0.036	0.512	2.912
base	-1	10	1.5	1	1	Adj. Prob	ϕ_ω	0.987	0.040	0.514	1.964
base	-1	10	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.964
base	-1	10	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	2.917
base	-1	10	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	2.917
base	-1	10	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	1.964
base	-1	100	1.0	1	1	Adj. Prob	ϕ_ω	0.985	0.042	0.513	1.953
base	-1	100	1.25	1	1	Adj. Prob	ϕ_ω	0.986	0.028	0.507	1.957
base	-1	100	1.5	1	1	Adj. Prob	ϕ_ω	0.987	0.030	0.508	1.961
base	-1	100	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.033	0.510	0.987
base	-1	100	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.036	0.512	1.963
base	-1	100	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.038	0.513	1.963
base	-1	100	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	2.916
base	-1	100	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	1.964
base	-1	250	1.0	1	1	Adj. Prob	ϕ_ω	0.983	0.074	0.529	1.954
base	-1	250	1.25	1	1	Adj. Prob	ϕ_ω	0.986	0.034	0.510	1.954
base	-1	250	1.5	1	1	Adj. Prob	ϕ_ω	0.986	0.028	0.507	1.957
base	-1	250	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.029	0.508	1.958
base	-1	250	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.032	0.510	1.961
base	-1	250	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.034	0.511	1.962
base	-1	250	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.038	0.512	1.963
base	-1	250	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.040	0.514	1.963
base	-1	500	1.0	1	1	Adj. Prob	ϕ_ω	0.981	0.122	0.552	1.954
base	-1	500	1.25	1	1	Adj. Prob	ϕ_ω	0.985	0.051	0.518	1.956
base	-1	500	1.5	1	1	Adj. Prob	ϕ_ω	0.986	0.034	0.510	1.957
base	-1	500	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.030	0.508	1.957
base	-1	500	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.030	0.508	1.959
base	-1	500	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.032	0.509	1.960
base	-1	500	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.035	0.511	1.962
base	-1	500	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.038	0.513	1.962
base	-1	750	1.0	1	1	Adj. Prob	ϕ_ω	0.979	0.161	0.570	2.900
base	-1	750	1.25	1	1	Adj. Prob	ϕ_ω	0.984	0.071	0.528	1.956
base	-1	750	1.5	1	1	Adj. Prob	ϕ_ω	0.986	0.042	0.514	1.957
base	-1	750	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.034	0.510	1.958
base	-1	750	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.031	0.509	1.959
base	-1	750	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.032	0.509	1.959
base	-1	750	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.034	0.511	1.961
base	-1	750	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.037	0.512	1.962
base	-1	1000	1.0	1	1	Adj. Prob	ϕ_ω	0.977	0.193	0.585	2.900
base	-1	1000	1.25	1	1	Adj. Prob	ϕ_ω	0.983	0.091	0.537	1.956
base	-1	1000	1.5	1	1	Adj. Prob	ϕ_ω	0.985	0.051	0.518	0.986
base	-1	1000	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.039	0.513	1.958
base	-1	1000	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.033	0.510	1.959
base	-1	1000	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.032	0.509	0.987
base	-1	1000	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.034	0.510	1.961
base	-1	1000	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.036	0.512	1.962
base	-1	10	1.0	1	1	original	ϕ_c	0.987	0.029	0.508	1.958
base	-1	10	1.25	1	1	original	ϕ_c	0.987	0.036	0.512	2.912
base	-1	10	1.5	1	1	original	ϕ_c	0.987	0.040	0.514	1.964
base	-1	10	1.7	1	1	original	ϕ_c	0.987	0.041	0.514	1.964

base	-1	10	2.0	1	1	original	ϕ_c	0.987	0.042	0.515	2.917
base	-1	10	2.3	1	1	original	ϕ_c	0.987	0.042	0.515	2.917
base	-1	10	3.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	-1	100	1.0	1	1	original	ϕ_c	0.985	0.046	0.516	0.986
base	-1	100	1.25	1	1	original	ϕ_c	0.986	0.029	0.507	1.957
base	-1	100	1.5	1	1	original	ϕ_c	0.987	0.030	0.508	1.961
base	-1	100	1.7	1	1	original	ϕ_c	0.987	0.033	0.510	0.987
base	-1	100	2.0	1	1	original	ϕ_c	0.987	0.036	0.512	1.963
base	-1	100	2.3	1	1	original	ϕ_c	0.987	0.038	0.513	1.963
base	-1	100	3.0	1	1	original	ϕ_c	0.987	0.041	0.514	2.916
base	-1	100	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	-1	250	1.0	1	1	original	ϕ_c	0.983	0.085	0.534	1.954
base	-1	250	1.25	1	1	original	ϕ_c	0.986	0.036	0.511	1.954
base	-1	250	1.5	1	1	original	ϕ_c	0.986	0.028	0.507	0.987
base	-1	250	1.7	1	1	original	ϕ_c	0.987	0.029	0.508	1.958
base	-1	250	2.0	1	1	original	ϕ_c	0.987	0.032	0.510	1.961
base	-1	250	2.3	1	1	original	ϕ_c	0.987	0.034	0.511	1.962
base	-1	250	3.0	1	1	original	ϕ_c	0.987	0.038	0.512	1.963
base	-1	250	4.0	1	1	original	ϕ_c	0.987	0.040	0.514	1.963
base	-1	500	1.0	1	1	original	ϕ_c	0.980	0.143	0.562	1.954
base	-1	500	1.25	1	1	original	ϕ_c	0.985	0.057	0.521	1.956
base	-1	500	1.5	1	1	original	ϕ_c	0.986	0.035	0.511	0.986
base	-1	500	1.7	1	1	original	ϕ_c	0.986	0.030	0.508	1.957
base	-1	500	2.0	1	1	original	ϕ_c	0.987	0.030	0.508	1.959
base	-1	500	2.3	1	1	original	ϕ_c	0.987	0.032	0.509	1.960
base	-1	500	3.0	1	1	original	ϕ_c	0.987	0.035	0.511	1.962
base	-1	500	4.0	1	1	original	ϕ_c	0.987	0.038	0.513	1.962
base	-1	750	1.0	1	1	original	ϕ_c	0.977	0.189	0.583	2.900
base	-1	750	1.25	1	1	original	ϕ_c	0.984	0.082	0.533	1.955
base	-1	750	1.5	1	1	original	ϕ_c	0.986	0.045	0.515	1.957
base	-1	750	1.7	1	1	original	ϕ_c	0.986	0.035	0.511	1.958
base	-1	750	2.0	1	1	original	ϕ_c	0.987	0.031	0.509	1.959
base	-1	750	2.3	1	1	original	ϕ_c	0.987	0.032	0.509	1.959
base	-1	750	3.0	1	1	original	ϕ_c	0.987	0.034	0.511	1.961
base	-1	750	4.0	1	1	original	ϕ_c	0.987	0.037	0.512	1.962
base	-1	1000	1.0	1	1	original	ϕ_c	0.974	0.226	0.600	2.899
base	-1	1000	1.25	1	1	original	ϕ_c	0.982	0.107	0.545	1.956
base	-1	1000	1.5	1	1	original	ϕ_c	0.985	0.056	0.521	1.957
base	-1	1000	1.7	1	1	original	ϕ_c	0.986	0.041	0.514	1.958
base	-1	1000	2.0	1	1	original	ϕ_c	0.987	0.034	0.510	1.959
base	-1	1000	2.3	1	1	original	ϕ_c	0.987	0.032	0.509	1.960
base	-1	1000	3.0	1	1	original	ϕ_c	0.987	0.034	0.510	1.961
base	-1	1000	4.0	1	1	original	ϕ_c	0.987	0.036	0.512	1.962
base	-1	10	1.0	1	1	val shift	ϕ_c	0.985	0.032	0.509	1.954
base	-1	10	1.25	1	1	val shift	ϕ_c	0.987	0.033	0.510	1.962
base	-1	10	1.5	1	1	val shift	ϕ_c	0.987	0.039	0.513	1.963
base	-1	10	1.7	1	1	val shift	ϕ_c	0.987	0.040	0.514	1.964
base	-1	10	2.0	1	1	val shift	ϕ_c	0.987	0.042	0.514	2.917
base	-1	10	2.3	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	-1	10	3.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	-1	100	1.0	1	1	val shift	ϕ_c	0.980	0.136	0.558	0.985
base	-1	100	1.25	1	1	val shift	ϕ_c	0.984	0.036	0.510	1.945
base	-1	100	1.5	1	1	val shift	ϕ_c	0.986	0.023	0.505	0.986
base	-1	100	1.7	1	1	val shift	ϕ_c	0.987	0.026	0.506	1.957
base	-1	100	2.0	1	1	val shift	ϕ_c	0.987	0.032	0.510	1.961
base	-1	100	2.3	1	1	val shift	ϕ_c	0.987	0.035	0.511	1.962
base	-1	100	3.0	1	1	val shift	ϕ_c	0.987	0.039	0.513	1.963
base	-1	100	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.514	1.964
base	-1	250	1.0	1	1	val shift	ϕ_c	0.969	0.281	0.625	1.951
base	-1	250	1.25	1	1	val shift	ϕ_c	0.981	0.114	0.547	0.985
base	-1	250	1.5	1	1	val shift	ϕ_c	0.984	0.037	0.511	0.985
base	-1	250	1.7	1	1	val shift	ϕ_c	0.986	0.022	0.504	1.946

base	-1	250	2.0	1	1	val shift	ϕ_c	0.986	0.024	0.505	0.986
base	-1	250	2.3	1	1	val shift	ϕ_c	0.987	0.027	0.507	1.956
base	-1	250	3.0	1	1	val shift	ϕ_c	0.987	0.034	0.510	1.961
base	-1	250	4.0	1	1	val shift	ϕ_c	0.987	0.038	0.513	1.962
base	-1	500	1.0	1	1	val shift	ϕ_c	0.954	0.427	0.691	2.893
base	-1	500	1.25	1	1	val shift	ϕ_c	0.973	0.250	0.612	1.953
base	-1	500	1.5	1	1	val shift	ϕ_c	0.982	0.114	0.548	0.985
base	-1	500	1.7	1	1	val shift	ϕ_c	0.984	0.052	0.518	0.986
base	-1	500	2.0	1	1	val shift	ϕ_c	0.986	0.024	0.505	0.986
base	-1	500	2.3	1	1	val shift	ϕ_c	0.986	0.023	0.504	1.951
base	-1	500	3.0	1	1	val shift	ϕ_c	0.987	0.028	0.507	1.956
base	-1	500	4.0	1	1	val shift	ϕ_c	0.987	0.033	0.510	1.960
base	-1	750	1.0	1	1	val shift	ϕ_c	0.939	0.518	0.728	2.891
base	-1	750	1.25	1	1	val shift	ϕ_c	0.965	0.351	0.658	2.899
base	-1	750	1.5	1	1	val shift	ϕ_c	0.977	0.204	0.591	1.954
base	-1	750	1.7	1	1	val shift	ϕ_c	0.983	0.112	0.547	0.985
base	-1	750	2.0	1	1	val shift	ϕ_c	0.985	0.041	0.513	0.986
base	-1	750	2.3	1	1	val shift	ϕ_c	0.986	0.024	0.505	0.986
base	-1	750	3.0	1	1	val shift	ϕ_c	0.986	0.025	0.506	0.986
base	-1	750	4.0	1	1	val shift	ϕ_c	0.987	0.030	0.509	1.958
base	-1	1000	1.0	1	1	val shift	ϕ_c	0.925	0.580	0.752	2.890
base	-1	1000	1.25	1	1	val shift	ϕ_c	0.956	0.426	0.691	2.898
base	-1	1000	1.5	1	1	val shift	ϕ_c	0.972	0.281	0.626	1.955
base	-1	1000	1.7	1	1	val shift	ϕ_c	0.979	0.180	0.579	1.955
base	-1	1000	2.0	1	1	val shift	ϕ_c	0.984	0.075	0.529	1.954
base	-1	1000	2.3	1	1	val shift	ϕ_c	0.985	0.034	0.509	1.951
base	-1	1000	3.0	1	1	val shift	ϕ_c	0.986	0.024	0.505	1.953
base	-1	1000	4.0	1	1	val shift	ϕ_c	0.987	0.028	0.507	1.957
base	-1	10	1.0	1	1	Adj. Prob	ϕ_c	0.987	0.029	0.508	0.987
base	-1	10	1.25	1	1	Adj. Prob	ϕ_c	0.987	0.036	0.512	2.912
base	-1	10	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.514	1.964
base	-1	10	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	-1	10	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	2.917
base	-1	10	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	2.917
base	-1	10	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	-1	10	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	-1	100	1.0	1	1	Adj. Prob	ϕ_c	0.985	0.042	0.513	1.953
base	-1	100	1.25	1	1	Adj. Prob	ϕ_c	0.986	0.028	0.507	1.957
base	-1	100	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.030	0.508	1.961
base	-1	100	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.033	0.510	0.987
base	-1	100	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.036	0.512	1.963
base	-1	100	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.513	1.963
base	-1	100	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	2.916
base	-1	100	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	-1	250	1.0	1	1	Adj. Prob	ϕ_c	0.983	0.074	0.529	1.954
base	-1	250	1.25	1	1	Adj. Prob	ϕ_c	0.986	0.034	0.510	1.954
base	-1	250	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.028	0.507	1.957
base	-1	250	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.029	0.508	1.958
base	-1	250	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.032	0.510	1.961
base	-1	250	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.034	0.511	1.962
base	-1	250	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.512	1.963
base	-1	250	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.514	1.963
base	-1	500	1.0	1	1	Adj. Prob	ϕ_c	0.981	0.122	0.552	1.954
base	-1	500	1.25	1	1	Adj. Prob	ϕ_c	0.985	0.051	0.518	1.956
base	-1	500	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.034	0.510	1.957
base	-1	500	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.030	0.508	1.957
base	-1	500	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.030	0.508	1.959
base	-1	500	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.032	0.509	1.960
base	-1	500	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.035	0.511	1.962
base	-1	500	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.513	1.962
base	-1	750	1.0	1	1	Adj. Prob	ϕ_c	0.979	0.161	0.570	2.900
base	-1	750	1.25	1	1	Adj. Prob	ϕ_c	0.984	0.071	0.528	1.956
base	-1	750	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.042	0.514	1.957
base	-1	750	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.034	0.510	1.958

base	-1	750	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.031	0.509	1.959
base	-1	750	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.032	0.509	1.959
base	-1	750	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.034	0.511	1.961
base	-1	750	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.037	0.512	1.962
base	-1	1000	1.0	1	1	Adj. Prob	ϕ_c	0.977	0.193	0.585	1.954
base	-1	1000	1.25	1	1	Adj. Prob	ϕ_c	0.983	0.091	0.537	1.956
base	-1	1000	1.5	1	1	Adj. Prob	ϕ_c	0.985	0.051	0.518	0.986
base	-1	1000	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.039	0.513	1.958
base	-1	1000	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.033	0.510	1.959
base	-1	1000	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.032	0.509	0.987
base	-1	1000	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.034	0.510	1.961
base	-1	1000	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.036	0.512	1.962
base	3	10	1.0	1	1	original	ϕ_o	0.986	0.057	0.522	1.961
base	3	10	1.25	1	1	original	ϕ_o	0.987	0.042	0.515	1.963
base	3	10	1.5	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	1.7	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	2.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	2.3	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	3.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	3	100	1.0	1	1	original	ϕ_o	0.981	0.137	0.559	2.906
base	3	100	1.25	1	1	original	ϕ_o	0.985	0.066	0.525	1.961
base	3	100	1.5	1	1	original	ϕ_o	0.987	0.049	0.518	1.962
base	3	100	1.7	1	1	original	ϕ_o	0.987	0.045	0.516	1.963
base	3	100	2.0	1	1	original	ϕ_o	0.987	0.044	0.515	1.964
base	3	100	2.3	1	1	original	ϕ_o	0.987	0.043	0.515	2.916
base	3	100	3.0	1	1	original	ϕ_o	0.987	0.042	0.515	2.916
base	3	100	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	3	250	1.0	1	1	original	ϕ_o	0.973	0.244	0.608	2.900
base	3	250	1.25	1	1	original	ϕ_o	0.982	0.113	0.548	2.909
base	3	250	1.5	1	1	original	ϕ_o	0.986	0.067	0.526	1.962
base	3	250	1.7	1	1	original	ϕ_o	0.986	0.055	0.521	1.963
base	3	250	2.0	1	1	original	ϕ_o	0.987	0.051	0.519	1.963
base	3	250	2.3	1	1	original	ϕ_o	0.987	0.047	0.517	1.963
base	3	250	3.0	1	1	original	ϕ_o	0.987	0.044	0.516	1.963
base	3	250	4.0	1	1	original	ϕ_o	0.987	0.043	0.515	1.964
base	3	500	1.0	1	1	original	ϕ_o	0.960	0.363	0.661	2.889
base	3	500	1.25	1	1	original	ϕ_o	0.977	0.198	0.587	2.907
base	3	500	1.5	1	1	original	ϕ_o	0.983	0.107	0.545	1.960
base	3	500	1.7	1	1	original	ϕ_o	0.985	0.077	0.531	2.912
base	3	500	2.0	1	1	original	ϕ_o	0.986	0.061	0.523	2.913
base	3	500	2.3	1	1	original	ϕ_o	0.987	0.057	0.522	1.964
base	3	500	3.0	1	1	original	ϕ_o	0.987	0.050	0.518	1.963
base	3	500	4.0	1	1	original	ϕ_o	0.987	0.045	0.516	1.963
base	3	750	1.0	1	1	original	ϕ_o	0.948	0.444	0.696	2.872
base	3	750	1.25	1	1	original	ϕ_o	0.970	0.275	0.622	2.901
base	3	750	1.5	1	1	original	ϕ_o	0.980	0.155	0.567	2.909
base	3	750	1.7	1	1	original	ϕ_o	0.983	0.105	0.544	2.913
base	3	750	2.0	1	1	original	ϕ_o	0.986	0.073	0.530	2.914
base	3	750	2.3	1	1	original	ϕ_o	0.986	0.063	0.525	2.914
base	3	750	3.0	1	1	original	ϕ_o	0.987	0.056	0.522	2.914
base	3	750	4.0	1	1	original	ϕ_o	0.987	0.049	0.518	1.964
base	3	1000	1.0	1	1	original	ϕ_o	0.936	0.502	0.719	2.856
base	3	1000	1.25	1	1	original	ϕ_o	0.963	0.339	0.651	2.894
base	3	1000	1.5	1	1	original	ϕ_o	0.976	0.205	0.590	2.907
base	3	1000	1.7	1	1	original	ϕ_o	0.981	0.138	0.560	2.911
base	3	1000	2.0	1	1	original	ϕ_o	0.985	0.090	0.537	2.914
base	3	1000	2.3	1	1	original	ϕ_o	0.986	0.071	0.529	2.915
base	3	1000	3.0	1	1	original	ϕ_o	0.987	0.061	0.524	1.964
base	3	1000	4.0	1	1	original	ϕ_o	0.987	0.054	0.520	1.964
base	3	10	1.0	1	1	val shift	ϕ_o	0.985	0.052	0.518	1.958
base	3	10	1.25	1	1	val shift	ϕ_o	0.987	0.041	0.514	1.963
base	3	10	1.5	1	1	val shift	ϕ_o	0.987	0.041	0.514	1.964
base	3	10	1.7	1	1	val shift	ϕ_o	0.987	0.042	0.514	1.964

base	3	10	2.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	2.3	1	1	val shift	ϕ_o	0.987	0.042	0.515	2.917
base	3	10	3.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	3	100	1.0	1	1	val shift	ϕ_o	0.978	0.110	0.544	1.948
base	3	100	1.25	1	1	val shift	ϕ_o	0.983	0.056	0.520	1.957
base	3	100	1.5	1	1	val shift	ϕ_o	0.986	0.046	0.516	1.960
base	3	100	1.7	1	1	val shift	ϕ_o	0.986	0.045	0.516	1.962
base	3	100	2.0	1	1	val shift	ϕ_o	0.987	0.044	0.515	1.963
base	3	100	2.3	1	1	val shift	ϕ_o	0.987	0.043	0.515	2.914
base	3	100	3.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	3	100	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	2.917
base	3	250	1.0	1	1	val shift	ϕ_o	0.965	0.191	0.578	2.873
base	3	250	1.25	1	1	val shift	ϕ_o	0.978	0.088	0.533	1.949
base	3	250	1.5	1	1	val shift	ϕ_o	0.983	0.057	0.520	1.955
base	3	250	1.7	1	1	val shift	ϕ_o	0.985	0.051	0.518	1.958
base	3	250	2.0	1	1	val shift	ϕ_o	0.986	0.049	0.518	1.961
base	3	250	2.3	1	1	val shift	ϕ_o	0.987	0.048	0.517	1.962
base	3	250	3.0	1	1	val shift	ϕ_o	0.987	0.044	0.515	1.962
base	3	250	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	3	500	1.0	1	1	val shift	ϕ_o	0.946	0.308	0.627	2.833
base	3	500	1.25	1	1	val shift	ϕ_o	0.967	0.141	0.554	2.876
base	3	500	1.5	1	1	val shift	ϕ_o	0.977	0.081	0.529	1.946
base	3	500	1.7	1	1	val shift	ϕ_o	0.981	0.064	0.523	2.901
base	3	500	2.0	1	1	val shift	ϕ_o	0.984	0.059	0.521	1.957
base	3	500	2.3	1	1	val shift	ϕ_o	0.985	0.057	0.521	2.905
base	3	500	3.0	1	1	val shift	ϕ_o	0.987	0.050	0.518	1.963
base	3	500	4.0	1	1	val shift	ϕ_o	0.987	0.045	0.516	1.963
base	3	750	1.0	1	1	val shift	ϕ_o	0.929	0.388	0.658	2.788
base	3	750	1.25	1	1	val shift	ϕ_o	0.957	0.204	0.581	2.853
base	3	750	1.5	1	1	val shift	ϕ_o	0.970	0.107	0.538	2.882
base	3	750	1.7	1	1	val shift	ϕ_o	0.977	0.078	0.528	2.893
base	3	750	2.0	1	1	val shift	ϕ_o	0.981	0.064	0.523	2.902
base	3	750	2.3	1	1	val shift	ϕ_o	0.984	0.063	0.523	2.907
base	3	750	3.0	1	1	val shift	ϕ_o	0.986	0.057	0.522	2.907
base	3	750	4.0	1	1	val shift	ϕ_o	0.987	0.050	0.518	2.910
base	3	1000	1.0	1	1	val shift	ϕ_o	0.912	0.446	0.679	2.746
base	3	1000	1.25	1	1	val shift	ϕ_o	0.946	0.265	0.605	2.827
base	3	1000	1.5	1	1	val shift	ϕ_o	0.963	0.139	0.551	2.864
base	3	1000	1.7	1	1	val shift	ϕ_o	0.971	0.095	0.533	2.882
base	3	1000	2.0	1	1	val shift	ϕ_o	0.978	0.072	0.525	2.898
base	3	1000	2.3	1	1	val shift	ϕ_o	0.982	0.066	0.524	2.905
base	3	1000	3.0	1	1	val shift	ϕ_o	0.985	0.064	0.525	2.909
base	3	1000	4.0	1	1	val shift	ϕ_o	0.987	0.054	0.521	1.963
base	3	10	1.0	1	1	Adj. Prob	ϕ_o	0.986	0.057	0.522	1.961
base	3	10	1.25	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.963
base	3	10	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	3	10	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	3	100	1.0	1	1	Adj. Prob	ϕ_o	0.981	0.137	0.559	2.906
base	3	100	1.25	1	1	Adj. Prob	ϕ_o	0.985	0.066	0.525	1.961
base	3	100	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.049	0.518	1.962
base	3	100	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.045	0.516	1.963
base	3	100	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.044	0.515	1.964
base	3	100	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.043	0.515	2.916
base	3	100	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	2.916
base	3	100	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	3	250	1.0	1	1	Adj. Prob	ϕ_o	0.973	0.244	0.608	2.900
base	3	250	1.25	1	1	Adj. Prob	ϕ_o	0.982	0.113	0.548	2.909
base	3	250	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.067	0.526	1.962
base	3	250	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.055	0.521	1.963

base	3	250	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.051	0.519	1.963
base	3	250	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.047	0.517	1.963
base	3	250	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.044	0.516	1.963
base	3	250	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.043	0.515	1.964
base	3	500	1.0	1	1	Adj. Prob	ϕ_o	0.960	0.363	0.661	2.889
base	3	500	1.25	1	1	Adj. Prob	ϕ_o	0.977	0.198	0.587	2.907
base	3	500	1.5	1	1	Adj. Prob	ϕ_o	0.983	0.107	0.545	1.960
base	3	500	1.7	1	1	Adj. Prob	ϕ_o	0.985	0.077	0.531	2.912
base	3	500	2.0	1	1	Adj. Prob	ϕ_o	0.986	0.061	0.523	2.913
base	3	500	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.057	0.522	1.964
base	3	500	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.050	0.518	1.963
base	3	500	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.045	0.516	1.963
base	3	750	1.0	1	1	Adj. Prob	ϕ_o	0.948	0.444	0.696	2.872
base	3	750	1.25	1	1	Adj. Prob	ϕ_o	0.970	0.275	0.622	2.901
base	3	750	1.5	1	1	Adj. Prob	ϕ_o	0.980	0.155	0.567	2.909
base	3	750	1.7	1	1	Adj. Prob	ϕ_o	0.983	0.105	0.544	2.913
base	3	750	2.0	1	1	Adj. Prob	ϕ_o	0.986	0.073	0.530	2.914
base	3	750	2.3	1	1	Adj. Prob	ϕ_o	0.986	0.063	0.525	2.914
base	3	750	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.056	0.522	2.914
base	3	750	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.049	0.518	1.964
base	3	1000	1.0	1	1	Adj. Prob	ϕ_o	0.936	0.502	0.719	2.856
base	3	1000	1.25	1	1	Adj. Prob	ϕ_o	0.963	0.339	0.651	2.894
base	3	1000	1.5	1	1	Adj. Prob	ϕ_o	0.976	0.205	0.590	2.907
base	3	1000	1.7	1	1	Adj. Prob	ϕ_o	0.981	0.138	0.560	2.911
base	3	1000	2.0	1	1	Adj. Prob	ϕ_o	0.985	0.090	0.537	2.914
base	3	1000	2.3	1	1	Adj. Prob	ϕ_o	0.986	0.071	0.529	2.915
base	3	1000	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.061	0.524	1.964
base	3	1000	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.054	0.520	1.964
base	3	10	1.0	1	1	original	ϕ_ω	0.000	0.168	0.084	2.852
base	3	10	1.25	1	1	original	ϕ_ω	0.000	0.000	0.000	1.737
base	3	10	1.5	1	1	original	ϕ_ω	0.000	0.000	0.000	1.683
base	3	10	1.7	1	1	original	ϕ_ω	0.000	0.000	0.000	1.666
base	3	10	2.0	1	1	original	ϕ_ω	0.000	0.000	0.000	1.533
base	3	10	2.3	1	1	original	ϕ_ω	0.000	0.000	0.000	0.633
base	3	10	3.0	1	1	original	ϕ_ω	0.000	0.000	0.000	0.000
base	3	10	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	0.000
base	3	100	1.0	1	1	original	ϕ_ω	0.966	0.335	0.651	2.896
base	3	100	1.25	1	1	original	ϕ_ω	0.973	0.237	0.605	2.878
base	3	100	1.5	1	1	original	ϕ_ω	0.975	0.182	0.578	2.836
base	3	100	1.7	1	1	original	ϕ_ω	0.973	0.156	0.564	1.933
base	3	100	2.0	1	1	original	ϕ_ω	0.964	0.137	0.550	2.734
base	3	100	2.3	1	1	original	ϕ_ω	0.948	0.131	0.540	2.689
base	3	100	3.0	1	1	original	ϕ_ω	0.000	0.000	0.000	1.638
base	3	100	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	0.619
base	3	250	1.0	1	1	original	ϕ_ω	0.949	0.471	0.710	2.890
base	3	250	1.25	1	1	original	ϕ_ω	0.964	0.360	0.662	2.899
base	3	250	1.5	1	1	original	ϕ_ω	0.970	0.283	0.626	2.885
base	3	250	1.7	1	1	original	ϕ_ω	0.973	0.240	0.606	2.868
base	3	250	2.0	1	1	original	ϕ_ω	0.974	0.194	0.584	2.833
base	3	250	2.3	1	1	original	ϕ_ω	0.973	0.166	0.570	2.800
base	3	250	3.0	1	1	original	ϕ_ω	0.959	0.140	0.549	2.700
base	3	250	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	0.829
base	3	500	1.0	1	1	original	ϕ_ω	0.922	0.591	0.756	2.870
base	3	500	1.25	1	1	original	ϕ_ω	0.947	0.486	0.717	2.896
base	3	500	1.5	1	1	original	ϕ_ω	0.959	0.404	0.681	2.899
base	3	500	1.7	1	1	original	ϕ_ω	0.965	0.351	0.658	2.898
base	3	500	2.0	1	1	original	ϕ_ω	0.969	0.290	0.630	2.887
base	3	500	2.3	1	1	original	ϕ_ω	0.972	0.246	0.609	2.870
base	3	500	3.0	1	1	original	ϕ_ω	0.974	0.182	0.578	2.815
base	3	500	4.0	1	1	original	ϕ_ω	0.964	0.147	0.556	2.721
base	3	750	1.0	1	1	original	ϕ_ω	0.898	0.661	0.779	3.618
base	3	750	1.25	1	1	original	ϕ_ω	0.931	0.565	0.748	2.885
base	3	750	1.5	1	1	original	ϕ_ω	0.948	0.484	0.716	2.897
base	3	750	1.7	1	1	original	ϕ_ω	0.956	0.432	0.694	2.901

base	3	750	2.0	1	1	original	ϕ_ω	0.963	0.368	0.665	2.901
base	3	750	2.3	1	1	original	ϕ_ω	0.967	0.317	0.642	2.895
base	3	750	3.0	1	1	original	ϕ_ω	0.973	0.235	0.604	2.864
base	3	750	4.0	1	1	original	ϕ_ω	0.974	0.174	0.574	2.807
base	3	1000	1.0	1	1	original	ϕ_ω	0.875	0.709	0.792	4.176
base	3	1000	1.25	1	1	original	ϕ_ω	0.915	0.620	0.768	3.626
base	3	1000	1.5	1	1	original	ϕ_ω	0.937	0.545	0.741	3.622
base	3	1000	1.7	1	1	original	ϕ_ω	0.946	0.493	0.720	2.899
base	3	1000	2.0	1	1	original	ϕ_ω	0.956	0.430	0.693	2.903
base	3	1000	2.3	1	1	original	ϕ_ω	0.962	0.377	0.669	2.902
base	3	1000	3.0	1	1	original	ϕ_ω	0.970	0.286	0.628	2.889
base	3	1000	4.0	1	1	original	ϕ_ω	0.974	0.209	0.592	2.850
base	3	10	1.0	1	1	val shift	ϕ_ω	0.000	0.186	0.093	2.851
base	3	10	1.25	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.737
base	3	10	1.5	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.682
base	3	10	1.7	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.666
base	3	10	2.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.533
base	3	10	2.3	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.633
base	3	10	3.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.000
base	3	10	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.000
base	3	100	1.0	1	1	val shift	ϕ_ω	0.957	0.398	0.678	2.886
base	3	100	1.25	1	1	val shift	ϕ_ω	0.968	0.293	0.630	2.876
base	3	100	1.5	1	1	val shift	ϕ_ω	0.971	0.225	0.598	2.835
base	3	100	1.7	1	1	val shift	ϕ_ω	0.969	0.190	0.580	1.934
base	3	100	2.0	1	1	val shift	ϕ_ω	0.961	0.158	0.559	2.734
base	3	100	2.3	1	1	val shift	ϕ_ω	0.946	0.144	0.545	2.687
base	3	100	3.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.638
base	3	100	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.618
base	3	250	1.0	1	1	val shift	ϕ_ω	0.928	0.555	0.741	2.856
base	3	250	1.25	1	1	val shift	ϕ_ω	0.950	0.444	0.697	2.885
base	3	250	1.5	1	1	val shift	ϕ_ω	0.960	0.361	0.661	2.881
base	3	250	1.7	1	1	val shift	ϕ_ω	0.964	0.309	0.637	2.866
base	3	250	2.0	1	1	val shift	ϕ_ω	0.967	0.250	0.609	2.830
base	3	250	2.3	1	1	val shift	ϕ_ω	0.967	0.209	0.588	2.796
base	3	250	3.0	1	1	val shift	ϕ_ω	0.954	0.159	0.557	2.697
base	3	250	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.602
base	3	500	1.0	1	1	val shift	ϕ_ω	0.882	0.683	0.782	3.552
base	3	500	1.25	1	1	val shift	ϕ_ω	0.919	0.589	0.754	2.856
base	3	500	1.5	1	1	val shift	ϕ_ω	0.939	0.508	0.723	2.884
base	3	500	1.7	1	1	val shift	ϕ_ω	0.948	0.454	0.701	2.888
base	3	500	2.0	1	1	val shift	ϕ_ω	0.956	0.386	0.671	2.882
base	3	500	2.3	1	1	val shift	ϕ_ω	0.961	0.329	0.645	2.866
base	3	500	3.0	1	1	val shift	ϕ_ω	0.966	0.236	0.601	2.810
base	3	500	4.0	1	1	val shift	ϕ_ω	0.958	0.171	0.565	2.711
base	3	750	1.0	1	1	val shift	ϕ_ω	0.839	0.752	0.795	3.530
base	3	750	1.25	1	1	val shift	ϕ_ω	0.887	0.674	0.781	3.565
base	3	750	1.5	1	1	val shift	ϕ_ω	0.916	0.601	0.758	2.862
base	3	750	1.7	1	1	val shift	ϕ_ω	0.929	0.550	0.739	2.879
base	3	750	2.0	1	1	val shift	ϕ_ω	0.942	0.484	0.713	2.888
base	3	750	2.3	1	1	val shift	ϕ_ω	0.950	0.427	0.689	2.888
base	3	750	3.0	1	1	val shift	ϕ_ω	0.961	0.321	0.641	2.862
base	3	750	4.0	1	1	val shift	ϕ_ω	0.966	0.223	0.595	2.799
base	3	1000	1.0	1	1	val shift	ϕ_ω	0.796	0.798	0.797	4.057
base	3	1000	1.25	1	1	val shift	ϕ_ω	0.856	0.729	0.792	3.561
base	3	1000	1.5	1	1	val shift	ϕ_ω	0.891	0.666	0.779	3.574
base	3	1000	1.7	1	1	val shift	ϕ_ω	0.909	0.619	0.764	3.584
base	3	1000	2.0	1	1	val shift	ϕ_ω	0.927	0.557	0.742	2.882
base	3	1000	2.3	1	1	val shift	ϕ_ω	0.938	0.502	0.720	2.890
base	3	1000	3.0	1	1	val shift	ϕ_ω	0.953	0.396	0.675	2.883
base	3	1000	4.0	1	1	val shift	ϕ_ω	0.964	0.285	0.624	2.845
base	3	10	1.0	1	1	Adj. Prob	ϕ_ω	0.000	0.168	0.084	2.852
base	3	10	1.25	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.737
base	3	10	1.5	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.683
base	3	10	1.7	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.666

base	3	10	2.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.533
base	3	10	2.3	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	0.633
base	3	10	3.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	0.000
base	3	10	4.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	0.000
base	3	100	1.0	1	1	Adj. Prob	ϕ_ω	0.966	0.335	0.651	2.896
base	3	100	1.25	1	1	Adj. Prob	ϕ_ω	0.973	0.237	0.605	2.878
base	3	100	1.5	1	1	Adj. Prob	ϕ_ω	0.975	0.182	0.578	2.836
base	3	100	1.7	1	1	Adj. Prob	ϕ_ω	0.973	0.156	0.564	1.933
base	3	100	2.0	1	1	Adj. Prob	ϕ_ω	0.964	0.137	0.550	2.734
base	3	100	2.3	1	1	Adj. Prob	ϕ_ω	0.948	0.131	0.540	2.689
base	3	100	3.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.638
base	3	100	4.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	0.619
base	3	250	1.0	1	1	Adj. Prob	ϕ_ω	0.949	0.471	0.710	2.890
base	3	250	1.25	1	1	Adj. Prob	ϕ_ω	0.964	0.360	0.662	2.899
base	3	250	1.5	1	1	Adj. Prob	ϕ_ω	0.970	0.283	0.626	2.885
base	3	250	1.7	1	1	Adj. Prob	ϕ_ω	0.973	0.240	0.606	2.868
base	3	250	2.0	1	1	Adj. Prob	ϕ_ω	0.974	0.194	0.584	2.833
base	3	250	2.3	1	1	Adj. Prob	ϕ_ω	0.973	0.166	0.570	2.800
base	3	250	3.0	1	1	Adj. Prob	ϕ_ω	0.959	0.140	0.549	2.700
base	3	250	4.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	0.829
base	3	500	1.0	1	1	Adj. Prob	ϕ_ω	0.922	0.591	0.756	2.870
base	3	500	1.25	1	1	Adj. Prob	ϕ_ω	0.947	0.486	0.717	2.896
base	3	500	1.5	1	1	Adj. Prob	ϕ_ω	0.959	0.404	0.681	2.899
base	3	500	1.7	1	1	Adj. Prob	ϕ_ω	0.965	0.351	0.658	2.898
base	3	500	2.0	1	1	Adj. Prob	ϕ_ω	0.969	0.290	0.630	2.887
base	3	500	2.3	1	1	Adj. Prob	ϕ_ω	0.972	0.246	0.609	2.870
base	3	500	3.0	1	1	Adj. Prob	ϕ_ω	0.974	0.182	0.578	2.815
base	3	500	4.0	1	1	Adj. Prob	ϕ_ω	0.964	0.147	0.556	2.721
base	3	750	1.0	1	1	Adj. Prob	ϕ_ω	0.898	0.661	0.779	3.618
base	3	750	1.25	1	1	Adj. Prob	ϕ_ω	0.931	0.565	0.748	2.885
base	3	750	1.5	1	1	Adj. Prob	ϕ_ω	0.948	0.484	0.716	2.897
base	3	750	1.7	1	1	Adj. Prob	ϕ_ω	0.956	0.432	0.694	2.901
base	3	750	2.0	1	1	Adj. Prob	ϕ_ω	0.963	0.368	0.665	2.901
base	3	750	2.3	1	1	Adj. Prob	ϕ_ω	0.967	0.317	0.642	2.895
base	3	750	3.0	1	1	Adj. Prob	ϕ_ω	0.973	0.235	0.604	2.864
base	3	750	4.0	1	1	Adj. Prob	ϕ_ω	0.974	0.174	0.574	2.807
base	3	1000	1.0	1	1	Adj. Prob	ϕ_ω	0.875	0.709	0.792	4.176
base	3	1000	1.25	1	1	Adj. Prob	ϕ_ω	0.915	0.620	0.768	3.626
base	3	1000	1.5	1	1	Adj. Prob	ϕ_ω	0.937	0.545	0.741	3.622
base	3	1000	1.7	1	1	Adj. Prob	ϕ_ω	0.946	0.493	0.720	2.899
base	3	1000	2.0	1	1	Adj. Prob	ϕ_ω	0.956	0.430	0.693	2.903
base	3	1000	2.3	1	1	Adj. Prob	ϕ_ω	0.962	0.377	0.669	2.902
base	3	1000	3.0	1	1	Adj. Prob	ϕ_ω	0.970	0.286	0.628	2.889
base	3	1000	4.0	1	1	Adj. Prob	ϕ_ω	0.974	0.209	0.592	2.850
base	3	10	1.0	1	1	original	ϕ_c	0.986	0.040	0.513	2.910
base	3	10	1.25	1	1	original	ϕ_c	0.987	0.041	0.514	1.963
base	3	10	1.5	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	1.7	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	2.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	2.3	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	3.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	3	100	1.0	1	1	original	ϕ_c	0.983	0.058	0.521	1.958
base	3	100	1.25	1	1	original	ϕ_c	0.986	0.050	0.518	1.960
base	3	100	1.5	1	1	original	ϕ_c	0.987	0.048	0.517	1.962
base	3	100	1.7	1	1	original	ϕ_c	0.987	0.045	0.516	1.963
base	3	100	2.0	1	1	original	ϕ_c	0.987	0.044	0.515	1.964
base	3	100	2.3	1	1	original	ϕ_c	0.987	0.043	0.515	2.916
base	3	100	3.0	1	1	original	ϕ_c	0.987	0.042	0.515	2.916
base	3	100	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	3	250	1.0	1	1	original	ϕ_c	0.980	0.074	0.527	2.904
base	3	250	1.25	1	1	original	ϕ_c	0.984	0.062	0.523	2.909
base	3	250	1.5	1	1	original	ϕ_c	0.986	0.057	0.521	2.910
base	3	250	1.7	1	1	original	ϕ_c	0.986	0.054	0.520	1.963

base	3	250	2.0	1	1	original	ϕ_c	0.987	0.051	0.519	1.963
base	3	250	2.3	1	1	original	ϕ_c	0.987	0.047	0.517	1.963
base	3	250	3.0	1	1	original	ϕ_c	0.987	0.044	0.516	1.963
base	3	250	4.0	1	1	original	ϕ_c	0.987	0.043	0.515	1.964
base	3	500	1.0	1	1	original	ϕ_c	0.975	0.085	0.530	2.895
base	3	500	1.25	1	1	original	ϕ_c	0.982	0.076	0.529	2.909
base	3	500	1.5	1	1	original	ϕ_c	0.985	0.068	0.526	2.912
base	3	500	1.7	1	1	original	ϕ_c	0.986	0.065	0.525	2.912
base	3	500	2.0	1	1	original	ϕ_c	0.986	0.059	0.523	2.913
base	3	500	2.3	1	1	original	ϕ_c	0.987	0.057	0.522	1.964
base	3	500	3.0	1	1	original	ϕ_c	0.987	0.050	0.518	1.963
base	3	500	4.0	1	1	original	ϕ_c	0.987	0.045	0.516	1.963
base	3	750	1.0	1	1	original	ϕ_c	0.971	0.092	0.532	2.883
base	3	750	1.25	1	1	original	ϕ_c	0.979	0.083	0.531	2.904
base	3	750	1.5	1	1	original	ϕ_c	0.983	0.076	0.530	2.911
base	3	750	1.7	1	1	original	ϕ_c	0.985	0.072	0.528	1.960
base	3	750	2.0	1	1	original	ϕ_c	0.986	0.067	0.527	1.963
base	3	750	2.3	1	1	original	ϕ_c	0.987	0.062	0.524	2.915
base	3	750	3.0	1	1	original	ϕ_c	0.987	0.056	0.522	2.914
base	3	750	4.0	1	1	original	ϕ_c	0.987	0.049	0.518	1.964
base	3	1000	1.0	1	1	original	ϕ_c	0.968	0.098	0.533	2.871
base	3	1000	1.25	1	1	original	ϕ_c	0.977	0.088	0.532	2.900
base	3	1000	1.5	1	1	original	ϕ_c	0.981	0.082	0.532	2.909
base	3	1000	1.7	1	1	original	ϕ_c	0.983	0.079	0.531	2.912
base	3	1000	2.0	1	1	original	ϕ_c	0.985	0.075	0.530	2.914
base	3	1000	2.3	1	1	original	ϕ_c	0.986	0.068	0.527	2.915
base	3	1000	3.0	1	1	original	ϕ_c	0.987	0.061	0.524	1.964
base	3	1000	4.0	1	1	original	ϕ_c	0.987	0.054	0.520	1.964
base	3	10	1.0	1	1	val shift	ϕ_c	0.985	0.038	0.511	1.958
base	3	10	1.25	1	1	val shift	ϕ_c	0.987	0.040	0.514	1.963
base	3	10	1.5	1	1	val shift	ϕ_c	0.987	0.041	0.514	1.964
base	3	10	1.7	1	1	val shift	ϕ_c	0.987	0.042	0.514	1.964
base	3	10	2.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	2.3	1	1	val shift	ϕ_c	0.987	0.042	0.515	2.917
base	3	10	3.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	3	100	1.0	1	1	val shift	ϕ_c	0.978	0.051	0.515	1.946
base	3	100	1.25	1	1	val shift	ϕ_c	0.983	0.047	0.515	1.956
base	3	100	1.5	1	1	val shift	ϕ_c	0.986	0.046	0.516	1.960
base	3	100	1.7	1	1	val shift	ϕ_c	0.986	0.045	0.516	1.962
base	3	100	2.0	1	1	val shift	ϕ_c	0.987	0.044	0.515	1.963
base	3	100	2.3	1	1	val shift	ϕ_c	0.987	0.043	0.515	2.914
base	3	100	3.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	3	100	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	2.917
base	3	250	1.0	1	1	val shift	ϕ_c	0.966	0.059	0.513	2.868
base	3	250	1.25	1	1	val shift	ϕ_c	0.979	0.057	0.518	2.894
base	3	250	1.5	1	1	val shift	ϕ_c	0.983	0.053	0.518	1.956
base	3	250	1.7	1	1	val shift	ϕ_c	0.985	0.051	0.518	2.903
base	3	250	2.0	1	1	val shift	ϕ_c	0.986	0.049	0.518	1.961
base	3	250	2.3	1	1	val shift	ϕ_c	0.987	0.048	0.517	1.962
base	3	250	3.0	1	1	val shift	ϕ_c	0.987	0.044	0.515	1.962
base	3	250	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	3	500	1.0	1	1	val shift	ϕ_c	0.952	0.071	0.511	2.819
base	3	500	1.25	1	1	val shift	ϕ_c	0.968	0.063	0.516	2.871
base	3	500	1.5	1	1	val shift	ϕ_c	0.978	0.062	0.520	2.893
base	3	500	1.7	1	1	val shift	ϕ_c	0.981	0.060	0.521	1.953
base	3	500	2.0	1	1	val shift	ϕ_c	0.984	0.058	0.521	1.957
base	3	500	2.3	1	1	val shift	ϕ_c	0.985	0.057	0.521	2.906
base	3	500	3.0	1	1	val shift	ϕ_c	0.987	0.050	0.518	1.963
base	3	500	4.0	1	1	val shift	ϕ_c	0.987	0.045	0.516	1.963
base	3	750	1.0	1	1	val shift	ϕ_c	0.936	0.076	0.506	2.768
base	3	750	1.25	1	1	val shift	ϕ_c	0.960	0.071	0.515	2.845
base	3	750	1.5	1	1	val shift	ϕ_c	0.971	0.066	0.519	2.879
base	3	750	1.7	1	1	val shift	ϕ_c	0.977	0.065	0.521	1.944

base	3	750	2.0	1	1	val shift	ϕ_c	0.981	0.063	0.522	1.953
base	3	750	2.3	1	1	val shift	ϕ_c	0.984	0.063	0.523	2.907
base	3	750	3.0	1	1	val shift	ϕ_c	0.986	0.057	0.522	2.907
base	3	750	4.0	1	1	val shift	ϕ_c	0.987	0.050	0.518	2.910
base	3	1000	1.0	1	1	val shift	ϕ_c	0.922	0.076	0.499	2.722
base	3	1000	1.25	1	1	val shift	ϕ_c	0.952	0.075	0.513	2.815
base	3	1000	1.5	1	1	val shift	ϕ_c	0.965	0.071	0.518	2.861
base	3	1000	1.7	1	1	val shift	ϕ_c	0.972	0.069	0.521	2.880
base	3	1000	2.0	1	1	val shift	ϕ_c	0.978	0.069	0.523	1.947
base	3	1000	2.3	1	1	val shift	ϕ_c	0.982	0.066	0.524	1.954
base	3	1000	3.0	1	1	val shift	ϕ_c	0.985	0.064	0.525	2.909
base	3	1000	4.0	1	1	val shift	ϕ_c	0.987	0.054	0.521	1.963
base	3	10	1.0	1	1	Adj. Prob	ϕ_c	0.986	0.040	0.513	2.910
base	3	10	1.25	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.963
base	3	10	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	3	10	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	3	100	1.0	1	1	Adj. Prob	ϕ_c	0.983	0.058	0.521	1.958
base	3	100	1.25	1	1	Adj. Prob	ϕ_c	0.986	0.050	0.518	1.960
base	3	100	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.048	0.517	1.962
base	3	100	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.045	0.516	1.963
base	3	100	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.044	0.515	1.964
base	3	100	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.043	0.515	2.916
base	3	100	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	2.916
base	3	100	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	3	250	1.0	1	1	Adj. Prob	ϕ_c	0.980	0.074	0.527	2.904
base	3	250	1.25	1	1	Adj. Prob	ϕ_c	0.984	0.062	0.523	2.909
base	3	250	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.057	0.521	2.910
base	3	250	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.054	0.520	1.963
base	3	250	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.051	0.519	1.963
base	3	250	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.047	0.517	1.963
base	3	250	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.044	0.516	1.963
base	3	250	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.043	0.515	1.964
base	3	500	1.0	1	1	Adj. Prob	ϕ_c	0.975	0.085	0.530	2.895
base	3	500	1.25	1	1	Adj. Prob	ϕ_c	0.982	0.076	0.529	2.909
base	3	500	1.5	1	1	Adj. Prob	ϕ_c	0.985	0.068	0.526	2.912
base	3	500	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.065	0.525	2.912
base	3	500	2.0	1	1	Adj. Prob	ϕ_c	0.986	0.059	0.523	2.913
base	3	500	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.057	0.522	1.964
base	3	500	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.050	0.518	1.963
base	3	500	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.045	0.516	1.963
base	3	750	1.0	1	1	Adj. Prob	ϕ_c	0.971	0.092	0.532	2.883
base	3	750	1.25	1	1	Adj. Prob	ϕ_c	0.979	0.083	0.531	2.904
base	3	750	1.5	1	1	Adj. Prob	ϕ_c	0.983	0.076	0.530	2.911
base	3	750	1.7	1	1	Adj. Prob	ϕ_c	0.985	0.072	0.528	1.960
base	3	750	2.0	1	1	Adj. Prob	ϕ_c	0.986	0.067	0.527	1.963
base	3	750	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.062	0.524	2.915
base	3	750	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.056	0.522	2.914
base	3	750	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.049	0.518	1.964
base	3	1000	1.0	1	1	Adj. Prob	ϕ_c	0.968	0.098	0.533	2.871
base	3	1000	1.25	1	1	Adj. Prob	ϕ_c	0.977	0.088	0.532	2.900
base	3	1000	1.5	1	1	Adj. Prob	ϕ_c	0.981	0.082	0.532	2.909
base	3	1000	1.7	1	1	Adj. Prob	ϕ_c	0.983	0.079	0.531	2.912
base	3	1000	2.0	1	1	Adj. Prob	ϕ_c	0.985	0.075	0.530	2.914
base	3	1000	2.3	1	1	Adj. Prob	ϕ_c	0.986	0.068	0.527	2.915
base	3	1000	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.061	0.524	1.964
base	3	1000	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.054	0.520	1.964
base	5	10	1.0	1	1	original	ϕ_o	0.985	0.078	0.532	1.961
base	5	10	1.25	1	1	original	ϕ_o	0.987	0.042	0.515	1.963
base	5	10	1.5	1	1	original	ϕ_o	0.987	0.041	0.514	1.964
base	5	10	1.7	1	1	original	ϕ_o	0.987	0.042	0.514	2.917

base	5	10	2.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	5	10	2.3	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	5	10	3.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	5	10	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	5	100	1.0	1	1	original	ϕ_o	0.973	0.277	0.625	2.905
base	5	100	1.25	1	1	original	ϕ_o	0.983	0.112	0.547	1.960
base	5	100	1.5	1	1	original	ϕ_o	0.986	0.051	0.519	1.962
base	5	100	1.7	1	1	original	ϕ_o	0.987	0.041	0.514	2.911
base	5	100	2.0	1	1	original	ϕ_o	0.987	0.040	0.514	1.963
base	5	100	2.3	1	1	original	ϕ_o	0.987	0.041	0.514	1.964
base	5	100	3.0	1	1	original	ϕ_o	0.987	0.042	0.514	2.916
base	5	100	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	5	250	1.0	1	1	original	ϕ_o	0.953	0.455	0.704	2.897
base	5	250	1.25	1	1	original	ϕ_o	0.974	0.274	0.624	2.906
base	5	250	1.5	1	1	original	ϕ_o	0.983	0.126	0.554	1.960
base	5	250	1.7	1	1	original	ϕ_o	0.986	0.069	0.527	1.961
base	5	250	2.0	1	1	original	ϕ_o	0.987	0.044	0.515	2.908
base	5	250	2.3	1	1	original	ϕ_o	0.987	0.040	0.514	1.962
base	5	250	3.0	1	1	original	ϕ_o	0.987	0.041	0.514	1.963
base	5	250	4.0	1	1	original	ϕ_o	0.987	0.042	0.514	2.915
base	5	500	1.0	1	1	original	ϕ_o	0.919	0.600	0.759	2.887
base	5	500	1.25	1	1	original	ϕ_o	0.956	0.453	0.704	2.904
base	5	500	1.5	1	1	original	ϕ_o	0.973	0.299	0.636	2.909
base	5	500	1.7	1	1	original	ϕ_o	0.981	0.186	0.583	2.908
base	5	500	2.0	1	1	original	ϕ_o	0.985	0.084	0.535	1.961
base	5	500	2.3	1	1	original	ϕ_o	0.987	0.051	0.519	1.962
base	5	500	3.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	5	500	4.0	1	1	original	ϕ_o	0.987	0.041	0.514	1.963
base	5	750	1.0	1	1	original	ϕ_o	0.887	0.688	0.788	3.667
base	5	750	1.25	1	1	original	ϕ_o	0.936	0.556	0.746	2.899
base	5	750	1.5	1	1	original	ϕ_o	0.961	0.424	0.693	2.908
base	5	750	1.7	1	1	original	ϕ_o	0.972	0.313	0.643	2.912
base	5	750	2.0	1	1	original	ϕ_o	0.982	0.169	0.575	2.910
base	5	750	2.3	1	1	original	ϕ_o	0.985	0.086	0.536	2.908
base	5	750	3.0	1	1	original	ϕ_o	0.987	0.046	0.516	2.909
base	5	750	4.0	1	1	original	ϕ_o	0.987	0.043	0.515	1.963
base	5	1000	1.0	1	1	original	ϕ_o	0.855	0.746	0.800	3.669
base	5	1000	1.25	1	1	original	ϕ_o	0.914	0.630	0.772	2.893
base	5	1000	1.5	1	1	original	ϕ_o	0.948	0.511	0.730	2.906
base	5	1000	1.7	1	1	original	ϕ_o	0.964	0.413	0.688	2.910
base	5	1000	2.0	1	1	original	ϕ_o	0.976	0.265	0.621	2.913
base	5	1000	2.3	1	1	original	ϕ_o	0.983	0.147	0.565	2.910
base	5	1000	3.0	1	1	original	ϕ_o	0.987	0.053	0.520	1.963
base	5	1000	4.0	1	1	original	ϕ_o	0.987	0.045	0.516	1.964
base	5	10	1.0	1	1	val shift	ϕ_o	0.984	0.089	0.536	1.957
base	5	10	1.25	1	1	val shift	ϕ_o	0.987	0.041	0.514	2.910
base	5	10	1.5	1	1	val shift	ϕ_o	0.987	0.040	0.514	2.915
base	5	10	1.7	1	1	val shift	ϕ_o	0.987	0.041	0.514	1.964
base	5	10	2.0	1	1	val shift	ϕ_o	0.987	0.042	0.514	1.964
base	5	10	2.3	1	1	val shift	ϕ_o	0.987	0.042	0.515	2.917
base	5	10	3.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	5	10	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	5	100	1.0	1	1	val shift	ϕ_o	0.958	0.366	0.662	2.883
base	5	100	1.25	1	1	val shift	ϕ_o	0.979	0.138	0.559	1.952
base	5	100	1.5	1	1	val shift	ϕ_o	0.985	0.049	0.517	1.958
base	5	100	1.7	1	1	val shift	ϕ_o	0.987	0.036	0.511	1.961
base	5	100	2.0	1	1	val shift	ϕ_o	0.987	0.037	0.512	1.962
base	5	100	2.3	1	1	val shift	ϕ_o	0.987	0.039	0.513	2.912
base	5	100	3.0	1	1	val shift	ϕ_o	0.987	0.041	0.514	2.915
base	5	100	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	5	250	1.0	1	1	val shift	ϕ_o	0.908	0.579	0.744	2.868
base	5	250	1.25	1	1	val shift	ϕ_o	0.956	0.380	0.668	2.882
base	5	250	1.5	1	1	val shift	ϕ_o	0.977	0.163	0.570	1.950
base	5	250	1.7	1	1	val shift	ϕ_o	0.984	0.075	0.529	1.954

base	5	250	2.0	1	1	val shift	ϕ_o	0.986	0.039	0.513	1.958
base	5	250	2.3	1	1	val shift	ϕ_o	0.987	0.036	0.511	1.960
base	5	250	3.0	1	1	val shift	ϕ_o	0.987	0.038	0.513	1.962
base	5	250	4.0	1	1	val shift	ϕ_o	0.987	0.040	0.514	1.963
base	5	500	1.0	1	1	val shift	ϕ_o	0.811	0.758	0.785	3.609
base	5	500	1.25	1	1	val shift	ϕ_o	0.901	0.602	0.751	2.875
base	5	500	1.5	1	1	val shift	ϕ_o	0.949	0.428	0.689	2.882
base	5	500	1.7	1	1	val shift	ϕ_o	0.969	0.268	0.618	2.883
base	5	500	2.0	1	1	val shift	ϕ_o	0.982	0.100	0.541	0.985
base	5	500	2.3	1	1	val shift	ϕ_o	0.985	0.049	0.517	1.957
base	5	500	3.0	1	1	val shift	ϕ_o	0.987	0.037	0.512	1.959
base	5	500	4.0	1	1	val shift	ϕ_o	0.987	0.038	0.513	2.907
base	5	750	1.0	1	1	val shift	ϕ_o	0.709	0.849	0.779	4.149
base	5	750	1.25	1	1	val shift	ϕ_o	0.835	0.727	0.781	3.612
base	5	750	1.5	1	1	val shift	ϕ_o	0.909	0.586	0.747	2.881
base	5	750	1.7	1	1	val shift	ϕ_o	0.946	0.456	0.701	2.885
base	5	750	2.0	1	1	val shift	ϕ_o	0.972	0.246	0.609	2.888
base	5	750	2.3	1	1	val shift	ϕ_o	0.983	0.104	0.543	1.955
base	5	750	3.0	1	1	val shift	ϕ_o	0.986	0.040	0.513	1.959
base	5	750	4.0	1	1	val shift	ϕ_o	0.987	0.039	0.513	1.961
base	5	1000	1.0	1	1	val shift	ϕ_o	0.604	0.895	0.749	4.169
base	5	1000	1.25	1	1	val shift	ϕ_o	0.757	0.807	0.782	4.144
base	5	1000	1.5	1	1	val shift	ϕ_o	0.858	0.688	0.773	3.602
base	5	1000	1.7	1	1	val shift	ϕ_o	0.913	0.583	0.748	2.884
base	5	1000	2.0	1	1	val shift	ϕ_o	0.957	0.399	0.678	2.890
base	5	1000	2.3	1	1	val shift	ϕ_o	0.975	0.212	0.593	1.953
base	5	1000	3.0	1	1	val shift	ϕ_o	0.986	0.051	0.518	1.958
base	5	1000	4.0	1	1	val shift	ϕ_o	0.987	0.039	0.513	1.960
base	5	10	1.0	1	1	Adj. Prob	ϕ_o	0.985	0.078	0.532	2.909
base	5	10	1.25	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.963
base	5	10	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964
base	5	10	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.514	2.917
base	5	10	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	5	10	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	5	10	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	5	10	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	5	100	1.0	1	1	Adj. Prob	ϕ_o	0.973	0.277	0.625	2.905
base	5	100	1.25	1	1	Adj. Prob	ϕ_o	0.983	0.112	0.547	1.960
base	5	100	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.051	0.519	1.962
base	5	100	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	2.911
base	5	100	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.514	1.963
base	5	100	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964
base	5	100	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.514	2.916
base	5	100	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	5	250	1.0	1	1	Adj. Prob	ϕ_o	0.953	0.454	0.704	2.897
base	5	250	1.25	1	1	Adj. Prob	ϕ_o	0.974	0.274	0.624	2.906
base	5	250	1.5	1	1	Adj. Prob	ϕ_o	0.983	0.126	0.554	1.960
base	5	250	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.069	0.527	1.961
base	5	250	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.044	0.515	2.908
base	5	250	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.514	1.962
base	5	250	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.963
base	5	250	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.514	2.915
base	5	500	1.0	1	1	Adj. Prob	ϕ_o	0.919	0.599	0.759	2.887
base	5	500	1.25	1	1	Adj. Prob	ϕ_o	0.956	0.452	0.704	2.904
base	5	500	1.5	1	1	Adj. Prob	ϕ_o	0.973	0.298	0.635	2.910
base	5	500	1.7	1	1	Adj. Prob	ϕ_o	0.981	0.186	0.583	1.960
base	5	500	2.0	1	1	Adj. Prob	ϕ_o	0.985	0.084	0.535	1.961
base	5	500	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.051	0.519	0.987
base	5	500	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	5	500	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.963
base	5	750	1.0	1	1	Adj. Prob	ϕ_o	0.889	0.686	0.787	3.668
base	5	750	1.25	1	1	Adj. Prob	ϕ_o	0.937	0.555	0.746	2.899
base	5	750	1.5	1	1	Adj. Prob	ϕ_o	0.961	0.423	0.692	2.908
base	5	750	1.7	1	1	Adj. Prob	ϕ_o	0.972	0.312	0.642	2.912

base	5	750	2.0	1	1	Adj. Prob	ϕ_o	0.982	0.169	0.575	2.910
base	5	750	2.3	1	1	Adj. Prob	ϕ_o	0.985	0.086	0.536	1.962
base	5	750	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.046	0.516	2.909
base	5	750	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.043	0.515	1.963
base	5	1000	1.0	1	1	Adj. Prob	ϕ_o	0.857	0.744	0.801	3.671
base	5	1000	1.25	1	1	Adj. Prob	ϕ_o	0.914	0.629	0.771	3.660
base	5	1000	1.5	1	1	Adj. Prob	ϕ_o	0.948	0.510	0.729	2.906
base	5	1000	1.7	1	1	Adj. Prob	ϕ_o	0.964	0.411	0.687	2.910
base	5	1000	2.0	1	1	Adj. Prob	ϕ_o	0.976	0.265	0.621	2.914
base	5	1000	2.3	1	1	Adj. Prob	ϕ_o	0.983	0.147	0.565	2.910
base	5	1000	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.053	0.520	1.963
base	5	1000	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.045	0.516	1.964
base	5	10	1.0	1	1	original	ϕ_ω	0.986	0.077	0.531	1.961
base	5	10	1.25	1	1	original	ϕ_ω	0.987	0.049	0.518	1.963
base	5	10	1.5	1	1	original	ϕ_ω	0.987	0.048	0.517	1.961
base	5	10	1.7	1	1	original	ϕ_ω	0.986	0.050	0.518	2.910
base	5	10	2.0	1	1	original	ϕ_ω	0.000	0.000	0.000	1.919
base	5	10	2.3	1	1	original	ϕ_ω	0.000	0.000	0.000	1.841
base	5	10	3.0	1	1	original	ϕ_ω	0.000	0.000	0.000	0.000
base	5	10	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	0.000
base	5	100	1.0	1	1	original	ϕ_ω	0.979	0.222	0.600	2.908
base	5	100	1.25	1	1	original	ϕ_ω	0.984	0.113	0.548	1.961
base	5	100	1.5	1	1	original	ϕ_ω	0.986	0.068	0.527	1.962
base	5	100	1.7	1	1	original	ϕ_ω	0.987	0.055	0.521	1.963
base	5	100	2.0	1	1	original	ϕ_ω	0.987	0.050	0.518	1.963
base	5	100	2.3	1	1	original	ϕ_ω	0.987	0.049	0.518	1.963
base	5	100	3.0	1	1	original	ϕ_ω	0.986	0.051	0.519	1.961
base	5	100	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	1.828
base	5	250	1.0	1	1	original	ϕ_ω	0.967	0.355	0.661	2.904
base	5	250	1.25	1	1	original	ϕ_ω	0.980	0.218	0.599	2.911
base	5	250	1.5	1	1	original	ϕ_ω	0.983	0.134	0.559	2.910
base	5	250	1.7	1	1	original	ϕ_ω	0.985	0.097	0.541	1.962
base	5	250	2.0	1	1	original	ϕ_ω	0.986	0.070	0.528	1.963
base	5	250	2.3	1	1	original	ϕ_ω	0.986	0.059	0.523	1.962
base	5	250	3.0	1	1	original	ϕ_ω	0.987	0.052	0.520	2.909
base	5	250	4.0	1	1	original	ϕ_ω	0.986	0.055	0.521	1.960
base	5	500	1.0	1	1	original	ϕ_ω	0.952	0.485	0.718	2.895
base	5	500	1.25	1	1	original	ϕ_ω	0.969	0.343	0.656	2.910
base	5	500	1.5	1	1	original	ϕ_ω	0.979	0.238	0.609	2.915
base	5	500	1.7	1	1	original	ϕ_ω	0.982	0.179	0.580	2.913
base	5	500	2.0	1	1	original	ϕ_ω	0.984	0.124	0.554	2.911
base	5	500	2.3	1	1	original	ϕ_ω	0.985	0.093	0.539	2.912
base	5	500	3.0	1	1	original	ϕ_ω	0.986	0.065	0.526	1.963
base	5	500	4.0	1	1	original	ϕ_ω	0.987	0.055	0.521	1.962
base	5	750	1.0	1	1	original	ϕ_ω	0.936	0.560	0.748	2.889
base	5	750	1.25	1	1	original	ϕ_ω	0.961	0.430	0.695	2.907
base	5	750	1.5	1	1	original	ϕ_ω	0.973	0.321	0.647	2.913
base	5	750	1.7	1	1	original	ϕ_ω	0.979	0.253	0.616	2.917
base	5	750	2.0	1	1	original	ϕ_ω	0.982	0.180	0.581	2.915
base	5	750	2.3	1	1	original	ϕ_ω	0.984	0.135	0.560	2.912
base	5	750	3.0	1	1	original	ϕ_ω	0.986	0.085	0.535	2.912
base	5	750	4.0	1	1	original	ϕ_ω	0.987	0.063	0.525	2.910
base	5	1000	1.0	1	1	original	ϕ_ω	0.921	0.614	0.768	3.648
base	5	1000	1.25	1	1	original	ϕ_ω	0.953	0.493	0.723	2.903
base	5	1000	1.5	1	1	original	ϕ_ω	0.967	0.386	0.676	2.912
base	5	1000	1.7	1	1	original	ϕ_ω	0.974	0.315	0.645	2.916
base	5	1000	2.0	1	1	original	ϕ_ω	0.980	0.234	0.607	2.917
base	5	1000	2.3	1	1	original	ϕ_ω	0.983	0.179	0.581	2.916
base	5	1000	3.0	1	1	original	ϕ_ω	0.985	0.110	0.547	1.964
base	5	1000	4.0	1	1	original	ϕ_ω	0.986	0.074	0.530	2.910
base	5	10	1.0	1	1	val shift	ϕ_ω	0.984	0.091	0.538	2.907
base	5	10	1.25	1	1	val shift	ϕ_ω	0.987	0.052	0.520	1.962
base	5	10	1.5	1	1	val shift	ϕ_ω	0.987	0.048	0.517	1.961
base	5	10	1.7	1	1	val shift	ϕ_ω	0.986	0.050	0.518	1.961

base	5	10	2.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.971
base	5	10	2.3	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.931
base	5	10	3.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.000
base	5	10	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.000
base	5	100	1.0	1	1	val shift	ϕ_ω	0.970	0.300	0.635	1.951
base	5	100	1.25	1	1	val shift	ϕ_ω	0.981	0.168	0.574	1.958
base	5	100	1.5	1	1	val shift	ϕ_ω	0.984	0.098	0.541	1.961
base	5	100	1.7	1	1	val shift	ϕ_ω	0.985	0.071	0.528	1.962
base	5	100	2.0	1	1	val shift	ϕ_ω	0.986	0.056	0.521	1.962
base	5	100	2.3	1	1	val shift	ϕ_ω	0.987	0.052	0.519	1.962
base	5	100	3.0	1	1	val shift	ϕ_ω	0.986	0.052	0.519	2.909
base	5	100	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.924
base	5	250	1.0	1	1	val shift	ϕ_ω	0.950	0.474	0.712	2.882
base	5	250	1.25	1	1	val shift	ϕ_ω	0.969	0.325	0.647	2.901
base	5	250	1.5	1	1	val shift	ϕ_ω	0.979	0.219	0.599	1.957
base	5	250	1.7	1	1	val shift	ϕ_ω	0.982	0.159	0.570	2.901
base	5	250	2.0	1	1	val shift	ϕ_ω	0.984	0.108	0.546	2.902
base	5	250	2.3	1	1	val shift	ϕ_ω	0.985	0.081	0.533	1.961
base	5	250	3.0	1	1	val shift	ϕ_ω	0.986	0.059	0.523	1.961
base	5	250	4.0	1	1	val shift	ϕ_ω	0.986	0.058	0.522	1.960
base	5	500	1.0	1	1	val shift	ϕ_ω	0.915	0.616	0.766	2.851
base	5	500	1.25	1	1	val shift	ϕ_ω	0.950	0.490	0.720	2.890
base	5	500	1.5	1	1	val shift	ϕ_ω	0.965	0.376	0.671	2.903
base	5	500	1.7	1	1	val shift	ϕ_ω	0.973	0.303	0.638	2.905
base	5	500	2.0	1	1	val shift	ϕ_ω	0.979	0.218	0.599	2.904
base	5	500	2.3	1	1	val shift	ϕ_ω	0.982	0.162	0.572	2.903
base	5	500	3.0	1	1	val shift	ϕ_ω	0.985	0.095	0.540	1.962
base	5	500	4.0	1	1	val shift	ϕ_ω	0.986	0.066	0.526	1.961
base	5	750	1.0	1	1	val shift	ϕ_ω	0.885	0.696	0.790	3.593
base	5	750	1.25	1	1	val shift	ϕ_ω	0.928	0.588	0.758	3.609
base	5	750	1.5	1	1	val shift	ϕ_ω	0.953	0.485	0.719	2.899
base	5	750	1.7	1	1	val shift	ϕ_ω	0.962	0.411	0.687	2.904
base	5	750	2.0	1	1	val shift	ϕ_ω	0.972	0.320	0.646	2.907
base	5	750	2.3	1	1	val shift	ϕ_ω	0.978	0.249	0.613	2.908
base	5	750	3.0	1	1	val shift	ϕ_ω	0.983	0.147	0.565	2.905
base	5	750	4.0	1	1	val shift	ϕ_ω	0.985	0.088	0.536	1.962
base	5	1000	1.0	1	1	val shift	ϕ_ω	0.855	0.747	0.801	3.578
base	5	1000	1.25	1	1	val shift	ϕ_ω	0.907	0.655	0.781	3.616
base	5	1000	1.5	1	1	val shift	ϕ_ω	0.936	0.564	0.750	2.888
base	5	1000	1.7	1	1	val shift	ϕ_ω	0.952	0.494	0.723	2.901
base	5	1000	2.0	1	1	val shift	ϕ_ω	0.964	0.403	0.683	2.907
base	5	1000	2.3	1	1	val shift	ϕ_ω	0.972	0.328	0.650	2.910
base	5	1000	3.0	1	1	val shift	ϕ_ω	0.981	0.208	0.594	2.908
base	5	1000	4.0	1	1	val shift	ϕ_ω	0.984	0.120	0.552	1.962
base	5	10	1.0	1	1	Adj. Prob	ϕ_ω	0.986	0.077	0.531	1.961
base	5	10	1.25	1	1	Adj. Prob	ϕ_ω	0.987	0.049	0.518	1.963
base	5	10	1.5	1	1	Adj. Prob	ϕ_ω	0.987	0.048	0.517	2.911
base	5	10	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.050	0.518	1.961
base	5	10	2.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.920
base	5	10	2.3	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.842
base	5	10	3.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	0.000
base	5	10	4.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	0.000
base	5	100	1.0	1	1	Adj. Prob	ϕ_ω	0.979	0.221	0.600	2.908
base	5	100	1.25	1	1	Adj. Prob	ϕ_ω	0.984	0.113	0.548	1.961
base	5	100	1.5	1	1	Adj. Prob	ϕ_ω	0.986	0.068	0.527	1.962
base	5	100	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.055	0.521	1.963
base	5	100	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.050	0.518	1.963
base	5	100	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.049	0.518	1.963
base	5	100	3.0	1	1	Adj. Prob	ϕ_ω	0.986	0.051	0.519	1.961
base	5	100	4.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.830
base	5	250	1.0	1	1	Adj. Prob	ϕ_ω	0.967	0.350	0.659	2.904
base	5	250	1.25	1	1	Adj. Prob	ϕ_ω	0.980	0.217	0.599	2.911
base	5	250	1.5	1	1	Adj. Prob	ϕ_ω	0.983	0.134	0.559	1.962
base	5	250	1.7	1	1	Adj. Prob	ϕ_ω	0.985	0.097	0.541	1.962

base	5	250	2.0	1	1	Adj. Prob	ϕ_ω	0.986	0.070	0.528	1.963
base	5	250	2.3	1	1	Adj. Prob	ϕ_ω	0.986	0.059	0.523	1.962
base	5	250	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.052	0.520	2.909
base	5	250	4.0	1	1	Adj. Prob	ϕ_ω	0.986	0.055	0.521	2.907
base	5	500	1.0	1	1	Adj. Prob	ϕ_ω	0.953	0.476	0.714	2.895
base	5	500	1.25	1	1	Adj. Prob	ϕ_ω	0.970	0.339	0.655	2.910
base	5	500	1.5	1	1	Adj. Prob	ϕ_ω	0.979	0.237	0.608	2.915
base	5	500	1.7	1	1	Adj. Prob	ϕ_ω	0.982	0.178	0.580	2.913
base	5	500	2.0	1	1	Adj. Prob	ϕ_ω	0.984	0.123	0.554	1.962
base	5	500	2.3	1	1	Adj. Prob	ϕ_ω	0.985	0.093	0.539	2.912
base	5	500	3.0	1	1	Adj. Prob	ϕ_ω	0.986	0.065	0.526	1.963
base	5	500	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.055	0.521	1.962
base	5	750	1.0	1	1	Adj. Prob	ϕ_ω	0.938	0.549	0.744	2.888
base	5	750	1.25	1	1	Adj. Prob	ϕ_ω	0.962	0.423	0.693	2.907
base	5	750	1.5	1	1	Adj. Prob	ϕ_ω	0.973	0.318	0.645	2.913
base	5	750	1.7	1	1	Adj. Prob	ϕ_ω	0.979	0.252	0.615	2.917
base	5	750	2.0	1	1	Adj. Prob	ϕ_ω	0.982	0.180	0.581	2.915
base	5	750	2.3	1	1	Adj. Prob	ϕ_ω	0.984	0.135	0.560	2.913
base	5	750	3.0	1	1	Adj. Prob	ϕ_ω	0.986	0.085	0.535	2.912
base	5	750	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.063	0.525	2.910
base	5	1000	1.0	1	1	Adj. Prob	ϕ_ω	0.924	0.601	0.763	2.879
base	5	1000	1.25	1	1	Adj. Prob	ϕ_ω	0.954	0.484	0.719	2.903
base	5	1000	1.5	1	1	Adj. Prob	ϕ_ω	0.968	0.381	0.674	2.913
base	5	1000	1.7	1	1	Adj. Prob	ϕ_ω	0.974	0.313	0.643	2.916
base	5	1000	2.0	1	1	Adj. Prob	ϕ_ω	0.980	0.233	0.607	2.917
base	5	1000	2.3	1	1	Adj. Prob	ϕ_ω	0.983	0.178	0.581	2.916
base	5	1000	3.0	1	1	Adj. Prob	ϕ_ω	0.985	0.110	0.547	1.964
base	5	1000	4.0	1	1	Adj. Prob	ϕ_ω	0.986	0.074	0.530	2.911
base	5	10	1.0	1	1	original	ϕ_c	0.987	0.034	0.510	1.960
base	5	10	1.25	1	1	original	ϕ_c	0.987	0.038	0.513	1.963
base	5	10	1.5	1	1	original	ϕ_c	0.987	0.041	0.514	1.964
base	5	10	1.7	1	1	original	ϕ_c	0.987	0.042	0.514	2.917
base	5	10	2.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	5	10	2.3	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	5	10	3.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	5	10	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	5	100	1.0	1	1	original	ϕ_c	0.984	0.051	0.517	1.957
base	5	100	1.25	1	1	original	ϕ_c	0.986	0.038	0.512	1.959
base	5	100	1.5	1	1	original	ϕ_c	0.987	0.038	0.512	1.962
base	5	100	1.7	1	1	original	ϕ_c	0.987	0.039	0.513	1.963
base	5	100	2.0	1	1	original	ϕ_c	0.987	0.040	0.514	1.963
base	5	100	2.3	1	1	original	ϕ_c	0.987	0.041	0.514	1.964
base	5	100	3.0	1	1	original	ϕ_c	0.987	0.042	0.514	2.916
base	5	100	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	5	250	1.0	1	1	original	ϕ_c	0.982	0.076	0.529	1.955
base	5	250	1.25	1	1	original	ϕ_c	0.985	0.050	0.517	1.958
base	5	250	1.5	1	1	original	ϕ_c	0.986	0.042	0.514	1.960
base	5	250	1.7	1	1	original	ϕ_c	0.987	0.041	0.514	1.962
base	5	250	2.0	1	1	original	ϕ_c	0.987	0.041	0.514	1.963
base	5	250	2.3	1	1	original	ϕ_c	0.987	0.040	0.514	1.962
base	5	250	3.0	1	1	original	ϕ_c	0.987	0.041	0.514	1.963
base	5	250	4.0	1	1	original	ϕ_c	0.987	0.042	0.514	2.915
base	5	500	1.0	1	1	original	ϕ_c	0.978	0.102	0.540	2.902
base	5	500	1.25	1	1	original	ϕ_c	0.983	0.071	0.527	1.958
base	5	500	1.5	1	1	original	ϕ_c	0.985	0.054	0.520	1.959
base	5	500	1.7	1	1	original	ϕ_c	0.986	0.048	0.517	1.960
base	5	500	2.0	1	1	original	ϕ_c	0.987	0.045	0.516	1.962
base	5	500	2.3	1	1	original	ϕ_c	0.987	0.044	0.515	2.907
base	5	500	3.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	5	500	4.0	1	1	original	ϕ_c	0.987	0.041	0.514	1.963
base	5	750	1.0	1	1	original	ϕ_c	0.975	0.120	0.548	2.898
base	5	750	1.25	1	1	original	ϕ_c	0.982	0.087	0.535	2.908
base	5	750	1.5	1	1	original	ϕ_c	0.984	0.067	0.526	1.959
base	5	750	1.7	1	1	original	ϕ_c	0.986	0.058	0.522	1.960

base	5	750	2.0	1	1	original	ϕ_c	0.986	0.050	0.518	1.961
base	5	750	2.3	1	1	original	ϕ_c	0.987	0.047	0.517	1.962
base	5	750	3.0	1	1	original	ϕ_c	0.987	0.045	0.516	1.963
base	5	750	4.0	1	1	original	ϕ_c	0.987	0.043	0.515	1.963
base	5	1000	1.0	1	1	original	ϕ_c	0.973	0.133	0.553	2.894
base	5	1000	1.25	1	1	original	ϕ_c	0.980	0.100	0.540	2.907
base	5	1000	1.5	1	1	original	ϕ_c	0.983	0.078	0.531	1.959
base	5	1000	1.7	1	1	original	ϕ_c	0.985	0.067	0.526	1.960
base	5	1000	2.0	1	1	original	ϕ_c	0.986	0.056	0.521	1.961
base	5	1000	2.3	1	1	original	ϕ_c	0.987	0.051	0.519	1.962
base	5	1000	3.0	1	1	original	ϕ_c	0.987	0.047	0.517	1.963
base	5	1000	4.0	1	1	original	ϕ_c	0.987	0.045	0.516	2.912
base	5	10	1.0	1	1	val shift	ϕ_c	0.985	0.030	0.507	1.956
base	5	10	1.25	1	1	val shift	ϕ_c	0.987	0.036	0.512	1.962
base	5	10	1.5	1	1	val shift	ϕ_c	0.987	0.040	0.514	2.915
base	5	10	1.7	1	1	val shift	ϕ_c	0.987	0.041	0.514	1.964
base	5	10	2.0	1	1	val shift	ϕ_c	0.987	0.042	0.514	1.964
base	5	10	2.3	1	1	val shift	ϕ_c	0.987	0.042	0.515	2.917
base	5	10	3.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	5	10	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	5	100	1.0	1	1	val shift	ϕ_c	0.980	0.040	0.510	1.949
base	5	100	1.25	1	1	val shift	ϕ_c	0.984	0.031	0.507	1.953
base	5	100	1.5	1	1	val shift	ϕ_c	0.986	0.032	0.509	1.958
base	5	100	1.7	1	1	val shift	ϕ_c	0.987	0.034	0.510	1.961
base	5	100	2.0	1	1	val shift	ϕ_c	0.987	0.037	0.512	1.962
base	5	100	2.3	1	1	val shift	ϕ_c	0.987	0.039	0.513	2.912
base	5	100	3.0	1	1	val shift	ϕ_c	0.987	0.041	0.514	2.915
base	5	100	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	5	250	1.0	1	1	val shift	ϕ_c	0.972	0.058	0.515	1.937
base	5	250	1.25	1	1	val shift	ϕ_c	0.981	0.042	0.512	1.951
base	5	250	1.5	1	1	val shift	ϕ_c	0.984	0.035	0.509	1.954
base	5	250	1.7	1	1	val shift	ϕ_c	0.985	0.033	0.509	1.955
base	5	250	2.0	1	1	val shift	ϕ_c	0.986	0.035	0.511	1.958
base	5	250	2.3	1	1	val shift	ϕ_c	0.987	0.036	0.511	1.960
base	5	250	3.0	1	1	val shift	ϕ_c	0.987	0.038	0.513	1.962
base	5	250	4.0	1	1	val shift	ϕ_c	0.987	0.040	0.514	1.963
base	5	500	1.0	1	1	val shift	ϕ_c	0.960	0.076	0.518	2.859
base	5	500	1.25	1	1	val shift	ϕ_c	0.975	0.060	0.517	1.943
base	5	500	1.5	1	1	val shift	ϕ_c	0.981	0.049	0.515	1.952
base	5	500	1.7	1	1	val shift	ϕ_c	0.983	0.043	0.513	1.954
base	5	500	2.0	1	1	val shift	ϕ_c	0.985	0.038	0.511	1.955
base	5	500	2.3	1	1	val shift	ϕ_c	0.986	0.037	0.512	1.957
base	5	500	3.0	1	1	val shift	ϕ_c	0.987	0.037	0.512	1.959
base	5	500	4.0	1	1	val shift	ϕ_c	0.987	0.038	0.513	2.907
base	5	750	1.0	1	1	val shift	ϕ_c	0.950	0.085	0.518	2.827
base	5	750	1.25	1	1	val shift	ϕ_c	0.969	0.070	0.519	2.879
base	5	750	1.5	1	1	val shift	ϕ_c	0.978	0.060	0.519	1.948
base	5	750	1.7	1	1	val shift	ϕ_c	0.981	0.053	0.517	1.953
base	5	750	2.0	1	1	val shift	ϕ_c	0.983	0.046	0.515	1.955
base	5	750	2.3	1	1	val shift	ϕ_c	0.985	0.041	0.513	1.956
base	5	750	3.0	1	1	val shift	ϕ_c	0.987	0.040	0.513	1.959
base	5	750	4.0	1	1	val shift	ϕ_c	0.987	0.039	0.513	1.961
base	5	1000	1.0	1	1	val shift	ϕ_c	0.939	0.094	0.516	2.792
base	5	1000	1.25	1	1	val shift	ϕ_c	0.963	0.078	0.520	2.864
base	5	1000	1.5	1	1	val shift	ϕ_c	0.974	0.067	0.521	2.890
base	5	1000	1.7	1	1	val shift	ϕ_c	0.979	0.062	0.520	1.950
base	5	1000	2.0	1	1	val shift	ϕ_c	0.982	0.054	0.518	1.955
base	5	1000	2.3	1	1	val shift	ϕ_c	0.984	0.048	0.516	1.957
base	5	1000	3.0	1	1	val shift	ϕ_c	0.986	0.042	0.514	1.959
base	5	1000	4.0	1	1	val shift	ϕ_c	0.987	0.039	0.513	1.960
base	5	10	1.0	1	1	Adj. Prob	ϕ_c	0.987	0.034	0.510	1.960
base	5	10	1.25	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.513	1.963
base	5	10	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	5	10	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.514	2.917

base	5	10	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	5	10	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	5	10	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	5	10	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	5	100	1.0	1	1	Adj. Prob	ϕ_c	0.984	0.051	0.517	1.957
base	5	100	1.25	1	1	Adj. Prob	ϕ_c	0.986	0.038	0.512	1.959
base	5	100	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.512	1.962
base	5	100	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.963
base	5	100	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.514	1.963
base	5	100	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	5	100	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.514	2.916
base	5	100	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	5	250	1.0	1	1	Adj. Prob	ϕ_c	0.982	0.076	0.529	1.955
base	5	250	1.25	1	1	Adj. Prob	ϕ_c	0.985	0.050	0.517	1.958
base	5	250	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.042	0.514	1.960
base	5	250	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.962
base	5	250	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.963
base	5	250	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.514	1.962
base	5	250	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.963
base	5	250	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.514	2.915
base	5	500	1.0	1	1	Adj. Prob	ϕ_c	0.978	0.102	0.540	2.902
base	5	500	1.25	1	1	Adj. Prob	ϕ_c	0.983	0.071	0.527	1.958
base	5	500	1.5	1	1	Adj. Prob	ϕ_c	0.985	0.054	0.520	1.959
base	5	500	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.048	0.517	1.960
base	5	500	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.045	0.516	1.962
base	5	500	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.044	0.515	2.907
base	5	500	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	5	500	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.963
base	5	750	1.0	1	1	Adj. Prob	ϕ_c	0.975	0.120	0.548	2.898
base	5	750	1.25	1	1	Adj. Prob	ϕ_c	0.982	0.087	0.535	2.908
base	5	750	1.5	1	1	Adj. Prob	ϕ_c	0.984	0.067	0.526	1.959
base	5	750	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.058	0.522	1.960
base	5	750	2.0	1	1	Adj. Prob	ϕ_c	0.986	0.050	0.518	1.961
base	5	750	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.047	0.517	1.962
base	5	750	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.045	0.516	1.963
base	5	750	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.043	0.515	1.963
base	5	1000	1.0	1	1	Adj. Prob	ϕ_c	0.973	0.133	0.553	2.894
base	5	1000	1.25	1	1	Adj. Prob	ϕ_c	0.980	0.100	0.540	2.907
base	5	1000	1.5	1	1	Adj. Prob	ϕ_c	0.983	0.078	0.531	1.959
base	5	1000	1.7	1	1	Adj. Prob	ϕ_c	0.985	0.067	0.526	1.960
base	5	1000	2.0	1	1	Adj. Prob	ϕ_c	0.986	0.056	0.521	1.961
base	5	1000	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.051	0.519	1.962
base	5	1000	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.047	0.517	1.963
base	5	1000	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.045	0.516	2.912
base	7	10	1.0	1	1	original	ϕ_o	0.984	0.106	0.545	1.962
base	7	10	1.25	1	1	original	ϕ_o	0.987	0.045	0.516	2.914
base	7	10	1.5	1	1	original	ϕ_o	0.987	0.041	0.514	1.964
base	7	10	1.7	1	1	original	ϕ_o	0.987	0.042	0.514	1.964
base	7	10	2.0	1	1	original	ϕ_o	0.987	0.042	0.515	2.917
base	7	10	2.3	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	7	10	3.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	7	10	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	7	100	1.0	1	1	original	ϕ_o	0.965	0.372	0.668	2.904
base	7	100	1.25	1	1	original	ϕ_o	0.981	0.173	0.577	2.910
base	7	100	1.5	1	1	original	ϕ_o	0.986	0.065	0.525	1.962
base	7	100	1.7	1	1	original	ϕ_o	0.987	0.043	0.515	1.962
base	7	100	2.0	1	1	original	ϕ_o	0.987	0.039	0.513	1.963
base	7	100	2.3	1	1	original	ϕ_o	0.987	0.040	0.514	2.915
base	7	100	3.0	1	1	original	ϕ_o	0.987	0.041	0.514	1.964
base	7	100	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	7	250	1.0	1	1	original	ϕ_o	0.935	0.553	0.744	2.897
base	7	250	1.25	1	1	original	ϕ_o	0.965	0.382	0.673	2.907
base	7	250	1.5	1	1	original	ϕ_o	0.980	0.207	0.593	2.910
base	7	250	1.7	1	1	original	ϕ_o	0.984	0.104	0.544	1.961

base	7	250	2.0	1	1	original	ϕ_o	0.986	0.049	0.518	1.962
base	7	250	2.3	1	1	original	ϕ_o	0.987	0.039	0.513	1.962
base	7	250	3.0	1	1	original	ϕ_o	0.987	0.040	0.513	2.912
base	7	250	4.0	1	1	original	ϕ_o	0.987	0.041	0.514	2.915
base	7	500	1.0	1	1	original	ϕ_o	0.880	0.699	0.789	3.678
base	7	500	1.25	1	1	original	ϕ_o	0.935	0.565	0.750	2.904
base	7	500	1.5	1	1	original	ϕ_o	0.962	0.420	0.691	2.912
base	7	500	1.7	1	1	original	ϕ_o	0.974	0.299	0.637	2.913
base	7	500	2.0	1	1	original	ϕ_o	0.983	0.144	0.564	2.909
base	7	500	2.3	1	1	original	ϕ_o	0.986	0.067	0.527	2.906
base	7	500	3.0	1	1	original	ϕ_o	0.987	0.040	0.513	1.963
base	7	500	4.0	1	1	original	ϕ_o	0.987	0.040	0.514	1.963
base	7	750	1.0	1	1	original	ϕ_o	0.829	0.779	0.804	3.686
base	7	750	1.25	1	1	original	ϕ_o	0.898	0.668	0.783	3.679
base	7	750	1.5	1	1	original	ϕ_o	0.942	0.548	0.745	2.908
base	7	750	1.7	1	1	original	ϕ_o	0.961	0.443	0.702	2.913
base	7	750	2.0	1	1	original	ϕ_o	0.976	0.284	0.630	2.916
base	7	750	2.3	1	1	original	ϕ_o	0.983	0.153	0.568	2.911
base	7	750	3.0	1	1	original	ϕ_o	0.987	0.047	0.517	1.962
base	7	750	4.0	1	1	original	ϕ_o	0.987	0.041	0.514	1.963
base	7	1000	1.0	1	1	original	ϕ_o	0.780	0.831	0.805	4.272
base	7	1000	1.25	1	1	original	ϕ_o	0.862	0.737	0.799	3.693
base	7	1000	1.5	1	1	original	ϕ_o	0.916	0.633	0.775	3.672
base	7	1000	1.7	1	1	original	ϕ_o	0.944	0.543	0.744	2.911
base	7	1000	2.0	1	1	original	ϕ_o	0.966	0.401	0.684	2.916
base	7	1000	2.3	1	1	original	ϕ_o	0.978	0.260	0.619	2.918
base	7	1000	3.0	1	1	original	ϕ_o	0.986	0.072	0.529	1.963
base	7	1000	4.0	1	1	original	ϕ_o	0.987	0.042	0.514	1.964
base	7	10	1.0	1	1	val shift	ϕ_o	0.832	0.351	0.591	2.622
base	7	10	1.25	1	1	val shift	ϕ_o	0.957	0.075	0.516	2.819
base	7	10	1.5	1	1	val shift	ϕ_o	0.987	0.040	0.513	1.963
base	7	10	1.7	1	1	val shift	ϕ_o	0.987	0.041	0.514	1.964
base	7	10	2.0	1	1	val shift	ϕ_o	0.987	0.042	0.514	1.964
base	7	10	2.3	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	7	10	3.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	7	10	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	7	100	1.0	1	1	val shift	ϕ_o	0.509	0.838	0.673	3.694
base	7	100	1.25	1	1	val shift	ϕ_o	0.779	0.561	0.670	3.281
base	7	100	1.5	1	1	val shift	ϕ_o	0.934	0.174	0.554	2.752
base	7	100	1.7	1	1	val shift	ϕ_o	0.983	0.060	0.521	1.954
base	7	100	2.0	1	1	val shift	ϕ_o	0.987	0.035	0.511	1.962
base	7	100	2.3	1	1	val shift	ϕ_o	0.987	0.037	0.512	1.962
base	7	100	3.0	1	1	val shift	ϕ_o	0.987	0.040	0.514	2.915
base	7	100	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	2.916
base	7	250	1.0	1	1	val shift	ϕ_o	0.277	0.954	0.616	3.874
base	7	250	1.25	1	1	val shift	ϕ_o	0.544	0.843	0.694	3.786
base	7	250	1.5	1	1	val shift	ϕ_o	0.783	0.622	0.703	3.343
base	7	250	1.7	1	1	val shift	ϕ_o	0.901	0.356	0.629	2.761
base	7	250	2.0	1	1	val shift	ϕ_o	0.981	0.087	0.534	1.950
base	7	250	2.3	1	1	val shift	ϕ_o	0.986	0.037	0.512	1.958
base	7	250	3.0	1	1	val shift	ϕ_o	0.987	0.037	0.512	1.962
base	7	250	4.0	1	1	val shift	ϕ_o	0.987	0.040	0.513	1.963
base	7	500	1.0	1	1	val shift	ϕ_o	0.146	0.990	0.568	3.974
base	7	500	1.25	1	1	val shift	ϕ_o	0.276	0.956	0.616	3.926
base	7	500	1.5	1	1	val shift	ϕ_o	0.523	0.861	0.692	3.853
base	7	500	1.7	1	1	val shift	ϕ_o	0.705	0.732	0.719	3.394
base	7	500	2.0	1	1	val shift	ϕ_o	0.895	0.473	0.684	2.820
base	7	500	2.3	1	1	val shift	ϕ_o	0.973	0.175	0.574	1.947
base	7	500	3.0	1	1	val shift	ϕ_o	0.987	0.035	0.511	1.959
base	7	500	4.0	1	1	val shift	ϕ_o	0.987	0.036	0.512	1.962
base	7	750	1.0	1	1	val shift	ϕ_o	0.102	0.996	0.549	3.058
base	7	750	1.25	1	1	val shift	ϕ_o	0.159	0.988	0.573	3.962
base	7	750	1.5	1	1	val shift	ϕ_o	0.319	0.944	0.631	3.925
base	7	750	1.7	1	1	val shift	ϕ_o	0.502	0.872	0.687	3.880

base	7	750	2.0	1	1	val shift	ϕ_o	0.749	0.708	0.728	3.432
base	7	750	2.3	1	1	val shift	ϕ_o	0.914	0.488	0.701	2.856
base	7	750	3.0	1	1	val shift	ϕ_o	0.985	0.065	0.525	1.958
base	7	750	4.0	1	1	val shift	ϕ_o	0.987	0.035	0.511	1.960
base	7	1000	1.0	1	1	val shift	ϕ_o	0.075	0.998	0.537	3.061
base	7	1000	1.25	1	1	val shift	ϕ_o	0.108	0.995	0.551	3.974
base	7	1000	1.5	1	1	val shift	ϕ_o	0.196	0.980	0.588	3.957
base	7	1000	1.7	1	1	val shift	ϕ_o	0.338	0.940	0.639	3.933
base	7	1000	2.0	1	1	val shift	ϕ_o	0.577	0.829	0.703	3.874
base	7	1000	2.3	1	1	val shift	ϕ_o	0.791	0.675	0.733	3.471
base	7	1000	3.0	1	1	val shift	ϕ_o	0.976	0.189	0.583	2.891
base	7	1000	4.0	1	1	val shift	ϕ_o	0.987	0.035	0.511	1.959
base	7	10	1.0	1	1	Adj. Prob	ϕ_o	0.985	0.092	0.538	2.910
base	7	10	1.25	1	1	Adj. Prob	ϕ_o	0.987	0.044	0.516	1.963
base	7	10	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964
base	7	10	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.514	1.964
base	7	10	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	2.917
base	7	10	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	7	10	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	7	10	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	7	100	1.0	1	1	Adj. Prob	ϕ_o	0.971	0.302	0.637	1.955
base	7	100	1.25	1	1	Adj. Prob	ϕ_o	0.983	0.139	0.561	1.961
base	7	100	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.057	0.521	1.962
base	7	100	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.963
base	7	100	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	1.963
base	7	100	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.514	2.915
base	7	100	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964
base	7	100	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	7	250	1.0	1	1	Adj. Prob	ϕ_o	0.950	0.466	0.708	2.896
base	7	250	1.25	1	1	Adj. Prob	ϕ_o	0.972	0.302	0.637	2.904
base	7	250	1.5	1	1	Adj. Prob	ϕ_o	0.982	0.161	0.572	1.961
base	7	250	1.7	1	1	Adj. Prob	ϕ_o	0.985	0.085	0.535	1.961
base	7	250	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.046	0.516	1.962
base	7	250	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	2.909
base	7	250	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.513	2.912
base	7	250	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	2.915
base	7	500	1.0	1	1	Adj. Prob	ϕ_o	0.914	0.608	0.761	2.888
base	7	500	1.25	1	1	Adj. Prob	ϕ_o	0.952	0.464	0.708	2.902
base	7	500	1.5	1	1	Adj. Prob	ϕ_o	0.971	0.323	0.647	2.908
base	7	500	1.7	1	1	Adj. Prob	ϕ_o	0.979	0.224	0.601	2.910
base	7	500	2.0	1	1	Adj. Prob	ϕ_o	0.984	0.112	0.548	1.961
base	7	500	2.3	1	1	Adj. Prob	ϕ_o	0.986	0.059	0.522	1.962
base	7	500	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.513	1.963
base	7	500	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.514	1.963
base	7	750	1.0	1	1	Adj. Prob	ϕ_o	0.878	0.692	0.785	3.651
base	7	750	1.25	1	1	Adj. Prob	ϕ_o	0.930	0.563	0.747	2.897
base	7	750	1.5	1	1	Adj. Prob	ϕ_o	0.958	0.437	0.698	2.907
base	7	750	1.7	1	1	Adj. Prob	ϕ_o	0.970	0.336	0.653	2.910
base	7	750	2.0	1	1	Adj. Prob	ϕ_o	0.980	0.209	0.595	2.912
base	7	750	2.3	1	1	Adj. Prob	ϕ_o	0.984	0.117	0.551	2.910
base	7	750	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.045	0.516	1.963
base	7	750	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.963
base	7	1000	1.0	1	1	Adj. Prob	ϕ_o	0.843	0.746	0.795	3.657
base	7	1000	1.25	1	1	Adj. Prob	ϕ_o	0.905	0.633	0.769	2.895
base	7	1000	1.5	1	1	Adj. Prob	ϕ_o	0.943	0.518	0.731	2.903
base	7	1000	1.7	1	1	Adj. Prob	ϕ_o	0.960	0.426	0.693	2.908
base	7	1000	2.0	1	1	Adj. Prob	ϕ_o	0.974	0.296	0.635	2.913
base	7	1000	2.3	1	1	Adj. Prob	ϕ_o	0.982	0.190	0.586	2.913
base	7	1000	3.0	1	1	Adj. Prob	ϕ_o	0.986	0.062	0.524	1.963
base	7	1000	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.514	1.964
base	7	10	1.0	1	1	original	ϕ_ω	0.986	0.054	0.520	1.960
base	7	10	1.25	1	1	original	ϕ_ω	0.987	0.040	0.514	1.963
base	7	10	1.5	1	1	original	ϕ_ω	0.987	0.041	0.514	1.964
base	7	10	1.7	1	1	original	ϕ_ω	0.987	0.042	0.514	1.964

base	7	10	2.0	1	1	original	ϕ_ω	0.987	0.042	0.515	1.964
base	7	10	2.3	1	1	original	ϕ_ω	0.000	0.042	0.021	1.964
base	7	10	3.0	1	1	original	ϕ_ω	0.000	0.000	0.000	1.733
base	7	10	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	0.000
base	7	100	1.0	1	1	original	ϕ_ω	0.981	0.161	0.571	1.957
base	7	100	1.25	1	1	original	ϕ_ω	0.985	0.068	0.527	1.960
base	7	100	1.5	1	1	original	ϕ_ω	0.987	0.043	0.515	1.962
base	7	100	1.7	1	1	original	ϕ_ω	0.987	0.039	0.513	1.963
base	7	100	2.0	1	1	original	ϕ_ω	0.987	0.040	0.513	1.963
base	7	100	2.3	1	1	original	ϕ_ω	0.987	0.040	0.514	1.964
base	7	100	3.0	1	1	original	ϕ_ω	0.987	0.042	0.515	2.916
base	7	100	4.0	1	1	original	ϕ_ω	0.987	0.043	0.515	1.964
base	7	250	1.0	1	1	original	ϕ_ω	0.973	0.281	0.627	1.954
base	7	250	1.25	1	1	original	ϕ_ω	0.982	0.145	0.564	1.959
base	7	250	1.5	1	1	original	ϕ_ω	0.985	0.074	0.530	1.960
base	7	250	1.7	1	1	original	ϕ_ω	0.986	0.052	0.519	1.961
base	7	250	2.0	1	1	original	ϕ_ω	0.987	0.042	0.514	1.962
base	7	250	2.3	1	1	original	ϕ_ω	0.987	0.040	0.513	1.962
base	7	250	3.0	1	1	original	ϕ_ω	0.987	0.040	0.514	1.963
base	7	250	4.0	1	1	original	ϕ_ω	0.987	0.042	0.515	2.915
base	7	500	1.0	1	1	original	ϕ_ω	0.961	0.404	0.682	2.901
base	7	500	1.25	1	1	original	ϕ_ω	0.977	0.253	0.615	2.910
base	7	500	1.5	1	1	original	ϕ_ω	0.983	0.149	0.566	1.961
base	7	500	1.7	1	1	original	ϕ_ω	0.985	0.098	0.541	1.961
base	7	500	2.0	1	1	original	ϕ_ω	0.986	0.061	0.523	1.962
base	7	500	2.3	1	1	original	ϕ_ω	0.987	0.048	0.517	1.962
base	7	500	3.0	1	1	original	ϕ_ω	0.987	0.041	0.514	1.963
base	7	500	4.0	1	1	original	ϕ_ω	0.987	0.041	0.514	2.912
base	7	750	1.0	1	1	original	ϕ_ω	0.951	0.482	0.717	2.894
base	7	750	1.25	1	1	original	ϕ_ω	0.970	0.333	0.652	1.956
base	7	750	1.5	1	1	original	ϕ_ω	0.980	0.219	0.600	2.912
base	7	750	1.7	1	1	original	ϕ_ω	0.983	0.153	0.568	2.911
base	7	750	2.0	1	1	original	ϕ_ω	0.985	0.093	0.539	1.962
base	7	750	2.3	1	1	original	ϕ_ω	0.986	0.064	0.525	1.962
base	7	750	3.0	1	1	original	ϕ_ω	0.987	0.046	0.517	2.908
base	7	750	4.0	1	1	original	ϕ_ω	0.987	0.042	0.515	2.910
base	7	1000	1.0	1	1	original	ϕ_ω	0.941	0.537	0.739	2.889
base	7	1000	1.25	1	1	original	ϕ_ω	0.965	0.396	0.680	2.907
base	7	1000	1.5	1	1	original	ϕ_ω	0.976	0.278	0.627	2.914
base	7	1000	1.7	1	1	original	ϕ_ω	0.981	0.206	0.593	2.915
base	7	1000	2.0	1	1	original	ϕ_ω	0.984	0.129	0.557	2.913
base	7	1000	2.3	1	1	original	ϕ_ω	0.985	0.087	0.536	1.963
base	7	1000	3.0	1	1	original	ϕ_ω	0.987	0.053	0.520	1.963
base	7	1000	4.0	1	1	original	ϕ_ω	0.987	0.044	0.516	1.963
base	7	10	1.0	1	1	val shift	ϕ_ω	0.985	0.064	0.524	1.958
base	7	10	1.25	1	1	val shift	ϕ_ω	0.987	0.041	0.514	1.963
base	7	10	1.5	1	1	val shift	ϕ_ω	0.987	0.040	0.514	2.915
base	7	10	1.7	1	1	val shift	ϕ_ω	0.987	0.041	0.514	1.964
base	7	10	2.0	1	1	val shift	ϕ_ω	0.987	0.042	0.515	1.964
base	7	10	2.3	1	1	val shift	ϕ_ω	0.000	0.042	0.021	1.964
base	7	10	3.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.733
base	7	10	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	0.000
base	7	100	1.0	1	1	val shift	ϕ_ω	0.974	0.247	0.611	1.952
base	7	100	1.25	1	1	val shift	ϕ_ω	0.983	0.116	0.549	1.956
base	7	100	1.5	1	1	val shift	ϕ_ω	0.985	0.057	0.521	0.986
base	7	100	1.7	1	1	val shift	ϕ_ω	0.987	0.041	0.514	1.961
base	7	100	2.0	1	1	val shift	ϕ_ω	0.987	0.038	0.512	1.962
base	7	100	2.3	1	1	val shift	ϕ_ω	0.987	0.038	0.513	1.962
base	7	100	3.0	1	1	val shift	ϕ_ω	0.987	0.041	0.514	1.963
base	7	100	4.0	1	1	val shift	ϕ_ω	0.987	0.043	0.515	2.916
base	7	250	1.0	1	1	val shift	ϕ_ω	0.957	0.417	0.687	2.889
base	7	250	1.25	1	1	val shift	ϕ_ω	0.974	0.262	0.618	1.954
base	7	250	1.5	1	1	val shift	ϕ_ω	0.982	0.149	0.565	1.957
base	7	250	1.7	1	1	val shift	ϕ_ω	0.984	0.094	0.539	1.957

base	7	250	2.0	1	1	val shift	ϕ_ω	0.986	0.055	0.520	1.957
base	7	250	2.3	1	1	val shift	ϕ_ω	0.987	0.042	0.514	1.960
base	7	250	3.0	1	1	val shift	ϕ_ω	0.987	0.038	0.513	1.962
base	7	250	4.0	1	1	val shift	ϕ_ω	0.987	0.041	0.514	1.963
base	7	500	1.0	1	1	val shift	ϕ_ω	0.930	0.568	0.749	2.869
base	7	500	1.25	1	1	val shift	ϕ_ω	0.959	0.424	0.692	2.896
base	7	500	1.5	1	1	val shift	ϕ_ω	0.972	0.301	0.636	2.902
base	7	500	1.7	1	1	val shift	ϕ_ω	0.979	0.220	0.600	2.901
base	7	500	2.0	1	1	val shift	ϕ_ω	0.983	0.133	0.558	1.958
base	7	500	2.3	1	1	val shift	ϕ_ω	0.985	0.086	0.535	1.958
base	7	500	3.0	1	1	val shift	ϕ_ω	0.986	0.046	0.516	1.959
base	7	500	4.0	1	1	val shift	ϕ_ω	0.987	0.040	0.513	1.962
base	7	750	1.0	1	1	val shift	ϕ_ω	0.905	0.650	0.778	2.847
base	7	750	1.25	1	1	val shift	ϕ_ω	0.943	0.527	0.735	2.888
base	7	750	1.5	1	1	val shift	ϕ_ω	0.962	0.410	0.686	2.903
base	7	750	1.7	1	1	val shift	ϕ_ω	0.971	0.327	0.649	2.906
base	7	750	2.0	1	1	val shift	ϕ_ω	0.979	0.226	0.602	1.959
base	7	750	2.3	1	1	val shift	ϕ_ω	0.983	0.152	0.567	1.959
base	7	750	3.0	1	1	val shift	ϕ_ω	0.985	0.073	0.529	1.960
base	7	750	4.0	1	1	val shift	ϕ_ω	0.987	0.045	0.516	1.961
base	7	1000	1.0	1	1	val shift	ϕ_ω	0.879	0.707	0.793	3.612
base	7	1000	1.25	1	1	val shift	ϕ_ω	0.925	0.597	0.761	2.876
base	7	1000	1.5	1	1	val shift	ϕ_ω	0.952	0.490	0.721	2.898
base	7	1000	1.7	1	1	val shift	ϕ_ω	0.963	0.411	0.687	2.906
base	7	1000	2.0	1	1	val shift	ϕ_ω	0.973	0.307	0.640	2.909
base	7	1000	2.3	1	1	val shift	ϕ_ω	0.980	0.225	0.602	2.907
base	7	1000	3.0	1	1	val shift	ϕ_ω	0.984	0.111	0.547	1.960
base	7	1000	4.0	1	1	val shift	ϕ_ω	0.986	0.057	0.522	1.960
base	7	10	1.0	1	1	Adj. Prob	ϕ_ω	0.986	0.046	0.516	1.960
base	7	10	1.25	1	1	Adj. Prob	ϕ_ω	0.987	0.040	0.514	1.963
base	7	10	1.5	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.964
base	7	10	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.514	1.964
base	7	10	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	2.917
base	7	10	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	1.964
base	7	10	3.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.862
base	7	10	4.0	1	1	Adj. Prob	ϕ_ω	0.000	0.000	0.000	1.590
base	7	100	1.0	1	1	Adj. Prob	ϕ_ω	0.983	0.105	0.544	1.957
base	7	100	1.25	1	1	Adj. Prob	ϕ_ω	0.986	0.054	0.520	1.960
base	7	100	1.5	1	1	Adj. Prob	ϕ_ω	0.987	0.040	0.513	1.962
base	7	100	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.038	0.513	1.963
base	7	100	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	1.963
base	7	100	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.040	0.514	1.964
base	7	100	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.514	1.964
base	7	100	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	1.964
base	7	250	1.0	1	1	Adj. Prob	ϕ_ω	0.979	0.177	0.578	1.954
base	7	250	1.25	1	1	Adj. Prob	ϕ_ω	0.984	0.094	0.539	2.897
base	7	250	1.5	1	1	Adj. Prob	ϕ_ω	0.986	0.057	0.522	1.960
base	7	250	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.046	0.516	1.961
base	7	250	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.962
base	7	250	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	1.962
base	7	250	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.040	0.514	1.963
base	7	250	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.514	0.987
base	7	500	1.0	1	1	Adj. Prob	ϕ_ω	0.973	0.251	0.612	2.900
base	7	500	1.25	1	1	Adj. Prob	ϕ_ω	0.982	0.153	0.567	2.907
base	7	500	1.5	1	1	Adj. Prob	ϕ_ω	0.985	0.096	0.541	1.930
base	7	500	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.071	0.528	2.902
base	7	500	2.0	1	1	Adj. Prob	ϕ_ω	0.986	0.052	0.519	1.962
base	7	500	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.045	0.516	1.962
base	7	500	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.963
base	7	500	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.963
base	7	750	1.0	1	1	Adj. Prob	ϕ_ω	0.968	0.301	0.634	2.896
base	7	750	1.25	1	1	Adj. Prob	ϕ_ω	0.979	0.198	0.588	2.907
base	7	750	1.5	1	1	Adj. Prob	ϕ_ω	0.983	0.132	0.558	1.960
base	7	750	1.7	1	1	Adj. Prob	ϕ_ω	0.985	0.099	0.542	1.960

base	7	750	2.0	1	1	Adj. Prob	ϕ_ω	0.986	0.070	0.528	1.962
base	7	750	2.3	1	1	Adj. Prob	ϕ_ω	0.986	0.055	0.521	1.962
base	7	750	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.044	0.516	1.963
base	7	750	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.514	1.963
base	7	1000	1.0	1	1	Adj. Prob	ϕ_ω	0.963	0.340	0.652	2.892
base	7	1000	1.25	1	1	Adj. Prob	ϕ_ω	0.976	0.234	0.605	2.907
base	7	1000	1.5	1	1	Adj. Prob	ϕ_ω	0.982	0.162	0.572	2.910
base	7	1000	1.7	1	1	Adj. Prob	ϕ_ω	0.984	0.125	0.554	1.961
base	7	1000	2.0	1	1	Adj. Prob	ϕ_ω	0.985	0.088	0.537	1.962
base	7	1000	2.3	1	1	Adj. Prob	ϕ_ω	0.986	0.068	0.527	1.962
base	7	1000	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.049	0.518	1.963
base	7	1000	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.044	0.515	1.963
base	7	10	1.0	1	1	original	ϕ_c	0.987	0.032	0.510	1.959
base	7	10	1.25	1	1	original	ϕ_c	0.987	0.037	0.512	2.913
base	7	10	1.5	1	1	original	ϕ_c	0.987	0.041	0.514	1.964
base	7	10	1.7	1	1	original	ϕ_c	0.987	0.042	0.514	1.964
base	7	10	2.0	1	1	original	ϕ_c	0.987	0.042	0.515	2.917
base	7	10	2.3	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	7	10	3.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	7	10	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	7	100	1.0	1	1	original	ϕ_c	0.985	0.048	0.516	1.955
base	7	100	1.25	1	1	original	ϕ_c	0.986	0.034	0.510	1.958
base	7	100	1.5	1	1	original	ϕ_c	0.987	0.035	0.511	1.962
base	7	100	1.7	1	1	original	ϕ_c	0.987	0.037	0.512	1.963
base	7	100	2.0	1	1	original	ϕ_c	0.987	0.039	0.513	1.963
base	7	100	2.3	1	1	original	ϕ_c	0.987	0.040	0.514	2.915
base	7	100	3.0	1	1	original	ϕ_c	0.987	0.041	0.514	1.964
base	7	100	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	7	250	1.0	1	1	original	ϕ_c	0.982	0.081	0.531	1.954
base	7	250	1.25	1	1	original	ϕ_c	0.985	0.044	0.515	1.957
base	7	250	1.5	1	1	original	ϕ_c	0.986	0.036	0.511	1.959
base	7	250	1.7	1	1	original	ϕ_c	0.987	0.036	0.511	1.960
base	7	250	2.0	1	1	original	ϕ_c	0.987	0.038	0.512	1.962
base	7	250	2.3	1	1	original	ϕ_c	0.987	0.038	0.513	1.962
base	7	250	3.0	1	1	original	ϕ_c	0.987	0.040	0.513	2.912
base	7	250	4.0	1	1	original	ϕ_c	0.987	0.041	0.514	2.915
base	7	500	1.0	1	1	original	ϕ_c	0.979	0.117	0.548	2.902
base	7	500	1.25	1	1	original	ϕ_c	0.984	0.067	0.525	1.958
base	7	500	1.5	1	1	original	ϕ_c	0.986	0.047	0.516	1.958
base	7	500	1.7	1	1	original	ϕ_c	0.986	0.041	0.514	1.959
base	7	500	2.0	1	1	original	ϕ_c	0.987	0.039	0.513	1.961
base	7	500	2.3	1	1	original	ϕ_c	0.987	0.039	0.513	1.962
base	7	500	3.0	1	1	original	ϕ_c	0.987	0.040	0.513	1.963
base	7	500	4.0	1	1	original	ϕ_c	0.987	0.040	0.514	1.963
base	7	750	1.0	1	1	original	ϕ_c	0.976	0.142	0.559	2.899
base	7	750	1.25	1	1	original	ϕ_c	0.982	0.088	0.535	1.956
base	7	750	1.5	1	1	original	ϕ_c	0.985	0.058	0.522	1.959
base	7	750	1.7	1	1	original	ϕ_c	0.986	0.049	0.517	1.959
base	7	750	2.0	1	1	original	ϕ_c	0.986	0.042	0.514	1.961
base	7	750	2.3	1	1	original	ϕ_c	0.987	0.041	0.514	1.962
base	7	750	3.0	1	1	original	ϕ_c	0.987	0.041	0.514	1.963
base	7	750	4.0	1	1	original	ϕ_c	0.987	0.041	0.514	1.963
base	7	1000	1.0	1	1	original	ϕ_c	0.973	0.163	0.568	2.896
base	7	1000	1.25	1	1	original	ϕ_c	0.981	0.105	0.543	2.907
base	7	1000	1.5	1	1	original	ϕ_c	0.984	0.071	0.527	1.959
base	7	1000	1.7	1	1	original	ϕ_c	0.985	0.057	0.521	2.906
base	7	1000	2.0	1	1	original	ϕ_c	0.986	0.047	0.517	1.960
base	7	1000	2.3	1	1	original	ϕ_c	0.987	0.044	0.515	1.962
base	7	1000	3.0	1	1	original	ϕ_c	0.987	0.042	0.514	1.963
base	7	1000	4.0	1	1	original	ϕ_c	0.987	0.042	0.514	1.964
base	7	10	1.0	1	1	val shift	ϕ_c	0.985	0.027	0.506	0.985
base	7	10	1.25	1	1	val shift	ϕ_c	0.987	0.035	0.511	1.962
base	7	10	1.5	1	1	val shift	ϕ_c	0.987	0.039	0.513	1.963
base	7	10	1.7	1	1	val shift	ϕ_c	0.987	0.041	0.514	1.964

base	7	10	2.0	1	1	val shift	ϕ_c	0.987	0.042	0.514	1.964
base	7	10	2.3	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	7	10	3.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	7	10	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	7	100	1.0	1	1	val shift	ϕ_c	0.981	0.035	0.508	0.981
base	7	100	1.25	1	1	val shift	ϕ_c	0.984	0.024	0.504	0.984
base	7	100	1.5	1	1	val shift	ϕ_c	0.986	0.027	0.507	1.956
base	7	100	1.7	1	1	val shift	ϕ_c	0.987	0.030	0.508	1.960
base	7	100	2.0	1	1	val shift	ϕ_c	0.987	0.035	0.511	1.962
base	7	100	2.3	1	1	val shift	ϕ_c	0.987	0.037	0.512	1.962
base	7	100	3.0	1	1	val shift	ϕ_c	0.987	0.040	0.514	2.915
base	7	100	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	2.916
base	7	250	1.0	1	1	val shift	ϕ_c	0.975	0.060	0.517	1.943
base	7	250	1.25	1	1	val shift	ϕ_c	0.982	0.034	0.508	0.982
base	7	250	1.5	1	1	val shift	ϕ_c	0.984	0.026	0.505	0.984
base	7	250	1.7	1	1	val shift	ϕ_c	0.985	0.026	0.506	0.985
base	7	250	2.0	1	1	val shift	ϕ_c	0.986	0.030	0.508	1.956
base	7	250	2.3	1	1	val shift	ϕ_c	0.987	0.032	0.510	1.959
base	7	250	3.0	1	1	val shift	ϕ_c	0.987	0.037	0.512	1.962
base	7	250	4.0	1	1	val shift	ϕ_c	0.987	0.040	0.513	1.963
base	7	500	1.0	1	1	val shift	ϕ_c	0.966	0.085	0.525	1.928
base	7	500	1.25	1	1	val shift	ϕ_c	0.978	0.056	0.517	1.948
base	7	500	1.5	1	1	val shift	ϕ_c	0.982	0.037	0.510	1.951
base	7	500	1.7	1	1	val shift	ϕ_c	0.984	0.030	0.507	1.951
base	7	500	2.0	1	1	val shift	ϕ_c	0.985	0.029	0.507	1.953
base	7	500	2.3	1	1	val shift	ϕ_c	0.986	0.030	0.508	1.955
base	7	500	3.0	1	1	val shift	ϕ_c	0.987	0.033	0.510	1.959
base	7	500	4.0	1	1	val shift	ϕ_c	0.987	0.036	0.512	1.962
base	7	750	1.0	1	1	val shift	ϕ_c	0.958	0.105	0.531	2.858
base	7	750	1.25	1	1	val shift	ϕ_c	0.974	0.071	0.523	1.942
base	7	750	1.5	1	1	val shift	ϕ_c	0.981	0.050	0.515	1.951
base	7	750	1.7	1	1	val shift	ϕ_c	0.983	0.039	0.511	1.953
base	7	750	2.0	1	1	val shift	ϕ_c	0.984	0.032	0.508	1.954
base	7	750	2.3	1	1	val shift	ϕ_c	0.985	0.031	0.508	1.954
base	7	750	3.0	1	1	val shift	ϕ_c	0.987	0.033	0.510	1.958
base	7	750	4.0	1	1	val shift	ϕ_c	0.987	0.035	0.511	1.960
base	7	1000	1.0	1	1	val shift	ϕ_c	0.951	0.117	0.534	2.837
base	7	1000	1.25	1	1	val shift	ϕ_c	0.969	0.084	0.527	2.882
base	7	1000	1.5	1	1	val shift	ϕ_c	0.978	0.062	0.520	1.949
base	7	1000	1.7	1	1	val shift	ϕ_c	0.981	0.050	0.516	1.953
base	7	1000	2.0	1	1	val shift	ϕ_c	0.983	0.038	0.511	1.954
base	7	1000	2.3	1	1	val shift	ϕ_c	0.985	0.034	0.509	1.955
base	7	1000	3.0	1	1	val shift	ϕ_c	0.986	0.034	0.510	1.958
base	7	1000	4.0	1	1	val shift	ϕ_c	0.987	0.034	0.511	1.959
base	7	10	1.0	1	1	Adj. Prob	ϕ_c	0.987	0.032	0.510	1.959
base	7	10	1.25	1	1	Adj. Prob	ϕ_c	0.987	0.037	0.512	2.913
base	7	10	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	7	10	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.514	1.964
base	7	10	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	2.917
base	7	10	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	7	10	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	7	10	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	7	100	1.0	1	1	Adj. Prob	ϕ_c	0.985	0.048	0.516	1.955
base	7	100	1.25	1	1	Adj. Prob	ϕ_c	0.986	0.034	0.510	1.958
base	7	100	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.035	0.511	1.962
base	7	100	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.037	0.512	1.963
base	7	100	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.963
base	7	100	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.514	2.915
base	7	100	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	7	100	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	7	250	1.0	1	1	Adj. Prob	ϕ_c	0.982	0.079	0.531	1.954
base	7	250	1.25	1	1	Adj. Prob	ϕ_c	0.985	0.044	0.515	1.957
base	7	250	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.036	0.511	1.959
base	7	250	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.036	0.511	1.960

base	7	250	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.512	1.962
base	7	250	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.513	1.962
base	7	250	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.513	2.912
base	7	250	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	2.915
base	7	500	1.0	1	1	Adj. Prob	ϕ_c	0.979	0.114	0.547	1.952
base	7	500	1.25	1	1	Adj. Prob	ϕ_c	0.984	0.066	0.525	1.958
base	7	500	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.047	0.516	1.958
base	7	500	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.041	0.514	1.959
base	7	500	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.961
base	7	500	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.962
base	7	500	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.513	1.963
base	7	500	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.514	1.963
base	7	750	1.0	1	1	Adj. Prob	ϕ_c	0.976	0.138	0.557	2.900
base	7	750	1.25	1	1	Adj. Prob	ϕ_c	0.983	0.086	0.535	1.956
base	7	750	1.5	1	1	Adj. Prob	ϕ_c	0.985	0.058	0.521	1.959
base	7	750	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.049	0.517	1.959
base	7	750	2.0	1	1	Adj. Prob	ϕ_c	0.986	0.042	0.514	1.961
base	7	750	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.962
base	7	750	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.963
base	7	750	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.963
base	7	1000	1.0	1	1	Adj. Prob	ϕ_c	0.974	0.158	0.566	2.896
base	7	1000	1.25	1	1	Adj. Prob	ϕ_c	0.981	0.103	0.542	2.907
base	7	1000	1.5	1	1	Adj. Prob	ϕ_c	0.984	0.070	0.527	2.908
base	7	1000	1.7	1	1	Adj. Prob	ϕ_c	0.985	0.057	0.521	1.960
base	7	1000	2.0	1	1	Adj. Prob	ϕ_c	0.986	0.047	0.517	1.960
base	7	1000	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.044	0.515	1.962
base	7	1000	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.514	1.963
base	7	1000	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.514	1.964
base	10	10	1.0	1	1	original	ϕ_o	0.985	0.095	0.540	1.961
base	10	10	1.25	1	1	original	ϕ_o	0.987	0.044	0.515	2.913
base	10	10	1.5	1	1	original	ϕ_o	0.987	0.041	0.514	2.915
base	10	10	1.7	1	1	original	ϕ_o	0.987	0.041	0.514	1.964
base	10	10	2.0	1	1	original	ϕ_o	0.987	0.042	0.515	2.917
base	10	10	2.3	1	1	original	ϕ_o	0.987	0.042	0.515	2.917
base	10	10	3.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	1.964
base	10	100	1.0	1	1	original	ϕ_o	0.967	0.337	0.652	2.903
base	10	100	1.25	1	1	original	ϕ_o	0.982	0.145	0.563	1.960
base	10	100	1.5	1	1	original	ϕ_o	0.986	0.058	0.522	1.962
base	10	100	1.7	1	1	original	ϕ_o	0.987	0.041	0.514	1.962
base	10	100	2.0	1	1	original	ϕ_o	0.987	0.038	0.513	1.963
base	10	100	2.3	1	1	original	ϕ_o	0.987	0.039	0.513	1.963
base	10	100	3.0	1	1	original	ϕ_o	0.987	0.041	0.514	1.964
base	10	100	4.0	1	1	original	ϕ_o	0.987	0.042	0.515	2.917
base	10	250	1.0	1	1	original	ϕ_o	0.942	0.518	0.730	2.897
base	10	250	1.25	1	1	original	ϕ_o	0.968	0.341	0.654	2.906
base	10	250	1.5	1	1	original	ϕ_o	0.981	0.167	0.574	1.959
base	10	250	1.7	1	1	original	ϕ_o	0.985	0.084	0.534	1.961
base	10	250	2.0	1	1	original	ϕ_o	0.987	0.045	0.516	2.904
base	10	250	2.3	1	1	original	ϕ_o	0.987	0.037	0.512	1.962
base	10	250	3.0	1	1	original	ϕ_o	0.987	0.039	0.513	2.912
base	10	250	4.0	1	1	original	ϕ_o	0.987	0.041	0.514	2.914
base	10	500	1.0	1	1	original	ϕ_o	0.896	0.663	0.779	2.891
base	10	500	1.25	1	1	original	ϕ_o	0.944	0.522	0.733	2.904
base	10	500	1.5	1	1	original	ϕ_o	0.967	0.370	0.668	2.910
base	10	500	1.7	1	1	original	ϕ_o	0.977	0.244	0.611	2.910
base	10	500	2.0	1	1	original	ϕ_o	0.984	0.107	0.546	1.961
base	10	500	2.3	1	1	original	ϕ_o	0.986	0.056	0.521	1.961
base	10	500	3.0	1	1	original	ϕ_o	0.987	0.038	0.513	1.963
base	10	500	4.0	1	1	original	ϕ_o	0.987	0.039	0.513	1.935
base	10	750	1.0	1	1	original	ϕ_o	0.853	0.746	0.800	3.679
base	10	750	1.25	1	1	original	ϕ_o	0.916	0.626	0.771	3.655
base	10	750	1.5	1	1	original	ϕ_o	0.951	0.497	0.724	2.908
base	10	750	1.7	1	1	original	ϕ_o	0.966	0.388	0.677	2.912

base	10	750	2.0	1	1	original	ϕ_o	0.979	0.223	0.601	2.911
base	10	750	2.3	1	1	original	ϕ_o	0.984	0.110	0.547	2.906
base	10	750	3.0	1	1	original	ϕ_o	0.987	0.043	0.515	2.906
base	10	750	4.0	1	1	original	ϕ_o	0.987	0.039	0.513	2.909
base	10	1000	1.0	1	1	original	ϕ_o	0.810	0.798	0.804	3.685
base	10	1000	1.25	1	1	original	ϕ_o	0.882	0.696	0.789	3.677
base	10	1000	1.5	1	1	original	ϕ_o	0.932	0.586	0.759	2.906
base	10	1000	1.7	1	1	original	ϕ_o	0.954	0.488	0.721	2.911
base	10	1000	2.0	1	1	original	ϕ_o	0.971	0.337	0.654	2.915
base	10	1000	2.3	1	1	original	ϕ_o	0.981	0.196	0.589	1.962
base	10	1000	3.0	1	1	original	ϕ_o	0.986	0.058	0.522	1.963
base	10	1000	4.0	1	1	original	ϕ_o	0.987	0.040	0.513	1.963
base	10	10	1.0	1	1	val shift	ϕ_o	0.344	0.832	0.588	3.087
base	10	10	1.25	1	1	val shift	ϕ_o	0.736	0.387	0.562	2.471
base	10	10	1.5	1	1	val shift	ϕ_o	0.965	0.084	0.525	1.932
base	10	10	1.7	1	1	val shift	ϕ_o	0.987	0.041	0.514	1.963
base	10	10	2.0	1	1	val shift	ϕ_o	0.987	0.042	0.514	1.964
base	10	10	2.3	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	10	10	3.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.515	1.964
base	10	100	1.0	1	1	val shift	ϕ_o	0.057	0.987	0.522	3.240
base	10	100	1.25	1	1	val shift	ϕ_o	0.224	0.924	0.574	3.256
base	10	100	1.5	1	1	val shift	ϕ_o	0.517	0.738	0.627	2.994
base	10	100	1.7	1	1	val shift	ϕ_o	0.775	0.408	0.591	2.556
base	10	100	2.0	1	1	val shift	ϕ_o	0.967	0.092	0.530	2.840
base	10	100	2.3	1	1	val shift	ϕ_o	0.987	0.037	0.512	1.961
base	10	100	3.0	1	1	val shift	ϕ_o	0.987	0.040	0.514	1.963
base	10	100	4.0	1	1	val shift	ϕ_o	0.987	0.042	0.514	1.964
base	10	250	1.0	1	1	val shift	ϕ_o	0.026	0.999	0.512	1.705
base	10	250	1.25	1	1	val shift	ϕ_o	0.059	0.989	0.524	3.348
base	10	250	1.5	1	1	val shift	ϕ_o	0.210	0.943	0.576	3.389
base	10	250	1.7	1	1	val shift	ϕ_o	0.400	0.859	0.629	3.412
base	10	250	2.0	1	1	val shift	ϕ_o	0.726	0.564	0.645	3.170
base	10	250	2.3	1	1	val shift	ϕ_o	0.946	0.203	0.574	2.803
base	10	250	3.0	1	1	val shift	ϕ_o	0.987	0.036	0.511	1.961
base	10	250	4.0	1	1	val shift	ϕ_o	0.987	0.039	0.513	1.962
base	10	500	1.0	1	1	val shift	ϕ_o	0.017	1.000	0.508	1.707
base	10	500	1.25	1	1	val shift	ϕ_o	0.024	0.999	0.512	2.502
base	10	500	1.5	1	1	val shift	ϕ_o	0.053	0.993	0.523	3.427
base	10	500	1.7	1	1	val shift	ϕ_o	0.136	0.973	0.554	3.484
base	10	500	2.0	1	1	val shift	ϕ_o	0.361	0.895	0.628	3.521
base	10	500	2.3	1	1	val shift	ϕ_o	0.613	0.722	0.667	3.236
base	10	500	3.0	1	1	val shift	ϕ_o	0.976	0.123	0.550	2.871
base	10	500	4.0	1	1	val shift	ϕ_o	0.987	0.035	0.511	1.961
base	10	750	1.0	1	1	val shift	ϕ_o	0.011	1.000	0.505	1.681
base	10	750	1.25	1	1	val shift	ϕ_o	0.017	1.000	0.508	1.710
base	10	750	1.5	1	1	val shift	ϕ_o	0.026	0.999	0.512	2.538
base	10	750	1.7	1	1	val shift	ϕ_o	0.050	0.995	0.522	2.604
base	10	750	2.0	1	1	val shift	ϕ_o	0.171	0.969	0.570	3.551
base	10	750	2.3	1	1	val shift	ϕ_o	0.372	0.898	0.635	3.594
base	10	750	3.0	1	1	val shift	ϕ_o	0.893	0.471	0.682	2.815
base	10	750	4.0	1	1	val shift	ϕ_o	0.987	0.038	0.512	1.959
base	10	1000	1.0	1	1	val shift	ϕ_o	0.008	1.000	0.504	1.066
base	10	1000	1.25	1	1	val shift	ϕ_o	0.012	1.000	0.506	1.679
base	10	1000	1.5	1	1	val shift	ϕ_o	0.018	0.999	0.509	1.738
base	10	1000	1.7	1	1	val shift	ϕ_o	0.027	0.998	0.513	2.557
base	10	1000	2.0	1	1	val shift	ϕ_o	0.076	0.991	0.534	3.532
base	10	1000	2.3	1	1	val shift	ϕ_o	0.214	0.960	0.587	3.604
base	10	1000	3.0	1	1	val shift	ϕ_o	0.670	0.719	0.695	3.352
base	10	1000	4.0	1	1	val shift	ϕ_o	0.982	0.112	0.547	2.894
base	10	10	1.0	1	1	Adj. Prob	ϕ_o	0.987	0.031	0.509	1.959
base	10	10	1.25	1	1	Adj. Prob	ϕ_o	0.987	0.037	0.512	2.912
base	10	10	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964
base	10	10	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964

base	10	10	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	2.917
base	10	10	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	2.917
base	10	10	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	1.964
base	10	100	1.0	1	1	Adj. Prob	ϕ_o	0.985	0.045	0.515	1.955
base	10	100	1.25	1	1	Adj. Prob	ϕ_o	0.986	0.032	0.509	1.958
base	10	100	1.5	1	1	Adj. Prob	ϕ_o	0.987	0.033	0.510	1.961
base	10	100	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.035	0.511	1.962
base	10	100	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.038	0.513	1.963
base	10	100	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	1.963
base	10	100	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	1.964
base	10	100	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.042	0.515	2.917
base	10	250	1.0	1	1	Adj. Prob	ϕ_o	0.983	0.075	0.529	1.954
base	10	250	1.25	1	1	Adj. Prob	ϕ_o	0.986	0.040	0.513	1.956
base	10	250	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.033	0.510	1.959
base	10	250	1.7	1	1	Adj. Prob	ϕ_o	0.987	0.033	0.510	1.960
base	10	250	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.036	0.511	1.961
base	10	250	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.037	0.512	1.962
base	10	250	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	2.912
base	10	250	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.041	0.514	2.914
base	10	500	1.0	1	1	Adj. Prob	ϕ_o	0.980	0.114	0.547	2.900
base	10	500	1.25	1	1	Adj. Prob	ϕ_o	0.984	0.060	0.522	1.957
base	10	500	1.5	1	1	Adj. Prob	ϕ_o	0.986	0.042	0.514	1.958
base	10	500	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.037	0.512	1.958
base	10	500	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.036	0.511	1.960
base	10	500	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.036	0.512	1.961
base	10	500	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.038	0.513	1.963
base	10	500	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	1.935
base	10	750	1.0	1	1	Adj. Prob	ϕ_o	0.978	0.141	0.559	2.900
base	10	750	1.25	1	1	Adj. Prob	ϕ_o	0.983	0.080	0.532	1.956
base	10	750	1.5	1	1	Adj. Prob	ϕ_o	0.985	0.052	0.518	1.958
base	10	750	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.043	0.515	1.958
base	10	750	2.0	1	1	Adj. Prob	ϕ_o	0.987	0.038	0.512	1.960
base	10	750	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.037	0.512	1.961
base	10	750	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	1.962
base	10	750	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	2.909
base	10	1000	1.0	1	1	Adj. Prob	ϕ_o	0.975	0.162	0.569	2.898
base	10	1000	1.25	1	1	Adj. Prob	ϕ_o	0.982	0.099	0.541	1.955
base	10	1000	1.5	1	1	Adj. Prob	ϕ_o	0.984	0.063	0.524	1.958
base	10	1000	1.7	1	1	Adj. Prob	ϕ_o	0.986	0.050	0.518	1.959
base	10	1000	2.0	1	1	Adj. Prob	ϕ_o	0.986	0.042	0.514	1.960
base	10	1000	2.3	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	1.961
base	10	1000	3.0	1	1	Adj. Prob	ϕ_o	0.987	0.039	0.513	1.962
base	10	1000	4.0	1	1	Adj. Prob	ϕ_o	0.987	0.040	0.513	1.963
base	10	10	1.0	1	1	original	ϕ_ω	0.986	0.039	0.513	1.959
base	10	10	1.25	1	1	original	ϕ_ω	0.987	0.037	0.512	2.912
base	10	10	1.5	1	1	original	ϕ_ω	0.987	0.041	0.514	1.964
base	10	10	1.7	1	1	original	ϕ_ω	0.987	0.041	0.514	1.964
base	10	10	2.0	1	1	original	ϕ_ω	0.987	0.042	0.515	2.917
base	10	10	2.3	1	1	original	ϕ_ω	0.987	0.042	0.515	2.917
base	10	10	3.0	1	1	original	ϕ_ω	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	original	ϕ_ω	0.000	0.000	0.000	1.435
base	10	100	1.0	1	1	original	ϕ_ω	0.983	0.095	0.539	1.955
base	10	100	1.25	1	1	original	ϕ_ω	0.986	0.042	0.514	1.958
base	10	100	1.5	1	1	original	ϕ_ω	0.987	0.034	0.510	1.961
base	10	100	1.7	1	1	original	ϕ_ω	0.987	0.035	0.511	1.962
base	10	100	2.0	1	1	original	ϕ_ω	0.987	0.038	0.513	1.963
base	10	100	2.3	1	1	original	ϕ_ω	0.987	0.039	0.513	1.963
base	10	100	3.0	1	1	original	ϕ_ω	0.987	0.041	0.514	1.964
base	10	100	4.0	1	1	original	ϕ_ω	0.987	0.042	0.515	2.917
base	10	250	1.0	1	1	original	ϕ_ω	0.979	0.187	0.583	1.953
base	10	250	1.25	1	1	original	ϕ_ω	0.985	0.073	0.529	1.957
base	10	250	1.5	1	1	original	ϕ_ω	0.986	0.041	0.513	1.958
base	10	250	1.7	1	1	original	ϕ_ω	0.987	0.035	0.511	1.960

base	10	250	2.0	1	1	original	ϕ_ω	0.987	0.036	0.511	1.961
base	10	250	2.3	1	1	original	ϕ_ω	0.987	0.037	0.512	1.962
base	10	250	3.0	1	1	original	ϕ_ω	0.987	0.039	0.513	1.963
base	10	250	4.0	1	1	original	ϕ_ω	0.987	0.041	0.514	2.914
base	10	500	1.0	1	1	original	ϕ_ω	0.971	0.289	0.630	2.900
base	10	500	1.25	1	1	original	ϕ_ω	0.982	0.143	0.563	1.957
base	10	500	1.5	1	1	original	ϕ_ω	0.985	0.068	0.527	1.958
base	10	500	1.7	1	1	original	ϕ_ω	0.986	0.046	0.516	1.958
base	10	500	2.0	1	1	original	ϕ_ω	0.987	0.037	0.512	1.960
base	10	500	2.3	1	1	original	ϕ_ω	0.987	0.037	0.512	1.961
base	10	500	3.0	1	1	original	ϕ_ω	0.987	0.038	0.513	1.963
base	10	500	4.0	1	1	original	ϕ_ω	0.987	0.039	0.513	1.935
base	10	750	1.0	1	1	original	ϕ_ω	0.964	0.363	0.663	2.898
base	10	750	1.25	1	1	original	ϕ_ω	0.979	0.206	0.592	2.905
base	10	750	1.5	1	1	original	ϕ_ω	0.984	0.106	0.545	2.903
base	10	750	1.7	1	1	original	ϕ_ω	0.985	0.066	0.526	1.958
base	10	750	2.0	1	1	original	ϕ_ω	0.986	0.044	0.515	1.960
base	10	750	2.3	1	1	original	ϕ_ω	0.987	0.039	0.513	1.961
base	10	750	3.0	1	1	original	ϕ_ω	0.987	0.039	0.513	1.962
base	10	750	4.0	1	1	original	ϕ_ω	0.987	0.039	0.513	2.909
base	10	1000	1.0	1	1	original	ϕ_ω	0.958	0.418	0.688	2.894
base	10	1000	1.25	1	1	original	ϕ_ω	0.975	0.258	0.617	1.956
base	10	1000	1.5	1	1	original	ϕ_ω	0.982	0.146	0.564	1.958
base	10	1000	1.7	1	1	original	ϕ_ω	0.984	0.091	0.538	1.960
base	10	1000	2.0	1	1	original	ϕ_ω	0.986	0.054	0.520	1.960
base	10	1000	2.3	1	1	original	ϕ_ω	0.987	0.043	0.515	1.961
base	10	1000	3.0	1	1	original	ϕ_ω	0.987	0.039	0.513	1.962
base	10	1000	4.0	1	1	original	ϕ_ω	0.987	0.040	0.513	1.963
base	10	10	1.0	1	1	val shift	ϕ_ω	0.985	0.045	0.515	1.956
base	10	10	1.25	1	1	val shift	ϕ_ω	0.987	0.037	0.512	1.962
base	10	10	1.5	1	1	val shift	ϕ_ω	0.987	0.039	0.513	2.915
base	10	10	1.7	1	1	val shift	ϕ_ω	0.987	0.041	0.514	1.964
base	10	10	2.0	1	1	val shift	ϕ_ω	0.987	0.042	0.514	1.964
base	10	10	2.3	1	1	val shift	ϕ_ω	0.987	0.042	0.515	1.964
base	10	10	3.0	1	1	val shift	ϕ_ω	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	val shift	ϕ_ω	0.000	0.000	0.000	1.435
base	10	100	1.0	1	1	val shift	ϕ_ω	0.978	0.194	0.586	1.951
base	10	100	1.25	1	1	val shift	ϕ_ω	0.984	0.071	0.527	1.953
base	10	100	1.5	1	1	val shift	ϕ_ω	0.986	0.035	0.511	1.955
base	10	100	1.7	1	1	val shift	ϕ_ω	0.987	0.031	0.509	1.958
base	10	100	2.0	1	1	val shift	ϕ_ω	0.987	0.034	0.511	1.961
base	10	100	2.3	1	1	val shift	ϕ_ω	0.987	0.037	0.512	2.911
base	10	100	3.0	1	1	val shift	ϕ_ω	0.987	0.040	0.514	1.963
base	10	100	4.0	1	1	val shift	ϕ_ω	0.987	0.042	0.514	1.964
base	10	250	1.0	1	1	val shift	ϕ_ω	0.963	0.354	0.659	2.890
base	10	250	1.25	1	1	val shift	ϕ_ω	0.979	0.189	0.584	1.953
base	10	250	1.5	1	1	val shift	ϕ_ω	0.983	0.086	0.535	1.952
base	10	250	1.7	1	1	val shift	ϕ_ω	0.985	0.048	0.516	1.952
base	10	250	2.0	1	1	val shift	ϕ_ω	0.986	0.033	0.509	1.955
base	10	250	2.3	1	1	val shift	ϕ_ω	0.987	0.031	0.509	1.958
base	10	250	3.0	1	1	val shift	ϕ_ω	0.987	0.036	0.511	1.961
base	10	250	4.0	1	1	val shift	ϕ_ω	0.987	0.039	0.513	1.962
base	10	500	1.0	1	1	val shift	ϕ_ω	0.943	0.504	0.723	2.879
base	10	500	1.25	1	1	val shift	ϕ_ω	0.966	0.344	0.655	2.898
base	10	500	1.5	1	1	val shift	ϕ_ω	0.978	0.211	0.594	1.955
base	10	500	1.7	1	1	val shift	ϕ_ω	0.982	0.131	0.557	1.956
base	10	500	2.0	1	1	val shift	ϕ_ω	0.985	0.063	0.524	1.954
base	10	500	2.3	1	1	val shift	ϕ_ω	0.986	0.039	0.513	1.955
base	10	500	3.0	1	1	val shift	ϕ_ω	0.987	0.032	0.509	1.958
base	10	500	4.0	1	1	val shift	ϕ_ω	0.987	0.035	0.511	1.961
base	10	750	1.0	1	1	val shift	ϕ_ω	0.923	0.591	0.757	2.867
base	10	750	1.25	1	1	val shift	ϕ_ω	0.955	0.448	0.702	2.896
base	10	750	1.5	1	1	val shift	ϕ_ω	0.970	0.315	0.643	2.903
base	10	750	1.7	1	1	val shift	ϕ_ω	0.977	0.226	0.602	1.955

base	10	750	2.0	1	1	val shift	ϕ_ω	0.983	0.125	0.554	1.957
base	10	750	2.3	1	1	val shift	ϕ_ω	0.985	0.068	0.526	1.955
base	10	750	3.0	1	1	val shift	ϕ_ω	0.986	0.034	0.510	1.957
base	10	750	4.0	1	1	val shift	ϕ_ω	0.987	0.033	0.510	1.959
base	10	1000	1.0	1	1	val shift	ϕ_ω	0.904	0.650	0.777	2.852
base	10	1000	1.25	1	1	val shift	ϕ_ω	0.942	0.521	0.732	2.888
base	10	1000	1.5	1	1	val shift	ϕ_ω	0.963	0.398	0.680	2.903
base	10	1000	1.7	1	1	val shift	ϕ_ω	0.972	0.307	0.639	2.905
base	10	1000	2.0	1	1	val shift	ϕ_ω	0.980	0.194	0.587	1.957
base	10	1000	2.3	1	1	val shift	ϕ_ω	0.983	0.115	0.549	1.958
base	10	1000	3.0	1	1	val shift	ϕ_ω	0.986	0.045	0.515	1.957
base	10	1000	4.0	1	1	val shift	ϕ_ω	0.987	0.033	0.510	1.959
base	10	10	1.0	1	1	Adj. Prob	ϕ_ω	0.987	0.031	0.509	1.959
base	10	10	1.25	1	1	Adj. Prob	ϕ_ω	0.987	0.037	0.512	2.912
base	10	10	1.5	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.964
base	10	10	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.964
base	10	10	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	2.917
base	10	10	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	2.917
base	10	10	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	1.964
base	10	100	1.0	1	1	Adj. Prob	ϕ_ω	0.985	0.044	0.514	1.955
base	10	100	1.25	1	1	Adj. Prob	ϕ_ω	0.986	0.032	0.509	1.958
base	10	100	1.5	1	1	Adj. Prob	ϕ_ω	0.987	0.033	0.510	1.961
base	10	100	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.035	0.511	1.962
base	10	100	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.038	0.513	1.963
base	10	100	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	1.963
base	10	100	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	1.964
base	10	100	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.042	0.515	2.917
base	10	250	1.0	1	1	Adj. Prob	ϕ_ω	0.983	0.074	0.528	1.954
base	10	250	1.25	1	1	Adj. Prob	ϕ_ω	0.986	0.039	0.512	1.956
base	10	250	1.5	1	1	Adj. Prob	ϕ_ω	0.986	0.033	0.510	1.959
base	10	250	1.7	1	1	Adj. Prob	ϕ_ω	0.987	0.033	0.510	1.960
base	10	250	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.036	0.511	1.961
base	10	250	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.037	0.512	1.962
base	10	250	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	2.912
base	10	250	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.041	0.514	2.914
base	10	500	1.0	1	1	Adj. Prob	ϕ_ω	0.980	0.111	0.546	2.900
base	10	500	1.25	1	1	Adj. Prob	ϕ_ω	0.984	0.059	0.521	1.957
base	10	500	1.5	1	1	Adj. Prob	ϕ_ω	0.986	0.041	0.514	1.958
base	10	500	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.037	0.512	1.958
base	10	500	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.036	0.511	1.960
base	10	500	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.036	0.512	1.961
base	10	500	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.038	0.513	1.963
base	10	500	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	1.935
base	10	750	1.0	1	1	Adj. Prob	ϕ_ω	0.978	0.138	0.558	2.900
base	10	750	1.25	1	1	Adj. Prob	ϕ_ω	0.983	0.079	0.531	1.956
base	10	750	1.5	1	1	Adj. Prob	ϕ_ω	0.985	0.051	0.518	1.958
base	10	750	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.043	0.515	1.958
base	10	750	2.0	1	1	Adj. Prob	ϕ_ω	0.987	0.038	0.512	1.960
base	10	750	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.037	0.512	1.961
base	10	750	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	1.962
base	10	750	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	2.909
base	10	1000	1.0	1	1	Adj. Prob	ϕ_ω	0.976	0.158	0.567	2.899
base	10	1000	1.25	1	1	Adj. Prob	ϕ_ω	0.982	0.097	0.540	1.955
base	10	1000	1.5	1	1	Adj. Prob	ϕ_ω	0.985	0.061	0.523	1.958
base	10	1000	1.7	1	1	Adj. Prob	ϕ_ω	0.986	0.050	0.518	1.959
base	10	1000	2.0	1	1	Adj. Prob	ϕ_ω	0.986	0.042	0.514	1.960
base	10	1000	2.3	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	1.961
base	10	1000	3.0	1	1	Adj. Prob	ϕ_ω	0.987	0.039	0.513	1.962
base	10	1000	4.0	1	1	Adj. Prob	ϕ_ω	0.987	0.040	0.513	1.963
base	10	10	1.0	1	1	original	ϕ_c	0.987	0.032	0.509	1.959
base	10	10	1.25	1	1	original	ϕ_c	0.987	0.037	0.512	2.912
base	10	10	1.5	1	1	original	ϕ_c	0.987	0.041	0.514	1.964
base	10	10	1.7	1	1	original	ϕ_c	0.987	0.041	0.514	1.964

base	10	10	2.0	1	1	original	ϕ_c	0.987	0.042	0.515	2.917
base	10	10	2.3	1	1	original	ϕ_c	0.987	0.042	0.515	2.917
base	10	10	3.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	1.964
base	10	100	1.0	1	1	original	ϕ_c	0.985	0.051	0.518	1.955
base	10	100	1.25	1	1	original	ϕ_c	0.986	0.033	0.509	1.958
base	10	100	1.5	1	1	original	ϕ_c	0.987	0.033	0.510	1.961
base	10	100	1.7	1	1	original	ϕ_c	0.987	0.035	0.511	1.962
base	10	100	2.0	1	1	original	ϕ_c	0.987	0.038	0.513	1.963
base	10	100	2.3	1	1	original	ϕ_c	0.987	0.039	0.513	1.963
base	10	100	3.0	1	1	original	ϕ_c	0.987	0.041	0.514	1.964
base	10	100	4.0	1	1	original	ϕ_c	0.987	0.042	0.515	2.917
base	10	250	1.0	1	1	original	ϕ_c	0.982	0.091	0.537	1.953
base	10	250	1.25	1	1	original	ϕ_c	0.985	0.042	0.514	1.956
base	10	250	1.5	1	1	original	ϕ_c	0.986	0.034	0.510	1.959
base	10	250	1.7	1	1	original	ϕ_c	0.987	0.033	0.510	1.960
base	10	250	2.0	1	1	original	ϕ_c	0.987	0.036	0.511	1.961
base	10	250	2.3	1	1	original	ϕ_c	0.987	0.037	0.512	1.962
base	10	250	3.0	1	1	original	ϕ_c	0.987	0.039	0.513	2.912
base	10	250	4.0	1	1	original	ϕ_c	0.987	0.041	0.514	2.914
base	10	500	1.0	1	1	original	ϕ_c	0.979	0.145	0.562	1.951
base	10	500	1.25	1	1	original	ϕ_c	0.984	0.067	0.526	1.957
base	10	500	1.5	1	1	original	ϕ_c	0.986	0.043	0.514	1.957
base	10	500	1.7	1	1	original	ϕ_c	0.986	0.037	0.512	1.958
base	10	500	2.0	1	1	original	ϕ_c	0.987	0.036	0.511	1.960
base	10	500	2.3	1	1	original	ϕ_c	0.987	0.036	0.512	1.961
base	10	500	3.0	1	1	original	ϕ_c	0.987	0.038	0.513	1.963
base	10	500	4.0	1	1	original	ϕ_c	0.987	0.039	0.513	1.935
base	10	750	1.0	1	1	original	ϕ_c	0.975	0.185	0.580	2.900
base	10	750	1.25	1	1	original	ϕ_c	0.983	0.094	0.538	1.956
base	10	750	1.5	1	1	original	ϕ_c	0.985	0.055	0.520	1.958
base	10	750	1.7	1	1	original	ϕ_c	0.986	0.044	0.515	1.958
base	10	750	2.0	1	1	original	ϕ_c	0.987	0.038	0.512	1.960
base	10	750	2.3	1	1	original	ϕ_c	0.987	0.038	0.512	1.961
base	10	750	3.0	1	1	original	ϕ_c	0.987	0.039	0.513	1.962
base	10	750	4.0	1	1	original	ϕ_c	0.987	0.039	0.513	2.909
base	10	1000	1.0	1	1	original	ϕ_c	0.973	0.217	0.595	2.897
base	10	1000	1.25	1	1	original	ϕ_c	0.981	0.118	0.550	2.904
base	10	1000	1.5	1	1	original	ϕ_c	0.984	0.068	0.526	1.958
base	10	1000	1.7	1	1	original	ϕ_c	0.986	0.052	0.519	1.959
base	10	1000	2.0	1	1	original	ϕ_c	0.986	0.042	0.514	1.960
base	10	1000	2.3	1	1	original	ϕ_c	0.987	0.039	0.513	1.961
base	10	1000	3.0	1	1	original	ϕ_c	0.987	0.039	0.513	1.962
base	10	1000	4.0	1	1	original	ϕ_c	0.987	0.040	0.513	1.963
base	10	10	1.0	1	1	val shift	ϕ_c	0.986	0.026	0.506	1.954
base	10	10	1.25	1	1	val shift	ϕ_c	0.987	0.034	0.511	1.962
base	10	10	1.5	1	1	val shift	ϕ_c	0.987	0.039	0.513	2.915
base	10	10	1.7	1	1	val shift	ϕ_c	0.987	0.041	0.514	1.964
base	10	10	2.0	1	1	val shift	ϕ_c	0.987	0.042	0.514	1.964
base	10	10	2.3	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	10	10	3.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.515	1.964
base	10	100	1.0	1	1	val shift	ϕ_c	0.982	0.042	0.512	0.982
base	10	100	1.25	1	1	val shift	ϕ_c	0.985	0.020	0.503	1.948
base	10	100	1.5	1	1	val shift	ϕ_c	0.986	0.025	0.506	1.955
base	10	100	1.7	1	1	val shift	ϕ_c	0.987	0.029	0.508	1.958
base	10	100	2.0	1	1	val shift	ϕ_c	0.987	0.034	0.511	1.962
base	10	100	2.3	1	1	val shift	ϕ_c	0.987	0.037	0.512	2.911
base	10	100	3.0	1	1	val shift	ϕ_c	0.987	0.040	0.514	1.963
base	10	100	4.0	1	1	val shift	ϕ_c	0.987	0.042	0.514	1.964
base	10	250	1.0	1	1	val shift	ϕ_c	0.977	0.096	0.537	1.945
base	10	250	1.25	1	1	val shift	ϕ_c	0.983	0.030	0.506	0.983
base	10	250	1.5	1	1	val shift	ϕ_c	0.985	0.022	0.503	0.984
base	10	250	1.7	1	1	val shift	ϕ_c	0.986	0.023	0.504	1.951

base	10	250	2.0	1	1	val shift	ϕ_c	0.986	0.027	0.507	1.955
base	10	250	2.3	1	1	val shift	ϕ_c	0.987	0.030	0.509	1.958
base	10	250	3.0	1	1	val shift	ϕ_c	0.987	0.036	0.511	1.961
base	10	250	4.0	1	1	val shift	ϕ_c	0.987	0.039	0.513	1.962
base	10	500	1.0	1	1	val shift	ϕ_c	0.970	0.169	0.570	1.938
base	10	500	1.25	1	1	val shift	ϕ_c	0.980	0.063	0.522	0.981
base	10	500	1.5	1	1	val shift	ϕ_c	0.983	0.028	0.506	0.983
base	10	500	1.7	1	1	val shift	ϕ_c	0.984	0.024	0.504	1.949
base	10	500	2.0	1	1	val shift	ϕ_c	0.985	0.024	0.505	0.986
base	10	500	2.3	1	1	val shift	ϕ_c	0.986	0.027	0.507	1.954
base	10	500	3.0	1	1	val shift	ϕ_c	0.987	0.031	0.509	1.958
base	10	500	4.0	1	1	val shift	ϕ_c	0.987	0.035	0.511	1.961
base	10	750	1.0	1	1	val shift	ϕ_c	0.963	0.229	0.596	2.871
base	10	750	1.25	1	1	val shift	ϕ_c	0.977	0.101	0.539	1.946
base	10	750	1.5	1	1	val shift	ϕ_c	0.982	0.043	0.513	1.950
base	10	750	1.7	1	1	val shift	ϕ_c	0.983	0.029	0.506	0.983
base	10	750	2.0	1	1	val shift	ϕ_c	0.985	0.026	0.505	0.986
base	10	750	2.3	1	1	val shift	ϕ_c	0.986	0.026	0.506	1.953
base	10	750	3.0	1	1	val shift	ϕ_c	0.987	0.030	0.508	1.957
base	10	750	4.0	1	1	val shift	ϕ_c	0.987	0.033	0.510	1.959
base	10	1000	1.0	1	1	val shift	ϕ_c	0.957	0.276	0.617	2.862
base	10	1000	1.25	1	1	val shift	ϕ_c	0.974	0.137	0.555	1.944
base	10	1000	1.5	1	1	val shift	ϕ_c	0.981	0.062	0.521	1.950
base	10	1000	1.7	1	1	val shift	ϕ_c	0.983	0.037	0.510	1.951
base	10	1000	2.0	1	1	val shift	ϕ_c	0.984	0.027	0.506	0.985
base	10	1000	2.3	1	1	val shift	ϕ_c	0.985	0.027	0.506	0.986
base	10	1000	3.0	1	1	val shift	ϕ_c	0.986	0.029	0.508	1.957
base	10	1000	4.0	1	1	val shift	ϕ_c	0.987	0.032	0.509	0.987
base	10	10	1.0	1	1	Adj. Prob	ϕ_c	0.987	0.031	0.509	1.959
base	10	10	1.25	1	1	Adj. Prob	ϕ_c	0.987	0.037	0.512	2.912
base	10	10	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	10	10	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	10	10	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	2.917
base	10	10	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	2.917
base	10	10	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	10	10	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	1.964
base	10	100	1.0	1	1	Adj. Prob	ϕ_c	0.985	0.044	0.514	1.955
base	10	100	1.25	1	1	Adj. Prob	ϕ_c	0.986	0.032	0.509	1.958
base	10	100	1.5	1	1	Adj. Prob	ϕ_c	0.987	0.033	0.510	1.961
base	10	100	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.035	0.511	1.962
base	10	100	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.513	1.963
base	10	100	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.963
base	10	100	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	1.964
base	10	100	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.042	0.515	2.917
base	10	250	1.0	1	1	Adj. Prob	ϕ_c	0.983	0.074	0.528	1.954
base	10	250	1.25	1	1	Adj. Prob	ϕ_c	0.986	0.039	0.512	1.956
base	10	250	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.033	0.510	1.959
base	10	250	1.7	1	1	Adj. Prob	ϕ_c	0.987	0.033	0.510	1.960
base	10	250	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.036	0.511	1.961
base	10	250	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.037	0.512	1.962
base	10	250	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	2.912
base	10	250	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.041	0.514	2.914
base	10	500	1.0	1	1	Adj. Prob	ϕ_c	0.980	0.111	0.546	2.900
base	10	500	1.25	1	1	Adj. Prob	ϕ_c	0.984	0.059	0.521	1.957
base	10	500	1.5	1	1	Adj. Prob	ϕ_c	0.986	0.041	0.514	1.958
base	10	500	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.037	0.512	1.958
base	10	500	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.036	0.511	1.960
base	10	500	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.036	0.512	1.961
base	10	500	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.513	1.963
base	10	500	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.935
base	10	750	1.0	1	1	Adj. Prob	ϕ_c	0.978	0.138	0.558	2.900
base	10	750	1.25	1	1	Adj. Prob	ϕ_c	0.983	0.079	0.531	1.956
base	10	750	1.5	1	1	Adj. Prob	ϕ_c	0.985	0.051	0.518	1.958
base	10	750	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.043	0.515	1.958

base	10	750	2.0	1	1	Adj. Prob	ϕ_c	0.987	0.038	0.512	1.960
base	10	750	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.037	0.512	1.961
base	10	750	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.962
base	10	750	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	2.909
base	10	1000	1.0	1	1	Adj. Prob	ϕ_c	0.976	0.158	0.567	2.899
base	10	1000	1.25	1	1	Adj. Prob	ϕ_c	0.982	0.097	0.540	1.955
base	10	1000	1.5	1	1	Adj. Prob	ϕ_c	0.985	0.061	0.523	1.958
base	10	1000	1.7	1	1	Adj. Prob	ϕ_c	0.986	0.050	0.518	1.959
base	10	1000	2.0	1	1	Adj. Prob	ϕ_c	0.986	0.042	0.514	1.960
base	10	1000	2.3	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.961
base	10	1000	3.0	1	1	Adj. Prob	ϕ_c	0.987	0.039	0.513	1.962
base	10	1000	4.0	1	1	Adj. Prob	ϕ_c	0.987	0.040	0.513	1.963

A.1.2 Training Features Cluster

Type	α	η	κ	k_{input}	k_{feat}	Neg fix	ϕ	$\gamma+$	$\gamma-$	γ	Σ
TFC	3	500	1.25	1	7	original	ϕ_o	0.951	0.525	0.738	2.891
TFC	3	500	1.50	1	7	original	ϕ_o	0.968	0.355	0.662	2.909
TFC	3	500	1.70	1	7	original	ϕ_o	0.975	0.248	0.611	2.912
TFC	3	750	1.25	1	7	original	ϕ_o	0.934	0.614	0.774	3.694
TFC	3	750	1.50	1	7	original	ϕ_o	0.958	0.450	0.704	2.899
TFC	3	750	1.70	1	7	original	ϕ_o	0.969	0.330	0.649	2.908
TFC	3	1000	1.25	1	7	original	ϕ_o	0.929	0.629	0.779	3.683
TFC	3	1000	1.50	1	7	original	ϕ_o	0.955	0.472	0.714	2.896
TFC	3	1000	1.70	1	7	original	ϕ_o	0.967	0.353	0.660	2.905
TFC	3	10	0.20	1	3	original	ϕ_o	0.639	0.915	0.777	3.530
TFC	3	100	0.20	1	3	original	ϕ_o	0.442	0.958	0.700	2.888
TFC	3	250	0.20	1	3	original	ϕ_o	0.319	0.973	0.646	2.479
TFC	3	10	2.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	2.30	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	3.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	2.00	1	5	original	ϕ_o	0.987	0.049	0.518	2.911
TFC	3	100	2.30	1	5	original	ϕ_o	0.987	0.047	0.517	1.962
TFC	3	100	3.00	1	5	original	ϕ_o	0.987	0.045	0.516	1.963
TFC	3	250	2.00	1	5	original	ϕ_o	0.985	0.066	0.525	1.960
TFC	3	250	2.30	1	5	original	ϕ_o	0.986	0.055	0.521	1.961
TFC	3	250	3.00	1	5	original	ϕ_o	0.987	0.049	0.518	2.909
TFC	3	10	0.50	1	3	original	ϕ_o	0.942	0.580	0.761	2.862
TFC	3	10	0.70	1	3	original	ϕ_o	0.976	0.284	0.630	1.955
TFC	3	10	1.00	1	3	original	ϕ_o	0.986	0.067	0.527	1.963
TFC	3	100	0.50	1	3	original	ϕ_o	0.875	0.747	0.811	3.585
TFC	3	100	0.70	1	3	original	ϕ_o	0.944	0.554	0.749	2.872
TFC	3	100	1.00	1	3	original	ϕ_o	0.977	0.233	0.605	2.911
TFC	3	250	0.50	1	3	original	ϕ_o	0.815	0.816	0.815	3.482
TFC	3	250	0.70	1	3	original	ϕ_o	0.908	0.669	0.789	2.815
TFC	3	250	1.00	1	3	original	ϕ_o	0.963	0.395	0.679	2.898
TFC	3	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	4.00	1	5	original	ϕ_o	0.987	0.044	0.515	1.963
TFC	3	250	4.00	1	5	original	ϕ_o	0.987	0.046	0.516	1.962
TFC	3	10	1.25	1	5	original	ϕ_o	0.987	0.046	0.516	1.964
TFC	3	10	1.50	1	5	original	ϕ_o	0.987	0.042	0.515	2.916
TFC	3	10	1.70	1	5	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	3	100	1.25	1	5	original	ϕ_o	0.983	0.124	0.554	1.960
TFC	3	100	1.50	1	5	original	ϕ_o	0.985	0.070	0.528	1.962
TFC	3	100	1.70	1	5	original	ϕ_o	0.986	0.055	0.521	1.961
TFC	3	250	1.25	1	5	original	ϕ_o	0.974	0.248	0.611	2.907
TFC	3	250	1.50	1	5	original	ϕ_o	0.981	0.132	0.557	2.911
TFC	3	250	1.70	1	5	original	ϕ_o	0.983	0.091	0.537	1.958
TFC	3	500	0.50	1	4	original	ϕ_o	0.706	0.882	0.794	3.945
TFC	3	500	0.70	1	4	original	ϕ_o	0.843	0.791	0.817	3.579
TFC	3	500	1.00	1	4	original	ϕ_o	0.930	0.603	0.766	2.861

TFC	3	750	0.50	1	4	original	ϕ_o	0.638	0.907	0.772	3.796
TFC	3	750	0.70	1	4	original	ϕ_o	0.794	0.833	0.814	3.500
TFC	3	750	1.00	1	4	original	ϕ_o	0.902	0.689	0.795	3.654
TFC	3	1000	0.50	1	4	original	ϕ_o	0.586	0.920	0.753	3.663
TFC	3	1000	0.70	1	4	original	ϕ_o	0.758	0.853	0.805	4.080
TFC	3	1000	1.00	1	4	original	ϕ_o	0.881	0.736	0.808	3.638
TFC	3	10	0.50	1	5	original	ϕ_o	0.942	0.623	0.782	2.862
TFC	3	10	0.70	1	5	original	ϕ_o	0.975	0.322	0.648	2.920
TFC	3	10	1.00	1	5	original	ϕ_o	0.986	0.082	0.534	1.964
TFC	3	100	0.50	1	5	original	ϕ_o	0.857	0.792	0.825	3.586
TFC	3	100	0.70	1	5	original	ϕ_o	0.939	0.621	0.780	2.870
TFC	3	100	1.00	1	5	original	ϕ_o	0.974	0.282	0.628	2.913
TFC	3	250	0.50	1	5	original	ϕ_o	0.773	0.854	0.813	4.068
TFC	3	250	0.70	1	5	original	ϕ_o	0.891	0.743	0.817	3.646
TFC	3	250	1.00	1	5	original	ϕ_o	0.957	0.471	0.714	2.894
TFC	3	500	2.00	1	2	original	ϕ_o	0.985	0.073	0.529	1.961
TFC	3	500	2.30	1	2	original	ϕ_o	0.986	0.062	0.524	2.910
TFC	3	500	3.00	1	2	original	ϕ_o	0.987	0.053	0.520	2.911
TFC	3	750	2.00	1	2	original	ϕ_o	0.983	0.096	0.539	2.909
TFC	3	750	2.30	1	2	original	ϕ_o	0.985	0.076	0.531	1.961
TFC	3	750	3.00	1	2	original	ϕ_o	0.986	0.061	0.524	2.911
TFC	3	1000	2.00	1	2	original	ϕ_o	0.980	0.121	0.551	2.907
TFC	3	1000	2.30	1	2	original	ϕ_o	0.984	0.092	0.538	2.910
TFC	3	1000	3.00	1	2	original	ϕ_o	0.986	0.069	0.528	2.912
TFC	3	500	0.20	1	7	original	ϕ_o	0.088	0.987	0.537	1.609
TFC	3	750	0.20	1	7	original	ϕ_o	0.059	0.989	0.524	1.457
TFC	3	1000	0.20	1	7	original	ϕ_o	0.049	0.989	0.519	1.403
TFC	3	10	1.25	1	7	original	ϕ_o	0.987	0.048	0.518	1.965
TFC	3	10	1.50	1	7	original	ϕ_o	0.987	0.044	0.516	1.964
TFC	3	10	1.70	1	7	original	ϕ_o	0.987	0.043	0.515	1.964
TFC	3	100	1.25	1	7	original	ϕ_o	0.982	0.163	0.572	2.920
TFC	3	100	1.50	1	7	original	ϕ_o	0.985	0.085	0.535	2.919
TFC	3	100	1.70	1	7	original	ϕ_o	0.986	0.066	0.526	1.964
TFC	3	250	1.25	1	7	original	ϕ_o	0.971	0.335	0.653	2.912
TFC	3	250	1.50	1	7	original	ϕ_o	0.979	0.189	0.584	2.915
TFC	3	250	1.70	1	7	original	ϕ_o	0.982	0.123	0.553	2.915
TFC	3	500	0.20	1	2	original	ϕ_o	0.265	0.978	0.622	2.318
TFC	3	750	0.20	1	2	original	ϕ_o	0.206	0.983	0.595	2.094
TFC	3	1000	0.20	1	2	original	ϕ_o	0.165	0.986	0.576	1.934
TFC	3	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	4.00	1	4	original	ϕ_o	0.987	0.043	0.515	2.915
TFC	3	250	4.00	1	4	original	ϕ_o	0.987	0.045	0.516	2.912
TFC	3	500	4.00	1	3	original	ϕ_o	0.987	0.048	0.518	1.962
TFC	3	750	4.00	1	3	original	ϕ_o	0.987	0.056	0.521	1.963
TFC	3	1000	4.00	1	3	original	ϕ_o	0.987	0.064	0.526	2.911
TFC	3	500	1.25	1	2	original	ϕ_o	0.968	0.254	0.611	2.894
TFC	3	500	1.50	1	2	original	ϕ_o	0.978	0.142	0.560	2.904
TFC	3	500	1.70	1	2	original	ϕ_o	0.983	0.100	0.541	2.907
TFC	3	750	1.25	1	2	original	ϕ_o	0.958	0.345	0.652	2.879
TFC	3	750	1.50	1	2	original	ϕ_o	0.972	0.210	0.591	2.897
TFC	3	750	1.70	1	2	original	ϕ_o	0.978	0.142	0.560	2.905
TFC	3	1000	1.25	1	2	original	ϕ_o	0.947	0.419	0.683	2.868
TFC	3	1000	1.50	1	2	original	ϕ_o	0.965	0.277	0.621	2.889
TFC	3	1000	1.70	1	2	original	ϕ_o	0.973	0.191	0.582	2.899
TFC	3	500	0.50	1	3	original	ϕ_o	0.738	0.868	0.803	3.986
TFC	3	500	0.70	1	3	original	ϕ_o	0.863	0.754	0.809	3.584
TFC	3	500	1.00	1	3	original	ϕ_o	0.938	0.542	0.740	2.869
TFC	3	750	0.50	1	3	original	ϕ_o	0.676	0.896	0.786	3.888
TFC	3	750	0.70	1	3	original	ϕ_o	0.821	0.800	0.810	3.531
TFC	3	750	1.00	1	3	original	ϕ_o	0.915	0.628	0.771	2.836
TFC	3	1000	0.50	1	3	original	ϕ_o	0.624	0.913	0.769	3.758
TFC	3	1000	0.70	1	3	original	ϕ_o	0.787	0.832	0.809	4.094
TFC	3	1000	1.00	1	3	original	ϕ_o	0.895	0.681	0.788	3.622
TFC	3	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964

TFC	3	100	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	250	4.00	1	2	original	ϕ_o	0.987	0.043	0.515	1.964
TFC	3	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	4.00	1	3	original	ϕ_o	0.987	0.043	0.515	1.964
TFC	3	250	4.00	1	3	original	ϕ_o	0.987	0.044	0.516	2.913
TFC	3	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	4.00	1	7	original	ϕ_o	0.987	0.044	0.515	1.963
TFC	3	250	4.00	1	7	original	ϕ_o	0.987	0.050	0.519	2.911
TFC	3	10	0.20	1	4	original	ϕ_o	0.637	0.898	0.768	3.512
TFC	3	100	0.20	1	4	original	ϕ_o	0.419	0.953	0.686	2.822
TFC	3	250	0.20	1	4	original	ϕ_o	0.281	0.972	0.627	2.353
TFC	3	500	2.00	1	4	original	ϕ_o	0.983	0.101	0.542	2.913
TFC	3	500	2.30	1	4	original	ϕ_o	0.985	0.079	0.532	2.913
TFC	3	500	3.00	1	4	original	ϕ_o	0.987	0.060	0.523	1.962
TFC	3	750	2.00	1	4	original	ϕ_o	0.979	0.148	0.564	2.909
TFC	3	750	2.30	1	4	original	ϕ_o	0.983	0.106	0.544	2.912
TFC	3	750	3.00	1	4	original	ϕ_o	0.986	0.075	0.530	2.914
TFC	3	1000	2.00	1	4	original	ϕ_o	0.975	0.196	0.586	2.907
TFC	3	1000	2.30	1	4	original	ϕ_o	0.980	0.135	0.557	2.910
TFC	3	1000	3.00	1	4	original	ϕ_o	0.985	0.088	0.537	2.914
TFC	3	10	2.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	2.30	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	3.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	2.00	1	6	original	ϕ_o	0.987	0.059	0.523	2.917
TFC	3	100	2.30	1	6	original	ϕ_o	0.987	0.054	0.520	1.963
TFC	3	100	3.00	1	6	original	ϕ_o	0.987	0.047	0.517	1.963
TFC	3	250	2.00	1	6	original	ϕ_o	0.985	0.082	0.533	2.918
TFC	3	250	2.30	1	6	original	ϕ_o	0.986	0.071	0.529	2.918
TFC	3	250	3.00	1	6	original	ϕ_o	0.986	0.060	0.523	1.962
TFC	3	500	4.00	1	4	original	ϕ_o	0.987	0.052	0.519	2.910
TFC	3	750	4.00	1	4	original	ϕ_o	0.987	0.062	0.524	1.964
TFC	3	1000	4.00	1	4	original	ϕ_o	0.987	0.073	0.530	2.912
TFC	3	500	0.50	1	7	original	ϕ_o	0.634	0.906	0.770	3.816
TFC	3	500	0.70	1	7	original	ϕ_o	0.802	0.829	0.815	3.528
TFC	3	500	1.00	1	7	original	ϕ_o	0.911	0.689	0.800	3.674
TFC	3	750	0.50	1	7	original	ϕ_o	0.570	0.924	0.747	3.653
TFC	3	750	0.70	1	7	original	ϕ_o	0.756	0.861	0.808	4.124
TFC	3	750	1.00	1	7	original	ϕ_o	0.886	0.744	0.815	3.664
TFC	3	1000	0.50	1	7	original	ϕ_o	0.545	0.926	0.735	3.589
TFC	3	1000	0.70	1	7	original	ϕ_o	0.739	0.865	0.802	4.089
TFC	3	1000	1.00	1	7	original	ϕ_o	0.878	0.751	0.815	3.650
TFC	3	500	0.50	1	5	original	ϕ_o	0.668	0.900	0.784	3.889
TFC	3	500	0.70	1	5	original	ϕ_o	0.825	0.819	0.822	3.563
TFC	3	500	1.00	1	5	original	ϕ_o	0.924	0.640	0.782	3.675
TFC	3	750	0.50	1	5	original	ϕ_o	0.595	0.921	0.758	3.700
TFC	3	750	0.70	1	5	original	ϕ_o	0.772	0.854	0.813	4.147
TFC	3	750	1.00	1	5	original	ϕ_o	0.896	0.723	0.809	3.666
TFC	3	1000	0.50	1	5	original	ϕ_o	0.552	0.928	0.740	3.587
TFC	3	1000	0.70	1	5	original	ϕ_o	0.742	0.866	0.804	4.092
TFC	3	1000	1.00	1	5	original	ϕ_o	0.879	0.756	0.818	3.653
TFC	3	500	2.00	1	7	original	ϕ_o	0.980	0.149	0.564	2.916
TFC	3	500	2.30	1	7	original	ϕ_o	0.983	0.106	0.545	2.916
TFC	3	500	3.00	1	7	original	ϕ_o	0.986	0.080	0.533	2.917
TFC	3	750	2.00	1	7	original	ϕ_o	0.976	0.200	0.588	2.914
TFC	3	750	2.30	1	7	original	ϕ_o	0.980	0.133	0.557	2.915
TFC	3	750	3.00	1	7	original	ϕ_o	0.985	0.090	0.537	2.920
TFC	3	1000	2.00	1	7	original	ϕ_o	0.975	0.219	0.597	2.912
TFC	3	1000	2.30	1	7	original	ϕ_o	0.980	0.145	0.562	2.914
TFC	3	1000	3.00	1	7	original	ϕ_o	0.984	0.092	0.538	2.918
TFC	3	500	1.25	1	3	original	ϕ_o	0.965	0.343	0.654	2.899
TFC	3	500	1.50	1	3	original	ϕ_o	0.976	0.186	0.581	2.907
TFC	3	500	1.70	1	3	original	ϕ_o	0.981	0.125	0.553	2.909
TFC	3	750	1.25	1	3	original	ϕ_o	0.951	0.456	0.704	2.883
TFC	3	750	1.50	1	3	original	ϕ_o	0.968	0.286	0.627	2.899

TFC	3	750	1.70	1	3	original	ϕ_o	0.975	0.188	0.582	2.904
TFC	3	1000	1.25	1	3	original	ϕ_o	0.937	0.533	0.735	2.867
TFC	3	1000	1.50	1	3	original	ϕ_o	0.961	0.372	0.666	2.892
TFC	3	1000	1.70	1	3	original	ϕ_o	0.970	0.259	0.614	2.902
TFC	3	10	2.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	2.30	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	3.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	2.00	1	7	original	ϕ_o	0.987	0.058	0.523	1.962
TFC	3	100	2.30	1	7	original	ϕ_o	0.987	0.053	0.520	2.913
TFC	3	100	3.00	1	7	original	ϕ_o	0.987	0.047	0.517	2.913
TFC	3	250	2.00	1	7	original	ϕ_o	0.985	0.084	0.534	1.962
TFC	3	250	2.30	1	7	original	ϕ_o	0.986	0.072	0.529	1.962
TFC	3	250	3.00	1	7	original	ϕ_o	0.987	0.060	0.523	1.962
TFC	3	10	1.25	1	4	original	ϕ_o	0.987	0.045	0.516	2.916
TFC	3	10	1.50	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	1.70	1	4	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	3	100	1.25	1	4	original	ϕ_o	0.983	0.117	0.550	2.916
TFC	3	100	1.50	1	4	original	ϕ_o	0.986	0.068	0.527	1.963
TFC	3	100	1.70	1	4	original	ϕ_o	0.987	0.055	0.521	1.963
TFC	3	250	1.25	1	4	original	ϕ_o	0.976	0.230	0.603	2.911
TFC	3	250	1.50	1	4	original	ϕ_o	0.982	0.124	0.553	2.914
TFC	3	250	1.70	1	4	original	ϕ_o	0.985	0.087	0.536	2.913
TFC	3	10	2.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	2.30	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	2.00	1	2	original	ϕ_o	0.987	0.045	0.516	2.915
TFC	3	100	2.30	1	2	original	ϕ_o	0.987	0.044	0.515	1.964
TFC	3	100	3.00	1	2	original	ϕ_o	0.987	0.043	0.515	2.916
TFC	3	250	2.00	1	2	original	ϕ_o	0.987	0.053	0.520	2.909
TFC	3	250	2.30	1	2	original	ϕ_o	0.987	0.049	0.518	2.911
TFC	3	250	3.00	1	2	original	ϕ_o	0.987	0.045	0.516	2.912
TFC	3	500	2.00	1	5	original	ϕ_o	0.981	0.106	0.544	2.909
TFC	3	500	2.30	1	5	original	ϕ_o	0.984	0.081	0.532	1.958
TFC	3	500	3.00	1	5	original	ϕ_o	0.986	0.060	0.523	2.907
TFC	3	750	2.00	1	5	original	ϕ_o	0.978	0.157	0.567	2.907
TFC	3	750	2.30	1	5	original	ϕ_o	0.981	0.109	0.545	2.910
TFC	3	750	3.00	1	5	original	ϕ_o	0.985	0.075	0.530	2.910
TFC	3	1000	2.00	1	5	original	ϕ_o	0.975	0.202	0.589	2.907
TFC	3	1000	2.30	1	5	original	ϕ_o	0.980	0.137	0.559	2.911
TFC	3	1000	3.00	1	5	original	ϕ_o	0.984	0.087	0.536	2.914
TFC	3	10	0.20	1	5	original	ϕ_o	0.600	0.908	0.754	3.384
TFC	3	100	0.20	1	5	original	ϕ_o	0.355	0.958	0.656	2.600
TFC	3	250	0.20	1	5	original	ϕ_o	0.216	0.976	0.596	2.109
TFC	3	10	2.00	1	4	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	3	10	2.30	1	4	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	3	10	3.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	2.00	1	4	original	ϕ_o	0.987	0.049	0.518	1.964
TFC	3	100	2.30	1	4	original	ϕ_o	0.987	0.047	0.517	1.964
TFC	3	100	3.00	1	4	original	ϕ_o	0.987	0.044	0.516	2.914
TFC	3	250	2.00	1	4	original	ϕ_o	0.986	0.064	0.525	2.912
TFC	3	250	2.30	1	4	original	ϕ_o	0.987	0.055	0.521	2.911
TFC	3	250	3.00	1	4	original	ϕ_o	0.987	0.049	0.518	1.963
TFC	3	500	0.20	1	6	original	ϕ_o	0.108	0.987	0.547	1.682
TFC	3	750	0.20	1	6	original	ϕ_o	0.072	0.988	0.530	1.522
TFC	3	1000	0.20	1	6	original	ϕ_o	0.057	0.989	0.523	1.447
TFC	3	10	0.20	1	2	original	ϕ_o	0.652	0.907	0.779	3.566
TFC	3	100	0.20	1	2	original	ϕ_o	0.484	0.951	0.717	3.024
TFC	3	250	0.20	1	2	original	ϕ_o	0.368	0.968	0.668	2.666
TFC	3	500	0.20	1	3	original	ϕ_o	0.218	0.982	0.600	2.129
TFC	3	750	0.20	1	3	original	ϕ_o	0.160	0.985	0.572	1.908
TFC	3	1000	0.20	1	3	original	ϕ_o	0.124	0.988	0.556	1.760
TFC	3	500	2.00	1	3	original	ϕ_o	0.984	0.085	0.534	1.961
TFC	3	500	2.30	1	3	original	ϕ_o	0.986	0.069	0.527	2.911
TFC	3	500	3.00	1	3	original	ϕ_o	0.987	0.056	0.521	2.909

TFC	3	750	2.00	1	3	original	ϕ_o	0.981	0.117	0.549	2.909
TFC	3	750	2.30	1	3	original	ϕ_o	0.984	0.088	0.536	1.961
TFC	3	750	3.00	1	3	original	ϕ_o	0.986	0.067	0.527	1.963
TFC	3	1000	2.00	1	3	original	ϕ_o	0.978	0.155	0.566	2.907
TFC	3	1000	2.30	1	3	original	ϕ_o	0.982	0.109	0.545	2.910
TFC	3	1000	3.00	1	3	original	ϕ_o	0.986	0.077	0.531	2.913
TFC	3	500	0.20	1	4	original	ϕ_o	0.174	0.985	0.580	1.974
TFC	3	750	0.20	1	4	original	ϕ_o	0.119	0.988	0.554	1.761
TFC	3	1000	0.20	1	4	original	ϕ_o	0.088	0.989	0.539	1.628
TFC	3	500	2.00	1	6	original	ϕ_o	0.980	0.143	0.561	2.916
TFC	3	500	2.30	1	6	original	ϕ_o	0.983	0.102	0.542	2.917
TFC	3	500	3.00	1	6	original	ϕ_o	0.985	0.079	0.532	2.917
TFC	3	750	2.00	1	6	original	ϕ_o	0.977	0.196	0.587	2.913
TFC	3	750	2.30	1	6	original	ϕ_o	0.980	0.130	0.555	2.915
TFC	3	750	3.00	1	6	original	ϕ_o	0.984	0.089	0.537	2.919
TFC	3	1000	2.00	1	6	original	ϕ_o	0.975	0.219	0.597	2.911
TFC	3	1000	2.30	1	6	original	ϕ_o	0.980	0.144	0.562	2.914
TFC	3	1000	3.00	1	6	original	ϕ_o	0.984	0.092	0.538	2.918
TFC	3	10	0.50	1	4	original	ϕ_o	0.944	0.589	0.766	2.865
TFC	3	10	0.70	1	4	original	ϕ_o	0.976	0.301	0.638	2.919
TFC	3	10	1.00	1	4	original	ϕ_o	0.986	0.076	0.531	2.915
TFC	3	100	0.50	1	4	original	ϕ_o	0.869	0.763	0.816	3.587
TFC	3	100	0.70	1	4	original	ϕ_o	0.943	0.586	0.765	2.875
TFC	3	100	1.00	1	4	original	ϕ_o	0.976	0.264	0.620	2.914
TFC	3	250	0.50	1	4	original	ϕ_o	0.798	0.832	0.815	3.452
TFC	3	250	0.70	1	4	original	ϕ_o	0.901	0.709	0.805	3.645
TFC	3	250	1.00	1	4	original	ϕ_o	0.960	0.439	0.700	2.898
TFC	3	10	0.50	1	2	original	ϕ_o	0.943	0.488	0.716	2.855
TFC	3	10	0.70	1	2	original	ϕ_o	0.974	0.219	0.596	2.905
TFC	3	10	1.00	1	2	original	ϕ_o	0.986	0.062	0.524	1.961
TFC	3	100	0.50	1	2	original	ϕ_o	0.888	0.693	0.791	2.755
TFC	3	100	0.70	1	2	original	ϕ_o	0.948	0.441	0.694	2.866
TFC	3	100	1.00	1	2	original	ϕ_o	0.978	0.170	0.574	1.954
TFC	3	250	0.50	1	2	original	ϕ_o	0.834	0.783	0.809	3.505
TFC	3	250	0.70	1	2	original	ϕ_o	0.919	0.576	0.747	2.822
TFC	3	250	1.00	1	2	original	ϕ_o	0.965	0.291	0.628	2.890
TFC	3	10	1.25	1	2	original	ϕ_o	0.987	0.044	0.516	1.964
TFC	3	10	1.50	1	2	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	3	10	1.70	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	1.25	1	2	original	ϕ_o	0.984	0.080	0.532	1.960
TFC	3	100	1.50	1	2	original	ϕ_o	0.986	0.054	0.520	1.962
TFC	3	100	1.70	1	2	original	ϕ_o	0.987	0.048	0.517	2.914
TFC	3	250	1.25	1	2	original	ϕ_o	0.979	0.144	0.561	2.904
TFC	3	250	1.50	1	2	original	ϕ_o	0.984	0.083	0.533	1.959
TFC	3	250	1.70	1	2	original	ϕ_o	0.986	0.064	0.525	1.961
TFC	3	10	2.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	10	2.30	1	3	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	3	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	2.00	1	3	original	ϕ_o	0.987	0.047	0.517	1.964
TFC	3	100	2.30	1	3	original	ϕ_o	0.987	0.045	0.516	1.964
TFC	3	100	3.00	1	3	original	ϕ_o	0.987	0.044	0.516	2.915
TFC	3	250	2.00	1	3	original	ϕ_o	0.986	0.058	0.522	2.911
TFC	3	250	2.30	1	3	original	ϕ_o	0.987	0.052	0.520	1.962
TFC	3	250	3.00	1	3	original	ϕ_o	0.987	0.046	0.517	2.911
TFC	3	500	0.50	1	2	original	ϕ_o	0.770	0.845	0.807	4.012
TFC	3	500	0.70	1	2	original	ϕ_o	0.882	0.699	0.791	3.587
TFC	3	500	1.00	1	2	original	ϕ_o	0.947	0.428	0.687	2.868
TFC	3	750	0.50	1	2	original	ϕ_o	0.719	0.876	0.797	3.946
TFC	3	750	0.70	1	2	original	ϕ_o	0.847	0.762	0.805	3.551
TFC	3	750	1.00	1	2	original	ϕ_o	0.930	0.526	0.728	2.843
TFC	3	1000	0.50	1	2	original	ϕ_o	0.672	0.895	0.784	3.870
TFC	3	1000	0.70	1	2	original	ϕ_o	0.816	0.800	0.808	3.510
TFC	3	1000	1.00	1	2	original	ϕ_o	0.912	0.599	0.755	2.822
TFC	3	500	4.00	1	6	original	ϕ_o	0.986	0.069	0.527	1.960

TFC	3	750	4.00	1	6	original	ϕ_o	0.986	0.079	0.532	2.918
TFC	3	1000	4.00	1	6	original	ϕ_o	0.986	0.079	0.533	2.918
TFC	3	500	1.25	1	5	original	ϕ_o	0.957	0.427	0.692	2.891
TFC	3	500	1.50	1	5	original	ϕ_o	0.972	0.250	0.611	2.904
TFC	3	500	1.70	1	5	original	ϕ_o	0.977	0.168	0.572	2.907
TFC	3	750	1.25	1	5	original	ϕ_o	0.940	0.555	0.747	2.874
TFC	3	750	1.50	1	5	original	ϕ_o	0.962	0.367	0.664	2.894
TFC	3	750	1.70	1	5	original	ϕ_o	0.971	0.255	0.613	2.903
TFC	3	1000	1.25	1	5	original	ϕ_o	0.929	0.622	0.775	3.684
TFC	3	1000	1.50	1	5	original	ϕ_o	0.955	0.451	0.703	2.893
TFC	3	1000	1.70	1	5	original	ϕ_o	0.966	0.328	0.647	2.900
TFC	3	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	4.00	1	6	original	ϕ_o	0.987	0.044	0.516	2.915
TFC	3	250	4.00	1	6	original	ϕ_o	0.987	0.051	0.519	1.962
TFC	3	10	0.20	1	6	original	ϕ_o	0.600	0.908	0.754	3.394
TFC	3	100	0.20	1	6	original	ϕ_o	0.339	0.958	0.649	2.560
TFC	3	250	0.20	1	6	original	ϕ_o	0.200	0.977	0.588	2.057
TFC	3	10	0.50	1	6	original	ϕ_o	0.944	0.607	0.775	2.868
TFC	3	10	0.70	1	6	original	ϕ_o	0.976	0.319	0.648	2.924
TFC	3	10	1.00	1	6	original	ϕ_o	0.986	0.083	0.535	1.965
TFC	3	100	0.50	1	6	original	ϕ_o	0.854	0.792	0.823	3.584
TFC	3	100	0.70	1	6	original	ϕ_o	0.937	0.638	0.787	2.867
TFC	3	100	1.00	1	6	original	ϕ_o	0.973	0.331	0.652	2.918
TFC	3	250	0.50	1	6	original	ϕ_o	0.762	0.857	0.809	4.051
TFC	3	250	0.70	1	6	original	ϕ_o	0.883	0.754	0.818	3.639
TFC	3	250	1.00	1	6	original	ϕ_o	0.953	0.528	0.740	2.892
TFC	3	500	1.25	1	6	original	ϕ_o	0.952	0.515	0.734	2.892
TFC	3	500	1.50	1	6	original	ϕ_o	0.969	0.348	0.658	2.909
TFC	3	500	1.70	1	6	original	ϕ_o	0.975	0.242	0.609	2.913
TFC	3	750	1.25	1	6	original	ϕ_o	0.936	0.610	0.773	3.700
TFC	3	750	1.50	1	6	original	ϕ_o	0.959	0.445	0.702	2.898
TFC	3	750	1.70	1	6	original	ϕ_o	0.969	0.325	0.647	2.907
TFC	3	1000	1.25	1	6	original	ϕ_o	0.929	0.630	0.779	3.687
TFC	3	1000	1.50	1	6	original	ϕ_o	0.955	0.473	0.714	2.895
TFC	3	1000	1.70	1	6	original	ϕ_o	0.966	0.353	0.660	2.903
TFC	3	500	4.00	1	5	original	ϕ_o	0.986	0.052	0.519	1.960
TFC	3	750	4.00	1	5	original	ϕ_o	0.986	0.063	0.524	2.909
TFC	3	1000	4.00	1	5	original	ϕ_o	0.986	0.073	0.529	2.912
TFC	3	10	0.50	1	7	original	ϕ_o	0.945	0.612	0.778	2.870
TFC	3	10	0.70	1	7	original	ϕ_o	0.976	0.322	0.649	2.924
TFC	3	10	1.00	1	7	original	ϕ_o	0.986	0.086	0.536	1.965
TFC	3	100	0.50	1	7	original	ϕ_o	0.850	0.792	0.821	3.577
TFC	3	100	0.70	1	7	original	ϕ_o	0.935	0.642	0.788	2.865
TFC	3	100	1.00	1	7	original	ϕ_o	0.973	0.337	0.655	2.917
TFC	3	250	0.50	1	7	original	ϕ_o	0.752	0.859	0.805	4.028
TFC	3	250	0.70	1	7	original	ϕ_o	0.876	0.756	0.816	3.628
TFC	3	250	1.00	1	7	original	ϕ_o	0.951	0.538	0.744	2.891
TFC	3	10	1.25	1	6	original	ϕ_o	0.987	0.048	0.518	1.965
TFC	3	10	1.50	1	6	original	ϕ_o	0.987	0.044	0.516	2.916
TFC	3	10	1.70	1	6	original	ϕ_o	0.987	0.043	0.515	2.918
TFC	3	100	1.25	1	6	original	ϕ_o	0.982	0.158	0.570	1.960
TFC	3	100	1.50	1	6	original	ϕ_o	0.985	0.083	0.534	2.920
TFC	3	100	1.70	1	6	original	ϕ_o	0.986	0.067	0.526	2.919
TFC	3	250	1.25	1	6	original	ϕ_o	0.972	0.328	0.650	2.914
TFC	3	250	1.50	1	6	original	ϕ_o	0.979	0.183	0.581	2.918
TFC	3	250	1.70	1	6	original	ϕ_o	0.982	0.118	0.550	2.918
TFC	3	500	0.20	1	5	original	ϕ_o	0.123	0.987	0.555	1.736
TFC	3	750	0.20	1	5	original	ϕ_o	0.083	0.988	0.536	1.560
TFC	3	1000	0.20	1	5	original	ϕ_o	0.063	0.989	0.526	1.470
TFC	3	500	1.25	1	4	original	ϕ_o	0.960	0.397	0.678	2.895
TFC	3	500	1.50	1	4	original	ϕ_o	0.974	0.232	0.603	2.907
TFC	3	500	1.70	1	4	original	ϕ_o	0.979	0.156	0.567	2.910
TFC	3	750	1.25	1	4	original	ϕ_o	0.943	0.522	0.733	2.875
TFC	3	750	1.50	1	4	original	ϕ_o	0.963	0.344	0.653	2.895

TFC	3	750	1.70	1	4	original	ϕ_o	0.973	0.238	0.606	2.904
TFC	3	1000	1.25	1	4	original	ϕ_o	0.928	0.601	0.765	3.659
TFC	3	1000	1.50	1	4	original	ϕ_o	0.954	0.433	0.694	2.888
TFC	3	1000	1.70	1	4	original	ϕ_o	0.966	0.315	0.641	2.897
TFC	3	10	0.20	1	7	original	ϕ_o	0.596	0.907	0.751	3.386
TFC	3	100	0.20	1	7	original	ϕ_o	0.324	0.959	0.642	2.522
TFC	3	250	0.20	1	7	original	ϕ_o	0.181	0.977	0.579	1.999
TFC	3	10	1.25	1	3	original	ϕ_o	0.987	0.044	0.515	1.964
TFC	3	10	1.50	1	3	original	ϕ_o	0.987	0.042	0.515	2.916
TFC	3	10	1.70	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	3	100	1.25	1	3	original	ϕ_o	0.984	0.099	0.541	1.961
TFC	3	100	1.50	1	3	original	ϕ_o	0.986	0.061	0.524	1.963
TFC	3	100	1.70	1	3	original	ϕ_o	0.987	0.052	0.520	1.962
TFC	3	250	1.25	1	3	original	ϕ_o	0.977	0.192	0.585	1.955
TFC	3	250	1.50	1	3	original	ϕ_o	0.983	0.102	0.543	2.911
TFC	3	250	1.70	1	3	original	ϕ_o	0.985	0.075	0.530	1.961
TFC	3	500	4.00	1	2	original	ϕ_o	0.987	0.047	0.517	2.911
TFC	3	750	4.00	1	2	original	ϕ_o	0.987	0.053	0.520	1.964
TFC	3	1000	4.00	1	2	original	ϕ_o	0.987	0.059	0.523	2.912
TFC	3	500	0.50	1	6	original	ϕ_o	0.652	0.904	0.778	3.856
TFC	3	500	0.70	1	6	original	ϕ_o	0.812	0.827	0.819	4.183
TFC	3	500	1.00	1	6	original	ϕ_o	0.915	0.684	0.800	3.684
TFC	3	750	0.50	1	6	original	ϕ_o	0.587	0.923	0.755	3.688
TFC	3	750	0.70	1	6	original	ϕ_o	0.766	0.859	0.812	4.145
TFC	3	750	1.00	1	6	original	ϕ_o	0.890	0.742	0.816	3.670
TFC	3	1000	0.50	1	6	original	ϕ_o	0.554	0.929	0.741	3.602
TFC	3	1000	0.70	1	6	original	ϕ_o	0.744	0.867	0.805	4.103
TFC	3	1000	1.00	1	6	original	ϕ_o	0.879	0.753	0.816	3.651
TFC	3	500	4.00	1	7	original	ϕ_o	0.986	0.069	0.528	1.962
TFC	3	750	4.00	1	7	original	ϕ_o	0.986	0.080	0.533	2.919
TFC	3	1000	4.00	1	7	original	ϕ_o	0.986	0.080	0.533	2.917
TFC	5	500	0.20	1	6	original	ϕ_o	0.023	0.999	0.511	1.900
TFC	5	750	0.20	1	6	original	ϕ_o	0.007	1.000	0.503	1.760
TFC	5	1000	0.20	1	6	original	ϕ_o	0.004	1.000	0.502	1.696
TFC	5	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	2.916
TFC	5	250	4.00	1	2	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	5	500	4.00	1	3	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	5	750	4.00	1	3	original	ϕ_o	0.987	0.047	0.517	2.901
TFC	5	1000	4.00	1	3	original	ϕ_o	0.986	0.062	0.524	1.962
TFC	5	10	1.25	1	7	original	ϕ_o	0.987	0.054	0.521	1.964
TFC	5	10	1.50	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	1.70	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	1.25	1	7	original	ϕ_o	0.970	0.400	0.685	2.923
TFC	5	100	1.50	1	7	original	ϕ_o	0.981	0.215	0.598	2.918
TFC	5	100	1.70	1	7	original	ϕ_o	0.984	0.119	0.552	2.913
TFC	5	250	1.25	1	7	original	ϕ_o	0.924	0.659	0.791	3.706
TFC	5	250	1.50	1	7	original	ϕ_o	0.957	0.514	0.736	2.919
TFC	5	250	1.70	1	7	original	ϕ_o	0.968	0.388	0.678	2.918
TFC	5	500	2.00	1	2	original	ϕ_o	0.980	0.143	0.562	1.956
TFC	5	500	2.30	1	2	original	ϕ_o	0.985	0.082	0.533	1.960
TFC	5	500	3.00	1	2	original	ϕ_o	0.987	0.045	0.516	1.962
TFC	5	750	2.00	1	2	original	ϕ_o	0.970	0.279	0.624	2.897
TFC	5	750	2.30	1	2	original	ϕ_o	0.979	0.162	0.571	2.897
TFC	5	750	3.00	1	2	original	ϕ_o	0.986	0.062	0.524	1.961
TFC	5	1000	2.00	1	2	original	ϕ_o	0.956	0.402	0.679	2.894
TFC	5	1000	2.30	1	2	original	ϕ_o	0.971	0.271	0.621	2.899
TFC	5	1000	3.00	1	2	original	ϕ_o	0.984	0.097	0.541	1.959
TFC	5	500	0.20	1	5	original	ϕ_o	0.030	0.999	0.515	1.940
TFC	5	750	0.20	1	5	original	ϕ_o	0.011	1.000	0.505	1.783
TFC	5	1000	0.20	1	5	original	ϕ_o	0.006	1.000	0.503	1.707
TFC	5	500	0.50	1	3	original	ϕ_o	0.539	0.940	0.739	4.058
TFC	5	500	0.70	1	3	original	ϕ_o	0.722	0.877	0.799	4.245
TFC	5	500	1.00	1	3	original	ϕ_o	0.852	0.759	0.806	3.679

TFC	5	750	0.50	1	3	original	ϕ_o	0.424	0.962	0.693	3.911
TFC	5	750	0.70	1	3	original	ϕ_o	0.619	0.914	0.766	4.220
TFC	5	750	1.00	1	3	original	ϕ_o	0.786	0.824	0.805	4.238
TFC	5	1000	0.50	1	3	original	ϕ_o	0.341	0.975	0.658	3.793
TFC	5	1000	0.70	1	3	original	ϕ_o	0.534	0.937	0.735	4.187
TFC	5	1000	1.00	1	3	original	ϕ_o	0.725	0.867	0.796	4.273
TFC	5	10	0.50	1	2	original	ϕ_o	0.929	0.595	0.762	2.857
TFC	5	10	0.70	1	2	original	ϕ_o	0.968	0.332	0.650	2.903
TFC	5	10	1.00	1	2	original	ϕ_o	0.984	0.091	0.538	1.961
TFC	5	100	0.50	1	2	original	ϕ_o	0.829	0.800	0.815	3.601
TFC	5	100	0.70	1	2	original	ϕ_o	0.916	0.617	0.766	2.865
TFC	5	100	1.00	1	2	original	ϕ_o	0.965	0.339	0.652	2.895
TFC	5	250	0.50	1	2	original	ϕ_o	0.731	0.876	0.804	4.184
TFC	5	250	0.70	1	2	original	ϕ_o	0.852	0.760	0.806	3.646
TFC	5	250	1.00	1	2	original	ϕ_o	0.932	0.533	0.732	2.879
TFC	5	500	4.00	1	7	original	ϕ_o	0.986	0.060	0.523	1.961
TFC	5	750	4.00	1	7	original	ϕ_o	0.985	0.095	0.540	2.916
TFC	5	1000	4.00	1	7	original	ϕ_o	0.985	0.112	0.549	2.916
TFC	5	10	0.20	1	6	original	ϕ_o	0.541	0.936	0.738	3.489
TFC	5	100	0.20	1	6	original	ϕ_o	0.200	0.988	0.594	2.705
TFC	5	250	0.20	1	6	original	ϕ_o	0.076	0.997	0.537	2.248
TFC	5	500	1.25	1	4	original	ϕ_o	0.882	0.721	0.801	3.703
TFC	5	500	1.50	1	4	original	ϕ_o	0.926	0.593	0.759	2.903
TFC	5	500	1.70	1	4	original	ϕ_o	0.948	0.475	0.712	2.902
TFC	5	750	1.25	1	4	original	ϕ_o	0.816	0.816	0.816	4.327
TFC	5	750	1.50	1	4	original	ϕ_o	0.875	0.728	0.802	3.700
TFC	5	750	1.70	1	4	original	ϕ_o	0.909	0.645	0.777	2.903
TFC	5	1000	1.25	1	4	original	ϕ_o	0.756	0.860	0.808	4.342
TFC	5	1000	1.50	1	4	original	ϕ_o	0.830	0.796	0.813	3.722
TFC	5	1000	1.70	1	4	original	ϕ_o	0.872	0.736	0.804	3.706
TFC	5	500	2.00	1	7	original	ϕ_o	0.954	0.523	0.739	2.920
TFC	5	500	2.30	1	7	original	ϕ_o	0.970	0.379	0.674	2.918
TFC	5	500	3.00	1	7	original	ϕ_o	0.983	0.149	0.566	2.912
TFC	5	750	2.00	1	7	original	ϕ_o	0.922	0.662	0.792	3.720
TFC	5	750	2.30	1	7	original	ϕ_o	0.951	0.544	0.747	2.918
TFC	5	750	3.00	1	7	original	ϕ_o	0.977	0.274	0.625	2.920
TFC	5	1000	2.00	1	7	original	ϕ_o	0.910	0.683	0.796	3.708
TFC	5	1000	2.30	1	7	original	ϕ_o	0.942	0.572	0.757	3.670
TFC	5	1000	3.00	1	7	original	ϕ_o	0.975	0.315	0.645	2.918
TFC	5	500	1.25	1	6	original	ϕ_o	0.845	0.803	0.824	4.397
TFC	5	500	1.50	1	6	original	ϕ_o	0.898	0.723	0.811	3.744
TFC	5	500	1.70	1	6	original	ϕ_o	0.929	0.643	0.786	3.717
TFC	5	750	1.25	1	6	original	ϕ_o	0.777	0.862	0.820	4.429
TFC	5	750	1.50	1	6	original	ϕ_o	0.845	0.806	0.825	4.395
TFC	5	750	1.70	1	6	original	ϕ_o	0.884	0.752	0.818	3.754
TFC	5	1000	1.25	1	6	original	ϕ_o	0.734	0.879	0.807	4.413
TFC	5	1000	1.50	1	6	original	ϕ_o	0.814	0.824	0.819	4.384
TFC	5	1000	1.70	1	6	original	ϕ_o	0.861	0.775	0.818	4.355
TFC	5	10	0.50	1	7	original	ϕ_o	0.923	0.700	0.812	2.873
TFC	5	10	0.70	1	7	original	ϕ_o	0.968	0.474	0.721	2.924
TFC	5	10	1.00	1	7	original	ϕ_o	0.985	0.155	0.570	1.965
TFC	5	100	0.50	1	7	original	ϕ_o	0.742	0.878	0.810	4.282
TFC	5	100	0.70	1	7	original	ϕ_o	0.867	0.783	0.825	3.725
TFC	5	100	1.00	1	7	original	ϕ_o	0.947	0.602	0.775	2.922
TFC	5	250	0.50	1	7	original	ϕ_o	0.549	0.942	0.746	4.122
TFC	5	250	0.70	1	7	original	ϕ_o	0.732	0.880	0.806	4.346
TFC	5	250	1.00	1	7	original	ϕ_o	0.866	0.771	0.819	3.735
TFC	5	10	0.20	1	4	original	ϕ_o	0.592	0.927	0.760	3.601
TFC	5	100	0.20	1	4	original	ϕ_o	0.282	0.984	0.633	2.940
TFC	5	250	0.20	1	4	original	ϕ_o	0.130	0.996	0.563	2.507
TFC	5	500	4.00	1	6	original	ϕ_o	0.985	0.058	0.522	1.960
TFC	5	750	4.00	1	6	original	ϕ_o	0.985	0.091	0.538	2.916
TFC	5	1000	4.00	1	6	original	ϕ_o	0.985	0.112	0.548	2.915
TFC	5	10	1.25	1	3	original	ϕ_o	0.987	0.044	0.516	1.963

TFC	5	10	1.50	1	3	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	5	10	1.70	1	3	original	ϕ_o	0.987	0.042	0.514	1.964
TFC	5	100	1.25	1	3	original	ϕ_o	0.978	0.231	0.604	2.912
TFC	5	100	1.50	1	3	original	ϕ_o	0.984	0.095	0.539	1.961
TFC	5	100	1.70	1	3	original	ϕ_o	0.986	0.057	0.522	2.909
TFC	5	250	1.25	1	3	original	ϕ_o	0.955	0.457	0.706	2.906
TFC	5	250	1.50	1	3	original	ϕ_o	0.973	0.280	0.626	2.904
TFC	5	250	1.70	1	3	original	ϕ_o	0.980	0.162	0.571	2.901
TFC	5	10	2.00	1	4	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	5	10	2.30	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	3.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	2.00	1	4	original	ϕ_o	0.987	0.043	0.515	1.963
TFC	5	100	2.30	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	5	100	3.00	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	5	250	2.00	1	4	original	ϕ_o	0.983	0.109	0.546	1.960
TFC	5	250	2.30	1	4	original	ϕ_o	0.986	0.062	0.524	1.961
TFC	5	250	3.00	1	4	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	5	500	0.50	1	7	original	ϕ_o	0.330	0.981	0.655	3.855
TFC	5	500	0.70	1	7	original	ϕ_o	0.548	0.945	0.746	4.258
TFC	5	500	1.00	1	7	original	ϕ_o	0.736	0.878	0.807	4.401
TFC	5	750	0.50	1	7	original	ϕ_o	0.216	0.992	0.604	3.693
TFC	5	750	0.70	1	7	original	ϕ_o	0.427	0.970	0.698	4.189
TFC	5	750	1.00	1	7	original	ϕ_o	0.642	0.922	0.782	4.408
TFC	5	1000	0.50	1	7	original	ϕ_o	0.181	0.993	0.587	3.632
TFC	5	1000	0.70	1	7	original	ϕ_o	0.381	0.973	0.677	4.148
TFC	5	1000	1.00	1	7	original	ϕ_o	0.602	0.927	0.764	4.381
TFC	5	10	1.25	1	2	original	ϕ_o	0.987	0.045	0.516	1.963
TFC	5	10	1.50	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	5	10	1.70	1	2	original	ϕ_o	0.987	0.042	0.514	2.917
TFC	5	100	1.25	1	2	original	ϕ_o	0.980	0.153	0.567	1.957
TFC	5	100	1.50	1	2	original	ϕ_o	0.985	0.070	0.527	1.961
TFC	5	100	1.70	1	2	original	ϕ_o	0.987	0.048	0.517	1.963
TFC	5	250	1.25	1	2	original	ϕ_o	0.962	0.344	0.653	2.892
TFC	5	250	1.50	1	2	original	ϕ_o	0.977	0.183	0.580	2.897
TFC	5	250	1.70	1	2	original	ϕ_o	0.983	0.104	0.543	2.899
TFC	5	500	0.20	1	2	original	ϕ_o	0.122	0.997	0.559	2.478
TFC	5	750	0.20	1	2	original	ϕ_o	0.074	0.999	0.537	2.266
TFC	5	1000	0.20	1	2	original	ϕ_o	0.047	0.999	0.523	2.125
TFC	5	500	0.50	1	2	original	ϕ_o	0.604	0.924	0.764	4.098
TFC	5	500	0.70	1	2	original	ϕ_o	0.765	0.849	0.807	4.231
TFC	5	500	1.00	1	2	original	ϕ_o	0.880	0.705	0.792	3.655
TFC	5	750	0.50	1	2	original	ϕ_o	0.505	0.949	0.727	4.008
TFC	5	750	0.70	1	2	original	ϕ_o	0.683	0.892	0.787	4.232
TFC	5	750	1.00	1	2	original	ϕ_o	0.828	0.788	0.808	3.669
TFC	5	1000	0.50	1	2	original	ϕ_o	0.425	0.964	0.695	3.906
TFC	5	1000	0.70	1	2	original	ϕ_o	0.611	0.919	0.765	4.205
TFC	5	1000	1.00	1	2	original	ϕ_o	0.777	0.836	0.806	4.256
TFC	5	500	0.50	1	5	original	ϕ_o	0.406	0.973	0.690	3.917
TFC	5	500	0.70	1	5	original	ϕ_o	0.616	0.930	0.773	4.294
TFC	5	500	1.00	1	5	original	ϕ_o	0.789	0.848	0.818	4.363
TFC	5	750	0.50	1	5	original	ϕ_o	0.277	0.986	0.632	3.731
TFC	5	750	0.70	1	5	original	ϕ_o	0.489	0.959	0.724	4.212
TFC	5	750	1.00	1	5	original	ϕ_o	0.692	0.899	0.796	4.387
TFC	5	1000	0.50	1	5	original	ϕ_o	0.212	0.991	0.602	3.625
TFC	5	1000	0.70	1	5	original	ϕ_o	0.412	0.969	0.691	4.149
TFC	5	1000	1.00	1	5	original	ϕ_o	0.627	0.922	0.774	4.381
TFC	5	10	0.20	1	7	original	ϕ_o	0.534	0.933	0.733	3.485
TFC	5	100	0.20	1	7	original	ϕ_o	0.178	0.988	0.583	2.674
TFC	5	250	0.20	1	7	original	ϕ_o	0.059	0.998	0.529	2.194
TFC	5	500	4.00	1	2	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	5	750	4.00	1	2	original	ϕ_o	0.987	0.045	0.516	1.962
TFC	5	1000	4.00	1	2	original	ϕ_o	0.987	0.050	0.518	1.962
TFC	5	500	0.50	1	4	original	ϕ_o	0.466	0.962	0.714	4.003
TFC	5	500	0.70	1	4	original	ϕ_o	0.662	0.911	0.787	4.299

TFC	5	500	1.00	1	4	original	ϕ_o	0.815	0.824	0.819	4.331
TFC	5	750	0.50	1	4	original	ϕ_o	0.335	0.980	0.657	3.833
TFC	5	750	0.70	1	4	original	ϕ_o	0.540	0.945	0.742	4.231
TFC	5	750	1.00	1	4	original	ϕ_o	0.727	0.880	0.803	4.360
TFC	5	1000	0.50	1	4	original	ϕ_o	0.252	0.987	0.620	3.706
TFC	5	1000	0.70	1	4	original	ϕ_o	0.449	0.961	0.705	4.159
TFC	5	1000	1.00	1	4	original	ϕ_o	0.650	0.908	0.779	4.355
TFC	5	500	4.00	1	5	original	ϕ_o	0.986	0.043	0.515	1.959
TFC	5	750	4.00	1	5	original	ϕ_o	0.985	0.062	0.524	1.960
TFC	5	1000	4.00	1	5	original	ϕ_o	0.985	0.095	0.540	2.906
TFC	5	10	0.20	1	2	original	ϕ_o	0.611	0.929	0.770	3.647
TFC	5	100	0.20	1	2	original	ϕ_o	0.372	0.976	0.674	3.139
TFC	5	250	0.20	1	2	original	ϕ_o	0.225	0.990	0.608	2.794
TFC	5	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.963
TFC	5	250	4.00	1	6	original	ϕ_o	0.986	0.044	0.515	2.910
TFC	5	10	2.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	2.30	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	2.00	1	2	original	ϕ_o	0.987	0.041	0.514	2.912
TFC	5	100	2.30	1	2	original	ϕ_o	0.987	0.041	0.514	2.914
TFC	5	100	3.00	1	2	original	ϕ_o	0.987	0.041	0.514	2.915
TFC	5	250	2.00	1	2	original	ϕ_o	0.986	0.057	0.522	1.962
TFC	5	250	2.30	1	2	original	ϕ_o	0.987	0.043	0.515	1.962
TFC	5	250	3.00	1	2	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	5	10	2.00	1	6	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	5	10	2.30	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	3.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	2.00	1	6	original	ϕ_o	0.986	0.057	0.521	2.915
TFC	5	100	2.30	1	6	original	ϕ_o	0.987	0.045	0.516	1.963
TFC	5	100	3.00	1	6	original	ϕ_o	0.987	0.043	0.515	1.963
TFC	5	250	2.00	1	6	original	ϕ_o	0.980	0.213	0.597	2.913
TFC	5	250	2.30	1	6	original	ϕ_o	0.984	0.112	0.548	1.961
TFC	5	250	3.00	1	6	original	ϕ_o	0.986	0.050	0.518	1.961
TFC	5	500	0.50	1	6	original	ϕ_o	0.374	0.975	0.675	3.892
TFC	5	500	0.70	1	6	original	ϕ_o	0.587	0.938	0.762	4.279
TFC	5	500	1.00	1	6	original	ϕ_o	0.763	0.870	0.817	4.422
TFC	5	750	0.50	1	6	original	ϕ_o	0.254	0.988	0.621	3.726
TFC	5	750	0.70	1	6	original	ϕ_o	0.469	0.964	0.717	4.208
TFC	5	750	1.00	1	6	original	ϕ_o	0.673	0.914	0.793	4.416
TFC	5	1000	0.50	1	6	original	ϕ_o	0.203	0.991	0.597	3.639
TFC	5	1000	0.70	1	6	original	ϕ_o	0.407	0.970	0.689	4.153
TFC	5	1000	1.00	1	6	original	ϕ_o	0.622	0.925	0.773	4.390
TFC	5	10	0.20	1	3	original	ϕ_o	0.592	0.936	0.764	3.617
TFC	5	100	0.20	1	3	original	ϕ_o	0.316	0.981	0.649	3.007
TFC	5	250	0.20	1	3	original	ϕ_o	0.172	0.992	0.582	2.619
TFC	5	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	2.913
TFC	5	250	4.00	1	5	original	ϕ_o	0.987	0.040	0.513	1.961
TFC	5	500	0.20	1	3	original	ϕ_o	0.080	0.997	0.538	2.290
TFC	5	750	0.20	1	3	original	ϕ_o	0.043	0.999	0.521	2.088
TFC	5	1000	0.20	1	3	original	ϕ_o	0.024	0.999	0.512	1.963
TFC	5	10	2.00	1	3	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	5	10	2.30	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	2.00	1	3	original	ϕ_o	0.987	0.041	0.514	2.910
TFC	5	100	2.30	1	3	original	ϕ_o	0.987	0.040	0.514	2.912
TFC	5	100	3.00	1	3	original	ϕ_o	0.987	0.042	0.514	1.963
TFC	5	250	2.00	1	3	original	ϕ_o	0.985	0.079	0.532	1.960
TFC	5	250	2.30	1	3	original	ϕ_o	0.986	0.050	0.518	1.961
TFC	5	250	3.00	1	3	original	ϕ_o	0.987	0.040	0.514	2.907
TFC	5	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.963
TFC	5	250	4.00	1	3	original	ϕ_o	0.987	0.041	0.514	2.911

TFC	5	10	0.20	1	5	original	ϕ_o	0.548	0.934	0.741	3.478
TFC	5	100	0.20	1	5	original	ϕ_o	0.215	0.987	0.601	2.737
TFC	5	250	0.20	1	5	original	ϕ_o	0.089	0.997	0.543	2.282
TFC	5	10	0.50	1	6	original	ϕ_o	0.924	0.701	0.812	2.871
TFC	5	10	0.70	1	6	original	ϕ_o	0.968	0.466	0.717	2.924
TFC	5	10	1.00	1	6	original	ϕ_o	0.985	0.151	0.568	1.965
TFC	5	100	0.50	1	6	original	ϕ_o	0.753	0.877	0.815	4.302
TFC	5	100	0.70	1	6	original	ϕ_o	0.874	0.781	0.827	3.731
TFC	5	100	1.00	1	6	original	ϕ_o	0.949	0.593	0.771	2.922
TFC	5	250	0.50	1	6	original	ϕ_o	0.578	0.937	0.758	4.146
TFC	5	250	0.70	1	6	original	ϕ_o	0.751	0.876	0.814	4.361
TFC	5	250	1.00	1	6	original	ϕ_o	0.876	0.765	0.820	3.746
TFC	5	500	1.25	1	7	original	ϕ_o	0.826	0.812	0.819	4.386
TFC	5	500	1.50	1	7	original	ϕ_o	0.887	0.736	0.811	3.737
TFC	5	500	1.70	1	7	original	ϕ_o	0.922	0.659	0.790	3.709
TFC	5	750	1.25	1	7	original	ϕ_o	0.753	0.870	0.811	4.420
TFC	5	750	1.50	1	7	original	ϕ_o	0.828	0.813	0.821	4.388
TFC	5	750	1.70	1	7	original	ϕ_o	0.874	0.761	0.817	4.357
TFC	5	1000	1.25	1	7	original	ϕ_o	0.721	0.879	0.800	4.397
TFC	5	1000	1.50	1	7	original	ϕ_o	0.805	0.824	0.814	4.363
TFC	5	1000	1.70	1	7	original	ϕ_o	0.854	0.775	0.815	3.737
TFC	5	500	1.25	1	5	original	ϕ_o	0.866	0.755	0.810	3.723
TFC	5	500	1.50	1	5	original	ϕ_o	0.914	0.629	0.771	2.901
TFC	5	500	1.70	1	5	original	ϕ_o	0.941	0.510	0.725	2.899
TFC	5	750	1.25	1	5	original	ϕ_o	0.795	0.839	0.817	4.366
TFC	5	750	1.50	1	5	original	ϕ_o	0.861	0.761	0.811	4.321
TFC	5	750	1.70	1	5	original	ϕ_o	0.897	0.680	0.789	3.701
TFC	5	1000	1.25	1	5	original	ϕ_o	0.740	0.873	0.806	4.386
TFC	5	1000	1.50	1	5	original	ϕ_o	0.820	0.813	0.817	4.350
TFC	5	1000	1.70	1	5	original	ϕ_o	0.866	0.756	0.811	3.731
TFC	5	500	2.00	1	5	original	ϕ_o	0.965	0.340	0.653	2.895
TFC	5	500	2.30	1	5	original	ϕ_o	0.976	0.214	0.595	2.894
TFC	5	500	3.00	1	5	original	ϕ_o	0.984	0.076	0.530	2.897
TFC	5	750	2.00	1	5	original	ϕ_o	0.937	0.534	0.735	2.899
TFC	5	750	2.30	1	5	original	ϕ_o	0.960	0.392	0.676	2.899
TFC	5	750	3.00	1	5	original	ϕ_o	0.980	0.168	0.574	2.900
TFC	5	1000	2.00	1	5	original	ϕ_o	0.915	0.649	0.782	3.696
TFC	5	1000	2.30	1	5	original	ϕ_o	0.945	0.526	0.736	2.910
TFC	5	1000	3.00	1	5	original	ϕ_o	0.975	0.271	0.623	2.908
TFC	5	500	2.00	1	4	original	ϕ_o	0.969	0.309	0.639	2.899
TFC	5	500	2.30	1	4	original	ϕ_o	0.978	0.188	0.583	2.898
TFC	5	500	3.00	1	4	original	ϕ_o	0.986	0.068	0.527	2.898
TFC	5	750	2.00	1	4	original	ϕ_o	0.944	0.500	0.722	2.901
TFC	5	750	2.30	1	4	original	ϕ_o	0.964	0.361	0.662	2.900
TFC	5	750	3.00	1	4	original	ϕ_o	0.981	0.148	0.564	2.899
TFC	5	1000	2.00	1	4	original	ϕ_o	0.918	0.628	0.773	3.659
TFC	5	1000	2.30	1	4	original	ϕ_o	0.946	0.505	0.725	2.905
TFC	5	1000	3.00	1	4	original	ϕ_o	0.975	0.257	0.616	2.904
TFC	5	500	2.00	1	6	original	ϕ_o	0.957	0.503	0.730	2.918
TFC	5	500	2.30	1	6	original	ϕ_o	0.971	0.363	0.667	2.919
TFC	5	500	3.00	1	6	original	ϕ_o	0.983	0.137	0.560	2.912
TFC	5	750	2.00	1	6	original	ϕ_o	0.926	0.652	0.789	3.725
TFC	5	750	2.30	1	6	original	ϕ_o	0.953	0.532	0.742	2.919
TFC	5	750	3.00	1	6	original	ϕ_o	0.977	0.266	0.622	2.920
TFC	5	1000	2.00	1	6	original	ϕ_o	0.910	0.684	0.797	3.721
TFC	5	1000	2.30	1	6	original	ϕ_o	0.942	0.573	0.758	2.916
TFC	5	1000	3.00	1	6	original	ϕ_o	0.974	0.317	0.646	2.917
TFC	5	500	2.00	1	3	original	ϕ_o	0.975	0.226	0.600	2.898
TFC	5	500	2.30	1	3	original	ϕ_o	0.981	0.124	0.552	2.897
TFC	5	500	3.00	1	3	original	ϕ_o	0.986	0.052	0.519	1.961
TFC	5	750	2.00	1	3	original	ϕ_o	0.959	0.393	0.676	2.897
TFC	5	750	2.30	1	3	original	ϕ_o	0.972	0.257	0.614	2.898
TFC	5	750	3.00	1	3	original	ϕ_o	0.984	0.091	0.538	1.960
TFC	5	1000	2.00	1	3	original	ϕ_o	0.940	0.514	0.727	2.899

TFC	5	1000	2.30	1	3	original	ϕ_o	0.961	0.390	0.675	2.901
TFC	5	1000	3.00	1	3	original	ϕ_o	0.980	0.159	0.570	2.897
TFC	5	10	0.50	1	5	original	ϕ_o	0.923	0.705	0.814	2.869
TFC	5	10	0.70	1	5	original	ϕ_o	0.968	0.456	0.712	2.921
TFC	5	10	1.00	1	5	original	ϕ_o	0.985	0.133	0.559	2.917
TFC	5	100	0.50	1	5	original	ϕ_o	0.765	0.872	0.819	4.306
TFC	5	100	0.70	1	5	original	ϕ_o	0.882	0.766	0.824	3.731
TFC	5	100	1.00	1	5	original	ϕ_o	0.952	0.529	0.741	2.915
TFC	5	250	0.50	1	5	original	ϕ_o	0.602	0.934	0.768	4.160
TFC	5	250	0.70	1	5	original	ϕ_o	0.772	0.865	0.819	4.348
TFC	5	250	1.00	1	5	original	ϕ_o	0.890	0.723	0.806	3.722
TFC	5	500	1.25	1	2	original	ϕ_o	0.928	0.551	0.739	2.882
TFC	5	500	1.50	1	2	original	ϕ_o	0.955	0.393	0.674	2.890
TFC	5	500	1.70	1	2	original	ϕ_o	0.970	0.277	0.623	2.895
TFC	5	750	1.25	1	2	original	ϕ_o	0.893	0.674	0.783	3.643
TFC	5	750	1.50	1	2	original	ϕ_o	0.931	0.541	0.736	2.885
TFC	5	750	1.70	1	2	original	ϕ_o	0.951	0.431	0.691	2.891
TFC	5	1000	1.25	1	2	original	ϕ_o	0.853	0.750	0.802	3.671
TFC	5	1000	1.50	1	2	original	ϕ_o	0.904	0.643	0.774	2.881
TFC	5	1000	1.70	1	2	original	ϕ_o	0.930	0.547	0.739	3.612
TFC	5	10	1.25	1	6	original	ϕ_o	0.987	0.054	0.520	1.964
TFC	5	10	1.50	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	1.70	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	1.25	1	6	original	ϕ_o	0.971	0.387	0.679	2.923
TFC	5	100	1.50	1	6	original	ϕ_o	0.981	0.206	0.593	2.920
TFC	5	100	1.70	1	6	original	ϕ_o	0.984	0.112	0.548	1.962
TFC	5	250	1.25	1	6	original	ϕ_o	0.929	0.648	0.788	2.919
TFC	5	250	1.50	1	6	original	ϕ_o	0.959	0.497	0.728	2.920
TFC	5	250	1.70	1	6	original	ϕ_o	0.970	0.372	0.671	2.918
TFC	5	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	2.914
TFC	5	250	4.00	1	4	original	ϕ_o	0.987	0.040	0.514	1.963
TFC	5	500	1.25	1	3	original	ϕ_o	0.907	0.638	0.772	2.896
TFC	5	500	1.50	1	3	original	ϕ_o	0.944	0.501	0.722	2.898
TFC	5	500	1.70	1	3	original	ϕ_o	0.961	0.386	0.673	2.900
TFC	5	750	1.25	1	3	original	ϕ_o	0.858	0.735	0.797	3.664
TFC	5	750	1.50	1	3	original	ϕ_o	0.906	0.631	0.768	2.895
TFC	5	750	1.70	1	3	original	ϕ_o	0.934	0.538	0.736	2.895
TFC	5	1000	1.25	1	3	original	ϕ_o	0.812	0.796	0.804	4.242
TFC	5	1000	1.50	1	3	original	ϕ_o	0.870	0.713	0.792	3.655
TFC	5	1000	1.70	1	3	original	ϕ_o	0.904	0.639	0.771	3.628
TFC	5	10	0.50	1	3	original	ϕ_o	0.927	0.662	0.794	2.867
TFC	5	10	0.70	1	3	original	ϕ_o	0.970	0.411	0.690	2.918
TFC	5	10	1.00	1	3	original	ϕ_o	0.985	0.102	0.543	1.962
TFC	5	100	0.50	1	3	original	ϕ_o	0.809	0.833	0.821	3.610
TFC	5	100	0.70	1	3	original	ϕ_o	0.901	0.699	0.800	2.878
TFC	5	100	1.00	1	3	original	ϕ_o	0.960	0.448	0.704	2.910
TFC	5	250	0.50	1	3	original	ϕ_o	0.691	0.897	0.794	4.184
TFC	5	250	0.70	1	3	original	ϕ_o	0.829	0.803	0.816	3.664
TFC	5	250	1.00	1	3	original	ϕ_o	0.917	0.628	0.772	3.641
TFC	5	500	0.20	1	7	original	ϕ_o	0.015	1.000	0.508	1.835
TFC	5	750	0.20	1	7	original	ϕ_o	0.005	1.000	0.502	1.706
TFC	5	1000	0.20	1	7	original	ϕ_o	0.003	1.000	0.502	1.658
TFC	5	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	4.00	1	7	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	5	250	4.00	1	7	original	ϕ_o	0.987	0.043	0.515	1.961
TFC	5	10	2.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	2.30	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	3.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	2.00	1	5	original	ϕ_o	0.986	0.044	0.515	1.961
TFC	5	100	2.30	1	5	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	5	100	3.00	1	5	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	5	250	2.00	1	5	original	ϕ_o	0.982	0.124	0.553	1.959
TFC	5	250	2.30	1	5	original	ϕ_o	0.985	0.069	0.527	2.899

TFC	5	250	3.00	1	5	original	ϕ_o	0.986	0.041	0.514	2.904
TFC	5	10	1.25	1	4	original	ϕ_o	0.987	0.049	0.518	1.964
TFC	5	10	1.50	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	5	10	1.70	1	4	original	ϕ_o	0.987	0.042	0.514	1.964
TFC	5	100	1.25	1	4	original	ϕ_o	0.976	0.274	0.625	2.914
TFC	5	100	1.50	1	4	original	ϕ_o	0.984	0.123	0.553	1.962
TFC	5	100	1.70	1	4	original	ϕ_o	0.986	0.070	0.528	1.962
TFC	5	250	1.25	1	4	original	ϕ_o	0.946	0.527	0.736	2.909
TFC	5	250	1.50	1	4	original	ϕ_o	0.968	0.342	0.655	2.906
TFC	5	250	1.70	1	4	original	ϕ_o	0.977	0.220	0.599	2.903
TFC	5	10	2.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	2.30	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	10	3.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	5	100	2.00	1	7	original	ϕ_o	0.986	0.058	0.522	1.962
TFC	5	100	2.30	1	7	original	ϕ_o	0.987	0.044	0.516	1.962
TFC	5	100	3.00	1	7	original	ϕ_o	0.987	0.042	0.514	1.963
TFC	5	250	2.00	1	7	original	ϕ_o	0.979	0.228	0.604	2.911
TFC	5	250	2.30	1	7	original	ϕ_o	0.984	0.124	0.554	1.962
TFC	5	250	3.00	1	7	original	ϕ_o	0.986	0.050	0.518	1.961
TFC	5	500	0.20	1	4	original	ϕ_o	0.049	0.999	0.524	2.151
TFC	5	750	0.20	1	4	original	ϕ_o	0.020	1.000	0.510	1.961
TFC	5	1000	0.20	1	4	original	ϕ_o	0.011	1.000	0.505	1.850
TFC	5	500	4.00	1	4	original	ϕ_o	0.987	0.043	0.515	1.961
TFC	5	750	4.00	1	4	original	ϕ_o	0.986	0.058	0.522	1.961
TFC	5	1000	4.00	1	4	original	ϕ_o	0.985	0.092	0.539	2.898
TFC	5	10	1.25	1	5	original	ϕ_o	0.987	0.051	0.519	1.963
TFC	5	10	1.50	1	5	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	5	10	1.70	1	5	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	5	100	1.25	1	5	original	ϕ_o	0.974	0.300	0.637	2.912
TFC	5	100	1.50	1	5	original	ϕ_o	0.983	0.137	0.560	1.960
TFC	5	100	1.70	1	5	original	ϕ_o	0.985	0.077	0.531	1.960
TFC	5	250	1.25	1	5	original	ϕ_o	0.938	0.558	0.748	2.907
TFC	5	250	1.50	1	5	original	ϕ_o	0.964	0.372	0.668	2.902
TFC	5	250	1.70	1	5	original	ϕ_o	0.974	0.246	0.610	2.897
TFC	5	10	0.50	1	4	original	ϕ_o	0.927	0.673	0.800	2.870
TFC	5	10	0.70	1	4	original	ϕ_o	0.970	0.429	0.699	2.921
TFC	5	10	1.00	1	4	original	ϕ_o	0.985	0.121	0.553	1.964
TFC	5	100	0.50	1	4	original	ϕ_o	0.793	0.854	0.824	4.304
TFC	5	100	0.70	1	4	original	ϕ_o	0.893	0.739	0.816	3.731
TFC	5	100	1.00	1	4	original	ϕ_o	0.957	0.499	0.728	2.914
TFC	5	250	0.50	1	4	original	ϕ_o	0.651	0.917	0.784	4.194
TFC	5	250	0.70	1	4	original	ϕ_o	0.801	0.846	0.823	4.331
TFC	5	250	1.00	1	4	original	ϕ_o	0.902	0.694	0.798	3.709
TFC	7	10	0.20	1	4	original	ϕ_o	0.570	0.938	0.754	3.650
TFC	7	100	0.20	1	4	original	ϕ_o	0.218	0.991	0.604	3.009
TFC	7	250	0.20	1	4	original	ϕ_o	0.079	0.999	0.539	2.595
TFC	7	500	0.20	1	4	original	ϕ_o	0.022	1.000	0.511	2.251
TFC	7	750	0.20	1	4	original	ϕ_o	0.008	1.000	0.504	2.073
TFC	7	1000	0.20	1	4	original	ϕ_o	0.004	1.000	0.502	1.973
TFC	7	500	0.50	1	3	original	ϕ_o	0.408	0.964	0.686	4.073
TFC	7	500	0.70	1	3	original	ϕ_o	0.596	0.918	0.757	4.287
TFC	7	500	1.00	1	3	original	ϕ_o	0.764	0.830	0.797	4.249
TFC	7	750	0.50	1	3	original	ϕ_o	0.284	0.979	0.632	3.923
TFC	7	750	0.70	1	3	original	ϕ_o	0.460	0.947	0.703	4.236
TFC	7	750	1.00	1	3	original	ϕ_o	0.656	0.885	0.771	4.279
TFC	7	1000	0.50	1	3	original	ϕ_o	0.203	0.987	0.595	3.802
TFC	7	1000	0.70	1	3	original	ϕ_o	0.365	0.965	0.665	4.194
TFC	7	1000	1.00	1	3	original	ϕ_o	0.557	0.920	0.738	4.312
TFC	7	10	0.50	1	5	original	ϕ_o	0.908	0.743	0.826	3.734
TFC	7	10	0.70	1	5	original	ϕ_o	0.960	0.536	0.748	2.922
TFC	7	10	1.00	1	5	original	ϕ_o	0.983	0.184	0.584	1.964
TFC	7	100	0.50	1	5	original	ϕ_o	0.697	0.908	0.802	4.336
TFC	7	100	0.70	1	5	original	ϕ_o	0.836	0.822	0.829	4.391
TFC	7	100	1.00	1	5	original	ϕ_o	0.924	0.634	0.779	2.915

TFC	7	250	0.50	1	5	original	ϕ_o	0.485	0.962	0.723	4.181
TFC	7	250	0.70	1	5	original	ϕ_o	0.674	0.911	0.793	4.394
TFC	7	250	1.00	1	5	original	ϕ_o	0.824	0.807	0.815	4.346
TFC	7	10	0.20	1	2	original	ϕ_o	0.589	0.936	0.762	3.696
TFC	7	100	0.20	1	2	original	ϕ_o	0.314	0.984	0.649	3.203
TFC	7	250	0.20	1	2	original	ϕ_o	0.164	0.995	0.580	2.872
TFC	7	500	2.00	1	7	original	ϕ_o	0.907	0.675	0.791	3.705
TFC	7	500	2.30	1	7	original	ϕ_o	0.946	0.551	0.749	2.919
TFC	7	500	3.00	1	7	original	ϕ_o	0.977	0.267	0.622	2.916
TFC	7	750	2.00	1	7	original	ϕ_o	0.832	0.794	0.813	4.349
TFC	7	750	2.30	1	7	original	ϕ_o	0.895	0.703	0.799	3.726
TFC	7	750	3.00	1	7	original	ϕ_o	0.961	0.458	0.710	2.918
TFC	7	1000	2.00	1	7	original	ϕ_o	0.796	0.812	0.804	4.312
TFC	7	1000	2.30	1	7	original	ϕ_o	0.871	0.727	0.799	4.263
TFC	7	1000	3.00	1	7	original	ϕ_o	0.953	0.500	0.726	3.641
TFC	7	10	2.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	2.30	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	2.00	1	3	original	ϕ_o	0.987	0.044	0.515	1.962
TFC	7	100	2.30	1	3	original	ϕ_o	0.987	0.039	0.513	2.911
TFC	7	100	3.00	1	3	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	7	250	2.00	1	3	original	ϕ_o	0.982	0.122	0.552	1.959
TFC	7	250	2.30	1	3	original	ϕ_o	0.986	0.065	0.525	1.961
TFC	7	250	3.00	1	3	original	ϕ_o	0.987	0.039	0.513	1.962
TFC	7	10	1.25	1	7	original	ϕ_o	0.986	0.070	0.528	1.965
TFC	7	10	1.50	1	7	original	ϕ_o	0.987	0.043	0.515	1.964
TFC	7	10	1.70	1	7	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	7	100	1.25	1	7	original	ϕ_o	0.956	0.532	0.744	2.924
TFC	7	100	1.50	1	7	original	ϕ_o	0.975	0.331	0.653	2.921
TFC	7	100	1.70	1	7	original	ϕ_o	0.981	0.192	0.587	2.916
TFC	7	250	1.25	1	7	original	ϕ_o	0.865	0.758	0.812	3.741
TFC	7	250	1.50	1	7	original	ϕ_o	0.921	0.650	0.785	3.682
TFC	7	250	1.70	1	7	original	ϕ_o	0.950	0.541	0.746	2.921
TFC	7	500	0.50	1	7	original	ϕ_o	0.189	0.994	0.592	3.874
TFC	7	500	0.70	1	7	original	ϕ_o	0.371	0.978	0.674	4.273
TFC	7	500	1.00	1	7	original	ϕ_o	0.574	0.940	0.757	4.428
TFC	7	750	0.50	1	7	original	ϕ_o	0.101	0.998	0.550	3.717
TFC	7	750	0.70	1	7	original	ϕ_o	0.238	0.992	0.615	4.191
TFC	7	750	1.00	1	7	original	ϕ_o	0.431	0.969	0.700	4.408
TFC	7	1000	0.50	1	7	original	ϕ_o	0.079	0.998	0.539	3.654
TFC	7	1000	0.70	1	7	original	ϕ_o	0.196	0.993	0.594	4.147
TFC	7	1000	1.00	1	7	original	ϕ_o	0.378	0.973	0.676	4.382
TFC	7	500	2.00	1	2	original	ϕ_o	0.973	0.243	0.608	2.899
TFC	7	500	2.30	1	2	original	ϕ_o	0.982	0.129	0.555	1.959
TFC	7	500	3.00	1	2	original	ϕ_o	0.986	0.049	0.518	2.904
TFC	7	750	2.00	1	2	original	ϕ_o	0.953	0.423	0.688	2.893
TFC	7	750	2.30	1	2	original	ϕ_o	0.971	0.280	0.625	2.903
TFC	7	750	3.00	1	2	original	ϕ_o	0.984	0.091	0.538	1.960
TFC	7	1000	2.00	1	2	original	ϕ_o	0.926	0.558	0.742	2.890
TFC	7	1000	2.30	1	2	original	ϕ_o	0.955	0.421	0.688	2.897
TFC	7	1000	3.00	1	2	original	ϕ_o	0.980	0.171	0.576	2.904
TFC	7	500	4.00	1	7	original	ϕ_o	0.986	0.084	0.535	2.908
TFC	7	750	4.00	1	7	original	ϕ_o	0.982	0.175	0.579	2.918
TFC	7	1000	4.00	1	7	original	ϕ_o	0.980	0.217	0.599	2.919
TFC	7	10	1.25	1	4	original	ϕ_o	0.987	0.057	0.522	2.916
TFC	7	10	1.50	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	7	10	1.70	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	7	100	1.25	1	4	original	ϕ_o	0.966	0.391	0.678	2.914
TFC	7	100	1.50	1	4	original	ϕ_o	0.980	0.191	0.586	2.913
TFC	7	100	1.70	1	4	original	ϕ_o	0.984	0.103	0.544	1.962
TFC	7	250	1.25	1	4	original	ϕ_o	0.908	0.648	0.778	3.662
TFC	7	250	1.50	1	4	original	ϕ_o	0.949	0.481	0.715	2.902
TFC	7	250	1.70	1	4	original	ϕ_o	0.967	0.341	0.654	2.904
TFC	7	500	1.25	1	3	original	ϕ_o	0.845	0.734	0.790	3.650

TFC	7	500	1.50	1	3	original	ϕ_o	0.901	0.624	0.763	2.897
TFC	7	500	1.70	1	3	original	ϕ_o	0.935	0.519	0.727	2.896
TFC	7	750	1.25	1	3	original	ϕ_o	0.757	0.818	0.788	4.209
TFC	7	750	1.50	1	3	original	ϕ_o	0.833	0.736	0.784	3.636
TFC	7	750	1.70	1	3	original	ϕ_o	0.879	0.663	0.771	2.895
TFC	7	1000	1.25	1	3	original	ϕ_o	0.677	0.869	0.773	4.270
TFC	7	1000	1.50	1	3	original	ϕ_o	0.765	0.806	0.786	4.202
TFC	7	1000	1.70	1	3	original	ϕ_o	0.822	0.747	0.784	3.648
TFC	7	10	0.20	1	3	original	ϕ_o	0.567	0.944	0.755	3.668
TFC	7	100	0.20	1	3	original	ϕ_o	0.257	0.987	0.622	3.075
TFC	7	250	0.20	1	3	original	ϕ_o	0.112	0.996	0.554	2.702
TFC	7	10	1.25	1	2	original	ϕ_o	0.987	0.051	0.519	1.963
TFC	7	10	1.50	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	7	10	1.70	1	2	original	ϕ_o	0.987	0.042	0.514	2.917
TFC	7	100	1.25	1	2	original	ϕ_o	0.975	0.230	0.602	2.902
TFC	7	100	1.50	1	2	original	ϕ_o	0.984	0.094	0.539	1.961
TFC	7	100	1.70	1	2	original	ϕ_o	0.986	0.056	0.521	1.963
TFC	7	250	1.25	1	2	original	ϕ_o	0.943	0.467	0.705	2.886
TFC	7	250	1.50	1	2	original	ϕ_o	0.969	0.286	0.628	2.896
TFC	7	250	1.70	1	2	original	ϕ_o	0.980	0.164	0.572	2.899
TFC	7	500	2.00	1	4	original	ϕ_o	0.948	0.461	0.705	2.896
TFC	7	500	2.30	1	4	original	ϕ_o	0.968	0.311	0.639	2.897
TFC	7	500	3.00	1	4	original	ϕ_o	0.983	0.110	0.546	1.959
TFC	7	750	2.00	1	4	original	ϕ_o	0.892	0.654	0.773	3.646
TFC	7	750	2.30	1	4	original	ϕ_o	0.934	0.526	0.730	2.897
TFC	7	750	3.00	1	4	original	ϕ_o	0.973	0.264	0.618	1.957
TFC	7	1000	2.00	1	4	original	ϕ_o	0.835	0.761	0.798	3.694
TFC	7	1000	2.30	1	4	original	ϕ_o	0.893	0.665	0.779	3.647
TFC	7	1000	3.00	1	4	original	ϕ_o	0.958	0.419	0.689	2.904
TFC	7	500	2.00	1	5	original	ϕ_o	0.936	0.498	0.717	2.890
TFC	7	500	2.30	1	5	original	ϕ_o	0.962	0.346	0.654	2.892
TFC	7	500	3.00	1	5	original	ϕ_o	0.982	0.128	0.555	2.895
TFC	7	750	2.00	1	5	original	ϕ_o	0.874	0.693	0.784	3.673
TFC	7	750	2.30	1	5	original	ϕ_o	0.922	0.563	0.742	3.634
TFC	7	750	3.00	1	5	original	ϕ_o	0.969	0.295	0.632	2.896
TFC	7	1000	2.00	1	5	original	ϕ_o	0.823	0.784	0.803	4.288
TFC	7	1000	2.30	1	5	original	ϕ_o	0.887	0.687	0.787	3.680
TFC	7	1000	3.00	1	5	original	ϕ_o	0.956	0.439	0.697	2.907
TFC	7	500	2.00	1	3	original	ϕ_o	0.962	0.357	0.660	2.897
TFC	7	500	2.30	1	3	original	ϕ_o	0.976	0.214	0.595	2.897
TFC	7	500	3.00	1	3	original	ϕ_o	0.985	0.069	0.527	1.960
TFC	7	750	2.00	1	3	original	ϕ_o	0.929	0.534	0.732	2.892
TFC	7	750	2.30	1	3	original	ϕ_o	0.956	0.400	0.678	2.894
TFC	7	750	3.00	1	3	original	ϕ_o	0.979	0.155	0.567	2.893
TFC	7	1000	2.00	1	3	original	ϕ_o	0.888	0.650	0.769	3.608
TFC	7	1000	2.30	1	3	original	ϕ_o	0.931	0.539	0.735	2.898
TFC	7	1000	3.00	1	3	original	ϕ_o	0.971	0.285	0.628	2.899
TFC	7	500	0.20	1	3	original	ϕ_o	0.042	0.999	0.521	2.383
TFC	7	750	0.20	1	3	original	ϕ_o	0.019	1.000	0.509	2.191
TFC	7	1000	0.20	1	3	original	ϕ_o	0.011	1.000	0.506	2.071
TFC	7	10	0.50	1	7	original	ϕ_o	0.908	0.741	0.824	3.730
TFC	7	10	0.70	1	7	original	ϕ_o	0.961	0.559	0.760	2.926
TFC	7	10	1.00	1	7	original	ϕ_o	0.983	0.215	0.599	2.924
TFC	7	100	0.50	1	7	original	ϕ_o	0.662	0.916	0.789	4.316
TFC	7	100	0.70	1	7	original	ϕ_o	0.811	0.837	0.824	4.408
TFC	7	100	1.00	1	7	original	ϕ_o	0.913	0.698	0.806	3.733
TFC	7	250	0.50	1	7	original	ϕ_o	0.419	0.970	0.695	4.143
TFC	7	250	0.70	1	7	original	ϕ_o	0.618	0.930	0.774	4.379
TFC	7	250	1.00	1	7	original	ϕ_o	0.781	0.847	0.814	4.400
TFC	7	500	4.00	1	6	original	ϕ_o	0.985	0.074	0.529	1.960
TFC	7	750	4.00	1	6	original	ϕ_o	0.982	0.170	0.576	2.917
TFC	7	1000	4.00	1	6	original	ϕ_o	0.980	0.222	0.601	2.918
TFC	7	10	1.25	1	3	original	ϕ_o	0.987	0.049	0.518	1.964
TFC	7	10	1.50	1	3	original	ϕ_o	0.987	0.041	0.514	1.964

TFC	7	10	1.70	1	3	original	ϕ_o	0.987	0.042	0.514	1.964
TFC	7	100	1.25	1	3	original	ϕ_o	0.971	0.337	0.654	2.912
TFC	7	100	1.50	1	3	original	ϕ_o	0.982	0.145	0.564	1.960
TFC	7	100	1.70	1	3	original	ϕ_o	0.985	0.078	0.532	1.962
TFC	7	250	1.25	1	3	original	ϕ_o	0.928	0.568	0.748	2.902
TFC	7	250	1.50	1	3	original	ϕ_o	0.959	0.403	0.681	2.903
TFC	7	250	1.70	1	3	original	ϕ_o	0.973	0.265	0.619	2.902
TFC	7	10	2.00	1	2	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	7	10	2.30	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	2.00	1	2	original	ϕ_o	0.987	0.040	0.514	1.963
TFC	7	100	2.30	1	2	original	ϕ_o	0.987	0.039	0.513	1.963
TFC	7	100	3.00	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	7	250	2.00	1	2	original	ϕ_o	0.985	0.077	0.531	1.961
TFC	7	250	2.30	1	2	original	ϕ_o	0.987	0.048	0.517	1.962
TFC	7	250	3.00	1	2	original	ϕ_o	0.987	0.039	0.513	1.962
TFC	7	500	0.20	1	5	original	ϕ_o	0.012	1.000	0.506	2.056
TFC	7	750	0.20	1	5	original	ϕ_o	0.004	1.000	0.502	1.912
TFC	7	1000	0.20	1	5	original	ϕ_o	0.002	1.000	0.501	1.841
TFC	7	500	0.20	1	6	original	ϕ_o	0.008	1.000	0.504	2.023
TFC	7	750	0.20	1	6	original	ϕ_o	0.002	1.000	0.501	1.892
TFC	7	1000	0.20	1	6	original	ϕ_o	0.001	1.000	0.501	1.831
TFC	7	500	0.50	1	2	original	ϕ_o	0.485	0.952	0.718	4.124
TFC	7	500	0.70	1	2	original	ϕ_o	0.658	0.898	0.778	4.280
TFC	7	500	1.00	1	2	original	ϕ_o	0.809	0.792	0.801	4.224
TFC	7	750	0.50	1	2	original	ϕ_o	0.375	0.971	0.673	4.022
TFC	7	750	0.70	1	2	original	ϕ_o	0.549	0.933	0.741	4.258
TFC	7	750	1.00	1	2	original	ϕ_o	0.724	0.858	0.791	4.280
TFC	7	1000	0.50	1	2	original	ϕ_o	0.291	0.982	0.636	3.914
TFC	7	1000	0.70	1	2	original	ϕ_o	0.458	0.953	0.705	4.221
TFC	7	1000	1.00	1	2	original	ϕ_o	0.637	0.899	0.768	4.300
TFC	7	500	0.50	1	6	original	ϕ_o	0.232	0.991	0.612	3.914
TFC	7	500	0.70	1	6	original	ϕ_o	0.425	0.971	0.698	4.296
TFC	7	500	1.00	1	6	original	ϕ_o	0.623	0.929	0.776	4.442
TFC	7	750	0.50	1	6	original	ϕ_o	0.128	0.997	0.562	3.742
TFC	7	750	0.70	1	6	original	ϕ_o	0.284	0.987	0.636	4.210
TFC	7	750	1.00	1	6	original	ϕ_o	0.485	0.960	0.722	4.422
TFC	7	1000	0.50	1	6	original	ϕ_o	0.091	0.998	0.545	3.658
TFC	7	1000	0.70	1	6	original	ϕ_o	0.219	0.991	0.605	4.151
TFC	7	1000	1.00	1	6	original	ϕ_o	0.409	0.969	0.689	4.391
TFC	7	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	4.00	1	5	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	7	250	4.00	1	5	original	ϕ_o	0.987	0.039	0.513	1.961
TFC	7	500	0.50	1	4	original	ϕ_o	0.323	0.982	0.652	4.014
TFC	7	500	0.70	1	4	original	ϕ_o	0.515	0.949	0.732	4.318
TFC	7	500	1.00	1	4	original	ϕ_o	0.696	0.890	0.793	4.378
TFC	7	750	0.50	1	4	original	ϕ_o	0.194	0.992	0.593	3.847
TFC	7	750	0.70	1	4	original	ϕ_o	0.364	0.974	0.669	4.242
TFC	7	750	1.00	1	4	original	ϕ_o	0.556	0.932	0.744	4.389
TFC	7	1000	0.50	1	4	original	ϕ_o	0.126	0.995	0.561	3.722
TFC	7	1000	0.70	1	4	original	ϕ_o	0.267	0.985	0.626	4.167
TFC	7	1000	1.00	1	4	original	ϕ_o	0.452	0.954	0.703	4.376
TFC	7	500	4.00	1	5	original	ϕ_o	0.986	0.047	0.516	1.958
TFC	7	750	4.00	1	5	original	ϕ_o	0.984	0.102	0.543	2.898
TFC	7	1000	4.00	1	5	original	ϕ_o	0.981	0.183	0.582	2.906
TFC	7	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	4.00	1	6	original	ϕ_o	0.987	0.042	0.514	1.937
TFC	7	250	4.00	1	6	original	ϕ_o	0.986	0.041	0.514	2.908
TFC	7	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.963
TFC	7	250	4.00	1	3	original	ϕ_o	0.987	0.040	0.513	1.963
TFC	7	10	1.25	1	6	original	ϕ_o	0.986	0.069	0.527	1.965
TFC	7	10	1.50	1	6	original	ϕ_o	0.987	0.043	0.515	1.964
TFC	7	10	1.70	1	6	original	ϕ_o	0.987	0.041	0.514	1.963

TFC	7	100	1.25	1	6	original	ϕ_o	0.958	0.516	0.737	2.923
TFC	7	100	1.50	1	6	original	ϕ_o	0.975	0.315	0.645	2.921
TFC	7	100	1.70	1	6	original	ϕ_o	0.982	0.181	0.581	2.918
TFC	7	250	1.25	1	6	original	ϕ_o	0.877	0.748	0.813	3.746
TFC	7	250	1.50	1	6	original	ϕ_o	0.928	0.634	0.781	3.693
TFC	7	250	1.70	1	6	original	ϕ_o	0.953	0.518	0.736	2.919
TFC	7	10	2.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	2.30	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	3.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	2.00	1	5	original	ϕ_o	0.986	0.056	0.521	1.961
TFC	7	100	2.30	1	5	original	ϕ_o	0.987	0.040	0.513	1.962
TFC	7	100	3.00	1	5	original	ϕ_o	0.987	0.040	0.514	2.911
TFC	7	250	2.00	1	5	original	ϕ_o	0.977	0.208	0.592	1.956
TFC	7	250	2.30	1	5	original	ϕ_o	0.983	0.109	0.546	2.898
TFC	7	250	3.00	1	5	original	ϕ_o	0.986	0.043	0.514	2.899
TFC	7	10	2.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	2.30	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	3.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	2.00	1	4	original	ϕ_o	0.987	0.051	0.519	1.962
TFC	7	100	2.30	1	4	original	ϕ_o	0.987	0.040	0.513	1.963
TFC	7	100	3.00	1	4	original	ϕ_o	0.987	0.040	0.514	2.913
TFC	7	250	2.00	1	4	original	ϕ_o	0.980	0.180	0.580	2.903
TFC	7	250	2.30	1	4	original	ϕ_o	0.984	0.094	0.539	1.961
TFC	7	250	3.00	1	4	original	ϕ_o	0.987	0.041	0.514	1.961
TFC	7	500	1.25	1	2	original	ϕ_o	0.883	0.674	0.778	3.634
TFC	7	500	1.50	1	2	original	ϕ_o	0.929	0.533	0.731	2.886
TFC	7	500	1.70	1	2	original	ϕ_o	0.954	0.411	0.682	2.892
TFC	7	750	1.25	1	2	original	ϕ_o	0.817	0.775	0.796	3.666
TFC	7	750	1.50	1	2	original	ϕ_o	0.882	0.674	0.778	3.626
TFC	7	750	1.70	1	2	original	ϕ_o	0.919	0.579	0.749	2.886
TFC	7	1000	1.25	1	2	original	ϕ_o	0.750	0.836	0.793	4.250
TFC	7	1000	1.50	1	2	original	ϕ_o	0.828	0.756	0.792	3.655
TFC	7	1000	1.70	1	2	original	ϕ_o	0.876	0.685	0.781	3.627
TFC	7	500	2.00	1	6	original	ϕ_o	0.917	0.656	0.787	3.709
TFC	7	500	2.30	1	6	original	ϕ_o	0.951	0.528	0.739	2.918
TFC	7	500	3.00	1	6	original	ϕ_o	0.978	0.250	0.614	2.915
TFC	7	750	2.00	1	6	original	ϕ_o	0.851	0.781	0.816	4.366
TFC	7	750	2.30	1	6	original	ϕ_o	0.904	0.691	0.797	3.727
TFC	7	750	3.00	1	6	original	ϕ_o	0.963	0.444	0.703	2.918
TFC	7	1000	2.00	1	6	original	ϕ_o	0.809	0.809	0.809	4.328
TFC	7	1000	2.30	1	6	original	ϕ_o	0.877	0.728	0.802	4.288
TFC	7	1000	3.00	1	6	original	ϕ_o	0.953	0.502	0.727	2.915
TFC	7	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	4.00	1	7	original	ϕ_o	0.987	0.041	0.514	2.911
TFC	7	250	4.00	1	7	original	ϕ_o	0.987	0.041	0.514	1.960
TFC	7	500	4.00	1	2	original	ϕ_o	0.987	0.040	0.514	1.962
TFC	7	750	4.00	1	2	original	ϕ_o	0.987	0.044	0.515	1.962
TFC	7	1000	4.00	1	2	original	ϕ_o	0.986	0.058	0.522	1.962
TFC	7	10	0.50	1	2	original	ϕ_o	0.916	0.653	0.784	2.860
TFC	7	10	0.70	1	2	original	ϕ_o	0.961	0.419	0.690	2.901
TFC	7	10	1.00	1	2	original	ϕ_o	0.983	0.125	0.554	1.961
TFC	7	100	0.50	1	2	original	ϕ_o	0.787	0.841	0.814	3.617
TFC	7	100	0.70	1	2	original	ϕ_o	0.885	0.701	0.793	3.674
TFC	7	100	1.00	1	2	original	ϕ_o	0.949	0.445	0.697	2.892
TFC	7	250	0.50	1	2	original	ϕ_o	0.651	0.909	0.780	4.217
TFC	7	250	0.70	1	2	original	ϕ_o	0.793	0.821	0.807	4.251
TFC	7	250	1.00	1	2	original	ϕ_o	0.897	0.643	0.770	2.881
TFC	7	10	0.20	1	5	original	ϕ_o	0.522	0.945	0.734	3.532
TFC	7	100	0.20	1	5	original	ϕ_o	0.161	0.994	0.577	2.818
TFC	7	250	0.20	1	5	original	ϕ_o	0.052	0.999	0.526	2.380
TFC	7	500	0.20	1	7	original	ϕ_o	0.005	1.000	0.503	1.970
TFC	7	750	0.20	1	7	original	ϕ_o	0.001	1.000	0.501	1.847
TFC	7	1000	0.20	1	7	original	ϕ_o	0.001	1.000	0.501	1.802
TFC	7	500	4.00	1	3	original	ϕ_o	0.987	0.040	0.514	1.961

TFC	7	750	4.00	1	3	original	ϕ_o	0.986	0.055	0.520	2.896
TFC	7	1000	4.00	1	3	original	ϕ_o	0.984	0.092	0.538	1.960
TFC	7	10	0.50	1	3	original	ϕ_o	0.913	0.698	0.806	2.872
TFC	7	10	0.70	1	3	original	ϕ_o	0.963	0.483	0.723	2.918
TFC	7	10	1.00	1	3	original	ϕ_o	0.984	0.145	0.564	2.915
TFC	7	100	0.50	1	3	original	ϕ_o	0.757	0.869	0.813	4.292
TFC	7	100	0.70	1	3	original	ϕ_o	0.868	0.758	0.813	3.709
TFC	7	100	1.00	1	3	original	ϕ_o	0.941	0.545	0.743	2.908
TFC	7	250	0.50	1	3	original	ϕ_o	0.596	0.926	0.761	4.213
TFC	7	250	0.70	1	3	original	ϕ_o	0.758	0.854	0.806	4.286
TFC	7	250	1.00	1	3	original	ϕ_o	0.874	0.713	0.793	3.670
TFC	7	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	250	4.00	1	2	original	ϕ_o	0.987	0.040	0.513	1.963
TFC	7	10	2.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	2.30	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	3.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	2.00	1	7	original	ϕ_o	0.985	0.084	0.535	2.912
TFC	7	100	2.30	1	7	original	ϕ_o	0.986	0.047	0.517	2.910
TFC	7	100	3.00	1	7	original	ϕ_o	0.987	0.040	0.513	1.962
TFC	7	250	2.00	1	7	original	ϕ_o	0.970	0.363	0.667	2.917
TFC	7	250	2.30	1	7	original	ϕ_o	0.980	0.214	0.597	2.911
TFC	7	250	3.00	1	7	original	ϕ_o	0.986	0.065	0.525	1.960
TFC	7	500	1.25	1	6	original	ϕ_o	0.733	0.882	0.807	4.437
TFC	7	500	1.50	1	6	original	ϕ_o	0.814	0.822	0.818	4.393
TFC	7	500	1.70	1	6	original	ϕ_o	0.863	0.762	0.813	4.356
TFC	7	750	1.25	1	6	original	ϕ_o	0.607	0.930	0.768	4.450
TFC	7	750	1.50	1	6	original	ϕ_o	0.706	0.889	0.798	4.431
TFC	7	750	1.70	1	6	original	ϕ_o	0.775	0.852	0.813	4.407
TFC	7	1000	1.25	1	6	original	ϕ_o	0.533	0.943	0.738	4.427
TFC	7	1000	1.50	1	6	original	ϕ_o	0.638	0.908	0.773	4.409
TFC	7	1000	1.70	1	6	original	ϕ_o	0.713	0.874	0.794	4.372
TFC	7	10	2.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	2.30	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	10	3.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	2.00	1	6	original	ϕ_o	0.985	0.077	0.531	2.914
TFC	7	100	2.30	1	6	original	ϕ_o	0.986	0.046	0.516	1.962
TFC	7	100	3.00	1	6	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	7	250	2.00	1	6	original	ϕ_o	0.972	0.340	0.656	2.916
TFC	7	250	2.30	1	6	original	ϕ_o	0.980	0.195	0.588	2.911
TFC	7	250	3.00	1	6	original	ϕ_o	0.986	0.058	0.522	2.910
TFC	7	500	0.50	1	5	original	ϕ_o	0.264	0.989	0.626	3.937
TFC	7	500	0.70	1	5	original	ϕ_o	0.461	0.964	0.712	4.307
TFC	7	500	1.00	1	5	original	ϕ_o	0.657	0.909	0.783	4.410
TFC	7	750	0.50	1	5	original	ϕ_o	0.150	0.996	0.573	3.749
TFC	7	750	0.70	1	5	original	ϕ_o	0.310	0.983	0.647	4.217
TFC	7	750	1.00	1	5	original	ϕ_o	0.511	0.949	0.730	4.402
TFC	7	1000	0.50	1	5	original	ϕ_o	0.099	0.998	0.549	3.646
TFC	7	1000	0.70	1	5	original	ϕ_o	0.229	0.990	0.610	4.151
TFC	7	1000	1.00	1	5	original	ϕ_o	0.419	0.966	0.692	4.390
TFC	7	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	7	100	4.00	1	4	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	7	250	4.00	1	4	original	ϕ_o	0.987	0.039	0.513	1.963
TFC	7	500	0.20	1	2	original	ϕ_o	0.076	0.999	0.537	2.565
TFC	7	750	0.20	1	2	original	ϕ_o	0.042	1.000	0.521	2.364
TFC	7	1000	0.20	1	2	original	ϕ_o	0.026	1.000	0.513	2.222
TFC	7	10	0.20	1	7	original	ϕ_o	0.502	0.942	0.722	3.541
TFC	7	100	0.20	1	7	original	ϕ_o	0.125	0.994	0.560	2.765
TFC	7	250	0.20	1	7	original	ϕ_o	0.030	1.000	0.515	2.307
TFC	7	500	1.25	1	7	original	ϕ_o	0.691	0.895	0.793	4.428
TFC	7	500	1.50	1	7	original	ϕ_o	0.786	0.837	0.812	4.380
TFC	7	500	1.70	1	7	original	ϕ_o	0.843	0.778	0.811	4.335
TFC	7	750	1.25	1	7	original	ϕ_o	0.557	0.941	0.749	4.440
TFC	7	750	1.50	1	7	original	ϕ_o	0.665	0.902	0.784	4.423

TFC	7	750	1.70	1	7	original	ϕ_o	0.743	0.866	0.804	4.391
TFC	7	1000	1.25	1	7	original	ϕ_o	0.503	0.947	0.725	4.414
TFC	7	1000	1.50	1	7	original	ϕ_o	0.611	0.912	0.762	4.390
TFC	7	1000	1.70	1	7	original	ϕ_o	0.691	0.878	0.785	4.355
TFC	7	10	0.50	1	4	original	ϕ_o	0.914	0.715	0.815	3.726
TFC	7	10	0.70	1	4	original	ϕ_o	0.963	0.506	0.735	2.921
TFC	7	10	1.00	1	4	original	ϕ_o	0.983	0.170	0.577	1.964
TFC	7	100	0.50	1	4	original	ϕ_o	0.731	0.894	0.813	4.348
TFC	7	100	0.70	1	4	original	ϕ_o	0.853	0.804	0.829	3.742
TFC	7	100	1.00	1	4	original	ϕ_o	0.933	0.602	0.768	2.915
TFC	7	250	0.50	1	4	original	ϕ_o	0.540	0.949	0.745	4.217
TFC	7	250	0.70	1	4	original	ϕ_o	0.711	0.895	0.803	4.388
TFC	7	250	1.00	1	4	original	ϕ_o	0.844	0.783	0.814	3.728
TFC	7	500	1.25	1	5	original	ϕ_o	0.764	0.847	0.805	4.350
TFC	7	500	1.50	1	5	original	ϕ_o	0.842	0.760	0.801	4.276
TFC	7	500	1.70	1	5	original	ϕ_o	0.889	0.659	0.774	3.665
TFC	7	750	1.25	1	5	original	ϕ_o	0.633	0.910	0.772	4.398
TFC	7	750	1.50	1	5	original	ϕ_o	0.736	0.858	0.797	4.349
TFC	7	750	1.70	1	5	original	ϕ_o	0.802	0.805	0.804	4.297
TFC	7	1000	1.25	1	5	original	ϕ_o	0.544	0.937	0.740	4.416
TFC	7	1000	1.50	1	5	original	ϕ_o	0.652	0.898	0.775	4.382
TFC	7	1000	1.70	1	5	original	ϕ_o	0.731	0.859	0.795	4.349
TFC	7	500	4.00	1	4	original	ϕ_o	0.987	0.044	0.515	2.896
TFC	7	750	4.00	1	4	original	ϕ_o	0.985	0.087	0.536	2.895
TFC	7	1000	4.00	1	4	original	ϕ_o	0.980	0.172	0.576	2.901
TFC	7	10	0.20	1	6	original	ϕ_o	0.513	0.946	0.730	3.543
TFC	7	100	0.20	1	6	original	ϕ_o	0.146	0.994	0.570	2.790
TFC	7	250	0.20	1	6	original	ϕ_o	0.042	0.999	0.520	2.350
TFC	7	10	0.50	1	6	original	ϕ_o	0.908	0.741	0.825	3.732
TFC	7	10	0.70	1	6	original	ϕ_o	0.960	0.552	0.756	2.925
TFC	7	10	1.00	1	6	original	ϕ_o	0.983	0.211	0.597	2.924
TFC	7	100	0.50	1	6	original	ϕ_o	0.680	0.914	0.797	4.328
TFC	7	100	0.70	1	6	original	ϕ_o	0.822	0.835	0.828	4.430
TFC	7	100	1.00	1	6	original	ϕ_o	0.917	0.692	0.805	3.744
TFC	7	250	0.50	1	6	original	ϕ_o	0.459	0.965	0.712	4.165
TFC	7	250	0.70	1	6	original	ϕ_o	0.649	0.923	0.786	4.390
TFC	7	250	1.00	1	6	original	ϕ_o	0.803	0.839	0.821	4.416
TFC	7	10	1.25	1	5	original	ϕ_o	0.986	0.064	0.525	1.965
TFC	7	10	1.50	1	5	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	7	10	1.70	1	5	original	ϕ_o	0.987	0.041	0.514	2.916
TFC	7	100	1.25	1	5	original	ϕ_o	0.961	0.421	0.691	2.911
TFC	7	100	1.50	1	5	original	ϕ_o	0.978	0.218	0.598	2.907
TFC	7	100	1.70	1	5	original	ϕ_o	0.983	0.116	0.550	1.960
TFC	7	250	1.25	1	5	original	ϕ_o	0.893	0.678	0.786	3.689
TFC	7	250	1.50	1	5	original	ϕ_o	0.939	0.514	0.726	2.899
TFC	7	250	1.70	1	5	original	ϕ_o	0.960	0.373	0.667	2.895
TFC	7	500	1.25	1	4	original	ϕ_o	0.794	0.820	0.807	4.304
TFC	7	500	1.50	1	4	original	ϕ_o	0.863	0.724	0.793	3.680
TFC	7	500	1.70	1	4	original	ϕ_o	0.905	0.622	0.764	2.899
TFC	7	750	1.25	1	4	original	ϕ_o	0.673	0.890	0.781	4.358
TFC	7	750	1.50	1	4	original	ϕ_o	0.768	0.832	0.800	4.300
TFC	7	750	1.70	1	4	original	ϕ_o	0.826	0.772	0.799	4.256
TFC	7	1000	1.25	1	4	original	ϕ_o	0.571	0.922	0.746	4.389
TFC	7	1000	1.50	1	4	original	ϕ_o	0.678	0.882	0.780	4.340
TFC	7	1000	1.70	1	4	original	ϕ_o	0.752	0.840	0.796	4.306
TFC	10	500	1.25	1	3	original	ϕ_o	0.870	0.700	0.785	3.639
TFC	10	500	1.50	1	3	original	ϕ_o	0.920	0.578	0.749	2.899
TFC	10	500	1.70	1	3	original	ϕ_o	0.947	0.464	0.706	2.897
TFC	10	750	1.25	1	3	original	ϕ_o	0.798	0.779	0.789	4.177
TFC	10	750	1.50	1	3	original	ϕ_o	0.863	0.697	0.780	3.616
TFC	10	750	1.70	1	3	original	ϕ_o	0.904	0.615	0.759	2.897
TFC	10	1000	1.25	1	3	original	ϕ_o	0.734	0.836	0.785	4.227
TFC	10	1000	1.50	1	3	original	ϕ_o	0.808	0.761	0.785	3.653
TFC	10	1000	1.70	1	3	original	ϕ_o	0.858	0.704	0.781	2.898

TFC	10	500	1.25	1	7	original	ϕ_o	0.753	0.860	0.807	4.395
TFC	10	500	1.50	1	7	original	ϕ_o	0.831	0.793	0.812	4.337
TFC	10	500	1.70	1	7	original	ϕ_o	0.881	0.726	0.803	3.722
TFC	10	750	1.25	1	7	original	ϕ_o	0.645	0.910	0.777	4.419
TFC	10	750	1.50	1	7	original	ϕ_o	0.739	0.865	0.802	4.385
TFC	10	750	1.70	1	7	original	ϕ_o	0.801	0.819	0.810	4.345
TFC	10	1000	1.25	1	7	original	ϕ_o	0.598	0.917	0.757	4.393
TFC	10	1000	1.50	1	7	original	ϕ_o	0.695	0.875	0.785	4.355
TFC	10	1000	1.70	1	7	original	ϕ_o	0.762	0.832	0.797	4.304
TFC	10	500	0.20	1	5	original	ϕ_o	0.020	1.000	0.510	2.181
TFC	10	750	0.20	1	5	original	ϕ_o	0.008	1.000	0.504	2.034
TFC	10	1000	0.20	1	5	original	ϕ_o	0.004	1.000	0.502	1.965
TFC	10	10	0.50	1	4	original	ϕ_o	0.918	0.699	0.808	2.876
TFC	10	10	0.70	1	4	original	ϕ_o	0.966	0.481	0.723	2.921
TFC	10	10	1.00	1	4	original	ϕ_o	0.984	0.152	0.568	1.964
TFC	10	100	0.50	1	4	original	ϕ_o	0.754	0.876	0.815	4.344
TFC	10	100	0.70	1	4	original	ϕ_o	0.869	0.780	0.824	3.740
TFC	10	100	1.00	1	4	original	ϕ_o	0.941	0.567	0.754	2.913
TFC	10	250	0.50	1	4	original	ϕ_o	0.586	0.934	0.760	4.237
TFC	10	250	0.70	1	4	original	ϕ_o	0.747	0.874	0.811	4.369
TFC	10	250	1.00	1	4	original	ϕ_o	0.866	0.750	0.808	3.718
TFC	10	10	1.25	1	3	original	ϕ_o	0.987	0.047	0.517	1.964
TFC	10	10	1.50	1	3	original	ϕ_o	0.987	0.040	0.514	2.915
TFC	10	10	1.70	1	3	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	100	1.25	1	3	original	ϕ_o	0.974	0.293	0.633	2.911
TFC	10	100	1.50	1	3	original	ϕ_o	0.983	0.120	0.551	1.960
TFC	10	100	1.70	1	3	original	ϕ_o	0.986	0.068	0.527	1.961
TFC	10	250	1.25	1	3	original	ϕ_o	0.939	0.530	0.734	2.902
TFC	10	250	1.50	1	3	original	ϕ_o	0.965	0.348	0.656	2.902
TFC	10	250	1.70	1	3	original	ϕ_o	0.977	0.212	0.594	2.900
TFC	10	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	4.00	1	6	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	10	250	4.00	1	6	original	ϕ_o	0.986	0.039	0.513	1.961
TFC	10	10	0.20	1	2	original	ϕ_o	0.598	0.933	0.765	3.733
TFC	10	100	0.20	1	2	original	ϕ_o	0.337	0.981	0.659	3.272
TFC	10	250	0.20	1	2	original	ϕ_o	0.192	0.993	0.593	2.960
TFC	10	10	0.50	1	2	original	ϕ_o	0.920	0.631	0.776	2.863
TFC	10	10	0.70	1	2	original	ϕ_o	0.963	0.390	0.676	2.900
TFC	10	10	1.00	1	2	original	ϕ_o	0.984	0.113	0.548	1.961
TFC	10	100	0.50	1	2	original	ϕ_o	0.802	0.825	0.813	3.624
TFC	10	100	0.70	1	2	original	ϕ_o	0.896	0.673	0.784	2.872
TFC	10	100	1.00	1	2	original	ϕ_o	0.954	0.406	0.680	2.890
TFC	10	250	0.50	1	2	original	ϕ_o	0.681	0.894	0.788	4.220
TFC	10	250	0.70	1	2	original	ϕ_o	0.814	0.800	0.807	3.659
TFC	10	250	1.00	1	2	original	ϕ_o	0.910	0.605	0.757	2.882
TFC	10	500	4.00	1	6	original	ϕ_o	0.985	0.061	0.523	1.960
TFC	10	750	4.00	1	6	original	ϕ_o	0.984	0.118	0.551	2.915
TFC	10	1000	4.00	1	6	original	ϕ_o	0.983	0.154	0.568	1.962
TFC	10	500	1.25	1	2	original	ϕ_o	0.898	0.631	0.765	2.884
TFC	10	500	1.50	1	2	original	ϕ_o	0.940	0.476	0.708	2.885
TFC	10	500	1.70	1	2	original	ϕ_o	0.962	0.350	0.656	2.892
TFC	10	750	1.25	1	2	original	ϕ_o	0.844	0.736	0.790	3.651
TFC	10	750	1.50	1	2	original	ϕ_o	0.901	0.626	0.763	2.884
TFC	10	750	1.70	1	2	original	ϕ_o	0.933	0.518	0.725	2.886
TFC	10	1000	1.25	1	2	original	ϕ_o	0.790	0.800	0.795	3.666
TFC	10	1000	1.50	1	2	original	ϕ_o	0.856	0.712	0.784	3.640
TFC	10	1000	1.70	1	2	original	ϕ_o	0.898	0.634	0.766	2.885
TFC	10	500	4.00	1	5	original	ϕ_o	0.986	0.042	0.514	1.959
TFC	10	750	4.00	1	5	original	ϕ_o	0.985	0.075	0.530	2.895
TFC	10	1000	4.00	1	5	original	ϕ_o	0.983	0.128	0.556	2.904
TFC	10	500	0.20	1	2	original	ϕ_o	0.098	0.998	0.548	2.669
TFC	10	750	0.20	1	2	original	ϕ_o	0.060	0.999	0.529	2.478
TFC	10	1000	0.20	1	2	original	ϕ_o	0.038	1.000	0.519	2.340
TFC	10	10	0.20	1	3	original	ϕ_o	0.578	0.941	0.760	3.705

TFC	10	100	0.20	1	3	original	ϕ_o	0.283	0.985	0.634	3.154
TFC	10	250	0.20	1	3	original	ϕ_o	0.141	0.994	0.568	2.806
TFC	10	500	4.00	1	4	original	ϕ_o	0.987	0.041	0.514	1.961
TFC	10	750	4.00	1	4	original	ϕ_o	0.986	0.069	0.527	1.960
TFC	10	1000	4.00	1	4	original	ϕ_o	0.983	0.122	0.553	2.899
TFC	10	10	1.25	1	6	original	ϕ_o	0.986	0.064	0.525	1.964
TFC	10	10	1.50	1	6	original	ϕ_o	0.987	0.042	0.515	2.916
TFC	10	10	1.70	1	6	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	100	1.25	1	6	original	ϕ_o	0.963	0.468	0.715	2.922
TFC	10	100	1.50	1	6	original	ϕ_o	0.978	0.261	0.619	2.919
TFC	10	100	1.70	1	6	original	ϕ_o	0.983	0.145	0.564	1.962
TFC	10	250	1.25	1	6	original	ϕ_o	0.898	0.711	0.805	2.918
TFC	10	250	1.50	1	6	original	ϕ_o	0.941	0.580	0.761	2.919
TFC	10	250	1.70	1	6	original	ϕ_o	0.961	0.454	0.707	2.918
TFC	10	500	0.50	1	7	original	ϕ_o	0.254	0.988	0.621	3.950
TFC	10	500	0.70	1	7	original	ϕ_o	0.455	0.963	0.709	4.302
TFC	10	500	1.00	1	7	original	ϕ_o	0.648	0.914	0.781	4.416
TFC	10	750	0.50	1	7	original	ϕ_o	0.154	0.996	0.575	3.810
TFC	10	750	0.70	1	7	original	ϕ_o	0.327	0.982	0.655	4.232
TFC	10	750	1.00	1	7	original	ϕ_o	0.529	0.948	0.738	4.408
TFC	10	1000	0.50	1	7	original	ϕ_o	0.127	0.996	0.562	3.754
TFC	10	1000	0.70	1	7	original	ϕ_o	0.284	0.984	0.634	4.195
TFC	10	1000	1.00	1	7	original	ϕ_o	0.479	0.952	0.716	4.375
TFC	10	10	1.25	1	5	original	ϕ_o	0.987	0.060	0.523	1.964
TFC	10	10	1.50	1	5	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	10	10	1.70	1	5	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	100	1.25	1	5	original	ϕ_o	0.965	0.376	0.671	2.910
TFC	10	100	1.50	1	5	original	ϕ_o	0.980	0.179	0.580	1.959
TFC	10	100	1.70	1	5	original	ϕ_o	0.984	0.099	0.541	1.960
TFC	10	250	1.25	1	5	original	ϕ_o	0.910	0.635	0.773	2.907
TFC	10	250	1.50	1	5	original	ϕ_o	0.949	0.457	0.703	2.897
TFC	10	250	1.70	1	5	original	ϕ_o	0.967	0.315	0.641	2.893
TFC	10	500	2.00	1	4	original	ϕ_o	0.959	0.389	0.674	2.895
TFC	10	500	2.30	1	4	original	ϕ_o	0.974	0.243	0.608	2.897
TFC	10	500	3.00	1	4	original	ϕ_o	0.984	0.083	0.534	1.959
TFC	10	750	2.00	1	4	original	ϕ_o	0.916	0.590	0.753	2.899
TFC	10	750	2.30	1	4	original	ϕ_o	0.950	0.447	0.698	2.896
TFC	10	750	3.00	1	4	original	ϕ_o	0.978	0.192	0.585	2.899
TFC	10	1000	2.00	1	4	original	ϕ_o	0.874	0.703	0.788	3.659
TFC	10	1000	2.30	1	4	original	ϕ_o	0.921	0.594	0.757	2.902
TFC	10	1000	3.00	1	4	original	ϕ_o	0.968	0.326	0.647	2.903
TFC	10	500	1.25	1	5	original	ϕ_o	0.807	0.810	0.808	4.310
TFC	10	500	1.50	1	5	original	ϕ_o	0.872	0.707	0.790	3.680
TFC	10	500	1.70	1	5	original	ϕ_o	0.912	0.601	0.756	2.895
TFC	10	750	1.25	1	5	original	ϕ_o	0.703	0.878	0.790	4.366
TFC	10	750	1.50	1	5	original	ϕ_o	0.789	0.819	0.804	4.297
TFC	10	750	1.70	1	5	original	ϕ_o	0.843	0.753	0.798	3.691
TFC	10	1000	1.25	1	5	original	ϕ_o	0.628	0.908	0.768	4.386
TFC	10	1000	1.50	1	5	original	ϕ_o	0.725	0.860	0.792	4.330
TFC	10	1000	1.70	1	5	original	ϕ_o	0.789	0.813	0.801	4.278
TFC	10	500	0.20	1	3	original	ϕ_o	0.060	0.998	0.529	2.497
TFC	10	750	0.20	1	3	original	ϕ_o	0.031	0.999	0.515	2.306
TFC	10	1000	0.20	1	3	original	ϕ_o	0.018	1.000	0.509	2.186
TFC	10	10	0.20	1	7	original	ϕ_o	0.518	0.938	0.728	3.589
TFC	10	100	0.20	1	7	original	ϕ_o	0.150	0.991	0.570	2.872
TFC	10	250	0.20	1	7	original	ϕ_o	0.043	0.999	0.521	2.436
TFC	10	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	4.00	1	7	original	ϕ_o	0.987	0.040	0.514	1.962
TFC	10	250	4.00	1	7	original	ϕ_o	0.987	0.039	0.513	1.960
TFC	10	500	2.00	1	5	original	ϕ_o	0.950	0.425	0.687	2.890
TFC	10	500	2.30	1	5	original	ϕ_o	0.970	0.276	0.623	2.892
TFC	10	500	3.00	1	5	original	ϕ_o	0.983	0.094	0.539	1.957
TFC	10	750	2.00	1	5	original	ϕ_o	0.903	0.625	0.764	3.650
TFC	10	750	2.30	1	5	original	ϕ_o	0.941	0.483	0.712	2.893

TFC	10	750	3.00	1	5	original	ϕ_o	0.976	0.218	0.597	1.956
TFC	10	1000	2.00	1	5	original	ϕ_o	0.864	0.723	0.794	3.682
TFC	10	1000	2.30	1	5	original	ϕ_o	0.916	0.615	0.765	3.640
TFC	10	1000	3.00	1	5	original	ϕ_o	0.967	0.344	0.655	2.903
TFC	10	10	2.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	2.30	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	3.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	2.00	1	5	original	ϕ_o	0.986	0.049	0.518	1.961
TFC	10	100	2.30	1	5	original	ϕ_o	0.987	0.038	0.512	1.962
TFC	10	100	3.00	1	5	original	ϕ_o	0.987	0.039	0.513	2.911
TFC	10	250	2.00	1	5	original	ϕ_o	0.980	0.161	0.570	2.898
TFC	10	250	2.30	1	5	original	ϕ_o	0.984	0.086	0.535	1.958
TFC	10	250	3.00	1	5	original	ϕ_o	0.986	0.039	0.513	1.959
TFC	10	500	4.00	1	3	original	ϕ_o	0.987	0.039	0.513	1.961
TFC	10	750	4.00	1	3	original	ϕ_o	0.986	0.048	0.517	2.896
TFC	10	1000	4.00	1	3	original	ϕ_o	0.985	0.072	0.529	1.961
TFC	10	10	0.20	1	4	original	ϕ_o	0.581	0.933	0.757	3.694
TFC	10	100	0.20	1	4	original	ϕ_o	0.245	0.987	0.616	3.097
TFC	10	250	0.20	1	4	original	ϕ_o	0.102	0.997	0.549	2.702
TFC	10	10	2.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	2.30	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	2.00	1	3	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	10	100	2.30	1	3	original	ϕ_o	0.987	0.038	0.513	1.963
TFC	10	100	3.00	1	3	original	ϕ_o	0.987	0.040	0.514	1.963
TFC	10	250	2.00	1	3	original	ϕ_o	0.984	0.096	0.540	1.959
TFC	10	250	2.30	1	3	original	ϕ_o	0.986	0.055	0.521	1.961
TFC	10	250	3.00	1	3	original	ϕ_o	0.987	0.038	0.512	1.962
TFC	10	10	2.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	2.30	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	2.00	1	2	original	ϕ_o	0.987	0.039	0.513	1.962
TFC	10	100	2.30	1	2	original	ϕ_o	0.987	0.039	0.513	1.963
TFC	10	100	3.00	1	2	original	ϕ_o	0.987	0.040	0.514	1.964
TFC	10	250	2.00	1	2	original	ϕ_o	0.986	0.065	0.525	1.961
TFC	10	250	2.30	1	2	original	ϕ_o	0.987	0.044	0.515	1.962
TFC	10	250	3.00	1	2	original	ϕ_o	0.987	0.038	0.513	2.907
TFC	10	10	0.20	1	6	original	ϕ_o	0.527	0.941	0.734	3.588
TFC	10	100	0.20	1	6	original	ϕ_o	0.171	0.991	0.581	2.894
TFC	10	250	0.20	1	6	original	ϕ_o	0.056	0.998	0.527	2.471
TFC	10	500	0.20	1	6	original	ϕ_o	0.013	1.000	0.506	2.150
TFC	10	750	0.20	1	6	original	ϕ_o	0.004	1.000	0.502	2.013
TFC	10	1000	0.20	1	6	original	ϕ_o	0.003	1.000	0.501	1.957
TFC	10	10	0.50	1	6	original	ϕ_o	0.913	0.727	0.820	2.881
TFC	10	10	0.70	1	6	original	ϕ_o	0.963	0.524	0.743	2.925
TFC	10	10	1.00	1	6	original	ϕ_o	0.983	0.185	0.584	2.922
TFC	10	100	0.50	1	6	original	ϕ_o	0.711	0.898	0.804	4.335
TFC	10	100	0.70	1	6	original	ϕ_o	0.842	0.813	0.827	3.745
TFC	10	100	1.00	1	6	original	ϕ_o	0.929	0.657	0.793	2.923
TFC	10	250	0.50	1	6	original	ϕ_o	0.514	0.951	0.733	4.197
TFC	10	250	0.70	1	6	original	ϕ_o	0.693	0.902	0.798	4.391
TFC	10	250	1.00	1	6	original	ϕ_o	0.833	0.808	0.821	3.752
TFC	10	10	0.50	1	5	original	ϕ_o	0.913	0.728	0.821	2.877
TFC	10	10	0.70	1	5	original	ϕ_o	0.962	0.510	0.736	2.922
TFC	10	10	1.00	1	5	original	ϕ_o	0.983	0.165	0.574	1.963
TFC	10	100	0.50	1	5	original	ϕ_o	0.724	0.892	0.808	4.335
TFC	10	100	0.70	1	5	original	ϕ_o	0.854	0.799	0.827	3.741
TFC	10	100	1.00	1	5	original	ϕ_o	0.934	0.597	0.766	2.914
TFC	10	250	0.50	1	5	original	ϕ_o	0.536	0.948	0.742	4.208
TFC	10	250	0.70	1	5	original	ϕ_o	0.715	0.891	0.803	4.384
TFC	10	250	1.00	1	5	original	ϕ_o	0.850	0.775	0.812	4.309
TFC	10	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	4.00	1	2	original	ϕ_o	0.987	0.042	0.514	1.964
TFC	10	250	4.00	1	2	original	ϕ_o	0.987	0.039	0.513	2.911

TFC	10	10	1.25	1	2	original	ϕ_o	0.987	0.049	0.518	1.963
TFC	10	10	1.50	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	10	1.70	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	100	1.25	1	2	original	ϕ_o	0.977	0.193	0.585	1.956
TFC	10	100	1.50	1	2	original	ϕ_o	0.985	0.083	0.534	2.906
TFC	10	100	1.70	1	2	original	ϕ_o	0.986	0.051	0.518	1.963
TFC	10	250	1.25	1	2	original	ϕ_o	0.950	0.418	0.684	2.887
TFC	10	250	1.50	1	2	original	ϕ_o	0.973	0.236	0.604	2.896
TFC	10	250	1.70	1	2	original	ϕ_o	0.981	0.132	0.557	1.958
TFC	10	10	0.50	1	7	original	ϕ_o	0.913	0.725	0.819	2.883
TFC	10	10	0.70	1	7	original	ϕ_o	0.963	0.532	0.747	2.926
TFC	10	10	1.00	1	7	original	ϕ_o	0.983	0.189	0.586	1.965
TFC	10	100	0.50	1	7	original	ϕ_o	0.695	0.900	0.798	4.320
TFC	10	100	0.70	1	7	original	ϕ_o	0.833	0.814	0.824	3.740
TFC	10	100	1.00	1	7	original	ϕ_o	0.926	0.665	0.795	3.717
TFC	10	250	0.50	1	7	original	ϕ_o	0.481	0.956	0.719	4.179
TFC	10	250	0.70	1	7	original	ϕ_o	0.668	0.909	0.788	4.378
TFC	10	250	1.00	1	7	original	ϕ_o	0.817	0.815	0.816	4.365
TFC	10	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	4.00	1	5	original	ϕ_o	0.987	0.041	0.514	1.962
TFC	10	250	4.00	1	5	original	ϕ_o	0.987	0.038	0.512	1.960
TFC	10	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	4.00	1	4	original	ϕ_o	0.987	0.041	0.514	1.963
TFC	10	250	4.00	1	4	original	ϕ_o	0.987	0.038	0.513	1.962
TFC	10	500	2.00	1	6	original	ϕ_o	0.938	0.589	0.763	2.916
TFC	10	500	2.30	1	6	original	ϕ_o	0.961	0.443	0.702	2.916
TFC	10	500	3.00	1	6	original	ϕ_o	0.980	0.180	0.580	2.912
TFC	10	750	2.00	1	6	original	ϕ_o	0.885	0.721	0.803	3.718
TFC	10	750	2.30	1	6	original	ϕ_o	0.929	0.619	0.774	2.914
TFC	10	750	3.00	1	6	original	ϕ_o	0.971	0.340	0.655	2.916
TFC	10	1000	2.00	1	6	original	ϕ_o	0.854	0.750	0.802	3.705
TFC	10	1000	2.30	1	6	original	ϕ_o	0.909	0.657	0.783	2.911
TFC	10	1000	3.00	1	6	original	ϕ_o	0.965	0.398	0.681	2.912
TFC	10	500	0.50	1	3	original	ϕ_o	0.467	0.954	0.710	4.114
TFC	10	500	0.70	1	3	original	ϕ_o	0.650	0.899	0.775	4.280
TFC	10	500	1.00	1	3	original	ϕ_o	0.798	0.799	0.799	4.213
TFC	10	750	0.50	1	3	original	ϕ_o	0.347	0.971	0.659	3.988
TFC	10	750	0.70	1	3	original	ϕ_o	0.531	0.933	0.732	4.250
TFC	10	750	1.00	1	3	original	ϕ_o	0.710	0.858	0.784	4.254
TFC	10	1000	0.50	1	3	original	ϕ_o	0.266	0.981	0.624	3.879
TFC	10	1000	0.70	1	3	original	ϕ_o	0.440	0.953	0.697	4.216
TFC	10	1000	1.00	1	3	original	ϕ_o	0.629	0.897	0.763	4.292
TFC	10	10	1.25	1	4	original	ϕ_o	0.987	0.055	0.521	1.964
TFC	10	10	1.50	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	10	1.70	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	100	1.25	1	4	original	ϕ_o	0.970	0.345	0.658	2.911
TFC	10	100	1.50	1	4	original	ϕ_o	0.982	0.159	0.570	2.911
TFC	10	100	1.70	1	4	original	ϕ_o	0.985	0.088	0.536	1.961
TFC	10	250	1.25	1	4	original	ϕ_o	0.923	0.604	0.763	2.908
TFC	10	250	1.50	1	4	original	ϕ_o	0.957	0.425	0.691	2.902
TFC	10	250	1.70	1	4	original	ϕ_o	0.971	0.283	0.627	2.902
TFC	10	500	0.50	1	4	original	ϕ_o	0.388	0.973	0.680	4.077
TFC	10	500	0.70	1	4	original	ϕ_o	0.580	0.932	0.756	4.329
TFC	10	500	1.00	1	4	original	ϕ_o	0.747	0.861	0.804	4.348
TFC	10	750	0.50	1	4	original	ϕ_o	0.260	0.987	0.623	3.924
TFC	10	750	0.70	1	4	original	ϕ_o	0.442	0.961	0.701	4.267
TFC	10	750	1.00	1	4	original	ϕ_o	0.631	0.909	0.770	4.380
TFC	10	1000	0.50	1	4	original	ϕ_o	0.183	0.992	0.587	3.808
TFC	10	1000	0.70	1	4	original	ϕ_o	0.351	0.974	0.663	4.213
TFC	10	1000	1.00	1	4	original	ϕ_o	0.541	0.934	0.737	4.369
TFC	10	500	0.50	1	2	original	ϕ_o	0.535	0.939	0.737	4.147
TFC	10	500	0.70	1	2	original	ϕ_o	0.700	0.876	0.788	4.262
TFC	10	500	1.00	1	2	original	ϕ_o	0.835	0.760	0.798	3.667
TFC	10	750	0.50	1	2	original	ϕ_o	0.428	0.961	0.695	4.067

TFC	10	750	0.70	1	2	original	ϕ_o	0.604	0.915	0.760	4.260
TFC	10	750	1.00	1	2	original	ϕ_o	0.765	0.830	0.797	4.242
TFC	10	1000	0.50	1	2	original	ϕ_o	0.349	0.974	0.662	3.977
TFC	10	1000	0.70	1	2	original	ϕ_o	0.522	0.939	0.730	4.236
TFC	10	1000	1.00	1	2	original	ϕ_o	0.693	0.871	0.782	4.278
TFC	10	500	0.50	1	5	original	ϕ_o	0.328	0.982	0.655	4.004
TFC	10	500	0.70	1	5	original	ϕ_o	0.531	0.948	0.739	4.329
TFC	10	500	1.00	1	5	original	ϕ_o	0.713	0.882	0.797	4.381
TFC	10	750	0.50	1	5	original	ϕ_o	0.209	0.992	0.600	3.839
TFC	10	750	0.70	1	5	original	ϕ_o	0.391	0.972	0.682	4.256
TFC	10	750	1.00	1	5	original	ϕ_o	0.592	0.927	0.759	4.399
TFC	10	1000	0.50	1	5	original	ϕ_o	0.151	0.995	0.573	3.746
TFC	10	1000	0.70	1	5	original	ϕ_o	0.315	0.980	0.647	4.203
TFC	10	1000	1.00	1	5	original	ϕ_o	0.512	0.946	0.729	4.387
TFC	10	10	1.25	1	7	original	ϕ_o	0.987	0.065	0.526	1.964
TFC	10	10	1.50	1	7	original	ϕ_o	0.987	0.042	0.514	1.964
TFC	10	10	1.70	1	7	original	ϕ_o	0.987	0.041	0.514	1.964
TFC	10	100	1.25	1	7	original	ϕ_o	0.961	0.484	0.723	2.923
TFC	10	100	1.50	1	7	original	ϕ_o	0.978	0.275	0.626	2.919
TFC	10	100	1.70	1	7	original	ϕ_o	0.982	0.154	0.568	1.962
TFC	10	250	1.25	1	7	original	ϕ_o	0.889	0.720	0.805	3.721
TFC	10	250	1.50	1	7	original	ϕ_o	0.937	0.598	0.768	2.920
TFC	10	250	1.70	1	7	original	ϕ_o	0.958	0.477	0.718	2.918
TFC	10	10	0.20	1	5	original	ϕ_o	0.535	0.940	0.738	3.578
TFC	10	100	0.20	1	5	original	ϕ_o	0.185	0.991	0.588	2.918
TFC	10	250	0.20	1	5	original	ϕ_o	0.069	0.998	0.533	2.500
TFC	10	500	2.00	1	7	original	ϕ_o	0.931	0.609	0.770	2.917
TFC	10	500	2.30	1	7	original	ϕ_o	0.959	0.465	0.712	2.916
TFC	10	500	3.00	1	7	original	ϕ_o	0.981	0.193	0.587	2.912
TFC	10	750	2.00	1	7	original	ϕ_o	0.874	0.732	0.803	3.720
TFC	10	750	2.30	1	7	original	ϕ_o	0.924	0.630	0.777	3.682
TFC	10	750	3.00	1	7	original	ϕ_o	0.971	0.348	0.660	2.916
TFC	10	1000	2.00	1	7	original	ϕ_o	0.846	0.751	0.798	4.243
TFC	10	1000	2.30	1	7	original	ϕ_o	0.907	0.655	0.781	3.667
TFC	10	1000	3.00	1	7	original	ϕ_o	0.966	0.395	0.680	2.914
TFC	10	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	4.00	1	3	original	ϕ_o	0.987	0.042	0.514	1.963
TFC	10	250	4.00	1	3	original	ϕ_o	0.987	0.039	0.513	1.963
TFC	10	10	0.50	1	3	original	ϕ_o	0.918	0.684	0.801	2.876
TFC	10	10	0.70	1	3	original	ϕ_o	0.964	0.461	0.713	2.916
TFC	10	10	1.00	1	3	original	ϕ_o	0.984	0.130	0.557	1.962
TFC	10	100	0.50	1	3	original	ϕ_o	0.776	0.854	0.815	4.280
TFC	10	100	0.70	1	3	original	ϕ_o	0.881	0.735	0.808	3.704
TFC	10	100	1.00	1	3	original	ϕ_o	0.947	0.513	0.730	2.907
TFC	10	250	0.50	1	3	original	ϕ_o	0.636	0.914	0.775	4.225
TFC	10	250	0.70	1	3	original	ϕ_o	0.786	0.833	0.809	3.678
TFC	10	250	1.00	1	3	original	ϕ_o	0.891	0.684	0.787	2.902
TFC	10	10	2.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	2.30	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	3.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	2.00	1	6	original	ϕ_o	0.986	0.066	0.526	1.963
TFC	10	100	2.30	1	6	original	ϕ_o	0.986	0.043	0.515	1.962
TFC	10	100	3.00	1	6	original	ϕ_o	0.987	0.040	0.513	1.962
TFC	10	250	2.00	1	6	original	ϕ_o	0.976	0.271	0.624	2.913
TFC	10	250	2.30	1	6	original	ϕ_o	0.982	0.146	0.564	1.960
TFC	10	250	3.00	1	6	original	ϕ_o	0.986	0.050	0.518	1.960
TFC	10	500	0.20	1	4	original	ϕ_o	0.035	1.000	0.517	2.375
TFC	10	750	0.20	1	4	original	ϕ_o	0.014	1.000	0.507	2.197
TFC	10	1000	0.20	1	4	original	ϕ_o	0.007	1.000	0.503	2.093
TFC	10	500	0.50	1	6	original	ϕ_o	0.298	0.985	0.641	3.984
TFC	10	500	0.70	1	6	original	ϕ_o	0.500	0.955	0.728	4.321
TFC	10	500	1.00	1	6	original	ϕ_o	0.685	0.904	0.794	4.429
TFC	10	750	0.50	1	6	original	ϕ_o	0.187	0.993	0.590	3.834
TFC	10	750	0.70	1	6	original	ϕ_o	0.371	0.977	0.674	4.251

TFC	10	750	1.00	1	6	original	ϕ_o	0.569	0.939	0.754	4.418
TFC	10	1000	0.50	1	6	original	ϕ_o	0.143	0.995	0.569	3.757
TFC	10	1000	0.70	1	6	original	ϕ_o	0.308	0.982	0.645	4.202
TFC	10	1000	1.00	1	6	original	ϕ_o	0.505	0.949	0.727	4.388
TFC	10	500	2.00	1	2	original	ϕ_o	0.977	0.186	0.581	2.898
TFC	10	500	2.30	1	2	original	ϕ_o	0.984	0.099	0.541	1.958
TFC	10	500	3.00	1	2	original	ϕ_o	0.987	0.045	0.516	1.962
TFC	10	750	2.00	1	2	original	ϕ_o	0.962	0.352	0.657	2.896
TFC	10	750	2.30	1	2	original	ϕ_o	0.976	0.211	0.593	2.900
TFC	10	750	3.00	1	2	original	ϕ_o	0.985	0.072	0.528	1.961
TFC	10	1000	2.00	1	2	original	ϕ_o	0.941	0.489	0.715	2.891
TFC	10	1000	2.30	1	2	original	ϕ_o	0.964	0.344	0.654	2.899
TFC	10	1000	3.00	1	2	original	ϕ_o	0.983	0.121	0.552	2.902
TFC	10	10	2.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	2.30	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	3.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	2.00	1	4	original	ϕ_o	0.987	0.045	0.516	1.962
TFC	10	100	2.30	1	4	original	ϕ_o	0.987	0.038	0.513	1.963
TFC	10	100	3.00	1	4	original	ϕ_o	0.987	0.040	0.513	1.963
TFC	10	250	2.00	1	4	original	ϕ_o	0.982	0.140	0.561	1.960
TFC	10	250	2.30	1	4	original	ϕ_o	0.985	0.076	0.531	2.900
TFC	10	250	3.00	1	4	original	ϕ_o	0.987	0.039	0.513	1.961
TFC	10	500	1.25	1	6	original	ϕ_o	0.781	0.848	0.814	4.405
TFC	10	500	1.50	1	6	original	ϕ_o	0.850	0.780	0.815	3.747
TFC	10	500	1.70	1	6	original	ϕ_o	0.894	0.713	0.804	3.725
TFC	10	750	1.25	1	6	original	ϕ_o	0.680	0.899	0.790	4.423
TFC	10	750	1.50	1	6	original	ϕ_o	0.766	0.853	0.809	4.390
TFC	10	750	1.70	1	6	original	ϕ_o	0.821	0.808	0.815	4.348
TFC	10	1000	1.25	1	6	original	ϕ_o	0.621	0.913	0.767	4.400
TFC	10	1000	1.50	1	6	original	ϕ_o	0.713	0.871	0.792	4.362
TFC	10	1000	1.70	1	6	original	ϕ_o	0.776	0.829	0.803	4.313
TFC	10	10	2.00	1	7	original	ϕ_o	0.987	0.042	0.515	2.917
TFC	10	10	2.30	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	10	3.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
TFC	10	100	2.00	1	7	original	ϕ_o	0.986	0.070	0.528	1.962
TFC	10	100	2.30	1	7	original	ϕ_o	0.987	0.043	0.515	1.962
TFC	10	100	3.00	1	7	original	ϕ_o	0.987	0.039	0.513	0.987
TFC	10	250	2.00	1	7	original	ϕ_o	0.975	0.291	0.633	2.914
TFC	10	250	2.30	1	7	original	ϕ_o	0.982	0.160	0.571	2.910
TFC	10	250	3.00	1	7	original	ϕ_o	0.986	0.054	0.520	2.904
TFC	10	500	4.00	1	7	original	ϕ_o	0.986	0.068	0.527	2.908
TFC	10	750	4.00	1	7	original	ϕ_o	0.984	0.123	0.553	2.916
TFC	10	1000	4.00	1	7	original	ϕ_o	0.983	0.149	0.566	1.963
TFC	10	500	4.00	1	2	original	ϕ_o	0.987	0.039	0.513	1.962
TFC	10	750	4.00	1	2	original	ϕ_o	0.987	0.042	0.514	1.962
TFC	10	1000	4.00	1	2	original	ϕ_o	0.986	0.051	0.519	1.962
TFC	10	500	1.25	1	4	original	ϕ_o	0.829	0.781	0.805	4.262
TFC	10	500	1.50	1	4	original	ϕ_o	0.889	0.673	0.781	3.649
TFC	10	500	1.70	1	4	original	ϕ_o	0.924	0.564	0.744	2.898
TFC	10	750	1.25	1	4	original	ϕ_o	0.737	0.857	0.797	4.320
TFC	10	750	1.50	1	4	original	ϕ_o	0.813	0.789	0.801	3.706
TFC	10	750	1.70	1	4	original	ϕ_o	0.862	0.721	0.791	3.670
TFC	10	1000	1.25	1	4	original	ϕ_o	0.653	0.895	0.774	4.348
TFC	10	1000	1.50	1	4	original	ϕ_o	0.747	0.843	0.795	4.288
TFC	10	1000	1.70	1	4	original	ϕ_o	0.805	0.793	0.799	3.704
TFC	10	500	0.20	1	7	original	ϕ_o	0.008	1.000	0.504	2.102
TFC	10	750	0.20	1	7	original	ϕ_o	0.003	1.000	0.501	1.974
TFC	10	1000	0.20	1	7	original	ϕ_o	0.003	1.000	0.501	1.932
TFC	10	500	2.00	1	3	original	ϕ_o	0.969	0.291	0.630	2.897
TFC	10	500	2.30	1	3	original	ϕ_o	0.979	0.158	0.568	1.958
TFC	10	500	3.00	1	3	original	ϕ_o	0.986	0.058	0.522	1.960
TFC	10	750	2.00	1	3	original	ϕ_o	0.944	0.471	0.708	2.894
TFC	10	750	2.30	1	3	original	ϕ_o	0.965	0.326	0.645	2.895
TFC	10	750	3.00	1	3	original	ϕ_o	0.982	0.111	0.547	1.960

TFC	10	1000	2.00	1	3	original	ϕ_o	0.914	0.593	0.753	2.899
TFC	10	1000	2.30	1	3	original	ϕ_o	0.948	0.468	0.708	2.898
TFC	10	1000	3.00	1	3	original	ϕ_o	0.976	0.208	0.592	2.899

A.1.3 Validation Features Cluster

Type	α	η	κ	k_{input}	k_{feat}	Neg fix	ϕ	$\gamma+$	$\gamma-$	γ	Σ
VFC	3	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	100	4.00	1	2	original	ϕ_o	0.987	0.052	0.520	1.964
VFC	3	250	4.00	1	2	original	ϕ_o	0.987	0.067	0.527	2.915
VFC	3	10	2.00	1	6	original	ϕ_o	0.987	0.046	0.517	1.964
VFC	3	10	2.30	1	6	original	ϕ_o	0.987	0.044	0.516	2.916
VFC	3	10	3.00	1	6	original	ϕ_o	0.987	0.043	0.515	1.964
VFC	3	100	2.00	1	6	original	ϕ_o	0.985	0.107	0.546	2.924
VFC	3	100	2.30	1	6	original	ϕ_o	0.987	0.086	0.536	2.921
VFC	3	100	3.00	1	6	original	ϕ_o	0.988	0.072	0.530	2.918
VFC	3	250	2.00	1	6	original	ϕ_o	0.978	0.225	0.602	2.921
VFC	3	250	2.30	1	6	original	ϕ_o	0.982	0.159	0.571	2.923
VFC	3	250	3.00	1	6	original	ϕ_o	0.986	0.101	0.544	2.924
VFC	3	500	1.25	1	5	original	ϕ_o	0.938	0.611	0.775	3.717
VFC	3	500	1.50	1	5	original	ϕ_o	0.960	0.455	0.708	2.905
VFC	3	500	1.70	1	5	original	ϕ_o	0.969	0.345	0.657	2.913
VFC	3	750	1.25	1	5	original	ϕ_o	0.938	0.611	0.774	3.713
VFC	3	750	1.50	1	5	original	ϕ_o	0.960	0.456	0.708	2.905
VFC	3	750	1.70	1	5	original	ϕ_o	0.969	0.346	0.658	2.912
VFC	3	1000	1.25	1	5	original	ϕ_o	0.938	0.611	0.774	3.713
VFC	3	1000	1.50	1	5	original	ϕ_o	0.960	0.456	0.708	2.905
VFC	3	1000	1.70	1	5	original	ϕ_o	0.969	0.346	0.658	2.912
VFC	3	500	0.50	1	3	original	ϕ_o	0.581	0.935	0.758	3.750
VFC	3	500	0.70	1	3	original	ϕ_o	0.752	0.866	0.809	4.173
VFC	3	500	1.00	1	3	original	ϕ_o	0.877	0.744	0.811	3.665
VFC	3	750	0.50	1	3	original	ϕ_o	0.564	0.938	0.751	3.711
VFC	3	750	0.70	1	3	original	ϕ_o	0.738	0.874	0.806	4.154
VFC	3	750	1.00	1	3	original	ϕ_o	0.870	0.760	0.815	4.274
VFC	3	1000	0.50	1	3	original	ϕ_o	0.563	0.938	0.751	3.709
VFC	3	1000	0.70	1	3	original	ϕ_o	0.737	0.874	0.806	4.152
VFC	3	1000	1.00	1	3	original	ϕ_o	0.869	0.761	0.815	4.272
VFC	3	500	1.25	1	2	original	ϕ_o	0.930	0.584	0.757	3.667
VFC	3	500	1.50	1	2	original	ϕ_o	0.953	0.438	0.696	2.886
VFC	3	500	1.70	1	2	original	ϕ_o	0.964	0.335	0.649	2.896
VFC	3	750	1.25	1	2	original	ϕ_o	0.909	0.648	0.779	3.649
VFC	3	750	1.50	1	2	original	ϕ_o	0.939	0.517	0.728	3.645
VFC	3	750	1.70	1	2	original	ϕ_o	0.953	0.415	0.684	2.882
VFC	3	1000	1.25	1	2	original	ϕ_o	0.905	0.670	0.787	3.652
VFC	3	1000	1.50	1	2	original	ϕ_o	0.936	0.547	0.741	2.868
VFC	3	1000	1.70	1	2	original	ϕ_o	0.951	0.444	0.698	2.882
VFC	3	500	1.25	1	4	original	ϕ_o	0.932	0.618	0.775	3.699
VFC	3	500	1.50	1	4	original	ϕ_o	0.954	0.482	0.718	2.897
VFC	3	500	1.70	1	4	original	ϕ_o	0.966	0.376	0.671	2.906
VFC	3	750	1.25	1	4	original	ϕ_o	0.931	0.618	0.775	2.873
VFC	3	750	1.50	1	4	original	ϕ_o	0.954	0.484	0.719	2.897
VFC	3	750	1.70	1	4	original	ϕ_o	0.965	0.378	0.671	2.906
VFC	3	1000	1.25	1	4	original	ϕ_o	0.931	0.618	0.775	2.873
VFC	3	1000	1.50	1	4	original	ϕ_o	0.954	0.484	0.719	2.897
VFC	3	1000	1.70	1	4	original	ϕ_o	0.965	0.378	0.671	2.906
VFC	3	10	0.50	1	7	original	ϕ_o	0.941	0.650	0.796	2.876
VFC	3	10	0.70	1	7	original	ϕ_o	0.975	0.393	0.684	2.929
VFC	3	10	1.00	1	7	original	ϕ_o	0.986	0.120	0.553	2.926
VFC	3	100	0.50	1	7	original	ϕ_o	0.720	0.882	0.801	4.071
VFC	3	100	0.70	1	7	original	ϕ_o	0.861	0.787	0.824	3.661
VFC	3	100	1.00	1	7	original	ϕ_o	0.944	0.623	0.784	3.740

VFC	3	250	0.50	1	7	original	ϕ_o	0.587	0.933	0.760	3.799
VFC	3	250	0.70	1	7	original	ϕ_o	0.775	0.865	0.820	4.245
VFC	3	250	1.00	1	7	original	ϕ_o	0.902	0.741	0.821	3.726
VFC	3	10	1.25	1	2	original	ϕ_o	0.987	0.051	0.519	1.965
VFC	3	10	1.50	1	2	original	ϕ_o	0.987	0.046	0.517	1.965
VFC	3	10	1.70	1	2	original	ϕ_o	0.987	0.044	0.516	1.964
VFC	3	100	1.25	1	2	original	ϕ_o	0.980	0.213	0.597	2.925
VFC	3	100	1.50	1	2	original	ϕ_o	0.984	0.123	0.554	2.925
VFC	3	100	1.70	1	2	original	ϕ_o	0.986	0.094	0.540	2.923
VFC	3	250	1.25	1	2	original	ϕ_o	0.962	0.429	0.696	2.903
VFC	3	250	1.50	1	2	original	ϕ_o	0.974	0.277	0.625	2.917
VFC	3	250	1.70	1	2	original	ϕ_o	0.979	0.194	0.586	2.918
VFC	3	500	0.20	1	7	original	ϕ_o	0.072	0.990	0.531	1.593
VFC	3	750	0.20	1	7	original	ϕ_o	0.072	0.990	0.531	1.593
VFC	3	1000	0.20	1	7	original	ϕ_o	0.072	0.990	0.531	1.593
VFC	3	500	0.50	1	2	original	ϕ_o	0.613	0.915	0.764	3.798
VFC	3	500	0.70	1	2	original	ϕ_o	0.769	0.841	0.805	4.137
VFC	3	500	1.00	1	2	original	ϕ_o	0.885	0.714	0.800	3.640
VFC	3	750	0.50	1	2	original	ϕ_o	0.549	0.928	0.739	3.650
VFC	3	750	0.70	1	2	original	ϕ_o	0.724	0.866	0.795	4.075
VFC	3	750	1.00	1	2	original	ϕ_o	0.856	0.755	0.806	3.613
VFC	3	1000	0.50	1	2	original	ϕ_o	0.535	0.930	0.732	3.610
VFC	3	1000	0.70	1	2	original	ϕ_o	0.712	0.871	0.792	4.053
VFC	3	1000	1.00	1	2	original	ϕ_o	0.848	0.767	0.808	4.187
VFC	3	500	4.00	1	3	original	ϕ_o	0.986	0.091	0.538	2.913
VFC	3	750	4.00	1	3	original	ϕ_o	0.985	0.093	0.539	2.915
VFC	3	1000	4.00	1	3	original	ϕ_o	0.985	0.093	0.539	2.915
VFC	3	10	2.00	1	3	original	ϕ_o	0.987	0.044	0.516	1.965
VFC	3	10	2.30	1	3	original	ϕ_o	0.987	0.043	0.515	1.964
VFC	3	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.515	2.917
VFC	3	100	2.00	1	3	original	ϕ_o	0.987	0.082	0.534	2.921
VFC	3	100	2.30	1	3	original	ϕ_o	0.987	0.072	0.530	2.919
VFC	3	100	3.00	1	3	original	ϕ_o	0.987	0.062	0.525	2.917
VFC	3	250	2.00	1	3	original	ϕ_o	0.981	0.165	0.573	2.918
VFC	3	250	2.30	1	3	original	ϕ_o	0.984	0.122	0.553	1.963
VFC	3	250	3.00	1	3	original	ϕ_o	0.986	0.086	0.536	2.916
VFC	3	500	1.25	1	3	original	ϕ_o	0.925	0.625	0.775	3.684
VFC	3	500	1.50	1	3	original	ϕ_o	0.950	0.493	0.722	3.672
VFC	3	500	1.70	1	3	original	ϕ_o	0.962	0.390	0.676	2.900
VFC	3	750	1.25	1	3	original	ϕ_o	0.920	0.650	0.785	3.696
VFC	3	750	1.50	1	3	original	ϕ_o	0.947	0.524	0.735	2.888
VFC	3	750	1.70	1	3	original	ϕ_o	0.960	0.423	0.691	3.671
VFC	3	1000	1.25	1	3	original	ϕ_o	0.919	0.650	0.785	3.695
VFC	3	1000	1.50	1	3	original	ϕ_o	0.947	0.525	0.736	3.694
VFC	3	1000	1.70	1	3	original	ϕ_o	0.960	0.424	0.692	2.899
VFC	3	500	0.20	1	4	original	ϕ_o	0.096	0.990	0.543	1.787
VFC	3	750	0.20	1	4	original	ϕ_o	0.095	0.990	0.542	1.782
VFC	3	1000	0.20	1	4	original	ϕ_o	0.095	0.990	0.542	1.782
VFC	3	500	1.25	1	7	original	ϕ_o	0.941	0.607	0.774	3.725
VFC	3	500	1.50	1	7	original	ϕ_o	0.962	0.450	0.706	2.908
VFC	3	500	1.70	1	7	original	ϕ_o	0.970	0.345	0.658	2.915
VFC	3	750	1.25	1	7	original	ϕ_o	0.941	0.607	0.774	3.725
VFC	3	750	1.50	1	7	original	ϕ_o	0.962	0.450	0.706	2.908
VFC	3	750	1.70	1	7	original	ϕ_o	0.970	0.345	0.658	2.915
VFC	3	1000	1.25	1	7	original	ϕ_o	0.941	0.607	0.774	3.725
VFC	3	1000	1.50	1	7	original	ϕ_o	0.962	0.450	0.706	2.908
VFC	3	1000	1.70	1	7	original	ϕ_o	0.970	0.345	0.658	2.915
VFC	3	10	0.50	1	6	original	ϕ_o	0.948	0.616	0.782	2.887
VFC	3	10	0.70	1	6	original	ϕ_o	0.978	0.348	0.663	2.932
VFC	3	10	1.00	1	6	original	ϕ_o	0.986	0.099	0.543	2.923
VFC	3	100	0.50	1	6	original	ϕ_o	0.759	0.861	0.810	4.120
VFC	3	100	0.70	1	6	original	ϕ_o	0.883	0.752	0.817	3.674
VFC	3	100	1.00	1	6	original	ϕ_o	0.951	0.564	0.757	3.718
VFC	3	250	0.50	1	6	original	ϕ_o	0.607	0.927	0.767	3.846

VFC	3	250	0.70	1	6	original	ϕ_o	0.783	0.856	0.820	4.237
VFC	3	250	1.00	1	6	original	ϕ_o	0.901	0.728	0.815	3.715
VFC	3	10	0.20	1	7	original	ϕ_o	0.555	0.934	0.745	3.356
VFC	3	100	0.20	1	7	original	ϕ_o	0.173	0.982	0.577	2.044
VFC	3	250	0.20	1	7	original	ϕ_o	0.082	0.989	0.536	1.639
VFC	3	500	2.00	1	3	original	ϕ_o	0.972	0.266	0.619	2.907
VFC	3	500	2.30	1	3	original	ϕ_o	0.978	0.184	0.581	2.910
VFC	3	500	3.00	1	3	original	ϕ_o	0.984	0.112	0.548	2.915
VFC	3	750	2.00	1	3	original	ϕ_o	0.971	0.292	0.631	2.909
VFC	3	750	2.30	1	3	original	ϕ_o	0.977	0.200	0.588	2.912
VFC	3	750	3.00	1	3	original	ϕ_o	0.983	0.116	0.550	2.917
VFC	3	1000	2.00	1	3	original	ϕ_o	0.971	0.293	0.632	2.908
VFC	3	1000	2.30	1	3	original	ϕ_o	0.977	0.201	0.589	2.912
VFC	3	1000	3.00	1	3	original	ϕ_o	0.983	0.117	0.550	2.917
VFC	3	10	0.20	1	3	original	ϕ_o	0.676	0.892	0.784	3.733
VFC	3	100	0.20	1	3	original	ϕ_o	0.351	0.972	0.661	2.715
VFC	3	250	0.20	1	3	original	ϕ_o	0.187	0.986	0.587	2.162
VFC	3	10	1.25	1	4	original	ϕ_o	0.987	0.053	0.520	1.964
VFC	3	10	1.50	1	4	original	ϕ_o	0.987	0.048	0.518	2.916
VFC	3	10	1.70	1	4	original	ϕ_o	0.987	0.046	0.517	1.964
VFC	3	100	1.25	1	4	original	ϕ_o	0.977	0.319	0.648	2.928
VFC	3	100	1.50	1	4	original	ϕ_o	0.983	0.182	0.582	2.929
VFC	3	100	1.70	1	4	original	ϕ_o	0.985	0.123	0.554	2.928
VFC	3	250	1.25	1	4	original	ϕ_o	0.949	0.558	0.754	3.731
VFC	3	250	1.50	1	4	original	ϕ_o	0.966	0.410	0.688	2.912
VFC	3	250	1.70	1	4	original	ϕ_o	0.974	0.299	0.637	2.919
VFC	3	10	0.20	1	2	original	ϕ_o	0.707	0.871	0.789	3.128
VFC	3	100	0.20	1	2	original	ϕ_o	0.399	0.959	0.679	2.878
VFC	3	250	0.20	1	2	original	ϕ_o	0.242	0.982	0.612	2.337
VFC	3	500	2.00	1	4	original	ϕ_o	0.975	0.249	0.612	2.914
VFC	3	500	2.30	1	4	original	ϕ_o	0.980	0.171	0.575	2.916
VFC	3	500	3.00	1	4	original	ϕ_o	0.985	0.105	0.545	2.919
VFC	3	750	2.00	1	4	original	ϕ_o	0.975	0.250	0.612	2.913
VFC	3	750	2.30	1	4	original	ϕ_o	0.980	0.171	0.576	2.916
VFC	3	750	3.00	1	4	original	ϕ_o	0.984	0.105	0.545	2.919
VFC	3	1000	2.00	1	4	original	ϕ_o	0.975	0.250	0.612	2.913
VFC	3	1000	2.30	1	4	original	ϕ_o	0.980	0.171	0.576	2.916
VFC	3	1000	3.00	1	4	original	ϕ_o	0.984	0.105	0.545	2.919
VFC	3	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	100	4.00	1	3	original	ϕ_o	0.988	0.054	0.521	1.964
VFC	3	250	4.00	1	3	original	ϕ_o	0.987	0.071	0.529	1.965
VFC	3	10	0.50	1	3	original	ϕ_o	0.957	0.544	0.750	2.898
VFC	3	10	0.70	1	3	original	ϕ_o	0.980	0.275	0.627	2.931
VFC	3	10	1.00	1	3	original	ϕ_o	0.987	0.077	0.532	2.923
VFC	3	100	0.50	1	3	original	ϕ_o	0.829	0.807	0.818	3.558
VFC	3	100	0.70	1	3	original	ϕ_o	0.918	0.670	0.794	3.686
VFC	3	100	1.00	1	3	original	ϕ_o	0.965	0.455	0.710	2.912
VFC	3	250	0.50	1	3	original	ϕ_o	0.695	0.889	0.792	4.003
VFC	3	250	0.70	1	3	original	ϕ_o	0.835	0.797	0.816	3.598
VFC	3	250	1.00	1	3	original	ϕ_o	0.924	0.639	0.782	3.688
VFC	3	500	2.00	1	7	original	ϕ_o	0.978	0.230	0.604	2.919
VFC	3	500	2.30	1	7	original	ϕ_o	0.983	0.162	0.572	2.921
VFC	3	500	3.00	1	7	original	ϕ_o	0.986	0.101	0.544	2.923
VFC	3	750	2.00	1	7	original	ϕ_o	0.978	0.230	0.604	2.919
VFC	3	750	2.30	1	7	original	ϕ_o	0.983	0.162	0.572	2.921
VFC	3	750	3.00	1	7	original	ϕ_o	0.986	0.101	0.544	2.923
VFC	3	1000	2.00	1	7	original	ϕ_o	0.978	0.230	0.604	2.919
VFC	3	1000	2.30	1	7	original	ϕ_o	0.983	0.162	0.572	2.921
VFC	3	1000	3.00	1	7	original	ϕ_o	0.986	0.101	0.544	2.923
VFC	3	500	0.50	1	6	original	ϕ_o	0.582	0.933	0.758	3.792
VFC	3	500	0.70	1	6	original	ϕ_o	0.766	0.866	0.816	4.220
VFC	3	500	1.00	1	6	original	ϕ_o	0.893	0.740	0.817	3.707
VFC	3	750	0.50	1	6	original	ϕ_o	0.582	0.933	0.758	3.792
VFC	3	750	0.70	1	6	original	ϕ_o	0.766	0.866	0.816	4.220

VFC	3	750	1.00	1	6	original	ϕ_o	0.893	0.740	0.817	3.707
VFC	3	1000	0.50	1	6	original	ϕ_o	0.582	0.933	0.758	3.792
VFC	3	1000	0.70	1	6	original	ϕ_o	0.766	0.866	0.816	4.220
VFC	3	1000	1.00	1	6	original	ϕ_o	0.893	0.740	0.817	3.707
VFC	3	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	100	4.00	1	7	original	ϕ_o	0.988	0.070	0.529	1.966
VFC	3	250	4.00	1	7	original	ϕ_o	0.988	0.082	0.535	2.920
VFC	3	10	2.00	1	2	original	ϕ_o	0.987	0.043	0.515	2.917
VFC	3	10	2.30	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	100	2.00	1	2	original	ϕ_o	0.987	0.075	0.531	2.921
VFC	3	100	2.30	1	2	original	ϕ_o	0.987	0.068	0.528	2.920
VFC	3	100	3.00	1	2	original	ϕ_o	0.987	0.060	0.523	2.918
VFC	3	250	2.00	1	2	original	ϕ_o	0.983	0.127	0.555	2.922
VFC	3	250	2.30	1	2	original	ϕ_o	0.985	0.101	0.543	2.920
VFC	3	250	3.00	1	2	original	ϕ_o	0.987	0.078	0.532	2.918
VFC	3	500	4.00	1	4	original	ϕ_o	0.986	0.088	0.537	2.916
VFC	3	750	4.00	1	4	original	ϕ_o	0.986	0.088	0.537	2.916
VFC	3	1000	4.00	1	4	original	ϕ_o	0.986	0.088	0.537	2.916
VFC	3	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	100	4.00	1	6	original	ϕ_o	0.988	0.062	0.525	2.915
VFC	3	250	4.00	1	6	original	ϕ_o	0.988	0.084	0.536	2.921
VFC	3	10	0.50	1	2	original	ϕ_o	0.959	0.508	0.734	2.900
VFC	3	10	0.70	1	2	original	ϕ_o	0.980	0.229	0.605	2.928
VFC	3	10	1.00	1	2	original	ϕ_o	0.987	0.067	0.527	2.921
VFC	3	100	0.50	1	2	original	ϕ_o	0.852	0.779	0.816	3.584
VFC	3	100	0.70	1	2	original	ϕ_o	0.930	0.638	0.784	2.865
VFC	3	100	1.00	1	2	original	ϕ_o	0.969	0.394	0.682	2.917
VFC	3	250	0.50	1	2	original	ϕ_o	0.739	0.860	0.800	4.043
VFC	3	250	0.70	1	2	original	ϕ_o	0.862	0.764	0.813	3.612
VFC	3	250	1.00	1	2	original	ϕ_o	0.938	0.592	0.765	3.683
VFC	3	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	100	4.00	1	5	original	ϕ_o	0.988	0.062	0.525	2.917
VFC	3	250	4.00	1	5	original	ϕ_o	0.988	0.084	0.536	2.923
VFC	3	10	1.25	1	7	original	ϕ_o	0.987	0.066	0.527	1.965
VFC	3	10	1.50	1	7	original	ϕ_o	0.987	0.051	0.519	2.914
VFC	3	10	1.70	1	7	original	ϕ_o	0.987	0.047	0.517	2.914
VFC	3	100	1.25	1	7	original	ϕ_o	0.967	0.450	0.708	2.915
VFC	3	100	1.50	1	7	original	ϕ_o	0.978	0.291	0.634	2.927
VFC	3	100	1.70	1	7	original	ϕ_o	0.981	0.205	0.593	2.928
VFC	3	250	1.25	1	7	original	ϕ_o	0.944	0.600	0.772	3.738
VFC	3	250	1.50	1	7	original	ϕ_o	0.963	0.445	0.704	2.910
VFC	3	250	1.70	1	7	original	ϕ_o	0.972	0.341	0.656	2.917
VFC	3	10	1.25	1	3	original	ϕ_o	0.988	0.052	0.520	1.966
VFC	3	10	1.50	1	3	original	ϕ_o	0.988	0.048	0.518	2.918
VFC	3	10	1.70	1	3	original	ϕ_o	0.987	0.046	0.517	1.965
VFC	3	100	1.25	1	3	original	ϕ_o	0.978	0.273	0.625	2.924
VFC	3	100	1.50	1	3	original	ϕ_o	0.983	0.159	0.571	2.924
VFC	3	100	1.70	1	3	original	ϕ_o	0.985	0.112	0.549	2.923
VFC	3	250	1.25	1	3	original	ϕ_o	0.954	0.497	0.726	2.898
VFC	3	250	1.50	1	3	original	ϕ_o	0.969	0.349	0.659	2.912
VFC	3	250	1.70	1	3	original	ϕ_o	0.975	0.254	0.615	2.915
VFC	3	10	0.20	1	4	original	ϕ_o	0.654	0.919	0.787	3.666
VFC	3	100	0.20	1	4	original	ϕ_o	0.306	0.979	0.642	2.578
VFC	3	250	0.20	1	4	original	ϕ_o	0.148	0.988	0.568	2.018
VFC	3	500	2.00	1	6	original	ϕ_o	0.977	0.230	0.603	2.920
VFC	3	500	2.30	1	6	original	ϕ_o	0.982	0.161	0.571	2.920
VFC	3	500	3.00	1	6	original	ϕ_o	0.986	0.103	0.544	2.923
VFC	3	750	2.00	1	6	original	ϕ_o	0.977	0.230	0.603	2.920
VFC	3	750	2.30	1	6	original	ϕ_o	0.982	0.161	0.571	2.920
VFC	3	750	3.00	1	6	original	ϕ_o	0.986	0.103	0.544	2.923
VFC	3	1000	2.00	1	6	original	ϕ_o	0.977	0.230	0.603	2.920
VFC	3	1000	2.30	1	6	original	ϕ_o	0.982	0.161	0.571	2.920
VFC	3	1000	3.00	1	6	original	ϕ_o	0.986	0.103	0.544	2.923

VFC	3	10	1.25	1	6	original	ϕ_o	0.987	0.059	0.523	2.916
VFC	3	10	1.50	1	6	original	ϕ_o	0.987	0.050	0.519	2.914
VFC	3	10	1.70	1	6	original	ϕ_o	0.987	0.048	0.518	1.964
VFC	3	100	1.25	1	6	original	ϕ_o	0.971	0.389	0.680	2.921
VFC	3	100	1.50	1	6	original	ϕ_o	0.979	0.240	0.610	2.925
VFC	3	100	1.70	1	6	original	ϕ_o	0.983	0.163	0.573	2.925
VFC	3	250	1.25	1	6	original	ϕ_o	0.943	0.593	0.768	3.728
VFC	3	250	1.50	1	6	original	ϕ_o	0.962	0.443	0.703	2.909
VFC	3	250	1.70	1	6	original	ϕ_o	0.971	0.339	0.655	2.916
VFC	3	10	2.00	1	7	original	ϕ_o	0.987	0.045	0.516	1.964
VFC	3	10	2.30	1	7	original	ϕ_o	0.987	0.044	0.516	1.964
VFC	3	10	3.00	1	7	original	ϕ_o	0.987	0.043	0.515	1.964
VFC	3	100	2.00	1	7	original	ϕ_o	0.985	0.132	0.558	2.927
VFC	3	100	2.30	1	7	original	ϕ_o	0.986	0.100	0.543	2.925
VFC	3	100	3.00	1	7	original	ϕ_o	0.987	0.081	0.534	2.922
VFC	3	250	2.00	1	7	original	ϕ_o	0.979	0.227	0.603	2.923
VFC	3	250	2.30	1	7	original	ϕ_o	0.983	0.161	0.572	2.924
VFC	3	250	3.00	1	7	original	ϕ_o	0.987	0.101	0.544	2.924
VFC	3	500	0.20	1	5	original	ϕ_o	0.082	0.990	0.536	1.670
VFC	3	750	0.20	1	5	original	ϕ_o	0.081	0.990	0.535	1.667
VFC	3	1000	0.20	1	5	original	ϕ_o	0.081	0.990	0.535	1.667
VFC	3	10	1.25	1	5	original	ϕ_o	0.987	0.057	0.522	1.964
VFC	3	10	1.50	1	5	original	ϕ_o	0.987	0.050	0.519	2.915
VFC	3	10	1.70	1	5	original	ϕ_o	0.987	0.048	0.518	1.963
VFC	3	100	1.25	1	5	original	ϕ_o	0.973	0.355	0.664	2.922
VFC	3	100	1.50	1	5	original	ϕ_o	0.981	0.208	0.594	2.926
VFC	3	100	1.70	1	5	original	ϕ_o	0.984	0.141	0.562	2.926
VFC	3	250	1.25	1	5	original	ϕ_o	0.947	0.582	0.764	3.740
VFC	3	250	1.50	1	5	original	ϕ_o	0.965	0.418	0.691	2.910
VFC	3	250	1.70	1	5	original	ϕ_o	0.972	0.309	0.641	2.917
VFC	3	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	3	100	4.00	1	4	original	ϕ_o	0.988	0.058	0.523	1.965
VFC	3	250	4.00	1	4	original	ϕ_o	0.988	0.080	0.534	1.967
VFC	3	500	2.00	1	2	original	ϕ_o	0.973	0.222	0.597	2.906
VFC	3	500	2.30	1	2	original	ϕ_o	0.979	0.154	0.567	2.910
VFC	3	500	3.00	1	2	original	ϕ_o	0.984	0.104	0.544	2.914
VFC	3	750	2.00	1	2	original	ϕ_o	0.966	0.290	0.628	2.893
VFC	3	750	2.30	1	2	original	ϕ_o	0.974	0.202	0.588	2.900
VFC	3	750	3.00	1	2	original	ϕ_o	0.981	0.120	0.551	2.908
VFC	3	1000	2.00	1	2	original	ϕ_o	0.964	0.313	0.639	2.894
VFC	3	1000	2.30	1	2	original	ϕ_o	0.972	0.218	0.595	2.900
VFC	3	1000	3.00	1	2	original	ϕ_o	0.981	0.125	0.553	2.910
VFC	3	500	0.20	1	3	original	ϕ_o	0.104	0.990	0.547	1.818
VFC	3	750	0.20	1	3	original	ϕ_o	0.096	0.990	0.543	1.784
VFC	3	1000	0.20	1	3	original	ϕ_o	0.096	0.990	0.543	1.783
VFC	3	500	4.00	1	5	original	ϕ_o	0.987	0.086	0.536	2.919
VFC	3	750	4.00	1	5	original	ϕ_o	0.987	0.085	0.536	2.918
VFC	3	1000	4.00	1	5	original	ϕ_o	0.987	0.085	0.536	2.918
VFC	3	500	1.25	1	6	original	ϕ_o	0.939	0.606	0.772	3.720
VFC	3	500	1.50	1	6	original	ϕ_o	0.961	0.453	0.707	2.907
VFC	3	500	1.70	1	6	original	ϕ_o	0.970	0.346	0.658	2.914
VFC	3	750	1.25	1	6	original	ϕ_o	0.939	0.606	0.772	3.720
VFC	3	750	1.50	1	6	original	ϕ_o	0.961	0.453	0.707	2.907
VFC	3	750	1.70	1	6	original	ϕ_o	0.970	0.346	0.658	2.914
VFC	3	1000	1.25	1	6	original	ϕ_o	0.939	0.606	0.772	3.720
VFC	3	1000	1.50	1	6	original	ϕ_o	0.961	0.453	0.707	2.907
VFC	3	1000	1.70	1	6	original	ϕ_o	0.970	0.346	0.658	2.914
VFC	3	500	4.00	1	6	original	ϕ_o	0.987	0.086	0.537	2.920
VFC	3	750	4.00	1	6	original	ϕ_o	0.987	0.086	0.537	2.920
VFC	3	1000	4.00	1	6	original	ϕ_o	0.987	0.086	0.537	2.920
VFC	3	10	2.00	1	4	original	ϕ_o	0.987	0.045	0.516	1.964
VFC	3	10	2.30	1	4	original	ϕ_o	0.987	0.044	0.516	2.916
VFC	3	10	3.00	1	4	original	ϕ_o	0.987	0.043	0.515	1.964
VFC	3	100	2.00	1	4	original	ϕ_o	0.987	0.088	0.537	2.924

VFC	3	100	2.30	1	4	original	ϕ_o	0.987	0.076	0.532	2.923
VFC	3	100	3.00	1	4	original	ϕ_o	0.988	0.066	0.527	2.918
VFC	3	250	2.00	1	4	original	ϕ_o	0.980	0.189	0.585	2.923
VFC	3	250	2.30	1	4	original	ϕ_o	0.984	0.135	0.559	2.924
VFC	3	250	3.00	1	4	original	ϕ_o	0.987	0.094	0.540	2.923
VFC	3	500	2.00	1	5	original	ϕ_o	0.977	0.227	0.602	2.919
VFC	3	500	2.30	1	5	original	ϕ_o	0.981	0.160	0.571	2.919
VFC	3	500	3.00	1	5	original	ϕ_o	0.986	0.102	0.544	2.922
VFC	3	750	2.00	1	5	original	ϕ_o	0.977	0.228	0.602	2.918
VFC	3	750	2.30	1	5	original	ϕ_o	0.981	0.161	0.571	2.919
VFC	3	750	3.00	1	5	original	ϕ_o	0.985	0.102	0.544	2.921
VFC	3	1000	2.00	1	5	original	ϕ_o	0.977	0.228	0.602	2.918
VFC	3	1000	2.30	1	5	original	ϕ_o	0.981	0.161	0.571	2.919
VFC	3	1000	3.00	1	5	original	ϕ_o	0.985	0.102	0.544	2.921
VFC	3	10	2.00	1	5	original	ϕ_o	0.987	0.046	0.517	2.915
VFC	3	10	2.30	1	5	original	ϕ_o	0.987	0.044	0.516	1.964
VFC	3	10	3.00	1	5	original	ϕ_o	0.987	0.043	0.515	1.964
VFC	3	100	2.00	1	5	original	ϕ_o	0.986	0.098	0.542	2.924
VFC	3	100	2.30	1	5	original	ϕ_o	0.987	0.083	0.535	2.922
VFC	3	100	3.00	1	5	original	ϕ_o	0.988	0.071	0.529	2.918
VFC	3	250	2.00	1	5	original	ϕ_o	0.979	0.199	0.589	2.921
VFC	3	250	2.30	1	5	original	ϕ_o	0.983	0.141	0.562	2.923
VFC	3	250	3.00	1	5	original	ϕ_o	0.987	0.097	0.542	2.924
VFC	3	500	0.20	1	6	original	ϕ_o	0.083	0.990	0.537	1.684
VFC	3	750	0.20	1	6	original	ϕ_o	0.083	0.990	0.537	1.684
VFC	3	1000	0.20	1	6	original	ϕ_o	0.083	0.990	0.537	1.684
VFC	3	500	0.50	1	4	original	ϕ_o	0.579	0.935	0.757	3.769
VFC	3	500	0.70	1	4	original	ϕ_o	0.758	0.866	0.812	4.198
VFC	3	500	1.00	1	4	original	ϕ_o	0.886	0.739	0.812	3.687
VFC	3	750	0.50	1	4	original	ϕ_o	0.576	0.935	0.756	3.766
VFC	3	750	0.70	1	4	original	ϕ_o	0.756	0.866	0.811	4.195
VFC	3	750	1.00	1	4	original	ϕ_o	0.885	0.740	0.812	3.685
VFC	3	1000	0.50	1	4	original	ϕ_o	0.576	0.935	0.756	3.766
VFC	3	1000	0.70	1	4	original	ϕ_o	0.756	0.866	0.811	4.195
VFC	3	1000	1.00	1	4	original	ϕ_o	0.885	0.740	0.812	3.685
VFC	3	500	0.50	1	7	original	ϕ_o	0.568	0.936	0.752	3.761
VFC	3	500	0.70	1	7	original	ϕ_o	0.763	0.869	0.816	4.229
VFC	3	500	1.00	1	7	original	ϕ_o	0.896	0.747	0.821	3.715
VFC	3	750	0.50	1	7	original	ϕ_o	0.568	0.936	0.752	3.761
VFC	3	750	0.70	1	7	original	ϕ_o	0.763	0.869	0.816	4.229
VFC	3	750	1.00	1	7	original	ϕ_o	0.896	0.747	0.821	3.715
VFC	3	1000	0.50	1	7	original	ϕ_o	0.568	0.936	0.752	3.761
VFC	3	1000	0.70	1	7	original	ϕ_o	0.763	0.869	0.816	4.229
VFC	3	1000	1.00	1	7	original	ϕ_o	0.896	0.747	0.821	3.715
VFC	3	500	4.00	1	7	original	ϕ_o	0.988	0.082	0.535	2.917
VFC	3	750	4.00	1	7	original	ϕ_o	0.988	0.082	0.535	2.917
VFC	3	1000	4.00	1	7	original	ϕ_o	0.988	0.082	0.535	2.917
VFC	3	10	0.50	1	4	original	ϕ_o	0.955	0.573	0.764	2.901
VFC	3	10	0.70	1	4	original	ϕ_o	0.981	0.305	0.643	2.935
VFC	3	10	1.00	1	4	original	ϕ_o	0.987	0.076	0.532	1.967
VFC	3	100	0.50	1	4	original	ϕ_o	0.807	0.837	0.822	4.220
VFC	3	100	0.70	1	4	original	ϕ_o	0.910	0.707	0.808	3.709
VFC	3	100	1.00	1	4	original	ϕ_o	0.962	0.510	0.736	2.914
VFC	3	250	0.50	1	4	original	ϕ_o	0.653	0.916	0.785	3.939
VFC	3	250	0.70	1	4	original	ϕ_o	0.812	0.834	0.823	4.267
VFC	3	250	1.00	1	4	original	ϕ_o	0.913	0.690	0.802	3.722
VFC	3	10	0.20	1	6	original	ϕ_o	0.598	0.930	0.764	3.488
VFC	3	100	0.20	1	6	original	ϕ_o	0.220	0.981	0.600	2.238
VFC	3	250	0.20	1	6	original	ϕ_o	0.099	0.988	0.544	1.750
VFC	3	10	0.50	1	5	original	ϕ_o	0.948	0.615	0.782	2.889
VFC	3	10	0.70	1	5	original	ϕ_o	0.979	0.330	0.655	2.933
VFC	3	10	1.00	1	5	original	ϕ_o	0.986	0.090	0.538	1.965
VFC	3	100	0.50	1	5	original	ϕ_o	0.771	0.861	0.816	4.156
VFC	3	100	0.70	1	5	original	ϕ_o	0.889	0.749	0.819	3.686

VFC	3	100	1.00	1	5	original	ϕ_o	0.954	0.552	0.753	2.903
VFC	3	250	0.50	1	5	original	ϕ_o	0.620	0.928	0.774	3.879
VFC	3	250	0.70	1	5	original	ϕ_o	0.793	0.856	0.825	4.264
VFC	3	250	1.00	1	5	original	ϕ_o	0.907	0.723	0.815	3.726
VFC	3	500	0.50	1	5	original	ϕ_o	0.573	0.936	0.755	3.768
VFC	3	500	0.70	1	5	original	ϕ_o	0.761	0.869	0.815	4.217
VFC	3	500	1.00	1	5	original	ϕ_o	0.891	0.744	0.817	3.704
VFC	3	750	0.50	1	5	original	ϕ_o	0.571	0.936	0.754	3.765
VFC	3	750	0.70	1	5	original	ϕ_o	0.759	0.869	0.814	4.214
VFC	3	750	1.00	1	5	original	ϕ_o	0.890	0.744	0.817	3.702
VFC	3	1000	0.50	1	5	original	ϕ_o	0.571	0.936	0.754	3.765
VFC	3	1000	0.70	1	5	original	ϕ_o	0.759	0.869	0.814	4.214
VFC	3	1000	1.00	1	5	original	ϕ_o	0.890	0.744	0.817	3.702
VFC	3	10	0.20	1	5	original	ϕ_o	0.607	0.930	0.769	3.516
VFC	3	100	0.20	1	5	original	ϕ_o	0.241	0.979	0.610	2.301
VFC	3	250	0.20	1	5	original	ϕ_o	0.114	0.988	0.551	1.807
VFC	3	500	4.00	1	2	original	ϕ_o	0.986	0.085	0.536	2.914
VFC	3	750	4.00	1	2	original	ϕ_o	0.985	0.094	0.540	2.910
VFC	3	1000	4.00	1	2	original	ϕ_o	0.984	0.096	0.540	2.911
VFC	3	500	0.20	1	2	original	ϕ_o	0.136	0.989	0.562	1.914
VFC	3	750	0.20	1	2	original	ϕ_o	0.103	0.989	0.546	1.764
VFC	3	1000	0.20	1	2	original	ϕ_o	0.096	0.989	0.543	1.736
VFC	5	500	4.00	1	5	original	ϕ_o	0.984	0.190	0.587	2.923
VFC	5	750	4.00	1	5	original	ϕ_o	0.984	0.193	0.588	2.921
VFC	5	1000	4.00	1	5	original	ϕ_o	0.984	0.193	0.588	2.921
VFC	5	500	0.50	1	6	original	ϕ_o	0.172	0.991	0.582	3.793
VFC	5	500	0.70	1	6	original	ϕ_o	0.349	0.974	0.662	4.268
VFC	5	500	1.00	1	6	original	ϕ_o	0.562	0.936	0.749	4.448
VFC	5	750	0.50	1	6	original	ϕ_o	0.172	0.991	0.582	3.793
VFC	5	750	0.70	1	6	original	ϕ_o	0.349	0.974	0.662	4.268
VFC	5	750	1.00	1	6	original	ϕ_o	0.562	0.936	0.749	4.448
VFC	5	1000	0.50	1	6	original	ϕ_o	0.172	0.991	0.582	3.793
VFC	5	1000	0.70	1	6	original	ϕ_o	0.349	0.974	0.662	4.268
VFC	5	1000	1.00	1	6	original	ϕ_o	0.562	0.936	0.749	4.448
VFC	5	500	0.20	1	3	original	ϕ_o	0.010	1.000	0.505	1.999
VFC	5	750	0.20	1	3	original	ϕ_o	0.007	1.000	0.504	1.969
VFC	5	1000	0.20	1	3	original	ϕ_o	0.007	1.000	0.504	1.968
VFC	5	10	0.20	1	4	original	ϕ_o	0.561	0.953	0.757	3.728
VFC	5	100	0.20	1	4	original	ϕ_o	0.103	0.998	0.551	2.705
VFC	5	250	0.20	1	4	original	ϕ_o	0.018	1.000	0.509	2.182
VFC	5	500	0.20	1	6	original	ϕ_o	0.005	1.000	0.502	1.892
VFC	5	750	0.20	1	6	original	ϕ_o	0.005	1.000	0.502	1.892
VFC	5	1000	0.20	1	6	original	ϕ_o	0.005	1.000	0.502	1.892
VFC	5	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	2.917
VFC	5	100	4.00	1	4	original	ϕ_o	0.988	0.047	0.517	1.964
VFC	5	250	4.00	1	4	original	ϕ_o	0.986	0.124	0.555	2.922
VFC	5	10	0.20	1	6	original	ϕ_o	0.491	0.961	0.726	3.572
VFC	5	100	0.20	1	6	original	ϕ_o	0.062	0.998	0.530	2.387
VFC	5	250	0.20	1	6	original	ϕ_o	0.008	1.000	0.504	1.947
VFC	5	10	0.20	1	2	original	ϕ_o	0.631	0.915	0.773	3.858
VFC	5	100	0.20	1	2	original	ϕ_o	0.205	0.994	0.599	2.982
VFC	5	250	0.20	1	2	original	ϕ_o	0.069	0.999	0.534	2.472
VFC	5	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	5	100	4.00	1	7	original	ϕ_o	0.988	0.062	0.525	1.966
VFC	5	250	4.00	1	7	original	ϕ_o	0.986	0.172	0.579	2.925
VFC	5	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	5	100	4.00	1	5	original	ϕ_o	0.988	0.049	0.519	1.965
VFC	5	250	4.00	1	5	original	ϕ_o	0.986	0.138	0.562	2.925
VFC	5	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	5	100	4.00	1	2	original	ϕ_o	0.987	0.045	0.516	1.964
VFC	5	250	4.00	1	2	original	ϕ_o	0.987	0.059	0.523	2.909
VFC	5	10	0.20	1	3	original	ϕ_o	0.590	0.935	0.762	3.788
VFC	5	100	0.20	1	3	original	ϕ_o	0.146	0.997	0.572	2.831
VFC	5	250	0.20	1	3	original	ϕ_o	0.038	1.000	0.519	2.306

VFC	5	10	0.50	1	6	original	ϕ_o	0.911	0.738	0.824	3.752
VFC	5	10	0.70	1	6	original	ϕ_o	0.964	0.550	0.757	2.936
VFC	5	10	1.00	1	6	original	ϕ_o	0.983	0.238	0.610	1.967
VFC	5	100	0.50	1	6	original	ϕ_o	0.484	0.955	0.720	4.190
VFC	5	100	0.70	1	6	original	ϕ_o	0.680	0.901	0.790	4.386
VFC	5	100	1.00	1	6	original	ϕ_o	0.834	0.811	0.823	3.762
VFC	5	250	0.50	1	6	original	ϕ_o	0.209	0.990	0.599	3.842
VFC	5	250	0.70	1	6	original	ϕ_o	0.395	0.969	0.682	4.292
VFC	5	250	1.00	1	6	original	ϕ_o	0.606	0.926	0.766	4.450
VFC	5	10	0.50	1	3	original	ϕ_o	0.931	0.672	0.802	2.904
VFC	5	10	0.70	1	3	original	ϕ_o	0.971	0.461	0.716	2.932
VFC	5	10	1.00	1	3	original	ϕ_o	0.985	0.166	0.575	1.967
VFC	5	100	0.50	1	3	original	ϕ_o	0.625	0.926	0.775	4.292
VFC	5	100	0.70	1	3	original	ϕ_o	0.780	0.854	0.817	4.373
VFC	5	100	1.00	1	3	original	ϕ_o	0.899	0.721	0.810	3.740
VFC	5	250	0.50	1	3	original	ϕ_o	0.352	0.979	0.666	4.026
VFC	5	250	0.70	1	3	original	ϕ_o	0.537	0.948	0.742	4.326
VFC	5	250	1.00	1	3	original	ϕ_o	0.720	0.880	0.800	4.389
VFC	5	10	0.20	1	5	original	ϕ_o	0.503	0.961	0.732	3.594
VFC	5	100	0.20	1	5	original	ϕ_o	0.074	0.998	0.536	2.442
VFC	5	250	0.20	1	5	original	ϕ_o	0.011	1.000	0.505	1.994
VFC	5	500	1.25	1	6	original	ϕ_o	0.694	0.894	0.794	4.447
VFC	5	500	1.50	1	6	original	ϕ_o	0.791	0.841	0.816	4.404
VFC	5	500	1.70	1	6	original	ϕ_o	0.848	0.794	0.821	4.368
VFC	5	750	1.25	1	6	original	ϕ_o	0.694	0.894	0.794	4.447
VFC	5	750	1.50	1	6	original	ϕ_o	0.791	0.841	0.816	4.404
VFC	5	750	1.70	1	6	original	ϕ_o	0.848	0.794	0.821	4.368
VFC	5	1000	1.25	1	6	original	ϕ_o	0.694	0.894	0.794	4.447
VFC	5	1000	1.50	1	6	original	ϕ_o	0.791	0.841	0.816	4.404
VFC	5	1000	1.70	1	6	original	ϕ_o	0.848	0.794	0.821	4.368
VFC	5	500	4.00	1	6	original	ϕ_o	0.984	0.195	0.589	2.925
VFC	5	750	4.00	1	6	original	ϕ_o	0.984	0.195	0.589	2.925
VFC	5	1000	4.00	1	6	original	ϕ_o	0.984	0.195	0.589	2.925
VFC	5	500	1.25	1	3	original	ϕ_o	0.647	0.911	0.779	4.425
VFC	5	500	1.50	1	3	original	ϕ_o	0.742	0.864	0.803	4.380
VFC	5	500	1.70	1	3	original	ϕ_o	0.802	0.821	0.811	4.347
VFC	5	750	1.25	1	3	original	ϕ_o	0.622	0.922	0.772	4.440
VFC	5	750	1.50	1	3	original	ϕ_o	0.719	0.879	0.799	4.406
VFC	5	750	1.70	1	3	original	ϕ_o	0.782	0.838	0.810	4.371
VFC	5	1000	1.25	1	3	original	ϕ_o	0.620	0.922	0.771	4.438
VFC	5	1000	1.50	1	3	original	ϕ_o	0.719	0.879	0.799	4.405
VFC	5	1000	1.70	1	3	original	ϕ_o	0.782	0.838	0.810	4.371
VFC	5	500	4.00	1	4	original	ϕ_o	0.981	0.228	0.605	2.919
VFC	5	750	4.00	1	4	original	ϕ_o	0.981	0.232	0.606	2.917
VFC	5	1000	4.00	1	4	original	ϕ_o	0.981	0.232	0.606	2.917
VFC	5	500	0.20	1	5	original	ϕ_o	0.004	1.000	0.502	1.882
VFC	5	750	0.20	1	5	original	ϕ_o	0.004	1.000	0.502	1.880
VFC	5	1000	0.20	1	5	original	ϕ_o	0.004	1.000	0.502	1.880
VFC	5	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	2.917
VFC	5	100	4.00	1	6	original	ϕ_o	0.988	0.052	0.520	1.965
VFC	5	250	4.00	1	6	original	ϕ_o	0.985	0.181	0.583	2.927
VFC	5	10	1.25	1	6	original	ϕ_o	0.986	0.085	0.536	1.964
VFC	5	10	1.50	1	6	original	ϕ_o	0.987	0.045	0.516	1.963
VFC	5	10	1.70	1	6	original	ϕ_o	0.987	0.042	0.515	1.962
VFC	5	100	1.25	1	6	original	ϕ_o	0.905	0.721	0.813	3.758
VFC	5	100	1.50	1	6	original	ϕ_o	0.944	0.616	0.780	2.931
VFC	5	100	1.70	1	6	original	ϕ_o	0.960	0.529	0.745	2.932
VFC	5	250	1.25	1	6	original	ϕ_o	0.734	0.880	0.807	4.449
VFC	5	250	1.50	1	6	original	ϕ_o	0.821	0.826	0.823	4.413
VFC	5	250	1.70	1	6	original	ϕ_o	0.872	0.776	0.824	4.379
VFC	5	500	1.25	1	4	original	ϕ_o	0.657	0.902	0.779	4.410
VFC	5	500	1.50	1	4	original	ϕ_o	0.754	0.853	0.804	4.361
VFC	5	500	1.70	1	4	original	ϕ_o	0.815	0.809	0.812	4.324
VFC	5	750	1.25	1	4	original	ϕ_o	0.651	0.902	0.776	4.403

VFC	5	750	1.50	1	4	original	ϕ_o	0.749	0.854	0.801	4.356
VFC	5	750	1.70	1	4	original	ϕ_o	0.811	0.810	0.810	4.322
VFC	5	1000	1.25	1	4	original	ϕ_o	0.651	0.902	0.776	4.403
VFC	5	1000	1.50	1	4	original	ϕ_o	0.749	0.854	0.801	4.356
VFC	5	1000	1.70	1	4	original	ϕ_o	0.811	0.810	0.810	4.322
VFC	5	10	2.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.963
VFC	5	10	2.30	1	5	original	ϕ_o	0.987	0.042	0.515	1.963
VFC	5	10	3.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	5	100	2.00	1	5	original	ϕ_o	0.976	0.352	0.664	2.931
VFC	5	100	2.30	1	5	original	ϕ_o	0.983	0.222	0.602	2.926
VFC	5	100	3.00	1	5	original	ϕ_o	0.987	0.079	0.533	2.915
VFC	5	250	2.00	1	5	original	ϕ_o	0.928	0.682	0.805	3.763
VFC	5	250	2.30	1	5	original	ϕ_o	0.952	0.582	0.767	3.726
VFC	5	250	3.00	1	5	original	ϕ_o	0.976	0.344	0.660	2.932
VFC	5	500	4.00	1	7	original	ϕ_o	0.985	0.181	0.583	2.920
VFC	5	750	4.00	1	7	original	ϕ_o	0.985	0.181	0.583	2.920
VFC	5	1000	4.00	1	7	original	ϕ_o	0.985	0.181	0.583	2.920
VFC	5	500	0.50	1	7	original	ϕ_o	0.166	0.990	0.578	3.760
VFC	5	500	0.70	1	7	original	ϕ_o	0.350	0.973	0.661	4.265
VFC	5	500	1.00	1	7	original	ϕ_o	0.567	0.933	0.750	4.453
VFC	5	750	0.50	1	7	original	ϕ_o	0.166	0.990	0.578	3.760
VFC	5	750	0.70	1	7	original	ϕ_o	0.350	0.973	0.661	4.265
VFC	5	750	1.00	1	7	original	ϕ_o	0.567	0.933	0.750	4.453
VFC	5	1000	0.50	1	7	original	ϕ_o	0.166	0.990	0.578	3.760
VFC	5	1000	0.70	1	7	original	ϕ_o	0.350	0.973	0.661	4.265
VFC	5	1000	1.00	1	7	original	ϕ_o	0.567	0.933	0.750	4.453
VFC	5	500	0.50	1	5	original	ϕ_o	0.167	0.993	0.580	3.774
VFC	5	500	0.70	1	5	original	ϕ_o	0.338	0.977	0.658	4.255
VFC	5	500	1.00	1	5	original	ϕ_o	0.549	0.940	0.744	4.445
VFC	5	750	0.50	1	5	original	ϕ_o	0.165	0.993	0.579	3.774
VFC	5	750	0.70	1	5	original	ϕ_o	0.335	0.977	0.656	4.254
VFC	5	750	1.00	1	5	original	ϕ_o	0.544	0.940	0.742	4.443
VFC	5	1000	0.50	1	5	original	ϕ_o	0.165	0.993	0.579	3.774
VFC	5	1000	0.70	1	5	original	ϕ_o	0.335	0.977	0.656	4.254
VFC	5	1000	1.00	1	5	original	ϕ_o	0.544	0.940	0.742	4.443
VFC	5	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	5	100	4.00	1	3	original	ϕ_o	0.988	0.044	0.516	1.964
VFC	5	250	4.00	1	3	original	ϕ_o	0.986	0.085	0.536	1.963
VFC	5	500	0.50	1	3	original	ϕ_o	0.179	0.995	0.587	3.754
VFC	5	500	0.70	1	3	original	ϕ_o	0.333	0.982	0.658	4.195
VFC	5	500	1.00	1	3	original	ϕ_o	0.527	0.949	0.738	4.396
VFC	5	750	0.50	1	3	original	ϕ_o	0.158	0.996	0.577	3.722
VFC	5	750	0.70	1	3	original	ϕ_o	0.306	0.985	0.645	4.173
VFC	5	750	1.00	1	3	original	ϕ_o	0.499	0.955	0.727	4.409
VFC	5	1000	0.50	1	3	original	ϕ_o	0.157	0.996	0.576	3.720
VFC	5	1000	0.70	1	3	original	ϕ_o	0.304	0.985	0.645	4.171
VFC	5	1000	1.00	1	3	original	ϕ_o	0.498	0.955	0.727	4.409
VFC	5	500	2.00	1	2	original	ϕ_o	0.897	0.687	0.792	3.701
VFC	5	500	2.30	1	2	original	ϕ_o	0.933	0.592	0.762	3.666
VFC	5	500	3.00	1	2	original	ϕ_o	0.968	0.370	0.669	2.914
VFC	5	750	2.00	1	2	original	ϕ_o	0.838	0.764	0.801	4.243
VFC	5	750	2.30	1	2	original	ϕ_o	0.888	0.690	0.789	3.665
VFC	5	750	3.00	1	2	original	ϕ_o	0.948	0.505	0.727	3.612
VFC	5	1000	2.00	1	2	original	ϕ_o	0.824	0.780	0.802	4.255
VFC	5	1000	2.30	1	2	original	ϕ_o	0.878	0.715	0.796	4.202
VFC	5	1000	3.00	1	2	original	ϕ_o	0.943	0.542	0.742	3.619
VFC	5	500	4.00	1	2	original	ϕ_o	0.983	0.157	0.570	2.905
VFC	5	750	4.00	1	2	original	ϕ_o	0.976	0.273	0.624	2.910
VFC	5	1000	4.00	1	2	original	ϕ_o	0.973	0.309	0.641	2.913
VFC	5	500	1.25	1	2	original	ϕ_o	0.701	0.886	0.793	4.382
VFC	5	500	1.50	1	2	original	ϕ_o	0.790	0.830	0.810	4.351
VFC	5	500	1.70	1	2	original	ϕ_o	0.842	0.776	0.809	4.317
VFC	5	750	1.25	1	2	original	ϕ_o	0.595	0.921	0.758	4.361
VFC	5	750	1.50	1	2	original	ϕ_o	0.696	0.877	0.786	4.338

VFC	5	750	1.70	1	2	original	ϕ_o	0.762	0.834	0.798	4.302
VFC	5	1000	1.25	1	2	original	ϕ_o	0.576	0.927	0.752	4.371
VFC	5	1000	1.50	1	2	original	ϕ_o	0.678	0.887	0.783	4.358
VFC	5	1000	1.70	1	2	original	ϕ_o	0.746	0.846	0.796	4.313
VFC	5	500	2.00	1	7	original	ϕ_o	0.912	0.696	0.804	3.735
VFC	5	500	2.30	1	7	original	ϕ_o	0.946	0.604	0.775	3.697
VFC	5	500	3.00	1	7	original	ϕ_o	0.973	0.389	0.681	2.931
VFC	5	750	2.00	1	7	original	ϕ_o	0.912	0.696	0.804	3.735
VFC	5	750	2.30	1	7	original	ϕ_o	0.946	0.604	0.775	3.697
VFC	5	750	3.00	1	7	original	ϕ_o	0.973	0.389	0.681	2.931
VFC	5	1000	2.00	1	7	original	ϕ_o	0.912	0.696	0.804	3.735
VFC	5	1000	2.30	1	7	original	ϕ_o	0.946	0.604	0.775	3.697
VFC	5	1000	3.00	1	7	original	ϕ_o	0.973	0.389	0.681	2.931
VFC	5	10	2.00	1	4	original	ϕ_o	0.987	0.042	0.514	1.964
VFC	5	10	2.30	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	5	10	3.00	1	4	original	ϕ_o	0.987	0.042	0.515	2.916
VFC	5	100	2.00	1	4	original	ϕ_o	0.980	0.292	0.636	2.931
VFC	5	100	2.30	1	4	original	ϕ_o	0.985	0.177	0.581	2.926
VFC	5	100	3.00	1	4	original	ϕ_o	0.987	0.066	0.526	1.966
VFC	5	250	2.00	1	4	original	ϕ_o	0.934	0.648	0.791	3.722
VFC	5	250	2.30	1	4	original	ϕ_o	0.956	0.553	0.755	2.929
VFC	5	250	3.00	1	4	original	ϕ_o	0.977	0.318	0.648	2.931
VFC	5	10	0.50	1	7	original	ϕ_o	0.894	0.768	0.831	3.751
VFC	5	10	0.70	1	7	original	ϕ_o	0.957	0.602	0.780	2.932
VFC	5	10	1.00	1	7	original	ϕ_o	0.981	0.293	0.637	2.932
VFC	5	100	0.50	1	7	original	ϕ_o	0.415	0.967	0.691	4.111
VFC	5	100	0.70	1	7	original	ϕ_o	0.623	0.925	0.774	4.394
VFC	5	100	1.00	1	7	original	ϕ_o	0.797	0.851	0.824	4.439
VFC	5	250	0.50	1	7	original	ϕ_o	0.187	0.990	0.588	3.797
VFC	5	250	0.70	1	7	original	ϕ_o	0.379	0.972	0.675	4.287
VFC	5	250	1.00	1	7	original	ϕ_o	0.598	0.929	0.764	4.464
VFC	5	500	0.20	1	7	original	ϕ_o	0.005	1.000	0.502	1.823
VFC	5	750	0.20	1	7	original	ϕ_o	0.005	1.000	0.502	1.823
VFC	5	1000	0.20	1	7	original	ϕ_o	0.005	1.000	0.502	1.823
VFC	5	500	0.20	1	2	original	ϕ_o	0.018	1.000	0.509	2.082
VFC	5	750	0.20	1	2	original	ϕ_o	0.010	1.000	0.505	1.949
VFC	5	1000	0.20	1	2	original	ϕ_o	0.008	1.000	0.504	1.922
VFC	5	500	2.00	1	4	original	ϕ_o	0.883	0.737	0.810	3.724
VFC	5	500	2.30	1	4	original	ϕ_o	0.924	0.662	0.793	3.678
VFC	5	500	3.00	1	4	original	ϕ_o	0.964	0.465	0.714	2.928
VFC	5	750	2.00	1	4	original	ϕ_o	0.880	0.737	0.809	4.256
VFC	5	750	2.30	1	4	original	ϕ_o	0.923	0.663	0.793	4.185
VFC	5	750	3.00	1	4	original	ϕ_o	0.964	0.468	0.716	2.928
VFC	5	1000	2.00	1	4	original	ϕ_o	0.880	0.737	0.809	4.256
VFC	5	1000	2.30	1	4	original	ϕ_o	0.923	0.663	0.793	4.185
VFC	5	1000	3.00	1	4	original	ϕ_o	0.964	0.468	0.716	2.928
VFC	5	500	1.25	1	5	original	ϕ_o	0.680	0.898	0.789	4.440
VFC	5	500	1.50	1	5	original	ϕ_o	0.781	0.845	0.813	4.390
VFC	5	500	1.70	1	5	original	ϕ_o	0.841	0.797	0.819	4.360
VFC	5	750	1.25	1	5	original	ϕ_o	0.675	0.898	0.786	4.432
VFC	5	750	1.50	1	5	original	ϕ_o	0.776	0.845	0.811	4.387
VFC	5	750	1.70	1	5	original	ϕ_o	0.837	0.797	0.817	4.357
VFC	5	1000	1.25	1	5	original	ϕ_o	0.675	0.898	0.786	4.432
VFC	5	1000	1.50	1	5	original	ϕ_o	0.776	0.845	0.811	4.387
VFC	5	1000	1.70	1	5	original	ϕ_o	0.837	0.797	0.817	4.357
VFC	5	10	2.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.963
VFC	5	10	2.30	1	6	original	ϕ_o	0.987	0.042	0.514	1.963
VFC	5	10	3.00	1	6	original	ϕ_o	0.987	0.042	0.514	1.964
VFC	5	100	2.00	1	6	original	ϕ_o	0.973	0.399	0.686	2.932
VFC	5	100	2.30	1	6	original	ϕ_o	0.981	0.279	0.630	2.930
VFC	5	100	3.00	1	6	original	ϕ_o	0.987	0.107	0.547	2.916
VFC	5	250	2.00	1	6	original	ϕ_o	0.920	0.698	0.809	3.759
VFC	5	250	2.30	1	6	original	ϕ_o	0.947	0.610	0.779	3.734
VFC	5	250	3.00	1	6	original	ϕ_o	0.973	0.391	0.682	2.932

VFC	5	10	0.50	1	5	original	ϕ_o	0.914	0.736	0.825	2.898
VFC	5	10	0.70	1	5	original	ϕ_o	0.965	0.544	0.754	2.936
VFC	5	10	1.00	1	5	original	ϕ_o	0.983	0.215	0.599	2.927
VFC	5	100	0.50	1	5	original	ϕ_o	0.509	0.954	0.731	4.215
VFC	5	100	0.70	1	5	original	ϕ_o	0.697	0.900	0.799	4.412
VFC	5	100	1.00	1	5	original	ϕ_o	0.846	0.806	0.826	3.769
VFC	5	250	0.50	1	5	original	ϕ_o	0.235	0.991	0.613	3.868
VFC	5	250	0.70	1	5	original	ϕ_o	0.422	0.971	0.697	4.311
VFC	5	250	1.00	1	5	original	ϕ_o	0.633	0.926	0.779	4.464
VFC	5	500	0.50	1	2	original	ϕ_o	0.236	0.991	0.614	3.808
VFC	5	500	0.70	1	2	original	ϕ_o	0.399	0.973	0.686	4.194
VFC	5	500	1.00	1	2	original	ϕ_o	0.584	0.932	0.758	4.365
VFC	5	750	0.50	1	2	original	ϕ_o	0.159	0.996	0.577	3.655
VFC	5	750	0.70	1	2	original	ϕ_o	0.295	0.983	0.639	4.111
VFC	5	750	1.00	1	2	original	ϕ_o	0.476	0.955	0.715	4.331
VFC	5	1000	0.50	1	2	original	ϕ_o	0.143	0.996	0.570	3.621
VFC	5	1000	0.70	1	2	original	ϕ_o	0.274	0.984	0.629	4.091
VFC	5	1000	1.00	1	2	original	ϕ_o	0.454	0.957	0.706	4.335
VFC	5	500	4.00	1	3	original	ϕ_o	0.980	0.241	0.610	2.914
VFC	5	750	4.00	1	3	original	ϕ_o	0.978	0.284	0.631	2.920
VFC	5	1000	4.00	1	3	original	ϕ_o	0.978	0.287	0.632	2.921
VFC	5	10	1.25	1	3	original	ϕ_o	0.987	0.058	0.523	2.918
VFC	5	10	1.50	1	3	original	ϕ_o	0.988	0.042	0.515	1.964
VFC	5	10	1.70	1	3	original	ϕ_o	0.988	0.041	0.515	2.916
VFC	5	100	1.25	1	3	original	ϕ_o	0.944	0.602	0.773	2.927
VFC	5	100	1.50	1	3	original	ϕ_o	0.965	0.475	0.720	2.926
VFC	5	100	1.70	1	3	original	ϕ_o	0.975	0.374	0.674	2.929
VFC	5	250	1.25	1	3	original	ϕ_o	0.818	0.808	0.813	4.329
VFC	5	250	1.50	1	3	original	ϕ_o	0.883	0.728	0.806	3.717
VFC	5	250	1.70	1	3	original	ϕ_o	0.917	0.663	0.790	3.680
VFC	5	500	0.20	1	4	original	ϕ_o	0.006	1.000	0.503	1.981
VFC	5	750	0.20	1	4	original	ϕ_o	0.006	1.000	0.503	1.978
VFC	5	1000	0.20	1	4	original	ϕ_o	0.006	1.000	0.503	1.978
VFC	5	10	1.25	1	4	original	ϕ_o	0.987	0.058	0.522	1.964
VFC	5	10	1.50	1	4	original	ϕ_o	0.987	0.042	0.515	2.913
VFC	5	10	1.70	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	5	100	1.25	1	4	original	ϕ_o	0.934	0.656	0.795	3.730
VFC	5	100	1.50	1	4	original	ϕ_o	0.960	0.539	0.750	2.934
VFC	5	100	1.70	1	4	original	ϕ_o	0.971	0.439	0.705	2.934
VFC	5	250	1.25	1	4	original	ϕ_o	0.778	0.856	0.817	4.434
VFC	5	250	1.50	1	4	original	ϕ_o	0.857	0.794	0.825	4.375
VFC	5	250	1.70	1	4	original	ϕ_o	0.896	0.739	0.818	3.764
VFC	5	10	2.00	1	2	original	ϕ_o	0.987	0.042	0.514	2.916
VFC	5	10	2.30	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	5	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	2.917
VFC	5	100	2.00	1	2	original	ϕ_o	0.984	0.144	0.564	2.920
VFC	5	100	2.30	1	2	original	ϕ_o	0.986	0.083	0.535	2.914
VFC	5	100	3.00	1	2	original	ϕ_o	0.987	0.049	0.518	2.914
VFC	5	250	2.00	1	2	original	ϕ_o	0.965	0.462	0.713	2.925
VFC	5	250	2.30	1	2	original	ϕ_o	0.975	0.336	0.655	2.925
VFC	5	250	3.00	1	2	original	ϕ_o	0.985	0.132	0.558	2.914
VFC	5	10	1.25	1	7	original	ϕ_o	0.986	0.120	0.553	1.966
VFC	5	10	1.50	1	7	original	ϕ_o	0.987	0.057	0.522	1.963
VFC	5	10	1.70	1	7	original	ϕ_o	0.987	0.043	0.515	1.963
VFC	5	100	1.25	1	7	original	ϕ_o	0.881	0.774	0.828	3.788
VFC	5	100	1.50	1	7	original	ϕ_o	0.930	0.686	0.808	3.776
VFC	5	100	1.70	1	7	original	ϕ_o	0.952	0.613	0.782	2.937
VFC	5	250	1.25	1	7	original	ϕ_o	0.733	0.884	0.808	4.457
VFC	5	250	1.50	1	7	original	ϕ_o	0.821	0.825	0.823	3.779
VFC	5	250	1.70	1	7	original	ϕ_o	0.873	0.773	0.823	4.370
VFC	5	500	0.50	1	4	original	ϕ_o	0.170	0.993	0.582	3.770
VFC	5	500	0.70	1	4	original	ϕ_o	0.331	0.978	0.654	4.220
VFC	5	500	1.00	1	4	original	ϕ_o	0.534	0.941	0.737	4.409
VFC	5	750	0.50	1	4	original	ϕ_o	0.168	0.993	0.580	3.769

VFC	5	750	0.70	1	4	original	ϕ_o	0.327	0.978	0.652	4.219
VFC	5	750	1.00	1	4	original	ϕ_o	0.528	0.941	0.735	4.408
VFC	5	1000	0.50	1	4	original	ϕ_o	0.168	0.993	0.580	3.769
VFC	5	1000	0.70	1	4	original	ϕ_o	0.327	0.978	0.652	4.219
VFC	5	1000	1.00	1	4	original	ϕ_o	0.528	0.941	0.735	4.408
VFC	5	500	2.00	1	5	original	ϕ_o	0.903	0.719	0.811	3.734
VFC	5	500	2.30	1	5	original	ϕ_o	0.939	0.633	0.786	3.692
VFC	5	500	3.00	1	5	original	ϕ_o	0.971	0.412	0.691	2.931
VFC	5	750	2.00	1	5	original	ϕ_o	0.901	0.719	0.810	3.725
VFC	5	750	2.30	1	5	original	ϕ_o	0.937	0.635	0.786	3.690
VFC	5	750	3.00	1	5	original	ϕ_o	0.970	0.414	0.692	2.930
VFC	5	1000	2.00	1	5	original	ϕ_o	0.901	0.719	0.810	3.725
VFC	5	1000	2.30	1	5	original	ϕ_o	0.937	0.635	0.786	3.690
VFC	5	1000	3.00	1	5	original	ϕ_o	0.970	0.414	0.692	2.930
VFC	5	10	0.50	1	4	original	ϕ_o	0.929	0.691	0.810	2.906
VFC	5	10	0.70	1	4	original	ϕ_o	0.971	0.499	0.735	2.938
VFC	5	10	1.00	1	4	original	ϕ_o	0.985	0.178	0.581	2.928
VFC	5	100	0.50	1	4	original	ϕ_o	0.571	0.944	0.757	4.289
VFC	5	100	0.70	1	4	original	ϕ_o	0.749	0.881	0.815	4.423
VFC	5	100	1.00	1	4	original	ϕ_o	0.884	0.768	0.826	3.774
VFC	5	250	0.50	1	4	original	ϕ_o	0.276	0.990	0.633	3.936
VFC	5	250	0.70	1	4	original	ϕ_o	0.461	0.965	0.713	4.319
VFC	5	250	1.00	1	4	original	ϕ_o	0.666	0.911	0.788	4.443
VFC	5	500	1.25	1	7	original	ϕ_o	0.704	0.890	0.797	4.431
VFC	5	500	1.50	1	7	original	ϕ_o	0.799	0.833	0.816	4.385
VFC	5	500	1.70	1	7	original	ϕ_o	0.855	0.781	0.818	4.342
VFC	5	750	1.25	1	7	original	ϕ_o	0.704	0.890	0.797	4.431
VFC	5	750	1.50	1	7	original	ϕ_o	0.799	0.833	0.816	4.385
VFC	5	750	1.70	1	7	original	ϕ_o	0.855	0.781	0.818	4.342
VFC	5	1000	1.25	1	7	original	ϕ_o	0.704	0.890	0.797	4.431
VFC	5	1000	1.50	1	7	original	ϕ_o	0.799	0.833	0.816	4.385
VFC	5	1000	1.70	1	7	original	ϕ_o	0.855	0.781	0.818	4.342
VFC	5	500	2.00	1	6	original	ϕ_o	0.906	0.717	0.812	3.745
VFC	5	500	2.30	1	6	original	ϕ_o	0.940	0.632	0.786	3.711
VFC	5	500	3.00	1	6	original	ϕ_o	0.971	0.413	0.692	2.932
VFC	5	750	2.00	1	6	original	ϕ_o	0.906	0.717	0.812	3.745
VFC	5	750	2.30	1	6	original	ϕ_o	0.940	0.632	0.786	3.711
VFC	5	750	3.00	1	6	original	ϕ_o	0.971	0.413	0.692	2.932
VFC	5	1000	2.00	1	6	original	ϕ_o	0.906	0.717	0.812	3.745
VFC	5	1000	2.30	1	6	original	ϕ_o	0.940	0.632	0.786	3.711
VFC	5	1000	3.00	1	6	original	ϕ_o	0.971	0.413	0.692	2.932
VFC	5	10	1.25	1	5	original	ϕ_o	0.986	0.071	0.529	1.963
VFC	5	10	1.50	1	5	original	ϕ_o	0.987	0.044	0.515	1.963
VFC	5	10	1.70	1	5	original	ϕ_o	0.987	0.043	0.515	1.963
VFC	5	100	1.25	1	5	original	ϕ_o	0.912	0.711	0.812	3.755
VFC	5	100	1.50	1	5	original	ϕ_o	0.948	0.598	0.773	2.931
VFC	5	100	1.70	1	5	original	ϕ_o	0.963	0.500	0.732	2.933
VFC	5	250	1.25	1	5	original	ϕ_o	0.753	0.878	0.816	4.472
VFC	5	250	1.50	1	5	original	ϕ_o	0.836	0.820	0.828	4.428
VFC	5	250	1.70	1	5	original	ϕ_o	0.884	0.768	0.826	4.394
VFC	5	10	2.00	1	3	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	5	10	2.30	1	3	original	ϕ_o	0.987	0.042	0.515	2.917
VFC	5	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.515	2.917
VFC	5	100	2.00	1	3	original	ϕ_o	0.982	0.233	0.607	2.926
VFC	5	100	2.30	1	3	original	ϕ_o	0.985	0.134	0.560	2.918
VFC	5	100	3.00	1	3	original	ϕ_o	0.987	0.056	0.522	2.911
VFC	5	250	2.00	1	3	original	ϕ_o	0.947	0.557	0.752	2.922
VFC	5	250	2.30	1	3	original	ϕ_o	0.964	0.453	0.709	2.922
VFC	5	250	3.00	1	3	original	ϕ_o	0.981	0.231	0.606	2.919
VFC	5	500	2.00	1	3	original	ϕ_o	0.870	0.747	0.808	3.724
VFC	5	500	2.30	1	3	original	ϕ_o	0.913	0.669	0.791	3.689
VFC	5	500	3.00	1	3	original	ϕ_o	0.960	0.473	0.716	2.922
VFC	5	750	2.00	1	3	original	ϕ_o	0.854	0.772	0.813	3.743
VFC	5	750	2.30	1	3	original	ϕ_o	0.903	0.701	0.802	3.710

VFC	5	750	3.00	1	3	original	ϕ_o	0.955	0.520	0.738	2.925
VFC	5	1000	2.00	1	3	original	ϕ_o	0.854	0.772	0.813	3.743
VFC	5	1000	2.30	1	3	original	ϕ_o	0.902	0.702	0.802	3.710
VFC	5	1000	3.00	1	3	original	ϕ_o	0.955	0.522	0.739	2.926
VFC	5	10	1.25	1	2	original	ϕ_o	0.987	0.048	0.518	1.965
VFC	5	10	1.50	1	2	original	ϕ_o	0.987	0.042	0.514	2.917
VFC	5	10	1.70	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	5	100	1.25	1	2	original	ϕ_o	0.958	0.548	0.753	2.930
VFC	5	100	1.50	1	2	original	ϕ_o	0.974	0.394	0.684	2.931
VFC	5	100	1.70	1	2	original	ϕ_o	0.980	0.277	0.628	2.927
VFC	5	250	1.25	1	2	original	ϕ_o	0.870	0.761	0.816	3.745
VFC	5	250	1.50	1	2	original	ϕ_o	0.920	0.670	0.795	3.717
VFC	5	250	1.70	1	2	original	ϕ_o	0.945	0.590	0.768	2.923
VFC	5	10	2.00	1	7	original	ϕ_o	0.987	0.040	0.514	2.911
VFC	5	10	2.30	1	7	original	ϕ_o	0.987	0.040	0.514	1.963
VFC	5	10	3.00	1	7	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	5	100	2.00	1	7	original	ϕ_o	0.969	0.485	0.727	2.937
VFC	5	100	2.30	1	7	original	ϕ_o	0.978	0.360	0.669	2.936
VFC	5	100	3.00	1	7	original	ϕ_o	0.986	0.153	0.569	2.927
VFC	5	250	2.00	1	7	original	ϕ_o	0.923	0.688	0.805	3.756
VFC	5	250	2.30	1	7	original	ϕ_o	0.951	0.594	0.773	2.933
VFC	5	250	3.00	1	7	original	ϕ_o	0.975	0.377	0.676	2.933
VFC	5	10	0.20	1	7	original	ϕ_o	0.426	0.965	0.696	3.446
VFC	5	100	0.20	1	7	original	ϕ_o	0.042	0.999	0.520	2.206
VFC	5	250	0.20	1	7	original	ϕ_o	0.007	1.000	0.503	1.861
VFC	5	10	0.50	1	2	original	ϕ_o	0.939	0.646	0.793	2.905
VFC	5	10	0.70	1	2	original	ϕ_o	0.973	0.415	0.694	2.930
VFC	5	10	1.00	1	2	original	ϕ_o	0.985	0.111	0.548	2.922
VFC	5	100	0.50	1	2	original	ϕ_o	0.688	0.901	0.795	4.301
VFC	5	100	0.70	1	2	original	ϕ_o	0.823	0.823	0.823	4.372
VFC	5	100	1.00	1	2	original	ϕ_o	0.922	0.683	0.802	3.735
VFC	5	250	0.50	1	2	original	ϕ_o	0.443	0.965	0.704	4.109
VFC	5	250	0.70	1	2	original	ϕ_o	0.623	0.923	0.773	4.336
VFC	5	250	1.00	1	2	original	ϕ_o	0.787	0.844	0.816	4.388
VFC	7	10	0.50	1	3	original	ϕ_o	0.907	0.729	0.818	3.760
VFC	7	10	0.70	1	3	original	ϕ_o	0.962	0.541	0.751	2.932
VFC	7	10	1.00	1	3	original	ϕ_o	0.983	0.240	0.611	2.932
VFC	7	100	0.50	1	3	original	ϕ_o	0.483	0.960	0.721	4.310
VFC	7	100	0.70	1	3	original	ϕ_o	0.657	0.912	0.784	4.421
VFC	7	100	1.00	1	3	original	ϕ_o	0.818	0.810	0.814	4.350
VFC	7	250	0.50	1	3	original	ϕ_o	0.216	0.991	0.604	4.028
VFC	7	250	0.70	1	3	original	ϕ_o	0.363	0.975	0.669	4.328
VFC	7	250	1.00	1	3	original	ϕ_o	0.541	0.938	0.739	4.416
VFC	7	500	0.50	1	3	original	ϕ_o	0.080	0.999	0.539	3.758
VFC	7	500	0.70	1	3	original	ϕ_o	0.170	0.994	0.582	4.179
VFC	7	500	1.00	1	3	original	ϕ_o	0.310	0.979	0.644	4.380
VFC	7	750	0.50	1	3	original	ϕ_o	0.067	0.999	0.533	3.726
VFC	7	750	0.70	1	3	original	ϕ_o	0.147	0.995	0.571	4.163
VFC	7	750	1.00	1	3	original	ϕ_o	0.278	0.982	0.630	4.388
VFC	7	1000	0.50	1	3	original	ϕ_o	0.066	0.999	0.532	3.725
VFC	7	1000	0.70	1	3	original	ϕ_o	0.146	0.995	0.571	4.162
VFC	7	1000	1.00	1	3	original	ϕ_o	0.276	0.982	0.629	4.387
VFC	7	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	7	100	4.00	1	4	original	ϕ_o	0.988	0.046	0.517	1.964
VFC	7	250	4.00	1	4	original	ϕ_o	0.981	0.246	0.613	2.927
VFC	7	500	2.00	1	7	original	ϕ_o	0.803	0.810	0.806	4.306
VFC	7	500	2.30	1	7	original	ϕ_o	0.873	0.739	0.806	3.731
VFC	7	500	3.00	1	7	original	ϕ_o	0.951	0.566	0.759	2.931
VFC	7	750	2.00	1	7	original	ϕ_o	0.803	0.810	0.806	4.306
VFC	7	750	2.30	1	7	original	ϕ_o	0.873	0.739	0.806	3.731
VFC	7	750	3.00	1	7	original	ϕ_o	0.951	0.566	0.759	2.931
VFC	7	1000	2.00	1	7	original	ϕ_o	0.803	0.810	0.806	4.306
VFC	7	1000	2.30	1	7	original	ϕ_o	0.873	0.739	0.806	3.731
VFC	7	1000	3.00	1	7	original	ϕ_o	0.951	0.566	0.759	2.931

VFC	7	500	1.25	1	3	original	ϕ_o	0.417	0.959	0.688	4.414
VFC	7	500	1.50	1	3	original	ϕ_o	0.521	0.935	0.728	4.414
VFC	7	500	1.70	1	3	original	ϕ_o	0.601	0.911	0.756	4.389
VFC	7	750	1.25	1	3	original	ϕ_o	0.384	0.965	0.675	4.426
VFC	7	750	1.50	1	3	original	ϕ_o	0.486	0.944	0.715	4.426
VFC	7	750	1.70	1	3	original	ϕ_o	0.565	0.921	0.743	4.398
VFC	7	1000	1.25	1	3	original	ϕ_o	0.383	0.965	0.674	4.426
VFC	7	1000	1.50	1	3	original	ϕ_o	0.485	0.944	0.714	4.426
VFC	7	1000	1.70	1	3	original	ϕ_o	0.564	0.922	0.743	4.400
VFC	7	500	1.25	1	2	original	ϕ_o	0.486	0.948	0.717	4.387
VFC	7	500	1.50	1	2	original	ϕ_o	0.595	0.916	0.756	4.386
VFC	7	500	1.70	1	2	original	ϕ_o	0.677	0.885	0.781	4.364
VFC	7	750	1.25	1	2	original	ϕ_o	0.358	0.967	0.663	4.355
VFC	7	750	1.50	1	2	original	ϕ_o	0.450	0.947	0.699	4.357
VFC	7	750	1.70	1	2	original	ϕ_o	0.528	0.925	0.726	4.338
VFC	7	1000	1.25	1	2	original	ϕ_o	0.333	0.970	0.652	4.364
VFC	7	1000	1.50	1	2	original	ϕ_o	0.425	0.951	0.688	4.364
VFC	7	1000	1.70	1	2	original	ϕ_o	0.502	0.931	0.717	4.348
VFC	7	500	0.50	1	4	original	ϕ_o	0.071	0.997	0.534	3.774
VFC	7	500	0.70	1	4	original	ϕ_o	0.164	0.992	0.578	4.205
VFC	7	500	1.00	1	4	original	ϕ_o	0.307	0.975	0.641	4.395
VFC	7	750	0.50	1	4	original	ϕ_o	0.071	0.997	0.534	3.774
VFC	7	750	0.70	1	4	original	ϕ_o	0.162	0.992	0.577	4.204
VFC	7	750	1.00	1	4	original	ϕ_o	0.304	0.975	0.639	4.396
VFC	7	1000	0.50	1	4	original	ϕ_o	0.071	0.997	0.534	3.774
VFC	7	1000	0.70	1	4	original	ϕ_o	0.162	0.992	0.577	4.204
VFC	7	1000	1.00	1	4	original	ϕ_o	0.304	0.975	0.639	4.396
VFC	7	500	2.00	1	5	original	ϕ_o	0.769	0.834	0.802	4.345
VFC	7	500	2.30	1	5	original	ϕ_o	0.850	0.767	0.808	4.294
VFC	7	500	3.00	1	5	original	ϕ_o	0.943	0.602	0.773	3.675
VFC	7	750	2.00	1	5	original	ϕ_o	0.763	0.834	0.798	4.344
VFC	7	750	2.30	1	5	original	ϕ_o	0.845	0.767	0.806	4.289
VFC	7	750	3.00	1	5	original	ϕ_o	0.941	0.605	0.773	3.675
VFC	7	1000	2.00	1	5	original	ϕ_o	0.763	0.834	0.798	4.344
VFC	7	1000	2.30	1	5	original	ϕ_o	0.845	0.767	0.806	4.289
VFC	7	1000	3.00	1	5	original	ϕ_o	0.941	0.605	0.773	3.675
VFC	7	500	0.50	1	2	original	ϕ_o	0.117	0.998	0.558	3.803
VFC	7	500	0.70	1	2	original	ϕ_o	0.222	0.991	0.607	4.188
VFC	7	500	1.00	1	2	original	ϕ_o	0.373	0.972	0.672	4.360
VFC	7	750	0.50	1	2	original	ϕ_o	0.071	0.999	0.535	3.661
VFC	7	750	0.70	1	2	original	ϕ_o	0.147	0.996	0.571	4.099
VFC	7	750	1.00	1	2	original	ϕ_o	0.266	0.983	0.625	4.312
VFC	7	1000	0.50	1	2	original	ϕ_o	0.062	0.999	0.530	3.629
VFC	7	1000	0.70	1	2	original	ϕ_o	0.130	0.996	0.563	4.081
VFC	7	1000	1.00	1	2	original	ϕ_o	0.242	0.984	0.613	4.319
VFC	7	10	2.00	1	3	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	7	10	2.30	1	3	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	7	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.514	1.964
VFC	7	100	2.00	1	3	original	ϕ_o	0.976	0.365	0.670	2.930
VFC	7	100	2.30	1	3	original	ϕ_o	0.982	0.238	0.610	2.927
VFC	7	100	3.00	1	3	original	ϕ_o	0.987	0.079	0.533	2.912
VFC	7	250	2.00	1	3	original	ϕ_o	0.895	0.692	0.794	3.680
VFC	7	250	2.30	1	3	original	ϕ_o	0.934	0.600	0.767	3.655
VFC	7	250	3.00	1	3	original	ϕ_o	0.971	0.386	0.678	2.924
VFC	7	500	0.20	1	2	original	ϕ_o	0.007	1.000	0.504	2.188
VFC	7	750	0.20	1	2	original	ϕ_o	0.004	1.000	0.502	2.064
VFC	7	1000	0.20	1	2	original	ϕ_o	0.003	1.000	0.502	2.041
VFC	7	500	0.20	1	4	original	ϕ_o	0.002	1.000	0.501	2.093
VFC	7	750	0.20	1	4	original	ϕ_o	0.002	1.000	0.501	2.090
VFC	7	1000	0.20	1	4	original	ϕ_o	0.002	1.000	0.501	2.090
VFC	7	10	2.00	1	4	original	ϕ_o	0.987	0.040	0.514	2.914
VFC	7	10	2.30	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	7	10	3.00	1	4	original	ϕ_o	0.987	0.042	0.514	1.964
VFC	7	100	2.00	1	4	original	ϕ_o	0.971	0.434	0.703	2.934

VFC	7	100	2.30	1	4	original	ϕ_o	0.980	0.304	0.642	2.930
VFC	7	100	3.00	1	4	original	ϕ_o	0.987	0.107	0.547	2.916
VFC	7	250	2.00	1	4	original	ϕ_o	0.859	0.769	0.814	4.305
VFC	7	250	2.30	1	4	original	ϕ_o	0.911	0.693	0.802	3.721
VFC	7	250	3.00	1	4	original	ϕ_o	0.962	0.502	0.732	2.930
VFC	7	500	4.00	1	4	original	ϕ_o	0.969	0.415	0.692	2.927
VFC	7	750	4.00	1	4	original	ϕ_o	0.969	0.419	0.694	2.927
VFC	7	1000	4.00	1	4	original	ϕ_o	0.969	0.419	0.694	2.927
VFC	7	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	7	100	4.00	1	7	original	ϕ_o	0.987	0.091	0.539	1.966
VFC	7	250	4.00	1	7	original	ϕ_o	0.979	0.313	0.646	2.931
VFC	7	500	4.00	1	6	original	ϕ_o	0.975	0.360	0.667	2.931
VFC	7	750	4.00	1	6	original	ϕ_o	0.975	0.360	0.667	2.931
VFC	7	1000	4.00	1	6	original	ϕ_o	0.975	0.360	0.667	2.931
VFC	7	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	2.917
VFC	7	100	4.00	1	5	original	ϕ_o	0.988	0.050	0.519	1.966
VFC	7	250	4.00	1	5	original	ϕ_o	0.980	0.272	0.626	2.930
VFC	7	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	7	100	4.00	1	3	original	ϕ_o	0.988	0.042	0.515	2.908
VFC	7	250	4.00	1	3	original	ϕ_o	0.984	0.158	0.571	2.911
VFC	7	10	2.00	1	5	original	ϕ_o	0.987	0.041	0.514	2.913
VFC	7	10	2.30	1	5	original	ϕ_o	0.987	0.041	0.514	1.963
VFC	7	10	3.00	1	5	original	ϕ_o	0.987	0.042	0.514	2.916
VFC	7	100	2.00	1	5	original	ϕ_o	0.962	0.500	0.731	2.930
VFC	7	100	2.30	1	5	original	ϕ_o	0.975	0.369	0.672	2.930
VFC	7	100	3.00	1	5	original	ϕ_o	0.986	0.139	0.562	2.920
VFC	7	250	2.00	1	5	original	ϕ_o	0.842	0.798	0.820	4.378
VFC	7	250	2.30	1	5	original	ϕ_o	0.899	0.727	0.813	3.758
VFC	7	250	3.00	1	5	original	ϕ_o	0.958	0.534	0.746	3.701
VFC	7	10	1.25	1	5	original	ϕ_o	0.986	0.109	0.547	2.918
VFC	7	10	1.50	1	5	original	ϕ_o	0.987	0.046	0.517	0.987
VFC	7	10	1.70	1	5	original	ϕ_o	0.987	0.041	0.514	1.963
VFC	7	100	1.25	1	5	original	ϕ_o	0.837	0.803	0.820	4.372
VFC	7	100	1.50	1	5	original	ϕ_o	0.903	0.713	0.808	3.744
VFC	7	100	1.70	1	5	original	ϕ_o	0.935	0.631	0.783	2.930
VFC	7	250	1.25	1	5	original	ϕ_o	0.543	0.941	0.742	4.475
VFC	7	250	1.50	1	5	original	ϕ_o	0.666	0.905	0.786	4.459
VFC	7	250	1.70	1	5	original	ϕ_o	0.749	0.867	0.808	4.434
VFC	7	500	1.25	1	4	original	ϕ_o	0.419	0.954	0.686	4.423
VFC	7	500	1.50	1	4	original	ϕ_o	0.525	0.929	0.727	4.405
VFC	7	500	1.70	1	4	original	ϕ_o	0.607	0.901	0.754	4.361
VFC	7	750	1.25	1	4	original	ϕ_o	0.415	0.954	0.685	4.420
VFC	7	750	1.50	1	4	original	ϕ_o	0.520	0.929	0.724	4.399
VFC	7	750	1.70	1	4	original	ϕ_o	0.601	0.902	0.751	4.354
VFC	7	1000	1.25	1	4	original	ϕ_o	0.415	0.954	0.685	4.420
VFC	7	1000	1.50	1	4	original	ϕ_o	0.520	0.929	0.724	4.399
VFC	7	1000	1.70	1	4	original	ϕ_o	0.601	0.902	0.751	4.354
VFC	7	500	1.25	1	7	original	ϕ_o	0.474	0.941	0.707	4.441
VFC	7	500	1.50	1	7	original	ϕ_o	0.604	0.909	0.757	4.413
VFC	7	500	1.70	1	7	original	ϕ_o	0.698	0.874	0.786	4.367
VFC	7	750	1.25	1	7	original	ϕ_o	0.474	0.941	0.707	4.441
VFC	7	750	1.50	1	7	original	ϕ_o	0.604	0.909	0.757	4.413
VFC	7	750	1.70	1	7	original	ϕ_o	0.698	0.874	0.786	4.367
VFC	7	1000	1.25	1	7	original	ϕ_o	0.474	0.941	0.707	4.441
VFC	7	1000	1.50	1	7	original	ϕ_o	0.604	0.909	0.757	4.413
VFC	7	1000	1.70	1	7	original	ϕ_o	0.698	0.874	0.786	4.367
VFC	7	10	2.00	1	6	original	ϕ_o	0.987	0.040	0.514	1.963
VFC	7	10	2.30	1	6	original	ϕ_o	0.987	0.041	0.514	1.963
VFC	7	10	3.00	1	6	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	7	100	2.00	1	6	original	ϕ_o	0.958	0.534	0.746	2.931
VFC	7	100	2.30	1	6	original	ϕ_o	0.971	0.420	0.696	2.933
VFC	7	100	3.00	1	6	original	ϕ_o	0.984	0.197	0.590	2.924
VFC	7	250	2.00	1	6	original	ϕ_o	0.822	0.807	0.815	4.357
VFC	7	250	2.30	1	6	original	ϕ_o	0.885	0.742	0.813	3.753

VFC	7	250	3.00	1	6	original	ϕ_o	0.952	0.575	0.763	3.715
VFC	7	10	1.25	1	4	original	ϕ_o	0.987	0.083	0.535	1.965
VFC	7	10	1.50	1	4	original	ϕ_o	0.987	0.042	0.514	1.963
VFC	7	10	1.70	1	4	original	ϕ_o	0.987	0.040	0.514	2.913
VFC	7	100	1.25	1	4	original	ϕ_o	0.881	0.755	0.818	3.758
VFC	7	100	1.50	1	4	original	ϕ_o	0.932	0.652	0.792	3.702
VFC	7	100	1.70	1	4	original	ϕ_o	0.954	0.567	0.760	2.932
VFC	7	250	1.25	1	4	original	ϕ_o	0.576	0.926	0.751	4.442
VFC	7	250	1.50	1	4	original	ϕ_o	0.692	0.882	0.787	4.410
VFC	7	250	1.70	1	4	original	ϕ_o	0.771	0.840	0.806	4.359
VFC	7	10	2.00	1	7	original	ϕ_o	0.987	0.039	0.513	1.963
VFC	7	10	2.30	1	7	original	ϕ_o	0.987	0.039	0.513	1.963
VFC	7	10	3.00	1	7	original	ϕ_o	0.987	0.041	0.514	1.963
VFC	7	100	2.00	1	7	original	ϕ_o	0.947	0.625	0.786	2.936
VFC	7	100	2.30	1	7	original	ϕ_o	0.965	0.516	0.741	2.936
VFC	7	100	3.00	1	7	original	ϕ_o	0.982	0.273	0.627	2.933
VFC	7	250	2.00	1	7	original	ϕ_o	0.828	0.799	0.814	4.343
VFC	7	250	2.30	1	7	original	ϕ_o	0.890	0.729	0.810	3.751
VFC	7	250	3.00	1	7	original	ϕ_o	0.956	0.552	0.754	2.934
VFC	7	500	2.00	1	6	original	ϕ_o	0.785	0.829	0.807	4.352
VFC	7	500	2.30	1	6	original	ϕ_o	0.858	0.763	0.811	3.742
VFC	7	500	3.00	1	6	original	ϕ_o	0.944	0.603	0.773	3.690
VFC	7	750	2.00	1	6	original	ϕ_o	0.785	0.829	0.807	4.352
VFC	7	750	2.30	1	6	original	ϕ_o	0.858	0.763	0.811	3.742
VFC	7	750	3.00	1	6	original	ϕ_o	0.944	0.603	0.773	3.690
VFC	7	1000	2.00	1	6	original	ϕ_o	0.785	0.829	0.807	4.352
VFC	7	1000	2.30	1	6	original	ϕ_o	0.858	0.763	0.811	3.742
VFC	7	1000	3.00	1	6	original	ϕ_o	0.944	0.603	0.773	3.690
VFC	7	10	0.20	1	2	original	ϕ_o	0.584	0.933	0.759	3.893
VFC	7	100	0.20	1	2	original	ϕ_o	0.131	0.997	0.564	3.038
VFC	7	250	0.20	1	2	original	ϕ_o	0.032	1.000	0.516	2.556
VFC	7	10	0.20	1	7	original	ϕ_o	0.365	0.974	0.669	3.496
VFC	7	100	0.20	1	7	original	ϕ_o	0.019	1.000	0.509	2.315
VFC	7	250	0.20	1	7	original	ϕ_o	0.003	1.000	0.501	1.989
VFC	7	500	0.20	1	5	original	ϕ_o	0.002	1.000	0.501	2.002
VFC	7	750	0.20	1	5	original	ϕ_o	0.002	1.000	0.501	2.001
VFC	7	1000	0.20	1	5	original	ϕ_o	0.002	1.000	0.501	2.001
VFC	7	10	0.50	1	2	original	ϕ_o	0.918	0.703	0.811	2.908
VFC	7	10	0.70	1	2	original	ϕ_o	0.966	0.504	0.735	2.931
VFC	7	10	1.00	1	2	original	ϕ_o	0.984	0.164	0.574	2.926
VFC	7	100	0.50	1	2	original	ϕ_o	0.559	0.944	0.751	4.328
VFC	7	100	0.70	1	2	original	ϕ_o	0.721	0.889	0.805	4.432
VFC	7	100	1.00	1	2	original	ϕ_o	0.865	0.774	0.819	3.758
VFC	7	250	0.50	1	2	original	ϕ_o	0.289	0.984	0.636	4.121
VFC	7	250	0.70	1	2	original	ϕ_o	0.450	0.962	0.706	4.359
VFC	7	250	1.00	1	2	original	ϕ_o	0.633	0.915	0.774	4.430
VFC	7	10	0.20	1	3	original	ϕ_o	0.538	0.950	0.744	3.822
VFC	7	100	0.20	1	3	original	ϕ_o	0.089	0.998	0.544	2.900
VFC	7	250	0.20	1	3	original	ϕ_o	0.018	1.000	0.509	2.398
VFC	7	500	0.50	1	7	original	ϕ_o	0.075	0.995	0.535	3.759
VFC	7	500	0.70	1	7	original	ϕ_o	0.178	0.987	0.582	4.241
VFC	7	500	1.00	1	7	original	ϕ_o	0.341	0.966	0.654	4.431
VFC	7	750	0.50	1	7	original	ϕ_o	0.075	0.995	0.535	3.759
VFC	7	750	0.70	1	7	original	ϕ_o	0.178	0.987	0.582	4.241
VFC	7	750	1.00	1	7	original	ϕ_o	0.341	0.966	0.654	4.431
VFC	7	1000	0.50	1	7	original	ϕ_o	0.075	0.995	0.535	3.759
VFC	7	1000	0.70	1	7	original	ϕ_o	0.178	0.987	0.582	4.241
VFC	7	1000	1.00	1	7	original	ϕ_o	0.341	0.966	0.654	4.431
VFC	7	10	1.25	1	3	original	ϕ_o	0.987	0.080	0.533	2.921
VFC	7	10	1.50	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	7	10	1.70	1	3	original	ϕ_o	0.988	0.040	0.514	2.916
VFC	7	100	1.25	1	3	original	ϕ_o	0.899	0.706	0.803	3.710
VFC	7	100	1.50	1	3	original	ϕ_o	0.944	0.595	0.770	2.930
VFC	7	100	1.70	1	3	original	ϕ_o	0.962	0.503	0.732	2.929

VFC	7	250	1.25	1	3	original	ϕ_o	0.666	0.893	0.780	4.391
VFC	7	250	1.50	1	3	original	ϕ_o	0.765	0.832	0.798	4.321
VFC	7	250	1.70	1	3	original	ϕ_o	0.829	0.777	0.803	3.718
VFC	7	500	4.00	1	7	original	ϕ_o	0.977	0.331	0.654	2.929
VFC	7	750	4.00	1	7	original	ϕ_o	0.977	0.331	0.654	2.929
VFC	7	1000	4.00	1	7	original	ϕ_o	0.977	0.331	0.654	2.929
VFC	7	500	0.50	1	6	original	ϕ_o	0.070	0.996	0.533	3.801
VFC	7	500	0.70	1	6	original	ϕ_o	0.173	0.989	0.581	4.251
VFC	7	500	1.00	1	6	original	ϕ_o	0.328	0.971	0.650	4.434
VFC	7	750	0.50	1	6	original	ϕ_o	0.070	0.996	0.533	3.801
VFC	7	750	0.70	1	6	original	ϕ_o	0.173	0.989	0.581	4.251
VFC	7	750	1.00	1	6	original	ϕ_o	0.328	0.971	0.650	4.434
VFC	7	1000	0.50	1	6	original	ϕ_o	0.070	0.996	0.533	3.801
VFC	7	1000	0.70	1	6	original	ϕ_o	0.173	0.989	0.581	4.251
VFC	7	1000	1.00	1	6	original	ϕ_o	0.328	0.971	0.650	4.434
VFC	7	10	1.25	1	2	original	ϕ_o	0.987	0.054	0.521	1.965
VFC	7	10	1.50	1	2	original	ϕ_o	0.987	0.040	0.514	1.964
VFC	7	10	1.70	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	7	100	1.25	1	2	original	ϕ_o	0.931	0.657	0.794	3.716
VFC	7	100	1.50	1	2	original	ϕ_o	0.961	0.525	0.743	2.929
VFC	7	100	1.70	1	2	original	ϕ_o	0.973	0.414	0.693	2.931
VFC	7	250	1.25	1	2	original	ϕ_o	0.754	0.856	0.805	4.395
VFC	7	250	1.50	1	2	original	ϕ_o	0.845	0.780	0.812	3.743
VFC	7	250	1.70	1	2	original	ϕ_o	0.894	0.711	0.803	3.725
VFC	7	500	0.50	1	5	original	ϕ_o	0.067	0.997	0.532	3.783
VFC	7	500	0.70	1	5	original	ϕ_o	0.166	0.991	0.579	4.243
VFC	7	500	1.00	1	5	original	ϕ_o	0.316	0.974	0.645	4.430
VFC	7	750	0.50	1	5	original	ϕ_o	0.067	0.997	0.532	3.783
VFC	7	750	0.70	1	5	original	ϕ_o	0.165	0.991	0.578	4.241
VFC	7	750	1.00	1	5	original	ϕ_o	0.314	0.974	0.644	4.429
VFC	7	1000	0.50	1	5	original	ϕ_o	0.067	0.997	0.532	3.783
VFC	7	1000	0.70	1	5	original	ϕ_o	0.165	0.991	0.578	4.241
VFC	7	1000	1.00	1	5	original	ϕ_o	0.314	0.974	0.644	4.429
VFC	7	500	2.00	1	4	original	ϕ_o	0.721	0.851	0.786	4.299
VFC	7	500	2.30	1	4	original	ϕ_o	0.809	0.790	0.799	4.258
VFC	7	500	3.00	1	4	original	ϕ_o	0.924	0.647	0.786	3.656
VFC	7	750	2.00	1	4	original	ϕ_o	0.714	0.852	0.783	4.296
VFC	7	750	2.30	1	4	original	ϕ_o	0.802	0.791	0.797	4.253
VFC	7	750	3.00	1	4	original	ϕ_o	0.921	0.649	0.785	3.655
VFC	7	1000	2.00	1	4	original	ϕ_o	0.714	0.852	0.783	4.296
VFC	7	1000	2.30	1	4	original	ϕ_o	0.802	0.791	0.797	4.253
VFC	7	1000	3.00	1	4	original	ϕ_o	0.921	0.649	0.785	3.655
VFC	7	10	0.50	1	4	original	ϕ_o	0.906	0.744	0.825	3.773
VFC	7	10	0.70	1	4	original	ϕ_o	0.961	0.571	0.766	2.939
VFC	7	10	1.00	1	4	original	ϕ_o	0.983	0.262	0.622	2.934
VFC	7	100	0.50	1	4	original	ϕ_o	0.408	0.973	0.691	4.298
VFC	7	100	0.70	1	4	original	ϕ_o	0.594	0.930	0.762	4.447
VFC	7	100	1.00	1	4	original	ϕ_o	0.782	0.847	0.815	4.406
VFC	7	250	0.50	1	4	original	ϕ_o	0.137	0.997	0.567	3.942
VFC	7	250	0.70	1	4	original	ϕ_o	0.264	0.986	0.625	4.309
VFC	7	250	1.00	1	4	original	ϕ_o	0.443	0.960	0.702	4.440
VFC	7	10	1.25	1	6	original	ϕ_o	0.986	0.135	0.560	1.965
VFC	7	10	1.50	1	6	original	ϕ_o	0.987	0.053	0.520	1.963
VFC	7	10	1.70	1	6	original	ϕ_o	0.987	0.041	0.514	1.962
VFC	7	100	1.25	1	6	original	ϕ_o	0.823	0.810	0.817	4.374
VFC	7	100	1.50	1	6	original	ϕ_o	0.894	0.728	0.811	3.751
VFC	7	100	1.70	1	6	original	ϕ_o	0.929	0.653	0.791	3.730
VFC	7	250	1.25	1	6	original	ϕ_o	0.513	0.940	0.726	4.457
VFC	7	250	1.50	1	6	original	ϕ_o	0.640	0.906	0.773	4.435
VFC	7	250	1.70	1	6	original	ϕ_o	0.726	0.870	0.798	4.410
VFC	7	10	2.00	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	7	10	2.30	1	2	original	ϕ_o	0.987	0.042	0.514	2.917
VFC	7	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	7	100	2.00	1	2	original	ϕ_o	0.982	0.253	0.618	2.926

VFC	7	100	2.30	1	2	original	ϕ_o	0.985	0.139	0.562	1.965
VFC	7	100	3.00	1	2	original	ϕ_o	0.987	0.052	0.520	1.963
VFC	7	250	2.00	1	2	original	ϕ_o	0.941	0.604	0.772	3.677
VFC	7	250	2.30	1	2	original	ϕ_o	0.961	0.491	0.726	2.925
VFC	7	250	3.00	1	2	original	ϕ_o	0.980	0.246	0.613	2.922
VFC	7	500	0.20	1	3	original	ϕ_o	0.004	1.000	0.502	2.111
VFC	7	750	0.20	1	3	original	ϕ_o	0.003	1.000	0.501	2.085
VFC	7	1000	0.20	1	3	original	ϕ_o	0.003	1.000	0.501	2.085
VFC	7	10	0.20	1	5	original	ϕ_o	0.449	0.969	0.709	3.642
VFC	7	100	0.20	1	5	original	ϕ_o	0.034	0.999	0.517	2.534
VFC	7	250	0.20	1	5	original	ϕ_o	0.004	1.000	0.502	2.104
VFC	7	10	0.20	1	4	original	ϕ_o	0.505	0.963	0.734	3.767
VFC	7	100	0.20	1	4	original	ϕ_o	0.053	0.999	0.526	2.779
VFC	7	250	0.20	1	4	original	ϕ_o	0.007	1.000	0.504	2.275
VFC	7	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	7	100	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	2.913
VFC	7	250	4.00	1	2	original	ϕ_o	0.987	0.081	0.534	1.963
VFC	7	500	1.25	1	6	original	ϕ_o	0.456	0.950	0.703	4.450
VFC	7	500	1.50	1	6	original	ϕ_o	0.584	0.920	0.752	4.435
VFC	7	500	1.70	1	6	original	ϕ_o	0.676	0.887	0.782	4.403
VFC	7	750	1.25	1	6	original	ϕ_o	0.456	0.950	0.703	4.450
VFC	7	750	1.50	1	6	original	ϕ_o	0.584	0.920	0.752	4.435
VFC	7	750	1.70	1	6	original	ϕ_o	0.676	0.887	0.782	4.403
VFC	7	1000	1.25	1	6	original	ϕ_o	0.456	0.950	0.703	4.450
VFC	7	1000	1.50	1	6	original	ϕ_o	0.584	0.920	0.752	4.435
VFC	7	1000	1.70	1	6	original	ϕ_o	0.676	0.887	0.782	4.403
VFC	7	500	4.00	1	2	original	ϕ_o	0.974	0.297	0.636	2.911
VFC	7	750	4.00	1	2	original	ϕ_o	0.956	0.460	0.708	2.911
VFC	7	1000	4.00	1	2	original	ϕ_o	0.950	0.503	0.726	2.913
VFC	7	500	4.00	1	5	original	ϕ_o	0.975	0.357	0.666	2.930
VFC	7	750	4.00	1	5	original	ϕ_o	0.974	0.360	0.667	2.929
VFC	7	1000	4.00	1	5	original	ϕ_o	0.974	0.360	0.667	2.929
VFC	7	10	0.50	1	5	original	ϕ_o	0.885	0.784	0.834	3.774
VFC	7	10	0.70	1	5	original	ϕ_o	0.951	0.623	0.787	2.936
VFC	7	10	1.00	1	5	original	ϕ_o	0.981	0.306	0.643	2.933
VFC	7	100	0.50	1	5	original	ϕ_o	0.352	0.978	0.665	4.225
VFC	7	100	0.70	1	5	original	ϕ_o	0.540	0.944	0.742	4.428
VFC	7	100	1.00	1	5	original	ϕ_o	0.723	0.879	0.801	4.437
VFC	7	250	0.50	1	5	original	ϕ_o	0.109	0.997	0.553	3.877
VFC	7	250	0.70	1	5	original	ϕ_o	0.233	0.989	0.611	4.298
VFC	7	250	1.00	1	5	original	ϕ_o	0.408	0.968	0.688	4.456
VFC	7	10	0.50	1	6	original	ϕ_o	0.880	0.786	0.833	3.766
VFC	7	10	0.70	1	6	original	ϕ_o	0.949	0.629	0.789	2.935
VFC	7	10	1.00	1	6	original	ϕ_o	0.980	0.328	0.654	2.934
VFC	7	100	0.50	1	6	original	ϕ_o	0.327	0.977	0.652	4.200
VFC	7	100	0.70	1	6	original	ϕ_o	0.516	0.945	0.730	4.409
VFC	7	100	1.00	1	6	original	ϕ_o	0.706	0.882	0.794	4.420
VFC	7	250	0.50	1	6	original	ϕ_o	0.093	0.996	0.544	3.850
VFC	7	250	0.70	1	6	original	ϕ_o	0.210	0.986	0.598	4.276
VFC	7	250	1.00	1	6	original	ϕ_o	0.380	0.966	0.673	4.444
VFC	7	500	1.25	1	5	original	ϕ_o	0.441	0.952	0.697	4.453
VFC	7	500	1.50	1	5	original	ϕ_o	0.564	0.924	0.744	4.432
VFC	7	500	1.70	1	5	original	ϕ_o	0.654	0.892	0.773	4.391
VFC	7	750	1.25	1	5	original	ϕ_o	0.438	0.952	0.695	4.450
VFC	7	750	1.50	1	5	original	ϕ_o	0.559	0.924	0.742	4.425
VFC	7	750	1.70	1	5	original	ϕ_o	0.648	0.892	0.770	4.386
VFC	7	1000	1.25	1	5	original	ϕ_o	0.438	0.952	0.695	4.450
VFC	7	1000	1.50	1	5	original	ϕ_o	0.559	0.924	0.742	4.425
VFC	7	1000	1.70	1	5	original	ϕ_o	0.648	0.892	0.770	4.386
VFC	7	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	2.916
VFC	7	100	4.00	1	6	original	ϕ_o	0.988	0.065	0.526	1.965
VFC	7	250	4.00	1	6	original	ϕ_o	0.977	0.331	0.654	2.931
VFC	7	10	0.20	1	6	original	ϕ_o	0.435	0.970	0.703	3.624
VFC	7	100	0.20	1	6	original	ϕ_o	0.028	0.999	0.514	2.490

VFC	7	250	0.20	1	6	original	ϕ_o	0.003	1.000	0.502	2.067
VFC	7	500	0.20	1	7	original	ϕ_o	0.002	1.000	0.501	1.953
VFC	7	750	0.20	1	7	original	ϕ_o	0.002	1.000	0.501	1.953
VFC	7	1000	0.20	1	7	original	ϕ_o	0.002	1.000	0.501	1.953
VFC	7	10	0.50	1	7	original	ϕ_o	0.854	0.810	0.832	3.756
VFC	7	10	0.70	1	7	original	ϕ_o	0.938	0.671	0.804	3.753
VFC	7	10	1.00	1	7	original	ϕ_o	0.977	0.389	0.683	2.936
VFC	7	100	0.50	1	7	original	ϕ_o	0.259	0.984	0.622	4.116
VFC	7	100	0.70	1	7	original	ϕ_o	0.444	0.958	0.701	4.402
VFC	7	100	1.00	1	7	original	ϕ_o	0.651	0.912	0.781	4.464
VFC	7	250	0.50	1	7	original	ϕ_o	0.085	0.995	0.540	3.011
VFC	7	250	0.70	1	7	original	ϕ_o	0.198	0.987	0.592	4.262
VFC	7	250	1.00	1	7	original	ϕ_o	0.373	0.965	0.669	4.447
VFC	7	500	4.00	1	3	original	ϕ_o	0.966	0.422	0.694	2.921
VFC	7	750	4.00	1	3	original	ϕ_o	0.960	0.479	0.720	2.923
VFC	7	1000	4.00	1	3	original	ϕ_o	0.960	0.481	0.721	2.923
VFC	7	500	0.20	1	6	original	ϕ_o	0.002	1.000	0.501	2.017
VFC	7	750	0.20	1	6	original	ϕ_o	0.002	1.000	0.501	2.017
VFC	7	1000	0.20	1	6	original	ϕ_o	0.002	1.000	0.501	2.017
VFC	7	500	2.00	1	3	original	ϕ_o	0.710	0.864	0.787	4.333
VFC	7	500	2.30	1	3	original	ϕ_o	0.795	0.805	0.800	4.296
VFC	7	500	3.00	1	3	original	ϕ_o	0.913	0.653	0.783	3.662
VFC	7	750	2.00	1	3	original	ϕ_o	0.676	0.877	0.777	4.347
VFC	7	750	2.30	1	3	original	ϕ_o	0.764	0.824	0.794	4.303
VFC	7	750	3.00	1	3	original	ϕ_o	0.898	0.691	0.794	3.675
VFC	7	1000	2.00	1	3	original	ϕ_o	0.675	0.878	0.777	4.347
VFC	7	1000	2.30	1	3	original	ϕ_o	0.763	0.824	0.794	4.302
VFC	7	1000	3.00	1	3	original	ϕ_o	0.898	0.692	0.795	4.204
VFC	7	10	1.25	1	7	original	ϕ_o	0.985	0.188	0.586	2.927
VFC	7	10	1.50	1	7	original	ϕ_o	0.987	0.082	0.534	2.915
VFC	7	10	1.70	1	7	original	ϕ_o	0.987	0.050	0.519	1.963
VFC	7	100	1.25	1	7	original	ϕ_o	0.777	0.853	0.815	4.445
VFC	7	100	1.50	1	7	original	ϕ_o	0.863	0.782	0.822	4.388
VFC	7	100	1.70	1	7	original	ϕ_o	0.908	0.721	0.814	3.769
VFC	7	250	1.25	1	7	original	ϕ_o	0.511	0.938	0.725	4.455
VFC	7	250	1.50	1	7	original	ϕ_o	0.642	0.904	0.773	4.432
VFC	7	250	1.70	1	7	original	ϕ_o	0.732	0.867	0.799	4.397
VFC	7	500	2.00	1	2	original	ϕ_o	0.780	0.820	0.800	4.308
VFC	7	500	2.30	1	2	original	ϕ_o	0.854	0.744	0.799	4.264
VFC	7	500	3.00	1	2	original	ϕ_o	0.941	0.549	0.745	2.914
VFC	7	750	2.00	1	2	original	ϕ_o	0.642	0.881	0.762	4.278
VFC	7	750	2.30	1	2	original	ϕ_o	0.740	0.825	0.783	4.228
VFC	7	750	3.00	1	2	original	ϕ_o	0.884	0.680	0.782	3.636
VFC	7	1000	2.00	1	2	original	ϕ_o	0.618	0.890	0.754	4.292
VFC	7	1000	2.30	1	2	original	ϕ_o	0.717	0.838	0.777	4.235
VFC	7	1000	3.00	1	2	original	ϕ_o	0.869	0.707	0.788	3.648
VFC	10	10	1.25	1	2	original	ϕ_o	0.987	0.049	0.518	1.964
VFC	10	10	1.50	1	2	original	ϕ_o	0.987	0.039	0.513	1.964
VFC	10	10	1.70	1	2	original	ϕ_o	0.987	0.040	0.514	1.964
VFC	10	100	1.25	1	2	original	ϕ_o	0.945	0.606	0.775	2.929
VFC	10	100	1.50	1	2	original	ϕ_o	0.968	0.463	0.716	2.931
VFC	10	100	1.70	1	2	original	ϕ_o	0.977	0.344	0.661	2.930
VFC	10	250	1.25	1	2	original	ϕ_o	0.807	0.814	0.811	4.333
VFC	10	250	1.50	1	2	original	ϕ_o	0.883	0.727	0.805	3.728
VFC	10	250	1.70	1	2	original	ϕ_o	0.922	0.650	0.786	2.924
VFC	10	10	0.20	1	2	original	ϕ_o	0.604	0.926	0.765	3.923
VFC	10	100	0.20	1	2	original	ϕ_o	0.167	0.995	0.581	3.144
VFC	10	250	0.20	1	2	original	ϕ_o	0.050	1.000	0.525	2.679
VFC	10	500	2.00	1	5	original	ϕ_o	0.842	0.775	0.808	4.277
VFC	10	500	2.30	1	5	original	ϕ_o	0.902	0.698	0.800	3.706
VFC	10	500	3.00	1	5	original	ϕ_o	0.960	0.501	0.730	3.659
VFC	10	750	2.00	1	5	original	ϕ_o	0.839	0.776	0.807	3.729
VFC	10	750	2.30	1	5	original	ϕ_o	0.899	0.700	0.800	3.699
VFC	10	750	3.00	1	5	original	ϕ_o	0.960	0.504	0.732	2.927

VFC	10	1000	2.00	1	5	original	ϕ_o	0.839	0.776	0.807	3.729
VFC	10	1000	2.30	1	5	original	ϕ_o	0.899	0.700	0.800	3.699
VFC	10	1000	3.00	1	5	original	ϕ_o	0.960	0.504	0.732	2.927
VFC	10	10	1.25	1	5	original	ϕ_o	0.986	0.086	0.536	1.963
VFC	10	10	1.50	1	5	original	ϕ_o	0.987	0.043	0.515	1.963
VFC	10	10	1.70	1	5	original	ϕ_o	0.987	0.039	0.513	1.963
VFC	10	100	1.25	1	5	original	ϕ_o	0.873	0.761	0.817	3.763
VFC	10	100	1.50	1	5	original	ϕ_o	0.925	0.660	0.793	2.929
VFC	10	100	1.70	1	5	original	ϕ_o	0.950	0.567	0.759	2.930
VFC	10	250	1.25	1	5	original	ϕ_o	0.639	0.913	0.776	4.458
VFC	10	250	1.50	1	5	original	ϕ_o	0.747	0.865	0.806	4.422
VFC	10	250	1.70	1	5	original	ϕ_o	0.815	0.817	0.816	4.376
VFC	10	500	2.00	1	6	original	ϕ_o	0.849	0.771	0.810	3.738
VFC	10	500	2.30	1	6	original	ϕ_o	0.904	0.695	0.800	3.719
VFC	10	500	3.00	1	6	original	ϕ_o	0.960	0.503	0.732	2.928
VFC	10	750	2.00	1	6	original	ϕ_o	0.849	0.771	0.810	3.738
VFC	10	750	2.30	1	6	original	ϕ_o	0.904	0.695	0.800	3.719
VFC	10	750	3.00	1	6	original	ϕ_o	0.960	0.503	0.732	2.928
VFC	10	1000	2.00	1	6	original	ϕ_o	0.849	0.771	0.810	3.738
VFC	10	1000	2.30	1	6	original	ϕ_o	0.904	0.695	0.800	3.719
VFC	10	1000	3.00	1	6	original	ϕ_o	0.960	0.503	0.732	2.928
VFC	10	10	0.50	1	7	original	ϕ_o	0.869	0.794	0.832	3.761
VFC	10	10	0.70	1	7	original	ϕ_o	0.945	0.645	0.795	2.933
VFC	10	10	1.00	1	7	original	ϕ_o	0.979	0.348	0.664	2.934
VFC	10	100	0.50	1	7	original	ϕ_o	0.331	0.976	0.653	4.177
VFC	10	100	0.70	1	7	original	ϕ_o	0.524	0.945	0.734	4.416
VFC	10	100	1.00	1	7	original	ϕ_o	0.718	0.885	0.801	4.445
VFC	10	250	0.50	1	7	original	ϕ_o	0.133	0.993	0.563	3.913
VFC	10	250	0.70	1	7	original	ϕ_o	0.280	0.980	0.630	4.314
VFC	10	250	1.00	1	7	original	ϕ_o	0.473	0.948	0.710	4.448
VFC	10	500	2.00	1	7	original	ϕ_o	0.862	0.752	0.807	4.254
VFC	10	500	2.30	1	7	original	ϕ_o	0.914	0.671	0.792	3.697
VFC	10	500	3.00	1	7	original	ϕ_o	0.964	0.473	0.718	2.928
VFC	10	750	2.00	1	7	original	ϕ_o	0.862	0.752	0.807	4.254
VFC	10	750	2.30	1	7	original	ϕ_o	0.914	0.671	0.792	3.697
VFC	10	750	3.00	1	7	original	ϕ_o	0.964	0.473	0.718	2.928
VFC	10	1000	2.00	1	7	original	ϕ_o	0.862	0.752	0.807	4.254
VFC	10	1000	2.30	1	7	original	ϕ_o	0.914	0.671	0.792	3.697
VFC	10	1000	3.00	1	7	original	ϕ_o	0.964	0.473	0.718	2.928
VFC	10	10	0.20	1	7	original	ϕ_o	0.395	0.970	0.683	3.566
VFC	10	100	0.20	1	7	original	ϕ_o	0.031	0.999	0.515	2.452
VFC	10	250	0.20	1	7	original	ϕ_o	0.005	1.000	0.503	2.122
VFC	10	500	2.00	1	4	original	ϕ_o	0.801	0.795	0.798	4.238
VFC	10	500	2.30	1	4	original	ϕ_o	0.871	0.727	0.799	3.690
VFC	10	500	3.00	1	4	original	ϕ_o	0.949	0.552	0.751	3.630
VFC	10	750	2.00	1	4	original	ϕ_o	0.797	0.796	0.796	4.236
VFC	10	750	2.30	1	4	original	ϕ_o	0.868	0.728	0.798	3.682
VFC	10	750	3.00	1	4	original	ϕ_o	0.948	0.555	0.751	2.925
VFC	10	1000	2.00	1	4	original	ϕ_o	0.797	0.796	0.796	4.236
VFC	10	1000	2.30	1	4	original	ϕ_o	0.868	0.728	0.798	3.682
VFC	10	1000	3.00	1	4	original	ϕ_o	0.948	0.555	0.751	2.925
VFC	10	500	4.00	1	2	original	ϕ_o	0.979	0.216	0.598	2.908
VFC	10	750	4.00	1	2	original	ϕ_o	0.968	0.357	0.663	2.910
VFC	10	1000	4.00	1	2	original	ϕ_o	0.965	0.396	0.680	2.912
VFC	10	10	1.25	1	6	original	ϕ_o	0.986	0.108	0.547	1.964
VFC	10	10	1.50	1	6	original	ϕ_o	0.987	0.046	0.516	1.962
VFC	10	10	1.70	1	6	original	ϕ_o	0.987	0.039	0.513	1.962
VFC	10	100	1.25	1	6	original	ϕ_o	0.861	0.770	0.816	3.758
VFC	10	100	1.50	1	6	original	ϕ_o	0.918	0.677	0.798	3.736
VFC	10	100	1.70	1	6	original	ϕ_o	0.946	0.595	0.770	2.932
VFC	10	250	1.25	1	6	original	ϕ_o	0.610	0.913	0.762	4.431
VFC	10	250	1.50	1	6	original	ϕ_o	0.725	0.868	0.796	4.391
VFC	10	250	1.70	1	6	original	ϕ_o	0.796	0.823	0.810	4.348
VFC	10	10	4.00	1	6	original	ϕ_o	0.987	0.042	0.515	1.964

VFC	10	100	4.00	1	6	original	ϕ_o	0.988	0.055	0.522	1.965
VFC	10	250	4.00	1	6	original	ϕ_o	0.981	0.249	0.615	2.930
VFC	10	500	1.25	1	6	original	ϕ_o	0.563	0.925	0.744	4.432
VFC	10	500	1.50	1	6	original	ϕ_o	0.683	0.883	0.783	4.386
VFC	10	500	1.70	1	6	original	ϕ_o	0.761	0.842	0.802	4.344
VFC	10	750	1.25	1	6	original	ϕ_o	0.563	0.925	0.744	4.432
VFC	10	750	1.50	1	6	original	ϕ_o	0.683	0.883	0.783	4.386
VFC	10	750	1.70	1	6	original	ϕ_o	0.761	0.842	0.802	4.344
VFC	10	1000	1.25	1	6	original	ϕ_o	0.563	0.925	0.744	4.432
VFC	10	1000	1.50	1	6	original	ϕ_o	0.683	0.883	0.783	4.386
VFC	10	1000	1.70	1	6	original	ϕ_o	0.761	0.842	0.802	4.344
VFC	10	500	1.25	1	7	original	ϕ_o	0.577	0.918	0.747	4.421
VFC	10	500	1.50	1	7	original	ϕ_o	0.697	0.873	0.785	4.362
VFC	10	500	1.70	1	7	original	ϕ_o	0.775	0.827	0.801	4.306
VFC	10	750	1.25	1	7	original	ϕ_o	0.577	0.918	0.747	4.421
VFC	10	750	1.50	1	7	original	ϕ_o	0.697	0.873	0.785	4.362
VFC	10	750	1.70	1	7	original	ϕ_o	0.775	0.827	0.801	4.306
VFC	10	1000	1.25	1	7	original	ϕ_o	0.577	0.918	0.747	4.421
VFC	10	1000	1.50	1	7	original	ϕ_o	0.697	0.873	0.785	4.362
VFC	10	1000	1.70	1	7	original	ϕ_o	0.775	0.827	0.801	4.306
VFC	10	10	4.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	10	100	4.00	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	10	250	4.00	1	2	original	ϕ_o	0.987	0.066	0.527	1.963
VFC	10	500	0.20	1	4	original	ϕ_o	0.005	1.000	0.503	2.223
VFC	10	750	0.20	1	4	original	ϕ_o	0.005	1.000	0.503	2.221
VFC	10	1000	0.20	1	4	original	ϕ_o	0.005	1.000	0.503	2.221
VFC	10	500	1.25	1	2	original	ϕ_o	0.583	0.922	0.752	4.381
VFC	10	500	1.50	1	2	original	ϕ_o	0.684	0.878	0.781	4.344
VFC	10	500	1.70	1	2	original	ϕ_o	0.755	0.833	0.794	4.301
VFC	10	750	1.25	1	2	original	ϕ_o	0.461	0.948	0.705	4.353
VFC	10	750	1.50	1	2	original	ϕ_o	0.561	0.917	0.739	4.328
VFC	10	750	1.70	1	2	original	ϕ_o	0.637	0.884	0.761	4.282
VFC	10	1000	1.25	1	2	original	ϕ_o	0.440	0.951	0.696	4.363
VFC	10	1000	1.50	1	2	original	ϕ_o	0.540	0.923	0.731	4.340
VFC	10	1000	1.70	1	2	original	ϕ_o	0.615	0.893	0.754	4.300
VFC	10	10	2.00	1	5	original	ϕ_o	0.987	0.040	0.514	2.913
VFC	10	10	2.30	1	5	original	ϕ_o	0.987	0.041	0.514	2.914
VFC	10	10	3.00	1	5	original	ϕ_o	0.987	0.041	0.514	2.915
VFC	10	100	2.00	1	5	original	ϕ_o	0.971	0.424	0.697	2.930
VFC	10	100	2.30	1	5	original	ϕ_o	0.979	0.284	0.632	2.928
VFC	10	100	3.00	1	5	original	ϕ_o	0.987	0.100	0.544	1.966
VFC	10	250	2.00	1	5	original	ϕ_o	0.888	0.739	0.813	3.755
VFC	10	250	2.30	1	5	original	ϕ_o	0.929	0.651	0.790	3.736
VFC	10	250	3.00	1	5	original	ϕ_o	0.969	0.429	0.699	2.931
VFC	10	10	1.25	1	4	original	ϕ_o	0.987	0.067	0.527	1.964
VFC	10	10	1.50	1	4	original	ϕ_o	0.987	0.040	0.513	1.963
VFC	10	10	1.70	1	4	original	ϕ_o	0.987	0.039	0.513	1.964
VFC	10	100	1.25	1	4	original	ϕ_o	0.904	0.709	0.806	3.738
VFC	10	100	1.50	1	4	original	ϕ_o	0.947	0.600	0.774	2.934
VFC	10	100	1.70	1	4	original	ϕ_o	0.964	0.505	0.734	2.933
VFC	10	250	1.25	1	4	original	ϕ_o	0.666	0.894	0.780	4.414
VFC	10	250	1.50	1	4	original	ϕ_o	0.767	0.839	0.803	4.351
VFC	10	250	1.70	1	4	original	ϕ_o	0.830	0.789	0.810	4.296
VFC	10	500	0.20	1	3	original	ϕ_o	0.008	1.000	0.504	2.241
VFC	10	750	0.20	1	3	original	ϕ_o	0.006	1.000	0.503	2.215
VFC	10	1000	0.20	1	3	original	ϕ_o	0.006	1.000	0.503	2.214
VFC	10	10	2.00	1	4	original	ϕ_o	0.987	0.040	0.514	1.964
VFC	10	10	2.30	1	4	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	10	10	3.00	1	4	original	ϕ_o	0.987	0.041	0.514	1.963
VFC	10	100	2.00	1	4	original	ϕ_o	0.977	0.360	0.668	2.933
VFC	10	100	2.30	1	4	original	ϕ_o	0.982	0.230	0.606	2.927
VFC	10	100	3.00	1	4	original	ϕ_o	0.987	0.078	0.532	1.965
VFC	10	250	2.00	1	4	original	ϕ_o	0.897	0.707	0.802	3.720
VFC	10	250	2.30	1	4	original	ϕ_o	0.937	0.619	0.778	3.689

VFC	10	250	3.00	1	4	original	ϕ_o	0.971	0.399	0.685	2.929
VFC	10	500	0.20	1	7	original	ϕ_o	0.004	1.000	0.502	2.088
VFC	10	750	0.20	1	7	original	ϕ_o	0.004	1.000	0.502	2.088
VFC	10	1000	0.20	1	7	original	ϕ_o	0.004	1.000	0.502	2.088
VFC	10	500	0.50	1	7	original	ϕ_o	0.121	0.993	0.557	3.879
VFC	10	500	0.70	1	7	original	ϕ_o	0.256	0.981	0.619	4.297
VFC	10	500	1.00	1	7	original	ϕ_o	0.443	0.950	0.696	4.437
VFC	10	750	0.50	1	7	original	ϕ_o	0.121	0.993	0.557	3.879
VFC	10	750	0.70	1	7	original	ϕ_o	0.256	0.981	0.619	4.297
VFC	10	750	1.00	1	7	original	ϕ_o	0.443	0.950	0.696	4.437
VFC	10	1000	0.50	1	7	original	ϕ_o	0.121	0.993	0.557	3.879
VFC	10	1000	0.70	1	7	original	ϕ_o	0.256	0.981	0.619	4.297
VFC	10	1000	1.00	1	7	original	ϕ_o	0.443	0.950	0.696	4.437
VFC	10	500	4.00	1	3	original	ϕ_o	0.975	0.323	0.649	2.916
VFC	10	750	4.00	1	3	original	ϕ_o	0.972	0.372	0.672	2.922
VFC	10	1000	4.00	1	3	original	ϕ_o	0.972	0.374	0.673	2.922
VFC	10	500	0.20	1	6	original	ϕ_o	0.003	1.000	0.502	2.153
VFC	10	750	0.20	1	6	original	ϕ_o	0.003	1.000	0.502	2.153
VFC	10	1000	0.20	1	6	original	ϕ_o	0.003	1.000	0.502	2.153
VFC	10	10	1.25	1	3	original	ϕ_o	0.987	0.065	0.526	2.919
VFC	10	10	1.50	1	3	original	ϕ_o	0.988	0.040	0.514	1.964
VFC	10	10	1.70	1	3	original	ϕ_o	0.988	0.039	0.513	1.964
VFC	10	100	1.25	1	3	original	ϕ_o	0.920	0.661	0.790	3.691
VFC	10	100	1.50	1	3	original	ϕ_o	0.955	0.541	0.748	2.930
VFC	10	100	1.70	1	3	original	ϕ_o	0.970	0.440	0.705	2.930
VFC	10	250	1.25	1	3	original	ϕ_o	0.732	0.854	0.793	4.337
VFC	10	250	1.50	1	3	original	ϕ_o	0.819	0.783	0.801	4.268
VFC	10	250	1.70	1	3	original	ϕ_o	0.872	0.725	0.799	3.694
VFC	10	10	2.00	1	3	original	ϕ_o	0.987	0.040	0.514	1.964
VFC	10	10	2.30	1	3	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	10	10	3.00	1	3	original	ϕ_o	0.987	0.042	0.514	1.964
VFC	10	100	2.00	1	3	original	ϕ_o	0.980	0.292	0.636	2.929
VFC	10	100	2.30	1	3	original	ϕ_o	0.984	0.174	0.579	2.921
VFC	10	100	3.00	1	3	original	ϕ_o	0.987	0.063	0.525	1.964
VFC	10	250	2.00	1	3	original	ϕ_o	0.923	0.627	0.775	3.656
VFC	10	250	2.30	1	3	original	ϕ_o	0.952	0.527	0.739	2.924
VFC	10	250	3.00	1	3	original	ϕ_o	0.977	0.299	0.638	2.920
VFC	10	500	4.00	1	7	original	ϕ_o	0.981	0.249	0.615	2.925
VFC	10	750	4.00	1	7	original	ϕ_o	0.981	0.249	0.615	2.925
VFC	10	1000	4.00	1	7	original	ϕ_o	0.981	0.249	0.615	2.925
VFC	10	10	0.20	1	5	original	ϕ_o	0.477	0.965	0.721	3.702
VFC	10	100	0.20	1	5	original	ϕ_o	0.052	0.999	0.525	2.657
VFC	10	250	0.20	1	5	original	ϕ_o	0.008	1.000	0.504	2.238
VFC	10	500	0.50	1	2	original	ϕ_o	0.174	0.995	0.585	3.905
VFC	10	500	0.70	1	2	original	ϕ_o	0.303	0.983	0.643	4.237
VFC	10	500	1.00	1	2	original	ϕ_o	0.468	0.956	0.712	4.371
VFC	10	750	0.50	1	2	original	ϕ_o	0.114	0.998	0.556	3.775
VFC	10	750	0.70	1	2	original	ϕ_o	0.216	0.991	0.604	4.165
VFC	10	750	1.00	1	2	original	ϕ_o	0.356	0.972	0.664	4.332
VFC	10	1000	0.50	1	2	original	ϕ_o	0.101	0.998	0.550	3.746
VFC	10	1000	0.70	1	2	original	ϕ_o	0.198	0.991	0.594	4.152
VFC	10	1000	1.00	1	2	original	ϕ_o	0.332	0.973	0.653	4.338
VFC	10	10	0.20	1	3	original	ϕ_o	0.563	0.943	0.753	3.866
VFC	10	100	0.20	1	3	original	ϕ_o	0.117	0.997	0.557	3.014
VFC	10	250	0.20	1	3	original	ϕ_o	0.030	1.000	0.515	2.523
VFC	10	10	0.50	1	4	original	ϕ_o	0.915	0.723	0.819	3.768
VFC	10	10	0.70	1	4	original	ϕ_o	0.965	0.544	0.754	2.938
VFC	10	10	1.00	1	4	original	ϕ_o	0.984	0.223	0.603	1.968
VFC	10	100	0.50	1	4	original	ϕ_o	0.479	0.959	0.719	4.331
VFC	10	100	0.70	1	4	original	ϕ_o	0.662	0.909	0.786	4.446
VFC	10	100	1.00	1	4	original	ϕ_o	0.827	0.812	0.819	3.772
VFC	10	250	0.50	1	4	original	ϕ_o	0.199	0.993	0.596	4.033
VFC	10	250	0.70	1	4	original	ϕ_o	0.350	0.978	0.664	4.346
VFC	10	250	1.00	1	4	original	ϕ_o	0.539	0.938	0.739	4.439

VFC	10	10	1.25	1	7	original	ϕ_o	0.986	0.153	0.569	2.922
VFC	10	10	1.50	1	7	original	ϕ_o	0.987	0.064	0.525	1.964
VFC	10	10	1.70	1	7	original	ϕ_o	0.987	0.042	0.515	1.963
VFC	10	100	1.25	1	7	original	ϕ_o	0.826	0.815	0.820	4.405
VFC	10	100	1.50	1	7	original	ϕ_o	0.896	0.736	0.816	3.774
VFC	10	100	1.70	1	7	original	ϕ_o	0.931	0.671	0.801	2.935
VFC	10	250	1.25	1	7	original	ϕ_o	0.610	0.914	0.762	4.435
VFC	10	250	1.50	1	7	original	ϕ_o	0.727	0.867	0.797	4.384
VFC	10	250	1.70	1	7	original	ϕ_o	0.799	0.817	0.808	4.334
VFC	10	10	2.00	1	7	original	ϕ_o	0.987	0.037	0.512	1.962
VFC	10	10	2.30	1	7	original	ϕ_o	0.987	0.038	0.513	2.911
VFC	10	10	3.00	1	7	original	ϕ_o	0.987	0.040	0.514	2.914
VFC	10	100	2.00	1	7	original	ϕ_o	0.959	0.556	0.758	2.934
VFC	10	100	2.30	1	7	original	ϕ_o	0.973	0.436	0.704	2.935
VFC	10	100	3.00	1	7	original	ϕ_o	0.984	0.208	0.596	2.930
VFC	10	250	2.00	1	7	original	ϕ_o	0.878	0.743	0.810	3.746
VFC	10	250	2.30	1	7	original	ϕ_o	0.924	0.661	0.792	3.728
VFC	10	250	3.00	1	7	original	ϕ_o	0.967	0.459	0.713	2.931
VFC	10	10	2.00	1	6	original	ϕ_o	0.987	0.039	0.513	1.963
VFC	10	10	2.30	1	6	original	ϕ_o	0.987	0.040	0.514	1.963
VFC	10	10	3.00	1	6	original	ϕ_o	0.987	0.041	0.514	2.915
VFC	10	100	2.00	1	6	original	ϕ_o	0.967	0.468	0.717	2.932
VFC	10	100	2.30	1	6	original	ϕ_o	0.977	0.346	0.661	2.931
VFC	10	100	3.00	1	6	original	ϕ_o	0.986	0.146	0.566	2.919
VFC	10	250	2.00	1	6	original	ϕ_o	0.874	0.751	0.812	3.747
VFC	10	250	2.30	1	6	original	ϕ_o	0.919	0.675	0.797	3.733
VFC	10	250	3.00	1	6	original	ϕ_o	0.965	0.478	0.721	2.930
VFC	10	500	1.25	1	5	original	ϕ_o	0.547	0.929	0.738	4.429
VFC	10	500	1.50	1	5	original	ϕ_o	0.665	0.887	0.776	4.376
VFC	10	500	1.70	1	5	original	ϕ_o	0.748	0.846	0.797	4.333
VFC	10	750	1.25	1	5	original	ϕ_o	0.542	0.929	0.735	4.428
VFC	10	750	1.50	1	5	original	ϕ_o	0.659	0.887	0.773	4.370
VFC	10	750	1.70	1	5	original	ϕ_o	0.743	0.847	0.795	4.330
VFC	10	1000	1.25	1	5	original	ϕ_o	0.542	0.929	0.735	4.428
VFC	10	1000	1.50	1	5	original	ϕ_o	0.659	0.887	0.773	4.370
VFC	10	1000	1.70	1	5	original	ϕ_o	0.743	0.847	0.795	4.330
VFC	10	500	2.00	1	3	original	ϕ_o	0.789	0.806	0.797	4.268
VFC	10	500	2.30	1	3	original	ϕ_o	0.859	0.738	0.798	3.700
VFC	10	500	3.00	1	3	original	ϕ_o	0.941	0.560	0.751	2.921
VFC	10	750	2.00	1	3	original	ϕ_o	0.765	0.824	0.795	4.286
VFC	10	750	2.30	1	3	original	ϕ_o	0.839	0.762	0.800	4.244
VFC	10	750	3.00	1	3	original	ϕ_o	0.933	0.606	0.769	3.652
VFC	10	1000	2.00	1	3	original	ϕ_o	0.764	0.825	0.794	4.285
VFC	10	1000	2.30	1	3	original	ϕ_o	0.839	0.762	0.801	3.713
VFC	10	1000	3.00	1	3	original	ϕ_o	0.933	0.607	0.770	2.925
VFC	10	10	4.00	1	4	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	10	100	4.00	1	4	original	ϕ_o	0.988	0.043	0.515	1.964
VFC	10	250	4.00	1	4	original	ϕ_o	0.984	0.174	0.579	1.967
VFC	10	10	0.20	1	4	original	ϕ_o	0.532	0.958	0.745	3.816
VFC	10	100	0.20	1	4	original	ϕ_o	0.075	0.999	0.537	2.895
VFC	10	250	0.20	1	4	original	ϕ_o	0.014	1.000	0.507	2.405
VFC	10	10	4.00	1	3	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	10	100	4.00	1	3	original	ϕ_o	0.988	0.040	0.514	1.963
VFC	10	250	4.00	1	3	original	ϕ_o	0.985	0.114	0.550	1.963
VFC	10	10	0.50	1	3	original	ϕ_o	0.916	0.707	0.812	2.910
VFC	10	10	0.70	1	3	original	ϕ_o	0.965	0.510	0.738	2.931
VFC	10	10	1.00	1	3	original	ϕ_o	0.984	0.206	0.595	2.929
VFC	10	100	0.50	1	3	original	ϕ_o	0.543	0.944	0.743	4.328
VFC	10	100	0.70	1	3	original	ϕ_o	0.710	0.888	0.799	4.413
VFC	10	100	1.00	1	3	original	ϕ_o	0.853	0.772	0.812	3.742
VFC	10	250	0.50	1	3	original	ϕ_o	0.281	0.985	0.633	4.100
VFC	10	250	0.70	1	3	original	ϕ_o	0.440	0.963	0.701	4.344
VFC	10	250	1.00	1	3	original	ϕ_o	0.619	0.912	0.766	4.399
VFC	10	10	0.50	1	2	original	ϕ_o	0.927	0.680	0.804	2.911

VFC	10	10	0.70	1	2	original	ϕ_o	0.969	0.470	0.719	2.929
VFC	10	10	1.00	1	2	original	ϕ_o	0.985	0.137	0.561	1.965
VFC	10	100	0.50	1	2	original	ϕ_o	0.613	0.925	0.769	4.337
VFC	10	100	0.70	1	2	original	ϕ_o	0.762	0.862	0.812	4.415
VFC	10	100	1.00	1	2	original	ϕ_o	0.891	0.734	0.813	3.749
VFC	10	250	0.50	1	2	original	ϕ_o	0.361	0.975	0.668	4.171
VFC	10	250	0.70	1	2	original	ϕ_o	0.526	0.947	0.736	4.369
VFC	10	250	1.00	1	2	original	ϕ_o	0.701	0.885	0.793	4.409
VFC	10	500	4.00	1	4	original	ϕ_o	0.976	0.311	0.643	2.922
VFC	10	750	4.00	1	4	original	ϕ_o	0.976	0.315	0.645	2.922
VFC	10	1000	4.00	1	4	original	ϕ_o	0.976	0.315	0.645	2.922
VFC	10	10	2.00	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	10	10	2.30	1	2	original	ϕ_o	0.987	0.041	0.514	1.964
VFC	10	10	3.00	1	2	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	10	100	2.00	1	2	original	ϕ_o	0.983	0.187	0.585	2.922
VFC	10	100	2.30	1	2	original	ϕ_o	0.986	0.100	0.543	2.916
VFC	10	100	3.00	1	2	original	ϕ_o	0.987	0.048	0.517	2.911
VFC	10	250	2.00	1	2	original	ϕ_o	0.954	0.532	0.743	2.925
VFC	10	250	2.30	1	2	original	ϕ_o	0.970	0.411	0.691	2.925
VFC	10	250	3.00	1	2	original	ϕ_o	0.983	0.176	0.580	2.916
VFC	10	500	0.50	1	5	original	ϕ_o	0.116	0.995	0.556	3.900
VFC	10	500	0.70	1	5	original	ϕ_o	0.245	0.985	0.615	4.299
VFC	10	500	1.00	1	5	original	ϕ_o	0.420	0.958	0.689	4.438
VFC	10	750	0.50	1	5	original	ϕ_o	0.115	0.995	0.555	3.899
VFC	10	750	0.70	1	5	original	ϕ_o	0.242	0.985	0.614	4.298
VFC	10	750	1.00	1	5	original	ϕ_o	0.416	0.958	0.687	4.438
VFC	10	1000	0.50	1	5	original	ϕ_o	0.115	0.995	0.555	3.899
VFC	10	1000	0.70	1	5	original	ϕ_o	0.242	0.985	0.614	4.298
VFC	10	1000	1.00	1	5	original	ϕ_o	0.416	0.958	0.687	4.438
VFC	10	500	0.50	1	4	original	ϕ_o	0.122	0.995	0.559	3.887
VFC	10	500	0.70	1	4	original	ϕ_o	0.241	0.985	0.613	4.264
VFC	10	500	1.00	1	4	original	ϕ_o	0.406	0.959	0.683	4.403
VFC	10	750	0.50	1	4	original	ϕ_o	0.120	0.995	0.558	3.887
VFC	10	750	0.70	1	4	original	ϕ_o	0.238	0.985	0.612	4.264
VFC	10	750	1.00	1	4	original	ϕ_o	0.402	0.959	0.680	4.403
VFC	10	1000	0.50	1	4	original	ϕ_o	0.120	0.995	0.558	3.887
VFC	10	1000	0.70	1	4	original	ϕ_o	0.238	0.985	0.612	4.264
VFC	10	1000	1.00	1	4	original	ϕ_o	0.402	0.959	0.680	4.403
VFC	10	500	2.00	1	2	original	ϕ_o	0.841	0.754	0.798	4.241
VFC	10	500	2.30	1	2	original	ϕ_o	0.899	0.667	0.783	3.673
VFC	10	500	3.00	1	2	original	ϕ_o	0.958	0.452	0.705	2.914
VFC	10	750	2.00	1	2	original	ϕ_o	0.739	0.824	0.782	4.218
VFC	10	750	2.30	1	2	original	ϕ_o	0.817	0.757	0.787	3.668
VFC	10	750	3.00	1	2	original	ϕ_o	0.923	0.590	0.757	3.599
VFC	10	1000	2.00	1	2	original	ϕ_o	0.719	0.837	0.778	4.227
VFC	10	1000	2.30	1	2	original	ϕ_o	0.800	0.775	0.787	4.178
VFC	10	1000	3.00	1	2	original	ϕ_o	0.914	0.625	0.769	3.616
VFC	10	10	0.50	1	6	original	ϕ_o	0.892	0.768	0.830	3.766
VFC	10	10	0.70	1	6	original	ϕ_o	0.955	0.599	0.777	2.934
VFC	10	10	1.00	1	6	original	ϕ_o	0.981	0.290	0.635	2.930
VFC	10	100	0.50	1	6	original	ϕ_o	0.397	0.967	0.682	4.251
VFC	10	100	0.70	1	6	original	ϕ_o	0.588	0.926	0.757	4.417
VFC	10	100	1.00	1	6	original	ϕ_o	0.766	0.852	0.809	4.396
VFC	10	250	0.50	1	6	original	ϕ_o	0.146	0.993	0.569	3.958
VFC	10	250	0.70	1	6	original	ϕ_o	0.292	0.979	0.635	4.323
VFC	10	250	1.00	1	6	original	ϕ_o	0.478	0.948	0.713	4.440
VFC	10	500	0.20	1	5	original	ϕ_o	0.003	1.000	0.502	2.134
VFC	10	750	0.20	1	5	original	ϕ_o	0.003	1.000	0.502	2.133
VFC	10	1000	0.20	1	5	original	ϕ_o	0.003	1.000	0.502	2.133
VFC	10	10	4.00	1	5	original	ϕ_o	0.987	0.042	0.515	1.964
VFC	10	100	4.00	1	5	original	ϕ_o	0.988	0.046	0.517	1.965
VFC	10	250	4.00	1	5	original	ϕ_o	0.983	0.193	0.588	2.928
VFC	10	500	0.50	1	3	original	ϕ_o	0.130	0.997	0.563	3.868
VFC	10	500	0.70	1	3	original	ϕ_o	0.247	0.988	0.617	4.237

VFC	10	500	1.00	1	3	original	ϕ_o	0.404	0.965	0.684	4.398
VFC	10	750	0.50	1	3	original	ϕ_o	0.112	0.998	0.555	3.840
VFC	10	750	0.70	1	3	original	ϕ_o	0.219	0.990	0.605	4.230
VFC	10	750	1.00	1	3	original	ϕ_o	0.374	0.970	0.672	4.402
VFC	10	1000	0.50	1	3	original	ϕ_o	0.112	0.998	0.555	3.839
VFC	10	1000	0.70	1	3	original	ϕ_o	0.218	0.990	0.604	4.230
VFC	10	1000	1.00	1	3	original	ϕ_o	0.373	0.970	0.671	4.401
VFC	10	500	4.00	1	6	original	ϕ_o	0.980	0.269	0.624	2.929
VFC	10	750	4.00	1	6	original	ϕ_o	0.980	0.269	0.624	2.929
VFC	10	1000	4.00	1	6	original	ϕ_o	0.980	0.269	0.624	2.929
VFC	10	500	0.20	1	2	original	ϕ_o	0.014	1.000	0.507	2.320
VFC	10	750	0.20	1	2	original	ϕ_o	0.008	1.000	0.504	2.196
VFC	10	1000	0.20	1	2	original	ϕ_o	0.007	1.000	0.504	2.175
VFC	10	500	4.00	1	5	original	ϕ_o	0.980	0.264	0.622	2.928
VFC	10	750	4.00	1	5	original	ϕ_o	0.980	0.267	0.624	2.927
VFC	10	1000	4.00	1	5	original	ϕ_o	0.980	0.267	0.624	2.927
VFC	10	10	4.00	1	7	original	ϕ_o	0.987	0.042	0.514	1.964
VFC	10	100	4.00	1	7	original	ϕ_o	0.988	0.071	0.529	1.966
VFC	10	250	4.00	1	7	original	ϕ_o	0.982	0.237	0.610	2.928
VFC	10	500	1.25	1	4	original	ϕ_o	0.522	0.931	0.726	4.402
VFC	10	500	1.50	1	4	original	ϕ_o	0.626	0.895	0.761	4.350
VFC	10	500	1.70	1	4	original	ϕ_o	0.705	0.859	0.782	4.293
VFC	10	750	1.25	1	4	original	ϕ_o	0.516	0.931	0.723	4.399
VFC	10	750	1.50	1	4	original	ϕ_o	0.620	0.895	0.758	4.342
VFC	10	750	1.70	1	4	original	ϕ_o	0.698	0.860	0.779	4.288
VFC	10	1000	1.25	1	4	original	ϕ_o	0.516	0.931	0.723	4.399
VFC	10	1000	1.50	1	4	original	ϕ_o	0.620	0.895	0.758	4.342
VFC	10	1000	1.70	1	4	original	ϕ_o	0.698	0.860	0.779	4.288
VFC	10	500	1.25	1	3	original	ϕ_o	0.520	0.937	0.728	4.408
VFC	10	500	1.50	1	3	original	ϕ_o	0.622	0.903	0.763	4.373
VFC	10	500	1.70	1	3	original	ϕ_o	0.696	0.870	0.783	4.329
VFC	10	750	1.25	1	3	original	ϕ_o	0.488	0.944	0.716	4.419
VFC	10	750	1.50	1	3	original	ϕ_o	0.592	0.914	0.753	4.392
VFC	10	750	1.70	1	3	original	ϕ_o	0.668	0.882	0.775	4.345
VFC	10	1000	1.25	1	3	original	ϕ_o	0.487	0.944	0.716	4.418
VFC	10	1000	1.50	1	3	original	ϕ_o	0.591	0.914	0.752	4.393
VFC	10	1000	1.70	1	3	original	ϕ_o	0.667	0.883	0.775	4.344
VFC	10	500	0.50	1	6	original	ϕ_o	0.120	0.994	0.557	3.912
VFC	10	500	0.70	1	6	original	ϕ_o	0.253	0.983	0.618	4.304
VFC	10	500	1.00	1	6	original	ϕ_o	0.432	0.955	0.693	4.438
VFC	10	750	0.50	1	6	original	ϕ_o	0.120	0.994	0.557	3.912
VFC	10	750	0.70	1	6	original	ϕ_o	0.253	0.983	0.618	4.304
VFC	10	750	1.00	1	6	original	ϕ_o	0.432	0.955	0.693	4.438
VFC	10	1000	0.50	1	6	original	ϕ_o	0.120	0.994	0.557	3.912
VFC	10	1000	0.70	1	6	original	ϕ_o	0.253	0.983	0.618	4.304
VFC	10	1000	1.00	1	6	original	ϕ_o	0.432	0.955	0.693	4.438
VFC	10	10	0.20	1	6	original	ϕ_o	0.464	0.966	0.715	3.686
VFC	10	100	0.20	1	6	original	ϕ_o	0.044	0.999	0.521	2.618
VFC	10	250	0.20	1	6	original	ϕ_o	0.006	1.000	0.503	2.202
VFC	10	10	0.50	1	5	original	ϕ_o	0.897	0.766	0.831	3.774
VFC	10	10	0.70	1	5	original	ϕ_o	0.956	0.592	0.774	2.936
VFC	10	10	1.00	1	5	original	ϕ_o	0.982	0.266	0.624	2.929
VFC	10	100	0.50	1	5	original	ϕ_o	0.423	0.967	0.695	4.277
VFC	10	100	0.70	1	5	original	ϕ_o	0.610	0.926	0.768	4.439
VFC	10	100	1.00	1	5	original	ϕ_o	0.780	0.848	0.814	4.410
VFC	10	250	0.50	1	5	original	ϕ_o	0.166	0.994	0.580	3.980
VFC	10	250	0.70	1	5	original	ϕ_o	0.319	0.981	0.650	4.344
VFC	10	250	1.00	1	5	original	ϕ_o	0.508	0.949	0.729	4.460

A.1.4 Input Cluster

Type	α	η	κ	k_{input}	k_{feat}	Neg fix	ϕ	$\gamma+$	$\gamma-$	γ	Σ
IC	3	10	4.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.402
IC	3	100	4.00	7	1	original	ϕ_o	0.684	0.121	0.402	2.400
IC	3	250	4.00	7	1	original	ϕ_o	0.678	0.144	0.411	2.386
IC	3	10	2.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.824
IC	3	10	2.30	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	3	10	3.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	3	100	2.00	2	1	original	ϕ_o	0.964	0.064	0.514	2.828
IC	3	100	2.30	2	1	original	ϕ_o	0.964	0.061	0.512	2.827
IC	3	100	3.00	2	1	original	ϕ_o	0.963	0.058	0.511	2.825
IC	3	250	2.00	2	1	original	ϕ_o	0.964	0.078	0.521	2.835
IC	3	250	2.30	2	1	original	ϕ_o	0.964	0.073	0.518	2.831
IC	3	250	3.00	2	1	original	ϕ_o	0.964	0.065	0.514	2.828
IC	3	500	4.00	4	1	original	ϕ_o	0.785	0.118	0.451	2.854
IC	3	750	4.00	4	1	original	ϕ_o	0.782	0.135	0.459	2.852
IC	3	1000	4.00	4	1	original	ϕ_o	0.779	0.150	0.465	2.855
IC	3	500	1.25	4	1	original	ϕ_o	0.727	0.349	0.538	3.255
IC	3	500	1.50	4	1	original	ϕ_o	0.751	0.251	0.501	2.811
IC	3	500	1.70	4	1	original	ϕ_o	0.762	0.201	0.482	3.291
IC	3	750	1.25	4	1	original	ϕ_o	0.701	0.435	0.568	3.224
IC	3	750	1.50	4	1	original	ϕ_o	0.730	0.326	0.528	2.782
IC	3	750	1.70	4	1	original	ϕ_o	0.746	0.264	0.505	3.278
IC	3	1000	1.25	4	1	original	ϕ_o	0.677	0.504	0.590	3.188
IC	3	1000	1.50	4	1	original	ϕ_o	0.710	0.390	0.550	3.238
IC	3	1000	1.70	4	1	original	ϕ_o	0.730	0.321	0.525	3.261
IC	3	10	4.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	3	100	4.00	5	1	original	ϕ_o	0.748	0.104	0.426	2.765
IC	3	250	4.00	5	1	original	ϕ_o	0.747	0.106	0.426	2.763
IC	3	500	1.25	2	1	original	ϕ_o	0.950	0.352	0.651	2.850
IC	3	500	1.50	2	1	original	ϕ_o	0.958	0.210	0.584	2.850
IC	3	500	1.70	2	1	original	ϕ_o	0.962	0.138	0.550	2.847
IC	3	750	1.25	2	1	original	ϕ_o	0.940	0.445	0.693	2.840
IC	3	750	1.50	2	1	original	ϕ_o	0.953	0.297	0.625	2.851
IC	3	750	1.70	2	1	original	ϕ_o	0.958	0.202	0.580	2.848
IC	3	1000	1.25	2	1	original	ϕ_o	0.930	0.514	0.722	3.651
IC	3	1000	1.50	2	1	original	ϕ_o	0.948	0.367	0.658	2.845
IC	3	1000	1.70	2	1	original	ϕ_o	0.954	0.267	0.610	3.634
IC	3	500	2.00	5	1	original	ϕ_o	0.742	0.175	0.459	2.777
IC	3	500	2.30	5	1	original	ϕ_o	0.744	0.155	0.449	2.777
IC	3	500	3.00	5	1	original	ϕ_o	0.746	0.130	0.438	2.773
IC	3	750	2.00	5	1	original	ϕ_o	0.738	0.203	0.470	3.233
IC	3	750	2.30	5	1	original	ϕ_o	0.742	0.179	0.460	2.786
IC	3	750	3.00	5	1	original	ϕ_o	0.745	0.148	0.447	3.208
IC	3	1000	2.00	5	1	original	ϕ_o	0.732	0.225	0.478	3.236
IC	3	1000	2.30	5	1	original	ϕ_o	0.739	0.198	0.468	3.244
IC	3	1000	3.00	5	1	original	ϕ_o	0.744	0.163	0.454	2.790
IC	3	500	0.20	2	1	original	ϕ_o	0.289	0.980	0.635	2.263
IC	3	750	0.20	2	1	original	ϕ_o	0.236	0.982	0.609	2.080
IC	3	1000	0.20	2	1	original	ϕ_o	0.200	0.984	0.592	1.943
IC	3	10	2.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	3	10	2.30	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	3	10	3.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	3	100	2.00	3	1	original	ϕ_o	0.865	0.077	0.471	2.520
IC	3	100	2.30	3	1	original	ϕ_o	0.865	0.075	0.470	2.519
IC	3	100	3.00	3	1	original	ϕ_o	0.865	0.073	0.469	2.520
IC	3	250	2.00	3	1	original	ϕ_o	0.863	0.086	0.475	2.517
IC	3	250	2.30	3	1	original	ϕ_o	0.864	0.081	0.473	2.519
IC	3	250	3.00	3	1	original	ϕ_o	0.865	0.076	0.471	2.518
IC	3	10	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	3	100	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	3	250	4.00	3	1	original	ϕ_o	0.865	0.073	0.469	2.519
IC	3	500	4.00	5	1	original	ϕ_o	0.746	0.115	0.431	3.176
IC	3	750	4.00	5	1	original	ϕ_o	0.746	0.128	0.437	2.778
IC	3	1000	4.00	5	1	original	ϕ_o	0.746	0.141	0.444	2.787

IC	3	500	0.20	3	1	original	ϕ_o	0.178	0.970	0.574	1.476
IC	3	750	0.20	3	1	original	ϕ_o	0.147	0.973	0.560	1.353
IC	3	1000	0.20	3	1	original	ϕ_o	0.123	0.975	0.549	1.260
IC	3	500	2.00	3	1	original	ϕ_o	0.861	0.107	0.484	2.512
IC	3	500	2.30	3	1	original	ϕ_o	0.862	0.096	0.479	2.515
IC	3	500	3.00	3	1	original	ϕ_o	0.864	0.085	0.475	2.519
IC	3	750	2.00	3	1	original	ϕ_o	0.857	0.128	0.493	2.509
IC	3	750	2.30	3	1	original	ϕ_o	0.860	0.112	0.486	2.512
IC	3	750	3.00	3	1	original	ϕ_o	0.863	0.095	0.479	2.517
IC	3	1000	2.00	3	1	original	ϕ_o	0.854	0.149	0.501	2.505
IC	3	1000	2.30	3	1	original	ϕ_o	0.858	0.127	0.493	2.511
IC	3	1000	3.00	3	1	original	ϕ_o	0.862	0.105	0.484	2.516
IC	3	10	2.00	6	1	original	ϕ_o	0.732	0.053	0.392	2.097
IC	3	10	2.30	6	1	original	ϕ_o	0.732	0.053	0.392	2.097
IC	3	10	3.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	3	100	2.00	6	1	original	ϕ_o	0.728	0.056	0.392	2.088
IC	3	100	2.30	6	1	original	ϕ_o	0.730	0.055	0.392	2.092
IC	3	100	3.00	6	1	original	ϕ_o	0.731	0.054	0.393	2.096
IC	3	250	2.00	6	1	original	ϕ_o	0.721	0.069	0.395	2.070
IC	3	250	2.30	6	1	original	ϕ_o	0.724	0.064	0.394	2.076
IC	3	250	3.00	6	1	original	ϕ_o	0.728	0.058	0.393	2.087
IC	3	10	0.50	7	1	original	ϕ_o	0.629	0.324	0.477	2.684
IC	3	10	0.70	7	1	original	ϕ_o	0.664	0.216	0.440	2.384
IC	3	10	1.00	7	1	original	ϕ_o	0.679	0.148	0.413	2.402
IC	3	100	0.50	7	1	original	ϕ_o	0.524	0.541	0.533	2.450
IC	3	100	0.70	7	1	original	ϕ_o	0.598	0.392	0.495	2.620
IC	3	100	1.00	7	1	original	ϕ_o	0.647	0.267	0.457	2.356
IC	3	250	0.50	7	1	original	ϕ_o	0.449	0.671	0.560	2.248
IC	3	250	0.70	7	1	original	ϕ_o	0.535	0.509	0.522	2.476
IC	3	250	1.00	7	1	original	ϕ_o	0.605	0.361	0.483	2.622
IC	3	10	2.00	4	1	original	ϕ_o	0.788	0.098	0.443	2.727
IC	3	10	2.30	4	1	original	ϕ_o	0.788	0.098	0.443	2.287
IC	3	10	3.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.287
IC	3	100	2.00	4	1	original	ϕ_o	0.784	0.107	0.446	2.852
IC	3	100	2.30	4	1	original	ϕ_o	0.786	0.105	0.445	1.551
IC	3	100	3.00	4	1	original	ϕ_o	0.787	0.102	0.445	2.281
IC	3	250	2.00	4	1	original	ϕ_o	0.779	0.128	0.453	2.841
IC	3	250	2.30	4	1	original	ϕ_o	0.781	0.120	0.451	2.848
IC	3	250	3.00	4	1	original	ϕ_o	0.785	0.111	0.448	2.854
IC	3	10	1.25	7	1	original	ϕ_o	0.683	0.129	0.406	2.406
IC	3	10	1.50	7	1	original	ϕ_o	0.684	0.119	0.402	1.947
IC	3	10	1.70	7	1	original	ϕ_o	0.684	0.116	0.400	2.404
IC	3	100	1.25	7	1	original	ϕ_o	0.662	0.215	0.438	2.379
IC	3	100	1.50	7	1	original	ϕ_o	0.670	0.185	0.428	2.389
IC	3	100	1.70	7	1	original	ϕ_o	0.674	0.172	0.423	2.391
IC	3	250	1.25	7	1	original	ϕ_o	0.632	0.285	0.459	2.672
IC	3	250	1.50	7	1	original	ϕ_o	0.647	0.241	0.444	2.692
IC	3	250	1.70	7	1	original	ϕ_o	0.654	0.219	0.437	2.353
IC	3	10	0.20	2	1	original	ϕ_o	0.597	0.939	0.768	3.298
IC	3	100	0.20	2	1	original	ϕ_o	0.464	0.965	0.714	2.850
IC	3	250	0.20	2	1	original	ϕ_o	0.373	0.974	0.674	2.539
IC	3	10	0.50	4	1	original	ϕ_o	0.702	0.488	0.595	2.745
IC	3	10	0.70	4	1	original	ϕ_o	0.757	0.272	0.514	2.813
IC	3	10	1.00	4	1	original	ϕ_o	0.783	0.115	0.449	2.270
IC	3	100	0.50	4	1	original	ϕ_o	0.621	0.691	0.656	3.064
IC	3	100	0.70	4	1	original	ϕ_o	0.701	0.466	0.584	2.736
IC	3	100	1.00	4	1	original	ϕ_o	0.757	0.243	0.500	2.816
IC	3	250	0.50	4	1	original	ϕ_o	0.560	0.796	0.678	2.910
IC	3	250	0.70	4	1	original	ϕ_o	0.654	0.597	0.625	3.135
IC	3	250	1.00	4	1	original	ϕ_o	0.726	0.362	0.544	2.771
IC	3	500	0.50	5	1	original	ϕ_o	0.401	0.817	0.609	2.241
IC	3	500	0.70	5	1	original	ϕ_o	0.528	0.648	0.588	2.677
IC	3	500	1.00	5	1	original	ϕ_o	0.654	0.399	0.527	3.031
IC	3	750	0.50	5	1	original	ϕ_o	0.358	0.856	0.607	2.103

IC	3	750	0.70	5	1	original	ϕ_o	0.484	0.707	0.596	2.548
IC	3	750	1.00	5	1	original	ϕ_o	0.620	0.466	0.543	2.943
IC	3	1000	0.50	5	1	original	ϕ_o	0.325	0.884	0.605	1.985
IC	3	1000	0.70	5	1	original	ϕ_o	0.450	0.753	0.602	2.437
IC	3	1000	1.00	5	1	original	ϕ_o	0.586	0.524	0.555	2.853
IC	3	500	4.00	6	1	original	ϕ_o	0.727	0.063	0.395	2.085
IC	3	750	4.00	6	1	original	ϕ_o	0.725	0.070	0.397	2.078
IC	3	1000	4.00	6	1	original	ϕ_o	0.723	0.077	0.400	2.073
IC	3	500	4.00	3	1	original	ϕ_o	0.865	0.078	0.471	2.520
IC	3	750	4.00	3	1	original	ϕ_o	0.865	0.085	0.475	2.520
IC	3	1000	4.00	3	1	original	ϕ_o	0.864	0.092	0.478	2.520
IC	3	500	0.20	5	1	original	ϕ_o	0.121	0.971	0.546	1.010
IC	3	750	0.20	5	1	original	ϕ_o	0.095	0.974	0.535	0.908
IC	3	1000	0.20	5	1	original	ϕ_o	0.078	0.976	0.527	0.832
IC	3	10	0.20	5	1	original	ϕ_o	0.299	0.913	0.606	1.733
IC	3	100	0.20	5	1	original	ϕ_o	0.203	0.950	0.576	1.347
IC	3	250	0.20	5	1	original	ϕ_o	0.160	0.964	0.562	1.166
IC	3	500	0.50	3	1	original	ϕ_o	0.564	0.798	0.681	3.060
IC	3	500	0.70	3	1	original	ϕ_o	0.702	0.630	0.666	2.900
IC	3	500	1.00	3	1	original	ϕ_o	0.803	0.384	0.593	3.059
IC	3	750	0.50	3	1	original	ϕ_o	0.515	0.843	0.679	2.922
IC	3	750	0.70	3	1	original	ϕ_o	0.660	0.691	0.675	2.815
IC	3	750	1.00	3	1	original	ϕ_o	0.775	0.464	0.619	3.026
IC	3	1000	0.50	3	1	original	ϕ_o	0.476	0.873	0.675	2.799
IC	3	1000	0.70	3	1	original	ϕ_o	0.624	0.733	0.678	3.239
IC	3	1000	1.00	3	1	original	ϕ_o	0.750	0.525	0.637	2.987
IC	3	10	0.20	4	1	original	ϕ_o	0.436	0.920	0.678	2.381
IC	3	100	0.20	4	1	original	ϕ_o	0.316	0.953	0.635	1.874
IC	3	250	0.20	4	1	original	ϕ_o	0.251	0.964	0.607	1.580
IC	3	10	1.25	2	1	original	ϕ_o	0.963	0.058	0.510	2.822
IC	3	10	1.50	2	1	original	ϕ_o	0.963	0.058	0.511	2.825
IC	3	10	1.70	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	3	100	1.25	2	1	original	ϕ_o	0.963	0.111	0.537	2.838
IC	3	100	1.50	2	1	original	ϕ_o	0.964	0.073	0.519	2.831
IC	3	100	1.70	2	1	original	ϕ_o	0.964	0.067	0.515	2.829
IC	3	250	1.25	2	1	original	ϕ_o	0.959	0.220	0.589	2.852
IC	3	250	1.50	2	1	original	ϕ_o	0.963	0.117	0.540	2.845
IC	3	250	1.70	2	1	original	ϕ_o	0.964	0.089	0.527	2.838
IC	3	500	4.00	7	1	original	ϕ_o	0.668	0.173	0.420	2.704
IC	3	750	4.00	7	1	original	ϕ_o	0.658	0.195	0.427	2.681
IC	3	1000	4.00	7	1	original	ϕ_o	0.647	0.212	0.429	2.653
IC	3	500	2.00	4	1	original	ϕ_o	0.771	0.165	0.468	2.838
IC	3	500	2.30	4	1	original	ϕ_o	0.775	0.149	0.462	2.844
IC	3	500	3.00	4	1	original	ϕ_o	0.781	0.131	0.456	2.848
IC	3	750	2.00	4	1	original	ϕ_o	0.761	0.204	0.482	2.829
IC	3	750	2.30	4	1	original	ϕ_o	0.768	0.176	0.472	2.840
IC	3	750	3.00	4	1	original	ϕ_o	0.777	0.152	0.464	2.849
IC	3	1000	2.00	4	1	original	ϕ_o	0.749	0.248	0.498	2.810
IC	3	1000	2.30	4	1	original	ϕ_o	0.760	0.205	0.482	2.827
IC	3	1000	3.00	4	1	original	ϕ_o	0.772	0.168	0.470	2.844
IC	3	500	1.25	5	1	original	ϕ_o	0.705	0.294	0.499	2.691
IC	3	500	1.50	5	1	original	ϕ_o	0.728	0.237	0.482	3.205
IC	3	500	1.70	5	1	original	ϕ_o	0.736	0.207	0.471	2.770
IC	3	750	1.25	5	1	original	ϕ_o	0.681	0.337	0.509	3.108
IC	3	750	1.50	5	1	original	ϕ_o	0.714	0.272	0.493	3.190
IC	3	750	1.70	5	1	original	ϕ_o	0.728	0.238	0.483	3.221
IC	3	1000	1.25	5	1	original	ϕ_o	0.658	0.381	0.519	2.573
IC	3	1000	1.50	5	1	original	ϕ_o	0.698	0.301	0.500	3.158
IC	3	1000	1.70	5	1	original	ϕ_o	0.717	0.264	0.490	3.200
IC	3	10	2.00	7	1	original	ϕ_o	0.685	0.114	0.399	2.745
IC	3	10	2.30	7	1	original	ϕ_o	0.685	0.113	0.399	2.402
IC	3	10	3.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.402
IC	3	100	2.00	7	1	original	ϕ_o	0.678	0.157	0.417	2.398
IC	3	100	2.30	7	1	original	ϕ_o	0.680	0.145	0.413	2.400

IC	3	100	3.00	7	1	original	ϕ_o	0.683	0.131	0.407	1.943
IC	3	250	2.00	7	1	original	ϕ_o	0.661	0.197	0.429	2.361
IC	3	250	2.30	7	1	original	ϕ_o	0.667	0.183	0.425	2.713
IC	3	250	3.00	7	1	original	ϕ_o	0.674	0.161	0.417	2.382
IC	3	10	0.50	3	1	original	ϕ_o	0.793	0.444	0.618	2.419
IC	3	10	0.70	3	1	original	ϕ_o	0.850	0.199	0.524	2.502
IC	3	10	1.00	3	1	original	ϕ_o	0.865	0.087	0.476	2.516
IC	3	100	0.50	3	1	original	ϕ_o	0.701	0.638	0.670	2.884
IC	3	100	0.70	3	1	original	ϕ_o	0.800	0.412	0.606	2.433
IC	3	100	1.00	3	1	original	ϕ_o	0.851	0.170	0.511	2.503
IC	3	250	0.50	3	1	original	ϕ_o	0.633	0.726	0.679	2.721
IC	3	250	0.70	3	1	original	ϕ_o	0.753	0.531	0.642	2.996
IC	3	250	1.00	3	1	original	ϕ_o	0.832	0.267	0.550	2.478
IC	3	10	0.50	2	1	original	ϕ_o	0.916	0.580	0.748	2.793
IC	3	10	0.70	2	1	original	ϕ_o	0.953	0.307	0.630	2.843
IC	3	10	1.00	2	1	original	ϕ_o	0.962	0.088	0.525	2.822
IC	3	100	0.50	2	1	original	ϕ_o	0.854	0.760	0.807	3.515
IC	3	100	0.70	2	1	original	ϕ_o	0.925	0.532	0.729	2.818
IC	3	100	1.00	2	1	original	ϕ_o	0.958	0.246	0.602	2.851
IC	3	250	0.50	2	1	original	ϕ_o	0.798	0.836	0.817	3.398
IC	3	250	0.70	2	1	original	ϕ_o	0.892	0.669	0.780	3.603
IC	3	250	1.00	2	1	original	ϕ_o	0.947	0.395	0.671	2.846
IC	3	500	0.20	4	1	original	ϕ_o	0.191	0.968	0.579	1.324
IC	3	750	0.20	4	1	original	ϕ_o	0.157	0.970	0.564	1.174
IC	3	1000	0.20	4	1	original	ϕ_o	0.133	0.971	0.552	1.068
IC	3	500	0.50	4	1	original	ϕ_o	0.496	0.863	0.679	2.697
IC	3	500	0.70	4	1	original	ϕ_o	0.599	0.718	0.658	3.020
IC	3	500	1.00	4	1	original	ϕ_o	0.687	0.491	0.589	3.203
IC	3	750	0.50	4	1	original	ϕ_o	0.448	0.897	0.673	2.520
IC	3	750	0.70	4	1	original	ϕ_o	0.557	0.787	0.672	2.911
IC	3	750	1.00	4	1	original	ϕ_o	0.653	0.579	0.616	3.145
IC	3	1000	0.50	4	1	original	ϕ_o	0.412	0.916	0.664	2.375
IC	3	1000	0.70	4	1	original	ϕ_o	0.522	0.828	0.675	2.799
IC	3	1000	1.00	4	1	original	ϕ_o	0.624	0.648	0.636	3.086
IC	3	10	0.50	6	1	original	ϕ_o	0.602	0.537	0.570	1.889
IC	3	10	0.70	6	1	original	ϕ_o	0.685	0.247	0.466	2.023
IC	3	10	1.00	6	1	original	ϕ_o	0.723	0.069	0.396	2.073
IC	3	100	0.50	6	1	original	ϕ_o	0.503	0.726	0.614	2.187
IC	3	100	0.70	6	1	original	ϕ_o	0.620	0.479	0.549	1.931
IC	3	100	1.00	6	1	original	ϕ_o	0.695	0.187	0.441	2.027
IC	3	250	0.50	6	1	original	ϕ_o	0.438	0.820	0.629	2.427
IC	3	250	0.70	6	1	original	ϕ_o	0.558	0.620	0.589	2.326
IC	3	250	1.00	6	1	original	ϕ_o	0.660	0.324	0.492	1.982
IC	3	10	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	3	100	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	1.879
IC	3	250	4.00	2	1	original	ϕ_o	0.963	0.059	0.511	2.825
IC	3	10	4.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.873
IC	3	100	4.00	4	1	original	ϕ_o	0.788	0.099	0.444	3.311
IC	3	250	4.00	4	1	original	ϕ_o	0.787	0.105	0.446	2.279
IC	3	10	1.25	3	1	original	ϕ_o	0.866	0.074	0.470	2.520
IC	3	10	1.50	3	1	original	ϕ_o	0.866	0.072	0.469	2.520
IC	3	10	1.70	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	3	100	1.25	3	1	original	ϕ_o	0.861	0.107	0.484	2.513
IC	3	100	1.50	3	1	original	ϕ_o	0.864	0.087	0.475	2.518
IC	3	100	1.70	3	1	original	ϕ_o	0.864	0.080	0.472	2.520
IC	3	250	1.25	3	1	original	ϕ_o	0.853	0.156	0.504	2.501
IC	3	250	1.50	3	1	original	ϕ_o	0.859	0.113	0.486	2.508
IC	3	250	1.70	3	1	original	ϕ_o	0.862	0.098	0.480	2.513
IC	3	10	1.25	6	1	original	ϕ_o	0.730	0.053	0.391	2.090
IC	3	10	1.50	6	1	original	ϕ_o	0.732	0.053	0.392	1.433
IC	3	10	1.70	6	1	original	ϕ_o	0.732	0.053	0.392	2.097
IC	3	100	1.25	6	1	original	ϕ_o	0.715	0.090	0.402	2.057
IC	3	100	1.50	6	1	original	ϕ_o	0.723	0.064	0.393	2.073
IC	3	100	1.70	6	1	original	ϕ_o	0.726	0.059	0.392	1.422

IC	3	250	1.25	6	1	original	ϕ_o	0.695	0.169	0.432	2.024
IC	3	250	1.50	6	1	original	ϕ_o	0.710	0.101	0.405	2.048
IC	3	250	1.70	6	1	original	ϕ_o	0.716	0.079	0.398	2.059
IC	3	500	0.50	2	1	original	ϕ_o	0.735	0.880	0.808	3.971
IC	3	500	0.70	2	1	original	ϕ_o	0.852	0.765	0.808	3.541
IC	3	500	1.00	2	1	original	ϕ_o	0.927	0.534	0.730	3.652
IC	3	750	0.50	2	1	original	ϕ_o	0.688	0.902	0.795	3.851
IC	3	750	0.70	2	1	original	ϕ_o	0.819	0.811	0.815	4.150
IC	3	750	1.00	2	1	original	ϕ_o	0.909	0.619	0.764	3.629
IC	3	1000	0.50	2	1	original	ϕ_o	0.651	0.915	0.783	3.733
IC	3	1000	0.70	2	1	original	ϕ_o	0.791	0.840	0.816	4.108
IC	3	1000	1.00	2	1	original	ϕ_o	0.890	0.674	0.782	3.619
IC	3	10	4.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	3	100	4.00	6	1	original	ϕ_o	0.732	0.053	0.392	2.097
IC	3	250	4.00	6	1	original	ϕ_o	0.730	0.055	0.393	2.093
IC	3	500	2.00	6	1	original	ϕ_o	0.713	0.094	0.404	2.054
IC	3	500	2.30	6	1	original	ϕ_o	0.718	0.082	0.400	2.061
IC	3	500	3.00	6	1	original	ϕ_o	0.723	0.070	0.397	1.419
IC	3	750	2.00	6	1	original	ϕ_o	0.704	0.122	0.413	2.035
IC	3	750	2.30	6	1	original	ϕ_o	0.712	0.098	0.405	2.052
IC	3	750	3.00	6	1	original	ϕ_o	0.720	0.080	0.400	2.066
IC	3	1000	2.00	6	1	original	ϕ_o	0.694	0.153	0.424	2.021
IC	3	1000	2.30	6	1	original	ϕ_o	0.705	0.116	0.411	2.038
IC	3	1000	3.00	6	1	original	ϕ_o	0.717	0.090	0.404	2.059
IC	3	500	1.25	6	1	original	ϕ_o	0.665	0.290	0.478	1.985
IC	3	500	1.50	6	1	original	ϕ_o	0.692	0.176	0.434	2.018
IC	3	500	1.70	6	1	original	ϕ_o	0.703	0.128	0.415	2.035
IC	3	750	1.25	6	1	original	ϕ_o	0.638	0.388	0.513	1.952
IC	3	750	1.50	6	1	original	ϕ_o	0.674	0.246	0.460	1.994
IC	3	750	1.70	6	1	original	ϕ_o	0.690	0.177	0.433	2.014
IC	3	1000	1.25	6	1	original	ϕ_o	0.612	0.473	0.542	2.417
IC	3	1000	1.50	6	1	original	ϕ_o	0.655	0.315	0.485	2.468
IC	3	1000	1.70	6	1	original	ϕ_o	0.675	0.228	0.451	1.992
IC	3	500	0.50	6	1	original	ϕ_o	0.377	0.886	0.631	2.257
IC	3	500	0.70	6	1	original	ϕ_o	0.498	0.737	0.617	2.211
IC	3	500	1.00	6	1	original	ϕ_o	0.613	0.477	0.545	2.419
IC	3	750	0.50	6	1	original	ϕ_o	0.332	0.916	0.624	2.137
IC	3	750	0.70	6	1	original	ϕ_o	0.451	0.805	0.628	2.515
IC	3	750	1.00	6	1	original	ϕ_o	0.577	0.578	0.577	2.371
IC	3	1000	0.50	6	1	original	ϕ_o	0.301	0.936	0.618	2.031
IC	3	1000	0.70	6	1	original	ϕ_o	0.417	0.848	0.633	2.429
IC	3	1000	1.00	6	1	original	ϕ_o	0.545	0.651	0.598	2.323
IC	3	10	2.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.179
IC	3	10	2.30	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	3	10	3.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	3	100	2.00	5	1	original	ϕ_o	0.747	0.115	0.431	2.766
IC	3	100	2.30	5	1	original	ϕ_o	0.747	0.110	0.429	2.179
IC	3	100	3.00	5	1	original	ϕ_o	0.747	0.105	0.426	3.163
IC	3	250	2.00	5	1	original	ϕ_o	0.744	0.137	0.441	2.761
IC	3	250	2.30	5	1	original	ϕ_o	0.745	0.125	0.435	2.762
IC	3	250	3.00	5	1	original	ϕ_o	0.746	0.112	0.429	2.764
IC	3	10	0.50	5	1	original	ϕ_o	0.646	0.456	0.551	2.556
IC	3	10	0.70	5	1	original	ϕ_o	0.722	0.243	0.482	2.727
IC	3	10	1.00	5	1	original	ϕ_o	0.744	0.135	0.440	2.763
IC	3	100	0.50	5	1	original	ϕ_o	0.527	0.665	0.596	2.653
IC	3	100	0.70	5	1	original	ϕ_o	0.651	0.419	0.535	2.560
IC	3	100	1.00	5	1	original	ϕ_o	0.724	0.231	0.478	2.726
IC	3	250	0.50	5	1	original	ϕ_o	0.461	0.753	0.607	2.440
IC	3	250	0.70	5	1	original	ϕ_o	0.591	0.538	0.565	2.850
IC	3	250	1.00	5	1	original	ϕ_o	0.693	0.314	0.504	2.654
IC	3	500	2.00	7	1	original	ϕ_o	0.640	0.245	0.442	2.672
IC	3	500	2.30	7	1	original	ϕ_o	0.648	0.224	0.436	2.228
IC	3	500	3.00	7	1	original	ϕ_o	0.659	0.196	0.428	2.350
IC	3	750	2.00	7	1	original	ϕ_o	0.622	0.278	0.450	2.276

IC	3	750	2.30	7	1	original	ϕ_o	0.632	0.254	0.443	2.644
IC	3	750	3.00	7	1	original	ϕ_o	0.646	0.221	0.434	2.213
IC	3	1000	2.00	7	1	original	ϕ_o	0.604	0.307	0.455	2.582
IC	3	1000	2.30	7	1	original	ϕ_o	0.617	0.277	0.447	2.605
IC	3	1000	3.00	7	1	original	ϕ_o	0.634	0.239	0.436	2.635
IC	3	10	0.20	7	1	original	ϕ_o	0.412	0.782	0.597	2.134
IC	3	100	0.20	7	1	original	ϕ_o	0.273	0.921	0.597	1.623
IC	3	250	0.20	7	1	original	ϕ_o	0.197	0.949	0.573	1.328
IC	3	500	1.25	7	1	original	ϕ_o	0.593	0.368	0.481	2.590
IC	3	500	1.50	7	1	original	ϕ_o	0.617	0.306	0.461	2.628
IC	3	500	1.70	7	1	original	ϕ_o	0.629	0.275	0.452	2.301
IC	3	750	1.25	7	1	original	ϕ_o	0.560	0.430	0.495	2.511
IC	3	750	1.50	7	1	original	ϕ_o	0.590	0.359	0.474	2.569
IC	3	750	1.70	7	1	original	ϕ_o	0.606	0.318	0.462	2.598
IC	3	1000	1.25	7	1	original	ϕ_o	0.531	0.477	0.504	2.439
IC	3	1000	1.50	7	1	original	ϕ_o	0.566	0.402	0.484	2.512
IC	3	1000	1.70	7	1	original	ϕ_o	0.585	0.355	0.470	2.550
IC	3	500	2.00	2	1	original	ϕ_o	0.964	0.099	0.531	2.841
IC	3	500	2.30	2	1	original	ϕ_o	0.964	0.088	0.526	2.838
IC	3	500	3.00	2	1	original	ϕ_o	0.964	0.076	0.520	2.832
IC	3	750	2.00	2	1	original	ϕ_o	0.962	0.125	0.544	2.846
IC	3	750	2.30	2	1	original	ϕ_o	0.964	0.102	0.533	2.840
IC	3	750	3.00	2	1	original	ϕ_o	0.964	0.086	0.525	2.835
IC	3	1000	2.00	2	1	original	ϕ_o	0.960	0.160	0.560	2.845
IC	3	1000	2.30	2	1	original	ϕ_o	0.962	0.118	0.540	2.842
IC	3	1000	3.00	2	1	original	ϕ_o	0.963	0.095	0.529	2.835
IC	3	500	1.25	3	1	original	ϕ_o	0.838	0.231	0.534	2.483
IC	3	500	1.50	3	1	original	ϕ_o	0.852	0.158	0.505	2.501
IC	3	500	1.70	3	1	original	ϕ_o	0.857	0.128	0.493	2.506
IC	3	750	1.25	3	1	original	ϕ_o	0.821	0.300	0.561	3.072
IC	3	750	1.50	3	1	original	ϕ_o	0.843	0.201	0.522	2.489
IC	3	750	1.70	3	1	original	ϕ_o	0.851	0.160	0.506	2.501
IC	3	1000	1.25	3	1	original	ϕ_o	0.805	0.362	0.583	3.057
IC	3	1000	1.50	3	1	original	ϕ_o	0.833	0.245	0.539	2.474
IC	3	1000	1.70	3	1	original	ϕ_o	0.844	0.191	0.518	2.489
IC	3	10	1.25	4	1	original	ϕ_o	0.787	0.100	0.443	2.859
IC	3	10	1.50	4	1	original	ϕ_o	0.788	0.099	0.443	2.870
IC	3	10	1.70	4	1	original	ϕ_o	0.788	0.099	0.443	2.872
IC	3	100	1.25	4	1	original	ϕ_o	0.773	0.151	0.462	2.830
IC	3	100	1.50	4	1	original	ϕ_o	0.779	0.121	0.450	2.838
IC	3	100	1.70	4	1	original	ϕ_o	0.781	0.113	0.447	2.844
IC	3	250	1.25	4	1	original	ϕ_o	0.756	0.235	0.496	2.229
IC	3	250	1.50	4	1	original	ϕ_o	0.770	0.168	0.469	3.279
IC	3	250	1.70	4	1	original	ϕ_o	0.775	0.143	0.459	2.836
IC	3	10	0.20	3	1	original	ϕ_o	0.428	0.887	0.658	2.445
IC	3	100	0.20	3	1	original	ϕ_o	0.296	0.949	0.623	1.951
IC	3	250	0.20	3	1	original	ϕ_o	0.229	0.963	0.596	1.688
IC	3	500	0.20	7	1	original	ϕ_o	0.142	0.960	0.551	1.078
IC	3	750	0.20	7	1	original	ϕ_o	0.111	0.963	0.537	0.944
IC	3	1000	0.20	7	1	original	ϕ_o	0.092	0.965	0.528	0.846
IC	3	500	4.00	2	1	original	ϕ_o	0.964	0.066	0.515	2.829
IC	3	750	4.00	2	1	original	ϕ_o	0.963	0.074	0.519	2.830
IC	3	1000	4.00	2	1	original	ϕ_o	0.963	0.081	0.522	2.831
IC	3	500	0.20	6	1	original	ϕ_o	0.125	0.987	0.556	1.187
IC	3	750	0.20	6	1	original	ϕ_o	0.105	0.988	0.547	1.105
IC	3	1000	0.20	6	1	original	ϕ_o	0.090	0.989	0.540	1.050
IC	3	10	1.25	5	1	original	ϕ_o	0.747	0.112	0.430	2.766
IC	3	10	1.50	5	1	original	ϕ_o	0.748	0.106	0.427	2.766
IC	3	10	1.70	5	1	original	ϕ_o	0.748	0.104	0.426	3.162
IC	3	100	1.25	5	1	original	ϕ_o	0.740	0.167	0.453	2.757
IC	3	100	1.50	5	1	original	ϕ_o	0.745	0.139	0.442	2.177
IC	3	100	1.70	5	1	original	ϕ_o	0.746	0.126	0.436	2.764
IC	3	250	1.25	5	1	original	ϕ_o	0.726	0.229	0.478	2.737
IC	3	250	1.50	5	1	original	ϕ_o	0.737	0.182	0.459	2.760

IC	3	250	1.70	5	1	original	ϕ_o	0.741	0.159	0.450	2.762
IC	3	500	0.50	7	1	original	ϕ_o	0.375	0.786	0.581	2.050
IC	3	500	0.70	7	1	original	ϕ_o	0.468	0.620	0.544	2.303
IC	3	500	1.00	7	1	original	ϕ_o	0.554	0.459	0.506	2.509
IC	3	750	0.50	7	1	original	ϕ_o	0.328	0.847	0.588	1.905
IC	3	750	0.70	7	1	original	ϕ_o	0.422	0.696	0.559	2.181
IC	3	750	1.00	7	1	original	ϕ_o	0.513	0.525	0.519	2.408
IC	3	1000	0.50	7	1	original	ϕ_o	0.295	0.880	0.588	1.789
IC	3	1000	0.70	7	1	original	ϕ_o	0.386	0.751	0.569	2.082
IC	3	1000	1.00	7	1	original	ϕ_o	0.480	0.576	0.528	2.322
IC	3	10	0.20	6	1	original	ϕ_o	0.278	0.952	0.615	1.756
IC	3	100	0.20	6	1	original	ϕ_o	0.203	0.976	0.589	1.476
IC	3	250	0.20	6	1	original	ϕ_o	0.161	0.983	0.572	1.322
IC	5	10	4.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.402
IC	5	100	4.00	7	1	original	ϕ_o	0.684	0.116	0.400	2.397
IC	5	250	4.00	7	1	original	ϕ_o	0.678	0.130	0.404	2.373
IC	5	500	0.20	5	1	original	ϕ_o	0.059	0.998	0.528	1.228
IC	5	750	0.20	5	1	original	ϕ_o	0.035	0.999	0.517	1.135
IC	5	1000	0.20	5	1	original	ϕ_o	0.023	0.999	0.511	1.070
IC	5	10	0.50	6	1	original	ϕ_o	0.572	0.632	0.602	2.408
IC	5	10	0.70	6	1	original	ϕ_o	0.670	0.351	0.511	2.023
IC	5	10	1.00	6	1	original	ϕ_o	0.721	0.100	0.411	1.418
IC	5	100	0.50	6	1	original	ϕ_o	0.437	0.847	0.642	2.632
IC	5	100	0.70	6	1	original	ϕ_o	0.559	0.662	0.610	2.436
IC	5	100	1.00	6	1	original	ϕ_o	0.668	0.354	0.511	2.021
IC	5	250	0.50	6	1	original	ϕ_o	0.347	0.925	0.636	2.505
IC	5	250	0.70	6	1	original	ϕ_o	0.466	0.811	0.638	2.352
IC	5	250	1.00	6	1	original	ϕ_o	0.598	0.580	0.589	1.987
IC	5	10	2.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	5	10	2.30	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	5	10	3.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	5	100	2.00	5	1	original	ϕ_o	0.747	0.112	0.429	2.761
IC	5	100	2.30	5	1	original	ϕ_o	0.747	0.107	0.427	2.762
IC	5	100	3.00	5	1	original	ϕ_o	0.747	0.104	0.426	2.766
IC	5	250	2.00	5	1	original	ϕ_o	0.743	0.142	0.443	2.759
IC	5	250	2.30	5	1	original	ϕ_o	0.745	0.122	0.434	2.757
IC	5	250	3.00	5	1	original	ϕ_o	0.746	0.107	0.427	2.760
IC	5	500	4.00	6	1	original	ϕ_o	0.726	0.056	0.391	2.080
IC	5	750	4.00	6	1	original	ϕ_o	0.724	0.061	0.393	2.070
IC	5	1000	4.00	6	1	original	ϕ_o	0.721	0.072	0.397	2.062
IC	5	500	4.00	4	1	original	ϕ_o	0.785	0.103	0.444	2.270
IC	5	750	4.00	4	1	original	ϕ_o	0.783	0.114	0.449	2.841
IC	5	1000	4.00	4	1	original	ϕ_o	0.780	0.135	0.458	2.849
IC	5	500	1.25	6	1	original	ϕ_o	0.590	0.601	0.595	2.482
IC	5	500	1.50	6	1	original	ϕ_o	0.645	0.430	0.538	2.007
IC	5	500	1.70	6	1	original	ϕ_o	0.674	0.311	0.493	2.019
IC	5	750	1.25	6	1	original	ϕ_o	0.529	0.736	0.633	2.826
IC	5	750	1.50	6	1	original	ϕ_o	0.593	0.596	0.595	2.486
IC	5	750	1.70	6	1	original	ϕ_o	0.632	0.478	0.555	2.006
IC	5	1000	1.25	6	1	original	ϕ_o	0.469	0.816	0.642	2.807
IC	5	1000	1.50	6	1	original	ϕ_o	0.544	0.713	0.628	2.474
IC	5	1000	1.70	6	1	original	ϕ_o	0.588	0.614	0.601	2.482
IC	5	10	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	5	100	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	5	250	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.519
IC	5	500	4.00	5	1	original	ϕ_o	0.747	0.108	0.428	2.767
IC	5	750	4.00	5	1	original	ϕ_o	0.747	0.117	0.432	2.776
IC	5	1000	4.00	5	1	original	ϕ_o	0.748	0.127	0.437	2.186
IC	5	500	0.20	7	1	original	ϕ_o	0.048	0.999	0.524	1.152
IC	5	750	0.20	7	1	original	ϕ_o	0.037	1.000	0.518	1.014
IC	5	1000	0.20	7	1	original	ϕ_o	0.031	1.000	0.516	0.929
IC	5	500	1.25	4	1	original	ϕ_o	0.660	0.693	0.677	3.365
IC	5	500	1.50	4	1	original	ϕ_o	0.709	0.544	0.626	3.367
IC	5	500	1.70	4	1	original	ϕ_o	0.735	0.430	0.583	2.858

IC	5	750	1.25	4	1	original	ϕ_o	0.600	0.819	0.709	3.336
IC	5	750	1.50	4	1	original	ϕ_o	0.660	0.702	0.681	3.377
IC	5	750	1.70	4	1	original	ϕ_o	0.695	0.602	0.648	3.380
IC	5	1000	1.25	4	1	original	ϕ_o	0.541	0.888	0.714	3.297
IC	5	1000	1.50	4	1	original	ϕ_o	0.611	0.803	0.707	3.359
IC	5	1000	1.70	4	1	original	ϕ_o	0.652	0.721	0.687	3.381
IC	5	10	1.25	4	1	original	ϕ_o	0.787	0.097	0.442	2.848
IC	5	10	1.50	4	1	original	ϕ_o	0.788	0.096	0.442	2.864
IC	5	10	1.70	4	1	original	ϕ_o	0.788	0.097	0.443	2.870
IC	5	100	1.25	4	1	original	ϕ_o	0.765	0.246	0.505	2.836
IC	5	100	1.50	4	1	original	ϕ_o	0.776	0.132	0.454	2.253
IC	5	100	1.70	4	1	original	ϕ_o	0.780	0.104	0.442	2.256
IC	5	250	1.25	4	1	original	ϕ_o	0.725	0.466	0.596	2.844
IC	5	250	1.50	4	1	original	ϕ_o	0.757	0.303	0.530	2.849
IC	5	250	1.70	4	1	original	ϕ_o	0.769	0.204	0.487	2.834
IC	5	10	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	5	100	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	5	250	4.00	2	1	original	ϕ_o	0.964	0.057	0.510	2.824
IC	5	10	0.20	5	1	original	ϕ_o	0.266	0.956	0.611	1.875
IC	5	100	0.20	5	1	original	ϕ_o	0.150	0.989	0.570	1.538
IC	5	250	0.20	5	1	original	ϕ_o	0.099	0.995	0.547	1.371
IC	5	10	2.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.824
IC	5	10	2.30	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	5	10	3.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	5	100	2.00	2	1	original	ϕ_o	0.964	0.057	0.510	2.826
IC	5	100	2.30	2	1	original	ϕ_o	0.964	0.057	0.510	2.826
IC	5	100	3.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	5	250	2.00	2	1	original	ϕ_o	0.964	0.077	0.520	2.833
IC	5	250	2.30	2	1	original	ϕ_o	0.964	0.062	0.513	1.913
IC	5	250	3.00	2	1	original	ϕ_o	0.964	0.059	0.511	2.828
IC	5	10	2.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	5	10	2.30	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	5	10	3.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	5	100	2.00	6	1	original	ϕ_o	0.728	0.052	0.390	2.083
IC	5	100	2.30	6	1	original	ϕ_o	0.729	0.052	0.391	2.089
IC	5	100	3.00	6	1	original	ϕ_o	0.731	0.053	0.392	2.096
IC	5	250	2.00	6	1	original	ϕ_o	0.718	0.074	0.396	2.060
IC	5	250	2.30	6	1	original	ϕ_o	0.723	0.059	0.391	2.067
IC	5	250	3.00	6	1	original	ϕ_o	0.727	0.053	0.390	1.422
IC	5	500	0.20	2	1	original	ϕ_o	0.173	0.995	0.584	2.410
IC	5	750	0.20	2	1	original	ϕ_o	0.119	0.997	0.558	2.239
IC	5	1000	0.20	2	1	original	ϕ_o	0.086	0.998	0.542	2.117
IC	5	10	0.50	5	1	original	ϕ_o	0.604	0.588	0.596	2.552
IC	5	10	0.70	5	1	original	ϕ_o	0.710	0.318	0.514	2.709
IC	5	10	1.00	5	1	original	ϕ_o	0.743	0.150	0.447	2.762
IC	5	100	0.50	5	1	original	ϕ_o	0.434	0.839	0.636	2.698
IC	5	100	0.70	5	1	original	ϕ_o	0.577	0.628	0.603	2.542
IC	5	100	1.00	5	1	original	ϕ_o	0.700	0.341	0.520	2.689
IC	5	250	0.50	5	1	original	ϕ_o	0.347	0.914	0.631	2.554
IC	5	250	0.70	5	1	original	ϕ_o	0.478	0.783	0.631	2.826
IC	5	250	1.00	5	1	original	ϕ_o	0.633	0.512	0.573	3.057
IC	5	10	0.20	6	1	original	ϕ_o	0.255	0.971	0.613	1.907
IC	5	100	0.20	6	1	original	ϕ_o	0.161	0.993	0.577	1.660
IC	5	250	0.20	6	1	original	ϕ_o	0.116	0.997	0.556	1.518
IC	5	10	0.50	4	1	original	ϕ_o	0.674	0.634	0.654	2.766
IC	5	10	0.70	4	1	original	ϕ_o	0.742	0.397	0.570	2.842
IC	5	10	1.00	4	1	original	ϕ_o	0.781	0.147	0.464	2.270
IC	5	100	0.50	4	1	original	ϕ_o	0.533	0.873	0.703	3.105
IC	5	100	0.70	4	1	original	ϕ_o	0.646	0.704	0.675	3.292
IC	5	100	1.00	4	1	original	ϕ_o	0.731	0.434	0.583	2.839
IC	5	250	0.50	4	1	original	ϕ_o	0.401	0.947	0.674	2.972
IC	5	250	0.70	4	1	original	ϕ_o	0.555	0.857	0.706	3.198
IC	5	250	1.00	4	1	original	ϕ_o	0.671	0.651	0.661	3.346
IC	5	500	2.00	2	1	original	ϕ_o	0.960	0.211	0.586	2.851

IC	5	500	2.30	2	1	original	ϕ_o	0.964	0.106	0.535	2.839
IC	5	500	3.00	2	1	original	ϕ_o	0.964	0.064	0.514	2.830
IC	5	750	2.00	2	1	original	ϕ_o	0.953	0.362	0.658	2.861
IC	5	750	2.30	2	1	original	ϕ_o	0.960	0.217	0.588	2.852
IC	5	750	3.00	2	1	original	ϕ_o	0.964	0.077	0.520	2.834
IC	5	1000	2.00	2	1	original	ϕ_o	0.944	0.473	0.708	2.865
IC	5	1000	2.30	2	1	original	ϕ_o	0.954	0.335	0.645	2.859
IC	5	1000	3.00	2	1	original	ϕ_o	0.963	0.109	0.536	2.837
IC	5	500	4.00	7	1	original	ϕ_o	0.667	0.163	0.415	2.681
IC	5	750	4.00	7	1	original	ϕ_o	0.655	0.211	0.433	2.657
IC	5	1000	4.00	7	1	original	ϕ_o	0.640	0.266	0.453	2.638
IC	5	500	1.25	2	1	original	ϕ_o	0.911	0.642	0.777	3.684
IC	5	500	1.50	2	1	original	ϕ_o	0.941	0.496	0.718	2.864
IC	5	500	1.70	2	1	original	ϕ_o	0.952	0.380	0.666	2.864
IC	5	750	1.25	2	1	original	ϕ_o	0.879	0.733	0.806	3.682
IC	5	750	1.50	2	1	original	ϕ_o	0.920	0.616	0.768	3.679
IC	5	750	1.70	2	1	original	ϕ_o	0.939	0.516	0.727	2.863
IC	5	1000	1.25	2	1	original	ϕ_o	0.845	0.787	0.816	3.668
IC	5	1000	1.50	2	1	original	ϕ_o	0.896	0.694	0.795	3.684
IC	5	1000	1.70	2	1	original	ϕ_o	0.922	0.608	0.765	3.678
IC	5	10	0.50	2	1	original	ϕ_o	0.892	0.677	0.784	3.615
IC	5	10	0.70	2	1	original	ϕ_o	0.943	0.419	0.681	2.848
IC	5	10	1.00	2	1	original	ϕ_o	0.960	0.138	0.549	2.824
IC	5	100	0.50	2	1	original	ϕ_o	0.793	0.851	0.822	4.247
IC	5	100	0.70	2	1	original	ϕ_o	0.883	0.706	0.795	3.650
IC	5	100	1.00	2	1	original	ϕ_o	0.944	0.432	0.688	2.856
IC	5	250	0.50	2	1	original	ϕ_o	0.702	0.908	0.805	4.151
IC	5	250	0.70	2	1	original	ϕ_o	0.822	0.822	0.822	3.618
IC	5	250	1.00	2	1	original	ϕ_o	0.909	0.642	0.775	2.848
IC	5	10	2.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	5	10	2.30	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	5	10	3.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	5	100	2.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.518
IC	5	100	2.30	3	1	original	ϕ_o	0.865	0.071	0.468	2.518
IC	5	100	3.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.519
IC	5	250	2.00	3	1	original	ϕ_o	0.863	0.084	0.473	2.511
IC	5	250	2.30	3	1	original	ϕ_o	0.864	0.074	0.469	2.514
IC	5	250	3.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.518
IC	5	500	1.25	5	1	original	ϕ_o	0.640	0.510	0.575	3.095
IC	5	500	1.50	5	1	original	ϕ_o	0.696	0.374	0.535	3.173
IC	5	500	1.70	5	1	original	ϕ_o	0.721	0.298	0.510	2.749
IC	5	750	1.25	5	1	original	ϕ_o	0.574	0.641	0.608	3.025
IC	5	750	1.50	5	1	original	ϕ_o	0.652	0.488	0.570	3.118
IC	5	750	1.70	5	1	original	ϕ_o	0.691	0.393	0.542	2.702
IC	5	1000	1.25	5	1	original	ϕ_o	0.512	0.737	0.625	2.957
IC	5	1000	1.50	5	1	original	ϕ_o	0.601	0.592	0.597	3.055
IC	5	1000	1.70	5	1	original	ϕ_o	0.654	0.486	0.570	3.117
IC	5	500	1.25	3	1	original	ϕ_o	0.794	0.500	0.647	3.112
IC	5	500	1.50	3	1	original	ϕ_o	0.831	0.313	0.572	2.488
IC	5	500	1.70	3	1	original	ϕ_o	0.848	0.211	0.530	2.499
IC	5	750	1.25	3	1	original	ϕ_o	0.748	0.637	0.692	3.112
IC	5	750	1.50	3	1	original	ϕ_o	0.803	0.461	0.632	3.106
IC	5	750	1.70	3	1	original	ϕ_o	0.827	0.331	0.579	2.485
IC	5	1000	1.25	3	1	original	ϕ_o	0.703	0.724	0.713	3.544
IC	5	1000	1.50	3	1	original	ϕ_o	0.770	0.580	0.675	3.114
IC	5	1000	1.70	3	1	original	ϕ_o	0.804	0.451	0.628	3.102
IC	5	500	4.00	2	1	original	ϕ_o	0.964	0.060	0.512	2.827
IC	5	750	4.00	2	1	original	ϕ_o	0.964	0.063	0.513	2.828
IC	5	1000	4.00	2	1	original	ϕ_o	0.963	0.067	0.515	2.829
IC	5	10	0.20	2	1	original	ϕ_o	0.566	0.960	0.763	3.383
IC	5	100	0.20	2	1	original	ϕ_o	0.387	0.984	0.686	2.960
IC	5	250	0.20	2	1	original	ϕ_o	0.266	0.992	0.629	2.674
IC	5	500	2.00	7	1	original	ϕ_o	0.609	0.436	0.523	2.331
IC	5	500	2.30	7	1	original	ϕ_o	0.632	0.343	0.487	2.685

IC	5	500	3.00	7	1	original	ϕ_o	0.656	0.225	0.440	2.678
IC	5	750	2.00	7	1	original	ϕ_o	0.552	0.593	0.572	2.640
IC	5	750	2.30	7	1	original	ϕ_o	0.589	0.493	0.541	2.654
IC	5	750	3.00	7	1	original	ϕ_o	0.633	0.318	0.476	2.662
IC	5	1000	2.00	7	1	original	ϕ_o	0.491	0.709	0.600	2.610
IC	5	1000	2.30	7	1	original	ϕ_o	0.541	0.616	0.578	2.628
IC	5	1000	3.00	7	1	original	ϕ_o	0.606	0.423	0.515	2.646
IC	5	500	2.00	3	1	original	ϕ_o	0.858	0.132	0.495	2.505
IC	5	500	2.30	3	1	original	ϕ_o	0.861	0.097	0.479	2.511
IC	5	500	3.00	3	1	original	ϕ_o	0.864	0.075	0.470	2.516
IC	5	750	2.00	3	1	original	ϕ_o	0.849	0.202	0.526	2.499
IC	5	750	2.30	3	1	original	ϕ_o	0.857	0.138	0.497	2.505
IC	5	750	3.00	3	1	original	ϕ_o	0.863	0.087	0.475	2.513
IC	5	1000	2.00	3	1	original	ϕ_o	0.834	0.288	0.561	2.490
IC	5	1000	2.30	3	1	original	ϕ_o	0.850	0.192	0.521	2.498
IC	5	1000	3.00	3	1	original	ϕ_o	0.861	0.106	0.484	2.512
IC	5	10	4.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.873
IC	5	100	4.00	4	1	original	ϕ_o	0.788	0.098	0.443	2.870
IC	5	250	4.00	4	1	original	ϕ_o	0.787	0.098	0.443	2.278
IC	5	500	2.00	4	1	original	ϕ_o	0.760	0.285	0.523	2.853
IC	5	500	2.30	4	1	original	ϕ_o	0.772	0.186	0.479	2.260
IC	5	500	3.00	4	1	original	ϕ_o	0.781	0.113	0.447	2.835
IC	5	750	2.00	4	1	original	ϕ_o	0.730	0.457	0.594	3.372
IC	5	750	2.30	4	1	original	ϕ_o	0.754	0.331	0.543	3.342
IC	5	750	3.00	4	1	original	ϕ_o	0.776	0.160	0.468	2.847
IC	5	1000	2.00	4	1	original	ϕ_o	0.698	0.593	0.645	3.386
IC	5	1000	2.30	4	1	original	ϕ_o	0.728	0.470	0.599	3.377
IC	5	1000	3.00	4	1	original	ϕ_o	0.766	0.250	0.508	2.859
IC	5	500	4.00	3	1	original	ϕ_o	0.865	0.072	0.469	2.519
IC	5	750	4.00	3	1	original	ϕ_o	0.865	0.075	0.470	2.518
IC	5	1000	4.00	3	1	original	ϕ_o	0.864	0.080	0.472	2.517
IC	5	500	0.20	4	1	original	ϕ_o	0.100	1.000	0.550	1.405
IC	5	750	0.20	4	1	original	ϕ_o	0.076	1.000	0.538	1.261
IC	5	1000	0.20	4	1	original	ϕ_o	0.061	1.000	0.530	1.167
IC	5	500	0.50	3	1	original	ϕ_o	0.398	0.949	0.674	3.146
IC	5	500	0.70	3	1	original	ϕ_o	0.560	0.871	0.715	3.461
IC	5	500	1.00	3	1	original	ϕ_o	0.720	0.692	0.706	3.530
IC	5	750	0.50	3	1	original	ϕ_o	0.326	0.967	0.647	3.021
IC	5	750	0.70	3	1	original	ϕ_o	0.480	0.915	0.697	3.396
IC	5	750	1.00	3	1	original	ϕ_o	0.659	0.785	0.722	3.535
IC	5	1000	0.50	3	1	original	ϕ_o	0.272	0.976	0.624	2.915
IC	5	1000	0.70	3	1	original	ϕ_o	0.417	0.940	0.678	3.328
IC	5	1000	1.00	3	1	original	ϕ_o	0.600	0.841	0.721	3.531
IC	5	500	2.00	5	1	original	ϕ_o	0.737	0.216	0.477	2.777
IC	5	500	2.30	5	1	original	ϕ_o	0.744	0.167	0.455	2.781
IC	5	500	3.00	5	1	original	ϕ_o	0.746	0.122	0.434	2.180
IC	5	750	2.00	5	1	original	ϕ_o	0.725	0.293	0.509	2.753
IC	5	750	2.30	5	1	original	ϕ_o	0.738	0.224	0.481	2.783
IC	5	750	3.00	5	1	original	ϕ_o	0.746	0.145	0.446	2.787
IC	5	1000	2.00	5	1	original	ϕ_o	0.702	0.365	0.533	3.192
IC	5	1000	2.30	5	1	original	ϕ_o	0.727	0.283	0.505	2.757
IC	5	1000	3.00	5	1	original	ϕ_o	0.744	0.176	0.460	3.245
IC	5	10	1.25	6	1	original	ϕ_o	0.729	0.053	0.391	1.429
IC	5	10	1.50	6	1	original	ϕ_o	0.732	0.052	0.392	2.094
IC	5	10	1.70	6	1	original	ϕ_o	0.732	0.052	0.392	2.096
IC	5	100	1.25	6	1	original	ϕ_o	0.706	0.165	0.436	2.050
IC	5	100	1.50	6	1	original	ϕ_o	0.719	0.077	0.398	2.066
IC	5	100	1.70	6	1	original	ϕ_o	0.724	0.057	0.391	2.074
IC	5	250	1.25	6	1	original	ϕ_o	0.662	0.372	0.517	2.015
IC	5	250	1.50	6	1	original	ϕ_o	0.696	0.208	0.452	2.035
IC	5	250	1.70	6	1	original	ϕ_o	0.709	0.127	0.418	2.047
IC	5	10	4.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	5	100	4.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	5	250	4.00	5	1	original	ϕ_o	0.747	0.104	0.425	2.762

IC	5	10	1.25	5	1	original	ϕ_o	0.747	0.115	0.431	2.765
IC	5	10	1.50	5	1	original	ϕ_o	0.748	0.106	0.427	2.765
IC	5	10	1.70	5	1	original	ϕ_o	0.748	0.103	0.426	2.180
IC	5	100	1.25	5	1	original	ϕ_o	0.734	0.213	0.474	2.746
IC	5	100	1.50	5	1	original	ϕ_o	0.744	0.149	0.446	2.759
IC	5	100	1.70	5	1	original	ϕ_o	0.746	0.126	0.436	2.761
IC	5	250	1.25	5	1	original	ϕ_o	0.699	0.346	0.522	3.142
IC	5	250	1.50	5	1	original	ϕ_o	0.728	0.242	0.485	2.157
IC	5	250	1.70	5	1	original	ϕ_o	0.737	0.187	0.462	2.758
IC	5	500	2.00	6	1	original	ϕ_o	0.699	0.187	0.443	2.038
IC	5	500	2.30	6	1	original	ϕ_o	0.711	0.116	0.413	2.049
IC	5	500	3.00	6	1	original	ϕ_o	0.722	0.065	0.393	2.065
IC	5	750	2.00	6	1	original	ϕ_o	0.671	0.319	0.495	2.506
IC	5	750	2.30	6	1	original	ϕ_o	0.694	0.211	0.453	2.032
IC	5	750	3.00	6	1	original	ϕ_o	0.716	0.093	0.405	2.053
IC	5	1000	2.00	6	1	original	ϕ_o	0.637	0.455	0.546	2.005
IC	5	1000	2.30	6	1	original	ϕ_o	0.670	0.319	0.494	2.013
IC	5	1000	3.00	6	1	original	ϕ_o	0.706	0.142	0.424	2.040
IC	5	10	2.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.872
IC	5	10	2.30	4	1	original	ϕ_o	0.788	0.097	0.443	2.872
IC	5	10	3.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.873
IC	5	100	2.00	4	1	original	ϕ_o	0.783	0.096	0.440	2.266
IC	5	100	2.30	4	1	original	ϕ_o	0.785	0.096	0.441	2.850
IC	5	100	3.00	4	1	original	ϕ_o	0.787	0.097	0.442	2.862
IC	5	250	2.00	4	1	original	ϕ_o	0.777	0.127	0.452	2.254
IC	5	250	2.30	4	1	original	ϕ_o	0.781	0.105	0.443	2.831
IC	5	250	3.00	4	1	original	ϕ_o	0.785	0.098	0.442	2.269
IC	5	500	0.50	5	1	original	ϕ_o	0.265	0.962	0.613	2.408
IC	5	500	0.70	5	1	original	ϕ_o	0.384	0.882	0.633	2.736
IC	5	500	1.00	5	1	original	ϕ_o	0.541	0.693	0.617	2.969
IC	5	750	0.50	5	1	original	ϕ_o	0.208	0.979	0.594	2.290
IC	5	750	0.70	5	1	original	ϕ_o	0.317	0.932	0.624	2.672
IC	5	750	1.00	5	1	original	ϕ_o	0.467	0.796	0.632	2.881
IC	5	1000	0.50	5	1	original	ϕ_o	0.168	0.988	0.578	2.192
IC	5	1000	0.70	5	1	original	ϕ_o	0.264	0.959	0.611	2.606
IC	5	1000	1.00	5	1	original	ϕ_o	0.406	0.859	0.632	2.839
IC	5	500	0.50	4	1	original	ϕ_o	0.283	0.981	0.632	2.754
IC	5	500	0.70	4	1	original	ϕ_o	0.424	0.942	0.683	3.097
IC	5	500	1.00	4	1	original	ϕ_o	0.586	0.830	0.708	3.300
IC	5	750	0.50	4	1	original	ϕ_o	0.226	0.991	0.608	2.576
IC	5	750	0.70	4	1	original	ϕ_o	0.326	0.975	0.650	2.998
IC	5	750	1.00	4	1	original	ϕ_o	0.508	0.907	0.708	3.245
IC	5	1000	0.50	4	1	original	ϕ_o	0.188	0.995	0.592	2.423
IC	5	1000	0.70	4	1	original	ϕ_o	0.264	0.986	0.625	2.883
IC	5	1000	1.00	4	1	original	ϕ_o	0.430	0.947	0.689	3.193
IC	5	10	0.20	7	1	original	ϕ_o	0.346	0.892	0.619	2.185
IC	5	100	0.20	7	1	original	ϕ_o	0.147	0.988	0.568	1.708
IC	5	250	0.20	7	1	original	ϕ_o	0.080	0.997	0.538	1.394
IC	5	500	0.50	6	1	original	ϕ_o	0.261	0.962	0.612	2.371
IC	5	500	0.70	6	1	original	ϕ_o	0.372	0.907	0.640	2.664
IC	5	500	1.00	6	1	original	ϕ_o	0.509	0.760	0.634	2.802
IC	5	750	0.50	6	1	original	ϕ_o	0.209	0.975	0.592	2.262
IC	5	750	0.70	6	1	original	ϕ_o	0.310	0.940	0.625	2.597
IC	5	750	1.00	6	1	original	ϕ_o	0.436	0.850	0.643	2.780
IC	5	1000	0.50	6	1	original	ϕ_o	0.171	0.985	0.578	2.173
IC	5	1000	0.70	6	1	original	ϕ_o	0.259	0.960	0.610	2.540
IC	5	1000	1.00	6	1	original	ϕ_o	0.379	0.897	0.638	2.754
IC	5	500	0.50	2	1	original	ϕ_o	0.606	0.941	0.773	4.009
IC	5	500	0.70	2	1	original	ϕ_o	0.744	0.882	0.813	4.266
IC	5	500	1.00	2	1	original	ϕ_o	0.858	0.770	0.814	3.665
IC	5	750	0.50	2	1	original	ϕ_o	0.536	0.957	0.747	3.888
IC	5	750	0.70	2	1	original	ϕ_o	0.681	0.909	0.795	4.212
IC	5	750	1.00	2	1	original	ϕ_o	0.813	0.826	0.820	3.648
IC	5	1000	0.50	2	1	original	ϕ_o	0.475	0.967	0.721	3.777

IC	5	1000	0.70	2	1	original	ϕ_o	0.629	0.925	0.777	4.161
IC	5	1000	1.00	2	1	original	ϕ_o	0.771	0.858	0.814	4.296
IC	5	10	1.25	2	1	original	ϕ_o	0.963	0.058	0.510	2.820
IC	5	10	1.50	2	1	original	ϕ_o	0.963	0.056	0.510	2.824
IC	5	10	1.70	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	5	100	1.25	2	1	original	ϕ_o	0.958	0.230	0.594	2.848
IC	5	100	1.50	2	1	original	ϕ_o	0.963	0.092	0.528	1.913
IC	5	100	1.70	2	1	original	ϕ_o	0.964	0.061	0.513	1.911
IC	5	250	1.25	2	1	original	ϕ_o	0.944	0.460	0.702	2.861
IC	5	250	1.50	2	1	original	ϕ_o	0.957	0.284	0.620	2.856
IC	5	250	1.70	2	1	original	ϕ_o	0.961	0.163	0.562	2.844
IC	5	10	0.50	7	1	original	ϕ_o	0.595	0.444	0.520	1.874
IC	5	10	0.70	7	1	original	ϕ_o	0.653	0.293	0.473	2.390
IC	5	10	1.00	7	1	original	ϕ_o	0.677	0.167	0.422	2.750
IC	5	100	0.50	7	1	original	ϕ_o	0.395	0.822	0.608	2.467
IC	5	100	0.70	7	1	original	ϕ_o	0.515	0.648	0.581	2.604
IC	5	100	1.00	7	1	original	ϕ_o	0.615	0.440	0.528	2.363
IC	5	250	0.50	7	1	original	ϕ_o	0.242	0.951	0.597	2.342
IC	5	250	0.70	7	1	original	ϕ_o	0.368	0.848	0.608	2.488
IC	5	250	1.00	7	1	original	ϕ_o	0.507	0.668	0.587	2.606
IC	5	10	0.20	3	1	original	ϕ_o	0.383	0.943	0.663	2.571
IC	5	100	0.20	3	1	original	ϕ_o	0.213	0.983	0.598	2.117
IC	5	250	0.20	3	1	original	ϕ_o	0.138	0.990	0.564	1.869
IC	5	10	1.25	3	1	original	ϕ_o	0.865	0.076	0.470	2.519
IC	5	10	1.50	3	1	original	ϕ_o	0.866	0.071	0.468	2.520
IC	5	10	1.70	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	5	100	1.25	3	1	original	ϕ_o	0.857	0.151	0.504	2.508
IC	5	100	1.50	3	1	original	ϕ_o	0.863	0.093	0.478	2.512
IC	5	100	1.70	3	1	original	ϕ_o	0.864	0.078	0.471	2.516
IC	5	250	1.25	3	1	original	ϕ_o	0.835	0.292	0.564	2.491
IC	5	250	1.50	3	1	original	ϕ_o	0.854	0.163	0.509	2.502
IC	5	250	1.70	3	1	original	ϕ_o	0.860	0.114	0.487	2.506
IC	5	500	0.20	6	1	original	ϕ_o	0.080	0.999	0.539	1.394
IC	5	750	0.20	6	1	original	ϕ_o	0.055	1.000	0.527	1.322
IC	5	1000	0.20	6	1	original	ϕ_o	0.041	1.000	0.520	1.275
IC	5	10	2.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.287
IC	5	10	2.30	7	1	original	ϕ_o	0.685	0.113	0.399	2.402
IC	5	10	3.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.746
IC	5	100	2.00	7	1	original	ϕ_o	0.678	0.158	0.418	2.390
IC	5	100	2.30	7	1	original	ϕ_o	0.681	0.141	0.411	2.393
IC	5	100	3.00	7	1	original	ϕ_o	0.683	0.122	0.403	2.396
IC	5	250	2.00	7	1	original	ϕ_o	0.656	0.249	0.452	2.361
IC	5	250	2.30	7	1	original	ϕ_o	0.664	0.203	0.434	2.364
IC	5	250	3.00	7	1	original	ϕ_o	0.673	0.153	0.413	2.366
IC	5	10	0.50	3	1	original	ϕ_o	0.771	0.573	0.672	3.059
IC	5	10	0.70	3	1	original	ϕ_o	0.840	0.295	0.568	2.504
IC	5	10	1.00	3	1	original	ϕ_o	0.864	0.107	0.485	2.516
IC	5	100	0.50	3	1	original	ϕ_o	0.617	0.826	0.722	3.418
IC	5	100	0.70	3	1	original	ϕ_o	0.749	0.630	0.690	3.085
IC	5	100	1.00	3	1	original	ϕ_o	0.835	0.306	0.570	2.494
IC	5	250	0.50	3	1	original	ϕ_o	0.504	0.903	0.704	3.299
IC	5	250	0.70	3	1	original	ϕ_o	0.665	0.777	0.721	3.484
IC	5	250	1.00	3	1	original	ϕ_o	0.791	0.514	0.652	3.102
IC	5	500	1.25	7	1	original	ϕ_o	0.463	0.744	0.604	2.585
IC	5	500	1.50	7	1	original	ϕ_o	0.532	0.633	0.583	2.630
IC	5	500	1.70	7	1	original	ϕ_o	0.571	0.551	0.561	2.658
IC	5	750	1.25	7	1	original	ϕ_o	0.364	0.863	0.614	2.546
IC	5	750	1.50	7	1	original	ϕ_o	0.445	0.774	0.609	2.588
IC	5	750	1.70	7	1	original	ϕ_o	0.495	0.700	0.597	2.612
IC	5	1000	1.25	7	1	original	ϕ_o	0.284	0.924	0.604	2.506
IC	5	1000	1.50	7	1	original	ϕ_o	0.367	0.862	0.615	2.549
IC	5	1000	1.70	7	1	original	ϕ_o	0.424	0.804	0.614	2.577
IC	5	10	4.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	5	100	4.00	6	1	original	ϕ_o	0.732	0.053	0.392	2.097

IC	5	250	4.00	6	1	original	ϕ_o	0.730	0.053	0.391	2.091
IC	5	500	0.50	7	1	original	ϕ_o	0.141	0.986	0.564	2.154
IC	5	500	0.70	7	1	original	ϕ_o	0.223	0.959	0.591	2.399
IC	5	500	1.00	7	1	original	ϕ_o	0.369	0.856	0.613	2.529
IC	5	750	0.50	7	1	original	ϕ_o	0.103	0.994	0.549	1.988
IC	5	750	0.70	7	1	original	ϕ_o	0.152	0.983	0.568	2.303
IC	5	750	1.00	7	1	original	ϕ_o	0.266	0.936	0.601	2.478
IC	5	1000	0.50	7	1	original	ϕ_o	0.082	0.996	0.539	1.857
IC	5	1000	0.70	7	1	original	ϕ_o	0.119	0.991	0.555	2.198
IC	5	1000	1.00	7	1	original	ϕ_o	0.197	0.967	0.582	2.427
IC	5	10	0.20	4	1	original	ϕ_o	0.384	0.966	0.675	2.455
IC	5	100	0.20	4	1	original	ϕ_o	0.215	0.992	0.603	1.946
IC	5	250	0.20	4	1	original	ϕ_o	0.145	0.998	0.571	1.654
IC	5	10	1.25	7	1	original	ϕ_o	0.683	0.134	0.408	1.946
IC	5	10	1.50	7	1	original	ϕ_o	0.684	0.120	0.402	2.406
IC	5	10	1.70	7	1	original	ϕ_o	0.685	0.116	0.400	2.747
IC	5	100	1.25	7	1	original	ϕ_o	0.651	0.311	0.481	2.386
IC	5	100	1.50	7	1	original	ϕ_o	0.667	0.226	0.447	2.389
IC	5	100	1.70	7	1	original	ϕ_o	0.673	0.189	0.431	2.388
IC	5	250	1.25	7	1	original	ϕ_o	0.580	0.531	0.555	2.660
IC	5	250	1.50	7	1	original	ϕ_o	0.621	0.412	0.516	2.697
IC	5	250	1.70	7	1	original	ϕ_o	0.640	0.331	0.486	2.358
IC	5	500	0.20	3	1	original	ϕ_o	0.082	0.994	0.538	1.675
IC	5	750	0.20	3	1	original	ϕ_o	0.052	0.997	0.525	1.556
IC	5	1000	0.20	3	1	original	ϕ_o	0.035	0.998	0.517	1.470
IC	7	10	1.25	6	1	original	ϕ_o	0.729	0.059	0.394	2.091
IC	7	10	1.50	6	1	original	ϕ_o	0.731	0.052	0.392	2.095
IC	7	10	1.70	6	1	original	ϕ_o	0.732	0.052	0.392	2.096
IC	7	100	1.25	6	1	original	ϕ_o	0.696	0.256	0.476	2.053
IC	7	100	1.50	6	1	original	ϕ_o	0.716	0.113	0.415	2.071
IC	7	100	1.70	6	1	original	ϕ_o	0.723	0.067	0.395	2.075
IC	7	250	1.25	6	1	original	ϕ_o	0.625	0.531	0.578	2.015
IC	7	250	1.50	6	1	original	ϕ_o	0.677	0.327	0.502	2.033
IC	7	250	1.70	6	1	original	ϕ_o	0.700	0.208	0.454	2.047
IC	7	10	0.20	3	1	original	ϕ_o	0.314	0.965	0.639	2.631
IC	7	100	0.20	3	1	original	ϕ_o	0.139	0.988	0.564	2.200
IC	7	250	0.20	3	1	original	ϕ_o	0.074	0.994	0.534	1.961
IC	7	500	2.00	3	1	original	ϕ_o	0.851	0.192	0.521	2.503
IC	7	500	2.30	3	1	original	ϕ_o	0.859	0.122	0.491	2.507
IC	7	500	3.00	3	1	original	ϕ_o	0.864	0.076	0.470	2.514
IC	7	750	2.00	3	1	original	ϕ_o	0.827	0.341	0.584	2.493
IC	7	750	2.30	3	1	original	ϕ_o	0.849	0.205	0.527	2.502
IC	7	750	3.00	3	1	original	ϕ_o	0.862	0.097	0.479	2.512
IC	7	1000	2.00	3	1	original	ϕ_o	0.796	0.496	0.646	3.101
IC	7	1000	2.30	3	1	original	ϕ_o	0.830	0.324	0.577	2.492
IC	7	1000	3.00	3	1	original	ϕ_o	0.858	0.135	0.497	2.508
IC	7	10	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	7	100	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	7	250	4.00	2	1	original	ϕ_o	0.964	0.057	0.510	2.825
IC	7	500	4.00	4	1	original	ϕ_o	0.785	0.098	0.441	2.268
IC	7	750	4.00	4	1	original	ϕ_o	0.782	0.117	0.450	2.266
IC	7	1000	4.00	4	1	original	ϕ_o	0.776	0.186	0.481	2.862
IC	7	500	0.50	2	1	original	ϕ_o	0.513	0.962	0.738	4.018
IC	7	500	0.70	2	1	original	ϕ_o	0.653	0.917	0.785	4.265
IC	7	500	1.00	2	1	original	ϕ_o	0.785	0.838	0.812	4.307
IC	7	750	0.50	2	1	original	ϕ_o	0.424	0.973	0.698	3.898
IC	7	750	0.70	2	1	original	ϕ_o	0.574	0.940	0.757	4.217
IC	7	750	1.00	2	1	original	ϕ_o	0.714	0.881	0.797	4.305
IC	7	1000	0.50	2	1	original	ϕ_o	0.359	0.980	0.669	3.799
IC	7	1000	0.70	2	1	original	ϕ_o	0.511	0.954	0.733	4.164
IC	7	1000	1.00	2	1	original	ϕ_o	0.656	0.905	0.780	4.296
IC	7	10	0.20	5	1	original	ϕ_o	0.214	0.978	0.596	1.951
IC	7	100	0.20	5	1	original	ϕ_o	0.100	0.993	0.547	1.646
IC	7	250	0.20	5	1	original	ϕ_o	0.060	0.997	0.529	1.482

IC	7	10	2.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.403
IC	7	10	2.30	7	1	original	ϕ_o	0.685	0.113	0.399	1.943
IC	7	10	3.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.746
IC	7	100	2.00	7	1	original	ϕ_o	0.675	0.176	0.425	2.737
IC	7	100	2.30	7	1	original	ϕ_o	0.679	0.149	0.414	2.393
IC	7	100	3.00	7	1	original	ϕ_o	0.683	0.122	0.403	2.396
IC	7	250	2.00	7	1	original	ϕ_o	0.635	0.352	0.494	2.716
IC	7	250	2.30	7	1	original	ϕ_o	0.654	0.258	0.456	2.359
IC	7	250	3.00	7	1	original	ϕ_o	0.671	0.166	0.419	2.363
IC	7	500	0.20	4	1	original	ϕ_o	0.077	1.000	0.538	1.438
IC	7	750	0.20	4	1	original	ϕ_o	0.058	1.000	0.529	1.314
IC	7	1000	0.20	4	1	original	ϕ_o	0.045	1.000	0.522	1.233
IC	7	10	0.50	3	1	original	ϕ_o	0.717	0.715	0.716	3.058
IC	7	10	0.70	3	1	original	ϕ_o	0.822	0.424	0.623	3.461
IC	7	10	1.00	3	1	original	ϕ_o	0.862	0.140	0.501	2.521
IC	7	100	0.50	3	1	original	ϕ_o	0.476	0.908	0.692	3.440
IC	7	100	0.70	3	1	original	ϕ_o	0.662	0.780	0.721	3.513
IC	7	100	1.00	3	1	original	ϕ_o	0.807	0.467	0.637	3.105
IC	7	250	0.50	3	1	original	ϕ_o	0.349	0.952	0.650	3.315
IC	7	250	0.70	3	1	original	ϕ_o	0.516	0.887	0.701	3.518
IC	7	250	1.00	3	1	original	ϕ_o	0.722	0.703	0.712	3.538
IC	7	10	4.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.402
IC	7	100	4.00	7	1	original	ϕ_o	0.684	0.114	0.399	1.940
IC	7	250	4.00	7	1	original	ϕ_o	0.677	0.130	0.404	2.369
IC	7	500	0.20	5	1	original	ϕ_o	0.031	0.999	0.515	1.347
IC	7	750	0.20	5	1	original	ϕ_o	0.016	0.999	0.508	1.257
IC	7	1000	0.20	5	1	original	ϕ_o	0.010	1.000	0.505	1.200
IC	7	500	0.50	7	1	original	ϕ_o	0.072	0.997	0.534	2.114
IC	7	500	0.70	7	1	original	ϕ_o	0.092	0.993	0.542	2.368
IC	7	500	1.00	7	1	original	ϕ_o	0.162	0.974	0.568	2.516
IC	7	750	0.50	7	1	original	ϕ_o	0.057	0.999	0.528	1.956
IC	7	750	0.70	7	1	original	ϕ_o	0.071	0.997	0.534	2.250
IC	7	750	1.00	7	1	original	ϕ_o	0.102	0.992	0.547	2.462
IC	7	1000	0.50	7	1	original	ϕ_o	0.048	1.000	0.524	1.831
IC	7	1000	0.70	7	1	original	ϕ_o	0.059	0.999	0.529	2.145
IC	7	1000	1.00	7	1	original	ϕ_o	0.078	0.996	0.537	2.396
IC	7	10	2.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	7	10	2.30	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	7	10	3.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	7	100	2.00	3	1	original	ϕ_o	0.865	0.072	0.468	2.518
IC	7	100	2.30	3	1	original	ϕ_o	0.865	0.069	0.467	2.518
IC	7	100	3.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.519
IC	7	250	2.00	3	1	original	ϕ_o	0.862	0.096	0.479	2.511
IC	7	250	2.30	3	1	original	ϕ_o	0.864	0.076	0.470	2.513
IC	7	250	3.00	3	1	original	ϕ_o	0.865	0.070	0.467	2.517
IC	7	500	4.00	7	1	original	ϕ_o	0.664	0.185	0.424	2.339
IC	7	750	4.00	7	1	original	ϕ_o	0.639	0.292	0.465	2.661
IC	7	1000	4.00	7	1	original	ϕ_o	0.603	0.438	0.520	2.218
IC	7	500	0.20	3	1	original	ϕ_o	0.038	0.998	0.518	1.775
IC	7	750	0.20	3	1	original	ϕ_o	0.021	0.999	0.510	1.666
IC	7	1000	0.20	3	1	original	ϕ_o	0.013	1.000	0.506	1.588
IC	7	500	2.00	5	1	original	ϕ_o	0.725	0.283	0.504	2.756
IC	7	500	2.30	5	1	original	ϕ_o	0.739	0.202	0.470	2.777
IC	7	500	3.00	5	1	original	ϕ_o	0.746	0.125	0.436	2.770
IC	7	750	2.00	5	1	original	ϕ_o	0.685	0.404	0.544	3.162
IC	7	750	2.30	5	1	original	ϕ_o	0.722	0.299	0.510	2.744
IC	7	750	3.00	5	1	original	ϕ_o	0.744	0.164	0.454	2.786
IC	7	1000	2.00	5	1	original	ϕ_o	0.628	0.531	0.580	3.072
IC	7	1000	2.30	5	1	original	ϕ_o	0.687	0.398	0.543	3.161
IC	7	1000	3.00	5	1	original	ϕ_o	0.737	0.221	0.479	3.250
IC	7	10	2.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	7	10	2.30	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	7	10	3.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	7	100	2.00	6	1	original	ϕ_o	0.727	0.051	0.389	2.081

IC	7	100	2.30	6	1	original	ϕ_o	0.729	0.051	0.390	2.088
IC	7	100	3.00	6	1	original	ϕ_o	0.731	0.052	0.392	2.096
IC	7	250	2.00	6	1	original	ϕ_o	0.715	0.104	0.409	2.060
IC	7	250	2.30	6	1	original	ϕ_o	0.721	0.066	0.393	2.066
IC	7	250	3.00	6	1	original	ϕ_o	0.727	0.051	0.389	1.422
IC	7	500	1.25	4	1	original	ϕ_o	0.556	0.861	0.708	3.326
IC	7	500	1.50	4	1	original	ϕ_o	0.637	0.744	0.691	3.367
IC	7	500	1.70	4	1	original	ϕ_o	0.681	0.636	0.659	3.384
IC	7	750	1.25	4	1	original	ϕ_o	0.439	0.938	0.688	3.299
IC	7	750	1.50	4	1	original	ϕ_o	0.547	0.874	0.710	3.342
IC	7	750	1.70	4	1	original	ϕ_o	0.608	0.801	0.704	3.365
IC	7	1000	1.25	4	1	original	ϕ_o	0.331	0.971	0.651	3.264
IC	7	1000	1.50	4	1	original	ϕ_o	0.453	0.934	0.694	3.324
IC	7	1000	1.70	4	1	original	ϕ_o	0.528	0.891	0.710	3.346
IC	7	10	4.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	7	100	4.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	7	250	4.00	5	1	original	ϕ_o	0.747	0.103	0.425	2.176
IC	7	10	0.20	2	1	original	ϕ_o	0.543	0.964	0.753	3.429
IC	7	100	0.20	2	1	original	ϕ_o	0.336	0.988	0.662	3.012
IC	7	250	0.20	2	1	original	ϕ_o	0.211	0.994	0.602	2.739
IC	7	10	0.50	4	1	original	ϕ_o	0.590	0.774	0.682	3.213
IC	7	10	0.70	4	1	original	ϕ_o	0.711	0.534	0.622	3.364
IC	7	10	1.00	4	1	original	ϕ_o	0.776	0.222	0.499	2.879
IC	7	100	0.50	4	1	original	ϕ_o	0.342	0.946	0.644	3.056
IC	7	100	0.70	4	1	original	ϕ_o	0.548	0.846	0.697	3.234
IC	7	100	1.00	4	1	original	ϕ_o	0.688	0.607	0.648	3.360
IC	7	250	0.50	4	1	original	ϕ_o	0.253	0.981	0.617	2.894
IC	7	250	0.70	4	1	original	ϕ_o	0.375	0.944	0.660	3.151
IC	7	250	1.00	4	1	original	ϕ_o	0.585	0.821	0.703	3.311
IC	7	500	1.25	5	1	original	ϕ_o	0.529	0.694	0.612	2.968
IC	7	500	1.50	5	1	original	ϕ_o	0.633	0.520	0.576	3.072
IC	7	500	1.70	5	1	original	ϕ_o	0.684	0.402	0.543	3.149
IC	7	750	1.25	5	1	original	ϕ_o	0.427	0.813	0.620	2.902
IC	7	750	1.50	5	1	original	ϕ_o	0.540	0.683	0.612	2.982
IC	7	750	1.70	5	1	original	ϕ_o	0.614	0.562	0.588	3.057
IC	7	1000	1.25	5	1	original	ϕ_o	0.345	0.888	0.616	2.897
IC	7	1000	1.50	5	1	original	ϕ_o	0.452	0.788	0.620	2.923
IC	7	1000	1.70	5	1	original	ϕ_o	0.533	0.693	0.613	2.978
IC	7	500	0.20	7	1	original	ϕ_o	0.036	1.000	0.518	1.180
IC	7	750	0.20	7	1	original	ϕ_o	0.029	1.000	0.515	1.057
IC	7	1000	0.20	7	1	original	ϕ_o	0.025	1.000	0.512	0.976
IC	7	500	1.25	3	1	original	ϕ_o	0.721	0.704	0.712	3.546
IC	7	500	1.50	3	1	original	ϕ_o	0.793	0.510	0.652	3.112
IC	7	500	1.70	3	1	original	ϕ_o	0.826	0.351	0.588	2.492
IC	7	750	1.25	3	1	original	ϕ_o	0.631	0.807	0.719	3.558
IC	7	750	1.50	3	1	original	ϕ_o	0.734	0.680	0.707	3.122
IC	7	750	1.70	3	1	original	ϕ_o	0.784	0.547	0.665	3.111
IC	7	1000	1.25	3	1	original	ϕ_o	0.539	0.870	0.705	3.573
IC	7	1000	1.50	3	1	original	ϕ_o	0.666	0.773	0.720	3.556
IC	7	1000	1.70	3	1	original	ϕ_o	0.734	0.678	0.706	3.535
IC	7	10	2.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.871
IC	7	10	2.30	4	1	original	ϕ_o	0.788	0.097	0.443	2.287
IC	7	10	3.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.873
IC	7	100	2.00	4	1	original	ϕ_o	0.783	0.096	0.439	2.264
IC	7	100	2.30	4	1	original	ϕ_o	0.785	0.094	0.439	2.269
IC	7	100	3.00	4	1	original	ϕ_o	0.787	0.096	0.442	2.862
IC	7	250	2.00	4	1	original	ϕ_o	0.772	0.188	0.480	2.262
IC	7	250	2.30	4	1	original	ϕ_o	0.779	0.119	0.449	2.833
IC	7	250	3.00	4	1	original	ϕ_o	0.785	0.095	0.440	2.843
IC	7	10	4.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	7	100	4.00	6	1	original	ϕ_o	0.732	0.053	0.392	2.096
IC	7	250	4.00	6	1	original	ϕ_o	0.729	0.052	0.391	2.091
IC	7	500	0.50	3	1	original	ϕ_o	0.246	0.975	0.611	3.149
IC	7	500	0.70	3	1	original	ϕ_o	0.370	0.941	0.656	3.472

IC	7	500	1.00	3	1	original	ϕ_o	0.590	0.840	0.715	3.552
IC	7	750	0.50	3	1	original	ϕ_o	0.182	0.984	0.583	3.027
IC	7	750	0.70	3	1	original	ϕ_o	0.289	0.963	0.626	3.396
IC	7	750	1.00	3	1	original	ϕ_o	0.475	0.902	0.688	3.560
IC	7	1000	0.50	3	1	original	ϕ_o	0.138	0.990	0.564	2.918
IC	7	1000	0.70	3	1	original	ϕ_o	0.234	0.975	0.605	3.327
IC	7	1000	1.00	3	1	original	ϕ_o	0.380	0.934	0.657	3.541
IC	7	10	0.20	6	1	original	ϕ_o	0.236	0.979	0.608	1.986
IC	7	100	0.20	6	1	original	ϕ_o	0.137	0.995	0.566	1.759
IC	7	250	0.20	6	1	original	ϕ_o	0.096	0.999	0.547	1.620
IC	7	10	4.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.873
IC	7	100	4.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.868
IC	7	250	4.00	4	1	original	ϕ_o	0.787	0.096	0.441	2.857
IC	7	500	2.00	2	1	original	ϕ_o	0.954	0.348	0.651	2.860
IC	7	500	2.30	2	1	original	ϕ_o	0.960	0.191	0.576	2.847
IC	7	500	3.00	2	1	original	ϕ_o	0.964	0.063	0.514	2.829
IC	7	750	2.00	2	1	original	ϕ_o	0.939	0.510	0.725	2.867
IC	7	750	2.30	2	1	original	ϕ_o	0.953	0.364	0.658	2.861
IC	7	750	3.00	2	1	original	ϕ_o	0.963	0.106	0.534	2.836
IC	7	1000	2.00	2	1	original	ϕ_o	0.920	0.613	0.766	3.669
IC	7	1000	2.30	2	1	original	ϕ_o	0.942	0.490	0.716	2.866
IC	7	1000	3.00	2	1	original	ϕ_o	0.960	0.204	0.582	2.847
IC	7	10	1.25	4	1	original	ϕ_o	0.787	0.105	0.446	2.856
IC	7	10	1.50	4	1	original	ϕ_o	0.788	0.095	0.442	2.283
IC	7	10	1.70	4	1	original	ϕ_o	0.788	0.096	0.442	2.869
IC	7	100	1.25	4	1	original	ϕ_o	0.747	0.388	0.567	2.864
IC	7	100	1.50	4	1	original	ϕ_o	0.771	0.201	0.486	2.260
IC	7	100	1.70	4	1	original	ϕ_o	0.778	0.126	0.452	2.257
IC	7	250	1.25	4	1	original	ϕ_o	0.671	0.659	0.665	3.371
IC	7	250	1.50	4	1	original	ϕ_o	0.727	0.478	0.603	2.866
IC	7	250	1.70	4	1	original	ϕ_o	0.753	0.339	0.546	3.335
IC	7	500	4.00	5	1	original	ϕ_o	0.747	0.107	0.427	2.179
IC	7	750	4.00	5	1	original	ϕ_o	0.747	0.115	0.431	2.777
IC	7	1000	4.00	5	1	original	ϕ_o	0.747	0.132	0.439	3.230
IC	7	500	0.20	2	1	original	ϕ_o	0.117	0.998	0.558	2.475
IC	7	750	0.20	2	1	original	ϕ_o	0.073	0.999	0.536	2.308
IC	7	1000	0.20	2	1	original	ϕ_o	0.047	0.999	0.523	2.192
IC	7	10	1.25	5	1	original	ϕ_o	0.747	0.120	0.433	2.768
IC	7	10	1.50	5	1	original	ϕ_o	0.748	0.107	0.427	2.765
IC	7	10	1.70	5	1	original	ϕ_o	0.748	0.103	0.426	2.180
IC	7	100	1.25	5	1	original	ϕ_o	0.721	0.274	0.498	2.731
IC	7	100	1.50	5	1	original	ϕ_o	0.741	0.173	0.457	2.760
IC	7	100	1.70	5	1	original	ϕ_o	0.746	0.135	0.440	2.760
IC	7	250	1.25	5	1	original	ϕ_o	0.650	0.470	0.560	3.080
IC	7	250	1.50	5	1	original	ϕ_o	0.709	0.319	0.514	2.714
IC	7	250	1.70	5	1	original	ϕ_o	0.730	0.237	0.484	2.159
IC	7	500	4.00	3	1	original	ϕ_o	0.865	0.070	0.468	2.518
IC	7	750	4.00	3	1	original	ϕ_o	0.865	0.073	0.469	2.517
IC	7	1000	4.00	3	1	original	ϕ_o	0.864	0.081	0.473	2.517
IC	7	10	0.20	7	1	original	ϕ_o	0.212	0.949	0.581	2.184
IC	7	100	0.20	7	1	original	ϕ_o	0.082	0.995	0.539	1.717
IC	7	250	0.20	7	1	original	ϕ_o	0.050	0.999	0.525	1.408
IC	7	500	0.50	6	1	original	ϕ_o	0.197	0.976	0.587	2.413
IC	7	500	0.70	6	1	original	ϕ_o	0.283	0.947	0.615	2.684
IC	7	500	1.00	6	1	original	ϕ_o	0.405	0.869	0.637	2.804
IC	7	750	0.50	6	1	original	ϕ_o	0.148	0.987	0.568	2.310
IC	7	750	0.70	6	1	original	ϕ_o	0.221	0.968	0.594	2.625
IC	7	750	1.00	6	1	original	ϕ_o	0.322	0.922	0.622	2.783
IC	7	1000	0.50	6	1	original	ϕ_o	0.117	0.993	0.555	2.228
IC	7	1000	0.70	6	1	original	ϕ_o	0.178	0.978	0.578	2.568
IC	7	1000	1.00	6	1	original	ϕ_o	0.266	0.949	0.607	2.767
IC	7	500	4.00	6	1	original	ϕ_o	0.726	0.055	0.390	2.078
IC	7	750	4.00	6	1	original	ϕ_o	0.723	0.067	0.395	2.067
IC	7	1000	4.00	6	1	original	ϕ_o	0.717	0.101	0.409	2.056

IC	7	10	2.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	7	10	2.30	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	7	10	3.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	7	100	2.00	5	1	original	ϕ_o	0.747	0.112	0.430	2.762
IC	7	100	2.30	5	1	original	ϕ_o	0.747	0.106	0.427	2.762
IC	7	100	3.00	5	1	original	ϕ_o	0.747	0.103	0.425	2.766
IC	7	250	2.00	5	1	original	ϕ_o	0.741	0.161	0.451	2.760
IC	7	250	2.30	5	1	original	ϕ_o	0.745	0.127	0.436	3.154
IC	7	250	3.00	5	1	original	ϕ_o	0.746	0.107	0.426	2.758
IC	7	10	1.25	2	1	original	ϕ_o	0.962	0.068	0.515	2.822
IC	7	10	1.50	2	1	original	ϕ_o	0.963	0.055	0.509	2.824
IC	7	10	1.70	2	1	original	ϕ_o	0.963	0.056	0.510	2.825
IC	7	100	1.25	2	1	original	ϕ_o	0.953	0.333	0.643	2.854
IC	7	100	1.50	2	1	original	ϕ_o	0.961	0.146	0.554	2.837
IC	7	100	1.70	2	1	original	ϕ_o	0.964	0.073	0.518	2.828
IC	7	250	1.25	2	1	original	ϕ_o	0.923	0.581	0.752	3.670
IC	7	250	1.50	2	1	original	ϕ_o	0.948	0.415	0.682	2.861
IC	7	250	1.70	2	1	original	ϕ_o	0.957	0.272	0.614	2.855
IC	7	500	2.00	4	1	original	ϕ_o	0.729	0.468	0.599	3.368
IC	7	500	2.30	4	1	original	ϕ_o	0.757	0.317	0.537	2.265
IC	7	500	3.00	4	1	original	ϕ_o	0.779	0.130	0.455	2.262
IC	7	750	2.00	4	1	original	ϕ_o	0.670	0.672	0.671	3.386
IC	7	750	2.30	4	1	original	ϕ_o	0.714	0.535	0.624	3.386
IC	7	750	3.00	4	1	original	ϕ_o	0.765	0.265	0.515	2.865
IC	7	1000	2.00	4	1	original	ϕ_o	0.609	0.799	0.704	3.368
IC	7	1000	2.30	4	1	original	ϕ_o	0.662	0.690	0.676	3.390
IC	7	1000	3.00	4	1	original	ϕ_o	0.738	0.432	0.585	2.877
IC	7	10	0.50	5	1	original	ϕ_o	0.504	0.720	0.612	2.844
IC	7	10	0.70	5	1	original	ϕ_o	0.677	0.409	0.543	2.649
IC	7	10	1.00	5	1	original	ϕ_o	0.741	0.174	0.458	2.176
IC	7	100	0.50	5	1	original	ϕ_o	0.322	0.925	0.624	2.732
IC	7	100	0.70	5	1	original	ϕ_o	0.462	0.773	0.618	2.844
IC	7	100	1.00	5	1	original	ϕ_o	0.655	0.458	0.557	3.070
IC	7	250	0.50	5	1	original	ϕ_o	0.230	0.966	0.598	2.617
IC	7	250	0.70	5	1	original	ϕ_o	0.348	0.892	0.620	2.807
IC	7	250	1.00	5	1	original	ϕ_o	0.532	0.682	0.607	2.939
IC	7	500	2.00	6	1	original	ϕ_o	0.680	0.302	0.491	2.031
IC	7	500	2.30	6	1	original	ϕ_o	0.703	0.189	0.446	2.047
IC	7	500	3.00	6	1	original	ϕ_o	0.720	0.077	0.398	2.065
IC	7	750	2.00	6	1	original	ϕ_o	0.627	0.506	0.566	2.500
IC	7	750	2.30	6	1	original	ϕ_o	0.668	0.353	0.510	2.025
IC	7	750	3.00	6	1	original	ϕ_o	0.709	0.150	0.430	2.049
IC	7	1000	2.00	6	1	original	ϕ_o	0.566	0.667	0.617	2.492
IC	7	1000	2.30	6	1	original	ϕ_o	0.621	0.523	0.572	2.492
IC	7	1000	3.00	6	1	original	ϕ_o	0.687	0.256	0.471	2.034
IC	7	10	0.50	2	1	original	ϕ_o	0.864	0.729	0.797	3.610
IC	7	10	0.70	2	1	original	ϕ_o	0.929	0.506	0.717	2.842
IC	7	10	1.00	2	1	original	ϕ_o	0.958	0.198	0.578	2.835
IC	7	100	0.50	2	1	original	ϕ_o	0.745	0.885	0.815	4.250
IC	7	100	0.70	2	1	original	ϕ_o	0.842	0.773	0.808	3.638
IC	7	100	1.00	2	1	original	ϕ_o	0.926	0.542	0.734	2.852
IC	7	250	0.50	2	1	original	ϕ_o	0.628	0.933	0.781	4.157
IC	7	250	0.70	2	1	original	ϕ_o	0.755	0.872	0.813	4.305
IC	7	250	1.00	2	1	original	ϕ_o	0.867	0.734	0.800	3.667
IC	7	500	1.25	2	1	original	ϕ_o	0.865	0.742	0.804	3.678
IC	7	500	1.50	2	1	original	ϕ_o	0.915	0.625	0.770	3.680
IC	7	500	1.70	2	1	original	ϕ_o	0.938	0.518	0.728	2.865
IC	7	750	1.25	2	1	original	ϕ_o	0.807	0.817	0.812	4.288
IC	7	750	1.50	2	1	original	ϕ_o	0.874	0.727	0.801	3.682
IC	7	750	1.70	2	1	original	ϕ_o	0.909	0.647	0.778	3.678
IC	7	1000	1.25	2	1	original	ϕ_o	0.749	0.856	0.802	4.294
IC	7	1000	1.50	2	1	original	ϕ_o	0.831	0.792	0.812	4.272
IC	7	1000	1.70	2	1	original	ϕ_o	0.876	0.725	0.800	3.682
IC	7	500	1.25	6	1	original	ϕ_o	0.510	0.758	0.634	2.836

IC	7	500	1.50	6	1	original	ϕ_o	0.591	0.610	0.600	2.502
IC	7	500	1.70	6	1	original	ϕ_o	0.637	0.478	0.557	2.510
IC	7	750	1.25	6	1	original	ϕ_o	0.417	0.858	0.638	2.822
IC	7	750	1.50	6	1	original	ϕ_o	0.505	0.768	0.636	2.830
IC	7	750	1.70	6	1	original	ϕ_o	0.564	0.672	0.618	2.494
IC	7	1000	1.25	6	1	original	ϕ_o	0.340	0.909	0.624	2.815
IC	7	1000	1.50	6	1	original	ϕ_o	0.427	0.849	0.638	2.830
IC	7	1000	1.70	6	1	original	ϕ_o	0.489	0.787	0.638	2.827
IC	7	10	2.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.824
IC	7	10	2.30	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	7	10	3.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	7	100	2.00	2	1	original	ϕ_o	0.964	0.055	0.510	2.826
IC	7	100	2.30	2	1	original	ϕ_o	0.964	0.056	0.510	2.825
IC	7	100	3.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	7	250	2.00	2	1	original	ϕ_o	0.963	0.113	0.538	2.837
IC	7	250	2.30	2	1	original	ϕ_o	0.964	0.064	0.514	2.830
IC	7	250	3.00	2	1	original	ϕ_o	0.964	0.056	0.510	2.827
IC	7	500	0.20	6	1	original	ϕ_o	0.057	1.000	0.528	1.507
IC	7	750	0.20	6	1	original	ϕ_o	0.037	1.000	0.519	1.443
IC	7	1000	0.20	6	1	original	ϕ_o	0.026	1.000	0.513	1.398
IC	7	10	0.50	6	1	original	ϕ_o	0.533	0.719	0.626	2.757
IC	7	10	0.70	6	1	original	ϕ_o	0.651	0.457	0.554	2.022
IC	7	10	1.00	6	1	original	ϕ_o	0.719	0.148	0.433	2.088
IC	7	100	0.50	6	1	original	ϕ_o	0.374	0.909	0.642	2.650
IC	7	100	0.70	6	1	original	ϕ_o	0.502	0.762	0.632	2.797
IC	7	100	1.00	6	1	original	ϕ_o	0.639	0.493	0.566	2.533
IC	7	250	0.50	6	1	original	ϕ_o	0.274	0.956	0.615	2.540
IC	7	250	0.70	6	1	original	ϕ_o	0.379	0.893	0.636	2.739
IC	7	250	1.00	6	1	original	ϕ_o	0.533	0.717	0.625	2.475
IC	7	500	2.00	7	1	original	ϕ_o	0.522	0.669	0.596	2.670
IC	7	500	2.30	7	1	original	ϕ_o	0.578	0.547	0.562	2.690
IC	7	500	3.00	7	1	original	ϕ_o	0.638	0.314	0.476	2.692
IC	7	750	2.00	7	1	original	ϕ_o	0.392	0.844	0.618	2.629
IC	7	750	2.30	7	1	original	ϕ_o	0.470	0.756	0.613	2.657
IC	7	750	3.00	7	1	original	ϕ_o	0.580	0.527	0.553	2.684
IC	7	1000	2.00	7	1	original	ϕ_o	0.278	0.927	0.602	2.605
IC	7	1000	2.30	7	1	original	ϕ_o	0.362	0.873	0.617	2.627
IC	7	1000	3.00	7	1	original	ϕ_o	0.507	0.701	0.604	2.658
IC	7	10	1.25	3	1	original	ϕ_o	0.865	0.082	0.474	2.519
IC	7	10	1.50	3	1	original	ϕ_o	0.866	0.071	0.468	2.520
IC	7	10	1.70	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	7	100	1.25	3	1	original	ϕ_o	0.849	0.221	0.535	2.506
IC	7	100	1.50	3	1	original	ϕ_o	0.861	0.117	0.489	2.514
IC	7	100	1.70	3	1	original	ϕ_o	0.864	0.086	0.475	2.514
IC	7	250	1.25	3	1	original	ϕ_o	0.804	0.464	0.634	3.102
IC	7	250	1.50	3	1	original	ϕ_o	0.844	0.250	0.547	2.500
IC	7	250	1.70	3	1	original	ϕ_o	0.855	0.157	0.506	2.506
IC	7	500	4.00	2	1	original	ϕ_o	0.964	0.057	0.510	2.826
IC	7	750	4.00	2	1	original	ϕ_o	0.964	0.059	0.511	2.826
IC	7	1000	4.00	2	1	original	ϕ_o	0.963	0.066	0.515	2.828
IC	7	10	0.20	4	1	original	ϕ_o	0.243	0.984	0.614	2.463
IC	7	100	0.20	4	1	original	ϕ_o	0.154	0.997	0.576	1.941
IC	7	250	0.20	4	1	original	ϕ_o	0.110	0.999	0.554	1.657
IC	7	500	0.50	4	1	original	ϕ_o	0.191	0.992	0.592	2.647
IC	7	500	0.70	4	1	original	ϕ_o	0.246	0.983	0.615	3.031
IC	7	500	1.00	4	1	original	ϕ_o	0.424	0.938	0.681	3.251
IC	7	750	0.50	4	1	original	ϕ_o	0.155	0.997	0.576	2.462
IC	7	750	0.70	4	1	original	ϕ_o	0.201	0.991	0.596	2.883
IC	7	750	1.00	4	1	original	ϕ_o	0.294	0.977	0.635	3.199
IC	7	1000	0.50	4	1	original	ϕ_o	0.130	0.999	0.564	2.321
IC	7	1000	0.70	4	1	original	ϕ_o	0.170	0.995	0.583	2.747
IC	7	1000	1.00	4	1	original	ϕ_o	0.224	0.988	0.606	3.132
IC	7	500	1.25	7	1	original	ϕ_o	0.264	0.930	0.597	2.575
IC	7	500	1.50	7	1	original	ϕ_o	0.368	0.858	0.613	2.613

IC	7	500	1.70	7	1	original	ϕ_o	0.438	0.787	0.613	2.634
IC	7	750	1.25	7	1	original	ϕ_o	0.152	0.979	0.566	2.540
IC	7	750	1.50	7	1	original	ϕ_o	0.228	0.951	0.589	2.581
IC	7	750	1.70	7	1	original	ϕ_o	0.296	0.915	0.606	2.603
IC	7	1000	1.25	7	1	original	ϕ_o	0.107	0.992	0.549	2.491
IC	7	1000	1.50	7	1	original	ϕ_o	0.148	0.981	0.565	2.548
IC	7	1000	1.70	7	1	original	ϕ_o	0.195	0.965	0.580	2.575
IC	7	10	1.25	7	1	original	ϕ_o	0.681	0.146	0.414	2.406
IC	7	10	1.50	7	1	original	ϕ_o	0.684	0.125	0.404	2.409
IC	7	10	1.70	7	1	original	ϕ_o	0.685	0.118	0.401	2.408
IC	7	100	1.25	7	1	original	ϕ_o	0.620	0.439	0.530	2.384
IC	7	100	1.50	7	1	original	ϕ_o	0.653	0.297	0.475	2.388
IC	7	100	1.70	7	1	original	ϕ_o	0.667	0.228	0.447	2.390
IC	7	250	1.25	7	1	original	ϕ_o	0.465	0.738	0.602	2.618
IC	7	250	1.50	7	1	original	ϕ_o	0.553	0.606	0.580	2.336
IC	7	250	1.70	7	1	original	ϕ_o	0.598	0.498	0.548	2.357
IC	7	10	0.50	7	1	original	ϕ_o	0.531	0.576	0.554	2.589
IC	7	10	0.70	7	1	original	ϕ_o	0.628	0.385	0.506	2.371
IC	7	10	1.00	7	1	original	ϕ_o	0.675	0.202	0.438	2.414
IC	7	100	0.50	7	1	original	ϕ_o	0.210	0.947	0.578	2.450
IC	7	100	0.70	7	1	original	ϕ_o	0.375	0.829	0.602	2.550
IC	7	100	1.00	7	1	original	ϕ_o	0.545	0.608	0.576	2.660
IC	7	250	0.50	7	1	original	ϕ_o	0.106	0.988	0.547	2.312
IC	7	250	0.70	7	1	original	ϕ_o	0.173	0.965	0.569	2.464
IC	7	250	1.00	7	1	original	ϕ_o	0.348	0.859	0.604	2.558
IC	7	10	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	7	100	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	7	250	4.00	3	1	original	ϕ_o	0.865	0.070	0.468	2.519
IC	7	500	0.50	5	1	original	ϕ_o	0.152	0.983	0.568	2.479
IC	7	500	0.70	5	1	original	ϕ_o	0.242	0.954	0.598	2.782
IC	7	500	1.00	5	1	original	ϕ_o	0.400	0.838	0.619	2.867
IC	7	750	0.50	5	1	original	ϕ_o	0.106	0.990	0.548	2.371
IC	7	750	0.70	5	1	original	ϕ_o	0.174	0.976	0.575	2.737
IC	7	750	1.00	5	1	original	ϕ_o	0.307	0.914	0.610	2.870
IC	7	1000	0.50	5	1	original	ϕ_o	0.077	0.995	0.536	2.277
IC	7	1000	0.70	5	1	original	ϕ_o	0.130	0.986	0.558	2.680
IC	7	1000	1.00	5	1	original	ϕ_o	0.236	0.950	0.593	2.884
IC	10	10	0.20	4	1	original	ϕ_o	0.199	0.990	0.594	2.438
IC	10	100	0.20	4	1	original	ϕ_o	0.130	0.998	0.564	1.927
IC	10	250	0.20	4	1	original	ϕ_o	0.095	0.999	0.547	1.668
IC	10	10	1.25	2	1	original	ϕ_o	0.962	0.085	0.524	2.824
IC	10	10	1.50	2	1	original	ϕ_o	0.963	0.056	0.509	2.824
IC	10	10	1.70	2	1	original	ϕ_o	0.963	0.056	0.510	2.825
IC	10	100	1.25	2	1	original	ϕ_o	0.945	0.420	0.683	2.854
IC	10	100	1.50	2	1	original	ϕ_o	0.958	0.211	0.585	2.846
IC	10	100	1.70	2	1	original	ϕ_o	0.963	0.097	0.530	1.912
IC	10	250	1.25	2	1	original	ϕ_o	0.892	0.661	0.777	3.653
IC	10	250	1.50	2	1	original	ϕ_o	0.937	0.506	0.721	2.859
IC	10	250	1.70	2	1	original	ϕ_o	0.951	0.366	0.659	2.859
IC	10	500	2.00	5	1	original	ϕ_o	0.690	0.378	0.534	3.146
IC	10	500	2.30	5	1	original	ϕ_o	0.727	0.262	0.494	2.755
IC	10	500	3.00	5	1	original	ϕ_o	0.745	0.137	0.441	2.773
IC	10	750	2.00	5	1	original	ϕ_o	0.606	0.568	0.587	3.019
IC	10	750	2.30	5	1	original	ϕ_o	0.680	0.410	0.545	3.132
IC	10	750	3.00	5	1	original	ϕ_o	0.739	0.204	0.471	3.247
IC	10	1000	2.00	5	1	original	ϕ_o	0.502	0.723	0.613	2.932
IC	10	1000	2.30	5	1	original	ϕ_o	0.606	0.568	0.587	3.022
IC	10	1000	3.00	5	1	original	ϕ_o	0.718	0.302	0.510	3.205
IC	10	500	1.25	7	1	original	ϕ_o	0.119	0.988	0.553	2.547
IC	10	500	1.50	7	1	original	ϕ_o	0.191	0.966	0.579	2.602
IC	10	500	1.70	7	1	original	ϕ_o	0.266	0.935	0.600	2.622
IC	10	750	1.25	7	1	original	ϕ_o	0.075	0.996	0.535	2.493
IC	10	750	1.50	7	1	original	ϕ_o	0.101	0.992	0.547	2.557
IC	10	750	1.70	7	1	original	ϕ_o	0.133	0.986	0.560	2.587

IC	10	1000	1.25	7	1	original	ϕ_o	0.061	0.998	0.529	2.430
IC	10	1000	1.50	7	1	original	ϕ_o	0.071	0.996	0.534	2.502
IC	10	1000	1.70	7	1	original	ϕ_o	0.086	0.994	0.540	2.546
IC	10	500	4.00	7	1	original	ϕ_o	0.653	0.249	0.451	2.345
IC	10	750	4.00	7	1	original	ϕ_o	0.594	0.483	0.539	2.701
IC	10	1000	4.00	7	1	original	ϕ_o	0.512	0.708	0.610	2.686
IC	10	10	0.50	5	1	original	ϕ_o	0.359	0.817	0.588	2.682
IC	10	10	0.70	5	1	original	ϕ_o	0.573	0.544	0.559	2.828
IC	10	10	1.00	5	1	original	ϕ_o	0.733	0.212	0.472	2.754
IC	10	100	0.50	5	1	original	ϕ_o	0.206	0.954	0.580	2.732
IC	10	100	0.70	5	1	original	ϕ_o	0.317	0.868	0.592	2.744
IC	10	100	1.00	5	1	original	ϕ_o	0.556	0.624	0.590	2.925
IC	10	250	0.50	5	1	original	ϕ_o	0.143	0.978	0.560	2.640
IC	10	250	0.70	5	1	original	ϕ_o	0.218	0.941	0.580	2.788
IC	10	250	1.00	5	1	original	ϕ_o	0.388	0.817	0.603	2.799
IC	10	500	0.20	3	1	original	ϕ_o	0.024	0.999	0.511	1.825
IC	10	750	0.20	3	1	original	ϕ_o	0.012	1.000	0.506	1.722
IC	10	1000	0.20	3	1	original	ϕ_o	0.007	1.000	0.503	1.650
IC	10	10	2.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.824
IC	10	10	2.30	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	10	10	3.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	10	100	2.00	2	1	original	ϕ_o	0.964	0.057	0.510	2.827
IC	10	100	2.30	2	1	original	ϕ_o	0.964	0.055	0.509	2.825
IC	10	100	3.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	10	250	2.00	2	1	original	ϕ_o	0.961	0.173	0.567	2.844
IC	10	250	2.30	2	1	original	ϕ_o	0.964	0.077	0.520	2.831
IC	10	250	3.00	2	1	original	ϕ_o	0.964	0.055	0.509	2.826
IC	10	10	0.20	2	1	original	ϕ_o	0.512	0.969	0.740	3.453
IC	10	100	0.20	2	1	original	ϕ_o	0.294	0.991	0.642	3.041
IC	10	250	0.20	2	1	original	ϕ_o	0.169	0.996	0.583	2.764
IC	10	10	2.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	10	10	2.30	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	10	10	3.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	10	100	2.00	6	1	original	ϕ_o	0.727	0.054	0.390	2.082
IC	10	100	2.30	6	1	original	ϕ_o	0.729	0.050	0.390	1.428
IC	10	100	3.00	6	1	original	ϕ_o	0.731	0.052	0.391	1.432
IC	10	250	2.00	6	1	original	ϕ_o	0.710	0.153	0.432	2.061
IC	10	250	2.30	6	1	original	ϕ_o	0.719	0.084	0.402	2.068
IC	10	250	3.00	6	1	original	ϕ_o	0.726	0.051	0.389	2.078
IC	10	10	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	10	100	4.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.519
IC	10	250	4.00	3	1	original	ϕ_o	0.865	0.070	0.468	2.519
IC	10	10	1.25	6	1	original	ϕ_o	0.728	0.072	0.400	2.096
IC	10	10	1.50	6	1	original	ϕ_o	0.731	0.052	0.392	2.095
IC	10	10	1.70	6	1	original	ϕ_o	0.732	0.052	0.392	2.096
IC	10	100	1.25	6	1	original	ϕ_o	0.676	0.372	0.524	2.053
IC	10	100	1.50	6	1	original	ϕ_o	0.713	0.167	0.440	2.073
IC	10	100	1.70	6	1	original	ϕ_o	0.721	0.089	0.405	2.077
IC	10	250	1.25	6	1	original	ϕ_o	0.566	0.663	0.614	2.502
IC	10	250	1.50	6	1	original	ϕ_o	0.646	0.465	0.556	2.527
IC	10	250	1.70	6	1	original	ϕ_o	0.684	0.309	0.497	2.044
IC	10	500	2.00	2	1	original	ϕ_o	0.945	0.449	0.697	2.863
IC	10	500	2.30	2	1	original	ϕ_o	0.957	0.281	0.619	2.855
IC	10	500	3.00	2	1	original	ϕ_o	0.964	0.072	0.518	2.831
IC	10	750	2.00	2	1	original	ϕ_o	0.920	0.602	0.761	2.863
IC	10	750	2.30	2	1	original	ϕ_o	0.943	0.467	0.705	2.863
IC	10	750	3.00	2	1	original	ϕ_o	0.961	0.167	0.564	2.844
IC	10	1000	2.00	2	1	original	ϕ_o	0.884	0.698	0.791	3.668
IC	10	1000	2.30	2	1	original	ϕ_o	0.924	0.586	0.755	2.863
IC	10	1000	3.00	2	1	original	ϕ_o	0.955	0.303	0.629	2.855
IC	10	500	1.25	3	1	original	ϕ_o	0.596	0.820	0.708	3.538
IC	10	500	1.50	3	1	original	ϕ_o	0.729	0.677	0.703	3.526
IC	10	500	1.70	3	1	original	ϕ_o	0.788	0.521	0.654	3.092
IC	10	750	1.25	3	1	original	ϕ_o	0.449	0.898	0.674	3.551

IC	10	750	1.50	3	1	original	ϕ_o	0.619	0.804	0.711	3.542
IC	10	750	1.70	3	1	original	ϕ_o	0.711	0.706	0.709	3.522
IC	10	1000	1.25	3	1	original	ϕ_o	0.333	0.936	0.635	3.552
IC	10	1000	1.50	3	1	original	ϕ_o	0.500	0.877	0.688	3.555
IC	10	1000	1.70	3	1	original	ϕ_o	0.617	0.803	0.710	3.539
IC	10	500	0.50	5	1	original	ϕ_o	0.094	0.988	0.541	2.507
IC	10	500	0.70	5	1	original	ϕ_o	0.141	0.976	0.558	2.784
IC	10	500	1.00	5	1	original	ϕ_o	0.251	0.922	0.586	2.825
IC	10	750	0.50	5	1	original	ϕ_o	0.067	0.994	0.531	2.403
IC	10	750	0.70	5	1	original	ϕ_o	0.102	0.986	0.544	2.743
IC	10	750	1.00	5	1	original	ϕ_o	0.173	0.959	0.566	2.858
IC	10	1000	0.50	5	1	original	ϕ_o	0.049	0.997	0.523	2.308
IC	10	1000	0.70	5	1	original	ϕ_o	0.077	0.992	0.534	2.694
IC	10	1000	1.00	5	1	original	ϕ_o	0.125	0.977	0.551	2.866
IC	10	500	0.20	7	1	original	ϕ_o	0.032	1.000	0.516	1.185
IC	10	750	0.20	7	1	original	ϕ_o	0.025	1.000	0.513	1.073
IC	10	1000	0.20	7	1	original	ϕ_o	0.020	1.000	0.510	1.004
IC	10	500	0.50	6	1	original	ϕ_o	0.154	0.984	0.569	2.425
IC	10	500	0.70	6	1	original	ϕ_o	0.220	0.965	0.592	2.681
IC	10	500	1.00	6	1	original	ϕ_o	0.316	0.922	0.619	2.796
IC	10	750	0.50	6	1	original	ϕ_o	0.115	0.992	0.553	2.321
IC	10	750	0.70	6	1	original	ϕ_o	0.168	0.978	0.573	2.624
IC	10	750	1.00	6	1	original	ϕ_o	0.244	0.953	0.598	2.774
IC	10	1000	0.50	6	1	original	ϕ_o	0.089	0.996	0.543	2.244
IC	10	1000	0.70	6	1	original	ϕ_o	0.135	0.987	0.561	2.574
IC	10	1000	1.00	6	1	original	ϕ_o	0.197	0.969	0.583	2.754
IC	10	10	2.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.287
IC	10	10	2.30	4	1	original	ϕ_o	0.788	0.097	0.443	2.872
IC	10	10	3.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.872
IC	10	100	2.00	4	1	original	ϕ_o	0.781	0.106	0.444	2.841
IC	10	100	2.30	4	1	original	ϕ_o	0.785	0.093	0.439	2.269
IC	10	100	3.00	4	1	original	ϕ_o	0.787	0.095	0.441	2.279
IC	10	250	2.00	4	1	original	ϕ_o	0.760	0.290	0.525	2.266
IC	10	250	2.30	4	1	original	ϕ_o	0.775	0.165	0.470	2.846
IC	10	250	3.00	4	1	original	ϕ_o	0.784	0.095	0.440	2.266
IC	10	500	0.20	5	1	original	ϕ_o	0.019	0.999	0.509	1.393
IC	10	750	0.20	5	1	original	ϕ_o	0.010	1.000	0.505	1.310
IC	10	1000	0.20	5	1	original	ϕ_o	0.006	1.000	0.503	1.252
IC	10	500	2.00	6	1	original	ϕ_o	0.650	0.442	0.546	2.511
IC	10	500	2.30	6	1	original	ϕ_o	0.687	0.284	0.486	2.042
IC	10	500	3.00	6	1	original	ϕ_o	0.717	0.107	0.412	2.065
IC	10	750	2.00	6	1	original	ϕ_o	0.564	0.667	0.615	2.491
IC	10	750	2.30	6	1	original	ϕ_o	0.626	0.514	0.570	2.024
IC	10	750	3.00	6	1	original	ϕ_o	0.696	0.234	0.465	2.045
IC	10	1000	2.00	6	1	original	ϕ_o	0.472	0.795	0.633	2.804
IC	10	1000	2.30	6	1	original	ϕ_o	0.550	0.690	0.620	2.487
IC	10	1000	3.00	6	1	original	ϕ_o	0.658	0.403	0.531	2.027
IC	10	10	0.20	3	1	original	ϕ_o	0.221	0.977	0.599	2.663
IC	10	100	0.20	3	1	original	ϕ_o	0.084	0.992	0.538	2.237
IC	10	250	0.20	3	1	original	ϕ_o	0.045	0.996	0.521	2.006
IC	10	500	4.00	3	1	original	ϕ_o	0.865	0.069	0.467	2.518
IC	10	750	4.00	3	1	original	ϕ_o	0.864	0.074	0.469	2.516
IC	10	1000	4.00	3	1	original	ϕ_o	0.864	0.087	0.475	2.516
IC	10	10	0.20	7	1	original	ϕ_o	0.134	0.978	0.556	1.761
IC	10	100	0.20	7	1	original	ϕ_o	0.059	0.998	0.529	1.691
IC	10	250	0.20	7	1	original	ϕ_o	0.042	1.000	0.521	1.399
IC	10	10	0.50	6	1	original	ϕ_o	0.457	0.801	0.629	2.720
IC	10	10	0.70	6	1	original	ϕ_o	0.608	0.572	0.590	2.502
IC	10	10	1.00	6	1	original	ϕ_o	0.713	0.224	0.468	2.089
IC	10	100	0.50	6	1	original	ϕ_o	0.305	0.940	0.622	2.652
IC	10	100	0.70	6	1	original	ϕ_o	0.415	0.852	0.634	2.778
IC	10	100	1.00	6	1	original	ϕ_o	0.592	0.617	0.605	2.510
IC	10	250	0.50	6	1	original	ϕ_o	0.224	0.969	0.596	2.547
IC	10	250	0.70	6	1	original	ϕ_o	0.308	0.932	0.620	2.731

IC	10	250	1.00	6	1	original	ϕ_o	0.448	0.823	0.636	2.822
IC	10	10	2.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	10	10	2.30	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	10	10	3.00	3	1	original	ϕ_o	0.865	0.071	0.468	2.520
IC	10	100	2.00	3	1	original	ϕ_o	0.865	0.075	0.470	2.517
IC	10	100	2.30	3	1	original	ϕ_o	0.865	0.069	0.467	2.519
IC	10	100	3.00	3	1	original	ϕ_o	0.865	0.070	0.468	2.519
IC	10	250	2.00	3	1	original	ϕ_o	0.860	0.119	0.489	2.510
IC	10	250	2.30	3	1	original	ϕ_o	0.863	0.083	0.473	1.705
IC	10	250	3.00	3	1	original	ϕ_o	0.865	0.069	0.467	2.517
IC	10	10	0.50	7	1	original	ϕ_o	0.413	0.755	0.584	2.537
IC	10	10	0.70	7	1	original	ϕ_o	0.578	0.495	0.536	2.645
IC	10	10	1.00	7	1	original	ϕ_o	0.667	0.256	0.461	2.778
IC	10	100	0.50	7	1	original	ϕ_o	0.113	0.983	0.548	2.403
IC	10	100	0.70	7	1	original	ϕ_o	0.211	0.943	0.577	2.511
IC	10	100	1.00	7	1	original	ϕ_o	0.429	0.780	0.604	2.631
IC	10	250	0.50	7	1	original	ϕ_o	0.073	0.996	0.534	2.254
IC	10	250	0.70	7	1	original	ϕ_o	0.091	0.991	0.541	2.412
IC	10	250	1.00	7	1	original	ϕ_o	0.181	0.961	0.571	2.540
IC	10	500	2.00	7	1	original	ϕ_o	0.376	0.865	0.620	2.655
IC	10	500	2.30	7	1	original	ϕ_o	0.466	0.772	0.619	2.691
IC	10	500	3.00	7	1	original	ϕ_o	0.593	0.504	0.549	2.719
IC	10	750	2.00	7	1	original	ϕ_o	0.206	0.965	0.585	2.618
IC	10	750	2.30	7	1	original	ϕ_o	0.294	0.925	0.609	2.648
IC	10	750	3.00	7	1	original	ϕ_o	0.469	0.774	0.621	2.694
IC	10	1000	2.00	7	1	original	ϕ_o	0.120	0.989	0.555	2.586
IC	10	1000	2.30	7	1	original	ϕ_o	0.171	0.977	0.574	2.617
IC	10	1000	3.00	7	1	original	ϕ_o	0.333	0.903	0.618	2.660
IC	10	500	0.20	6	1	original	ϕ_o	0.043	1.000	0.521	1.558
IC	10	750	0.20	6	1	original	ϕ_o	0.028	1.000	0.514	1.497
IC	10	1000	0.20	6	1	original	ϕ_o	0.018	1.000	0.509	1.455
IC	10	10	1.25	4	1	original	ϕ_o	0.785	0.126	0.456	2.865
IC	10	10	1.50	4	1	original	ϕ_o	0.788	0.096	0.442	2.862
IC	10	10	1.70	4	1	original	ϕ_o	0.788	0.096	0.442	2.868
IC	10	100	1.25	4	1	original	ϕ_o	0.714	0.530	0.622	3.363
IC	10	100	1.50	4	1	original	ϕ_o	0.759	0.304	0.532	2.858
IC	10	100	1.70	4	1	original	ϕ_o	0.774	0.180	0.477	2.845
IC	10	250	1.25	4	1	original	ϕ_o	0.600	0.791	0.696	3.330
IC	10	250	1.50	4	1	original	ϕ_o	0.680	0.634	0.657	3.369
IC	10	250	1.70	4	1	original	ϕ_o	0.724	0.488	0.606	3.357
IC	10	500	4.00	4	1	original	ϕ_o	0.785	0.097	0.441	3.280
IC	10	750	4.00	4	1	original	ϕ_o	0.779	0.153	0.466	2.856
IC	10	1000	4.00	4	1	original	ϕ_o	0.762	0.296	0.529	3.340
IC	10	10	0.20	6	1	original	ϕ_o	0.201	0.986	0.593	2.025
IC	10	100	0.20	6	1	original	ϕ_o	0.117	0.996	0.556	1.801
IC	10	250	0.20	6	1	original	ϕ_o	0.077	0.999	0.538	1.666
IC	10	500	0.50	4	1	original	ϕ_o	0.155	0.996	0.576	2.565
IC	10	500	0.70	4	1	original	ϕ_o	0.192	0.991	0.592	2.932
IC	10	500	1.00	4	1	original	ϕ_o	0.274	0.977	0.625	3.197
IC	10	750	0.50	4	1	original	ϕ_o	0.125	0.999	0.562	2.398
IC	10	750	0.70	4	1	original	ϕ_o	0.158	0.996	0.577	2.779
IC	10	750	1.00	4	1	original	ϕ_o	0.198	0.991	0.594	3.125
IC	10	1000	0.50	4	1	original	ϕ_o	0.101	1.000	0.550	2.276
IC	10	1000	0.70	4	1	original	ϕ_o	0.133	0.998	0.566	2.651
IC	10	1000	1.00	4	1	original	ϕ_o	0.168	0.995	0.581	3.036
IC	10	10	0.50	2	1	original	ϕ_o	0.819	0.775	0.797	3.598
IC	10	10	0.70	2	1	original	ϕ_o	0.897	0.582	0.740	2.838
IC	10	10	1.00	2	1	original	ϕ_o	0.953	0.263	0.608	2.838
IC	10	100	0.50	2	1	original	ϕ_o	0.684	0.910	0.797	4.255
IC	10	100	0.70	2	1	original	ϕ_o	0.784	0.823	0.804	4.277
IC	10	100	1.00	2	1	original	ϕ_o	0.898	0.621	0.760	3.617
IC	10	250	0.50	2	1	original	ϕ_o	0.554	0.952	0.753	4.163
IC	10	250	0.70	2	1	original	ϕ_o	0.675	0.904	0.790	4.301
IC	10	250	1.00	2	1	original	ϕ_o	0.805	0.795	0.800	4.266

IC	10	500	0.20	4	1	original	ϕ_o	0.064	1.000	0.532	1.465
IC	10	750	0.20	4	1	original	ϕ_o	0.046	1.000	0.523	1.355
IC	10	1000	0.20	4	1	original	ϕ_o	0.035	1.000	0.518	1.279
IC	10	500	0.50	7	1	original	ϕ_o	0.054	0.999	0.527	2.059
IC	10	500	0.70	7	1	original	ϕ_o	0.064	0.998	0.531	2.292
IC	10	500	1.00	7	1	original	ϕ_o	0.081	0.994	0.538	2.476
IC	10	750	0.50	7	1	original	ϕ_o	0.045	1.000	0.522	1.908
IC	10	750	0.70	7	1	original	ϕ_o	0.052	0.999	0.526	2.174
IC	10	750	1.00	7	1	original	ϕ_o	0.063	0.997	0.530	2.391
IC	10	1000	0.50	7	1	original	ϕ_o	0.039	1.000	0.519	1.794
IC	10	1000	0.70	7	1	original	ϕ_o	0.045	1.000	0.523	2.082
IC	10	1000	1.00	7	1	original	ϕ_o	0.053	0.999	0.526	2.309
IC	10	500	4.00	6	1	original	ϕ_o	0.725	0.056	0.391	2.077
IC	10	750	4.00	6	1	original	ϕ_o	0.721	0.088	0.404	2.067
IC	10	1000	4.00	6	1	original	ϕ_o	0.708	0.160	0.434	2.051
IC	10	500	2.00	4	1	original	ϕ_o	0.681	0.630	0.656	3.370
IC	10	500	2.30	4	1	original	ϕ_o	0.728	0.470	0.599	2.866
IC	10	500	3.00	4	1	original	ϕ_o	0.774	0.190	0.482	2.854
IC	10	750	2.00	4	1	original	ϕ_o	0.593	0.811	0.702	3.351
IC	10	750	2.30	4	1	original	ϕ_o	0.657	0.695	0.676	3.373
IC	10	750	3.00	4	1	original	ϕ_o	0.742	0.410	0.576	3.364
IC	10	1000	2.00	4	1	original	ϕ_o	0.496	0.905	0.700	3.332
IC	10	1000	2.30	4	1	original	ϕ_o	0.579	0.828	0.704	3.351
IC	10	1000	3.00	4	1	original	ϕ_o	0.692	0.599	0.645	3.375
IC	10	10	4.00	4	1	original	ϕ_o	0.788	0.097	0.443	2.873
IC	10	100	4.00	4	1	original	ϕ_o	0.788	0.097	0.442	2.868
IC	10	250	4.00	4	1	original	ϕ_o	0.787	0.094	0.441	2.277
IC	10	500	1.25	2	1	original	ϕ_o	0.797	0.806	0.801	4.259
IC	10	500	1.50	2	1	original	ϕ_o	0.879	0.701	0.790	4.224
IC	10	500	1.70	2	1	original	ϕ_o	0.917	0.608	0.762	3.666
IC	10	750	1.25	2	1	original	ϕ_o	0.710	0.866	0.788	4.281
IC	10	750	1.50	2	1	original	ϕ_o	0.810	0.796	0.803	4.251
IC	10	750	1.70	2	1	original	ϕ_o	0.869	0.724	0.797	3.667
IC	10	1000	1.25	2	1	original	ϕ_o	0.643	0.898	0.770	4.281
IC	10	1000	1.50	2	1	original	ϕ_o	0.737	0.847	0.792	4.257
IC	10	1000	1.70	2	1	original	ϕ_o	0.811	0.796	0.804	4.239
IC	10	10	1.25	3	1	original	ϕ_o	0.865	0.091	0.478	2.520
IC	10	10	1.50	3	1	original	ϕ_o	0.866	0.072	0.469	2.520
IC	10	10	1.70	3	1	original	ϕ_o	0.865	0.071	0.468	2.519
IC	10	100	1.25	3	1	original	ϕ_o	0.831	0.327	0.579	3.077
IC	10	100	1.50	3	1	original	ϕ_o	0.857	0.153	0.505	2.512
IC	10	100	1.70	3	1	original	ϕ_o	0.863	0.099	0.481	2.515
IC	10	250	1.25	3	1	original	ϕ_o	0.749	0.636	0.693	3.096
IC	10	250	1.50	3	1	original	ϕ_o	0.819	0.382	0.600	2.490
IC	10	250	1.70	3	1	original	ϕ_o	0.847	0.227	0.537	2.499
IC	10	10	1.25	7	1	original	ϕ_o	0.679	0.162	0.421	2.758
IC	10	10	1.50	7	1	original	ϕ_o	0.683	0.131	0.407	2.410
IC	10	10	1.70	7	1	original	ϕ_o	0.684	0.121	0.403	2.410
IC	10	100	1.25	7	1	original	ϕ_o	0.556	0.606	0.581	2.705
IC	10	100	1.50	7	1	original	ϕ_o	0.626	0.422	0.524	2.756
IC	10	100	1.70	7	1	original	ϕ_o	0.653	0.303	0.478	2.397
IC	10	250	1.25	7	1	original	ϕ_o	0.316	0.895	0.605	2.596
IC	10	250	1.50	7	1	original	ϕ_o	0.430	0.793	0.612	2.643
IC	10	250	1.70	7	1	original	ϕ_o	0.508	0.696	0.602	2.685
IC	10	10	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	10	100	4.00	2	1	original	ϕ_o	0.963	0.057	0.510	2.825
IC	10	250	4.00	2	1	original	ϕ_o	0.964	0.056	0.510	2.825
IC	10	500	0.50	3	1	original	ϕ_o	0.163	0.985	0.574	3.124
IC	10	500	0.70	3	1	original	ϕ_o	0.245	0.966	0.606	3.423
IC	10	500	1.00	3	1	original	ϕ_o	0.397	0.916	0.656	3.537
IC	10	750	0.50	3	1	original	ϕ_o	0.120	0.992	0.556	2.994
IC	10	750	0.70	3	1	original	ϕ_o	0.193	0.980	0.587	3.345
IC	10	750	1.00	3	1	original	ϕ_o	0.287	0.949	0.618	3.524
IC	10	1000	0.50	3	1	original	ϕ_o	0.090	0.996	0.543	2.890

IC	10	1000	0.70	3	1	original	ϕ_o	0.156	0.988	0.572	3.270
IC	10	1000	1.00	3	1	original	ϕ_o	0.236	0.968	0.602	3.493
IC	10	500	1.25	6	1	original	ϕ_o	0.414	0.854	0.634	2.824
IC	10	500	1.50	6	1	original	ϕ_o	0.514	0.748	0.631	2.833
IC	10	500	1.70	6	1	original	ϕ_o	0.581	0.631	0.606	2.498
IC	10	750	1.25	6	1	original	ϕ_o	0.312	0.918	0.615	2.812
IC	10	750	1.50	6	1	original	ϕ_o	0.402	0.861	0.632	2.820
IC	10	750	1.70	6	1	original	ϕ_o	0.473	0.798	0.635	2.814
IC	10	1000	1.25	6	1	original	ϕ_o	0.251	0.948	0.599	2.803
IC	10	1000	1.50	6	1	original	ϕ_o	0.313	0.913	0.613	2.813
IC	10	1000	1.70	6	1	original	ϕ_o	0.377	0.874	0.625	2.812
IC	10	500	1.25	5	1	original	ϕ_o	0.384	0.834	0.609	2.837
IC	10	500	1.50	5	1	original	ϕ_o	0.518	0.696	0.607	2.931
IC	10	500	1.70	5	1	original	ϕ_o	0.610	0.557	0.583	3.019
IC	10	750	1.25	5	1	original	ϕ_o	0.268	0.914	0.591	2.852
IC	10	750	1.50	5	1	original	ϕ_o	0.389	0.835	0.612	2.862
IC	10	750	1.70	5	1	original	ϕ_o	0.484	0.741	0.612	2.911
IC	10	1000	1.25	5	1	original	ϕ_o	0.191	0.950	0.570	2.879
IC	10	1000	1.50	5	1	original	ϕ_o	0.287	0.906	0.596	2.864
IC	10	1000	1.70	5	1	original	ϕ_o	0.376	0.849	0.613	2.871
IC	10	10	0.50	3	1	original	ϕ_o	0.563	0.820	0.691	3.408
IC	10	10	0.70	3	1	original	ϕ_o	0.766	0.573	0.669	3.063
IC	10	10	1.00	3	1	original	ϕ_o	0.855	0.182	0.519	2.511
IC	10	100	0.50	3	1	original	ϕ_o	0.323	0.942	0.632	3.405
IC	10	100	0.70	3	1	original	ϕ_o	0.499	0.870	0.685	3.492
IC	10	100	1.00	3	1	original	ϕ_o	0.751	0.633	0.692	3.518
IC	10	250	0.50	3	1	original	ϕ_o	0.237	0.970	0.603	3.292
IC	10	250	0.70	3	1	original	ϕ_o	0.335	0.934	0.635	3.478
IC	10	250	1.00	3	1	original	ϕ_o	0.594	0.817	0.706	3.518
IC	10	10	2.00	7	1	original	ϕ_o	0.685	0.114	0.399	2.405
IC	10	10	2.30	7	1	original	ϕ_o	0.685	0.113	0.399	2.745
IC	10	10	3.00	7	1	original	ϕ_o	0.685	0.113	0.399	1.943
IC	10	100	2.00	7	1	original	ϕ_o	0.670	0.207	0.439	2.390
IC	10	100	2.30	7	1	original	ϕ_o	0.677	0.165	0.421	2.740
IC	10	100	3.00	7	1	original	ϕ_o	0.683	0.127	0.405	2.394
IC	10	250	2.00	7	1	original	ϕ_o	0.589	0.533	0.561	2.725
IC	10	250	2.30	7	1	original	ϕ_o	0.631	0.378	0.504	2.736
IC	10	250	3.00	7	1	original	ϕ_o	0.666	0.201	0.433	2.362
IC	10	10	1.25	5	1	original	ϕ_o	0.747	0.127	0.437	2.771
IC	10	10	1.50	5	1	original	ϕ_o	0.748	0.108	0.428	2.065
IC	10	10	1.70	5	1	original	ϕ_o	0.748	0.104	0.426	2.765
IC	10	100	1.25	5	1	original	ϕ_o	0.690	0.365	0.527	3.109
IC	10	100	1.50	5	1	original	ϕ_o	0.734	0.214	0.474	3.197
IC	10	100	1.70	5	1	original	ϕ_o	0.744	0.152	0.448	2.761
IC	10	250	1.25	5	1	original	ϕ_o	0.553	0.639	0.596	2.942
IC	10	250	1.50	5	1	original	ϕ_o	0.666	0.429	0.547	3.095
IC	10	250	1.70	5	1	original	ϕ_o	0.709	0.311	0.510	2.718
IC	10	10	2.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	10	10	2.30	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	10	10	3.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	10	100	2.00	5	1	original	ϕ_o	0.747	0.116	0.431	2.763
IC	10	100	2.30	5	1	original	ϕ_o	0.747	0.107	0.427	2.762
IC	10	100	3.00	5	1	original	ϕ_o	0.747	0.103	0.425	2.765
IC	10	250	2.00	5	1	original	ϕ_o	0.736	0.195	0.465	2.759
IC	10	250	2.30	5	1	original	ϕ_o	0.743	0.141	0.442	2.758
IC	10	250	3.00	5	1	original	ϕ_o	0.746	0.108	0.427	2.173
IC	10	500	4.00	5	1	original	ϕ_o	0.747	0.107	0.427	2.767
IC	10	750	4.00	5	1	original	ϕ_o	0.747	0.119	0.433	2.780
IC	10	1000	4.00	5	1	original	ϕ_o	0.745	0.151	0.448	2.785
IC	10	10	4.00	7	1	original	ϕ_o	0.685	0.113	0.399	2.402
IC	10	100	4.00	7	1	original	ϕ_o	0.684	0.114	0.399	2.396
IC	10	250	4.00	7	1	original	ϕ_o	0.676	0.136	0.406	2.368
IC	10	500	2.00	3	1	original	ϕ_o	0.836	0.295	0.566	2.495
IC	10	500	2.30	3	1	original	ϕ_o	0.855	0.165	0.510	2.506

IC	10	500	3.00	3	1	original	ϕ_o	0.863	0.080	0.472	2.514
IC	10	750	2.00	3	1	original	ϕ_o	0.790	0.513	0.651	3.086
IC	10	750	2.30	3	1	original	ϕ_o	0.832	0.322	0.577	2.494
IC	10	750	3.00	3	1	original	ϕ_o	0.860	0.118	0.489	1.705
IC	10	1000	2.00	3	1	original	ϕ_o	0.733	0.668	0.700	3.508
IC	10	1000	2.30	3	1	original	ϕ_o	0.794	0.496	0.645	3.081
IC	10	1000	3.00	3	1	original	ϕ_o	0.852	0.190	0.521	2.506
IC	10	500	1.25	4	1	original	ϕ_o	0.426	0.936	0.681	3.282
IC	10	500	1.50	4	1	original	ϕ_o	0.546	0.865	0.705	3.326
IC	10	500	1.70	4	1	original	ϕ_o	0.613	0.779	0.696	3.351
IC	10	750	1.25	4	1	original	ϕ_o	0.279	0.979	0.629	3.246
IC	10	750	1.50	4	1	original	ϕ_o	0.410	0.946	0.678	3.298
IC	10	750	1.70	4	1	original	ϕ_o	0.497	0.904	0.701	3.323
IC	10	1000	1.25	4	1	original	ϕ_o	0.198	0.990	0.594	3.202
IC	10	1000	1.50	4	1	original	ϕ_o	0.286	0.978	0.632	3.272
IC	10	1000	1.70	4	1	original	ϕ_o	0.379	0.956	0.668	3.304
IC	10	10	0.20	5	1	original	ϕ_o	0.144	0.982	0.563	1.982
IC	10	100	0.20	5	1	original	ϕ_o	0.069	0.995	0.532	1.686
IC	10	250	0.20	5	1	original	ϕ_o	0.041	0.998	0.519	1.525
IC	10	10	0.50	4	1	original	ϕ_o	0.467	0.872	0.669	3.134
IC	10	10	0.70	4	1	original	ϕ_o	0.655	0.670	0.663	3.335
IC	10	10	1.00	4	1	original	ϕ_o	0.765	0.316	0.541	2.886
IC	10	100	0.50	4	1	original	ϕ_o	0.254	0.975	0.615	2.988
IC	10	100	0.70	4	1	original	ϕ_o	0.419	0.920	0.670	3.174
IC	10	100	1.00	4	1	original	ϕ_o	0.627	0.740	0.684	3.327
IC	10	250	0.50	4	1	original	ϕ_o	0.201	0.989	0.595	2.804
IC	10	250	0.70	4	1	original	ϕ_o	0.254	0.976	0.615	3.089
IC	10	250	1.00	4	1	original	ϕ_o	0.470	0.909	0.689	3.265
IC	10	10	4.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.097
IC	10	100	4.00	6	1	original	ϕ_o	0.732	0.052	0.392	2.096
IC	10	250	4.00	6	1	original	ϕ_o	0.729	0.052	0.391	2.090
IC	10	500	0.20	2	1	original	ϕ_o	0.084	0.999	0.542	2.504
IC	10	750	0.20	2	1	original	ϕ_o	0.047	1.000	0.523	2.340
IC	10	1000	0.20	2	1	original	ϕ_o	0.027	1.000	0.513	2.226
IC	10	500	4.00	2	1	original	ϕ_o	0.964	0.055	0.509	2.826
IC	10	750	4.00	2	1	original	ϕ_o	0.964	0.058	0.511	2.826
IC	10	1000	4.00	2	1	original	ϕ_o	0.963	0.078	0.520	2.829
IC	10	500	0.50	2	1	original	ϕ_o	0.423	0.973	0.698	4.020
IC	10	500	0.70	2	1	original	ϕ_o	0.563	0.943	0.753	4.261
IC	10	500	1.00	2	1	original	ϕ_o	0.694	0.882	0.788	4.295
IC	10	750	0.50	2	1	original	ϕ_o	0.337	0.983	0.660	3.900
IC	10	750	0.70	2	1	original	ϕ_o	0.476	0.959	0.718	4.210
IC	10	750	1.00	2	1	original	ϕ_o	0.614	0.917	0.766	4.290
IC	10	1000	0.50	2	1	original	ϕ_o	0.277	0.988	0.633	3.801
IC	10	1000	0.70	2	1	original	ϕ_o	0.408	0.970	0.689	4.156
IC	10	1000	1.00	2	1	original	ϕ_o	0.551	0.937	0.744	4.276
IC	10	10	4.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.764
IC	10	100	4.00	5	1	original	ϕ_o	0.748	0.103	0.425	2.765
IC	10	250	4.00	5	1	original	ϕ_o	0.746	0.103	0.425	2.761

A.1.5 Input Training Features Cluster

Type	α	η	κ	k_{input}	k_{feat}	Neg fix	ϕ	$\gamma+$	$\gamma-$	γ	Σ
ITFC	3	10	1.25	4	5	original	ϕ_o	0.789	0.117	0.453	2.292
ITFC	3	10	1.50	4	5	original	ϕ_o	0.789	0.105	0.447	2.872
ITFC	3	10	1.70	4	5	original	ϕ_o	0.789	0.103	0.446	2.870
ITFC	3	100	1.25	4	5	original	ϕ_o	0.757	0.319	0.538	2.889
ITFC	3	100	1.50	4	5	original	ϕ_o	0.773	0.221	0.497	2.898
ITFC	3	100	1.70	4	5	original	ϕ_o	0.779	0.179	0.479	2.896
ITFC	3	250	1.25	4	5	original	ϕ_o	0.713	0.513	0.613	3.366
ITFC	3	250	1.50	4	5	original	ϕ_o	0.741	0.378	0.559	3.390

ITFC	3	250	1.70	4	5	original	ϕ_o	0.754	0.296	0.525	3.389
ITFC	3	500	1.25	7	5	original	ϕ_o	0.516	0.535	0.526	2.465
ITFC	3	500	1.50	7	5	original	ϕ_o	0.556	0.426	0.491	2.544
ITFC	3	500	1.70	7	5	original	ϕ_o	0.578	0.369	0.474	2.585
ITFC	3	750	1.25	7	5	original	ϕ_o	0.510	0.556	0.533	2.457
ITFC	3	750	1.50	7	5	original	ϕ_o	0.550	0.447	0.499	2.534
ITFC	3	750	1.70	7	5	original	ϕ_o	0.574	0.389	0.481	2.579
ITFC	3	1000	1.25	7	5	original	ϕ_o	0.509	0.560	0.534	2.454
ITFC	3	1000	1.50	7	5	original	ϕ_o	0.549	0.450	0.500	2.532
ITFC	3	1000	1.70	7	5	original	ϕ_o	0.573	0.392	0.482	2.574
ITFC	3	10	0.50	2	6	original	ϕ_o	0.893	0.748	0.821	3.622
ITFC	3	10	0.70	2	6	original	ϕ_o	0.944	0.495	0.720	2.848
ITFC	3	10	1.00	2	6	original	ϕ_o	0.963	0.155	0.559	2.842
ITFC	3	100	0.50	2	6	original	ϕ_o	0.772	0.891	0.831	4.120
ITFC	3	100	0.70	2	6	original	ϕ_o	0.875	0.785	0.830	3.610
ITFC	3	100	1.00	2	6	original	ϕ_o	0.937	0.544	0.741	2.842
ITFC	3	250	0.50	2	6	original	ϕ_o	0.662	0.925	0.793	3.795
ITFC	3	250	0.70	2	6	original	ϕ_o	0.800	0.869	0.835	4.222
ITFC	3	250	1.00	2	6	original	ϕ_o	0.895	0.733	0.814	3.651
ITFC	3	500	1.25	2	2	original	ϕ_o	0.944	0.483	0.713	2.855
ITFC	3	500	1.50	2	2	original	ϕ_o	0.956	0.321	0.639	2.860
ITFC	3	500	1.70	2	2	original	ϕ_o	0.960	0.216	0.588	2.857
ITFC	3	750	1.25	2	2	original	ϕ_o	0.927	0.574	0.751	3.675
ITFC	3	750	1.50	2	2	original	ϕ_o	0.947	0.435	0.691	2.854
ITFC	3	750	1.70	2	2	original	ϕ_o	0.954	0.324	0.639	2.856
ITFC	3	1000	1.25	2	2	original	ϕ_o	0.912	0.634	0.773	3.662
ITFC	3	1000	1.50	2	2	original	ϕ_o	0.936	0.504	0.720	3.673
ITFC	3	1000	1.70	2	2	original	ϕ_o	0.947	0.398	0.673	2.850
ITFC	3	500	0.50	3	4	original	ϕ_o	0.450	0.921	0.686	2.825
ITFC	3	500	0.70	3	4	original	ϕ_o	0.609	0.841	0.725	3.328
ITFC	3	500	1.00	3	4	original	ϕ_o	0.731	0.679	0.705	3.554
ITFC	3	750	0.50	3	4	original	ϕ_o	0.388	0.938	0.663	2.622
ITFC	3	750	0.70	3	4	original	ϕ_o	0.553	0.879	0.716	3.199
ITFC	3	750	1.00	3	4	original	ϕ_o	0.692	0.748	0.720	3.525
ITFC	3	1000	0.50	3	4	original	ϕ_o	0.354	0.944	0.649	2.513
ITFC	3	1000	0.70	3	4	original	ϕ_o	0.522	0.895	0.708	3.127
ITFC	3	1000	1.00	3	4	original	ϕ_o	0.669	0.782	0.726	3.500
ITFC	3	500	1.25	5	3	original	ϕ_o	0.657	0.399	0.528	2.560
ITFC	3	500	1.50	5	3	original	ϕ_o	0.688	0.298	0.493	3.063
ITFC	3	500	1.70	5	3	original	ϕ_o	0.703	0.250	0.476	2.658
ITFC	3	750	1.25	5	3	original	ϕ_o	0.623	0.484	0.553	2.932
ITFC	3	750	1.50	5	3	original	ϕ_o	0.667	0.364	0.516	3.032
ITFC	3	750	1.70	5	3	original	ϕ_o	0.687	0.302	0.494	3.077
ITFC	3	1000	1.25	5	3	original	ϕ_o	0.598	0.539	0.568	2.884
ITFC	3	1000	1.50	5	3	original	ϕ_o	0.647	0.415	0.531	3.000
ITFC	3	1000	1.70	5	3	original	ϕ_o	0.673	0.342	0.508	3.055
ITFC	3	500	2.00	6	7	original	ϕ_o	0.700	0.284	0.492	2.653
ITFC	3	500	2.30	6	7	original	ϕ_o	0.714	0.205	0.459	2.654
ITFC	3	500	3.00	6	7	original	ϕ_o	0.726	0.130	0.428	2.109
ITFC	3	750	2.00	6	7	original	ϕ_o	0.698	0.304	0.501	2.654
ITFC	3	750	2.30	6	7	original	ϕ_o	0.714	0.217	0.465	2.659
ITFC	3	750	3.00	6	7	original	ϕ_o	0.727	0.135	0.431	2.114
ITFC	3	1000	2.00	6	7	original	ϕ_o	0.698	0.306	0.502	2.088
ITFC	3	1000	2.30	6	7	original	ϕ_o	0.713	0.218	0.466	2.659
ITFC	3	1000	3.00	6	7	original	ϕ_o	0.727	0.135	0.431	2.114
ITFC	3	10	1.25	3	6	original	ϕ_o	0.865	0.091	0.478	2.525
ITFC	3	10	1.50	3	6	original	ϕ_o	0.866	0.079	0.472	2.524
ITFC	3	10	1.70	3	6	original	ϕ_o	0.866	0.077	0.471	2.522
ITFC	3	100	1.25	3	6	original	ϕ_o	0.844	0.283	0.564	2.516
ITFC	3	100	1.50	3	6	original	ϕ_o	0.855	0.183	0.519	2.524
ITFC	3	100	1.70	3	6	original	ϕ_o	0.859	0.142	0.501	2.524
ITFC	3	250	1.25	3	6	original	ϕ_o	0.809	0.465	0.637	3.153
ITFC	3	250	1.50	3	6	original	ϕ_o	0.833	0.336	0.584	3.140
ITFC	3	250	1.70	3	6	original	ϕ_o	0.844	0.257	0.550	2.511

ITFC	3	10	0.20	7	6	original	ϕ_o	0.259	0.943	0.601	1.519
ITFC	3	100	0.20	7	6	original	ϕ_o	0.109	0.965	0.537	0.881
ITFC	3	250	0.20	7	6	original	ϕ_o	0.066	0.967	0.516	0.677
ITFC	3	500	0.20	6	2	original	ϕ_o	0.122	0.986	0.554	1.187
ITFC	3	750	0.20	6	2	original	ϕ_o	0.099	0.989	0.544	1.093
ITFC	3	1000	0.20	6	2	original	ϕ_o	0.085	0.990	0.537	1.034
ITFC	3	500	0.50	5	4	original	ϕ_o	0.312	0.919	0.615	2.014
ITFC	3	500	0.70	5	4	original	ϕ_o	0.448	0.823	0.636	2.520
ITFC	3	500	1.00	5	4	original	ϕ_o	0.576	0.639	0.608	2.848
ITFC	3	750	0.50	5	4	original	ϕ_o	0.267	0.939	0.603	1.862
ITFC	3	750	0.70	5	4	original	ϕ_o	0.398	0.866	0.632	2.386
ITFC	3	750	1.00	5	4	original	ϕ_o	0.538	0.700	0.619	2.777
ITFC	3	1000	0.50	5	4	original	ϕ_o	0.241	0.947	0.594	1.780
ITFC	3	1000	0.70	5	4	original	ϕ_o	0.371	0.884	0.628	2.308
ITFC	3	1000	1.00	5	4	original	ϕ_o	0.514	0.729	0.622	2.729
ITFC	3	500	4.00	2	5	original	ϕ_o	0.961	0.099	0.530	2.831
ITFC	3	750	4.00	2	5	original	ϕ_o	0.963	0.114	0.539	2.842
ITFC	3	1000	4.00	2	5	original	ϕ_o	0.963	0.116	0.540	2.842
ITFC	3	500	0.50	7	2	original	ϕ_o	0.323	0.839	0.581	1.863
ITFC	3	500	0.70	7	2	original	ϕ_o	0.423	0.680	0.551	2.153
ITFC	3	500	1.00	7	2	original	ϕ_o	0.521	0.486	0.504	2.404
ITFC	3	750	0.50	7	2	original	ϕ_o	0.274	0.888	0.581	1.687
ITFC	3	750	0.70	7	2	original	ϕ_o	0.371	0.758	0.565	2.018
ITFC	3	750	1.00	7	2	original	ϕ_o	0.473	0.575	0.524	2.289
ITFC	3	1000	0.50	7	2	original	ϕ_o	0.254	0.909	0.582	1.626
ITFC	3	1000	0.70	7	2	original	ϕ_o	0.350	0.808	0.579	1.976
ITFC	3	1000	1.00	7	2	original	ϕ_o	0.452	0.625	0.538	2.253
ITFC	3	10	1.25	7	2	original	ϕ_o	0.680	0.125	0.402	2.745
ITFC	3	10	1.50	7	2	original	ϕ_o	0.683	0.119	0.401	1.943
ITFC	3	10	1.70	7	2	original	ϕ_o	0.684	0.117	0.401	2.403
ITFC	3	100	1.25	7	2	original	ϕ_o	0.648	0.199	0.423	2.326
ITFC	3	100	1.50	7	2	original	ϕ_o	0.657	0.174	0.415	2.685
ITFC	3	100	1.70	7	2	original	ϕ_o	0.662	0.161	0.411	1.889
ITFC	3	250	1.25	7	2	original	ϕ_o	0.614	0.272	0.443	2.607
ITFC	3	250	1.50	7	2	original	ϕ_o	0.628	0.226	0.427	2.267
ITFC	3	250	1.70	7	2	original	ϕ_o	0.636	0.206	0.421	2.636
ITFC	3	10	2.00	5	4	original	ϕ_o	0.748	0.106	0.427	2.180
ITFC	3	10	2.30	5	4	original	ϕ_o	0.748	0.104	0.426	2.764
ITFC	3	10	3.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	2.00	5	4	original	ϕ_o	0.741	0.141	0.441	2.752
ITFC	3	100	2.30	5	4	original	ϕ_o	0.743	0.134	0.439	2.757
ITFC	3	100	3.00	5	4	original	ϕ_o	0.746	0.124	0.435	2.758
ITFC	3	250	2.00	5	4	original	ϕ_o	0.730	0.184	0.457	2.727
ITFC	3	250	2.30	5	4	original	ϕ_o	0.735	0.171	0.453	2.738
ITFC	3	250	3.00	5	4	original	ϕ_o	0.740	0.158	0.449	2.048
ITFC	3	10	2.00	7	5	original	ϕ_o	0.683	0.117	0.400	2.392
ITFC	3	10	2.30	7	5	original	ϕ_o	0.683	0.115	0.399	2.394
ITFC	3	10	3.00	7	5	original	ϕ_o	0.684	0.113	0.399	2.399
ITFC	3	100	2.00	7	5	original	ϕ_o	0.653	0.208	0.431	2.347
ITFC	3	100	2.30	7	5	original	ϕ_o	0.659	0.188	0.424	2.699
ITFC	3	100	3.00	7	5	original	ϕ_o	0.667	0.163	0.415	2.354
ITFC	3	250	2.00	7	5	original	ϕ_o	0.617	0.277	0.447	2.645
ITFC	3	250	2.30	7	5	original	ϕ_o	0.627	0.248	0.437	2.651
ITFC	3	250	3.00	7	5	original	ϕ_o	0.641	0.208	0.424	2.299
ITFC	3	500	0.20	2	4	original	ϕ_o	0.142	0.984	0.563	1.671
ITFC	3	750	0.20	2	4	original	ϕ_o	0.100	0.986	0.543	1.502
ITFC	3	1000	0.20	2	4	original	ϕ_o	0.076	0.987	0.532	1.405
ITFC	3	500	1.25	6	2	original	ϕ_o	0.657	0.283	0.470	1.960
ITFC	3	500	1.50	6	2	original	ϕ_o	0.682	0.177	0.429	1.990
ITFC	3	500	1.70	6	2	original	ϕ_o	0.692	0.135	0.414	2.006
ITFC	3	750	1.25	6	2	original	ϕ_o	0.629	0.389	0.509	2.415
ITFC	3	750	1.50	6	2	original	ϕ_o	0.663	0.253	0.458	1.969
ITFC	3	750	1.70	6	2	original	ϕ_o	0.678	0.187	0.433	1.984
ITFC	3	1000	1.25	6	2	original	ϕ_o	0.601	0.480	0.541	2.386

ITFC	3	1000	1.50	6	2	original	ϕ_o	0.643	0.333	0.488	2.434
ITFC	3	1000	1.70	6	2	original	ϕ_o	0.664	0.246	0.455	2.453
ITFC	3	10	2.00	2	5	original	ϕ_o	0.963	0.058	0.511	1.909
ITFC	3	10	2.30	2	5	original	ϕ_o	0.963	0.057	0.510	1.909
ITFC	3	10	3.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	2.00	2	5	original	ϕ_o	0.962	0.079	0.520	2.827
ITFC	3	100	2.30	2	5	original	ϕ_o	0.962	0.074	0.518	2.825
ITFC	3	100	3.00	2	5	original	ϕ_o	0.963	0.066	0.514	2.824
ITFC	3	250	2.00	2	5	original	ϕ_o	0.960	0.129	0.544	2.840
ITFC	3	250	2.30	2	5	original	ϕ_o	0.961	0.102	0.531	2.835
ITFC	3	250	3.00	2	5	original	ϕ_o	0.961	0.086	0.524	2.829
ITFC	3	10	0.50	7	4	original	ϕ_o	0.589	0.482	0.536	2.294
ITFC	3	10	0.70	7	4	original	ϕ_o	0.651	0.294	0.473	2.393
ITFC	3	10	1.00	7	4	original	ϕ_o	0.677	0.171	0.424	2.755
ITFC	3	100	0.50	7	4	original	ϕ_o	0.425	0.809	0.617	2.272
ITFC	3	100	0.70	7	4	original	ϕ_o	0.523	0.596	0.559	2.521
ITFC	3	100	1.00	7	4	original	ϕ_o	0.601	0.375	0.488	2.639
ITFC	3	250	0.50	7	4	original	ϕ_o	0.328	0.897	0.612	1.942
ITFC	3	250	0.70	7	4	original	ϕ_o	0.431	0.771	0.601	2.289
ITFC	3	250	1.00	7	4	original	ϕ_o	0.526	0.536	0.531	2.491
ITFC	3	500	0.50	7	7	original	ϕ_o	0.238	0.938	0.588	1.600
ITFC	3	500	0.70	7	7	original	ϕ_o	0.346	0.876	0.611	2.037
ITFC	3	500	1.00	7	7	original	ϕ_o	0.458	0.712	0.585	2.364
ITFC	3	750	0.50	7	7	original	ϕ_o	0.233	0.938	0.586	1.586
ITFC	3	750	0.70	7	7	original	ϕ_o	0.342	0.877	0.610	2.026
ITFC	3	750	1.00	7	7	original	ϕ_o	0.455	0.718	0.586	2.357
ITFC	3	1000	0.50	7	7	original	ϕ_o	0.232	0.938	0.585	1.584
ITFC	3	1000	0.70	7	7	original	ϕ_o	0.342	0.877	0.610	2.025
ITFC	3	1000	1.00	7	7	original	ϕ_o	0.455	0.719	0.587	2.357
ITFC	3	500	4.00	3	5	original	ϕ_o	0.859	0.122	0.491	2.517
ITFC	3	750	4.00	3	5	original	ϕ_o	0.858	0.138	0.498	2.519
ITFC	3	1000	4.00	3	5	original	ϕ_o	0.858	0.146	0.502	2.522
ITFC	3	10	2.00	3	5	original	ϕ_o	0.866	0.074	0.470	2.521
ITFC	3	10	2.30	3	5	original	ϕ_o	0.866	0.073	0.469	2.520
ITFC	3	10	3.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	100	2.00	3	5	original	ϕ_o	0.863	0.102	0.482	2.522
ITFC	3	100	2.30	3	5	original	ϕ_o	0.864	0.093	0.479	2.522
ITFC	3	100	3.00	3	5	original	ϕ_o	0.865	0.084	0.474	2.521
ITFC	3	250	2.00	3	5	original	ϕ_o	0.855	0.157	0.506	2.517
ITFC	3	250	2.30	3	5	original	ϕ_o	0.858	0.131	0.495	2.520
ITFC	3	250	3.00	3	5	original	ϕ_o	0.862	0.108	0.485	2.519
ITFC	3	500	2.00	5	7	original	ϕ_o	0.704	0.315	0.510	3.169
ITFC	3	500	2.30	5	7	original	ϕ_o	0.715	0.264	0.489	3.178
ITFC	3	500	3.00	5	7	original	ϕ_o	0.728	0.208	0.468	3.182
ITFC	3	750	2.00	5	7	original	ϕ_o	0.701	0.324	0.513	3.159
ITFC	3	750	2.30	5	7	original	ϕ_o	0.713	0.270	0.491	3.174
ITFC	3	750	3.00	5	7	original	ϕ_o	0.727	0.211	0.469	3.178
ITFC	3	1000	2.00	5	7	original	ϕ_o	0.700	0.326	0.513	3.168
ITFC	3	1000	2.30	5	7	original	ϕ_o	0.713	0.271	0.492	3.182
ITFC	3	1000	3.00	5	7	original	ϕ_o	0.727	0.211	0.469	3.190
ITFC	3	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	3	100	4.00	3	2	original	ϕ_o	0.865	0.074	0.470	2.520
ITFC	3	250	4.00	3	2	original	ϕ_o	0.865	0.081	0.473	2.521
ITFC	3	10	2.00	4	3	original	ϕ_o	0.788	0.100	0.444	2.869
ITFC	3	10	2.30	4	3	original	ϕ_o	0.788	0.099	0.444	2.871
ITFC	3	10	3.00	4	3	original	ϕ_o	0.788	0.098	0.443	3.311
ITFC	3	100	2.00	4	3	original	ϕ_o	0.784	0.136	0.460	2.879
ITFC	3	100	2.30	4	3	original	ϕ_o	0.785	0.128	0.457	2.876
ITFC	3	100	3.00	4	3	original	ϕ_o	0.787	0.117	0.452	2.283
ITFC	3	250	2.00	4	3	original	ϕ_o	0.772	0.196	0.484	3.378
ITFC	3	250	2.30	4	3	original	ϕ_o	0.777	0.171	0.474	2.883
ITFC	3	250	3.00	4	3	original	ϕ_o	0.783	0.148	0.465	2.282
ITFC	3	500	2.00	5	3	original	ϕ_o	0.715	0.212	0.464	2.694
ITFC	3	500	2.30	5	3	original	ϕ_o	0.722	0.193	0.458	3.118

ITFC	3	500	3.00	5	3	original	ϕ_o	0.732	0.174	0.453	2.732
ITFC	3	750	2.00	5	3	original	ϕ_o	0.705	0.246	0.476	3.123
ITFC	3	750	2.30	5	3	original	ϕ_o	0.715	0.218	0.466	2.705
ITFC	3	750	3.00	5	3	original	ϕ_o	0.727	0.190	0.459	3.148
ITFC	3	1000	2.00	5	3	original	ϕ_o	0.697	0.272	0.485	3.115
ITFC	3	1000	2.30	5	3	original	ϕ_o	0.710	0.234	0.472	2.692
ITFC	3	1000	3.00	5	3	original	ϕ_o	0.725	0.199	0.462	3.165
ITFC	3	500	1.25	3	3	original	ϕ_o	0.806	0.464	0.635	3.571
ITFC	3	500	1.50	3	3	original	ϕ_o	0.830	0.335	0.583	3.133
ITFC	3	500	1.70	3	3	original	ϕ_o	0.841	0.261	0.551	2.504
ITFC	3	750	1.25	3	3	original	ϕ_o	0.779	0.558	0.669	3.109
ITFC	3	750	1.50	3	3	original	ϕ_o	0.811	0.427	0.619	3.132
ITFC	3	750	1.70	3	3	original	ϕ_o	0.827	0.341	0.584	3.132
ITFC	3	1000	1.25	3	3	original	ϕ_o	0.757	0.624	0.691	3.576
ITFC	3	1000	1.50	3	3	original	ϕ_o	0.794	0.500	0.647	3.573
ITFC	3	1000	1.70	3	3	original	ϕ_o	0.813	0.410	0.612	3.133
ITFC	3	500	0.20	3	4	original	ϕ_o	0.081	0.978	0.530	1.144
ITFC	3	750	0.20	3	4	original	ϕ_o	0.054	0.980	0.517	1.015
ITFC	3	1000	0.20	3	4	original	ϕ_o	0.043	0.981	0.512	0.951
ITFC	3	500	4.00	5	7	original	ϕ_o	0.735	0.187	0.461	2.767
ITFC	3	750	4.00	5	7	original	ϕ_o	0.734	0.189	0.462	3.167
ITFC	3	1000	4.00	5	7	original	ϕ_o	0.735	0.189	0.462	2.764
ITFC	3	10	0.50	2	2	original	ϕ_o	0.912	0.663	0.788	2.793
ITFC	3	10	0.70	2	2	original	ϕ_o	0.954	0.390	0.672	2.862
ITFC	3	10	1.00	2	2	original	ϕ_o	0.965	0.117	0.541	2.835
ITFC	3	100	0.50	2	2	original	ϕ_o	0.839	0.811	0.825	3.502
ITFC	3	100	0.70	2	2	original	ϕ_o	0.918	0.632	0.775	2.814
ITFC	3	100	1.00	2	2	original	ϕ_o	0.958	0.331	0.644	2.866
ITFC	3	250	0.50	2	2	original	ϕ_o	0.775	0.874	0.825	4.097
ITFC	3	250	0.70	2	2	original	ϕ_o	0.879	0.749	0.814	3.607
ITFC	3	250	1.00	2	2	original	ϕ_o	0.941	0.514	0.728	2.852
ITFC	3	10	0.20	5	6	original	ϕ_o	0.284	0.944	0.614	1.724
ITFC	3	100	0.20	5	6	original	ϕ_o	0.122	0.968	0.545	1.041
ITFC	3	250	0.20	5	6	original	ϕ_o	0.066	0.973	0.519	0.775
ITFC	3	10	1.25	4	3	original	ϕ_o	0.788	0.108	0.448	2.862
ITFC	3	10	1.50	4	3	original	ϕ_o	0.788	0.102	0.445	2.864
ITFC	3	10	1.70	4	3	original	ϕ_o	0.788	0.101	0.444	2.868
ITFC	3	100	1.25	4	3	original	ϕ_o	0.765	0.259	0.512	2.885
ITFC	3	100	1.50	4	3	original	ϕ_o	0.776	0.181	0.478	3.367
ITFC	3	100	1.70	4	3	original	ϕ_o	0.781	0.154	0.467	2.882
ITFC	3	250	1.25	4	3	original	ϕ_o	0.729	0.452	0.591	3.400
ITFC	3	250	1.50	4	3	original	ϕ_o	0.753	0.318	0.535	3.403
ITFC	3	250	1.70	4	3	original	ϕ_o	0.763	0.250	0.507	2.880
ITFC	3	500	0.20	2	5	original	ϕ_o	0.103	0.986	0.544	1.517
ITFC	3	750	0.20	2	5	original	ϕ_o	0.068	0.988	0.528	1.372
ITFC	3	1000	0.20	2	5	original	ϕ_o	0.056	0.989	0.522	1.316
ITFC	3	500	2.00	7	5	original	ϕ_o	0.602	0.315	0.458	2.624
ITFC	3	500	2.30	7	5	original	ϕ_o	0.616	0.282	0.449	2.649
ITFC	3	500	3.00	7	5	original	ϕ_o	0.634	0.242	0.438	2.671
ITFC	3	750	2.00	7	5	original	ϕ_o	0.600	0.330	0.465	2.629
ITFC	3	750	2.30	7	5	original	ϕ_o	0.616	0.294	0.455	2.658
ITFC	3	750	3.00	7	5	original	ϕ_o	0.637	0.251	0.444	2.699
ITFC	3	1000	2.00	7	5	original	ϕ_o	0.599	0.333	0.466	2.626
ITFC	3	1000	2.30	7	5	original	ϕ_o	0.616	0.297	0.456	2.657
ITFC	3	1000	3.00	7	5	original	ϕ_o	0.637	0.252	0.445	2.698
ITFC	3	500	0.50	3	2	original	ϕ_o	0.531	0.888	0.709	3.049
ITFC	3	500	0.70	3	2	original	ϕ_o	0.676	0.779	0.727	3.470
ITFC	3	500	1.00	3	2	original	ϕ_o	0.783	0.577	0.680	3.137
ITFC	3	750	0.50	3	2	original	ϕ_o	0.472	0.911	0.692	2.857
ITFC	3	750	0.70	3	2	original	ϕ_o	0.624	0.825	0.725	3.353
ITFC	3	750	1.00	3	2	original	ϕ_o	0.749	0.660	0.704	3.588
ITFC	3	1000	0.50	3	2	original	ϕ_o	0.425	0.925	0.675	2.706
ITFC	3	1000	0.70	3	2	original	ϕ_o	0.579	0.856	0.718	3.250
ITFC	3	1000	1.00	3	2	original	ϕ_o	0.717	0.714	0.715	3.549

ITFC	3	500	2.00	3	7	original	ϕ_o	0.836	0.302	0.569	3.154
ITFC	3	500	2.30	3	7	original	ϕ_o	0.846	0.226	0.536	3.139
ITFC	3	500	3.00	3	7	original	ϕ_o	0.855	0.156	0.505	2.520
ITFC	3	750	2.00	3	7	original	ϕ_o	0.830	0.350	0.590	3.608
ITFC	3	750	2.30	3	7	original	ϕ_o	0.841	0.266	0.553	3.152
ITFC	3	750	3.00	3	7	original	ϕ_o	0.853	0.171	0.512	2.517
ITFC	3	1000	2.00	3	7	original	ϕ_o	0.829	0.351	0.590	3.593
ITFC	3	1000	2.30	3	7	original	ϕ_o	0.841	0.268	0.554	3.144
ITFC	3	1000	3.00	3	7	original	ϕ_o	0.853	0.173	0.513	3.116
ITFC	3	10	0.50	7	7	original	ϕ_o	0.562	0.571	0.567	2.245
ITFC	3	10	0.70	7	7	original	ϕ_o	0.630	0.315	0.473	2.354
ITFC	3	10	1.00	7	7	original	ϕ_o	0.667	0.179	0.423	2.381
ITFC	3	100	0.50	7	7	original	ϕ_o	0.358	0.895	0.627	2.061
ITFC	3	100	0.70	7	7	original	ϕ_o	0.469	0.760	0.615	2.440
ITFC	3	100	1.00	7	7	original	ϕ_o	0.564	0.500	0.532	2.669
ITFC	3	250	0.50	7	7	original	ϕ_o	0.267	0.932	0.600	1.712
ITFC	3	250	0.70	7	7	original	ϕ_o	0.375	0.858	0.616	2.131
ITFC	3	250	1.00	7	7	original	ϕ_o	0.485	0.668	0.577	2.446
ITFC	3	500	1.25	5	7	original	ϕ_o	0.617	0.597	0.607	3.006
ITFC	3	500	1.50	5	7	original	ϕ_o	0.662	0.474	0.568	3.094
ITFC	3	500	1.70	5	7	original	ϕ_o	0.684	0.397	0.540	3.136
ITFC	3	750	1.25	5	7	original	ϕ_o	0.608	0.615	0.612	2.992
ITFC	3	750	1.50	5	7	original	ϕ_o	0.655	0.493	0.574	3.080
ITFC	3	750	1.70	5	7	original	ϕ_o	0.679	0.413	0.546	3.125
ITFC	3	1000	1.25	5	7	original	ϕ_o	0.607	0.618	0.612	2.994
ITFC	3	1000	1.50	5	7	original	ϕ_o	0.655	0.495	0.575	3.086
ITFC	3	1000	1.70	5	7	original	ϕ_o	0.679	0.415	0.547	3.134
ITFC	3	10	4.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	4.00	5	5	original	ϕ_o	0.748	0.118	0.433	2.769
ITFC	3	250	4.00	5	5	original	ϕ_o	0.745	0.154	0.449	2.779
ITFC	3	10	2.00	5	6	original	ϕ_o	0.748	0.107	0.428	2.762
ITFC	3	10	2.30	5	6	original	ϕ_o	0.748	0.105	0.427	2.180
ITFC	3	10	3.00	5	6	original	ϕ_o	0.748	0.103	0.426	2.765
ITFC	3	100	2.00	5	6	original	ϕ_o	0.741	0.166	0.453	2.765
ITFC	3	100	2.30	5	6	original	ϕ_o	0.743	0.154	0.448	2.765
ITFC	3	100	3.00	5	6	original	ϕ_o	0.745	0.137	0.441	2.183
ITFC	3	250	2.00	5	6	original	ϕ_o	0.725	0.230	0.478	2.146
ITFC	3	250	2.30	5	6	original	ϕ_o	0.731	0.203	0.467	2.757
ITFC	3	250	3.00	5	6	original	ϕ_o	0.738	0.175	0.457	2.766
ITFC	3	500	2.00	3	6	original	ϕ_o	0.836	0.295	0.566	3.145
ITFC	3	500	2.30	3	6	original	ϕ_o	0.846	0.220	0.533	3.124
ITFC	3	500	3.00	3	6	original	ϕ_o	0.855	0.153	0.504	2.518
ITFC	3	750	2.00	3	6	original	ϕ_o	0.829	0.347	0.588	3.153
ITFC	3	750	2.30	3	6	original	ϕ_o	0.841	0.263	0.552	3.141
ITFC	3	750	3.00	3	6	original	ϕ_o	0.853	0.170	0.511	3.113
ITFC	3	1000	2.00	3	6	original	ϕ_o	0.828	0.351	0.589	3.149
ITFC	3	1000	2.30	3	6	original	ϕ_o	0.840	0.267	0.553	3.137
ITFC	3	1000	3.00	3	6	original	ϕ_o	0.853	0.172	0.512	2.515
ITFC	3	10	1.25	5	3	original	ϕ_o	0.748	0.113	0.430	2.759
ITFC	3	10	1.50	5	3	original	ϕ_o	0.748	0.107	0.427	2.763
ITFC	3	10	1.70	5	3	original	ϕ_o	0.748	0.105	0.426	2.180
ITFC	3	100	1.25	5	3	original	ϕ_o	0.726	0.185	0.455	2.710
ITFC	3	100	1.50	5	3	original	ϕ_o	0.734	0.156	0.445	2.728
ITFC	3	100	1.70	5	3	original	ϕ_o	0.738	0.143	0.441	2.160
ITFC	3	250	1.25	5	3	original	ϕ_o	0.698	0.278	0.488	2.645
ITFC	3	250	1.50	5	3	original	ϕ_o	0.716	0.215	0.466	2.687
ITFC	3	250	1.70	5	3	original	ϕ_o	0.723	0.190	0.457	2.707
ITFC	3	10	0.20	6	7	original	ϕ_o	0.226	0.980	0.603	1.593
ITFC	3	100	0.20	6	7	original	ϕ_o	0.100	0.989	0.544	1.093
ITFC	3	250	0.20	6	7	original	ϕ_o	0.055	0.990	0.522	0.904
ITFC	3	500	0.20	5	4	original	ϕ_o	0.057	0.975	0.516	0.732
ITFC	3	750	0.20	5	4	original	ϕ_o	0.040	0.976	0.508	0.647
ITFC	3	1000	0.20	5	4	original	ϕ_o	0.030	0.977	0.503	0.600
ITFC	3	10	2.00	3	3	original	ϕ_o	0.866	0.072	0.469	2.520

ITFC	3	10	2.30	3	3	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	10	3.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	3	100	2.00	3	3	original	ϕ_o	0.865	0.094	0.479	2.524
ITFC	3	100	2.30	3	3	original	ϕ_o	0.865	0.087	0.476	2.524
ITFC	3	100	3.00	3	3	original	ϕ_o	0.865	0.080	0.473	2.523
ITFC	3	250	2.00	3	3	original	ϕ_o	0.860	0.131	0.495	2.522
ITFC	3	250	2.30	3	3	original	ϕ_o	0.862	0.113	0.488	2.522
ITFC	3	250	3.00	3	3	original	ϕ_o	0.864	0.096	0.480	2.521
ITFC	3	500	1.25	4	3	original	ϕ_o	0.676	0.622	0.649	3.304
ITFC	3	500	1.50	4	3	original	ϕ_o	0.713	0.488	0.601	3.372
ITFC	3	500	1.70	4	3	original	ϕ_o	0.732	0.394	0.563	3.384
ITFC	3	750	1.25	4	3	original	ϕ_o	0.648	0.680	0.664	3.224
ITFC	3	750	1.50	4	3	original	ϕ_o	0.688	0.556	0.622	3.303
ITFC	3	750	1.70	4	3	original	ϕ_o	0.711	0.459	0.585	3.344
ITFC	3	1000	1.25	4	3	original	ϕ_o	0.629	0.711	0.670	3.163
ITFC	3	1000	1.50	4	3	original	ϕ_o	0.673	0.593	0.633	3.263
ITFC	3	1000	1.70	4	3	original	ϕ_o	0.698	0.499	0.598	3.305
ITFC	3	500	4.00	7	7	original	ϕ_o	0.658	0.223	0.441	2.746
ITFC	3	750	4.00	7	7	original	ϕ_o	0.658	0.224	0.441	2.743
ITFC	3	1000	4.00	7	7	original	ϕ_o	0.658	0.224	0.441	2.742
ITFC	3	10	0.50	5	2	original	ϕ_o	0.667	0.426	0.547	2.609
ITFC	3	10	0.70	5	2	original	ϕ_o	0.729	0.228	0.479	2.731
ITFC	3	10	1.00	5	2	original	ϕ_o	0.745	0.135	0.440	2.757
ITFC	3	100	0.50	5	2	original	ϕ_o	0.551	0.660	0.605	2.729
ITFC	3	100	0.70	5	2	original	ϕ_o	0.662	0.429	0.546	2.589
ITFC	3	100	1.00	5	2	original	ϕ_o	0.723	0.237	0.480	2.715
ITFC	3	250	0.50	5	2	original	ϕ_o	0.469	0.770	0.620	2.488
ITFC	3	250	0.70	5	2	original	ϕ_o	0.594	0.570	0.582	2.849
ITFC	3	250	1.00	5	2	original	ϕ_o	0.688	0.339	0.514	3.039
ITFC	3	10	0.50	6	4	original	ϕ_o	0.620	0.581	0.601	1.950
ITFC	3	10	0.70	6	4	original	ϕ_o	0.696	0.282	0.489	2.070
ITFC	3	10	1.00	6	4	original	ϕ_o	0.723	0.084	0.404	2.078
ITFC	3	100	0.50	6	4	original	ϕ_o	0.485	0.845	0.665	2.665
ITFC	3	100	0.70	6	4	original	ϕ_o	0.605	0.613	0.609	2.476
ITFC	3	100	1.00	6	4	original	ϕ_o	0.687	0.304	0.495	2.046
ITFC	3	250	0.50	6	4	original	ϕ_o	0.390	0.921	0.655	2.387
ITFC	3	250	0.70	6	4	original	ϕ_o	0.519	0.790	0.655	2.763
ITFC	3	250	1.00	6	4	original	ϕ_o	0.634	0.508	0.571	2.511
ITFC	3	500	1.25	3	2	original	ϕ_o	0.823	0.405	0.614	2.488
ITFC	3	500	1.50	3	2	original	ϕ_o	0.842	0.285	0.563	3.146
ITFC	3	500	1.70	3	2	original	ϕ_o	0.850	0.218	0.534	2.518
ITFC	3	750	1.25	3	2	original	ϕ_o	0.801	0.501	0.651	3.147
ITFC	3	750	1.50	3	2	original	ϕ_o	0.827	0.365	0.596	3.149
ITFC	3	750	1.70	3	2	original	ϕ_o	0.839	0.287	0.563	2.501
ITFC	3	1000	1.25	3	2	original	ϕ_o	0.778	0.574	0.676	3.602
ITFC	3	1000	1.50	3	2	original	ϕ_o	0.811	0.434	0.623	3.140
ITFC	3	1000	1.70	3	2	original	ϕ_o	0.827	0.346	0.587	3.137
ITFC	3	10	0.50	6	2	original	ϕ_o	0.617	0.445	0.531	1.904
ITFC	3	10	0.70	6	2	original	ϕ_o	0.693	0.195	0.444	2.023
ITFC	3	10	1.00	6	2	original	ϕ_o	0.723	0.066	0.395	2.077
ITFC	3	100	0.50	6	2	original	ϕ_o	0.521	0.664	0.592	2.207
ITFC	3	100	0.70	6	2	original	ϕ_o	0.623	0.427	0.525	1.918
ITFC	3	100	1.00	6	2	original	ϕ_o	0.691	0.172	0.431	2.011
ITFC	3	250	0.50	6	2	original	ϕ_o	0.448	0.788	0.618	2.447
ITFC	3	250	0.70	6	2	original	ϕ_o	0.563	0.579	0.571	2.314
ITFC	3	250	1.00	6	2	original	ϕ_o	0.656	0.304	0.480	1.960
ITFC	3	500	0.50	3	3	original	ϕ_o	0.500	0.903	0.702	2.971
ITFC	3	500	0.70	3	3	original	ϕ_o	0.649	0.800	0.725	3.406
ITFC	3	500	1.00	3	3	original	ϕ_o	0.760	0.618	0.689	3.562
ITFC	3	750	0.50	3	3	original	ϕ_o	0.439	0.925	0.682	2.779
ITFC	3	750	0.70	3	3	original	ϕ_o	0.595	0.846	0.721	3.294
ITFC	3	750	1.00	3	3	original	ϕ_o	0.724	0.696	0.710	3.549
ITFC	3	1000	0.50	3	3	original	ϕ_o	0.394	0.937	0.666	2.631
ITFC	3	1000	0.70	3	3	original	ϕ_o	0.554	0.875	0.714	3.200

ITFC	3	1000	1.00	3	3	original	ϕ_o	0.695	0.745	0.720	3.514
ITFC	3	10	0.50	3	6	original	ϕ_o	0.778	0.625	0.701	3.120
ITFC	3	10	0.70	3	6	original	ϕ_o	0.838	0.384	0.611	2.519
ITFC	3	10	1.00	3	6	original	ϕ_o	0.862	0.149	0.505	2.532
ITFC	3	100	0.50	3	6	original	ϕ_o	0.627	0.838	0.732	3.329
ITFC	3	100	0.70	3	6	original	ϕ_o	0.743	0.683	0.713	3.055
ITFC	3	100	1.00	3	6	original	ϕ_o	0.818	0.438	0.628	3.153
ITFC	3	250	0.50	3	6	original	ϕ_o	0.509	0.897	0.703	3.006
ITFC	3	250	0.70	3	6	original	ϕ_o	0.657	0.807	0.732	3.440
ITFC	3	250	1.00	3	6	original	ϕ_o	0.765	0.621	0.693	3.596
ITFC	3	10	0.20	3	6	original	ϕ_o	0.402	0.934	0.668	2.377
ITFC	3	100	0.20	3	6	original	ϕ_o	0.193	0.965	0.579	1.599
ITFC	3	250	0.20	3	6	original	ϕ_o	0.105	0.974	0.540	1.245
ITFC	3	500	0.50	2	6	original	ϕ_o	0.545	0.947	0.746	3.464
ITFC	3	500	0.70	2	6	original	ϕ_o	0.716	0.909	0.813	4.032
ITFC	3	500	1.00	2	6	original	ϕ_o	0.841	0.828	0.834	4.304
ITFC	3	750	0.50	2	6	original	ϕ_o	0.487	0.957	0.722	3.299
ITFC	3	750	0.70	2	6	original	ϕ_o	0.672	0.922	0.797	3.923
ITFC	3	750	1.00	2	6	original	ϕ_o	0.812	0.854	0.833	4.276
ITFC	3	1000	0.50	2	6	original	ϕ_o	0.468	0.960	0.714	3.256
ITFC	3	1000	0.70	2	6	original	ϕ_o	0.659	0.927	0.793	3.894
ITFC	3	1000	1.00	2	6	original	ϕ_o	0.805	0.858	0.831	4.265
ITFC	3	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	4.00	6	5	original	ϕ_o	0.728	0.056	0.392	2.084
ITFC	3	250	4.00	6	5	original	ϕ_o	0.723	0.074	0.399	2.073
ITFC	3	10	0.20	6	6	original	ϕ_o	0.236	0.979	0.608	1.624
ITFC	3	100	0.20	6	6	original	ϕ_o	0.112	0.989	0.550	1.147
ITFC	3	250	0.20	6	6	original	ϕ_o	0.064	0.990	0.527	0.945
ITFC	3	500	0.20	2	7	original	ϕ_o	0.075	0.986	0.531	1.388
ITFC	3	750	0.20	2	7	original	ϕ_o	0.053	0.988	0.520	1.299
ITFC	3	1000	0.20	2	7	original	ϕ_o	0.046	0.988	0.517	1.270
ITFC	3	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	3	100	4.00	4	2	original	ϕ_o	0.787	0.103	0.445	2.868
ITFC	3	250	4.00	4	2	original	ϕ_o	0.785	0.115	0.450	2.867
ITFC	3	500	4.00	4	2	original	ϕ_o	0.780	0.141	0.460	3.318
ITFC	3	750	4.00	4	2	original	ϕ_o	0.777	0.161	0.469	2.865
ITFC	3	1000	4.00	4	2	original	ϕ_o	0.774	0.175	0.475	3.319
ITFC	3	500	0.20	5	5	original	ϕ_o	0.040	0.975	0.508	0.643
ITFC	3	750	0.20	5	5	original	ϕ_o	0.028	0.976	0.502	0.579
ITFC	3	1000	0.20	5	5	original	ϕ_o	0.023	0.977	0.500	0.555
ITFC	3	500	4.00	6	4	original	ϕ_o	0.724	0.084	0.404	2.076
ITFC	3	750	4.00	6	4	original	ϕ_o	0.727	0.097	0.412	2.094
ITFC	3	1000	4.00	6	4	original	ϕ_o	0.729	0.105	0.417	2.104
ITFC	3	10	0.20	2	2	original	ϕ_o	0.565	0.951	0.758	3.193
ITFC	3	100	0.20	2	2	original	ϕ_o	0.400	0.973	0.687	2.629
ITFC	3	250	0.20	2	2	original	ϕ_o	0.301	0.979	0.640	2.297
ITFC	3	500	0.50	4	4	original	ϕ_o	0.343	0.946	0.644	2.104
ITFC	3	500	0.70	4	4	original	ϕ_o	0.481	0.894	0.687	2.682
ITFC	3	500	1.00	4	4	original	ϕ_o	0.601	0.776	0.688	3.107
ITFC	3	750	0.50	4	4	original	ϕ_o	0.304	0.954	0.629	1.946
ITFC	3	750	0.70	4	4	original	ϕ_o	0.436	0.913	0.675	2.520
ITFC	3	750	1.00	4	4	original	ϕ_o	0.567	0.813	0.690	2.998
ITFC	3	1000	0.50	4	4	original	ϕ_o	0.284	0.956	0.620	1.880
ITFC	3	1000	0.70	4	4	original	ϕ_o	0.418	0.918	0.668	2.457
ITFC	3	1000	1.00	4	4	original	ϕ_o	0.554	0.824	0.689	2.952
ITFC	3	500	2.00	5	6	original	ϕ_o	0.707	0.294	0.501	3.173
ITFC	3	500	2.30	5	6	original	ϕ_o	0.717	0.247	0.482	3.174
ITFC	3	500	3.00	5	6	original	ϕ_o	0.729	0.201	0.465	2.756
ITFC	3	750	2.00	5	6	original	ϕ_o	0.701	0.313	0.507	3.158
ITFC	3	750	2.30	5	6	original	ϕ_o	0.713	0.259	0.486	3.164
ITFC	3	750	3.00	5	6	original	ϕ_o	0.727	0.204	0.466	2.748
ITFC	3	1000	2.00	5	6	original	ϕ_o	0.698	0.316	0.507	3.149
ITFC	3	1000	2.30	5	6	original	ϕ_o	0.711	0.262	0.486	3.159
ITFC	3	1000	3.00	5	6	original	ϕ_o	0.726	0.205	0.466	3.172

ITFC	3	500	2.00	7	2	original	ϕ_o	0.616	0.232	0.424	2.588
ITFC	3	500	2.30	7	2	original	ϕ_o	0.624	0.212	0.418	2.595
ITFC	3	500	3.00	7	2	original	ϕ_o	0.636	0.183	0.409	2.608
ITFC	3	750	2.00	7	2	original	ϕ_o	0.599	0.277	0.438	2.560
ITFC	3	750	2.30	7	2	original	ϕ_o	0.609	0.249	0.429	2.569
ITFC	3	750	3.00	7	2	original	ϕ_o	0.624	0.213	0.418	2.588
ITFC	3	1000	2.00	7	2	original	ϕ_o	0.593	0.305	0.449	2.578
ITFC	3	1000	2.30	7	2	original	ϕ_o	0.605	0.273	0.439	2.596
ITFC	3	1000	3.00	7	2	original	ϕ_o	0.622	0.233	0.428	2.615
ITFC	3	10	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	3	100	4.00	4	5	original	ϕ_o	0.788	0.112	0.450	3.320
ITFC	3	250	4.00	4	5	original	ϕ_o	0.784	0.144	0.464	2.879
ITFC	3	500	2.00	3	4	original	ϕ_o	0.844	0.229	0.536	3.107
ITFC	3	500	2.30	3	4	original	ϕ_o	0.851	0.179	0.515	3.092
ITFC	3	500	3.00	3	4	original	ϕ_o	0.858	0.133	0.495	2.515
ITFC	3	750	2.00	3	4	original	ϕ_o	0.831	0.309	0.570	3.130
ITFC	3	750	2.30	3	4	original	ϕ_o	0.842	0.237	0.539	2.498
ITFC	3	750	3.00	3	4	original	ϕ_o	0.853	0.162	0.508	3.099
ITFC	3	1000	2.00	3	4	original	ϕ_o	0.824	0.369	0.596	3.160
ITFC	3	1000	2.30	3	4	original	ϕ_o	0.836	0.285	0.561	3.150
ITFC	3	1000	3.00	3	4	original	ϕ_o	0.850	0.185	0.518	3.125
ITFC	3	500	0.20	7	7	original	ϕ_o	0.046	0.967	0.507	0.582
ITFC	3	750	0.20	7	7	original	ϕ_o	0.042	0.967	0.504	0.566
ITFC	3	1000	0.20	7	7	original	ϕ_o	0.041	0.967	0.504	0.562
ITFC	3	10	2.00	7	3	original	ϕ_o	0.683	0.116	0.399	1.933
ITFC	3	10	2.30	7	3	original	ϕ_o	0.683	0.115	0.399	2.394
ITFC	3	10	3.00	7	3	original	ϕ_o	0.684	0.114	0.399	2.398
ITFC	3	100	2.00	7	3	original	ϕ_o	0.672	0.174	0.423	2.383
ITFC	3	100	2.30	7	3	original	ϕ_o	0.675	0.161	0.418	2.386
ITFC	3	100	3.00	7	3	original	ϕ_o	0.678	0.143	0.410	2.382
ITFC	3	250	2.00	7	3	original	ϕ_o	0.649	0.223	0.436	2.337
ITFC	3	250	2.30	7	3	original	ϕ_o	0.656	0.205	0.431	2.687
ITFC	3	250	3.00	7	3	original	ϕ_o	0.665	0.181	0.423	2.352
ITFC	3	500	0.20	6	6	original	ϕ_o	0.038	0.990	0.514	0.831
ITFC	3	750	0.20	6	6	original	ϕ_o	0.030	0.990	0.510	0.798
ITFC	3	1000	0.20	6	6	original	ϕ_o	0.027	0.990	0.509	0.786
ITFC	3	10	0.20	6	2	original	ϕ_o	0.304	0.919	0.611	1.877
ITFC	3	100	0.20	6	2	original	ϕ_o	0.210	0.966	0.588	1.528
ITFC	3	250	0.20	6	2	original	ϕ_o	0.161	0.981	0.571	1.342
ITFC	3	10	0.50	4	3	original	ϕ_o	0.695	0.617	0.656	2.788
ITFC	3	10	0.70	4	3	original	ϕ_o	0.758	0.359	0.558	2.892
ITFC	3	10	1.00	4	3	original	ϕ_o	0.786	0.145	0.465	2.287
ITFC	3	100	0.50	4	3	original	ϕ_o	0.566	0.832	0.699	2.962
ITFC	3	100	0.70	4	3	original	ϕ_o	0.666	0.674	0.670	3.276
ITFC	3	100	1.00	4	3	original	ϕ_o	0.739	0.420	0.580	3.398
ITFC	3	250	0.50	4	3	original	ϕ_o	0.471	0.904	0.687	2.626
ITFC	3	250	0.70	4	3	original	ϕ_o	0.591	0.804	0.698	3.082
ITFC	3	250	1.00	4	3	original	ϕ_o	0.686	0.618	0.652	3.334
ITFC	3	500	0.20	3	5	original	ϕ_o	0.064	0.978	0.521	1.061
ITFC	3	750	0.20	3	5	original	ϕ_o	0.043	0.980	0.511	0.954
ITFC	3	1000	0.20	3	5	original	ϕ_o	0.036	0.980	0.508	0.917
ITFC	3	500	0.20	3	2	original	ϕ_o	0.140	0.969	0.555	1.360
ITFC	3	750	0.20	3	2	original	ϕ_o	0.105	0.972	0.539	1.206
ITFC	3	1000	0.20	3	2	original	ϕ_o	0.085	0.974	0.530	1.104
ITFC	3	500	4.00	6	3	original	ϕ_o	0.719	0.080	0.399	2.065
ITFC	3	750	4.00	6	3	original	ϕ_o	0.720	0.094	0.407	2.076
ITFC	3	1000	4.00	6	3	original	ϕ_o	0.724	0.103	0.413	2.088
ITFC	3	500	2.00	3	2	original	ϕ_o	0.856	0.162	0.509	2.521
ITFC	3	500	2.30	3	2	original	ϕ_o	0.859	0.134	0.496	2.518
ITFC	3	500	3.00	3	2	original	ϕ_o	0.862	0.108	0.485	2.522
ITFC	3	750	2.00	3	2	original	ϕ_o	0.849	0.207	0.528	2.513
ITFC	3	750	2.30	3	2	original	ϕ_o	0.854	0.166	0.510	2.515
ITFC	3	750	3.00	3	2	original	ϕ_o	0.859	0.126	0.493	2.517
ITFC	3	1000	2.00	3	2	original	ϕ_o	0.842	0.254	0.548	3.122

ITFC	3	1000	2.30	3	2	original	ϕ_o	0.848	0.198	0.523	2.510
ITFC	3	1000	3.00	3	2	original	ϕ_o	0.856	0.144	0.500	2.514
ITFC	3	10	4.00	4	7	original	ϕ_o	0.788	0.098	0.443	2.873
ITFC	3	100	4.00	4	7	original	ϕ_o	0.786	0.123	0.454	2.877
ITFC	3	250	4.00	4	7	original	ϕ_o	0.781	0.159	0.470	3.347
ITFC	3	10	4.00	3	4	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	3	100	4.00	3	4	original	ϕ_o	0.866	0.077	0.471	2.521
ITFC	3	250	4.00	3	4	original	ϕ_o	0.864	0.090	0.477	2.522
ITFC	3	10	2.00	2	2	original	ϕ_o	0.963	0.057	0.510	1.909
ITFC	3	10	2.30	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	10	3.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	2.00	2	2	original	ϕ_o	0.964	0.067	0.516	2.832
ITFC	3	100	2.30	2	2	original	ϕ_o	0.964	0.064	0.514	2.829
ITFC	3	100	3.00	2	2	original	ϕ_o	0.964	0.059	0.511	2.826
ITFC	3	250	2.00	2	2	original	ϕ_o	0.965	0.089	0.527	2.841
ITFC	3	250	2.30	2	2	original	ϕ_o	0.964	0.080	0.522	2.836
ITFC	3	250	3.00	2	2	original	ϕ_o	0.964	0.069	0.516	2.832
ITFC	3	10	0.20	3	5	original	ϕ_o	0.421	0.935	0.678	2.439
ITFC	3	100	0.20	3	5	original	ϕ_o	0.214	0.966	0.590	1.684
ITFC	3	250	0.20	3	5	original	ϕ_o	0.122	0.974	0.548	1.322
ITFC	3	10	0.50	7	3	original	ϕ_o	0.607	0.381	0.494	2.307
ITFC	3	10	0.70	7	3	original	ϕ_o	0.656	0.235	0.445	2.755
ITFC	3	10	1.00	7	3	original	ϕ_o	0.677	0.158	0.417	1.939
ITFC	3	100	0.50	7	3	original	ϕ_o	0.464	0.717	0.591	2.374
ITFC	3	100	0.70	7	3	original	ϕ_o	0.556	0.482	0.519	2.556
ITFC	3	100	1.00	7	3	original	ϕ_o	0.623	0.308	0.466	2.313
ITFC	3	250	0.50	7	3	original	ϕ_o	0.372	0.846	0.609	2.096
ITFC	3	250	0.70	7	3	original	ϕ_o	0.472	0.666	0.569	2.375
ITFC	3	250	1.00	7	3	original	ϕ_o	0.561	0.438	0.499	2.535
ITFC	3	10	0.50	6	7	original	ϕ_o	0.599	0.701	0.650	2.476
ITFC	3	10	0.70	6	7	original	ϕ_o	0.678	0.388	0.533	2.055
ITFC	3	10	1.00	6	7	original	ϕ_o	0.719	0.141	0.430	1.424
ITFC	3	100	0.50	6	7	original	ϕ_o	0.422	0.916	0.669	2.528
ITFC	3	100	0.70	6	7	original	ϕ_o	0.557	0.776	0.667	2.880
ITFC	3	100	1.00	6	7	original	ϕ_o	0.652	0.488	0.570	2.563
ITFC	3	250	0.50	6	7	original	ϕ_o	0.316	0.961	0.638	2.164
ITFC	3	250	0.70	6	7	original	ϕ_o	0.456	0.895	0.676	2.695
ITFC	3	250	1.00	6	7	original	ϕ_o	0.588	0.712	0.650	2.955
ITFC	3	500	1.25	3	6	original	ϕ_o	0.765	0.618	0.691	3.607
ITFC	3	500	1.50	3	6	original	ϕ_o	0.801	0.494	0.647	3.153
ITFC	3	500	1.70	3	6	original	ϕ_o	0.819	0.404	0.612	3.157
ITFC	3	750	1.25	3	6	original	ϕ_o	0.748	0.654	0.701	3.589
ITFC	3	750	1.50	3	6	original	ϕ_o	0.788	0.541	0.665	3.608
ITFC	3	750	1.70	3	6	original	ϕ_o	0.810	0.458	0.634	3.160
ITFC	3	1000	1.25	3	6	original	ϕ_o	0.744	0.658	0.701	3.584
ITFC	3	1000	1.50	3	6	original	ϕ_o	0.785	0.545	0.665	3.606
ITFC	3	1000	1.70	3	6	original	ϕ_o	0.808	0.462	0.635	3.156
ITFC	3	10	0.20	5	4	original	ϕ_o	0.302	0.924	0.613	1.779
ITFC	3	100	0.20	5	4	original	ϕ_o	0.159	0.963	0.561	1.199
ITFC	3	250	0.20	5	4	original	ϕ_o	0.096	0.971	0.534	0.919
ITFC	3	500	1.25	5	5	original	ϕ_o	0.626	0.570	0.598	2.552
ITFC	3	500	1.50	5	5	original	ϕ_o	0.669	0.447	0.558	3.120
ITFC	3	500	1.70	5	5	original	ϕ_o	0.690	0.365	0.528	3.154
ITFC	3	750	1.25	5	5	original	ϕ_o	0.605	0.608	0.606	2.984
ITFC	3	750	1.50	5	5	original	ϕ_o	0.653	0.483	0.568	3.074
ITFC	3	750	1.70	5	5	original	ϕ_o	0.678	0.400	0.539	3.125
ITFC	3	1000	1.25	5	5	original	ϕ_o	0.595	0.617	0.606	2.949
ITFC	3	1000	1.50	5	5	original	ϕ_o	0.645	0.494	0.570	3.052
ITFC	3	1000	1.70	5	5	original	ϕ_o	0.672	0.410	0.541	3.106
ITFC	3	500	1.25	2	6	original	ϕ_o	0.892	0.730	0.811	3.652
ITFC	3	500	1.50	2	6	original	ϕ_o	0.924	0.600	0.762	3.679
ITFC	3	500	1.70	2	6	original	ϕ_o	0.938	0.485	0.712	3.682
ITFC	3	750	1.25	2	6	original	ϕ_o	0.873	0.771	0.822	4.334
ITFC	3	750	1.50	2	6	original	ϕ_o	0.908	0.663	0.786	4.328

ITFC	3	750	1.70	2	6	original	ϕ_o	0.928	0.565	0.747	3.687
ITFC	3	1000	1.25	2	6	original	ϕ_o	0.868	0.775	0.822	4.334
ITFC	3	1000	1.50	2	6	original	ϕ_o	0.906	0.667	0.786	3.666
ITFC	3	1000	1.70	2	6	original	ϕ_o	0.926	0.568	0.747	3.680
ITFC	3	10	0.50	5	5	original	ϕ_o	0.641	0.600	0.620	2.585
ITFC	3	10	0.70	5	5	original	ϕ_o	0.718	0.344	0.531	2.749
ITFC	3	10	1.00	5	5	original	ϕ_o	0.742	0.173	0.458	2.184
ITFC	3	100	0.50	5	5	original	ϕ_o	0.489	0.832	0.660	2.649
ITFC	3	100	0.70	5	5	original	ϕ_o	0.604	0.659	0.632	2.973
ITFC	3	100	1.00	5	5	original	ϕ_o	0.694	0.398	0.546	2.695
ITFC	3	250	0.50	5	5	original	ϕ_o	0.380	0.909	0.644	2.298
ITFC	3	250	0.70	5	5	original	ϕ_o	0.514	0.798	0.656	2.758
ITFC	3	250	1.00	5	5	original	ϕ_o	0.625	0.587	0.606	3.032
ITFC	3	10	1.25	2	3	original	ϕ_o	0.964	0.062	0.513	2.824
ITFC	3	10	1.50	2	3	original	ϕ_o	0.964	0.059	0.511	2.825
ITFC	3	10	1.70	2	3	original	ϕ_o	0.963	0.058	0.511	2.825
ITFC	3	100	1.25	2	3	original	ϕ_o	0.962	0.207	0.585	2.860
ITFC	3	100	1.50	2	3	original	ϕ_o	0.965	0.099	0.532	2.844
ITFC	3	100	1.70	2	3	original	ϕ_o	0.965	0.080	0.523	2.838
ITFC	3	250	1.25	2	3	original	ϕ_o	0.951	0.427	0.689	2.859
ITFC	3	250	1.50	2	3	original	ϕ_o	0.960	0.236	0.598	2.859
ITFC	3	250	1.70	2	3	original	ϕ_o	0.962	0.142	0.552	2.852
ITFC	3	10	1.25	5	2	original	ϕ_o	0.747	0.115	0.431	2.764
ITFC	3	10	1.50	5	2	original	ϕ_o	0.748	0.107	0.427	2.181
ITFC	3	10	1.70	5	2	original	ϕ_o	0.748	0.105	0.426	2.766
ITFC	3	100	1.25	5	2	original	ϕ_o	0.738	0.178	0.458	2.744
ITFC	3	100	1.50	5	2	original	ϕ_o	0.743	0.152	0.447	2.753
ITFC	3	100	1.70	5	2	original	ϕ_o	0.745	0.137	0.441	2.758
ITFC	3	250	1.25	5	2	original	ϕ_o	0.717	0.241	0.479	2.695
ITFC	3	250	1.50	5	2	original	ϕ_o	0.730	0.197	0.463	2.720
ITFC	3	250	1.70	5	2	original	ϕ_o	0.735	0.177	0.456	2.732
ITFC	3	500	4.00	2	4	original	ϕ_o	0.958	0.092	0.525	2.821
ITFC	3	750	4.00	2	4	original	ϕ_o	0.956	0.107	0.532	2.823
ITFC	3	1000	4.00	2	4	original	ϕ_o	0.958	0.113	0.536	2.827
ITFC	3	500	0.50	6	7	original	ϕ_o	0.252	0.974	0.613	1.981
ITFC	3	500	0.70	6	7	original	ϕ_o	0.393	0.939	0.666	2.533
ITFC	3	500	1.00	6	7	original	ϕ_o	0.539	0.827	0.683	2.940
ITFC	3	750	0.50	6	7	original	ϕ_o	0.238	0.977	0.608	1.944
ITFC	3	750	0.70	6	7	original	ϕ_o	0.382	0.946	0.664	2.502
ITFC	3	750	1.00	6	7	original	ϕ_o	0.526	0.846	0.686	2.926
ITFC	3	1000	0.50	6	7	original	ϕ_o	0.235	0.978	0.607	1.940
ITFC	3	1000	0.70	6	7	original	ϕ_o	0.381	0.947	0.664	2.499
ITFC	3	1000	1.00	6	7	original	ϕ_o	0.525	0.848	0.686	2.924
ITFC	3	10	0.20	5	7	original	ϕ_o	0.267	0.944	0.606	1.657
ITFC	3	100	0.20	5	7	original	ϕ_o	0.099	0.968	0.533	0.944
ITFC	3	250	0.20	5	7	original	ϕ_o	0.048	0.973	0.510	0.690
ITFC	3	500	1.25	6	3	original	ϕ_o	0.640	0.455	0.548	2.495
ITFC	3	500	1.50	6	3	original	ϕ_o	0.672	0.305	0.488	2.006
ITFC	3	500	1.70	6	3	original	ϕ_o	0.687	0.222	0.454	2.022
ITFC	3	750	1.25	6	3	original	ϕ_o	0.614	0.578	0.596	2.496
ITFC	3	750	1.50	6	3	original	ϕ_o	0.657	0.412	0.535	2.540
ITFC	3	750	1.70	6	3	original	ϕ_o	0.677	0.312	0.494	2.546
ITFC	3	1000	1.25	6	3	original	ϕ_o	0.599	0.636	0.617	2.931
ITFC	3	1000	1.50	6	3	original	ϕ_o	0.646	0.475	0.560	2.550
ITFC	3	1000	1.70	6	3	original	ϕ_o	0.672	0.367	0.519	2.575
ITFC	3	500	0.50	2	5	original	ϕ_o	0.571	0.946	0.758	3.514
ITFC	3	500	0.70	2	5	original	ϕ_o	0.731	0.901	0.816	4.056
ITFC	3	500	1.00	2	5	original	ϕ_o	0.850	0.810	0.830	4.298
ITFC	3	750	0.50	2	5	original	ϕ_o	0.503	0.956	0.730	3.327
ITFC	3	750	0.70	2	5	original	ϕ_o	0.681	0.920	0.801	3.928
ITFC	3	750	1.00	2	5	original	ϕ_o	0.816	0.848	0.832	4.275
ITFC	3	1000	0.50	2	5	original	ϕ_o	0.476	0.962	0.719	3.263
ITFC	3	1000	0.70	2	5	original	ϕ_o	0.662	0.929	0.795	3.886
ITFC	3	1000	1.00	2	5	original	ϕ_o	0.805	0.857	0.831	4.261

ITFC	3	500	4.00	2	3	original	ϕ_o	0.962	0.086	0.524	2.834
ITFC	3	750	4.00	2	3	original	ϕ_o	0.961	0.101	0.531	2.835
ITFC	3	1000	4.00	2	3	original	ϕ_o	0.961	0.110	0.535	2.836
ITFC	3	500	1.25	7	7	original	ϕ_o	0.518	0.554	0.536	2.493
ITFC	3	500	1.50	7	7	original	ϕ_o	0.560	0.434	0.497	2.571
ITFC	3	500	1.70	7	7	original	ϕ_o	0.584	0.372	0.478	2.615
ITFC	3	750	1.25	7	7	original	ϕ_o	0.516	0.563	0.539	2.489
ITFC	3	750	1.50	7	7	original	ϕ_o	0.558	0.441	0.500	2.567
ITFC	3	750	1.70	7	7	original	ϕ_o	0.582	0.378	0.480	2.609
ITFC	3	1000	1.25	7	7	original	ϕ_o	0.516	0.564	0.540	2.488
ITFC	3	1000	1.50	7	7	original	ϕ_o	0.558	0.443	0.501	2.567
ITFC	3	1000	1.70	7	7	original	ϕ_o	0.582	0.379	0.481	2.609
ITFC	3	10	0.20	2	3	original	ϕ_o	0.547	0.959	0.753	3.120
ITFC	3	100	0.20	2	3	original	ϕ_o	0.360	0.976	0.668	2.465
ITFC	3	250	0.20	2	3	original	ϕ_o	0.253	0.981	0.617	2.102
ITFC	3	500	2.00	6	2	original	ϕ_o	0.701	0.104	0.403	2.022
ITFC	3	500	2.30	6	2	original	ϕ_o	0.707	0.091	0.399	2.033
ITFC	3	500	3.00	6	2	original	ϕ_o	0.714	0.076	0.395	2.046
ITFC	3	750	2.00	6	2	original	ϕ_o	0.692	0.137	0.414	2.005
ITFC	3	750	2.30	6	2	original	ϕ_o	0.699	0.112	0.406	2.018
ITFC	3	750	3.00	6	2	original	ϕ_o	0.709	0.091	0.400	2.038
ITFC	3	1000	2.00	6	2	original	ϕ_o	0.683	0.172	0.428	1.992
ITFC	3	1000	2.30	6	2	original	ϕ_o	0.693	0.136	0.415	2.008
ITFC	3	1000	3.00	6	2	original	ϕ_o	0.705	0.105	0.405	2.029
ITFC	3	500	4.00	7	6	original	ϕ_o	0.653	0.217	0.435	2.703
ITFC	3	750	4.00	7	6	original	ϕ_o	0.658	0.227	0.443	2.741
ITFC	3	1000	4.00	7	6	original	ϕ_o	0.658	0.227	0.443	2.740
ITFC	3	500	4.00	2	7	original	ϕ_o	0.961	0.102	0.531	2.827
ITFC	3	750	4.00	2	7	original	ϕ_o	0.964	0.115	0.539	2.841
ITFC	3	1000	4.00	2	7	original	ϕ_o	0.964	0.115	0.539	2.841
ITFC	3	500	2.00	2	7	original	ϕ_o	0.948	0.327	0.637	2.839
ITFC	3	500	2.30	2	7	original	ϕ_o	0.954	0.213	0.584	2.836
ITFC	3	500	3.00	2	7	original	ϕ_o	0.959	0.124	0.542	2.831
ITFC	3	750	2.00	2	7	original	ϕ_o	0.945	0.407	0.676	3.682
ITFC	3	750	2.30	2	7	original	ϕ_o	0.954	0.282	0.618	2.848
ITFC	3	750	3.00	2	7	original	ϕ_o	0.961	0.146	0.554	2.845
ITFC	3	1000	2.00	2	7	original	ϕ_o	0.945	0.409	0.677	3.677
ITFC	3	1000	2.30	2	7	original	ϕ_o	0.953	0.284	0.618	3.655
ITFC	3	1000	3.00	2	7	original	ϕ_o	0.961	0.147	0.554	2.845
ITFC	3	10	1.25	2	6	original	ϕ_o	0.964	0.067	0.515	2.825
ITFC	3	10	1.50	2	6	original	ϕ_o	0.964	0.060	0.512	2.824
ITFC	3	10	1.70	2	6	original	ϕ_o	0.963	0.059	0.511	2.824
ITFC	3	100	1.25	2	6	original	ϕ_o	0.955	0.311	0.633	2.854
ITFC	3	100	1.50	2	6	original	ϕ_o	0.960	0.152	0.556	2.846
ITFC	3	100	1.70	2	6	original	ϕ_o	0.962	0.103	0.532	2.837
ITFC	3	250	1.25	2	6	original	ϕ_o	0.932	0.568	0.750	3.684
ITFC	3	250	1.50	2	6	original	ϕ_o	0.948	0.387	0.667	2.847
ITFC	3	250	1.70	2	6	original	ϕ_o	0.954	0.256	0.605	2.845
ITFC	3	10	1.25	7	5	original	ϕ_o	0.676	0.145	0.411	1.925
ITFC	3	10	1.50	7	5	original	ϕ_o	0.680	0.129	0.404	2.387
ITFC	3	10	1.70	7	5	original	ϕ_o	0.681	0.122	0.402	2.391
ITFC	3	100	1.25	7	5	original	ϕ_o	0.614	0.323	0.469	2.693
ITFC	3	100	1.50	7	5	original	ϕ_o	0.634	0.266	0.450	2.333
ITFC	3	100	1.70	7	5	original	ϕ_o	0.644	0.236	0.440	2.711
ITFC	3	250	1.25	7	5	original	ϕ_o	0.548	0.463	0.505	2.548
ITFC	3	250	1.50	7	5	original	ϕ_o	0.583	0.366	0.474	2.220
ITFC	3	250	1.70	7	5	original	ϕ_o	0.601	0.320	0.460	2.632
ITFC	3	10	4.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	3	100	4.00	5	7	original	ϕ_o	0.745	0.124	0.434	2.761
ITFC	3	250	4.00	5	7	original	ϕ_o	0.741	0.169	0.455	2.775
ITFC	3	500	0.50	7	6	original	ϕ_o	0.242	0.936	0.589	1.621
ITFC	3	500	0.70	7	6	original	ϕ_o	0.351	0.868	0.610	2.049
ITFC	3	500	1.00	7	6	original	ϕ_o	0.463	0.694	0.579	2.367
ITFC	3	750	0.50	7	6	original	ϕ_o	0.235	0.937	0.586	1.590

ITFC	3	750	0.70	7	6	original	ϕ_o	0.344	0.875	0.609	2.031
ITFC	3	750	1.00	7	6	original	ϕ_o	0.456	0.711	0.584	2.355
ITFC	3	1000	0.50	7	6	original	ϕ_o	0.233	0.938	0.585	1.586
ITFC	3	1000	0.70	7	6	original	ϕ_o	0.343	0.876	0.609	2.028
ITFC	3	1000	1.00	7	6	original	ϕ_o	0.455	0.715	0.585	2.355
ITFC	3	500	1.25	5	4	original	ϕ_o	0.639	0.484	0.562	2.967
ITFC	3	500	1.50	5	4	original	ϕ_o	0.678	0.362	0.520	3.039
ITFC	3	500	1.70	5	4	original	ϕ_o	0.696	0.291	0.494	3.070
ITFC	3	750	1.25	5	4	original	ϕ_o	0.608	0.556	0.582	2.928
ITFC	3	750	1.50	5	4	original	ϕ_o	0.655	0.430	0.542	3.021
ITFC	3	750	1.70	5	4	original	ϕ_o	0.679	0.350	0.515	2.626
ITFC	3	1000	1.25	5	4	original	ϕ_o	0.589	0.591	0.590	2.898
ITFC	3	1000	1.50	5	4	original	ϕ_o	0.640	0.467	0.554	3.007
ITFC	3	1000	1.70	5	4	original	ϕ_o	0.668	0.385	0.526	3.069
ITFC	3	10	1.25	4	4	original	ϕ_o	0.789	0.112	0.451	2.290
ITFC	3	10	1.50	4	4	original	ϕ_o	0.789	0.104	0.447	2.871
ITFC	3	10	1.70	4	4	original	ϕ_o	0.789	0.102	0.446	2.869
ITFC	3	100	1.25	4	4	original	ϕ_o	0.761	0.290	0.526	2.891
ITFC	3	100	1.50	4	4	original	ϕ_o	0.775	0.198	0.486	2.276
ITFC	3	100	1.70	4	4	original	ϕ_o	0.780	0.165	0.472	2.890
ITFC	3	250	1.25	4	4	original	ϕ_o	0.718	0.500	0.609	3.383
ITFC	3	250	1.50	4	4	original	ϕ_o	0.745	0.361	0.553	3.400
ITFC	3	250	1.70	4	4	original	ϕ_o	0.758	0.281	0.519	2.877
ITFC	3	10	2.00	7	7	original	ϕ_o	0.682	0.116	0.399	2.389
ITFC	3	10	2.30	7	7	original	ϕ_o	0.683	0.114	0.398	2.391
ITFC	3	10	3.00	7	7	original	ϕ_o	0.684	0.113	0.399	2.398
ITFC	3	100	2.00	7	7	original	ϕ_o	0.655	0.226	0.440	2.768
ITFC	3	100	2.30	7	7	original	ϕ_o	0.662	0.206	0.434	2.769
ITFC	3	100	3.00	7	7	original	ϕ_o	0.670	0.181	0.426	2.393
ITFC	3	250	2.00	7	7	original	ϕ_o	0.622	0.288	0.455	2.714
ITFC	3	250	2.30	7	7	original	ϕ_o	0.635	0.262	0.448	2.344
ITFC	3	250	3.00	7	7	original	ϕ_o	0.651	0.229	0.440	2.744
ITFC	3	10	0.20	3	7	original	ϕ_o	0.396	0.933	0.664	2.356
ITFC	3	100	0.20	3	7	original	ϕ_o	0.181	0.967	0.574	1.545
ITFC	3	250	0.20	3	7	original	ϕ_o	0.096	0.976	0.536	1.195
ITFC	3	500	0.20	7	2	original	ϕ_o	0.105	0.964	0.534	0.877
ITFC	3	750	0.20	7	2	original	ϕ_o	0.083	0.965	0.524	0.765
ITFC	3	1000	0.20	7	2	original	ϕ_o	0.073	0.966	0.519	0.721
ITFC	3	500	0.50	5	6	original	ϕ_o	0.279	0.945	0.612	1.951
ITFC	3	500	0.70	5	6	original	ϕ_o	0.420	0.888	0.654	2.501
ITFC	3	500	1.00	5	6	original	ϕ_o	0.555	0.731	0.643	2.884
ITFC	3	750	0.50	5	6	original	ϕ_o	0.249	0.951	0.600	1.855
ITFC	3	750	0.70	5	6	original	ϕ_o	0.391	0.901	0.646	2.421
ITFC	3	750	1.00	5	6	original	ϕ_o	0.532	0.755	0.643	2.830
ITFC	3	1000	0.50	5	6	original	ϕ_o	0.241	0.954	0.597	1.823
ITFC	3	1000	0.70	5	6	original	ϕ_o	0.382	0.906	0.644	2.391
ITFC	3	1000	1.00	5	6	original	ϕ_o	0.524	0.759	0.641	2.803
ITFC	3	10	2.00	6	4	original	ϕ_o	0.732	0.053	0.393	2.097
ITFC	3	10	2.30	6	4	original	ϕ_o	0.732	0.053	0.392	2.097
ITFC	3	10	3.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	2.00	6	4	original	ϕ_o	0.725	0.070	0.397	2.080
ITFC	3	100	2.30	6	4	original	ϕ_o	0.727	0.065	0.396	2.083
ITFC	3	100	3.00	6	4	original	ϕ_o	0.729	0.059	0.394	2.088
ITFC	3	250	2.00	6	4	original	ϕ_o	0.715	0.104	0.410	2.065
ITFC	3	250	2.30	6	4	original	ϕ_o	0.719	0.089	0.404	2.071
ITFC	3	250	3.00	6	4	original	ϕ_o	0.723	0.074	0.399	2.074
ITFC	3	500	2.00	2	2	original	ϕ_o	0.963	0.129	0.546	2.849
ITFC	3	500	2.30	2	2	original	ϕ_o	0.963	0.102	0.533	2.842
ITFC	3	500	3.00	2	2	original	ϕ_o	0.963	0.084	0.523	2.832
ITFC	3	750	2.00	2	2	original	ϕ_o	0.959	0.196	0.577	2.850
ITFC	3	750	2.30	2	2	original	ϕ_o	0.961	0.133	0.547	2.843
ITFC	3	750	3.00	2	2	original	ϕ_o	0.962	0.097	0.529	2.833
ITFC	3	1000	2.00	2	2	original	ϕ_o	0.955	0.257	0.606	2.848
ITFC	3	1000	2.30	2	2	original	ϕ_o	0.958	0.168	0.563	2.841

ITFC	3	1000	3.00	2	2	original	ϕ_o	0.960	0.109	0.534	2.833
ITFC	3	500	1.25	3	4	original	ϕ_o	0.784	0.535	0.660	3.113
ITFC	3	500	1.50	3	4	original	ϕ_o	0.815	0.405	0.610	3.132
ITFC	3	500	1.70	3	4	original	ϕ_o	0.830	0.318	0.574	2.486
ITFC	3	750	1.25	3	4	original	ϕ_o	0.754	0.626	0.690	3.080
ITFC	3	750	1.50	3	4	original	ϕ_o	0.793	0.505	0.649	3.130
ITFC	3	750	1.70	3	4	original	ϕ_o	0.813	0.417	0.615	3.138
ITFC	3	1000	1.25	3	4	original	ϕ_o	0.738	0.674	0.706	3.596
ITFC	3	1000	1.50	3	4	original	ϕ_o	0.780	0.563	0.671	3.616
ITFC	3	1000	1.70	3	4	original	ϕ_o	0.802	0.479	0.641	3.150
ITFC	3	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	4.00	2	5	original	ϕ_o	0.963	0.061	0.512	2.823
ITFC	3	250	4.00	2	5	original	ϕ_o	0.962	0.076	0.519	2.826
ITFC	3	10	1.25	7	3	original	ϕ_o	0.680	0.133	0.406	2.396
ITFC	3	10	1.50	7	3	original	ϕ_o	0.681	0.123	0.402	2.392
ITFC	3	10	1.70	7	3	original	ϕ_o	0.682	0.120	0.401	2.391
ITFC	3	100	1.25	7	3	original	ϕ_o	0.650	0.243	0.447	2.359
ITFC	3	100	1.50	7	3	original	ϕ_o	0.662	0.209	0.435	2.375
ITFC	3	100	1.70	7	3	original	ϕ_o	0.667	0.191	0.429	2.732
ITFC	3	250	1.25	7	3	original	ϕ_o	0.602	0.336	0.469	2.609
ITFC	3	250	1.50	7	3	original	ϕ_o	0.627	0.279	0.453	2.655
ITFC	3	250	1.70	7	3	original	ϕ_o	0.638	0.250	0.444	2.672
ITFC	3	10	4.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	4.00	5	6	original	ϕ_o	0.747	0.123	0.435	2.762
ITFC	3	250	4.00	5	6	original	ϕ_o	0.742	0.163	0.452	2.771
ITFC	3	10	4.00	7	3	original	ϕ_o	0.684	0.114	0.399	2.744
ITFC	3	100	4.00	7	3	original	ϕ_o	0.680	0.130	0.405	2.381
ITFC	3	250	4.00	7	3	original	ϕ_o	0.670	0.162	0.416	2.694
ITFC	3	10	0.20	2	5	original	ϕ_o	0.513	0.959	0.736	3.002
ITFC	3	100	0.20	2	5	original	ϕ_o	0.297	0.976	0.637	2.240
ITFC	3	250	0.20	2	5	original	ϕ_o	0.181	0.983	0.582	1.828
ITFC	3	500	0.50	3	6	original	ϕ_o	0.397	0.929	0.663	2.660
ITFC	3	500	0.70	3	6	original	ϕ_o	0.567	0.870	0.718	3.238
ITFC	3	500	1.00	3	6	original	ϕ_o	0.705	0.744	0.725	3.549
ITFC	3	750	0.50	3	6	original	ϕ_o	0.353	0.938	0.645	2.528
ITFC	3	750	0.70	3	6	original	ϕ_o	0.532	0.885	0.709	3.162
ITFC	3	750	1.00	3	6	original	ϕ_o	0.682	0.768	0.725	3.506
ITFC	3	1000	0.50	3	6	original	ϕ_o	0.341	0.940	0.640	2.497
ITFC	3	1000	0.70	3	6	original	ϕ_o	0.523	0.889	0.706	3.142
ITFC	3	1000	1.00	3	6	original	ϕ_o	0.676	0.772	0.724	3.493
ITFC	3	10	1.25	4	2	original	ϕ_o	0.788	0.105	0.446	2.713
ITFC	3	10	1.50	4	2	original	ϕ_o	0.788	0.102	0.445	2.865
ITFC	3	10	1.70	4	2	original	ϕ_o	0.788	0.101	0.444	2.869
ITFC	3	100	1.25	4	2	original	ϕ_o	0.772	0.201	0.487	2.873
ITFC	3	100	1.50	4	2	original	ϕ_o	0.779	0.148	0.464	3.321
ITFC	3	100	1.70	4	2	original	ϕ_o	0.781	0.132	0.457	2.868
ITFC	3	250	1.25	4	2	original	ϕ_o	0.747	0.332	0.539	2.737
ITFC	3	250	1.50	4	2	original	ϕ_o	0.765	0.233	0.499	3.350
ITFC	3	250	1.70	4	2	original	ϕ_o	0.771	0.188	0.480	2.870
ITFC	3	500	1.25	4	7	original	ϕ_o	0.640	0.712	0.676	3.206
ITFC	3	500	1.50	4	7	original	ϕ_o	0.686	0.593	0.639	3.296
ITFC	3	500	1.70	4	7	original	ϕ_o	0.711	0.498	0.605	3.342
ITFC	3	750	1.25	4	7	original	ϕ_o	0.629	0.723	0.676	3.162
ITFC	3	750	1.50	4	7	original	ϕ_o	0.676	0.606	0.641	3.258
ITFC	3	750	1.70	4	7	original	ϕ_o	0.704	0.511	0.607	3.303
ITFC	3	1000	1.25	4	7	original	ϕ_o	0.628	0.725	0.676	3.157
ITFC	3	1000	1.50	4	7	original	ϕ_o	0.675	0.607	0.641	3.253
ITFC	3	1000	1.70	4	7	original	ϕ_o	0.703	0.512	0.607	3.298
ITFC	3	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	4.00	5	2	original	ϕ_o	0.748	0.106	0.427	2.180
ITFC	3	250	4.00	5	2	original	ϕ_o	0.746	0.118	0.432	2.177
ITFC	3	10	0.50	4	6	original	ϕ_o	0.671	0.731	0.701	3.338
ITFC	3	10	0.70	4	6	original	ϕ_o	0.745	0.500	0.622	2.922
ITFC	3	10	1.00	4	6	original	ϕ_o	0.784	0.207	0.495	2.307

ITFC	3	100	0.50	4	6	original	ϕ_o	0.501	0.905	0.703	2.739
ITFC	3	100	0.70	4	6	original	ϕ_o	0.623	0.794	0.709	3.205
ITFC	3	100	1.00	4	6	original	ϕ_o	0.713	0.583	0.648	3.413
ITFC	3	250	0.50	4	6	original	ϕ_o	0.395	0.942	0.669	2.319
ITFC	3	250	0.70	4	6	original	ϕ_o	0.529	0.878	0.703	2.882
ITFC	3	250	1.00	4	6	original	ϕ_o	0.646	0.735	0.691	3.257
ITFC	3	10	0.20	2	6	original	ϕ_o	0.509	0.957	0.733	3.006
ITFC	3	100	0.20	2	6	original	ϕ_o	0.281	0.977	0.629	2.207
ITFC	3	250	0.20	2	6	original	ϕ_o	0.163	0.983	0.573	1.768
ITFC	3	500	1.25	4	4	original	ϕ_o	0.662	0.662	0.662	3.264
ITFC	3	500	1.50	4	4	original	ϕ_o	0.702	0.541	0.621	3.348
ITFC	3	500	1.70	4	4	original	ϕ_o	0.723	0.447	0.585	3.372
ITFC	3	750	1.25	4	4	original	ϕ_o	0.634	0.706	0.670	3.166
ITFC	3	750	1.50	4	4	original	ϕ_o	0.678	0.590	0.634	3.269
ITFC	3	750	1.70	4	4	original	ϕ_o	0.703	0.497	0.600	3.316
ITFC	3	1000	1.25	4	4	original	ϕ_o	0.621	0.721	0.671	3.122
ITFC	3	1000	1.50	4	4	original	ϕ_o	0.668	0.608	0.638	3.238
ITFC	3	1000	1.70	4	4	original	ϕ_o	0.694	0.516	0.605	3.281
ITFC	3	500	0.20	4	3	original	ϕ_o	0.096	0.973	0.534	0.903
ITFC	3	750	0.20	4	3	original	ϕ_o	0.075	0.973	0.524	0.806
ITFC	3	1000	0.20	4	3	original	ϕ_o	0.064	0.974	0.519	0.753
ITFC	3	500	1.25	7	3	original	ϕ_o	0.544	0.459	0.501	2.503
ITFC	3	500	1.50	7	3	original	ϕ_o	0.578	0.370	0.474	2.560
ITFC	3	500	1.70	7	3	original	ϕ_o	0.597	0.325	0.461	2.594
ITFC	3	750	1.25	7	3	original	ϕ_o	0.515	0.517	0.516	2.430
ITFC	3	750	1.50	7	3	original	ϕ_o	0.555	0.422	0.489	2.508
ITFC	3	750	1.70	7	3	original	ϕ_o	0.578	0.368	0.473	2.549
ITFC	3	1000	1.25	7	3	original	ϕ_o	0.507	0.530	0.519	2.416
ITFC	3	1000	1.50	7	3	original	ϕ_o	0.549	0.432	0.490	2.491
ITFC	3	1000	1.70	7	3	original	ϕ_o	0.573	0.377	0.475	2.537
ITFC	3	500	0.50	4	6	original	ϕ_o	0.312	0.954	0.633	1.981
ITFC	3	500	0.70	4	6	original	ϕ_o	0.449	0.915	0.682	2.577
ITFC	3	500	1.00	4	6	original	ϕ_o	0.583	0.811	0.697	3.065
ITFC	3	750	0.50	4	6	original	ϕ_o	0.284	0.957	0.621	1.865
ITFC	3	750	0.70	4	6	original	ϕ_o	0.422	0.923	0.673	2.483
ITFC	3	750	1.00	4	6	original	ϕ_o	0.563	0.828	0.696	2.992
ITFC	3	1000	0.50	4	6	original	ϕ_o	0.276	0.958	0.617	1.842
ITFC	3	1000	0.70	4	6	original	ϕ_o	0.416	0.925	0.670	2.463
ITFC	3	1000	1.00	4	6	original	ϕ_o	0.559	0.832	0.695	2.981
ITFC	3	10	2.00	5	7	original	ϕ_o	0.747	0.110	0.429	2.763
ITFC	3	10	2.30	5	7	original	ϕ_o	0.748	0.107	0.427	2.764
ITFC	3	10	3.00	5	7	original	ϕ_o	0.748	0.104	0.426	2.764
ITFC	3	100	2.00	5	7	original	ϕ_o	0.738	0.183	0.461	2.769
ITFC	3	100	2.30	5	7	original	ϕ_o	0.741	0.165	0.453	2.769
ITFC	3	100	3.00	5	7	original	ϕ_o	0.744	0.140	0.442	2.764
ITFC	3	250	2.00	5	7	original	ϕ_o	0.720	0.262	0.491	2.744
ITFC	3	250	2.30	5	7	original	ϕ_o	0.728	0.226	0.477	3.183
ITFC	3	250	3.00	5	7	original	ϕ_o	0.736	0.189	0.463	2.774
ITFC	3	500	4.00	5	5	original	ϕ_o	0.739	0.180	0.460	2.776
ITFC	3	750	4.00	5	5	original	ϕ_o	0.737	0.185	0.461	3.173
ITFC	3	1000	4.00	5	5	original	ϕ_o	0.735	0.186	0.460	2.764
ITFC	3	10	2.00	6	2	original	ϕ_o	0.732	0.053	0.392	2.097
ITFC	3	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	2.00	6	2	original	ϕ_o	0.725	0.058	0.392	2.078
ITFC	3	100	2.30	6	2	original	ϕ_o	0.727	0.056	0.392	1.423
ITFC	3	100	3.00	6	2	original	ϕ_o	0.730	0.054	0.392	2.090
ITFC	3	250	2.00	6	2	original	ϕ_o	0.714	0.074	0.394	2.048
ITFC	3	250	2.30	6	2	original	ϕ_o	0.718	0.068	0.393	1.406
ITFC	3	250	3.00	6	2	original	ϕ_o	0.723	0.060	0.391	1.378
ITFC	3	10	2.00	5	2	original	ϕ_o	0.748	0.104	0.426	2.765
ITFC	3	10	2.30	5	2	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	3	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	2.00	5	2	original	ϕ_o	0.747	0.126	0.436	2.762

ITFC	3	100	2.30	5	2	original	ϕ_o	0.747	0.120	0.434	2.764
ITFC	3	100	3.00	5	2	original	ϕ_o	0.748	0.111	0.429	2.764
ITFC	3	250	2.00	5	2	original	ϕ_o	0.739	0.157	0.448	2.742
ITFC	3	250	2.30	5	2	original	ϕ_o	0.742	0.144	0.443	2.745
ITFC	3	250	3.00	5	2	original	ϕ_o	0.745	0.130	0.437	2.755
ITFC	3	500	0.50	4	7	original	ϕ_o	0.292	0.957	0.624	1.901
ITFC	3	500	0.70	4	7	original	ϕ_o	0.432	0.920	0.676	2.520
ITFC	3	500	1.00	4	7	original	ϕ_o	0.572	0.820	0.696	3.028
ITFC	3	750	0.50	4	7	original	ϕ_o	0.273	0.958	0.616	1.833
ITFC	3	750	0.70	4	7	original	ϕ_o	0.416	0.924	0.670	2.460
ITFC	3	750	1.00	4	7	original	ϕ_o	0.559	0.827	0.693	2.977
ITFC	3	1000	0.50	4	7	original	ϕ_o	0.270	0.959	0.614	1.824
ITFC	3	1000	0.70	4	7	original	ϕ_o	0.414	0.924	0.669	2.454
ITFC	3	1000	1.00	4	7	original	ϕ_o	0.558	0.828	0.693	2.970
ITFC	3	10	2.00	4	4	original	ϕ_o	0.789	0.101	0.445	2.288
ITFC	3	10	2.30	4	4	original	ϕ_o	0.789	0.099	0.444	2.287
ITFC	3	10	3.00	4	4	original	ϕ_o	0.788	0.098	0.443	2.287
ITFC	3	100	2.00	4	4	original	ϕ_o	0.784	0.142	0.463	2.284
ITFC	3	100	2.30	4	4	original	ϕ_o	0.786	0.133	0.459	2.880
ITFC	3	100	3.00	4	4	original	ϕ_o	0.787	0.121	0.454	2.874
ITFC	3	250	2.00	4	4	original	ϕ_o	0.769	0.216	0.492	2.886
ITFC	3	250	2.30	4	4	original	ϕ_o	0.775	0.184	0.480	3.375
ITFC	3	250	3.00	4	4	original	ϕ_o	0.781	0.157	0.469	2.884
ITFC	3	10	4.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.286
ITFC	3	100	4.00	7	4	original	ϕ_o	0.675	0.129	0.402	2.682
ITFC	3	250	4.00	7	4	original	ϕ_o	0.656	0.159	0.408	2.297
ITFC	3	10	0.50	3	4	original	ϕ_o	0.792	0.580	0.686	3.116
ITFC	3	10	0.70	3	4	original	ϕ_o	0.848	0.328	0.588	2.534
ITFC	3	10	1.00	3	4	original	ϕ_o	0.865	0.117	0.491	2.525
ITFC	3	100	0.50	3	4	original	ϕ_o	0.662	0.800	0.731	3.428
ITFC	3	100	0.70	3	4	original	ϕ_o	0.767	0.623	0.695	3.092
ITFC	3	100	1.00	3	4	original	ϕ_o	0.833	0.366	0.599	3.150
ITFC	3	250	0.50	3	4	original	ϕ_o	0.559	0.877	0.718	3.159
ITFC	3	250	0.70	3	4	original	ϕ_o	0.693	0.753	0.723	3.507
ITFC	3	250	1.00	3	4	original	ϕ_o	0.788	0.540	0.664	3.126
ITFC	3	500	1.25	5	2	original	ϕ_o	0.690	0.321	0.505	2.636
ITFC	3	500	1.50	5	2	original	ϕ_o	0.712	0.249	0.480	3.068
ITFC	3	500	1.70	5	2	original	ϕ_o	0.722	0.217	0.470	3.081
ITFC	3	750	1.25	5	2	original	ϕ_o	0.663	0.390	0.526	2.984
ITFC	3	750	1.50	5	2	original	ϕ_o	0.694	0.297	0.495	3.045
ITFC	3	750	1.70	5	2	original	ϕ_o	0.708	0.252	0.480	3.060
ITFC	3	1000	1.25	5	2	original	ϕ_o	0.636	0.451	0.543	2.930
ITFC	3	1000	1.50	5	2	original	ϕ_o	0.676	0.343	0.510	3.008
ITFC	3	1000	1.70	5	2	original	ϕ_o	0.695	0.287	0.491	2.640
ITFC	3	500	4.00	3	6	original	ϕ_o	0.859	0.133	0.496	2.521
ITFC	3	750	4.00	3	6	original	ϕ_o	0.858	0.141	0.499	2.521
ITFC	3	1000	4.00	3	6	original	ϕ_o	0.858	0.142	0.500	2.521
ITFC	3	10	0.50	2	7	original	ϕ_o	0.891	0.754	0.822	3.616
ITFC	3	10	0.70	2	7	original	ϕ_o	0.943	0.501	0.722	2.846
ITFC	3	10	1.00	2	7	original	ϕ_o	0.963	0.156	0.559	2.840
ITFC	3	100	0.50	2	7	original	ϕ_o	0.759	0.895	0.827	4.080
ITFC	3	100	0.70	2	7	original	ϕ_o	0.869	0.791	0.830	3.598
ITFC	3	100	1.00	2	7	original	ϕ_o	0.934	0.554	0.744	2.838
ITFC	3	250	0.50	2	7	original	ϕ_o	0.637	0.928	0.782	3.720
ITFC	3	250	0.70	2	7	original	ϕ_o	0.786	0.874	0.830	4.190
ITFC	3	250	1.00	2	7	original	ϕ_o	0.887	0.741	0.814	3.636
ITFC	3	10	0.50	4	5	original	ϕ_o	0.686	0.653	0.670	3.314
ITFC	3	10	0.70	4	5	original	ϕ_o	0.752	0.412	0.582	2.902
ITFC	3	10	1.00	4	5	original	ϕ_o	0.786	0.171	0.478	2.888
ITFC	3	100	0.50	4	5	original	ϕ_o	0.533	0.862	0.698	2.849
ITFC	3	100	0.70	4	5	original	ϕ_o	0.646	0.715	0.681	3.225
ITFC	3	100	1.00	4	5	original	ϕ_o	0.728	0.482	0.605	3.386
ITFC	3	250	0.50	4	5	original	ϕ_o	0.427	0.925	0.676	2.446
ITFC	3	250	0.70	4	5	original	ϕ_o	0.556	0.838	0.697	2.955

ITFC	3	250	1.00	4	5	original	ϕ_o	0.664	0.665	0.665	3.273
ITFC	3	10	0.20	4	3	original	ϕ_o	0.373	0.943	0.658	2.088
ITFC	3	100	0.20	4	3	original	ϕ_o	0.215	0.968	0.591	1.425
ITFC	3	250	0.20	4	3	original	ϕ_o	0.143	0.971	0.557	1.112
ITFC	3	10	1.25	6	2	original	ϕ_o	0.729	0.054	0.392	2.091
ITFC	3	10	1.50	6	2	original	ϕ_o	0.731	0.053	0.392	2.095
ITFC	3	10	1.70	6	2	original	ϕ_o	0.732	0.053	0.392	2.096
ITFC	3	100	1.25	6	2	original	ϕ_o	0.710	0.091	0.401	2.042
ITFC	3	100	1.50	6	2	original	ϕ_o	0.718	0.069	0.393	2.060
ITFC	3	100	1.70	6	2	original	ϕ_o	0.722	0.062	0.392	1.414
ITFC	3	250	1.25	6	2	original	ϕ_o	0.688	0.166	0.427	2.001
ITFC	3	250	1.50	6	2	original	ϕ_o	0.702	0.107	0.404	2.024
ITFC	3	250	1.70	6	2	original	ϕ_o	0.708	0.088	0.398	2.037
ITFC	3	500	0.50	4	2	original	ϕ_o	0.445	0.893	0.669	2.500
ITFC	3	500	0.70	4	2	original	ϕ_o	0.562	0.806	0.684	2.953
ITFC	3	500	1.00	4	2	original	ϕ_o	0.665	0.629	0.647	3.256
ITFC	3	750	0.50	4	2	original	ϕ_o	0.396	0.919	0.657	2.308
ITFC	3	750	0.70	4	2	original	ϕ_o	0.514	0.850	0.682	2.797
ITFC	3	750	1.00	4	2	original	ϕ_o	0.627	0.704	0.666	3.161
ITFC	3	1000	0.50	4	2	original	ϕ_o	0.358	0.933	0.646	2.161
ITFC	3	1000	0.70	4	2	original	ϕ_o	0.480	0.874	0.677	2.676
ITFC	3	1000	1.00	4	2	original	ϕ_o	0.598	0.750	0.674	3.069
ITFC	3	500	2.00	4	4	original	ϕ_o	0.744	0.334	0.539	3.384
ITFC	3	500	2.30	4	4	original	ϕ_o	0.757	0.263	0.510	3.384
ITFC	3	500	3.00	4	4	original	ϕ_o	0.771	0.198	0.484	2.755
ITFC	3	750	2.00	4	4	original	ϕ_o	0.729	0.378	0.554	3.336
ITFC	3	750	2.30	4	4	original	ϕ_o	0.745	0.297	0.521	3.342
ITFC	3	750	3.00	4	4	original	ϕ_o	0.763	0.216	0.490	3.329
ITFC	3	1000	2.00	4	4	original	ϕ_o	0.722	0.396	0.559	3.309
ITFC	3	1000	2.30	4	4	original	ϕ_o	0.740	0.312	0.526	3.316
ITFC	3	1000	3.00	4	4	original	ϕ_o	0.760	0.224	0.492	3.310
ITFC	3	500	4.00	3	2	original	ϕ_o	0.863	0.095	0.479	2.521
ITFC	3	750	4.00	3	2	original	ϕ_o	0.862	0.108	0.485	2.520
ITFC	3	1000	4.00	3	2	original	ϕ_o	0.859	0.120	0.490	2.516
ITFC	3	500	2.00	3	5	original	ϕ_o	0.839	0.259	0.549	3.107
ITFC	3	500	2.30	3	5	original	ϕ_o	0.847	0.199	0.523	3.094
ITFC	3	500	3.00	3	5	original	ϕ_o	0.855	0.145	0.500	2.516
ITFC	3	750	2.00	3	5	original	ϕ_o	0.828	0.327	0.577	3.130
ITFC	3	750	2.30	3	5	original	ϕ_o	0.840	0.253	0.546	2.495
ITFC	3	750	3.00	3	5	original	ϕ_o	0.852	0.171	0.512	2.513
ITFC	3	1000	2.00	3	5	original	ϕ_o	0.824	0.361	0.592	3.150
ITFC	3	1000	2.30	3	5	original	ϕ_o	0.837	0.280	0.559	3.135
ITFC	3	1000	3.00	3	5	original	ϕ_o	0.851	0.183	0.517	3.108
ITFC	3	10	4.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	4.00	6	6	original	ϕ_o	0.728	0.058	0.393	2.085
ITFC	3	250	4.00	6	6	original	ϕ_o	0.724	0.078	0.401	2.075
ITFC	3	500	2.00	3	3	original	ϕ_o	0.851	0.191	0.521	2.512
ITFC	3	500	2.30	3	3	original	ϕ_o	0.856	0.154	0.505	2.517
ITFC	3	500	3.00	3	3	original	ϕ_o	0.861	0.120	0.490	2.520
ITFC	3	750	2.00	3	3	original	ϕ_o	0.841	0.250	0.545	3.112
ITFC	3	750	2.30	3	3	original	ϕ_o	0.849	0.196	0.522	2.508
ITFC	3	750	3.00	3	3	original	ϕ_o	0.857	0.143	0.500	2.514
ITFC	3	1000	2.00	3	3	original	ϕ_o	0.831	0.306	0.569	3.122
ITFC	3	1000	2.30	3	3	original	ϕ_o	0.842	0.238	0.540	3.106
ITFC	3	1000	3.00	3	3	original	ϕ_o	0.853	0.165	0.509	3.081
ITFC	3	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	4.00	2	3	original	ϕ_o	0.963	0.058	0.511	1.909
ITFC	3	250	4.00	2	3	original	ϕ_o	0.963	0.068	0.516	2.829
ITFC	3	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	4.00	6	4	original	ϕ_o	0.731	0.054	0.393	2.092
ITFC	3	250	4.00	6	4	original	ϕ_o	0.726	0.065	0.396	2.080
ITFC	3	10	1.25	4	7	original	ϕ_o	0.789	0.127	0.458	2.875
ITFC	3	10	1.50	4	7	original	ϕ_o	0.789	0.111	0.450	3.302
ITFC	3	10	1.70	4	7	original	ϕ_o	0.789	0.107	0.448	2.871

ITFC	3	100	1.25	4	7	original	ϕ_o	0.743	0.429	0.586	3.432
ITFC	3	100	1.50	4	7	original	ϕ_o	0.763	0.293	0.528	2.901
ITFC	3	100	1.70	4	7	original	ϕ_o	0.772	0.226	0.499	2.897
ITFC	3	250	1.25	4	7	original	ϕ_o	0.689	0.630	0.659	3.362
ITFC	3	250	1.50	4	7	original	ϕ_o	0.724	0.490	0.607	3.411
ITFC	3	250	1.70	4	7	original	ϕ_o	0.741	0.391	0.566	3.420
ITFC	3	500	0.20	2	2	original	ϕ_o	0.214	0.984	0.599	1.993
ITFC	3	750	0.20	2	2	original	ϕ_o	0.162	0.986	0.574	1.803
ITFC	3	1000	0.20	2	2	original	ϕ_o	0.128	0.987	0.558	1.664
ITFC	3	500	2.00	4	5	original	ϕ_o	0.742	0.324	0.533	3.358
ITFC	3	500	2.30	4	5	original	ϕ_o	0.755	0.255	0.505	3.353
ITFC	3	500	3.00	4	5	original	ϕ_o	0.769	0.196	0.483	2.736
ITFC	3	750	2.00	4	5	original	ϕ_o	0.728	0.363	0.545	3.309
ITFC	3	750	2.30	4	5	original	ϕ_o	0.744	0.283	0.514	3.305
ITFC	3	750	3.00	4	5	original	ϕ_o	0.762	0.209	0.486	3.298
ITFC	3	1000	2.00	4	5	original	ϕ_o	0.723	0.380	0.551	3.291
ITFC	3	1000	2.30	4	5	original	ϕ_o	0.740	0.297	0.519	3.296
ITFC	3	1000	3.00	4	5	original	ϕ_o	0.760	0.216	0.488	3.292
ITFC	3	10	2.00	2	7	original	ϕ_o	0.963	0.058	0.511	2.825
ITFC	3	10	2.30	2	7	original	ϕ_o	0.963	0.057	0.510	1.909
ITFC	3	10	3.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	2.00	2	7	original	ϕ_o	0.962	0.084	0.523	2.831
ITFC	3	100	2.30	2	7	original	ϕ_o	0.963	0.077	0.520	2.827
ITFC	3	100	3.00	2	7	original	ϕ_o	0.963	0.070	0.516	2.827
ITFC	3	250	2.00	2	7	original	ϕ_o	0.957	0.161	0.559	2.838
ITFC	3	250	2.30	2	7	original	ϕ_o	0.959	0.118	0.538	2.832
ITFC	3	250	3.00	2	7	original	ϕ_o	0.961	0.090	0.526	2.828
ITFC	3	10	1.25	3	4	original	ϕ_o	0.866	0.080	0.473	2.521
ITFC	3	10	1.50	3	4	original	ϕ_o	0.866	0.074	0.470	2.521
ITFC	3	10	1.70	3	4	original	ϕ_o	0.866	0.074	0.470	2.520
ITFC	3	100	1.25	3	4	original	ϕ_o	0.854	0.216	0.535	2.524
ITFC	3	100	1.50	3	4	original	ϕ_o	0.861	0.141	0.501	2.526
ITFC	3	100	1.70	3	4	original	ϕ_o	0.863	0.116	0.489	2.526
ITFC	3	250	1.25	3	4	original	ϕ_o	0.826	0.378	0.602	3.144
ITFC	3	250	1.50	3	4	original	ϕ_o	0.844	0.255	0.550	2.508
ITFC	3	250	1.70	3	4	original	ϕ_o	0.852	0.194	0.523	2.517
ITFC	3	500	2.00	7	3	original	ϕ_o	0.615	0.281	0.448	2.629
ITFC	3	500	2.30	7	3	original	ϕ_o	0.626	0.256	0.441	2.646
ITFC	3	500	3.00	7	3	original	ϕ_o	0.641	0.223	0.432	2.657
ITFC	3	750	2.00	7	3	original	ϕ_o	0.602	0.314	0.458	2.596
ITFC	3	750	2.30	7	3	original	ϕ_o	0.616	0.281	0.448	2.618
ITFC	3	750	3.00	7	3	original	ϕ_o	0.635	0.243	0.439	2.651
ITFC	3	1000	2.00	7	3	original	ϕ_o	0.598	0.322	0.460	2.585
ITFC	3	1000	2.30	7	3	original	ϕ_o	0.613	0.288	0.450	2.613
ITFC	3	1000	3.00	7	3	original	ϕ_o	0.633	0.248	0.441	2.646
ITFC	3	10	1.25	5	7	original	ϕ_o	0.745	0.145	0.445	2.189
ITFC	3	10	1.50	5	7	original	ϕ_o	0.746	0.122	0.434	2.762
ITFC	3	10	1.70	5	7	original	ϕ_o	0.747	0.114	0.431	2.762
ITFC	3	100	1.25	5	7	original	ϕ_o	0.711	0.336	0.524	2.734
ITFC	3	100	1.50	5	7	original	ϕ_o	0.727	0.252	0.489	2.756
ITFC	3	100	1.70	5	7	original	ϕ_o	0.733	0.215	0.474	2.765
ITFC	3	250	1.25	5	7	original	ϕ_o	0.657	0.512	0.585	3.080
ITFC	3	250	1.50	5	7	original	ϕ_o	0.691	0.393	0.542	2.689
ITFC	3	250	1.70	5	7	original	ϕ_o	0.707	0.327	0.517	3.169
ITFC	3	500	0.50	5	7	original	ϕ_o	0.263	0.944	0.604	1.902
ITFC	3	500	0.70	5	7	original	ϕ_o	0.408	0.888	0.648	2.464
ITFC	3	500	1.00	5	7	original	ϕ_o	0.547	0.736	0.642	2.858
ITFC	3	750	0.50	5	7	original	ϕ_o	0.245	0.949	0.597	1.846
ITFC	3	750	0.70	5	7	original	ϕ_o	0.393	0.899	0.646	2.428
ITFC	3	750	1.00	5	7	original	ϕ_o	0.536	0.754	0.645	2.837
ITFC	3	1000	0.50	5	7	original	ϕ_o	0.243	0.953	0.598	1.838
ITFC	3	1000	0.70	5	7	original	ϕ_o	0.390	0.903	0.646	2.423
ITFC	3	1000	1.00	5	7	original	ϕ_o	0.534	0.757	0.646	2.840
ITFC	3	10	2.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825

ITFC	3	10	2.30	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	2.00	2	3	original	ϕ_o	0.964	0.073	0.518	2.832
ITFC	3	100	2.30	2	3	original	ϕ_o	0.964	0.068	0.516	2.830
ITFC	3	100	3.00	2	3	original	ϕ_o	0.964	0.062	0.513	2.827
ITFC	3	250	2.00	2	3	original	ϕ_o	0.964	0.101	0.532	2.846
ITFC	3	250	2.30	2	3	original	ϕ_o	0.964	0.091	0.527	2.839
ITFC	3	250	3.00	2	3	original	ϕ_o	0.963	0.078	0.521	2.833
ITFC	3	500	4.00	6	5	original	ϕ_o	0.726	0.099	0.412	2.088
ITFC	3	750	4.00	6	5	original	ϕ_o	0.729	0.108	0.419	2.106
ITFC	3	1000	4.00	6	5	original	ϕ_o	0.730	0.110	0.420	2.109
ITFC	3	10	0.50	3	5	original	ϕ_o	0.787	0.580	0.683	3.099
ITFC	3	10	0.70	3	5	original	ϕ_o	0.844	0.334	0.589	2.524
ITFC	3	10	1.00	3	5	original	ϕ_o	0.864	0.120	0.492	2.524
ITFC	3	100	0.50	3	5	original	ϕ_o	0.646	0.813	0.730	3.370
ITFC	3	100	0.70	3	5	original	ϕ_o	0.758	0.636	0.697	3.546
ITFC	3	100	1.00	3	5	original	ϕ_o	0.827	0.382	0.605	3.127
ITFC	3	250	0.50	3	5	original	ϕ_o	0.535	0.888	0.712	3.082
ITFC	3	250	0.70	3	5	original	ϕ_o	0.675	0.771	0.723	3.457
ITFC	3	250	1.00	3	5	original	ϕ_o	0.778	0.569	0.674	3.106
ITFC	3	500	0.50	5	5	original	ϕ_o	0.288	0.942	0.615	1.967
ITFC	3	500	0.70	5	5	original	ϕ_o	0.429	0.876	0.653	2.521
ITFC	3	500	1.00	5	5	original	ϕ_o	0.561	0.715	0.638	2.893
ITFC	3	750	0.50	5	5	original	ϕ_o	0.253	0.949	0.601	1.849
ITFC	3	750	0.70	5	5	original	ϕ_o	0.393	0.897	0.645	2.420
ITFC	3	750	1.00	5	5	original	ϕ_o	0.534	0.748	0.641	2.827
ITFC	3	1000	0.50	5	5	original	ϕ_o	0.238	0.953	0.596	1.795
ITFC	3	1000	0.70	5	5	original	ϕ_o	0.376	0.903	0.640	2.366
ITFC	3	1000	1.00	5	5	original	ϕ_o	0.520	0.756	0.638	2.787
ITFC	3	500	1.25	6	6	original	ϕ_o	0.610	0.646	0.628	3.003
ITFC	3	500	1.50	6	6	original	ϕ_o	0.654	0.484	0.569	2.585
ITFC	3	500	1.70	6	6	original	ϕ_o	0.678	0.372	0.525	2.608
ITFC	3	750	1.25	6	6	original	ϕ_o	0.596	0.701	0.649	3.017
ITFC	3	750	1.50	6	6	original	ϕ_o	0.645	0.548	0.596	3.057
ITFC	3	750	1.70	6	6	original	ϕ_o	0.672	0.432	0.552	2.622
ITFC	3	1000	1.25	6	6	original	ϕ_o	0.595	0.703	0.649	3.019
ITFC	3	1000	1.50	6	6	original	ϕ_o	0.644	0.550	0.597	3.058
ITFC	3	1000	1.70	6	6	original	ϕ_o	0.671	0.434	0.553	2.622
ITFC	3	10	1.25	6	4	original	ϕ_o	0.729	0.058	0.394	2.090
ITFC	3	10	1.50	6	4	original	ϕ_o	0.731	0.055	0.393	2.094
ITFC	3	10	1.70	6	4	original	ϕ_o	0.731	0.054	0.393	2.097
ITFC	3	100	1.25	6	4	original	ϕ_o	0.709	0.156	0.433	2.064
ITFC	3	100	1.50	6	4	original	ϕ_o	0.718	0.100	0.409	2.072
ITFC	3	100	1.70	6	4	original	ϕ_o	0.721	0.081	0.401	2.075
ITFC	3	250	1.25	6	4	original	ϕ_o	0.679	0.315	0.497	2.030
ITFC	3	250	1.50	6	4	original	ϕ_o	0.700	0.193	0.446	2.048
ITFC	3	250	1.70	6	4	original	ϕ_o	0.708	0.140	0.424	2.056
ITFC	3	10	4.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	4.00	6	7	original	ϕ_o	0.727	0.062	0.395	2.083
ITFC	3	250	4.00	6	7	original	ϕ_o	0.723	0.085	0.404	2.077
ITFC	3	10	1.25	6	3	original	ϕ_o	0.728	0.057	0.393	2.089
ITFC	3	10	1.50	6	3	original	ϕ_o	0.730	0.054	0.392	2.094
ITFC	3	10	1.70	6	3	original	ϕ_o	0.731	0.054	0.392	2.096
ITFC	3	100	1.25	6	3	original	ϕ_o	0.703	0.142	0.423	2.048
ITFC	3	100	1.50	6	3	original	ϕ_o	0.714	0.092	0.403	2.062
ITFC	3	100	1.70	6	3	original	ϕ_o	0.719	0.077	0.398	2.066
ITFC	3	250	1.25	6	3	original	ϕ_o	0.676	0.276	0.476	2.009
ITFC	3	250	1.50	6	3	original	ϕ_o	0.694	0.169	0.432	2.029
ITFC	3	250	1.70	6	3	original	ϕ_o	0.702	0.127	0.414	2.039
ITFC	3	10	2.00	3	6	original	ϕ_o	0.866	0.074	0.470	2.521
ITFC	3	10	2.30	3	6	original	ϕ_o	0.866	0.073	0.469	2.520
ITFC	3	10	3.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	100	2.00	3	6	original	ϕ_o	0.862	0.112	0.487	2.523
ITFC	3	100	2.30	3	6	original	ϕ_o	0.863	0.099	0.481	2.524

ITFC	3	100	3.00	3	6	original	ϕ_o	0.865	0.088	0.476	2.522
ITFC	3	250	2.00	3	6	original	ϕ_o	0.853	0.182	0.517	2.519
ITFC	3	250	2.30	3	6	original	ϕ_o	0.857	0.146	0.502	2.521
ITFC	3	250	3.00	3	6	original	ϕ_o	0.861	0.116	0.488	2.520
ITFC	3	10	0.50	2	3	original	ϕ_o	0.904	0.718	0.811	2.771
ITFC	3	10	0.70	2	3	original	ϕ_o	0.948	0.458	0.703	2.853
ITFC	3	10	1.00	2	3	original	ϕ_o	0.963	0.142	0.553	2.835
ITFC	3	100	0.50	2	3	original	ϕ_o	0.816	0.858	0.837	3.442
ITFC	3	100	0.70	2	3	original	ϕ_o	0.903	0.719	0.811	3.656
ITFC	3	100	1.00	2	3	original	ϕ_o	0.951	0.433	0.692	2.860
ITFC	3	250	0.50	2	3	original	ϕ_o	0.739	0.906	0.822	4.015
ITFC	3	250	0.70	2	3	original	ϕ_o	0.853	0.817	0.835	4.300
ITFC	3	250	1.00	2	3	original	ϕ_o	0.926	0.627	0.777	3.697
ITFC	3	500	0.50	6	6	original	ϕ_o	0.260	0.973	0.617	2.006
ITFC	3	500	0.70	6	6	original	ϕ_o	0.401	0.931	0.666	2.537
ITFC	3	500	1.00	6	6	original	ϕ_o	0.540	0.801	0.671	2.908
ITFC	3	750	0.50	6	6	original	ϕ_o	0.240	0.978	0.609	1.944
ITFC	3	750	0.70	6	6	original	ϕ_o	0.382	0.943	0.663	2.491
ITFC	3	750	1.00	6	6	original	ϕ_o	0.522	0.833	0.678	2.898
ITFC	3	1000	0.50	6	6	original	ϕ_o	0.237	0.978	0.608	1.937
ITFC	3	1000	0.70	6	6	original	ϕ_o	0.380	0.944	0.662	2.485
ITFC	3	1000	1.00	6	6	original	ϕ_o	0.521	0.835	0.678	2.894
ITFC	3	10	0.50	7	2	original	ϕ_o	0.608	0.341	0.475	2.276
ITFC	3	10	0.70	7	2	original	ϕ_o	0.655	0.207	0.431	2.359
ITFC	3	10	1.00	7	2	original	ϕ_o	0.677	0.137	0.407	2.736
ITFC	3	100	0.50	7	2	original	ϕ_o	0.490	0.596	0.543	2.002
ITFC	3	100	0.70	7	2	original	ϕ_o	0.574	0.407	0.490	2.538
ITFC	3	100	1.00	7	2	original	ϕ_o	0.632	0.254	0.443	2.304
ITFC	3	250	0.50	7	2	original	ϕ_o	0.405	0.730	0.567	2.101
ITFC	3	250	0.70	7	2	original	ϕ_o	0.499	0.551	0.525	2.356
ITFC	3	250	1.00	7	2	original	ϕ_o	0.585	0.360	0.472	2.553
ITFC	3	500	0.20	6	7	original	ϕ_o	0.032	0.990	0.511	0.801
ITFC	3	750	0.20	6	7	original	ϕ_o	0.026	0.990	0.508	0.773
ITFC	3	1000	0.20	6	7	original	ϕ_o	0.024	0.990	0.507	0.765
ITFC	3	10	1.25	2	4	original	ϕ_o	0.963	0.064	0.514	2.824
ITFC	3	10	1.50	2	4	original	ϕ_o	0.963	0.060	0.512	2.824
ITFC	3	10	1.70	2	4	original	ϕ_o	0.963	0.059	0.511	2.824
ITFC	3	100	1.25	2	4	original	ϕ_o	0.956	0.235	0.596	2.845
ITFC	3	100	1.50	2	4	original	ϕ_o	0.960	0.117	0.538	2.837
ITFC	3	100	1.70	2	4	original	ϕ_o	0.961	0.087	0.524	2.831
ITFC	3	250	1.25	2	4	original	ϕ_o	0.942	0.460	0.701	2.841
ITFC	3	250	1.50	2	4	original	ϕ_o	0.952	0.284	0.618	2.842
ITFC	3	250	1.70	2	4	original	ϕ_o	0.956	0.183	0.570	2.839
ITFC	3	500	0.20	5	6	original	ϕ_o	0.035	0.975	0.505	0.621
ITFC	3	750	0.20	5	6	original	ϕ_o	0.025	0.976	0.501	0.566
ITFC	3	1000	0.20	5	6	original	ϕ_o	0.022	0.977	0.499	0.550
ITFC	3	10	1.25	3	2	original	ϕ_o	0.865	0.077	0.471	2.518
ITFC	3	10	1.50	3	2	original	ϕ_o	0.866	0.073	0.469	2.519
ITFC	3	10	1.70	3	2	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	100	1.25	3	2	original	ϕ_o	0.858	0.166	0.512	2.527
ITFC	3	100	1.50	3	2	original	ϕ_o	0.862	0.117	0.490	2.525
ITFC	3	100	1.70	3	2	original	ϕ_o	0.864	0.098	0.481	2.525
ITFC	3	250	1.25	3	2	original	ϕ_o	0.845	0.280	0.563	2.518
ITFC	3	250	1.50	3	2	original	ϕ_o	0.855	0.184	0.520	2.525
ITFC	3	250	1.70	3	2	original	ϕ_o	0.859	0.146	0.502	2.525
ITFC	3	10	1.25	7	4	original	ϕ_o	0.680	0.138	0.409	2.397
ITFC	3	10	1.50	7	4	original	ϕ_o	0.682	0.124	0.403	2.394
ITFC	3	10	1.70	7	4	original	ϕ_o	0.683	0.119	0.401	2.392
ITFC	3	100	1.25	7	4	original	ϕ_o	0.633	0.278	0.456	2.323
ITFC	3	100	1.50	7	4	original	ϕ_o	0.649	0.227	0.438	2.682
ITFC	3	100	1.70	7	4	original	ϕ_o	0.656	0.202	0.429	2.339
ITFC	3	250	1.25	7	4	original	ϕ_o	0.574	0.405	0.490	2.565
ITFC	3	250	1.50	7	4	original	ϕ_o	0.604	0.322	0.463	2.602
ITFC	3	250	1.70	7	4	original	ϕ_o	0.618	0.279	0.448	2.617

ITFC	3	10	4.00	3	6	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	3	100	4.00	3	6	original	ϕ_o	0.865	0.081	0.473	2.522
ITFC	3	250	4.00	3	6	original	ϕ_o	0.863	0.102	0.482	2.520
ITFC	3	500	0.50	3	5	original	ϕ_o	0.421	0.929	0.675	2.734
ITFC	3	500	0.70	3	5	original	ϕ_o	0.584	0.856	0.720	3.267
ITFC	3	500	1.00	3	5	original	ϕ_o	0.715	0.707	0.711	3.517
ITFC	3	750	0.50	3	5	original	ϕ_o	0.364	0.941	0.653	2.559
ITFC	3	750	0.70	3	5	original	ϕ_o	0.537	0.885	0.711	3.160
ITFC	3	750	1.00	3	5	original	ϕ_o	0.682	0.755	0.718	3.494
ITFC	3	1000	0.50	3	5	original	ϕ_o	0.342	0.945	0.644	2.493
ITFC	3	1000	0.70	3	5	original	ϕ_o	0.517	0.894	0.705	3.115
ITFC	3	1000	1.00	3	5	original	ϕ_o	0.668	0.774	0.721	3.484
ITFC	3	10	1.25	7	6	original	ϕ_o	0.675	0.144	0.409	2.380
ITFC	3	10	1.50	7	6	original	ϕ_o	0.679	0.128	0.403	2.382
ITFC	3	10	1.70	7	6	original	ϕ_o	0.681	0.121	0.401	2.387
ITFC	3	100	1.25	7	6	original	ϕ_o	0.609	0.345	0.477	2.706
ITFC	3	100	1.50	7	6	original	ϕ_o	0.630	0.277	0.454	2.716
ITFC	3	100	1.70	7	6	original	ϕ_o	0.641	0.245	0.443	2.341
ITFC	3	250	1.25	7	6	original	ϕ_o	0.549	0.484	0.517	2.567
ITFC	3	250	1.50	7	6	original	ϕ_o	0.585	0.377	0.481	2.625
ITFC	3	250	1.70	7	6	original	ϕ_o	0.604	0.324	0.464	2.654
ITFC	3	10	0.20	7	7	original	ϕ_o	0.253	0.944	0.599	1.495
ITFC	3	100	0.20	7	7	original	ϕ_o	0.100	0.966	0.533	0.844
ITFC	3	250	0.20	7	7	original	ϕ_o	0.059	0.967	0.513	0.641
ITFC	3	500	0.20	7	5	original	ϕ_o	0.057	0.967	0.512	0.639
ITFC	3	750	0.20	7	5	original	ϕ_o	0.051	0.967	0.509	0.615
ITFC	3	1000	0.20	7	5	original	ϕ_o	0.048	0.967	0.507	0.604
ITFC	3	10	0.50	4	2	original	ϕ_o	0.711	0.544	0.627	2.812
ITFC	3	10	0.70	4	2	original	ϕ_o	0.763	0.300	0.532	2.274
ITFC	3	10	1.00	4	2	original	ϕ_o	0.786	0.131	0.458	2.283
ITFC	3	100	0.50	4	2	original	ϕ_o	0.601	0.752	0.677	3.050
ITFC	3	100	0.70	4	2	original	ϕ_o	0.693	0.568	0.630	3.297
ITFC	3	100	1.00	4	2	original	ϕ_o	0.752	0.323	0.537	2.865
ITFC	3	250	0.50	4	2	original	ϕ_o	0.520	0.841	0.681	2.780
ITFC	3	250	0.70	4	2	original	ϕ_o	0.633	0.704	0.668	3.158
ITFC	3	250	1.00	4	2	original	ϕ_o	0.714	0.487	0.601	3.337
ITFC	3	500	0.20	3	7	original	ϕ_o	0.049	0.979	0.514	0.973
ITFC	3	750	0.20	3	7	original	ϕ_o	0.034	0.980	0.507	0.901
ITFC	3	1000	0.20	3	7	original	ϕ_o	0.030	0.980	0.505	0.880
ITFC	3	500	4.00	2	6	original	ϕ_o	0.961	0.102	0.532	2.830
ITFC	3	750	4.00	2	6	original	ϕ_o	0.964	0.115	0.539	2.841
ITFC	3	1000	4.00	2	6	original	ϕ_o	0.963	0.115	0.539	2.841
ITFC	3	10	0.50	4	4	original	ϕ_o	0.689	0.642	0.665	2.774
ITFC	3	10	0.70	4	4	original	ϕ_o	0.755	0.387	0.571	2.898
ITFC	3	10	1.00	4	4	original	ϕ_o	0.787	0.155	0.471	2.295
ITFC	3	100	0.50	4	4	original	ϕ_o	0.547	0.854	0.700	2.890
ITFC	3	100	0.70	4	4	original	ϕ_o	0.653	0.705	0.679	3.245
ITFC	3	100	1.00	4	4	original	ϕ_o	0.733	0.459	0.596	3.395
ITFC	3	250	0.50	4	4	original	ϕ_o	0.441	0.918	0.680	2.507
ITFC	3	250	0.70	4	4	original	ϕ_o	0.568	0.831	0.699	2.991
ITFC	3	250	1.00	4	4	original	ϕ_o	0.671	0.656	0.664	3.295
ITFC	3	500	1.25	6	7	original	ϕ_o	0.609	0.678	0.644	3.044
ITFC	3	500	1.50	6	7	original	ϕ_o	0.652	0.519	0.586	3.077
ITFC	3	500	1.70	6	7	original	ϕ_o	0.676	0.410	0.543	2.632
ITFC	3	750	1.25	6	7	original	ϕ_o	0.599	0.713	0.656	3.043
ITFC	3	750	1.50	6	7	original	ϕ_o	0.646	0.556	0.601	3.085
ITFC	3	750	1.70	6	7	original	ϕ_o	0.672	0.442	0.557	2.635
ITFC	3	1000	1.25	6	7	original	ϕ_o	0.598	0.715	0.656	3.043
ITFC	3	1000	1.50	6	7	original	ϕ_o	0.645	0.558	0.602	3.084
ITFC	3	1000	1.70	6	7	original	ϕ_o	0.672	0.443	0.557	2.634
ITFC	3	10	2.00	6	6	original	ϕ_o	0.731	0.053	0.392	2.095
ITFC	3	10	2.30	6	6	original	ϕ_o	0.732	0.053	0.392	2.096
ITFC	3	10	3.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	2.00	6	6	original	ϕ_o	0.720	0.092	0.406	2.072

ITFC	3	100	2.30	6	6	original	ϕ_o	0.723	0.079	0.401	2.077
ITFC	3	100	3.00	6	6	original	ϕ_o	0.726	0.065	0.396	2.080
ITFC	3	250	2.00	6	6	original	ϕ_o	0.709	0.155	0.432	2.063
ITFC	3	250	2.30	6	6	original	ϕ_o	0.715	0.123	0.419	2.069
ITFC	3	250	3.00	6	6	original	ϕ_o	0.721	0.092	0.406	2.072
ITFC	3	10	0.50	7	5	original	ϕ_o	0.571	0.522	0.547	2.641
ITFC	3	10	0.70	7	5	original	ϕ_o	0.635	0.299	0.467	2.356
ITFC	3	10	1.00	7	5	original	ϕ_o	0.670	0.181	0.425	2.386
ITFC	3	100	0.50	7	5	original	ϕ_o	0.386	0.867	0.627	2.160
ITFC	3	100	0.70	7	5	original	ϕ_o	0.488	0.698	0.593	2.474
ITFC	3	100	1.00	7	5	original	ϕ_o	0.574	0.439	0.506	2.647
ITFC	3	250	0.50	7	5	original	ϕ_o	0.296	0.922	0.609	1.817
ITFC	3	250	0.70	7	5	original	ϕ_o	0.397	0.833	0.615	2.197
ITFC	3	250	1.00	7	5	original	ϕ_o	0.496	0.620	0.558	2.448
ITFC	3	10	2.00	3	7	original	ϕ_o	0.866	0.074	0.470	2.522
ITFC	3	10	2.30	3	7	original	ϕ_o	0.866	0.073	0.469	2.520
ITFC	3	10	3.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	100	2.00	3	7	original	ϕ_o	0.862	0.114	0.488	2.524
ITFC	3	100	2.30	3	7	original	ϕ_o	0.864	0.101	0.482	2.524
ITFC	3	100	3.00	3	7	original	ϕ_o	0.865	0.089	0.477	1.711
ITFC	3	250	2.00	3	7	original	ϕ_o	0.852	0.187	0.520	2.516
ITFC	3	250	2.30	3	7	original	ϕ_o	0.857	0.150	0.503	2.519
ITFC	3	250	3.00	3	7	original	ϕ_o	0.861	0.119	0.490	2.520
ITFC	3	10	0.50	3	3	original	ϕ_o	0.801	0.548	0.675	2.451
ITFC	3	10	0.70	3	3	original	ϕ_o	0.850	0.319	0.584	2.535
ITFC	3	10	1.00	3	3	original	ϕ_o	0.865	0.117	0.491	2.523
ITFC	3	100	0.50	3	3	original	ϕ_o	0.682	0.768	0.725	3.467
ITFC	3	100	0.70	3	3	original	ϕ_o	0.781	0.578	0.680	3.120
ITFC	3	100	1.00	3	3	original	ϕ_o	0.839	0.333	0.586	2.513
ITFC	3	250	0.50	3	3	original	ϕ_o	0.592	0.851	0.721	3.245
ITFC	3	250	0.70	3	3	original	ϕ_o	0.719	0.711	0.715	3.532
ITFC	3	250	1.00	3	3	original	ϕ_o	0.805	0.484	0.645	3.142
ITFC	3	500	0.20	4	2	original	ϕ_o	0.149	0.969	0.559	1.111
ITFC	3	750	0.20	4	2	original	ϕ_o	0.121	0.971	0.546	0.982
ITFC	3	1000	0.20	4	2	original	ϕ_o	0.104	0.972	0.538	0.903
ITFC	3	10	0.20	6	3	original	ϕ_o	0.272	0.964	0.618	1.762
ITFC	3	100	0.20	6	3	original	ϕ_o	0.160	0.983	0.572	1.337
ITFC	3	250	0.20	6	3	original	ϕ_o	0.112	0.987	0.549	1.129
ITFC	3	500	0.20	6	5	original	ϕ_o	0.050	0.990	0.520	0.888
ITFC	3	750	0.20	6	5	original	ϕ_o	0.037	0.990	0.514	0.836
ITFC	3	1000	0.20	6	5	original	ϕ_o	0.031	0.990	0.511	0.813
ITFC	3	500	0.50	4	5	original	ϕ_o	0.334	0.948	0.641	2.074
ITFC	3	500	0.70	4	5	original	ϕ_o	0.470	0.898	0.684	2.643
ITFC	3	500	1.00	4	5	original	ϕ_o	0.596	0.776	0.686	3.087
ITFC	3	750	0.50	4	5	original	ϕ_o	0.298	0.954	0.626	1.927
ITFC	3	750	0.70	4	5	original	ϕ_o	0.432	0.912	0.672	2.510
ITFC	3	750	1.00	4	5	original	ϕ_o	0.567	0.808	0.687	2.986
ITFC	3	1000	0.50	4	5	original	ϕ_o	0.281	0.956	0.619	1.875
ITFC	3	1000	0.70	4	5	original	ϕ_o	0.417	0.917	0.667	2.460
ITFC	3	1000	1.00	4	5	original	ϕ_o	0.556	0.818	0.687	2.957
ITFC	3	500	4.00	5	2	original	ϕ_o	0.742	0.137	0.440	2.744
ITFC	3	750	4.00	5	2	original	ϕ_o	0.738	0.149	0.443	2.728
ITFC	3	1000	4.00	5	2	original	ϕ_o	0.734	0.159	0.447	2.717
ITFC	3	500	0.50	6	4	original	ϕ_o	0.310	0.957	0.633	2.133
ITFC	3	500	0.70	6	4	original	ϕ_o	0.441	0.885	0.663	2.601
ITFC	3	500	1.00	6	4	original	ϕ_o	0.568	0.693	0.631	2.849
ITFC	3	750	0.50	6	4	original	ϕ_o	0.274	0.968	0.621	2.028
ITFC	3	750	0.70	6	4	original	ϕ_o	0.405	0.916	0.660	2.515
ITFC	3	750	1.00	6	4	original	ϕ_o	0.536	0.772	0.654	2.852
ITFC	3	1000	0.50	6	4	original	ϕ_o	0.259	0.973	0.616	1.992
ITFC	3	1000	0.70	6	4	original	ϕ_o	0.392	0.929	0.660	2.489
ITFC	3	1000	1.00	6	4	original	ϕ_o	0.524	0.803	0.664	2.860
ITFC	3	10	1.25	4	6	original	ϕ_o	0.789	0.126	0.457	2.879
ITFC	3	10	1.50	4	6	original	ϕ_o	0.789	0.110	0.449	2.291

ITFC	3	10	1.70	4	6	original	ϕ_o	0.789	0.106	0.447	2.873
ITFC	3	100	1.25	4	6	original	ϕ_o	0.748	0.404	0.576	3.436
ITFC	3	100	1.50	4	6	original	ϕ_o	0.767	0.272	0.519	3.412
ITFC	3	100	1.70	4	6	original	ϕ_o	0.774	0.210	0.492	2.770
ITFC	3	250	1.25	4	6	original	ϕ_o	0.699	0.594	0.646	3.378
ITFC	3	250	1.50	4	6	original	ϕ_o	0.731	0.451	0.591	2.865
ITFC	3	250	1.70	4	6	original	ϕ_o	0.748	0.352	0.550	2.769
ITFC	3	500	4.00	6	2	original	ϕ_o	0.719	0.066	0.393	2.058
ITFC	3	750	4.00	6	2	original	ϕ_o	0.716	0.077	0.397	2.050
ITFC	3	1000	4.00	6	2	original	ϕ_o	0.713	0.089	0.401	2.044
ITFC	3	10	2.00	2	6	original	ϕ_o	0.963	0.058	0.511	2.825
ITFC	3	10	2.30	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	10	3.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	2.00	2	6	original	ϕ_o	0.962	0.084	0.523	2.831
ITFC	3	100	2.30	2	6	original	ϕ_o	0.963	0.076	0.519	1.909
ITFC	3	100	3.00	2	6	original	ϕ_o	0.963	0.068	0.515	2.826
ITFC	3	250	2.00	2	6	original	ϕ_o	0.958	0.146	0.552	2.840
ITFC	3	250	2.30	2	6	original	ϕ_o	0.960	0.111	0.535	2.834
ITFC	3	250	3.00	2	6	original	ϕ_o	0.961	0.089	0.525	2.827
ITFC	3	10	4.00	7	5	original	ϕ_o	0.685	0.113	0.399	2.745
ITFC	3	100	4.00	7	5	original	ϕ_o	0.673	0.145	0.409	2.360
ITFC	3	250	4.00	7	5	original	ϕ_o	0.651	0.180	0.415	2.304
ITFC	3	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
ITFC	3	100	4.00	7	2	original	ϕ_o	0.680	0.121	0.401	2.382
ITFC	3	250	4.00	7	2	original	ϕ_o	0.667	0.139	0.403	1.888
ITFC	3	500	2.00	6	4	original	ϕ_o	0.705	0.170	0.438	2.561
ITFC	3	500	2.30	6	4	original	ϕ_o	0.713	0.129	0.421	2.065
ITFC	3	500	3.00	6	4	original	ϕ_o	0.720	0.098	0.409	2.075
ITFC	3	750	2.00	6	4	original	ϕ_o	0.700	0.232	0.466	2.588
ITFC	3	750	2.30	6	4	original	ϕ_o	0.711	0.168	0.440	2.077
ITFC	3	750	3.00	6	4	original	ϕ_o	0.722	0.114	0.418	2.090
ITFC	3	1000	2.00	6	4	original	ϕ_o	0.698	0.265	0.481	2.075
ITFC	3	1000	2.30	6	4	original	ϕ_o	0.711	0.190	0.450	2.084
ITFC	3	1000	3.00	6	4	original	ϕ_o	0.724	0.124	0.424	2.098
ITFC	3	500	0.20	7	6	original	ϕ_o	0.048	0.967	0.508	0.597
ITFC	3	750	0.20	7	6	original	ϕ_o	0.044	0.967	0.505	0.576
ITFC	3	1000	0.20	7	6	original	ϕ_o	0.042	0.967	0.504	0.569
ITFC	3	500	2.00	5	2	original	ϕ_o	0.729	0.190	0.460	2.718
ITFC	3	500	2.30	5	2	original	ϕ_o	0.734	0.173	0.454	2.731
ITFC	3	500	3.00	5	2	original	ϕ_o	0.739	0.151	0.445	2.736
ITFC	3	750	2.00	5	2	original	ϕ_o	0.720	0.214	0.467	3.076
ITFC	3	750	2.30	5	2	original	ϕ_o	0.726	0.193	0.460	3.083
ITFC	3	750	3.00	5	2	original	ϕ_o	0.734	0.166	0.450	2.725
ITFC	3	1000	2.00	5	2	original	ϕ_o	0.711	0.237	0.474	2.679
ITFC	3	1000	2.30	5	2	original	ϕ_o	0.719	0.210	0.464	3.075
ITFC	3	1000	3.00	5	2	original	ϕ_o	0.729	0.179	0.454	3.080
ITFC	3	10	0.50	2	5	original	ϕ_o	0.892	0.747	0.819	3.618
ITFC	3	10	0.70	2	5	original	ϕ_o	0.944	0.499	0.721	2.848
ITFC	3	10	1.00	2	5	original	ϕ_o	0.962	0.154	0.558	2.841
ITFC	3	100	0.50	2	5	original	ϕ_o	0.778	0.882	0.830	4.121
ITFC	3	100	0.70	2	5	original	ϕ_o	0.880	0.768	0.824	3.611
ITFC	3	100	1.00	2	5	original	ϕ_o	0.938	0.520	0.729	2.844
ITFC	3	250	0.50	2	5	original	ϕ_o	0.680	0.921	0.801	3.833
ITFC	3	250	0.70	2	5	original	ϕ_o	0.812	0.855	0.834	4.228
ITFC	3	250	1.00	2	5	original	ϕ_o	0.900	0.703	0.802	3.652
ITFC	3	500	0.20	6	4	original	ϕ_o	0.060	0.990	0.525	0.927
ITFC	3	750	0.20	6	4	original	ϕ_o	0.045	0.990	0.517	0.870
ITFC	3	1000	0.20	6	4	original	ϕ_o	0.036	0.990	0.513	0.841
ITFC	3	10	0.20	4	4	original	ϕ_o	0.347	0.949	0.648	1.973
ITFC	3	100	0.20	4	4	original	ϕ_o	0.187	0.969	0.578	1.289
ITFC	3	250	0.20	4	4	original	ϕ_o	0.115	0.973	0.544	0.980
ITFC	3	500	4.00	6	6	original	ϕ_o	0.727	0.102	0.415	2.096
ITFC	3	750	4.00	6	6	original	ϕ_o	0.730	0.110	0.420	2.629
ITFC	3	1000	4.00	6	6	original	ϕ_o	0.730	0.110	0.420	2.111

ITFC	3	10	2.00	7	4	original	ϕ_o	0.683	0.115	0.399	2.735
ITFC	3	10	2.30	7	4	original	ϕ_o	0.684	0.114	0.399	1.937
ITFC	3	10	3.00	7	4	original	ϕ_o	0.684	0.114	0.399	2.399
ITFC	3	100	2.00	7	4	original	ϕ_o	0.662	0.180	0.421	2.344
ITFC	3	100	2.30	7	4	original	ϕ_o	0.666	0.163	0.414	2.682
ITFC	3	100	3.00	7	4	original	ϕ_o	0.671	0.142	0.406	2.343
ITFC	3	250	2.00	7	4	original	ϕ_o	0.631	0.239	0.435	2.628
ITFC	3	250	2.30	7	4	original	ϕ_o	0.639	0.215	0.427	2.291
ITFC	3	250	3.00	7	4	original	ϕ_o	0.650	0.183	0.416	2.299
ITFC	3	10	0.20	5	5	original	ϕ_o	0.286	0.943	0.614	1.726
ITFC	3	100	0.20	5	5	original	ϕ_o	0.132	0.967	0.549	1.087
ITFC	3	250	0.20	5	5	original	ϕ_o	0.073	0.972	0.523	0.811
ITFC	3	500	4.00	4	3	original	ϕ_o	0.779	0.162	0.471	2.879
ITFC	3	750	4.00	4	3	original	ϕ_o	0.774	0.178	0.476	2.867
ITFC	3	1000	4.00	4	3	original	ϕ_o	0.770	0.189	0.479	3.320
ITFC	3	500	4.00	7	2	original	ϕ_o	0.646	0.162	0.404	2.623
ITFC	3	750	4.00	7	2	original	ϕ_o	0.635	0.186	0.411	2.251
ITFC	3	1000	4.00	7	2	original	ϕ_o	0.634	0.207	0.420	2.270
ITFC	3	500	1.25	2	3	original	ϕ_o	0.928	0.612	0.770	3.699
ITFC	3	500	1.50	2	3	original	ϕ_o	0.947	0.452	0.699	2.854
ITFC	3	500	1.70	2	3	original	ϕ_o	0.955	0.322	0.639	2.856
ITFC	3	750	1.25	2	3	original	ϕ_o	0.906	0.704	0.805	3.678
ITFC	3	750	1.50	2	3	original	ϕ_o	0.933	0.579	0.756	3.705
ITFC	3	750	1.70	2	3	original	ϕ_o	0.945	0.469	0.707	3.701
ITFC	3	1000	1.25	2	3	original	ϕ_o	0.885	0.751	0.818	3.650
ITFC	3	1000	1.50	2	3	original	ϕ_o	0.919	0.643	0.781	3.690
ITFC	3	1000	1.70	2	3	original	ϕ_o	0.935	0.544	0.740	3.701
ITFC	3	10	1.25	3	3	original	ϕ_o	0.866	0.080	0.473	2.521
ITFC	3	10	1.50	3	3	original	ϕ_o	0.866	0.074	0.470	2.520
ITFC	3	10	1.70	3	3	original	ϕ_o	0.866	0.073	0.469	2.520
ITFC	3	100	1.25	3	3	original	ϕ_o	0.856	0.195	0.525	2.526
ITFC	3	100	1.50	3	3	original	ϕ_o	0.862	0.131	0.496	2.526
ITFC	3	100	1.70	3	3	original	ϕ_o	0.864	0.108	0.486	2.524
ITFC	3	250	1.25	3	3	original	ϕ_o	0.835	0.326	0.581	2.504
ITFC	3	250	1.50	3	3	original	ϕ_o	0.850	0.219	0.535	2.517
ITFC	3	250	1.70	3	3	original	ϕ_o	0.856	0.170	0.513	2.520
ITFC	3	500	1.25	2	5	original	ϕ_o	0.898	0.703	0.800	3.653
ITFC	3	500	1.50	2	5	original	ϕ_o	0.927	0.569	0.748	3.681
ITFC	3	500	1.70	2	5	original	ϕ_o	0.941	0.454	0.697	3.683
ITFC	3	750	1.25	2	5	original	ϕ_o	0.876	0.770	0.823	4.340
ITFC	3	750	1.50	2	5	original	ϕ_o	0.910	0.666	0.788	3.682
ITFC	3	750	1.70	2	5	original	ϕ_o	0.929	0.572	0.751	3.697
ITFC	3	1000	1.25	2	5	original	ϕ_o	0.868	0.782	0.825	4.347
ITFC	3	1000	1.50	2	5	original	ϕ_o	0.906	0.686	0.796	3.676
ITFC	3	1000	1.70	2	5	original	ϕ_o	0.925	0.594	0.760	3.694
ITFC	3	500	4.00	3	3	original	ϕ_o	0.863	0.104	0.483	2.521
ITFC	3	750	4.00	3	3	original	ϕ_o	0.861	0.119	0.490	2.521
ITFC	3	1000	4.00	3	3	original	ϕ_o	0.858	0.134	0.496	2.518
ITFC	3	500	0.20	5	2	original	ϕ_o	0.111	0.962	0.537	0.981
ITFC	3	750	0.20	5	2	original	ϕ_o	0.087	0.966	0.526	0.867
ITFC	3	1000	0.20	5	2	original	ϕ_o	0.069	0.968	0.519	0.794
ITFC	3	500	1.25	4	6	original	ϕ_o	0.647	0.699	0.673	3.231
ITFC	3	500	1.50	4	6	original	ϕ_o	0.690	0.574	0.632	3.324
ITFC	3	500	1.70	4	6	original	ϕ_o	0.715	0.475	0.595	3.358
ITFC	3	750	1.25	4	6	original	ϕ_o	0.631	0.722	0.677	3.174
ITFC	3	750	1.50	4	6	original	ϕ_o	0.677	0.603	0.640	3.277
ITFC	3	750	1.70	4	6	original	ϕ_o	0.704	0.508	0.606	3.325
ITFC	3	1000	1.25	4	6	original	ϕ_o	0.627	0.728	0.678	3.167
ITFC	3	1000	1.50	4	6	original	ϕ_o	0.674	0.611	0.643	3.271
ITFC	3	1000	1.70	4	6	original	ϕ_o	0.702	0.517	0.609	3.319
ITFC	3	10	4.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.746
ITFC	3	100	4.00	7	6	original	ϕ_o	0.672	0.148	0.410	2.706
ITFC	3	250	4.00	7	6	original	ϕ_o	0.655	0.185	0.420	2.663
ITFC	3	500	0.50	7	3	original	ϕ_o	0.286	0.914	0.600	1.790

ITFC	3	500	0.70	7	3	original	ϕ_o	0.390	0.808	0.599	2.155
ITFC	3	500	1.00	7	3	original	ϕ_o	0.492	0.597	0.545	2.406
ITFC	3	750	0.50	7	3	original	ϕ_o	0.248	0.929	0.589	1.638
ITFC	3	750	0.70	7	3	original	ϕ_o	0.351	0.848	0.600	2.037
ITFC	3	750	1.00	7	3	original	ϕ_o	0.456	0.657	0.557	2.310
ITFC	3	1000	0.50	7	3	original	ϕ_o	0.241	0.934	0.588	1.614
ITFC	3	1000	0.70	7	3	original	ϕ_o	0.343	0.860	0.601	2.015
ITFC	3	1000	1.00	7	3	original	ϕ_o	0.448	0.675	0.562	2.295
ITFC	3	10	1.25	5	6	original	ϕ_o	0.745	0.137	0.441	2.766
ITFC	3	10	1.50	5	6	original	ϕ_o	0.747	0.118	0.432	2.759
ITFC	3	10	1.70	5	6	original	ϕ_o	0.748	0.112	0.430	2.762
ITFC	3	100	1.25	5	6	original	ϕ_o	0.719	0.290	0.504	2.737
ITFC	3	100	1.50	5	6	original	ϕ_o	0.732	0.219	0.475	2.754
ITFC	3	100	1.70	5	6	original	ϕ_o	0.737	0.189	0.463	2.762
ITFC	3	250	1.25	5	6	original	ϕ_o	0.671	0.468	0.570	3.111
ITFC	3	250	1.50	5	6	original	ϕ_o	0.701	0.347	0.524	2.703
ITFC	3	250	1.70	5	6	original	ϕ_o	0.714	0.285	0.499	3.166
ITFC	3	10	0.50	3	2	original	ϕ_o	0.799	0.531	0.665	2.444
ITFC	3	10	0.70	3	2	original	ϕ_o	0.852	0.282	0.567	2.528
ITFC	3	10	1.00	3	2	original	ϕ_o	0.864	0.104	0.484	2.517
ITFC	3	100	0.50	3	2	original	ϕ_o	0.694	0.755	0.725	3.487
ITFC	3	100	0.70	3	2	original	ϕ_o	0.794	0.552	0.673	3.142
ITFC	3	100	1.00	3	2	original	ϕ_o	0.846	0.291	0.568	2.521
ITFC	3	250	0.50	3	2	original	ϕ_o	0.613	0.837	0.725	3.294
ITFC	3	250	0.70	3	2	original	ϕ_o	0.738	0.687	0.712	3.579
ITFC	3	250	1.00	3	2	original	ϕ_o	0.820	0.437	0.628	2.487
ITFC	3	10	1.25	3	7	original	ϕ_o	0.865	0.093	0.479	2.526
ITFC	3	10	1.50	3	7	original	ϕ_o	0.866	0.079	0.472	2.524
ITFC	3	10	1.70	3	7	original	ϕ_o	0.866	0.077	0.471	2.522
ITFC	3	100	1.25	3	7	original	ϕ_o	0.843	0.290	0.567	2.515
ITFC	3	100	1.50	3	7	original	ϕ_o	0.855	0.189	0.522	3.106
ITFC	3	100	1.70	3	7	original	ϕ_o	0.859	0.146	0.503	2.523
ITFC	3	250	1.25	3	7	original	ϕ_o	0.805	0.473	0.639	3.604
ITFC	3	250	1.50	3	7	original	ϕ_o	0.831	0.345	0.588	3.145
ITFC	3	250	1.70	3	7	original	ϕ_o	0.843	0.264	0.554	2.508
ITFC	3	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	4.00	2	7	original	ϕ_o	0.963	0.064	0.514	2.826
ITFC	3	250	4.00	2	7	original	ϕ_o	0.962	0.078	0.520	2.824
ITFC	3	10	0.50	2	4	original	ϕ_o	0.901	0.731	0.816	3.635
ITFC	3	10	0.70	2	4	original	ϕ_o	0.946	0.464	0.705	2.848
ITFC	3	10	1.00	2	4	original	ϕ_o	0.962	0.138	0.550	2.835
ITFC	3	100	0.50	2	4	original	ϕ_o	0.797	0.867	0.832	4.162
ITFC	3	100	0.70	2	4	original	ϕ_o	0.893	0.739	0.816	3.633
ITFC	3	100	1.00	2	4	original	ϕ_o	0.944	0.455	0.700	3.671
ITFC	3	250	0.50	2	4	original	ϕ_o	0.708	0.912	0.810	3.925
ITFC	3	250	0.70	2	4	original	ϕ_o	0.834	0.831	0.832	4.250
ITFC	3	250	1.00	2	4	original	ϕ_o	0.914	0.652	0.783	3.668
ITFC	3	10	0.20	6	5	original	ϕ_o	0.254	0.976	0.615	1.692
ITFC	3	100	0.20	6	5	original	ϕ_o	0.133	0.987	0.560	1.224
ITFC	3	250	0.20	6	5	original	ϕ_o	0.083	0.989	0.536	1.020
ITFC	3	500	0.20	7	3	original	ϕ_o	0.080	0.966	0.523	0.751
ITFC	3	750	0.20	7	3	original	ϕ_o	0.065	0.966	0.516	0.679
ITFC	3	1000	0.20	7	3	original	ϕ_o	0.061	0.967	0.514	0.660
ITFC	3	10	0.20	7	4	original	ϕ_o	0.298	0.932	0.615	1.702
ITFC	3	100	0.20	7	4	original	ϕ_o	0.150	0.961	0.555	1.066
ITFC	3	250	0.20	7	4	original	ϕ_o	0.092	0.966	0.529	0.808
ITFC	3	500	2.00	6	3	original	ϕ_o	0.699	0.152	0.425	2.037
ITFC	3	500	2.30	6	3	original	ϕ_o	0.706	0.119	0.412	2.046
ITFC	3	500	3.00	6	3	original	ϕ_o	0.713	0.093	0.403	2.059
ITFC	3	750	2.00	6	3	original	ϕ_o	0.696	0.210	0.453	2.044
ITFC	3	750	2.30	6	3	original	ϕ_o	0.705	0.156	0.430	2.054
ITFC	3	750	3.00	6	3	original	ϕ_o	0.715	0.110	0.413	2.068
ITFC	3	1000	2.00	6	3	original	ϕ_o	0.694	0.251	0.472	2.056
ITFC	3	1000	2.30	6	3	original	ϕ_o	0.707	0.182	0.444	2.066

ITFC	3	1000	3.00	6	3	original	ϕ_o	0.718	0.122	0.420	2.080
ITFC	3	10	0.20	3	3	original	ϕ_o	0.449	0.922	0.686	2.560
ITFC	3	100	0.20	3	3	original	ϕ_o	0.261	0.961	0.611	1.867
ITFC	3	250	0.20	3	3	original	ϕ_o	0.172	0.972	0.572	1.516
ITFC	3	500	4.00	4	4	original	ϕ_o	0.779	0.173	0.476	2.882
ITFC	3	750	4.00	4	4	original	ϕ_o	0.773	0.185	0.479	3.327
ITFC	3	1000	4.00	4	4	original	ϕ_o	0.771	0.191	0.481	3.306
ITFC	3	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	4.00	6	3	original	ϕ_o	0.731	0.054	0.392	2.092
ITFC	3	250	4.00	6	3	original	ϕ_o	0.725	0.062	0.393	2.076
ITFC	3	500	0.20	5	3	original	ϕ_o	0.071	0.973	0.522	0.798
ITFC	3	750	0.20	5	3	original	ϕ_o	0.050	0.975	0.512	0.697
ITFC	3	1000	0.20	5	3	original	ϕ_o	0.036	0.976	0.506	0.636
ITFC	3	10	0.20	5	3	original	ϕ_o	0.309	0.907	0.608	1.802
ITFC	3	100	0.20	5	3	original	ϕ_o	0.175	0.956	0.566	1.258
ITFC	3	250	0.20	5	3	original	ϕ_o	0.113	0.968	0.541	0.991
ITFC	3	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	4.00	6	2	original	ϕ_o	0.731	0.053	0.392	2.095
ITFC	3	250	4.00	6	2	original	ϕ_o	0.727	0.056	0.391	2.079
ITFC	3	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	3	100	4.00	4	4	original	ϕ_o	0.788	0.110	0.449	3.316
ITFC	3	250	4.00	4	4	original	ϕ_o	0.784	0.141	0.463	2.877
ITFC	3	500	4.00	7	3	original	ϕ_o	0.651	0.199	0.425	2.212
ITFC	3	750	4.00	7	3	original	ϕ_o	0.648	0.220	0.434	2.669
ITFC	3	1000	4.00	7	3	original	ϕ_o	0.647	0.225	0.436	2.670
ITFC	3	500	4.00	4	7	original	ϕ_o	0.778	0.178	0.478	2.871
ITFC	3	750	4.00	4	7	original	ϕ_o	0.776	0.178	0.477	3.304
ITFC	3	1000	4.00	4	7	original	ϕ_o	0.776	0.177	0.477	3.300
ITFC	3	500	0.20	4	6	original	ϕ_o	0.058	0.974	0.516	0.722
ITFC	3	750	0.20	4	6	original	ϕ_o	0.047	0.974	0.511	0.673
ITFC	3	1000	0.20	4	6	original	ϕ_o	0.041	0.974	0.508	0.654
ITFC	3	500	0.20	4	7	original	ϕ_o	0.053	0.974	0.514	0.705
ITFC	3	750	0.20	4	7	original	ϕ_o	0.044	0.974	0.509	0.670
ITFC	3	1000	0.20	4	7	original	ϕ_o	0.041	0.974	0.508	0.661
ITFC	3	500	0.50	2	3	original	ϕ_o	0.650	0.934	0.792	3.746
ITFC	3	500	0.70	2	3	original	ϕ_o	0.792	0.873	0.832	4.195
ITFC	3	500	1.00	2	3	original	ϕ_o	0.890	0.749	0.820	3.651
ITFC	3	750	0.50	2	3	original	ϕ_o	0.580	0.948	0.764	3.550
ITFC	3	750	0.70	2	3	original	ϕ_o	0.741	0.899	0.820	4.088
ITFC	3	750	1.00	2	3	original	ϕ_o	0.857	0.804	0.831	4.319
ITFC	3	1000	0.50	2	3	original	ϕ_o	0.529	0.957	0.743	3.392
ITFC	3	1000	0.70	2	3	original	ϕ_o	0.698	0.916	0.807	3.975
ITFC	3	1000	1.00	2	3	original	ϕ_o	0.829	0.836	0.833	4.288
ITFC	3	500	4.00	5	4	original	ϕ_o	0.737	0.173	0.455	2.745
ITFC	3	750	4.00	5	4	original	ϕ_o	0.735	0.184	0.459	3.146
ITFC	3	1000	4.00	5	4	original	ϕ_o	0.733	0.187	0.460	3.170
ITFC	3	10	0.50	4	7	original	ϕ_o	0.667	0.740	0.703	3.323
ITFC	3	10	0.70	4	7	original	ϕ_o	0.743	0.503	0.623	3.445
ITFC	3	10	1.00	4	7	original	ϕ_o	0.783	0.207	0.495	2.905
ITFC	3	100	0.50	4	7	original	ϕ_o	0.483	0.923	0.703	2.670
ITFC	3	100	0.70	4	7	original	ϕ_o	0.611	0.819	0.715	3.173
ITFC	3	100	1.00	4	7	original	ϕ_o	0.705	0.612	0.658	3.401
ITFC	3	250	0.50	4	7	original	ϕ_o	0.368	0.950	0.659	2.207
ITFC	3	250	0.70	4	7	original	ϕ_o	0.509	0.898	0.704	2.811
ITFC	3	250	1.00	4	7	original	ϕ_o	0.632	0.763	0.698	3.223
ITFC	3	500	0.20	4	4	original	ϕ_o	0.074	0.974	0.524	0.797
ITFC	3	750	0.20	4	4	original	ϕ_o	0.058	0.974	0.516	0.726
ITFC	3	1000	0.20	4	4	original	ϕ_o	0.050	0.974	0.512	0.693
ITFC	3	10	0.20	4	6	original	ϕ_o	0.311	0.957	0.634	1.828
ITFC	3	100	0.20	4	6	original	ϕ_o	0.154	0.971	0.563	1.142
ITFC	3	250	0.20	4	6	original	ϕ_o	0.094	0.973	0.534	0.877
ITFC	3	500	0.50	6	2	original	ϕ_o	0.376	0.875	0.626	2.269
ITFC	3	500	0.70	6	2	original	ϕ_o	0.497	0.713	0.605	2.581
ITFC	3	500	1.00	6	2	original	ϕ_o	0.609	0.458	0.533	2.381

ITFC	3	750	0.50	6	2	original	ϕ_o	0.328	0.916	0.622	2.130
ITFC	3	750	0.70	6	2	original	ϕ_o	0.449	0.795	0.622	2.494
ITFC	3	750	1.00	6	2	original	ϕ_o	0.569	0.566	0.567	2.334
ITFC	3	1000	0.50	6	2	original	ϕ_o	0.293	0.938	0.615	2.019
ITFC	3	1000	0.70	6	2	original	ϕ_o	0.409	0.846	0.628	2.414
ITFC	3	1000	1.00	6	2	original	ϕ_o	0.535	0.645	0.590	2.669
ITFC	3	10	1.25	2	2	original	ϕ_o	0.964	0.060	0.512	2.825
ITFC	3	10	1.50	2	2	original	ϕ_o	0.964	0.058	0.511	2.826
ITFC	3	10	1.70	2	2	original	ϕ_o	0.964	0.057	0.510	2.826
ITFC	3	100	1.25	2	2	original	ϕ_o	0.965	0.158	0.562	2.858
ITFC	3	100	1.50	2	2	original	ϕ_o	0.966	0.084	0.525	1.918
ITFC	3	100	1.70	2	2	original	ϕ_o	0.965	0.073	0.519	2.836
ITFC	3	250	1.25	2	2	original	ϕ_o	0.958	0.314	0.636	2.866
ITFC	3	250	1.50	2	2	original	ϕ_o	0.964	0.171	0.568	2.860
ITFC	3	250	1.70	2	2	original	ϕ_o	0.965	0.113	0.539	2.850
ITFC	3	500	0.50	7	5	original	ϕ_o	0.250	0.937	0.594	1.646
ITFC	3	500	0.70	7	5	original	ϕ_o	0.353	0.869	0.611	2.052
ITFC	3	500	1.00	7	5	original	ϕ_o	0.460	0.691	0.575	2.346
ITFC	3	750	0.50	7	5	original	ϕ_o	0.241	0.939	0.590	1.611
ITFC	3	750	0.70	7	5	original	ϕ_o	0.343	0.876	0.610	2.022
ITFC	3	750	1.00	7	5	original	ϕ_o	0.451	0.710	0.580	2.330
ITFC	3	1000	0.50	7	5	original	ϕ_o	0.240	0.939	0.589	1.606
ITFC	3	1000	0.70	7	5	original	ϕ_o	0.342	0.876	0.609	2.016
ITFC	3	1000	1.00	7	5	original	ϕ_o	0.449	0.714	0.582	2.326
ITFC	3	10	0.20	7	3	original	ϕ_o	0.349	0.917	0.633	1.947
ITFC	3	100	0.20	7	3	original	ϕ_o	0.184	0.957	0.570	1.237
ITFC	3	250	0.20	7	3	original	ϕ_o	0.120	0.963	0.542	0.939
ITFC	3	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	250	4.00	2	2	original	ϕ_o	0.963	0.062	0.513	2.826
ITFC	3	500	4.00	5	6	original	ϕ_o	0.735	0.184	0.460	3.168
ITFC	3	750	4.00	5	6	original	ϕ_o	0.735	0.187	0.461	2.762
ITFC	3	1000	4.00	5	6	original	ϕ_o	0.734	0.188	0.461	3.167
ITFC	3	500	2.00	6	5	original	ϕ_o	0.703	0.230	0.466	2.072
ITFC	3	500	2.30	6	5	original	ϕ_o	0.713	0.171	0.442	2.081
ITFC	3	500	3.00	6	5	original	ϕ_o	0.722	0.118	0.420	2.086
ITFC	3	750	2.00	6	5	original	ϕ_o	0.699	0.281	0.490	2.083
ITFC	3	750	2.30	6	5	original	ϕ_o	0.713	0.202	0.457	2.638
ITFC	3	750	3.00	6	5	original	ϕ_o	0.725	0.131	0.428	2.105
ITFC	3	1000	2.00	6	5	original	ϕ_o	0.697	0.291	0.494	2.639
ITFC	3	1000	2.30	6	5	original	ϕ_o	0.712	0.209	0.460	2.094
ITFC	3	1000	3.00	6	5	original	ϕ_o	0.725	0.134	0.429	2.105
ITFC	3	10	2.00	7	2	original	ϕ_o	0.684	0.116	0.400	2.404
ITFC	3	10	2.30	7	2	original	ϕ_o	0.684	0.115	0.400	2.403
ITFC	3	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
ITFC	3	100	2.00	7	2	original	ϕ_o	0.667	0.148	0.408	2.351
ITFC	3	100	2.30	7	2	original	ϕ_o	0.671	0.139	0.405	2.702
ITFC	3	100	3.00	7	2	original	ϕ_o	0.676	0.129	0.402	2.370
ITFC	3	250	2.00	7	2	original	ϕ_o	0.644	0.186	0.415	2.644
ITFC	3	250	2.30	7	2	original	ϕ_o	0.650	0.172	0.411	2.302
ITFC	3	250	3.00	7	2	original	ϕ_o	0.660	0.153	0.406	2.319
ITFC	3	10	0.50	6	6	original	ϕ_o	0.602	0.650	0.626	2.464
ITFC	3	10	0.70	6	6	original	ϕ_o	0.682	0.341	0.511	2.046
ITFC	3	10	1.00	6	6	original	ϕ_o	0.719	0.125	0.422	2.075
ITFC	3	100	0.50	6	6	original	ϕ_o	0.439	0.900	0.670	2.560
ITFC	3	100	0.70	6	6	original	ϕ_o	0.567	0.723	0.645	2.861
ITFC	3	100	1.00	6	6	original	ϕ_o	0.660	0.416	0.538	2.012
ITFC	3	250	0.50	6	6	original	ϕ_o	0.335	0.953	0.644	2.226
ITFC	3	250	0.70	6	6	original	ϕ_o	0.472	0.870	0.671	2.703
ITFC	3	250	1.00	6	6	original	ϕ_o	0.596	0.649	0.623	2.914
ITFC	3	500	0.50	5	2	original	ϕ_o	0.396	0.845	0.621	2.266
ITFC	3	500	0.70	5	2	original	ϕ_o	0.521	0.690	0.605	2.664
ITFC	3	500	1.00	5	2	original	ϕ_o	0.643	0.453	0.548	2.951
ITFC	3	750	0.50	5	2	original	ϕ_o	0.349	0.878	0.613	2.106

ITFC	3	750	0.70	5	2	original	ϕ_o	0.471	0.758	0.614	2.519
ITFC	3	750	1.00	5	2	original	ϕ_o	0.600	0.538	0.569	2.859
ITFC	3	1000	0.50	5	2	original	ϕ_o	0.311	0.898	0.604	1.986
ITFC	3	1000	0.70	5	2	original	ϕ_o	0.432	0.802	0.617	2.416
ITFC	3	1000	1.00	5	2	original	ϕ_o	0.564	0.603	0.584	2.772
ITFC	3	500	2.00	4	6	original	ϕ_o	0.739	0.351	0.545	3.366
ITFC	3	500	2.30	4	6	original	ϕ_o	0.754	0.268	0.511	3.359
ITFC	3	500	3.00	4	6	original	ϕ_o	0.770	0.198	0.484	2.867
ITFC	3	750	2.00	4	6	original	ϕ_o	0.731	0.381	0.556	3.341
ITFC	3	750	2.30	4	6	original	ϕ_o	0.747	0.290	0.519	3.331
ITFC	3	750	3.00	4	6	original	ϕ_o	0.766	0.206	0.486	2.848
ITFC	3	1000	2.00	4	6	original	ϕ_o	0.729	0.393	0.561	3.339
ITFC	3	1000	2.30	4	6	original	ϕ_o	0.746	0.300	0.523	3.333
ITFC	3	1000	3.00	4	6	original	ϕ_o	0.765	0.210	0.488	3.312
ITFC	3	500	0.20	4	5	original	ϕ_o	0.069	0.974	0.522	0.776
ITFC	3	750	0.20	4	5	original	ϕ_o	0.052	0.974	0.513	0.708
ITFC	3	1000	0.20	4	5	original	ϕ_o	0.044	0.974	0.509	0.675
ITFC	3	10	2.00	4	6	original	ϕ_o	0.789	0.103	0.446	2.873
ITFC	3	10	2.30	4	6	original	ϕ_o	0.789	0.101	0.445	2.874
ITFC	3	10	3.00	4	6	original	ϕ_o	0.789	0.099	0.444	2.288
ITFC	3	100	2.00	4	6	original	ϕ_o	0.780	0.165	0.473	2.892
ITFC	3	100	2.30	4	6	original	ϕ_o	0.783	0.148	0.466	2.886
ITFC	3	100	3.00	4	6	original	ϕ_o	0.785	0.130	0.458	2.876
ITFC	3	250	2.00	4	6	original	ϕ_o	0.763	0.256	0.509	3.397
ITFC	3	250	2.30	4	6	original	ϕ_o	0.770	0.207	0.489	2.886
ITFC	3	250	3.00	4	6	original	ϕ_o	0.778	0.169	0.474	2.881
ITFC	3	500	2.00	5	4	original	ϕ_o	0.712	0.231	0.472	2.692
ITFC	3	500	2.30	5	4	original	ϕ_o	0.721	0.204	0.462	3.107
ITFC	3	500	3.00	5	4	original	ϕ_o	0.731	0.181	0.456	2.731
ITFC	3	750	2.00	5	4	original	ϕ_o	0.702	0.270	0.486	3.110
ITFC	3	750	2.30	5	4	original	ϕ_o	0.714	0.228	0.471	3.128
ITFC	3	750	3.00	5	4	original	ϕ_o	0.727	0.192	0.460	3.144
ITFC	3	1000	2.00	5	4	original	ϕ_o	0.694	0.297	0.496	3.122
ITFC	3	1000	2.30	5	4	original	ϕ_o	0.709	0.247	0.478	3.144
ITFC	3	1000	3.00	5	4	original	ϕ_o	0.725	0.200	0.462	3.165
ITFC	3	10	1.25	7	7	original	ϕ_o	0.676	0.143	0.410	2.384
ITFC	3	10	1.50	7	7	original	ϕ_o	0.679	0.127	0.403	2.382
ITFC	3	10	1.70	7	7	original	ϕ_o	0.681	0.121	0.401	2.388
ITFC	3	100	1.25	7	7	original	ϕ_o	0.606	0.352	0.479	2.729
ITFC	3	100	1.50	7	7	original	ϕ_o	0.631	0.285	0.458	2.756
ITFC	3	100	1.70	7	7	original	ϕ_o	0.644	0.255	0.449	2.764
ITFC	3	250	1.25	7	7	original	ϕ_o	0.542	0.507	0.525	2.570
ITFC	3	250	1.50	7	7	original	ϕ_o	0.581	0.391	0.486	2.645
ITFC	3	250	1.70	7	7	original	ϕ_o	0.602	0.336	0.469	2.677
ITFC	3	500	4.00	4	6	original	ϕ_o	0.779	0.173	0.476	2.871
ITFC	3	750	4.00	4	6	original	ϕ_o	0.776	0.177	0.477	3.304
ITFC	3	1000	4.00	4	6	original	ϕ_o	0.775	0.179	0.477	3.301
ITFC	3	10	2.00	7	6	original	ϕ_o	0.682	0.116	0.399	2.390
ITFC	3	10	2.30	7	6	original	ϕ_o	0.683	0.114	0.399	2.393
ITFC	3	10	3.00	7	6	original	ϕ_o	0.684	0.113	0.399	2.398
ITFC	3	100	2.00	7	6	original	ϕ_o	0.651	0.214	0.432	2.348
ITFC	3	100	2.30	7	6	original	ϕ_o	0.657	0.194	0.425	2.710
ITFC	3	100	3.00	7	6	original	ϕ_o	0.666	0.168	0.417	2.356
ITFC	3	250	2.00	7	6	original	ϕ_o	0.621	0.279	0.450	2.663
ITFC	3	250	2.30	7	6	original	ϕ_o	0.631	0.250	0.441	2.669
ITFC	3	250	3.00	7	6	original	ϕ_o	0.646	0.212	0.429	2.319
ITFC	3	500	2.00	6	6	original	ϕ_o	0.701	0.253	0.477	2.077
ITFC	3	500	2.30	6	6	original	ϕ_o	0.713	0.186	0.449	2.086
ITFC	3	500	3.00	6	6	original	ϕ_o	0.723	0.125	0.424	2.096
ITFC	3	750	2.00	6	6	original	ϕ_o	0.698	0.295	0.497	2.644
ITFC	3	750	2.30	6	6	original	ϕ_o	0.712	0.213	0.463	2.098
ITFC	3	750	3.00	6	6	original	ϕ_o	0.725	0.136	0.430	2.109
ITFC	3	1000	2.00	6	6	original	ϕ_o	0.698	0.297	0.497	2.645
ITFC	3	1000	2.30	6	6	original	ϕ_o	0.712	0.214	0.463	2.649

ITFC	3	1000	3.00	6	6	original	ϕ_o	0.725	0.136	0.431	2.109
ITFC	3	500	0.20	2	6	original	ϕ_o	0.089	0.986	0.538	1.466
ITFC	3	750	0.20	2	6	original	ϕ_o	0.059	0.988	0.523	1.344
ITFC	3	1000	0.20	2	6	original	ϕ_o	0.050	0.988	0.519	1.303
ITFC	3	500	1.25	7	6	original	ϕ_o	0.522	0.540	0.531	2.492
ITFC	3	500	1.50	7	6	original	ϕ_o	0.564	0.426	0.495	2.575
ITFC	3	500	1.70	7	6	original	ϕ_o	0.587	0.365	0.476	2.614
ITFC	3	750	1.25	7	6	original	ϕ_o	0.517	0.560	0.538	2.484
ITFC	3	750	1.50	7	6	original	ϕ_o	0.559	0.445	0.502	2.568
ITFC	3	750	1.70	7	6	original	ϕ_o	0.584	0.384	0.484	2.613
ITFC	3	1000	1.25	7	6	original	ϕ_o	0.516	0.564	0.540	2.486
ITFC	3	1000	1.50	7	6	original	ϕ_o	0.559	0.448	0.504	2.568
ITFC	3	1000	1.70	7	6	original	ϕ_o	0.583	0.386	0.485	2.610
ITFC	3	500	2.00	2	6	original	ϕ_o	0.949	0.323	0.636	2.842
ITFC	3	500	2.30	2	6	original	ϕ_o	0.955	0.208	0.582	2.840
ITFC	3	500	3.00	2	6	original	ϕ_o	0.960	0.122	0.541	2.835
ITFC	3	750	2.00	2	6	original	ϕ_o	0.945	0.415	0.680	3.686
ITFC	3	750	2.30	2	6	original	ϕ_o	0.953	0.284	0.619	3.664
ITFC	3	750	3.00	2	6	original	ϕ_o	0.961	0.142	0.552	2.845
ITFC	3	1000	2.00	2	6	original	ϕ_o	0.944	0.418	0.681	3.681
ITFC	3	1000	2.30	2	6	original	ϕ_o	0.953	0.287	0.620	2.847
ITFC	3	1000	3.00	2	6	original	ϕ_o	0.961	0.143	0.552	2.844
ITFC	3	500	1.25	6	4	original	ϕ_o	0.636	0.506	0.571	2.519
ITFC	3	500	1.50	6	4	original	ϕ_o	0.673	0.348	0.511	2.029
ITFC	3	500	1.70	6	4	original	ϕ_o	0.691	0.255	0.473	2.560
ITFC	3	750	1.25	6	4	original	ϕ_o	0.609	0.611	0.610	2.513
ITFC	3	750	1.50	6	4	original	ϕ_o	0.657	0.451	0.554	2.564
ITFC	3	750	1.70	6	4	original	ϕ_o	0.679	0.345	0.512	2.577
ITFC	3	1000	1.25	6	4	original	ϕ_o	0.598	0.653	0.625	2.967
ITFC	3	1000	1.50	6	4	original	ϕ_o	0.648	0.499	0.573	2.572
ITFC	3	1000	1.70	6	4	original	ϕ_o	0.674	0.389	0.532	2.596
ITFC	3	10	4.00	7	7	original	ϕ_o	0.685	0.113	0.399	2.746
ITFC	3	100	4.00	7	7	original	ϕ_o	0.675	0.162	0.419	2.754
ITFC	3	250	4.00	7	7	original	ϕ_o	0.662	0.206	0.434	2.276
ITFC	3	10	0.20	2	7	original	ϕ_o	0.489	0.958	0.723	2.913
ITFC	3	100	0.20	2	7	original	ϕ_o	0.254	0.977	0.616	2.096
ITFC	3	250	0.20	2	7	original	ϕ_o	0.140	0.983	0.562	1.665
ITFC	3	10	0.20	7	2	original	ϕ_o	0.366	0.843	0.605	1.977
ITFC	3	100	0.20	7	2	original	ϕ_o	0.219	0.937	0.578	1.375
ITFC	3	250	0.20	7	2	original	ϕ_o	0.153	0.957	0.555	1.083
ITFC	3	500	0.50	2	7	original	ϕ_o	0.519	0.948	0.734	3.382
ITFC	3	500	0.70	2	7	original	ϕ_o	0.700	0.912	0.806	3.991
ITFC	3	500	1.00	2	7	original	ϕ_o	0.833	0.831	0.832	4.288
ITFC	3	750	0.50	2	7	original	ϕ_o	0.475	0.956	0.716	3.262
ITFC	3	750	0.70	2	7	original	ϕ_o	0.666	0.922	0.794	3.910
ITFC	3	750	1.00	2	7	original	ϕ_o	0.812	0.851	0.831	4.277
ITFC	3	1000	0.50	2	7	original	ϕ_o	0.463	0.959	0.711	3.239
ITFC	3	1000	0.70	2	7	original	ϕ_o	0.658	0.925	0.792	3.892
ITFC	3	1000	1.00	2	7	original	ϕ_o	0.807	0.854	0.831	4.268
ITFC	3	10	0.50	5	4	original	ϕ_o	0.648	0.538	0.593	2.572
ITFC	3	10	0.70	5	4	original	ϕ_o	0.720	0.279	0.500	2.718
ITFC	3	10	1.00	5	4	original	ϕ_o	0.740	0.136	0.438	2.167
ITFC	3	100	0.50	5	4	original	ϕ_o	0.506	0.768	0.637	2.626
ITFC	3	100	0.70	5	4	original	ϕ_o	0.619	0.576	0.598	2.504
ITFC	3	100	1.00	5	4	original	ϕ_o	0.701	0.317	0.509	2.671
ITFC	3	250	0.50	5	4	original	ϕ_o	0.403	0.862	0.632	2.336
ITFC	3	250	0.70	5	4	original	ϕ_o	0.534	0.720	0.627	2.728
ITFC	3	250	1.00	5	4	original	ϕ_o	0.642	0.492	0.567	2.551
ITFC	3	500	0.20	5	7	original	ϕ_o	0.024	0.976	0.500	0.568
ITFC	3	750	0.20	5	7	original	ϕ_o	0.020	0.977	0.498	0.535
ITFC	3	1000	0.20	5	7	original	ϕ_o	0.019	0.977	0.498	0.532
ITFC	3	10	0.20	4	2	original	ϕ_o	0.409	0.918	0.663	2.254
ITFC	3	100	0.20	4	2	original	ϕ_o	0.266	0.953	0.609	1.629
ITFC	3	250	0.20	4	2	original	ϕ_o	0.198	0.964	0.581	1.334

ITFC	3	500	4.00	4	5	original	ϕ_o	0.777	0.174	0.476	3.338
ITFC	3	750	4.00	4	5	original	ϕ_o	0.772	0.183	0.478	3.298
ITFC	3	1000	4.00	4	5	original	ϕ_o	0.771	0.188	0.479	3.291
ITFC	3	500	2.00	4	7	original	ϕ_o	0.736	0.373	0.555	3.361
ITFC	3	500	2.30	4	7	original	ϕ_o	0.752	0.285	0.518	3.357
ITFC	3	500	3.00	4	7	original	ϕ_o	0.769	0.205	0.487	3.348
ITFC	3	750	2.00	4	7	original	ϕ_o	0.731	0.384	0.557	3.325
ITFC	3	750	2.30	4	7	original	ϕ_o	0.747	0.293	0.520	3.322
ITFC	3	750	3.00	4	7	original	ϕ_o	0.766	0.207	0.487	3.316
ITFC	3	1000	2.00	4	7	original	ϕ_o	0.730	0.385	0.558	3.318
ITFC	3	1000	2.30	4	7	original	ϕ_o	0.747	0.293	0.520	3.317
ITFC	3	1000	3.00	4	7	original	ϕ_o	0.766	0.208	0.487	3.311
ITFC	3	500	1.25	7	4	original	ϕ_o	0.526	0.547	0.537	2.514
ITFC	3	500	1.50	7	4	original	ϕ_o	0.566	0.436	0.501	2.580
ITFC	3	500	1.70	7	4	original	ϕ_o	0.588	0.373	0.480	2.614
ITFC	3	750	1.25	7	4	original	ϕ_o	0.510	0.587	0.549	2.483
ITFC	3	750	1.50	7	4	original	ϕ_o	0.553	0.473	0.513	2.552
ITFC	3	750	1.70	7	4	original	ϕ_o	0.577	0.407	0.492	2.592
ITFC	3	1000	1.25	7	4	original	ϕ_o	0.507	0.596	0.551	2.481
ITFC	3	1000	1.50	7	4	original	ϕ_o	0.550	0.480	0.515	2.550
ITFC	3	1000	1.70	7	4	original	ϕ_o	0.575	0.413	0.494	2.589
ITFC	3	500	1.25	3	7	original	ϕ_o	0.761	0.624	0.693	3.626
ITFC	3	500	1.50	3	7	original	ϕ_o	0.799	0.501	0.650	3.157
ITFC	3	500	1.70	3	7	original	ϕ_o	0.819	0.412	0.615	3.164
ITFC	3	750	1.25	3	7	original	ϕ_o	0.748	0.657	0.702	3.613
ITFC	3	750	1.50	3	7	original	ϕ_o	0.789	0.544	0.666	3.635
ITFC	3	750	1.70	3	7	original	ϕ_o	0.810	0.461	0.635	3.168
ITFC	3	1000	1.25	3	7	original	ϕ_o	0.746	0.658	0.702	3.600
ITFC	3	1000	1.50	3	7	original	ϕ_o	0.787	0.545	0.666	3.621
ITFC	3	1000	1.70	3	7	original	ϕ_o	0.809	0.462	0.636	3.162
ITFC	3	10	2.00	4	7	original	ϕ_o	0.789	0.104	0.446	2.872
ITFC	3	10	2.30	4	7	original	ϕ_o	0.789	0.102	0.445	2.872
ITFC	3	10	3.00	4	7	original	ϕ_o	0.788	0.099	0.444	2.288
ITFC	3	100	2.00	4	7	original	ϕ_o	0.779	0.177	0.478	2.894
ITFC	3	100	2.30	4	7	original	ϕ_o	0.782	0.157	0.469	2.888
ITFC	3	100	3.00	4	7	original	ϕ_o	0.785	0.137	0.461	2.881
ITFC	3	250	2.00	4	7	original	ϕ_o	0.758	0.286	0.522	2.887
ITFC	3	250	2.30	4	7	original	ϕ_o	0.767	0.227	0.497	3.394
ITFC	3	250	3.00	4	7	original	ϕ_o	0.777	0.180	0.479	2.891
ITFC	3	500	2.00	4	3	original	ϕ_o	0.751	0.294	0.522	3.384
ITFC	3	500	2.30	4	3	original	ϕ_o	0.761	0.237	0.499	3.377
ITFC	3	500	3.00	4	3	original	ϕ_o	0.773	0.185	0.479	2.878
ITFC	3	750	2.00	4	3	original	ϕ_o	0.734	0.346	0.540	3.356
ITFC	3	750	2.30	4	3	original	ϕ_o	0.748	0.276	0.512	3.353
ITFC	3	750	3.00	4	3	original	ϕ_o	0.764	0.206	0.485	3.340
ITFC	3	1000	2.00	4	3	original	ϕ_o	0.723	0.380	0.552	3.328
ITFC	3	1000	2.30	4	3	original	ϕ_o	0.740	0.301	0.520	3.331
ITFC	3	1000	3.00	4	3	original	ϕ_o	0.759	0.220	0.489	3.323
ITFC	3	500	4.00	3	4	original	ϕ_o	0.861	0.113	0.487	2.517
ITFC	3	750	4.00	3	4	original	ϕ_o	0.858	0.133	0.495	2.517
ITFC	3	1000	4.00	3	4	original	ϕ_o	0.857	0.148	0.502	3.106
ITFC	3	500	2.00	7	7	original	ϕ_o	0.609	0.314	0.461	2.664
ITFC	3	500	2.30	7	7	original	ϕ_o	0.624	0.281	0.453	2.691
ITFC	3	500	3.00	7	7	original	ϕ_o	0.645	0.245	0.445	2.729
ITFC	3	750	2.00	7	7	original	ϕ_o	0.608	0.320	0.464	2.658
ITFC	3	750	2.30	7	7	original	ϕ_o	0.623	0.286	0.455	2.685
ITFC	3	750	3.00	7	7	original	ϕ_o	0.644	0.247	0.446	2.726
ITFC	3	1000	2.00	7	7	original	ϕ_o	0.607	0.321	0.464	2.658
ITFC	3	1000	2.30	7	7	original	ϕ_o	0.623	0.287	0.455	2.684
ITFC	3	1000	3.00	7	7	original	ϕ_o	0.644	0.248	0.446	2.725
ITFC	3	10	4.00	4	6	original	ϕ_o	0.788	0.098	0.443	2.873
ITFC	3	100	4.00	4	6	original	ϕ_o	0.787	0.117	0.452	2.872
ITFC	3	250	4.00	4	6	original	ϕ_o	0.783	0.151	0.467	3.336
ITFC	3	500	4.00	6	7	original	ϕ_o	0.730	0.106	0.418	2.108

ITFC	3	750	4.00	6	7	original	ϕ_o	0.731	0.109	0.420	2.114
ITFC	3	1000	4.00	6	7	original	ϕ_o	0.731	0.110	0.420	2.114
ITFC	3	10	1.25	2	5	original	ϕ_o	0.964	0.067	0.515	2.825
ITFC	3	10	1.50	2	5	original	ϕ_o	0.963	0.060	0.512	2.824
ITFC	3	10	1.70	2	5	original	ϕ_o	0.963	0.059	0.511	2.824
ITFC	3	100	1.25	2	5	original	ϕ_o	0.955	0.286	0.621	2.850
ITFC	3	100	1.50	2	5	original	ϕ_o	0.960	0.135	0.548	2.843
ITFC	3	100	1.70	2	5	original	ϕ_o	0.961	0.093	0.527	2.836
ITFC	3	250	1.25	2	5	original	ϕ_o	0.934	0.533	0.733	3.684
ITFC	3	250	1.50	2	5	original	ϕ_o	0.950	0.348	0.649	2.848
ITFC	3	250	1.70	2	5	original	ϕ_o	0.956	0.226	0.591	2.845
ITFC	3	10	1.25	6	6	original	ϕ_o	0.727	0.074	0.401	2.085
ITFC	3	10	1.50	6	6	original	ϕ_o	0.730	0.060	0.395	2.092
ITFC	3	10	1.70	6	6	original	ϕ_o	0.730	0.055	0.393	1.431
ITFC	3	100	1.25	6	6	original	ϕ_o	0.694	0.244	0.469	2.045
ITFC	3	100	1.50	6	6	original	ϕ_o	0.709	0.154	0.432	2.061
ITFC	3	100	1.70	6	6	original	ϕ_o	0.715	0.119	0.417	2.068
ITFC	3	250	1.25	6	6	original	ϕ_o	0.651	0.450	0.551	2.542
ITFC	3	250	1.50	6	6	original	ϕ_o	0.683	0.300	0.492	2.036
ITFC	3	250	1.70	6	6	original	ϕ_o	0.697	0.221	0.459	2.049
ITFC	3	10	1.25	6	5	original	ϕ_o	0.727	0.067	0.397	2.081
ITFC	3	10	1.50	6	5	original	ϕ_o	0.729	0.056	0.393	2.088
ITFC	3	10	1.70	6	5	original	ϕ_o	0.730	0.054	0.392	1.430
ITFC	3	100	1.25	6	5	original	ϕ_o	0.696	0.214	0.455	2.043
ITFC	3	100	1.50	6	5	original	ϕ_o	0.709	0.136	0.422	2.054
ITFC	3	100	1.70	6	5	original	ϕ_o	0.714	0.105	0.409	1.406
ITFC	3	250	1.25	6	5	original	ϕ_o	0.659	0.404	0.532	2.008
ITFC	3	250	1.50	6	5	original	ϕ_o	0.688	0.263	0.475	2.040
ITFC	3	250	1.70	6	5	original	ϕ_o	0.699	0.193	0.446	2.046
ITFC	3	500	1.25	4	5	original	ϕ_o	0.658	0.658	0.658	3.237
ITFC	3	500	1.50	4	5	original	ϕ_o	0.698	0.532	0.615	3.320
ITFC	3	500	1.70	4	5	original	ϕ_o	0.720	0.437	0.579	3.344
ITFC	3	750	1.25	4	5	original	ϕ_o	0.633	0.696	0.665	3.152
ITFC	3	750	1.50	4	5	original	ϕ_o	0.677	0.575	0.626	3.245
ITFC	3	750	1.70	4	5	original	ϕ_o	0.702	0.481	0.592	3.288
ITFC	3	1000	1.25	4	5	original	ϕ_o	0.624	0.711	0.668	3.122
ITFC	3	1000	1.50	4	5	original	ϕ_o	0.670	0.592	0.631	3.228
ITFC	3	1000	1.70	4	5	original	ϕ_o	0.696	0.499	0.597	3.272
ITFC	3	10	0.20	3	4	original	ϕ_o	0.434	0.931	0.683	2.498
ITFC	3	100	0.20	3	4	original	ϕ_o	0.236	0.964	0.600	1.776
ITFC	3	250	0.20	3	4	original	ϕ_o	0.143	0.973	0.558	1.411
ITFC	3	10	2.00	6	7	original	ϕ_o	0.731	0.055	0.393	2.095
ITFC	3	10	2.30	6	7	original	ϕ_o	0.732	0.054	0.393	1.433
ITFC	3	10	3.00	6	7	original	ϕ_o	0.732	0.053	0.392	1.434
ITFC	3	100	2.00	6	7	original	ϕ_o	0.720	0.103	0.411	2.074
ITFC	3	100	2.30	6	7	original	ϕ_o	0.723	0.087	0.405	2.075
ITFC	3	100	3.00	6	7	original	ϕ_o	0.725	0.070	0.398	2.078
ITFC	3	250	2.00	6	7	original	ϕ_o	0.706	0.189	0.447	2.070
ITFC	3	250	2.30	6	7	original	ϕ_o	0.714	0.142	0.428	2.075
ITFC	3	250	3.00	6	7	original	ϕ_o	0.720	0.103	0.411	2.076
ITFC	3	500	0.20	3	3	original	ϕ_o	0.106	0.977	0.541	1.249
ITFC	3	750	0.20	3	3	original	ϕ_o	0.074	0.979	0.526	1.100
ITFC	3	1000	0.20	3	3	original	ϕ_o	0.056	0.980	0.518	1.007
ITFC	3	10	2.00	4	5	original	ϕ_o	0.789	0.101	0.445	2.872
ITFC	3	10	2.30	4	5	original	ϕ_o	0.789	0.100	0.444	2.872
ITFC	3	10	3.00	4	5	original	ϕ_o	0.788	0.098	0.443	2.873
ITFC	3	100	2.00	4	5	original	ϕ_o	0.783	0.148	0.466	2.888
ITFC	3	100	2.30	4	5	original	ϕ_o	0.785	0.136	0.461	2.882
ITFC	3	100	3.00	4	5	original	ϕ_o	0.787	0.123	0.455	2.877
ITFC	3	250	2.00	4	5	original	ϕ_o	0.767	0.225	0.496	3.384
ITFC	3	250	2.30	4	5	original	ϕ_o	0.773	0.189	0.481	3.374
ITFC	3	250	3.00	4	5	original	ϕ_o	0.780	0.160	0.470	3.358
ITFC	3	500	0.50	6	5	original	ϕ_o	0.281	0.969	0.625	2.064
ITFC	3	500	0.70	6	5	original	ϕ_o	0.415	0.917	0.666	2.555

ITFC	3	500	1.00	6	5	original	ϕ_o	0.546	0.773	0.659	2.894
ITFC	3	750	0.50	6	5	original	ϕ_o	0.253	0.974	0.613	1.981
ITFC	3	750	0.70	6	5	original	ϕ_o	0.391	0.934	0.662	2.499
ITFC	3	750	1.00	6	5	original	ϕ_o	0.524	0.818	0.671	2.883
ITFC	3	1000	0.50	6	5	original	ϕ_o	0.245	0.977	0.611	1.964
ITFC	3	1000	0.70	6	5	original	ϕ_o	0.385	0.939	0.662	2.488
ITFC	3	1000	1.00	6	5	original	ϕ_o	0.520	0.828	0.674	2.880
ITFC	3	500	1.25	2	7	original	ϕ_o	0.887	0.734	0.810	3.641
ITFC	3	500	1.50	2	7	original	ϕ_o	0.920	0.602	0.761	3.670
ITFC	3	500	1.70	2	7	original	ϕ_o	0.936	0.486	0.711	3.674
ITFC	3	750	1.25	2	7	original	ϕ_o	0.874	0.766	0.820	4.329
ITFC	3	750	1.50	2	7	original	ϕ_o	0.910	0.656	0.783	3.673
ITFC	3	750	1.70	2	7	original	ϕ_o	0.929	0.555	0.742	3.686
ITFC	3	1000	1.25	2	7	original	ϕ_o	0.871	0.768	0.820	4.336
ITFC	3	1000	1.50	2	7	original	ϕ_o	0.908	0.658	0.783	3.671
ITFC	3	1000	1.70	2	7	original	ϕ_o	0.928	0.557	0.742	3.683
ITFC	3	500	2.00	5	5	original	ϕ_o	0.709	0.281	0.495	3.175
ITFC	3	500	2.30	5	5	original	ϕ_o	0.720	0.235	0.478	3.179
ITFC	3	500	3.00	5	5	original	ϕ_o	0.733	0.194	0.463	2.766
ITFC	3	750	2.00	5	5	original	ϕ_o	0.701	0.307	0.504	3.155
ITFC	3	750	2.30	5	5	original	ϕ_o	0.714	0.252	0.483	3.164
ITFC	3	750	3.00	5	5	original	ϕ_o	0.729	0.199	0.464	3.175
ITFC	3	1000	2.00	5	5	original	ϕ_o	0.697	0.315	0.506	2.679
ITFC	3	1000	2.30	5	5	original	ϕ_o	0.711	0.258	0.484	3.157
ITFC	3	1000	3.00	5	5	original	ϕ_o	0.727	0.201	0.464	3.171
ITFC	3	500	2.00	2	5	original	ϕ_o	0.951	0.296	0.623	2.845
ITFC	3	500	2.30	2	5	original	ϕ_o	0.956	0.188	0.572	2.841
ITFC	3	500	3.00	2	5	original	ϕ_o	0.960	0.116	0.538	2.836
ITFC	3	750	2.00	2	5	original	ϕ_o	0.946	0.422	0.684	2.850
ITFC	3	750	2.30	2	5	original	ϕ_o	0.954	0.289	0.622	3.680
ITFC	3	750	3.00	2	5	original	ϕ_o	0.961	0.143	0.552	2.846
ITFC	3	1000	2.00	2	5	original	ϕ_o	0.943	0.445	0.694	3.697
ITFC	3	1000	2.30	2	5	original	ϕ_o	0.952	0.309	0.631	3.681
ITFC	3	1000	3.00	2	5	original	ϕ_o	0.961	0.150	0.555	2.847
ITFC	3	10	0.20	5	2	original	ϕ_o	0.328	0.897	0.613	1.881
ITFC	3	100	0.20	5	2	original	ϕ_o	0.211	0.943	0.577	1.410
ITFC	3	250	0.20	5	2	original	ϕ_o	0.155	0.955	0.555	1.160
ITFC	3	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	3	100	4.00	4	3	original	ϕ_o	0.788	0.108	0.448	2.872
ITFC	3	250	4.00	4	3	original	ϕ_o	0.785	0.132	0.459	2.284
ITFC	3	10	0.20	4	7	original	ϕ_o	0.294	0.960	0.627	1.747
ITFC	3	100	0.20	4	7	original	ϕ_o	0.138	0.972	0.555	1.079
ITFC	3	250	0.20	4	7	original	ϕ_o	0.083	0.974	0.528	0.832
ITFC	3	10	0.20	4	5	original	ϕ_o	0.338	0.951	0.644	1.943
ITFC	3	100	0.20	4	5	original	ϕ_o	0.179	0.970	0.574	1.249
ITFC	3	250	0.20	4	5	original	ϕ_o	0.110	0.973	0.541	0.954
ITFC	3	10	1.25	5	4	original	ϕ_o	0.745	0.116	0.430	2.751
ITFC	3	10	1.50	5	4	original	ϕ_o	0.747	0.110	0.428	2.178
ITFC	3	10	1.70	5	4	original	ϕ_o	0.747	0.107	0.427	2.179
ITFC	3	100	1.25	5	4	original	ϕ_o	0.726	0.209	0.468	2.142
ITFC	3	100	1.50	5	4	original	ϕ_o	0.735	0.169	0.452	2.733
ITFC	3	100	1.70	5	4	original	ϕ_o	0.738	0.154	0.446	2.740
ITFC	3	250	1.25	5	4	original	ϕ_o	0.689	0.338	0.513	2.645
ITFC	3	250	1.50	5	4	original	ϕ_o	0.713	0.245	0.479	3.086
ITFC	3	250	1.70	5	4	original	ϕ_o	0.722	0.209	0.466	2.130
ITFC	3	500	2.00	7	4	original	ϕ_o	0.609	0.311	0.460	2.639
ITFC	3	500	2.30	7	4	original	ϕ_o	0.622	0.274	0.448	2.652
ITFC	3	500	3.00	7	4	original	ϕ_o	0.639	0.231	0.435	2.667
ITFC	3	750	2.00	7	4	original	ϕ_o	0.602	0.337	0.470	2.624
ITFC	3	750	2.30	7	4	original	ϕ_o	0.618	0.294	0.456	2.646
ITFC	3	750	3.00	7	4	original	ϕ_o	0.639	0.244	0.441	2.672
ITFC	3	1000	2.00	7	4	original	ϕ_o	0.600	0.343	0.472	2.623
ITFC	3	1000	2.30	7	4	original	ϕ_o	0.617	0.299	0.458	2.647
ITFC	3	1000	3.00	7	4	original	ϕ_o	0.638	0.247	0.443	2.672

ITFC	3	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	4.00	5	3	original	ϕ_o	0.747	0.109	0.428	2.763
ITFC	3	250	4.00	5	3	original	ϕ_o	0.744	0.133	0.439	2.756
ITFC	3	500	0.50	2	4	original	ϕ_o	0.606	0.938	0.772	3.619
ITFC	3	500	0.70	2	4	original	ϕ_o	0.760	0.883	0.821	4.117
ITFC	3	500	1.00	2	4	original	ϕ_o	0.871	0.772	0.821	3.611
ITFC	3	750	0.50	2	4	original	ϕ_o	0.534	0.952	0.743	3.408
ITFC	3	750	0.70	2	4	original	ϕ_o	0.706	0.909	0.807	3.990
ITFC	3	750	1.00	2	4	original	ϕ_o	0.834	0.823	0.828	4.273
ITFC	3	1000	0.50	2	4	original	ϕ_o	0.498	0.958	0.728	3.308
ITFC	3	1000	0.70	2	4	original	ϕ_o	0.676	0.920	0.798	3.925
ITFC	3	1000	1.00	2	4	original	ϕ_o	0.815	0.842	0.828	4.263
ITFC	3	10	2.00	3	4	original	ϕ_o	0.866	0.073	0.469	2.520
ITFC	3	10	2.30	3	4	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	10	3.00	3	4	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	100	2.00	3	4	original	ϕ_o	0.865	0.098	0.481	2.525
ITFC	3	100	2.30	3	4	original	ϕ_o	0.865	0.090	0.478	2.525
ITFC	3	100	3.00	3	4	original	ϕ_o	0.865	0.082	0.474	2.524
ITFC	3	250	2.00	3	4	original	ϕ_o	0.858	0.145	0.502	2.520
ITFC	3	250	2.30	3	4	original	ϕ_o	0.861	0.123	0.492	2.522
ITFC	3	250	3.00	3	4	original	ϕ_o	0.863	0.102	0.483	2.521
ITFC	3	10	0.50	6	5	original	ϕ_o	0.606	0.624	0.615	1.922
ITFC	3	10	0.70	6	5	original	ϕ_o	0.684	0.322	0.503	2.050
ITFC	3	10	1.00	6	5	original	ϕ_o	0.719	0.111	0.415	2.071
ITFC	3	100	0.50	6	5	original	ϕ_o	0.453	0.879	0.666	2.577
ITFC	3	100	0.70	6	5	original	ϕ_o	0.576	0.685	0.630	2.423
ITFC	3	100	1.00	6	5	original	ϕ_o	0.665	0.378	0.522	2.013
ITFC	3	250	0.50	6	5	original	ϕ_o	0.359	0.943	0.651	2.289
ITFC	3	250	0.70	6	5	original	ϕ_o	0.486	0.843	0.665	2.711
ITFC	3	250	1.00	6	5	original	ϕ_o	0.606	0.603	0.605	2.484
ITFC	3	500	4.00	2	2	original	ϕ_o	0.963	0.072	0.517	2.829
ITFC	3	750	4.00	2	2	original	ϕ_o	0.961	0.082	0.522	2.826
ITFC	3	1000	4.00	2	2	original	ϕ_o	0.960	0.091	0.525	2.825
ITFC	3	10	1.25	3	5	original	ϕ_o	0.866	0.081	0.473	2.521
ITFC	3	10	1.50	3	5	original	ϕ_o	0.866	0.075	0.470	2.522
ITFC	3	10	1.70	3	5	original	ϕ_o	0.866	0.074	0.470	2.521
ITFC	3	100	1.25	3	5	original	ϕ_o	0.850	0.229	0.540	2.517
ITFC	3	100	1.50	3	5	original	ϕ_o	0.858	0.149	0.504	2.521
ITFC	3	100	1.70	3	5	original	ϕ_o	0.861	0.121	0.491	2.522
ITFC	3	250	1.25	3	5	original	ϕ_o	0.818	0.406	0.612	2.476
ITFC	3	250	1.50	3	5	original	ϕ_o	0.839	0.279	0.559	2.499
ITFC	3	250	1.70	3	5	original	ϕ_o	0.848	0.212	0.530	2.511
ITFC	3	500	4.00	7	5	original	ϕ_o	0.647	0.216	0.431	2.324
ITFC	3	750	4.00	7	5	original	ϕ_o	0.652	0.227	0.440	2.719
ITFC	3	1000	4.00	7	5	original	ϕ_o	0.652	0.227	0.440	2.719
ITFC	3	500	1.25	5	6	original	ϕ_o	0.623	0.584	0.603	3.028
ITFC	3	500	1.50	5	6	original	ϕ_o	0.667	0.457	0.562	3.111
ITFC	3	500	1.70	5	6	original	ϕ_o	0.688	0.377	0.532	3.151
ITFC	3	750	1.25	5	6	original	ϕ_o	0.606	0.611	0.609	2.983
ITFC	3	750	1.50	5	6	original	ϕ_o	0.654	0.486	0.570	3.076
ITFC	3	750	1.70	5	6	original	ϕ_o	0.678	0.403	0.541	2.651
ITFC	3	1000	1.25	5	6	original	ϕ_o	0.599	0.616	0.607	2.962
ITFC	3	1000	1.50	5	6	original	ϕ_o	0.648	0.491	0.570	3.058
ITFC	3	1000	1.70	5	6	original	ϕ_o	0.674	0.408	0.541	3.110
ITFC	3	500	4.00	3	7	original	ϕ_o	0.860	0.135	0.497	2.522
ITFC	3	750	4.00	3	7	original	ϕ_o	0.859	0.142	0.500	2.522
ITFC	3	1000	4.00	3	7	original	ϕ_o	0.859	0.142	0.500	2.522
ITFC	3	500	0.20	7	4	original	ϕ_o	0.062	0.967	0.514	0.657
ITFC	3	750	0.20	7	4	original	ϕ_o	0.055	0.967	0.511	0.619
ITFC	3	1000	0.20	7	4	original	ϕ_o	0.051	0.967	0.509	0.607
ITFC	3	10	2.00	4	2	original	ϕ_o	0.788	0.099	0.444	2.872
ITFC	3	10	2.30	4	2	original	ϕ_o	0.788	0.098	0.443	2.872
ITFC	3	10	3.00	4	2	original	ϕ_o	0.788	0.098	0.443	2.287
ITFC	3	100	2.00	4	2	original	ϕ_o	0.783	0.121	0.452	2.867

ITFC	3	100	2.30	4	2	original	ϕ_o	0.785	0.117	0.451	3.312
ITFC	3	100	3.00	4	2	original	ϕ_o	0.786	0.109	0.448	2.280
ITFC	3	250	2.00	4	2	original	ϕ_o	0.776	0.156	0.466	2.266
ITFC	3	250	2.30	4	2	original	ϕ_o	0.779	0.142	0.461	2.867
ITFC	3	250	3.00	4	2	original	ϕ_o	0.783	0.127	0.455	2.276
ITFC	3	10	0.50	5	6	original	ϕ_o	0.638	0.619	0.628	2.580
ITFC	3	10	0.70	5	6	original	ϕ_o	0.715	0.359	0.537	2.742
ITFC	3	10	1.00	5	6	original	ϕ_o	0.740	0.182	0.461	2.183
ITFC	3	100	0.50	5	6	original	ϕ_o	0.475	0.852	0.663	2.619
ITFC	3	100	0.70	5	6	original	ϕ_o	0.595	0.694	0.644	2.951
ITFC	3	100	1.00	5	6	original	ϕ_o	0.687	0.435	0.561	2.683
ITFC	3	250	0.50	5	6	original	ϕ_o	0.367	0.918	0.642	2.251
ITFC	3	250	0.70	5	6	original	ϕ_o	0.499	0.826	0.662	2.730
ITFC	3	250	1.00	5	6	original	ϕ_o	0.615	0.628	0.621	3.012
ITFC	3	500	1.25	4	2	original	ϕ_o	0.709	0.486	0.598	2.800
ITFC	3	500	1.50	4	2	original	ϕ_o	0.737	0.362	0.549	3.358
ITFC	3	500	1.70	4	2	original	ϕ_o	0.751	0.291	0.521	2.858
ITFC	3	750	1.25	4	2	original	ϕ_o	0.682	0.570	0.626	3.288
ITFC	3	750	1.50	4	2	original	ϕ_o	0.715	0.444	0.580	3.327
ITFC	3	750	1.70	4	2	original	ϕ_o	0.734	0.363	0.548	3.343
ITFC	3	1000	1.25	4	2	original	ϕ_o	0.659	0.625	0.642	3.227
ITFC	3	1000	1.50	4	2	original	ϕ_o	0.697	0.501	0.599	3.299
ITFC	3	1000	1.70	4	2	original	ϕ_o	0.718	0.414	0.566	3.319
ITFC	3	500	0.50	2	2	original	ϕ_o	0.702	0.911	0.806	3.901
ITFC	3	500	0.70	2	2	original	ϕ_o	0.829	0.824	0.826	4.221
ITFC	3	500	1.00	2	2	original	ϕ_o	0.913	0.644	0.778	3.671
ITFC	3	750	0.50	2	2	original	ϕ_o	0.643	0.930	0.787	3.731
ITFC	3	750	0.70	2	2	original	ϕ_o	0.787	0.859	0.823	4.153
ITFC	3	750	1.00	2	2	original	ϕ_o	0.889	0.715	0.802	3.631
ITFC	3	1000	0.50	2	2	original	ϕ_o	0.594	0.941	0.768	3.591
ITFC	3	1000	0.70	2	2	original	ϕ_o	0.752	0.881	0.817	4.088
ITFC	3	1000	1.00	2	2	original	ϕ_o	0.867	0.763	0.815	4.245
ITFC	3	10	0.50	5	3	original	ϕ_o	0.654	0.461	0.558	2.001
ITFC	3	10	0.70	5	3	original	ϕ_o	0.719	0.240	0.479	2.125
ITFC	3	10	1.00	5	3	original	ϕ_o	0.742	0.129	0.436	2.740
ITFC	3	100	0.50	5	3	original	ϕ_o	0.523	0.710	0.617	2.645
ITFC	3	100	0.70	5	3	original	ϕ_o	0.634	0.493	0.563	2.512
ITFC	3	100	1.00	5	3	original	ϕ_o	0.706	0.263	0.485	2.667
ITFC	3	250	0.50	5	3	original	ϕ_o	0.427	0.820	0.624	2.380
ITFC	3	250	0.70	5	3	original	ϕ_o	0.555	0.647	0.601	2.752
ITFC	3	250	1.00	5	3	original	ϕ_o	0.659	0.407	0.533	2.991
ITFC	3	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	3	100	4.00	3	3	original	ϕ_o	0.865	0.075	0.470	2.520
ITFC	3	250	4.00	3	3	original	ϕ_o	0.865	0.086	0.476	2.522
ITFC	3	10	0.20	7	5	original	ϕ_o	0.279	0.937	0.608	1.617
ITFC	3	100	0.20	7	5	original	ϕ_o	0.126	0.964	0.545	0.959
ITFC	3	250	0.20	7	5	original	ϕ_o	0.078	0.967	0.522	0.738
ITFC	3	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	4.00	2	6	original	ϕ_o	0.963	0.062	0.513	2.825
ITFC	3	250	4.00	2	6	original	ϕ_o	0.962	0.077	0.520	2.825
ITFC	3	10	2.00	5	3	original	ϕ_o	0.748	0.104	0.426	2.764
ITFC	3	10	2.30	5	3	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	3	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	2.00	5	3	original	ϕ_o	0.742	0.134	0.438	2.749
ITFC	3	100	2.30	5	3	original	ϕ_o	0.744	0.129	0.436	2.175
ITFC	3	100	3.00	5	3	original	ϕ_o	0.746	0.118	0.432	2.177
ITFC	3	250	2.00	5	3	original	ϕ_o	0.730	0.171	0.450	2.723
ITFC	3	250	2.30	5	3	original	ϕ_o	0.735	0.160	0.447	2.737
ITFC	3	250	3.00	5	3	original	ϕ_o	0.741	0.148	0.444	2.747
ITFC	3	10	0.50	6	3	original	ϕ_o	0.616	0.563	0.589	1.930
ITFC	3	10	0.70	6	3	original	ϕ_o	0.690	0.264	0.477	2.045
ITFC	3	10	1.00	6	3	original	ϕ_o	0.722	0.079	0.400	2.075
ITFC	3	100	0.50	6	3	original	ϕ_o	0.495	0.820	0.657	2.670
ITFC	3	100	0.70	6	3	original	ϕ_o	0.608	0.580	0.594	2.455

ITFC	3	100	1.00	6	3	original	ϕ_o	0.681	0.271	0.476	2.022
ITFC	3	250	0.50	6	3	original	ϕ_o	0.406	0.901	0.654	2.434
ITFC	3	250	0.70	6	3	original	ϕ_o	0.534	0.755	0.644	2.761
ITFC	3	250	1.00	6	3	original	ϕ_o	0.638	0.461	0.549	2.486
ITFC	3	500	4.00	5	3	original	ϕ_o	0.738	0.163	0.450	2.747
ITFC	3	750	4.00	5	3	original	ϕ_o	0.735	0.180	0.457	2.755
ITFC	3	1000	4.00	5	3	original	ϕ_o	0.733	0.188	0.460	2.758
ITFC	3	10	0.50	7	6	original	ϕ_o	0.565	0.565	0.565	2.649
ITFC	3	10	0.70	7	6	original	ϕ_o	0.631	0.317	0.474	2.354
ITFC	3	10	1.00	7	6	original	ϕ_o	0.667	0.182	0.424	2.378
ITFC	3	100	0.50	7	6	original	ϕ_o	0.368	0.884	0.626	2.092
ITFC	3	100	0.70	7	6	original	ϕ_o	0.476	0.738	0.607	2.453
ITFC	3	100	1.00	7	6	original	ϕ_o	0.568	0.486	0.527	2.662
ITFC	3	250	0.50	7	6	original	ϕ_o	0.282	0.925	0.603	1.761
ITFC	3	250	0.70	7	6	original	ϕ_o	0.387	0.842	0.615	2.165
ITFC	3	250	1.00	7	6	original	ϕ_o	0.494	0.641	0.568	2.456
ITFC	3	10	1.25	6	7	original	ϕ_o	0.728	0.079	0.403	2.089
ITFC	3	10	1.50	6	7	original	ϕ_o	0.730	0.063	0.396	2.094
ITFC	3	10	1.70	6	7	original	ϕ_o	0.730	0.058	0.394	2.094
ITFC	3	100	1.25	6	7	original	ϕ_o	0.688	0.300	0.494	2.052
ITFC	3	100	1.50	6	7	original	ϕ_o	0.706	0.185	0.446	2.067
ITFC	3	100	1.70	6	7	original	ϕ_o	0.714	0.137	0.426	2.073
ITFC	3	250	1.25	6	7	original	ϕ_o	0.643	0.525	0.584	2.569
ITFC	3	250	1.50	6	7	original	ϕ_o	0.675	0.374	0.524	2.591
ITFC	3	250	1.70	6	7	original	ϕ_o	0.691	0.282	0.486	2.601
ITFC	3	500	2.00	2	3	original	ϕ_o	0.960	0.180	0.570	2.851
ITFC	3	500	2.30	2	3	original	ϕ_o	0.962	0.124	0.543	2.846
ITFC	3	500	3.00	2	3	original	ϕ_o	0.962	0.099	0.531	2.839
ITFC	3	750	2.00	2	3	original	ϕ_o	0.954	0.308	0.631	2.855
ITFC	3	750	2.30	2	3	original	ϕ_o	0.958	0.196	0.577	2.849
ITFC	3	750	3.00	2	3	original	ϕ_o	0.961	0.116	0.539	2.841
ITFC	3	1000	2.00	2	3	original	ϕ_o	0.948	0.389	0.669	3.690
ITFC	3	1000	2.30	2	3	original	ϕ_o	0.955	0.257	0.606	2.848
ITFC	3	1000	3.00	2	3	original	ϕ_o	0.960	0.133	0.546	2.842
ITFC	3	10	2.00	6	3	original	ϕ_o	0.732	0.053	0.393	2.097
ITFC	3	10	2.30	6	3	original	ϕ_o	0.732	0.053	0.392	2.097
ITFC	3	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	2.00	6	3	original	ϕ_o	0.723	0.067	0.395	1.418
ITFC	3	100	2.30	6	3	original	ϕ_o	0.725	0.062	0.394	2.080
ITFC	3	100	3.00	6	3	original	ϕ_o	0.729	0.057	0.393	2.088
ITFC	3	250	2.00	6	3	original	ϕ_o	0.710	0.097	0.403	2.050
ITFC	3	250	2.30	6	3	original	ϕ_o	0.714	0.084	0.399	2.059
ITFC	3	250	3.00	6	3	original	ϕ_o	0.721	0.071	0.396	2.066
ITFC	3	10	2.00	6	5	original	ϕ_o	0.731	0.053	0.392	2.095
ITFC	3	10	2.30	6	5	original	ϕ_o	0.732	0.053	0.392	2.096
ITFC	3	10	3.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	3	100	2.00	6	5	original	ϕ_o	0.719	0.083	0.401	2.065
ITFC	3	100	2.30	6	5	original	ϕ_o	0.721	0.072	0.397	2.069
ITFC	3	100	3.00	6	5	original	ϕ_o	0.725	0.062	0.394	2.076
ITFC	3	250	2.00	6	5	original	ϕ_o	0.709	0.138	0.424	2.059
ITFC	3	250	2.30	6	5	original	ϕ_o	0.714	0.111	0.413	2.062
ITFC	3	250	3.00	6	5	original	ϕ_o	0.719	0.086	0.403	2.068
ITFC	3	500	0.50	3	7	original	ϕ_o	0.387	0.933	0.660	2.632
ITFC	3	500	0.70	3	7	original	ϕ_o	0.560	0.876	0.718	3.234
ITFC	3	500	1.00	3	7	original	ϕ_o	0.700	0.750	0.725	3.558
ITFC	3	750	0.50	3	7	original	ϕ_o	0.350	0.940	0.645	2.532
ITFC	3	750	0.70	3	7	original	ϕ_o	0.532	0.888	0.710	3.169
ITFC	3	750	1.00	3	7	original	ϕ_o	0.682	0.771	0.727	3.523
ITFC	3	1000	0.50	3	7	original	ϕ_o	0.341	0.940	0.640	2.508
ITFC	3	1000	0.70	3	7	original	ϕ_o	0.525	0.888	0.706	3.152
ITFC	3	1000	1.00	3	7	original	ϕ_o	0.679	0.772	0.725	3.509
ITFC	3	10	2.00	3	2	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	3	10	2.30	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	3	10	3.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520

ITFC	3	100	2.00	3	2	original	ϕ_o	0.865	0.088	0.476	2.523
ITFC	3	100	2.30	3	2	original	ϕ_o	0.865	0.083	0.474	2.522
ITFC	3	100	3.00	3	2	original	ϕ_o	0.865	0.078	0.472	2.521
ITFC	3	250	2.00	3	2	original	ϕ_o	0.862	0.116	0.489	2.524
ITFC	3	250	2.30	3	2	original	ϕ_o	0.863	0.102	0.482	2.524
ITFC	3	250	3.00	3	2	original	ϕ_o	0.864	0.090	0.477	2.522
ITFC	3	500	0.50	4	3	original	ϕ_o	0.383	0.939	0.661	2.262
ITFC	3	500	0.70	4	3	original	ϕ_o	0.510	0.881	0.696	2.796
ITFC	3	500	1.00	4	3	original	ϕ_o	0.622	0.749	0.685	3.175
ITFC	3	750	0.50	4	3	original	ϕ_o	0.338	0.951	0.645	2.091
ITFC	3	750	0.70	4	3	original	ϕ_o	0.464	0.905	0.684	2.624
ITFC	3	750	1.00	4	3	original	ϕ_o	0.587	0.797	0.692	3.066
ITFC	3	1000	0.50	4	3	original	ϕ_o	0.308	0.957	0.632	1.978
ITFC	3	1000	0.70	4	3	original	ϕ_o	0.436	0.917	0.677	2.519
ITFC	3	1000	1.00	4	3	original	ϕ_o	0.562	0.820	0.691	2.991
ITFC	3	10	0.20	6	4	original	ϕ_o	0.270	0.970	0.620	1.748
ITFC	3	100	0.20	6	4	original	ϕ_o	0.147	0.986	0.567	1.293
ITFC	3	250	0.20	6	4	original	ϕ_o	0.094	0.989	0.542	1.071
ITFC	3	10	0.20	2	4	original	ϕ_o	0.528	0.958	0.743	3.054
ITFC	3	100	0.20	2	4	original	ϕ_o	0.328	0.975	0.651	2.343
ITFC	3	250	0.20	2	4	original	ϕ_o	0.224	0.980	0.602	1.973
ITFC	3	500	0.50	6	3	original	ϕ_o	0.328	0.944	0.636	2.185
ITFC	3	500	0.70	6	3	original	ϕ_o	0.459	0.858	0.659	2.625
ITFC	3	500	1.00	6	3	original	ϕ_o	0.582	0.651	0.617	2.429
ITFC	3	750	0.50	6	3	original	ϕ_o	0.285	0.960	0.623	2.052
ITFC	3	750	0.70	6	3	original	ϕ_o	0.415	0.901	0.658	2.541
ITFC	3	750	1.00	6	3	original	ϕ_o	0.549	0.749	0.649	2.834
ITFC	3	1000	0.50	6	3	original	ϕ_o	0.264	0.967	0.616	1.987
ITFC	3	1000	0.70	6	3	original	ϕ_o	0.393	0.920	0.657	2.493
ITFC	3	1000	1.00	6	3	original	ϕ_o	0.530	0.791	0.661	2.838
ITFC	3	10	2.00	2	4	original	ϕ_o	0.963	0.058	0.511	2.825
ITFC	3	10	2.30	2	4	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	3	10	3.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	2.00	2	4	original	ϕ_o	0.961	0.076	0.519	2.826
ITFC	3	100	2.30	2	4	original	ϕ_o	0.962	0.072	0.517	2.824
ITFC	3	100	3.00	2	4	original	ϕ_o	0.962	0.064	0.513	2.823
ITFC	3	250	2.00	2	4	original	ϕ_o	0.958	0.114	0.536	2.833
ITFC	3	250	2.30	2	4	original	ϕ_o	0.959	0.096	0.528	2.829
ITFC	3	250	3.00	2	4	original	ϕ_o	0.960	0.083	0.522	2.826
ITFC	3	10	2.00	5	5	original	ϕ_o	0.748	0.106	0.427	2.182
ITFC	3	10	2.30	5	5	original	ϕ_o	0.748	0.104	0.426	2.765
ITFC	3	10	3.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	3	100	2.00	5	5	original	ϕ_o	0.743	0.157	0.450	2.778
ITFC	3	100	2.30	5	5	original	ϕ_o	0.745	0.146	0.446	2.777
ITFC	3	100	3.00	5	5	original	ϕ_o	0.747	0.130	0.439	2.771
ITFC	3	250	2.00	5	5	original	ϕ_o	0.729	0.213	0.471	3.184
ITFC	3	250	2.30	5	5	original	ϕ_o	0.735	0.192	0.463	2.770
ITFC	3	250	3.00	5	5	original	ϕ_o	0.741	0.169	0.455	2.779
ITFC	3	10	1.25	5	5	original	ϕ_o	0.746	0.132	0.439	2.768
ITFC	3	10	1.50	5	5	original	ϕ_o	0.747	0.114	0.431	2.764
ITFC	3	10	1.70	5	5	original	ϕ_o	0.748	0.110	0.429	2.765
ITFC	3	100	1.25	5	5	original	ϕ_o	0.723	0.262	0.493	2.744
ITFC	3	100	1.50	5	5	original	ϕ_o	0.734	0.201	0.468	2.762
ITFC	3	100	1.70	5	5	original	ϕ_o	0.740	0.178	0.459	2.178
ITFC	3	250	1.25	5	5	original	ϕ_o	0.679	0.429	0.554	3.133
ITFC	3	250	1.50	5	5	original	ϕ_o	0.707	0.313	0.510	3.172
ITFC	3	250	1.70	5	5	original	ϕ_o	0.719	0.258	0.489	2.736
ITFC	3	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	3	100	4.00	2	4	original	ϕ_o	0.963	0.059	0.511	2.823
ITFC	3	250	4.00	2	4	original	ϕ_o	0.961	0.072	0.517	2.824
ITFC	3	500	4.00	7	4	original	ϕ_o	0.650	0.205	0.427	2.673
ITFC	3	750	4.00	7	4	original	ϕ_o	0.652	0.219	0.436	2.693
ITFC	3	1000	4.00	7	4	original	ϕ_o	0.652	0.221	0.437	2.692
ITFC	3	500	1.25	2	4	original	ϕ_o	0.914	0.643	0.778	3.663

ITFC	3	500	1.50	2	4	original	ϕ_o	0.935	0.494	0.715	3.668
ITFC	3	500	1.70	2	4	original	ϕ_o	0.944	0.379	0.662	2.833
ITFC	3	750	1.25	2	4	original	ϕ_o	0.890	0.728	0.809	4.292
ITFC	3	750	1.50	2	4	original	ϕ_o	0.920	0.613	0.766	3.674
ITFC	3	750	1.70	2	4	original	ϕ_o	0.934	0.510	0.722	3.675
ITFC	3	1000	1.25	2	4	original	ϕ_o	0.876	0.759	0.818	4.316
ITFC	3	1000	1.50	2	4	original	ϕ_o	0.912	0.655	0.783	3.669
ITFC	3	1000	1.70	2	4	original	ϕ_o	0.929	0.559	0.744	3.684
ITFC	3	500	0.20	3	6	original	ϕ_o	0.054	0.979	0.516	1.006
ITFC	3	750	0.20	3	6	original	ϕ_o	0.037	0.980	0.509	0.921
ITFC	3	1000	0.20	3	6	original	ϕ_o	0.033	0.980	0.506	0.897
ITFC	3	500	0.20	6	3	original	ϕ_o	0.079	0.989	0.534	0.992
ITFC	3	750	0.20	6	3	original	ϕ_o	0.062	0.990	0.526	0.921
ITFC	3	1000	0.20	6	3	original	ϕ_o	0.053	0.990	0.522	0.888
ITFC	3	10	0.50	5	7	original	ϕ_o	0.629	0.639	0.634	2.558
ITFC	3	10	0.70	5	7	original	ϕ_o	0.709	0.389	0.549	2.740
ITFC	3	10	1.00	5	7	original	ϕ_o	0.741	0.204	0.473	2.782
ITFC	3	100	0.50	5	7	original	ϕ_o	0.451	0.861	0.656	2.532
ITFC	3	100	0.70	5	7	original	ϕ_o	0.577	0.720	0.648	2.903
ITFC	3	100	1.00	5	7	original	ϕ_o	0.675	0.483	0.579	3.110
ITFC	3	250	0.50	5	7	original	ϕ_o	0.340	0.921	0.630	2.151
ITFC	3	250	0.70	5	7	original	ϕ_o	0.474	0.837	0.656	2.646
ITFC	3	250	1.00	5	7	original	ϕ_o	0.597	0.663	0.630	2.959
ITFC	3	500	0.20	2	3	original	ϕ_o	0.169	0.985	0.577	1.787
ITFC	3	750	0.20	2	3	original	ϕ_o	0.122	0.987	0.554	1.608
ITFC	3	1000	0.20	2	3	original	ϕ_o	0.092	0.988	0.540	1.482
ITFC	3	10	1.25	2	7	original	ϕ_o	0.964	0.066	0.515	1.910
ITFC	3	10	1.50	2	7	original	ϕ_o	0.964	0.060	0.512	2.823
ITFC	3	10	1.70	2	7	original	ϕ_o	0.963	0.058	0.511	2.824
ITFC	3	100	1.25	2	7	original	ϕ_o	0.953	0.326	0.639	2.851
ITFC	3	100	1.50	2	7	original	ϕ_o	0.959	0.162	0.561	2.844
ITFC	3	100	1.70	2	7	original	ϕ_o	0.961	0.108	0.535	2.838
ITFC	3	250	1.25	2	7	original	ϕ_o	0.926	0.579	0.753	3.673
ITFC	3	250	1.50	2	7	original	ϕ_o	0.945	0.405	0.675	3.656
ITFC	3	250	1.70	2	7	original	ϕ_o	0.952	0.276	0.614	3.629
ITFC	3	10	4.00	3	5	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	3	100	4.00	3	5	original	ϕ_o	0.865	0.079	0.472	2.521
ITFC	3	250	4.00	3	5	original	ϕ_o	0.863	0.095	0.479	2.520
ITFC	3	500	0.50	5	3	original	ϕ_o	0.340	0.891	0.615	2.099
ITFC	3	500	0.70	5	3	original	ϕ_o	0.475	0.768	0.621	2.552
ITFC	3	500	1.00	5	3	original	ϕ_o	0.598	0.555	0.576	2.865
ITFC	3	750	0.50	5	3	original	ϕ_o	0.291	0.921	0.606	1.926
ITFC	3	750	0.70	5	3	original	ϕ_o	0.420	0.827	0.623	2.417
ITFC	3	750	1.00	5	3	original	ϕ_o	0.554	0.634	0.594	2.779
ITFC	3	1000	0.50	5	3	original	ϕ_o	0.256	0.935	0.596	1.814
ITFC	3	1000	0.70	5	3	original	ϕ_o	0.386	0.857	0.622	2.319
ITFC	3	1000	1.00	5	3	original	ϕ_o	0.524	0.685	0.604	2.713
ITFC	3	10	4.00	3	7	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	3	100	4.00	3	7	original	ϕ_o	0.865	0.081	0.473	1.711
ITFC	3	250	4.00	3	7	original	ϕ_o	0.863	0.104	0.484	2.520
ITFC	3	500	1.25	6	5	original	ϕ_o	0.616	0.609	0.612	2.974
ITFC	3	500	1.50	6	5	original	ϕ_o	0.659	0.447	0.553	2.577
ITFC	3	500	1.70	6	5	original	ϕ_o	0.683	0.339	0.511	2.601
ITFC	3	750	1.25	6	5	original	ϕ_o	0.598	0.683	0.641	2.998
ITFC	3	750	1.50	6	5	original	ϕ_o	0.647	0.528	0.588	2.593
ITFC	3	750	1.70	6	5	original	ϕ_o	0.674	0.414	0.544	2.617
ITFC	3	1000	1.25	6	5	original	ϕ_o	0.593	0.695	0.644	3.006
ITFC	3	1000	1.50	6	5	original	ϕ_o	0.644	0.543	0.593	3.045
ITFC	3	1000	1.70	6	5	original	ϕ_o	0.671	0.427	0.549	2.615
ITFC	3	500	1.25	7	2	original	ϕ_o	0.568	0.373	0.471	2.508
ITFC	3	500	1.50	7	2	original	ϕ_o	0.592	0.301	0.446	2.554
ITFC	3	500	1.70	7	2	original	ϕ_o	0.604	0.266	0.435	2.571
ITFC	3	750	1.25	7	2	original	ϕ_o	0.532	0.455	0.493	2.425
ITFC	3	750	1.50	7	2	original	ϕ_o	0.566	0.369	0.468	2.507

ITFC	3	750	1.70	7	2	original	ϕ_o	0.583	0.322	0.452	2.533
ITFC	3	1000	1.25	7	2	original	ϕ_o	0.513	0.503	0.508	2.409
ITFC	3	1000	1.50	7	2	original	ϕ_o	0.554	0.411	0.482	2.497
ITFC	3	1000	1.70	7	2	original	ϕ_o	0.575	0.359	0.467	2.543
ITFC	3	500	2.00	7	6	original	ϕ_o	0.610	0.310	0.460	2.651
ITFC	3	500	2.30	7	6	original	ϕ_o	0.624	0.278	0.451	2.675
ITFC	3	500	3.00	7	6	original	ϕ_o	0.642	0.242	0.442	2.699
ITFC	3	750	2.00	7	6	original	ϕ_o	0.609	0.324	0.466	2.660
ITFC	3	750	2.30	7	6	original	ϕ_o	0.624	0.289	0.457	2.686
ITFC	3	750	3.00	7	6	original	ϕ_o	0.645	0.249	0.447	2.724
ITFC	3	1000	2.00	7	6	original	ϕ_o	0.608	0.326	0.467	2.659
ITFC	3	1000	2.30	7	6	original	ϕ_o	0.624	0.291	0.457	2.684
ITFC	3	1000	3.00	7	6	original	ϕ_o	0.645	0.250	0.447	2.722
ITFC	3	500	0.50	7	4	original	ϕ_o	0.257	0.933	0.595	1.673
ITFC	3	500	0.70	7	4	original	ϕ_o	0.363	0.863	0.613	2.095
ITFC	3	500	1.00	7	4	original	ϕ_o	0.469	0.698	0.583	2.402
ITFC	3	750	0.50	7	4	original	ϕ_o	0.238	0.938	0.588	1.593
ITFC	3	750	0.70	7	4	original	ϕ_o	0.341	0.877	0.609	2.023
ITFC	3	750	1.00	7	4	original	ϕ_o	0.451	0.728	0.589	2.349
ITFC	3	1000	0.50	7	4	original	ϕ_o	0.236	0.939	0.587	1.584
ITFC	3	1000	0.70	7	4	original	ϕ_o	0.338	0.879	0.609	2.012
ITFC	3	1000	1.00	7	4	original	ϕ_o	0.448	0.732	0.590	2.341
ITFC	3	10	0.50	3	7	original	ϕ_o	0.778	0.627	0.703	3.118
ITFC	3	10	0.70	3	7	original	ϕ_o	0.839	0.390	0.615	2.521
ITFC	3	10	1.00	3	7	original	ϕ_o	0.862	0.155	0.508	2.533
ITFC	3	100	0.50	3	7	original	ϕ_o	0.619	0.841	0.730	3.312
ITFC	3	100	0.70	3	7	original	ϕ_o	0.738	0.688	0.713	3.042
ITFC	3	100	1.00	3	7	original	ϕ_o	0.816	0.445	0.630	3.153
ITFC	3	250	0.50	3	7	original	ϕ_o	0.492	0.902	0.697	2.960
ITFC	3	250	0.70	3	7	original	ϕ_o	0.646	0.813	0.729	3.418
ITFC	3	250	1.00	3	7	original	ϕ_o	0.758	0.627	0.693	3.092
ITFC	3	500	2.00	4	2	original	ϕ_o	0.763	0.224	0.493	2.864
ITFC	3	500	2.30	4	2	original	ϕ_o	0.769	0.189	0.479	3.340
ITFC	3	500	3.00	4	2	original	ϕ_o	0.776	0.159	0.467	2.865
ITFC	3	750	2.00	4	2	original	ϕ_o	0.751	0.277	0.514	2.849
ITFC	3	750	2.30	4	2	original	ϕ_o	0.760	0.228	0.494	2.858
ITFC	3	750	3.00	4	2	original	ϕ_o	0.771	0.183	0.477	3.328
ITFC	3	1000	2.00	4	2	original	ϕ_o	0.740	0.318	0.529	3.329
ITFC	3	1000	2.30	4	2	original	ϕ_o	0.752	0.257	0.505	3.331
ITFC	3	1000	3.00	4	2	original	ϕ_o	0.766	0.199	0.482	2.851
ITFC	3	10	4.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	3	100	4.00	5	4	original	ϕ_o	0.747	0.114	0.431	2.178
ITFC	3	250	4.00	5	4	original	ϕ_o	0.743	0.144	0.444	2.754
ITFC	3	500	1.25	3	5	original	ϕ_o	0.773	0.574	0.674	3.103
ITFC	3	500	1.50	3	5	original	ϕ_o	0.807	0.444	0.625	3.126
ITFC	3	500	1.70	3	5	original	ϕ_o	0.823	0.356	0.589	3.125
ITFC	3	750	1.25	3	5	original	ϕ_o	0.748	0.637	0.692	3.559
ITFC	3	750	1.50	3	5	original	ϕ_o	0.788	0.520	0.654	3.570
ITFC	3	750	1.70	3	5	original	ϕ_o	0.808	0.434	0.621	3.133
ITFC	3	1000	1.25	3	5	original	ϕ_o	0.738	0.661	0.699	3.584
ITFC	3	1000	1.50	3	5	original	ϕ_o	0.780	0.549	0.665	3.602
ITFC	3	1000	1.70	3	5	original	ϕ_o	0.802	0.468	0.635	3.604
ITFC	3	10	0.20	3	2	original	ϕ_o	0.444	0.914	0.679	2.524
ITFC	3	100	0.20	3	2	original	ϕ_o	0.283	0.952	0.618	1.929
ITFC	3	250	0.20	3	2	original	ϕ_o	0.203	0.963	0.583	1.620
ITFC	3	500	2.00	2	4	original	ϕ_o	0.951	0.236	0.594	2.833
ITFC	3	500	2.30	2	4	original	ϕ_o	0.954	0.153	0.554	2.828
ITFC	3	500	3.00	2	4	original	ϕ_o	0.957	0.107	0.532	2.824
ITFC	3	750	2.00	2	4	original	ϕ_o	0.945	0.361	0.653	2.834
ITFC	3	750	2.30	2	4	original	ϕ_o	0.951	0.239	0.595	2.832
ITFC	3	750	3.00	2	4	original	ϕ_o	0.955	0.128	0.542	2.825
ITFC	3	1000	2.00	2	4	original	ϕ_o	0.944	0.408	0.676	3.673
ITFC	3	1000	2.30	2	4	original	ϕ_o	0.951	0.278	0.614	2.840
ITFC	3	1000	3.00	2	4	original	ϕ_o	0.957	0.139	0.548	2.831

ITFC	5	500	0.50	5	3	original	ϕ_o	0.157	0.979	0.568	2.276
ITFC	5	500	0.70	5	3	original	ϕ_o	0.247	0.962	0.605	2.701
ITFC	5	500	1.00	5	3	original	ϕ_o	0.372	0.925	0.648	2.950
ITFC	5	750	0.50	5	3	original	ϕ_o	0.107	0.987	0.547	2.124
ITFC	5	750	0.70	5	3	original	ϕ_o	0.178	0.975	0.576	2.599
ITFC	5	750	1.00	5	3	original	ϕ_o	0.283	0.954	0.618	2.911
ITFC	5	1000	0.50	5	3	original	ϕ_o	0.079	0.991	0.535	2.031
ITFC	5	1000	0.70	5	3	original	ϕ_o	0.137	0.981	0.559	2.525
ITFC	5	1000	1.00	5	3	original	ϕ_o	0.225	0.965	0.595	2.882
ITFC	5	500	0.20	7	5	original	ϕ_o	0.020	1.000	0.510	0.717
ITFC	5	750	0.20	7	5	original	ϕ_o	0.015	1.000	0.508	0.699
ITFC	5	1000	0.20	7	5	original	ϕ_o	0.012	1.000	0.506	0.692
ITFC	5	500	4.00	7	2	original	ϕ_o	0.641	0.152	0.396	2.582
ITFC	5	750	4.00	7	2	original	ϕ_o	0.626	0.214	0.420	2.572
ITFC	5	1000	4.00	7	2	original	ϕ_o	0.623	0.275	0.449	2.632
ITFC	5	500	2.00	2	3	original	ϕ_o	0.942	0.553	0.747	2.869
ITFC	5	500	2.30	2	3	original	ϕ_o	0.953	0.404	0.679	2.866
ITFC	5	500	3.00	2	3	original	ϕ_o	0.962	0.138	0.550	2.844
ITFC	5	750	2.00	2	3	original	ϕ_o	0.913	0.698	0.805	3.731
ITFC	5	750	2.30	2	3	original	ϕ_o	0.936	0.599	0.767	3.717
ITFC	5	750	3.00	2	3	original	ϕ_o	0.956	0.334	0.645	2.861
ITFC	5	1000	2.00	2	3	original	ϕ_o	0.881	0.775	0.828	3.727
ITFC	5	1000	2.30	2	3	original	ϕ_o	0.912	0.697	0.805	3.728
ITFC	5	1000	3.00	2	3	original	ϕ_o	0.948	0.475	0.711	2.867
ITFC	5	10	0.50	3	6	original	ϕ_o	0.733	0.773	0.753	3.130
ITFC	5	10	0.70	3	6	original	ϕ_o	0.815	0.537	0.676	2.519
ITFC	5	10	1.00	3	6	original	ϕ_o	0.857	0.242	0.550	2.535
ITFC	5	100	0.50	3	6	original	ϕ_o	0.445	0.936	0.690	3.402
ITFC	5	100	0.70	3	6	original	ϕ_o	0.606	0.879	0.742	3.646
ITFC	5	100	1.00	3	6	original	ϕ_o	0.742	0.727	0.734	3.643
ITFC	5	250	0.50	3	6	original	ϕ_o	0.245	0.971	0.608	3.070
ITFC	5	250	0.70	3	6	original	ϕ_o	0.403	0.942	0.672	3.505
ITFC	5	250	1.00	3	6	original	ϕ_o	0.584	0.884	0.734	3.685
ITFC	5	10	0.50	3	4	original	ϕ_o	0.761	0.709	0.735	3.142
ITFC	5	10	0.70	3	4	original	ϕ_o	0.833	0.454	0.644	2.533
ITFC	5	10	1.00	3	4	original	ϕ_o	0.863	0.171	0.517	2.528
ITFC	5	100	0.50	3	4	original	ϕ_o	0.512	0.926	0.719	3.498
ITFC	5	100	0.70	3	4	original	ϕ_o	0.662	0.839	0.751	3.679
ITFC	5	100	1.00	3	4	original	ϕ_o	0.782	0.632	0.707	3.181
ITFC	5	250	0.50	3	4	original	ϕ_o	0.328	0.967	0.647	3.232
ITFC	5	250	0.70	3	4	original	ϕ_o	0.491	0.927	0.709	3.586
ITFC	5	250	1.00	3	4	original	ϕ_o	0.662	0.828	0.745	3.666
ITFC	5	500	1.25	3	6	original	ϕ_o	0.511	0.908	0.709	3.703
ITFC	5	500	1.50	3	6	original	ϕ_o	0.612	0.861	0.737	3.706
ITFC	5	500	1.70	3	6	original	ϕ_o	0.676	0.814	0.745	3.674
ITFC	5	750	1.25	3	6	original	ϕ_o	0.433	0.928	0.680	3.684
ITFC	5	750	1.50	3	6	original	ϕ_o	0.542	0.893	0.718	3.719
ITFC	5	750	1.70	3	6	original	ϕ_o	0.617	0.855	0.736	3.693
ITFC	5	1000	1.25	3	6	original	ϕ_o	0.408	0.934	0.671	3.682
ITFC	5	1000	1.50	3	6	original	ϕ_o	0.520	0.899	0.709	3.708
ITFC	5	1000	1.70	3	6	original	ϕ_o	0.600	0.863	0.731	3.698
ITFC	5	500	0.50	6	5	original	ϕ_o	0.132	0.994	0.563	2.192
ITFC	5	500	0.70	6	5	original	ϕ_o	0.220	0.982	0.601	2.654
ITFC	5	500	1.00	6	5	original	ϕ_o	0.337	0.953	0.645	2.952
ITFC	5	750	0.50	6	5	original	ϕ_o	0.099	0.996	0.548	2.127
ITFC	5	750	0.70	6	5	original	ϕ_o	0.179	0.989	0.584	2.611
ITFC	5	750	1.00	6	5	original	ϕ_o	0.292	0.968	0.630	2.954
ITFC	5	1000	0.50	6	5	original	ϕ_o	0.086	0.997	0.542	2.115
ITFC	5	1000	0.70	6	5	original	ϕ_o	0.164	0.992	0.578	2.603
ITFC	5	1000	1.00	6	5	original	ϕ_o	0.278	0.973	0.626	2.958
ITFC	5	500	1.25	6	7	original	ϕ_o	0.396	0.939	0.668	3.096
ITFC	5	500	1.50	6	7	original	ϕ_o	0.482	0.898	0.690	3.135
ITFC	5	500	1.70	6	7	original	ϕ_o	0.539	0.853	0.696	3.146
ITFC	5	750	1.25	6	7	original	ϕ_o	0.371	0.949	0.660	3.106

ITFC	5	750	1.50	6	7	original	ϕ_o	0.456	0.914	0.685	3.152
ITFC	5	750	1.70	6	7	original	ϕ_o	0.513	0.876	0.695	3.162
ITFC	5	1000	1.25	6	7	original	ϕ_o	0.365	0.950	0.658	3.107
ITFC	5	1000	1.50	6	7	original	ϕ_o	0.453	0.915	0.684	3.156
ITFC	5	1000	1.70	6	7	original	ϕ_o	0.511	0.878	0.694	3.161
ITFC	5	500	4.00	4	7	original	ϕ_o	0.781	0.270	0.526	2.944
ITFC	5	750	4.00	4	7	original	ϕ_o	0.778	0.293	0.535	3.440
ITFC	5	1000	4.00	4	7	original	ϕ_o	0.778	0.296	0.537	3.434
ITFC	5	500	0.20	5	7	original	ϕ_o	0.005	0.999	0.502	0.812
ITFC	5	750	0.20	5	7	original	ϕ_o	0.003	1.000	0.501	0.785
ITFC	5	1000	0.20	5	7	original	ϕ_o	0.002	1.000	0.501	0.780
ITFC	5	500	0.50	6	3	original	ϕ_o	0.185	0.986	0.585	2.303
ITFC	5	500	0.70	6	3	original	ϕ_o	0.285	0.961	0.623	2.700
ITFC	5	500	1.00	6	3	original	ϕ_o	0.409	0.897	0.653	2.873
ITFC	5	750	0.50	6	3	original	ϕ_o	0.140	0.991	0.566	2.190
ITFC	5	750	0.70	6	3	original	ϕ_o	0.225	0.978	0.601	2.634
ITFC	5	750	1.00	6	3	original	ϕ_o	0.337	0.937	0.637	2.896
ITFC	5	1000	0.50	6	3	original	ϕ_o	0.117	0.995	0.556	2.139
ITFC	5	1000	0.70	6	3	original	ϕ_o	0.193	0.985	0.589	2.597
ITFC	5	1000	1.00	6	3	original	ϕ_o	0.303	0.958	0.630	2.912
ITFC	5	10	0.20	5	3	original	ϕ_o	0.259	0.957	0.608	1.936
ITFC	5	100	0.20	5	3	original	ϕ_o	0.103	0.990	0.547	1.457
ITFC	5	250	0.20	5	3	original	ϕ_o	0.052	0.996	0.524	1.211
ITFC	5	10	0.20	6	4	original	ϕ_o	0.231	0.990	0.610	1.890
ITFC	5	100	0.20	6	4	original	ϕ_o	0.097	0.998	0.548	1.486
ITFC	5	250	0.20	6	4	original	ϕ_o	0.052	1.000	0.526	1.279
ITFC	5	10	4.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	4.00	5	7	original	ϕ_o	0.744	0.109	0.427	2.749
ITFC	5	250	4.00	5	7	original	ϕ_o	0.739	0.173	0.456	2.177
ITFC	5	10	1.25	4	4	original	ϕ_o	0.789	0.120	0.455	2.291
ITFC	5	10	1.50	4	4	original	ϕ_o	0.790	0.095	0.442	2.284
ITFC	5	10	1.70	4	4	original	ϕ_o	0.790	0.094	0.442	2.864
ITFC	5	100	1.25	4	4	original	ϕ_o	0.717	0.638	0.678	3.528
ITFC	5	100	1.50	4	4	original	ϕ_o	0.756	0.448	0.602	2.957
ITFC	5	100	1.70	4	4	original	ϕ_o	0.772	0.310	0.541	2.941
ITFC	5	250	1.25	4	4	original	ϕ_o	0.583	0.885	0.734	3.467
ITFC	5	250	1.50	4	4	original	ϕ_o	0.662	0.791	0.727	3.518
ITFC	5	250	1.70	4	4	original	ϕ_o	0.703	0.700	0.701	3.546
ITFC	5	500	0.20	6	3	original	ϕ_o	0.045	1.000	0.522	1.215
ITFC	5	750	0.20	6	3	original	ϕ_o	0.033	1.000	0.516	1.155
ITFC	5	1000	0.20	6	3	original	ϕ_o	0.025	1.000	0.512	1.129
ITFC	5	500	2.00	5	2	original	ϕ_o	0.716	0.309	0.513	2.701
ITFC	5	500	2.30	5	2	original	ϕ_o	0.729	0.220	0.474	2.712
ITFC	5	500	3.00	5	2	original	ϕ_o	0.738	0.136	0.437	2.712
ITFC	5	750	2.00	5	2	original	ϕ_o	0.681	0.475	0.578	3.082
ITFC	5	750	2.30	5	2	original	ϕ_o	0.710	0.343	0.527	2.695
ITFC	5	750	3.00	5	2	original	ϕ_o	0.731	0.180	0.456	3.066
ITFC	5	1000	2.00	5	2	original	ϕ_o	0.636	0.626	0.631	3.079
ITFC	5	1000	2.30	5	2	original	ϕ_o	0.681	0.486	0.584	3.085
ITFC	5	1000	3.00	5	2	original	ϕ_o	0.722	0.252	0.487	2.698
ITFC	5	10	0.20	7	4	original	ϕ_o	0.220	0.985	0.603	1.750
ITFC	5	100	0.20	7	4	original	ϕ_o	0.069	0.999	0.534	1.117
ITFC	5	250	0.20	7	4	original	ϕ_o	0.040	1.000	0.520	0.864
ITFC	5	10	0.20	4	2	original	ϕ_o	0.330	0.968	0.649	2.309
ITFC	5	100	0.20	4	2	original	ϕ_o	0.166	0.991	0.578	1.686
ITFC	5	250	0.20	4	2	original	ϕ_o	0.116	0.997	0.557	1.406
ITFC	5	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	4.00	5	2	original	ϕ_o	0.748	0.104	0.426	2.765
ITFC	5	250	4.00	5	2	original	ϕ_o	0.746	0.109	0.428	2.750
ITFC	5	10	4.00	7	5	original	ϕ_o	0.685	0.112	0.398	2.400
ITFC	5	100	4.00	7	5	original	ϕ_o	0.673	0.128	0.401	2.673
ITFC	5	250	4.00	7	5	original	ϕ_o	0.647	0.210	0.429	2.291
ITFC	5	500	0.20	4	5	original	ϕ_o	0.025	1.000	0.513	0.896
ITFC	5	750	0.20	4	5	original	ϕ_o	0.015	1.000	0.507	0.845

ITFC	5	1000	0.20	4	5	original	ϕ_o	0.008	1.000	0.504	0.819
ITFC	5	10	0.50	5	4	original	ϕ_o	0.599	0.712	0.655	3.038
ITFC	5	10	0.70	5	4	original	ϕ_o	0.689	0.470	0.579	2.716
ITFC	5	10	1.00	5	4	original	ϕ_o	0.735	0.175	0.455	2.165
ITFC	5	100	0.50	5	4	original	ϕ_o	0.356	0.930	0.643	2.726
ITFC	5	100	0.70	5	4	original	ϕ_o	0.487	0.845	0.666	2.956
ITFC	5	100	1.00	5	4	original	ϕ_o	0.618	0.657	0.638	3.070
ITFC	5	250	0.50	5	4	original	ϕ_o	0.216	0.969	0.592	2.475
ITFC	5	250	0.70	5	4	original	ϕ_o	0.331	0.939	0.635	2.841
ITFC	5	250	1.00	5	4	original	ϕ_o	0.472	0.861	0.666	3.008
ITFC	5	500	1.25	2	7	original	ϕ_o	0.710	0.903	0.806	4.378
ITFC	5	500	1.50	2	7	original	ϕ_o	0.776	0.864	0.820	4.378
ITFC	5	500	1.70	2	7	original	ϕ_o	0.824	0.828	0.826	4.348
ITFC	5	750	1.25	2	7	original	ϕ_o	0.662	0.925	0.793	4.386
ITFC	5	750	1.50	2	7	original	ϕ_o	0.736	0.895	0.815	4.419
ITFC	5	750	1.70	2	7	original	ϕ_o	0.786	0.864	0.825	4.413
ITFC	5	1000	1.25	2	7	original	ϕ_o	0.648	0.932	0.790	4.388
ITFC	5	1000	1.50	2	7	original	ϕ_o	0.726	0.900	0.813	4.423
ITFC	5	1000	1.70	2	7	original	ϕ_o	0.779	0.869	0.824	4.416
ITFC	5	10	2.00	6	6	original	ϕ_o	0.731	0.052	0.392	2.093
ITFC	5	10	2.30	6	6	original	ϕ_o	0.732	0.052	0.392	2.095
ITFC	5	10	3.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	2.00	6	6	original	ϕ_o	0.714	0.141	0.427	2.066
ITFC	5	100	2.30	6	6	original	ϕ_o	0.720	0.094	0.407	2.068
ITFC	5	100	3.00	6	6	original	ϕ_o	0.725	0.059	0.392	2.074
ITFC	5	250	2.00	6	6	original	ϕ_o	0.671	0.415	0.543	2.574
ITFC	5	250	2.30	6	6	original	ϕ_o	0.694	0.282	0.488	2.063
ITFC	5	250	3.00	6	6	original	ϕ_o	0.716	0.125	0.421	2.067
ITFC	5	10	1.25	2	3	original	ϕ_o	0.964	0.072	0.518	1.910
ITFC	5	10	1.50	2	3	original	ϕ_o	0.964	0.055	0.509	2.824
ITFC	5	10	1.70	2	3	original	ϕ_o	0.964	0.056	0.510	2.824
ITFC	5	100	1.25	2	3	original	ϕ_o	0.951	0.459	0.705	2.872
ITFC	5	100	1.50	2	3	original	ϕ_o	0.961	0.229	0.595	2.859
ITFC	5	100	1.70	2	3	original	ϕ_o	0.964	0.112	0.538	2.840
ITFC	5	250	1.25	2	3	original	ϕ_o	0.912	0.706	0.809	3.725
ITFC	5	250	1.50	2	3	original	ϕ_o	0.939	0.569	0.754	2.872
ITFC	5	250	1.70	2	3	original	ϕ_o	0.953	0.436	0.694	3.683
ITFC	5	10	0.50	2	2	original	ϕ_o	0.886	0.746	0.816	3.660
ITFC	5	10	0.70	2	2	original	ϕ_o	0.940	0.510	0.725	2.864
ITFC	5	10	1.00	2	2	original	ϕ_o	0.963	0.190	0.577	1.920
ITFC	5	100	0.50	2	2	original	ϕ_o	0.770	0.890	0.830	4.273
ITFC	5	100	0.70	2	2	original	ϕ_o	0.870	0.782	0.826	3.681
ITFC	5	100	1.00	2	2	original	ϕ_o	0.937	0.549	0.743	2.872
ITFC	5	250	0.50	2	2	original	ϕ_o	0.661	0.937	0.799	4.137
ITFC	5	250	0.70	2	2	original	ϕ_o	0.792	0.869	0.830	4.352
ITFC	5	250	1.00	2	2	original	ϕ_o	0.890	0.729	0.810	3.706
ITFC	5	500	2.00	6	5	original	ϕ_o	0.615	0.676	0.645	3.046
ITFC	5	500	2.30	6	5	original	ϕ_o	0.657	0.542	0.600	3.034
ITFC	5	500	3.00	6	5	original	ϕ_o	0.708	0.283	0.495	2.099
ITFC	5	750	2.00	6	5	original	ϕ_o	0.580	0.776	0.678	3.116
ITFC	5	750	2.30	6	5	original	ϕ_o	0.632	0.673	0.653	3.114
ITFC	5	750	3.00	6	5	original	ϕ_o	0.697	0.410	0.553	2.683
ITFC	5	1000	2.00	6	5	original	ϕ_o	0.572	0.792	0.682	3.135
ITFC	5	1000	2.30	6	5	original	ϕ_o	0.625	0.690	0.658	3.125
ITFC	5	1000	3.00	6	5	original	ϕ_o	0.693	0.430	0.562	2.684
ITFC	5	10	0.50	4	6	original	ϕ_o	0.587	0.891	0.739	3.348
ITFC	5	10	0.70	4	6	original	ϕ_o	0.702	0.725	0.713	3.534
ITFC	5	10	1.00	4	6	original	ϕ_o	0.772	0.386	0.579	2.962
ITFC	5	100	0.50	4	6	original	ϕ_o	0.299	0.990	0.645	2.765
ITFC	5	100	0.70	4	6	original	ϕ_o	0.422	0.966	0.694	3.245
ITFC	5	100	1.00	4	6	original	ϕ_o	0.597	0.885	0.741	3.485
ITFC	5	250	0.50	4	6	original	ϕ_o	0.182	0.998	0.590	2.337
ITFC	5	250	0.70	4	6	original	ϕ_o	0.267	0.993	0.630	2.884
ITFC	5	250	1.00	4	6	original	ϕ_o	0.392	0.972	0.682	3.318

ITFC	5	10	2.00	4	5	original	ϕ_o	0.789	0.096	0.442	2.286
ITFC	5	10	2.30	4	5	original	ϕ_o	0.789	0.097	0.443	2.287
ITFC	5	10	3.00	4	5	original	ϕ_o	0.789	0.097	0.443	2.872
ITFC	5	100	2.00	4	5	original	ϕ_o	0.782	0.213	0.497	2.913
ITFC	5	100	2.30	4	5	original	ϕ_o	0.786	0.144	0.465	2.890
ITFC	5	100	3.00	4	5	original	ϕ_o	0.788	0.105	0.446	2.283
ITFC	5	250	2.00	4	5	original	ϕ_o	0.737	0.568	0.652	3.538
ITFC	5	250	2.30	4	5	original	ϕ_o	0.760	0.414	0.587	3.508
ITFC	5	250	3.00	4	5	original	ϕ_o	0.782	0.191	0.486	2.910
ITFC	5	500	4.00	3	4	original	ϕ_o	0.861	0.110	0.485	2.515
ITFC	5	750	4.00	3	4	original	ϕ_o	0.856	0.179	0.517	2.520
ITFC	5	1000	4.00	3	4	original	ϕ_o	0.852	0.271	0.561	2.534
ITFC	5	10	2.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	10	2.30	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	2.00	6	3	original	ϕ_o	0.720	0.066	0.393	2.066
ITFC	5	100	2.30	6	3	original	ϕ_o	0.724	0.057	0.390	2.073
ITFC	5	100	3.00	6	3	original	ϕ_o	0.728	0.053	0.391	2.085
ITFC	5	250	2.00	6	3	original	ϕ_o	0.700	0.171	0.436	2.040
ITFC	5	250	2.30	6	3	original	ϕ_o	0.709	0.104	0.407	2.044
ITFC	5	250	3.00	6	3	original	ϕ_o	0.718	0.062	0.390	1.406
ITFC	5	500	2.00	5	5	original	ϕ_o	0.583	0.786	0.684	3.192
ITFC	5	500	2.30	5	5	original	ϕ_o	0.638	0.679	0.659	3.210
ITFC	5	500	3.00	5	5	original	ϕ_o	0.711	0.422	0.567	3.234
ITFC	5	750	2.00	5	5	original	ϕ_o	0.534	0.844	0.689	3.186
ITFC	5	750	2.30	5	5	original	ϕ_o	0.599	0.758	0.678	3.194
ITFC	5	750	3.00	5	5	original	ϕ_o	0.691	0.523	0.607	3.226
ITFC	5	1000	2.00	5	5	original	ϕ_o	0.508	0.856	0.682	3.159
ITFC	5	1000	2.30	5	5	original	ϕ_o	0.579	0.774	0.676	3.165
ITFC	5	1000	3.00	5	5	original	ϕ_o	0.678	0.548	0.613	3.202
ITFC	5	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	5	100	4.00	3	3	original	ϕ_o	0.866	0.073	0.469	2.519
ITFC	5	250	4.00	3	3	original	ϕ_o	0.865	0.077	0.471	2.518
ITFC	5	500	4.00	4	3	original	ϕ_o	0.780	0.181	0.481	2.287
ITFC	5	750	4.00	4	3	original	ϕ_o	0.773	0.266	0.519	2.906
ITFC	5	1000	4.00	4	3	original	ϕ_o	0.767	0.337	0.552	2.922
ITFC	5	500	0.50	3	5	original	ϕ_o	0.149	0.985	0.567	2.801
ITFC	5	500	0.70	3	5	original	ϕ_o	0.271	0.968	0.620	3.330
ITFC	5	500	1.00	3	5	original	ϕ_o	0.431	0.930	0.680	3.614
ITFC	5	750	0.50	3	5	original	ϕ_o	0.096	0.992	0.544	2.650
ITFC	5	750	0.70	3	5	original	ϕ_o	0.195	0.980	0.587	3.213
ITFC	5	750	1.00	3	5	original	ϕ_o	0.338	0.954	0.646	3.573
ITFC	5	1000	0.50	3	5	original	ϕ_o	0.078	0.994	0.536	2.595
ITFC	5	1000	0.70	3	5	original	ϕ_o	0.165	0.984	0.575	3.171
ITFC	5	1000	1.00	3	5	original	ϕ_o	0.299	0.963	0.631	3.570
ITFC	5	10	1.25	5	4	original	ϕ_o	0.743	0.120	0.431	2.742
ITFC	5	10	1.50	5	4	original	ϕ_o	0.746	0.107	0.426	2.178
ITFC	5	10	1.70	5	4	original	ϕ_o	0.747	0.104	0.426	2.178
ITFC	5	100	1.25	5	4	original	ϕ_o	0.687	0.453	0.570	2.694
ITFC	5	100	1.50	5	4	original	ϕ_o	0.720	0.277	0.499	2.723
ITFC	5	100	1.70	5	4	original	ϕ_o	0.731	0.188	0.459	2.158
ITFC	5	250	1.25	5	4	original	ϕ_o	0.563	0.763	0.663	3.052
ITFC	5	250	1.50	5	4	original	ϕ_o	0.630	0.630	0.630	3.090
ITFC	5	250	1.70	5	4	original	ϕ_o	0.671	0.512	0.592	3.093
ITFC	5	500	0.20	4	7	original	ϕ_o	0.015	1.000	0.508	0.842
ITFC	5	750	0.20	4	7	original	ϕ_o	0.009	1.000	0.505	0.820
ITFC	5	1000	0.20	4	7	original	ϕ_o	0.006	1.000	0.503	0.812
ITFC	5	500	2.00	7	3	original	ϕ_o	0.494	0.700	0.597	2.608
ITFC	5	500	2.30	7	3	original	ϕ_o	0.546	0.590	0.568	2.620
ITFC	5	500	3.00	7	3	original	ϕ_o	0.615	0.388	0.501	2.656
ITFC	5	750	2.00	7	3	original	ϕ_o	0.407	0.811	0.609	2.592
ITFC	5	750	2.30	7	3	original	ϕ_o	0.476	0.723	0.600	2.616
ITFC	5	750	3.00	7	3	original	ϕ_o	0.574	0.526	0.550	2.651
ITFC	5	1000	2.00	7	3	original	ϕ_o	0.390	0.841	0.616	2.617

ITFC	5	1000	2.30	7	3	original	ϕ_o	0.461	0.756	0.609	2.635
ITFC	5	1000	3.00	7	3	original	ϕ_o	0.565	0.556	0.561	2.659
ITFC	5	500	2.00	3	7	original	ϕ_o	0.736	0.736	0.736	3.676
ITFC	5	500	2.30	3	7	original	ϕ_o	0.783	0.632	0.707	3.641
ITFC	5	500	3.00	3	7	original	ϕ_o	0.837	0.383	0.610	2.532
ITFC	5	750	2.00	3	7	original	ϕ_o	0.699	0.791	0.745	3.707
ITFC	5	750	2.30	3	7	original	ϕ_o	0.757	0.702	0.729	3.681
ITFC	5	750	3.00	3	7	original	ϕ_o	0.826	0.479	0.652	3.185
ITFC	5	1000	2.00	3	7	original	ϕ_o	0.691	0.794	0.742	3.687
ITFC	5	1000	2.30	3	7	original	ϕ_o	0.752	0.705	0.728	3.662
ITFC	5	1000	3.00	3	7	original	ϕ_o	0.824	0.483	0.653	3.171
ITFC	5	10	0.50	2	4	original	ϕ_o	0.869	0.805	0.837	3.642
ITFC	5	10	0.70	2	4	original	ϕ_o	0.930	0.595	0.763	2.850
ITFC	5	10	1.00	2	4	original	ϕ_o	0.959	0.242	0.601	2.849
ITFC	5	100	0.50	2	4	original	ϕ_o	0.700	0.925	0.813	4.187
ITFC	5	100	0.70	2	4	original	ϕ_o	0.821	0.849	0.835	4.367
ITFC	5	100	1.00	2	4	original	ϕ_o	0.908	0.686	0.797	2.847
ITFC	5	250	0.50	2	4	original	ϕ_o	0.555	0.958	0.757	3.941
ITFC	5	250	0.70	2	4	original	ϕ_o	0.709	0.915	0.812	4.284
ITFC	5	250	1.00	2	4	original	ϕ_o	0.831	0.829	0.830	3.676
ITFC	5	500	2.00	4	6	original	ϕ_o	0.609	0.865	0.737	3.526
ITFC	5	500	2.30	4	6	original	ϕ_o	0.676	0.771	0.724	3.558
ITFC	5	500	3.00	4	6	original	ϕ_o	0.753	0.503	0.628	3.547
ITFC	5	750	2.00	4	6	original	ϕ_o	0.556	0.897	0.726	3.489
ITFC	5	750	2.30	4	6	original	ϕ_o	0.638	0.820	0.729	3.526
ITFC	5	750	3.00	4	6	original	ϕ_o	0.738	0.580	0.659	3.543
ITFC	5	1000	2.00	4	6	original	ϕ_o	0.548	0.901	0.724	3.486
ITFC	5	1000	2.30	4	6	original	ϕ_o	0.632	0.825	0.728	3.517
ITFC	5	1000	3.00	4	6	original	ϕ_o	0.735	0.595	0.665	3.536
ITFC	5	500	2.00	2	6	original	ϕ_o	0.885	0.755	0.820	3.720
ITFC	5	500	2.30	2	6	original	ϕ_o	0.917	0.663	0.790	3.708
ITFC	5	500	3.00	2	6	original	ϕ_o	0.950	0.402	0.676	3.643
ITFC	5	750	2.00	2	6	original	ϕ_o	0.845	0.814	0.830	4.389
ITFC	5	750	2.30	2	6	original	ϕ_o	0.887	0.752	0.820	4.353
ITFC	5	750	3.00	2	6	original	ϕ_o	0.940	0.551	0.745	3.706
ITFC	5	1000	2.00	2	6	original	ϕ_o	0.836	0.819	0.828	4.381
ITFC	5	1000	2.30	2	6	original	ϕ_o	0.880	0.756	0.818	4.347
ITFC	5	1000	3.00	2	6	original	ϕ_o	0.938	0.555	0.747	3.695
ITFC	5	500	0.20	2	4	original	ϕ_o	0.052	0.999	0.525	1.848
ITFC	5	750	0.20	2	4	original	ϕ_o	0.029	0.999	0.514	1.695
ITFC	5	1000	0.20	2	4	original	ϕ_o	0.018	1.000	0.509	1.610
ITFC	5	10	0.20	6	6	original	ϕ_o	0.197	0.993	0.595	1.771
ITFC	5	100	0.20	6	6	original	ϕ_o	0.067	0.999	0.533	1.355
ITFC	5	250	0.20	6	6	original	ϕ_o	0.027	1.000	0.513	1.184
ITFC	5	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	4.00	2	5	original	ϕ_o	0.963	0.058	0.510	2.822
ITFC	5	250	4.00	2	5	original	ϕ_o	0.962	0.065	0.513	2.822
ITFC	5	10	0.20	6	5	original	ϕ_o	0.216	0.991	0.603	1.832
ITFC	5	100	0.20	6	5	original	ϕ_o	0.086	0.999	0.542	1.415
ITFC	5	250	0.20	6	5	original	ϕ_o	0.041	1.000	0.520	1.236
ITFC	5	10	1.25	4	6	original	ϕ_o	0.787	0.171	0.479	2.302
ITFC	5	10	1.50	4	6	original	ϕ_o	0.789	0.104	0.447	2.861
ITFC	5	10	1.70	4	6	original	ϕ_o	0.789	0.096	0.442	2.289
ITFC	5	100	1.25	4	6	original	ϕ_o	0.687	0.763	0.725	3.556
ITFC	5	100	1.50	4	6	original	ϕ_o	0.736	0.606	0.671	3.560
ITFC	5	100	1.70	4	6	original	ϕ_o	0.758	0.470	0.614	3.527
ITFC	5	250	1.25	4	6	original	ϕ_o	0.513	0.933	0.723	3.464
ITFC	5	250	1.50	4	6	original	ϕ_o	0.617	0.870	0.744	3.532
ITFC	5	250	1.70	4	6	original	ϕ_o	0.671	0.799	0.735	3.561
ITFC	5	500	4.00	3	7	original	ϕ_o	0.859	0.175	0.517	2.530
ITFC	5	750	4.00	3	7	original	ϕ_o	0.855	0.242	0.549	2.538
ITFC	5	1000	4.00	3	7	original	ϕ_o	0.855	0.246	0.550	3.120
ITFC	5	10	1.25	3	7	original	ϕ_o	0.864	0.122	0.493	2.526
ITFC	5	10	1.50	3	7	original	ϕ_o	0.866	0.081	0.473	2.523

ITFC	5	10	1.70	3	7	original	ϕ_o	0.866	0.074	0.470	2.521
ITFC	5	100	1.25	3	7	original	ϕ_o	0.797	0.541	0.669	3.159
ITFC	5	100	1.50	3	7	original	ϕ_o	0.831	0.373	0.602	2.509
ITFC	5	100	1.70	3	7	original	ϕ_o	0.847	0.270	0.559	2.518
ITFC	5	250	1.25	3	7	original	ϕ_o	0.668	0.815	0.742	3.670
ITFC	5	250	1.50	3	7	original	ϕ_o	0.740	0.708	0.724	3.626
ITFC	5	250	1.70	3	7	original	ϕ_o	0.780	0.604	0.692	3.157
ITFC	5	10	0.50	6	5	original	ϕ_o	0.559	0.761	0.660	2.484
ITFC	5	10	0.70	6	5	original	ϕ_o	0.657	0.489	0.573	2.047
ITFC	5	10	1.00	6	5	original	ϕ_o	0.712	0.188	0.450	2.077
ITFC	5	100	0.50	6	5	original	ϕ_o	0.340	0.957	0.649	2.644
ITFC	5	100	0.70	6	5	original	ϕ_o	0.462	0.882	0.672	2.887
ITFC	5	100	1.00	6	5	original	ϕ_o	0.588	0.677	0.632	2.546
ITFC	5	250	0.50	6	5	original	ϕ_o	0.220	0.985	0.603	2.387
ITFC	5	250	0.70	6	5	original	ϕ_o	0.329	0.957	0.643	2.783
ITFC	5	250	1.00	6	5	original	ϕ_o	0.458	0.881	0.670	2.945
ITFC	5	500	0.50	3	3	original	ϕ_o	0.253	0.979	0.616	3.070
ITFC	5	500	0.70	3	3	original	ϕ_o	0.401	0.952	0.676	3.504
ITFC	5	500	1.00	3	3	original	ϕ_o	0.584	0.885	0.734	3.691
ITFC	5	750	0.50	3	3	original	ϕ_o	0.174	0.989	0.581	2.882
ITFC	5	750	0.70	3	3	original	ϕ_o	0.304	0.971	0.637	3.390
ITFC	5	750	1.00	3	3	original	ϕ_o	0.473	0.928	0.701	3.667
ITFC	5	1000	0.50	3	3	original	ϕ_o	0.123	0.994	0.559	2.744
ITFC	5	1000	0.70	3	3	original	ϕ_o	0.236	0.980	0.608	3.289
ITFC	5	1000	1.00	3	3	original	ϕ_o	0.388	0.951	0.669	3.635
ITFC	5	500	0.20	2	2	original	ϕ_o	0.105	0.998	0.552	2.161
ITFC	5	750	0.20	2	2	original	ϕ_o	0.069	0.999	0.534	1.982
ITFC	5	1000	0.20	2	2	original	ϕ_o	0.047	1.000	0.524	1.860
ITFC	5	500	0.20	4	4	original	ϕ_o	0.032	1.000	0.516	0.914
ITFC	5	750	0.20	4	4	original	ϕ_o	0.020	1.000	0.510	0.858
ITFC	5	1000	0.20	4	4	original	ϕ_o	0.014	1.000	0.507	0.832
ITFC	5	500	1.25	5	3	original	ϕ_o	0.468	0.867	0.668	3.011
ITFC	5	500	1.50	5	3	original	ϕ_o	0.554	0.767	0.661	3.041
ITFC	5	500	1.70	5	3	original	ϕ_o	0.607	0.666	0.637	3.068
ITFC	5	750	1.25	5	3	original	ϕ_o	0.372	0.927	0.649	3.008
ITFC	5	750	1.50	5	3	original	ϕ_o	0.459	0.879	0.669	3.039
ITFC	5	750	1.70	5	3	original	ϕ_o	0.522	0.816	0.669	3.054
ITFC	5	1000	1.25	5	3	original	ϕ_o	0.305	0.949	0.627	3.005
ITFC	5	1000	1.50	5	3	original	ϕ_o	0.388	0.922	0.655	3.053
ITFC	5	1000	1.70	5	3	original	ϕ_o	0.454	0.885	0.669	3.069
ITFC	5	500	2.00	4	5	original	ϕ_o	0.632	0.833	0.732	3.516
ITFC	5	500	2.30	4	5	original	ϕ_o	0.689	0.732	0.711	3.545
ITFC	5	500	3.00	4	5	original	ϕ_o	0.756	0.469	0.612	3.528
ITFC	5	750	2.00	4	5	original	ϕ_o	0.557	0.891	0.724	3.465
ITFC	5	750	2.30	4	5	original	ϕ_o	0.636	0.816	0.726	3.499
ITFC	5	750	3.00	4	5	original	ϕ_o	0.732	0.591	0.662	3.521
ITFC	5	1000	2.00	4	5	original	ϕ_o	0.535	0.901	0.718	3.457
ITFC	5	1000	2.30	4	5	original	ϕ_o	0.617	0.833	0.725	3.481
ITFC	5	1000	3.00	4	5	original	ϕ_o	0.722	0.627	0.674	3.502
ITFC	5	500	4.00	2	5	original	ϕ_o	0.960	0.104	0.532	2.831
ITFC	5	750	4.00	2	5	original	ϕ_o	0.960	0.243	0.601	2.861
ITFC	5	1000	4.00	2	5	original	ϕ_o	0.959	0.286	0.623	2.864
ITFC	5	500	0.20	2	6	original	ϕ_o	0.021	1.000	0.511	1.673
ITFC	5	750	0.20	2	6	original	ϕ_o	0.010	1.000	0.505	1.562
ITFC	5	1000	0.20	2	6	original	ϕ_o	0.006	1.000	0.503	1.529
ITFC	5	500	1.25	2	2	original	ϕ_o	0.884	0.734	0.809	3.702
ITFC	5	500	1.50	2	2	original	ϕ_o	0.923	0.623	0.773	3.691
ITFC	5	500	1.70	2	2	original	ϕ_o	0.940	0.530	0.735	2.873
ITFC	5	750	1.25	2	2	original	ϕ_o	0.836	0.810	0.823	4.310
ITFC	5	750	1.50	2	2	original	ϕ_o	0.887	0.721	0.804	3.697
ITFC	5	750	1.70	2	2	original	ϕ_o	0.915	0.645	0.780	3.688
ITFC	5	1000	1.25	2	2	original	ϕ_o	0.788	0.851	0.820	4.330
ITFC	5	1000	1.50	2	2	original	ϕ_o	0.850	0.785	0.818	4.280
ITFC	5	1000	1.70	2	2	original	ϕ_o	0.885	0.721	0.803	3.690

ITFC	5	10	4.00	7	3	original	ϕ_o	0.684	0.112	0.398	2.399
ITFC	5	100	4.00	7	3	original	ϕ_o	0.680	0.116	0.398	2.374
ITFC	5	250	4.00	7	3	original	ϕ_o	0.672	0.148	0.410	2.348
ITFC	5	500	0.20	7	4	original	ϕ_o	0.026	1.000	0.513	0.732
ITFC	5	750	0.20	7	4	original	ϕ_o	0.022	1.000	0.511	0.704
ITFC	5	1000	0.20	7	4	original	ϕ_o	0.019	1.000	0.510	0.696
ITFC	5	10	0.50	7	3	original	ϕ_o	0.552	0.604	0.578	2.682
ITFC	5	10	0.70	7	3	original	ϕ_o	0.628	0.348	0.488	2.372
ITFC	5	10	1.00	7	3	original	ϕ_o	0.672	0.195	0.433	2.416
ITFC	5	100	0.50	7	3	original	ϕ_o	0.271	0.943	0.607	2.437
ITFC	5	100	0.70	7	3	original	ϕ_o	0.392	0.851	0.622	2.562
ITFC	5	100	1.00	7	3	original	ϕ_o	0.541	0.607	0.574	2.633
ITFC	5	250	0.50	7	3	original	ϕ_o	0.153	0.979	0.566	2.148
ITFC	5	250	0.70	7	3	original	ϕ_o	0.227	0.952	0.590	2.426
ITFC	5	250	1.00	7	3	original	ϕ_o	0.355	0.867	0.611	2.534
ITFC	5	500	0.20	3	5	original	ϕ_o	0.010	0.999	0.505	1.309
ITFC	5	750	0.20	3	5	original	ϕ_o	0.004	1.000	0.502	1.216
ITFC	5	1000	0.20	3	5	original	ϕ_o	0.003	1.000	0.501	1.181
ITFC	5	500	0.50	3	4	original	ϕ_o	0.181	0.984	0.583	2.906
ITFC	5	500	0.70	3	4	original	ϕ_o	0.316	0.965	0.641	3.407
ITFC	5	500	1.00	3	4	original	ϕ_o	0.488	0.920	0.704	3.655
ITFC	5	750	0.50	3	4	original	ϕ_o	0.115	0.992	0.553	2.716
ITFC	5	750	0.70	3	4	original	ϕ_o	0.222	0.979	0.601	3.266
ITFC	5	750	1.00	3	4	original	ϕ_o	0.375	0.951	0.663	3.615
ITFC	5	1000	0.50	3	4	original	ϕ_o	0.083	0.994	0.539	2.623
ITFC	5	1000	0.70	3	4	original	ϕ_o	0.175	0.984	0.580	3.190
ITFC	5	1000	1.00	3	4	original	ϕ_o	0.310	0.963	0.637	3.592
ITFC	5	10	2.00	7	6	original	ϕ_o	0.682	0.111	0.397	2.380
ITFC	5	10	2.30	7	6	original	ϕ_o	0.683	0.108	0.395	2.385
ITFC	5	10	3.00	7	6	original	ϕ_o	0.684	0.109	0.397	2.392
ITFC	5	100	2.00	7	6	original	ϕ_o	0.631	0.370	0.501	2.740
ITFC	5	100	2.30	7	6	original	ϕ_o	0.648	0.278	0.463	2.363
ITFC	5	100	3.00	7	6	original	ϕ_o	0.664	0.180	0.422	2.341
ITFC	5	250	2.00	7	6	original	ϕ_o	0.528	0.714	0.621	2.756
ITFC	5	250	2.30	7	6	original	ϕ_o	0.574	0.577	0.576	2.731
ITFC	5	250	3.00	7	6	original	ϕ_o	0.628	0.344	0.486	2.684
ITFC	5	10	0.20	4	5	original	ϕ_o	0.254	0.989	0.621	1.997
ITFC	5	100	0.20	4	5	original	ϕ_o	0.096	1.000	0.548	1.308
ITFC	5	250	0.20	4	5	original	ϕ_o	0.052	1.000	0.526	1.048
ITFC	5	10	4.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	4.00	5	4	original	ϕ_o	0.747	0.108	0.427	2.758
ITFC	5	250	4.00	5	4	original	ϕ_o	0.743	0.122	0.433	2.169
ITFC	5	10	0.20	3	7	original	ϕ_o	0.315	0.964	0.640	2.478
ITFC	5	100	0.20	3	7	original	ϕ_o	0.067	0.995	0.531	1.732
ITFC	5	250	0.20	3	7	original	ϕ_o	0.019	0.998	0.508	1.416
ITFC	5	500	0.50	6	7	original	ϕ_o	0.097	0.997	0.547	2.121
ITFC	5	500	0.70	6	7	original	ϕ_o	0.186	0.988	0.587	2.642
ITFC	5	500	1.00	6	7	original	ϕ_o	0.305	0.967	0.636	3.004
ITFC	5	750	0.50	6	7	original	ϕ_o	0.078	0.998	0.538	2.095
ITFC	5	750	0.70	6	7	original	ϕ_o	0.161	0.993	0.577	2.620
ITFC	5	750	1.00	6	7	original	ϕ_o	0.281	0.974	0.627	2.995
ITFC	5	1000	0.50	6	7	original	ϕ_o	0.074	0.999	0.536	2.092
ITFC	5	1000	0.70	6	7	original	ϕ_o	0.154	0.994	0.574	2.619
ITFC	5	1000	1.00	6	7	original	ϕ_o	0.275	0.975	0.625	2.992
ITFC	5	500	1.25	3	5	original	ϕ_o	0.550	0.885	0.718	3.649
ITFC	5	500	1.50	3	5	original	ϕ_o	0.646	0.822	0.734	3.610
ITFC	5	500	1.70	3	5	original	ϕ_o	0.705	0.762	0.734	3.587
ITFC	5	750	1.25	3	5	original	ϕ_o	0.451	0.925	0.688	3.665
ITFC	5	750	1.50	3	5	original	ϕ_o	0.557	0.884	0.721	3.688
ITFC	5	750	1.70	3	5	original	ϕ_o	0.629	0.841	0.735	3.655
ITFC	5	1000	1.25	3	5	original	ϕ_o	0.409	0.939	0.674	3.682
ITFC	5	1000	1.50	3	5	original	ϕ_o	0.517	0.907	0.712	3.723
ITFC	5	1000	1.70	3	5	original	ϕ_o	0.594	0.872	0.733	3.722
ITFC	5	10	4.00	7	6	original	ϕ_o	0.685	0.112	0.398	2.400

ITFC	5	100	4.00	7	6	original	ϕ_o	0.671	0.135	0.403	2.344
ITFC	5	250	4.00	7	6	original	ϕ_o	0.652	0.212	0.432	2.309
ITFC	5	10	2.00	6	7	original	ϕ_o	0.731	0.053	0.392	2.093
ITFC	5	10	2.30	6	7	original	ϕ_o	0.731	0.052	0.392	2.094
ITFC	5	10	3.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	2.00	6	7	original	ϕ_o	0.709	0.193	0.451	2.070
ITFC	5	100	2.30	6	7	original	ϕ_o	0.717	0.123	0.420	2.069
ITFC	5	100	3.00	6	7	original	ϕ_o	0.724	0.066	0.395	1.417
ITFC	5	250	2.00	6	7	original	ϕ_o	0.658	0.511	0.584	2.609
ITFC	5	250	2.30	6	7	original	ϕ_o	0.683	0.372	0.527	2.070
ITFC	5	250	3.00	6	7	original	ϕ_o	0.712	0.175	0.443	2.073
ITFC	5	10	0.20	7	2	original	ϕ_o	0.293	0.928	0.611	2.022
ITFC	5	100	0.20	7	2	original	ϕ_o	0.120	0.992	0.556	1.424
ITFC	5	250	0.20	7	2	original	ϕ_o	0.070	0.998	0.534	1.131
ITFC	5	500	2.00	6	3	original	ϕ_o	0.661	0.446	0.554	2.039
ITFC	5	500	2.30	6	3	original	ϕ_o	0.686	0.305	0.495	2.043
ITFC	5	500	3.00	6	3	original	ϕ_o	0.708	0.122	0.415	2.046
ITFC	5	750	2.00	6	3	original	ϕ_o	0.621	0.651	0.636	2.592
ITFC	5	750	2.30	6	3	original	ϕ_o	0.659	0.514	0.587	2.590
ITFC	5	750	3.00	6	3	original	ϕ_o	0.702	0.250	0.476	2.066
ITFC	5	1000	2.00	6	3	original	ϕ_o	0.597	0.734	0.666	3.035
ITFC	5	1000	2.30	6	3	original	ϕ_o	0.642	0.617	0.629	2.641
ITFC	5	1000	3.00	6	3	original	ϕ_o	0.699	0.342	0.520	2.630
ITFC	5	500	2.00	6	7	original	ϕ_o	0.600	0.751	0.675	3.150
ITFC	5	500	2.30	6	7	original	ϕ_o	0.645	0.628	0.636	3.136
ITFC	5	500	3.00	6	7	original	ϕ_o	0.702	0.364	0.533	2.679
ITFC	5	750	2.00	6	7	original	ϕ_o	0.580	0.792	0.686	3.161
ITFC	5	750	2.30	6	7	original	ϕ_o	0.631	0.686	0.658	2.696
ITFC	5	750	3.00	6	7	original	ϕ_o	0.697	0.422	0.559	2.696
ITFC	5	1000	2.00	6	7	original	ϕ_o	0.578	0.794	0.686	3.156
ITFC	5	1000	2.30	6	7	original	ϕ_o	0.629	0.688	0.659	3.148
ITFC	5	1000	3.00	6	7	original	ϕ_o	0.696	0.423	0.560	2.694
ITFC	5	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	5	100	4.00	4	2	original	ϕ_o	0.787	0.099	0.443	2.866
ITFC	5	250	4.00	4	2	original	ϕ_o	0.785	0.103	0.444	2.859
ITFC	5	10	1.25	4	5	original	ϕ_o	0.789	0.136	0.462	2.873
ITFC	5	10	1.50	4	5	original	ϕ_o	0.790	0.097	0.443	2.859
ITFC	5	10	1.70	4	5	original	ϕ_o	0.789	0.094	0.442	2.863
ITFC	5	100	1.25	4	5	original	ϕ_o	0.709	0.659	0.684	3.520
ITFC	5	100	1.50	4	5	original	ϕ_o	0.751	0.484	0.617	3.513
ITFC	5	100	1.70	4	5	original	ϕ_o	0.768	0.352	0.560	2.945
ITFC	5	250	1.25	4	5	original	ϕ_o	0.561	0.897	0.729	3.448
ITFC	5	250	1.50	4	5	original	ϕ_o	0.650	0.806	0.728	3.513
ITFC	5	250	1.70	4	5	original	ϕ_o	0.695	0.717	0.706	3.537
ITFC	5	10	0.50	4	7	original	ϕ_o	0.573	0.902	0.737	3.343
ITFC	5	10	0.70	4	7	original	ϕ_o	0.698	0.737	0.717	3.510
ITFC	5	10	1.00	4	7	original	ϕ_o	0.771	0.391	0.581	2.956
ITFC	5	100	0.50	4	7	original	ϕ_o	0.273	0.993	0.633	2.690
ITFC	5	100	0.70	4	7	original	ϕ_o	0.391	0.977	0.684	3.210
ITFC	5	100	1.00	4	7	original	ϕ_o	0.568	0.907	0.738	3.478
ITFC	5	250	0.50	4	7	original	ϕ_o	0.158	0.999	0.578	2.223
ITFC	5	250	0.70	4	7	original	ϕ_o	0.239	0.996	0.617	2.810
ITFC	5	250	1.00	4	7	original	ϕ_o	0.354	0.981	0.667	3.287
ITFC	5	10	1.25	2	2	original	ϕ_o	0.964	0.063	0.513	2.824
ITFC	5	10	1.50	2	2	original	ϕ_o	0.964	0.055	0.510	2.825
ITFC	5	10	1.70	2	2	original	ϕ_o	0.964	0.056	0.510	1.910
ITFC	5	100	1.25	2	2	original	ϕ_o	0.959	0.335	0.647	2.870
ITFC	5	100	1.50	2	2	original	ϕ_o	0.964	0.149	0.557	2.850
ITFC	5	100	1.70	2	2	original	ϕ_o	0.965	0.077	0.521	2.836
ITFC	5	250	1.25	2	2	original	ϕ_o	0.932	0.587	0.760	3.689
ITFC	5	250	1.50	2	2	original	ϕ_o	0.953	0.428	0.690	2.874
ITFC	5	250	1.70	2	2	original	ϕ_o	0.960	0.288	0.624	2.866
ITFC	5	10	2.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.763
ITFC	5	10	2.30	5	3	original	ϕ_o	0.748	0.103	0.425	2.765

ITFC	5	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	2.00	5	3	original	ϕ_o	0.741	0.122	0.432	2.164
ITFC	5	100	2.30	5	3	original	ϕ_o	0.744	0.113	0.429	2.741
ITFC	5	100	3.00	5	3	original	ϕ_o	0.746	0.109	0.428	2.754
ITFC	5	250	2.00	5	3	original	ϕ_o	0.722	0.239	0.481	2.717
ITFC	5	250	2.30	5	3	original	ϕ_o	0.732	0.171	0.451	2.727
ITFC	5	250	3.00	5	3	original	ϕ_o	0.741	0.127	0.434	2.737
ITFC	5	500	0.20	4	2	original	ϕ_o	0.085	0.999	0.542	1.187
ITFC	5	750	0.20	4	2	original	ϕ_o	0.070	1.000	0.535	1.078
ITFC	5	1000	0.20	4	2	original	ϕ_o	0.061	1.000	0.530	1.012
ITFC	5	10	1.25	4	7	original	ϕ_o	0.787	0.171	0.479	2.301
ITFC	5	10	1.50	4	7	original	ϕ_o	0.789	0.103	0.446	2.858
ITFC	5	10	1.70	4	7	original	ϕ_o	0.789	0.096	0.443	2.863
ITFC	5	100	1.25	4	7	original	ϕ_o	0.671	0.800	0.735	3.548
ITFC	5	100	1.50	4	7	original	ϕ_o	0.726	0.663	0.694	3.563
ITFC	5	100	1.70	4	7	original	ϕ_o	0.750	0.536	0.643	3.546
ITFC	5	250	1.25	4	7	original	ϕ_o	0.474	0.952	0.713	3.454
ITFC	5	250	1.50	4	7	original	ϕ_o	0.586	0.897	0.742	3.524
ITFC	5	250	1.70	4	7	original	ϕ_o	0.648	0.834	0.741	3.556
ITFC	5	10	1.25	2	6	original	ϕ_o	0.963	0.086	0.525	2.823
ITFC	5	10	1.50	2	6	original	ϕ_o	0.963	0.057	0.510	2.821
ITFC	5	10	1.70	2	6	original	ϕ_o	0.963	0.056	0.510	2.823
ITFC	5	100	1.25	2	6	original	ϕ_o	0.928	0.618	0.773	2.862
ITFC	5	100	1.50	2	6	original	ϕ_o	0.949	0.425	0.687	2.860
ITFC	5	100	1.70	2	6	original	ϕ_o	0.957	0.260	0.608	2.850
ITFC	5	250	1.25	2	6	original	ϕ_o	0.845	0.816	0.831	4.359
ITFC	5	250	1.50	2	6	original	ϕ_o	0.895	0.734	0.814	3.709
ITFC	5	250	1.70	2	6	original	ϕ_o	0.922	0.647	0.784	3.699
ITFC	5	10	0.50	4	2	original	ϕ_o	0.661	0.728	0.695	3.343
ITFC	5	10	0.70	4	2	original	ϕ_o	0.740	0.488	0.614	2.916
ITFC	5	10	1.00	4	2	original	ϕ_o	0.783	0.184	0.483	2.878
ITFC	5	100	0.50	4	2	original	ϕ_o	0.442	0.922	0.682	3.040
ITFC	5	100	0.70	4	2	original	ϕ_o	0.591	0.830	0.711	3.304
ITFC	5	100	1.00	4	2	original	ϕ_o	0.705	0.615	0.660	3.463
ITFC	5	250	0.50	4	2	original	ϕ_o	0.318	0.965	0.641	2.810
ITFC	5	250	0.70	4	2	original	ϕ_o	0.441	0.930	0.686	3.167
ITFC	5	250	1.00	4	2	original	ϕ_o	0.614	0.824	0.719	3.391
ITFC	5	500	4.00	5	4	original	ϕ_o	0.738	0.158	0.448	2.738
ITFC	5	750	4.00	5	4	original	ϕ_o	0.733	0.219	0.476	2.765
ITFC	5	1000	4.00	5	4	original	ϕ_o	0.726	0.269	0.497	3.212
ITFC	5	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	250	4.00	2	3	original	ϕ_o	0.963	0.061	0.512	2.827
ITFC	5	500	4.00	5	2	original	ϕ_o	0.742	0.116	0.429	2.724
ITFC	5	750	4.00	5	2	original	ϕ_o	0.738	0.123	0.430	2.702
ITFC	5	1000	4.00	5	2	original	ϕ_o	0.733	0.139	0.436	2.689
ITFC	5	10	1.25	5	2	original	ϕ_o	0.747	0.117	0.432	2.181
ITFC	5	10	1.50	5	2	original	ϕ_o	0.748	0.106	0.427	2.763
ITFC	5	10	1.70	5	2	original	ϕ_o	0.748	0.104	0.426	2.765
ITFC	5	100	1.25	5	2	original	ϕ_o	0.729	0.252	0.491	2.157
ITFC	5	100	1.50	5	2	original	ϕ_o	0.741	0.167	0.454	2.743
ITFC	5	100	1.70	5	2	original	ϕ_o	0.745	0.135	0.440	2.744
ITFC	5	250	1.25	5	2	original	ϕ_o	0.672	0.479	0.576	3.085
ITFC	5	250	1.50	5	2	original	ϕ_o	0.711	0.325	0.518	2.697
ITFC	5	250	1.70	5	2	original	ϕ_o	0.727	0.245	0.486	2.718
ITFC	5	10	0.50	2	7	original	ϕ_o	0.854	0.827	0.840	3.625
ITFC	5	10	0.70	2	7	original	ϕ_o	0.923	0.643	0.783	2.848
ITFC	5	10	1.00	2	7	original	ϕ_o	0.958	0.287	0.622	2.854
ITFC	5	100	0.50	2	7	original	ϕ_o	0.628	0.942	0.785	4.092
ITFC	5	100	0.70	2	7	original	ϕ_o	0.769	0.890	0.830	4.358
ITFC	5	100	1.00	2	7	original	ϕ_o	0.875	0.775	0.825	3.700
ITFC	5	250	0.50	2	7	original	ϕ_o	0.435	0.969	0.702	3.736
ITFC	5	250	0.70	2	7	original	ϕ_o	0.610	0.940	0.775	4.202
ITFC	5	250	1.00	2	7	original	ϕ_o	0.754	0.885	0.819	4.372

ITFC	5	500	0.20	5	5	original	ϕ_o	0.010	0.999	0.505	0.885
ITFC	5	750	0.20	5	5	original	ϕ_o	0.005	1.000	0.502	0.824
ITFC	5	1000	0.20	5	5	original	ϕ_o	0.003	1.000	0.501	0.802
ITFC	5	10	4.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	4.00	6	6	original	ϕ_o	0.728	0.053	0.390	2.080
ITFC	5	250	4.00	6	6	original	ϕ_o	0.723	0.069	0.396	2.068
ITFC	5	10	1.25	3	4	original	ϕ_o	0.865	0.088	0.477	2.518
ITFC	5	10	1.50	3	4	original	ϕ_o	0.866	0.073	0.469	2.519
ITFC	5	10	1.70	3	4	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	100	1.25	3	4	original	ϕ_o	0.828	0.419	0.623	2.521
ITFC	5	100	1.50	3	4	original	ϕ_o	0.851	0.260	0.556	2.523
ITFC	5	100	1.70	3	4	original	ϕ_o	0.860	0.176	0.518	2.525
ITFC	5	250	1.25	3	4	original	ϕ_o	0.747	0.708	0.728	3.625
ITFC	5	250	1.50	3	4	original	ϕ_o	0.799	0.559	0.679	3.158
ITFC	5	250	1.70	3	4	original	ϕ_o	0.823	0.430	0.627	2.514
ITFC	5	500	0.20	6	5	original	ϕ_o	0.016	1.000	0.508	1.130
ITFC	5	750	0.20	6	5	original	ϕ_o	0.008	1.000	0.504	1.090
ITFC	5	1000	0.20	6	5	original	ϕ_o	0.005	1.000	0.503	1.071
ITFC	5	10	1.25	7	3	original	ϕ_o	0.679	0.143	0.411	2.758
ITFC	5	10	1.50	7	3	original	ϕ_o	0.681	0.122	0.402	1.930
ITFC	5	10	1.70	7	3	original	ϕ_o	0.682	0.115	0.398	2.386
ITFC	5	100	1.25	7	3	original	ϕ_o	0.604	0.437	0.520	2.342
ITFC	5	100	1.50	7	3	original	ϕ_o	0.641	0.320	0.481	2.270
ITFC	5	100	1.70	7	3	original	ϕ_o	0.660	0.261	0.461	2.743
ITFC	5	250	1.25	7	3	original	ϕ_o	0.460	0.741	0.600	2.573
ITFC	5	250	1.50	7	3	original	ϕ_o	0.534	0.607	0.571	2.604
ITFC	5	250	1.70	7	3	original	ϕ_o	0.574	0.508	0.541	2.305
ITFC	5	10	2.00	7	2	original	ϕ_o	0.684	0.114	0.399	2.403
ITFC	5	10	2.30	7	2	original	ϕ_o	0.685	0.113	0.399	2.403
ITFC	5	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.746
ITFC	5	100	2.00	7	2	original	ϕ_o	0.665	0.147	0.406	2.336
ITFC	5	100	2.30	7	2	original	ϕ_o	0.669	0.130	0.400	2.341
ITFC	5	100	3.00	7	2	original	ϕ_o	0.675	0.114	0.394	2.354
ITFC	5	250	2.00	7	2	original	ϕ_o	0.633	0.249	0.441	2.634
ITFC	5	250	2.30	7	2	original	ϕ_o	0.644	0.193	0.418	2.284
ITFC	5	250	3.00	7	2	original	ϕ_o	0.656	0.142	0.399	2.292
ITFC	5	500	1.25	5	6	original	ϕ_o	0.340	0.945	0.642	3.159
ITFC	5	500	1.50	5	6	original	ϕ_o	0.424	0.921	0.672	3.199
ITFC	5	500	1.70	5	6	original	ϕ_o	0.489	0.890	0.690	3.202
ITFC	5	750	1.25	5	6	original	ϕ_o	0.290	0.954	0.622	3.134
ITFC	5	750	1.50	5	6	original	ϕ_o	0.371	0.936	0.653	3.185
ITFC	5	750	1.70	5	6	original	ϕ_o	0.440	0.911	0.675	3.184
ITFC	5	1000	1.25	5	6	original	ϕ_o	0.276	0.960	0.618	3.113
ITFC	5	1000	1.50	5	6	original	ϕ_o	0.355	0.941	0.648	3.165
ITFC	5	1000	1.70	5	6	original	ϕ_o	0.422	0.917	0.670	3.170
ITFC	5	500	0.20	2	5	original	ϕ_o	0.028	0.999	0.513	1.709
ITFC	5	750	0.20	2	5	original	ϕ_o	0.013	1.000	0.506	1.583
ITFC	5	1000	0.20	2	5	original	ϕ_o	0.008	1.000	0.504	1.535
ITFC	5	500	4.00	6	3	original	ϕ_o	0.716	0.068	0.392	2.054
ITFC	5	750	4.00	6	3	original	ϕ_o	0.718	0.101	0.410	2.066
ITFC	5	1000	4.00	6	3	original	ϕ_o	0.721	0.139	0.430	2.088
ITFC	5	500	0.20	7	7	original	ϕ_o	0.013	1.000	0.507	0.670
ITFC	5	750	0.20	7	7	original	ϕ_o	0.009	1.000	0.504	0.657
ITFC	5	1000	0.20	7	7	original	ϕ_o	0.008	1.000	0.504	0.653
ITFC	5	10	2.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	2.30	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	2.00	2	3	original	ϕ_o	0.964	0.064	0.514	2.830
ITFC	5	100	2.30	2	3	original	ϕ_o	0.964	0.059	0.512	1.911
ITFC	5	100	3.00	2	3	original	ϕ_o	0.964	0.058	0.511	1.910
ITFC	5	250	2.00	2	3	original	ϕ_o	0.961	0.230	0.596	2.857
ITFC	5	250	2.30	2	3	original	ϕ_o	0.963	0.110	0.537	2.841
ITFC	5	250	3.00	2	3	original	ϕ_o	0.963	0.065	0.514	1.911
ITFC	5	10	1.25	7	5	original	ϕ_o	0.673	0.169	0.421	2.386

ITFC	5	10	1.50	7	5	original	ϕ_o	0.679	0.134	0.406	2.380
ITFC	5	10	1.70	7	5	original	ϕ_o	0.681	0.121	0.401	2.379
ITFC	5	100	1.25	7	5	original	ϕ_o	0.508	0.786	0.647	2.799
ITFC	5	100	1.50	7	5	original	ϕ_o	0.572	0.615	0.593	2.789
ITFC	5	100	1.70	7	5	original	ϕ_o	0.606	0.476	0.541	2.764
ITFC	5	250	1.25	7	5	original	ϕ_o	0.320	0.943	0.631	2.653
ITFC	5	250	1.50	7	5	original	ϕ_o	0.399	0.895	0.647	2.704
ITFC	5	250	1.70	7	5	original	ϕ_o	0.456	0.832	0.644	2.723
ITFC	5	500	2.00	4	2	original	ϕ_o	0.729	0.533	0.631	3.464
ITFC	5	500	2.30	4	2	original	ϕ_o	0.752	0.388	0.570	2.911
ITFC	5	500	3.00	4	2	original	ϕ_o	0.774	0.194	0.484	2.274
ITFC	5	750	2.00	4	2	original	ϕ_o	0.687	0.702	0.694	3.496
ITFC	5	750	2.30	4	2	original	ϕ_o	0.722	0.574	0.648	3.481
ITFC	5	750	3.00	4	2	original	ϕ_o	0.763	0.320	0.541	2.900
ITFC	5	1000	2.00	4	2	original	ϕ_o	0.647	0.799	0.723	3.493
ITFC	5	1000	2.30	4	2	original	ϕ_o	0.692	0.692	0.692	3.508
ITFC	5	1000	3.00	4	2	original	ϕ_o	0.750	0.439	0.595	3.455
ITFC	5	500	0.50	3	2	original	ϕ_o	0.318	0.969	0.643	3.154
ITFC	5	500	0.70	3	2	original	ϕ_o	0.471	0.936	0.703	3.565
ITFC	5	500	1.00	3	2	original	ϕ_o	0.647	0.854	0.751	3.739
ITFC	5	750	0.50	3	2	original	ϕ_o	0.238	0.979	0.609	2.969
ITFC	5	750	0.70	3	2	original	ϕ_o	0.377	0.958	0.667	3.458
ITFC	5	750	1.00	3	2	original	ϕ_o	0.550	0.904	0.727	3.707
ITFC	5	1000	0.50	3	2	original	ϕ_o	0.185	0.985	0.585	2.821
ITFC	5	1000	0.70	3	2	original	ϕ_o	0.308	0.970	0.639	3.348
ITFC	5	1000	1.00	3	2	original	ϕ_o	0.467	0.932	0.699	3.662
ITFC	5	500	1.25	6	6	original	ϕ_o	0.406	0.926	0.666	3.055
ITFC	5	500	1.50	6	6	original	ϕ_o	0.487	0.878	0.683	3.084
ITFC	5	500	1.70	6	6	original	ϕ_o	0.541	0.826	0.684	3.089
ITFC	5	750	1.25	6	6	original	ϕ_o	0.369	0.947	0.658	3.081
ITFC	5	750	1.50	6	6	original	ϕ_o	0.452	0.911	0.681	3.131
ITFC	5	750	1.70	6	6	original	ϕ_o	0.507	0.873	0.690	3.142
ITFC	5	1000	1.25	6	6	original	ϕ_o	0.363	0.949	0.656	3.080
ITFC	5	1000	1.50	6	6	original	ϕ_o	0.448	0.912	0.680	3.132
ITFC	5	1000	1.70	6	6	original	ϕ_o	0.504	0.875	0.690	3.140
ITFC	5	10	0.20	7	3	original	ϕ_o	0.263	0.979	0.621	2.010
ITFC	5	100	0.20	7	3	original	ϕ_o	0.089	0.997	0.543	1.303
ITFC	5	250	0.20	7	3	original	ϕ_o	0.053	0.999	0.526	1.003
ITFC	5	500	1.25	5	7	original	ϕ_o	0.321	0.941	0.631	3.138
ITFC	5	500	1.50	5	7	original	ϕ_o	0.405	0.918	0.662	3.172
ITFC	5	500	1.70	5	7	original	ϕ_o	0.470	0.890	0.680	3.174
ITFC	5	750	1.25	5	7	original	ϕ_o	0.294	0.949	0.621	3.133
ITFC	5	750	1.50	5	7	original	ϕ_o	0.379	0.929	0.654	3.176
ITFC	5	750	1.70	5	7	original	ϕ_o	0.446	0.903	0.675	3.178
ITFC	5	1000	1.25	5	7	original	ϕ_o	0.289	0.954	0.622	3.136
ITFC	5	1000	1.50	5	7	original	ϕ_o	0.375	0.934	0.654	3.184
ITFC	5	1000	1.70	5	7	original	ϕ_o	0.442	0.908	0.675	3.183
ITFC	5	10	0.20	3	2	original	ϕ_o	0.392	0.949	0.670	2.649
ITFC	5	100	0.20	3	2	original	ϕ_o	0.179	0.984	0.582	2.099
ITFC	5	250	0.20	3	2	original	ϕ_o	0.097	0.991	0.544	1.805
ITFC	5	500	2.00	5	7	original	ϕ_o	0.552	0.823	0.687	3.175
ITFC	5	500	2.30	5	7	original	ϕ_o	0.614	0.731	0.673	3.171
ITFC	5	500	3.00	5	7	original	ϕ_o	0.696	0.510	0.603	3.198
ITFC	5	750	2.00	5	7	original	ϕ_o	0.531	0.843	0.687	3.174
ITFC	5	750	2.30	5	7	original	ϕ_o	0.598	0.758	0.678	3.172
ITFC	5	750	3.00	5	7	original	ϕ_o	0.686	0.545	0.616	3.196
ITFC	5	1000	2.00	5	7	original	ϕ_o	0.528	0.848	0.688	3.181
ITFC	5	1000	2.30	5	7	original	ϕ_o	0.595	0.762	0.678	3.179
ITFC	5	1000	3.00	5	7	original	ϕ_o	0.685	0.547	0.616	3.207
ITFC	5	10	2.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.869
ITFC	5	10	2.30	4	2	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	5	10	3.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	5	100	2.00	4	2	original	ϕ_o	0.783	0.112	0.448	2.274
ITFC	5	100	2.30	4	2	original	ϕ_o	0.785	0.103	0.444	2.860

ITFC	5	100	3.00	4	2	original	ϕ_o	0.786	0.100	0.443	2.277
ITFC	5	250	2.00	4	2	original	ϕ_o	0.771	0.247	0.509	2.890
ITFC	5	250	2.30	4	2	original	ϕ_o	0.777	0.164	0.471	2.275
ITFC	5	250	3.00	4	2	original	ϕ_o	0.783	0.111	0.447	2.860
ITFC	5	500	2.00	3	3	original	ϕ_o	0.827	0.444	0.635	2.520
ITFC	5	500	2.30	3	3	original	ϕ_o	0.844	0.308	0.576	2.523
ITFC	5	500	3.00	3	3	original	ϕ_o	0.859	0.143	0.501	2.518
ITFC	5	750	2.00	3	3	original	ϕ_o	0.789	0.624	0.706	3.611
ITFC	5	750	2.30	3	3	original	ϕ_o	0.819	0.498	0.659	3.138
ITFC	5	750	3.00	3	3	original	ϕ_o	0.850	0.250	0.550	2.521
ITFC	5	1000	2.00	3	3	original	ϕ_o	0.745	0.720	0.733	3.636
ITFC	5	1000	2.30	3	3	original	ϕ_o	0.788	0.631	0.709	3.165
ITFC	5	1000	3.00	3	3	original	ϕ_o	0.836	0.391	0.613	2.526
ITFC	5	500	1.25	3	4	original	ϕ_o	0.608	0.860	0.734	3.663
ITFC	5	500	1.50	3	4	original	ϕ_o	0.694	0.779	0.736	3.630
ITFC	5	500	1.70	3	4	original	ϕ_o	0.744	0.707	0.725	3.602
ITFC	5	750	1.25	3	4	original	ϕ_o	0.493	0.917	0.705	3.697
ITFC	5	750	1.50	3	4	original	ϕ_o	0.599	0.868	0.733	3.698
ITFC	5	750	1.70	3	4	original	ϕ_o	0.664	0.817	0.740	3.674
ITFC	5	1000	1.25	3	4	original	ϕ_o	0.422	0.939	0.680	3.711
ITFC	5	1000	1.50	3	4	original	ϕ_o	0.531	0.906	0.719	3.750
ITFC	5	1000	1.70	3	4	original	ϕ_o	0.607	0.871	0.739	3.748
ITFC	5	10	0.20	4	4	original	ϕ_o	0.267	0.988	0.628	2.022
ITFC	5	100	0.20	4	4	original	ϕ_o	0.102	1.000	0.551	1.342
ITFC	5	250	0.20	4	4	original	ϕ_o	0.057	1.000	0.528	1.072
ITFC	5	10	2.00	7	4	original	ϕ_o	0.683	0.108	0.396	2.383
ITFC	5	10	2.30	7	4	original	ϕ_o	0.684	0.107	0.395	2.388
ITFC	5	10	3.00	7	4	original	ϕ_o	0.684	0.110	0.397	1.937
ITFC	5	100	2.00	7	4	original	ϕ_o	0.652	0.248	0.450	2.671
ITFC	5	100	2.30	7	4	original	ϕ_o	0.662	0.193	0.428	1.898
ITFC	5	100	3.00	7	4	original	ϕ_o	0.670	0.134	0.402	2.330
ITFC	5	250	2.00	7	4	original	ϕ_o	0.567	0.527	0.547	2.628
ITFC	5	250	2.30	7	4	original	ϕ_o	0.600	0.410	0.505	2.613
ITFC	5	250	3.00	7	4	original	ϕ_o	0.638	0.249	0.444	2.607
ITFC	5	500	0.50	7	5	original	ϕ_o	0.071	0.999	0.535	1.682
ITFC	5	500	0.70	7	5	original	ϕ_o	0.112	0.995	0.554	2.084
ITFC	5	500	1.00	7	5	original	ϕ_o	0.172	0.985	0.579	2.415
ITFC	5	750	0.50	7	5	original	ϕ_o	0.064	0.999	0.531	1.651
ITFC	5	750	0.70	7	5	original	ϕ_o	0.102	0.996	0.549	2.055
ITFC	5	750	1.00	7	5	original	ϕ_o	0.154	0.986	0.570	2.402
ITFC	5	1000	0.50	7	5	original	ϕ_o	0.060	0.999	0.529	1.647
ITFC	5	1000	0.70	7	5	original	ϕ_o	0.098	0.996	0.547	2.050
ITFC	5	1000	1.00	7	5	original	ϕ_o	0.151	0.986	0.568	2.400
ITFC	5	500	2.00	3	4	original	ϕ_o	0.792	0.575	0.684	3.139
ITFC	5	500	2.30	3	4	original	ϕ_o	0.822	0.433	0.627	3.123
ITFC	5	500	3.00	3	4	original	ϕ_o	0.853	0.210	0.532	2.516
ITFC	5	750	2.00	3	4	original	ϕ_o	0.734	0.732	0.733	3.628
ITFC	5	750	2.30	3	4	original	ϕ_o	0.780	0.634	0.707	3.168
ITFC	5	750	3.00	3	4	original	ϕ_o	0.834	0.379	0.606	3.123
ITFC	5	1000	2.00	3	4	original	ϕ_o	0.690	0.803	0.747	3.712
ITFC	5	1000	2.30	3	4	original	ϕ_o	0.747	0.728	0.737	3.677
ITFC	5	1000	3.00	3	4	original	ϕ_o	0.817	0.521	0.669	3.184
ITFC	5	500	0.20	4	6	original	ϕ_o	0.020	1.000	0.510	0.850
ITFC	5	750	0.20	4	6	original	ϕ_o	0.012	1.000	0.506	0.818
ITFC	5	1000	0.20	4	6	original	ϕ_o	0.007	1.000	0.504	0.803
ITFC	5	500	1.25	4	6	original	ϕ_o	0.333	0.978	0.655	3.297
ITFC	5	500	1.50	4	6	original	ϕ_o	0.425	0.957	0.691	3.420
ITFC	5	500	1.70	4	6	original	ϕ_o	0.508	0.930	0.719	3.474
ITFC	5	750	1.25	4	6	original	ϕ_o	0.297	0.983	0.640	3.229
ITFC	5	750	1.50	4	6	original	ϕ_o	0.368	0.968	0.668	3.362
ITFC	5	750	1.70	4	6	original	ϕ_o	0.444	0.948	0.696	3.429
ITFC	5	1000	1.25	4	6	original	ϕ_o	0.287	0.985	0.636	3.224
ITFC	5	1000	1.50	4	6	original	ϕ_o	0.358	0.970	0.664	3.360
ITFC	5	1000	1.70	4	6	original	ϕ_o	0.435	0.951	0.693	3.425

ITFC	5	500	0.50	2	4	original	ϕ_o	0.404	0.975	0.690	3.650
ITFC	5	500	0.70	2	4	original	ϕ_o	0.572	0.951	0.762	4.128
ITFC	5	500	1.00	2	4	original	ϕ_o	0.721	0.899	0.810	4.341
ITFC	5	750	0.50	2	4	original	ϕ_o	0.307	0.984	0.645	3.454
ITFC	5	750	0.70	2	4	original	ϕ_o	0.469	0.966	0.718	3.994
ITFC	5	750	1.00	2	4	original	ϕ_o	0.634	0.932	0.783	4.302
ITFC	5	1000	0.50	2	4	original	ϕ_o	0.251	0.989	0.620	3.354
ITFC	5	1000	0.70	2	4	original	ϕ_o	0.415	0.976	0.695	3.918
ITFC	5	1000	1.00	2	4	original	ϕ_o	0.587	0.949	0.768	4.278
ITFC	5	500	0.50	4	7	original	ϕ_o	0.097	0.999	0.548	1.913
ITFC	5	500	0.70	4	7	original	ϕ_o	0.162	0.998	0.580	2.495
ITFC	5	500	1.00	4	7	original	ϕ_o	0.248	0.992	0.620	3.025
ITFC	5	750	0.50	4	7	original	ϕ_o	0.082	1.000	0.541	1.848
ITFC	5	750	0.70	4	7	original	ϕ_o	0.143	0.998	0.571	2.432
ITFC	5	750	1.00	4	7	original	ϕ_o	0.230	0.993	0.612	2.965
ITFC	5	1000	0.50	4	7	original	ϕ_o	0.077	1.000	0.538	1.843
ITFC	5	1000	0.70	4	7	original	ϕ_o	0.138	0.998	0.568	2.425
ITFC	5	1000	1.00	4	7	original	ϕ_o	0.226	0.993	0.610	2.961
ITFC	5	10	4.00	7	7	original	ϕ_o	0.685	0.112	0.398	2.400
ITFC	5	100	4.00	7	7	original	ϕ_o	0.677	0.148	0.413	1.927
ITFC	5	250	4.00	7	7	original	ϕ_o	0.663	0.253	0.458	2.793
ITFC	5	10	1.25	4	3	original	ϕ_o	0.788	0.112	0.450	2.281
ITFC	5	10	1.50	4	3	original	ϕ_o	0.789	0.094	0.441	2.281
ITFC	5	10	1.70	4	3	original	ϕ_o	0.788	0.094	0.441	2.862
ITFC	5	100	1.25	4	3	original	ϕ_o	0.729	0.572	0.650	3.520
ITFC	5	100	1.50	4	3	original	ϕ_o	0.762	0.381	0.572	2.938
ITFC	5	100	1.70	4	3	original	ϕ_o	0.775	0.259	0.517	2.915
ITFC	5	250	1.25	4	3	original	ϕ_o	0.625	0.846	0.736	3.495
ITFC	5	250	1.50	4	3	original	ϕ_o	0.688	0.727	0.708	3.539
ITFC	5	250	1.70	4	3	original	ϕ_o	0.723	0.615	0.669	3.543
ITFC	5	10	0.20	7	6	original	ϕ_o	0.186	0.991	0.589	1.559
ITFC	5	100	0.20	7	6	original	ϕ_o	0.047	1.000	0.523	0.938
ITFC	5	250	0.20	7	6	original	ϕ_o	0.025	1.000	0.512	0.750
ITFC	5	10	4.00	3	7	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	5	100	4.00	3	7	original	ϕ_o	0.865	0.075	0.470	2.520
ITFC	5	250	4.00	3	7	original	ϕ_o	0.863	0.091	0.477	2.518
ITFC	5	10	2.00	7	7	original	ϕ_o	0.682	0.111	0.397	1.925
ITFC	5	10	2.30	7	7	original	ϕ_o	0.683	0.108	0.395	2.384
ITFC	5	10	3.00	7	7	original	ϕ_o	0.684	0.109	0.397	2.392
ITFC	5	100	2.00	7	7	original	ϕ_o	0.630	0.417	0.524	2.834
ITFC	5	100	2.30	7	7	original	ϕ_o	0.652	0.310	0.481	2.815
ITFC	5	100	3.00	7	7	original	ϕ_o	0.672	0.198	0.435	2.407
ITFC	5	250	2.00	7	7	original	ϕ_o	0.502	0.799	0.650	2.855
ITFC	5	250	2.30	7	7	original	ϕ_o	0.556	0.679	0.617	2.857
ITFC	5	250	3.00	7	7	original	ϕ_o	0.626	0.423	0.524	2.827
ITFC	5	500	2.00	7	5	original	ϕ_o	0.424	0.851	0.638	2.706
ITFC	5	500	2.30	7	5	original	ϕ_o	0.493	0.752	0.623	2.731
ITFC	5	500	3.00	7	5	original	ϕ_o	0.585	0.514	0.550	2.728
ITFC	5	750	2.00	7	5	original	ϕ_o	0.393	0.881	0.637	2.728
ITFC	5	750	2.30	7	5	original	ϕ_o	0.468	0.798	0.633	2.755
ITFC	5	750	3.00	7	5	original	ϕ_o	0.573	0.581	0.577	2.777
ITFC	5	1000	2.00	7	5	original	ϕ_o	0.391	0.885	0.638	2.734
ITFC	5	1000	2.30	7	5	original	ϕ_o	0.465	0.805	0.635	2.760
ITFC	5	1000	3.00	7	5	original	ϕ_o	0.571	0.590	0.580	2.784
ITFC	5	500	4.00	2	6	original	ϕ_o	0.960	0.141	0.550	2.834
ITFC	5	750	4.00	2	6	original	ϕ_o	0.960	0.263	0.612	2.862
ITFC	5	1000	4.00	2	6	original	ϕ_o	0.960	0.267	0.613	2.861
ITFC	5	500	0.20	5	2	original	ϕ_o	0.051	0.990	0.520	1.191
ITFC	5	750	0.20	5	2	original	ϕ_o	0.032	0.993	0.513	1.086
ITFC	5	1000	0.20	5	2	original	ϕ_o	0.022	0.994	0.508	1.016
ITFC	5	10	0.20	5	4	original	ϕ_o	0.249	0.965	0.607	1.926
ITFC	5	100	0.20	5	4	original	ϕ_o	0.086	0.993	0.539	1.401
ITFC	5	250	0.20	5	4	original	ϕ_o	0.040	0.997	0.519	1.145
ITFC	5	500	0.20	3	2	original	ϕ_o	0.050	0.996	0.523	1.568

ITFC	5	750	0.20	3	2	original	ϕ_o	0.031	0.998	0.515	1.432
ITFC	5	1000	0.20	3	2	original	ϕ_o	0.020	0.999	0.510	1.341
ITFC	5	10	4.00	4	6	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	5	100	4.00	4	6	original	ϕ_o	0.787	0.103	0.445	2.281
ITFC	5	250	4.00	4	6	original	ϕ_o	0.784	0.133	0.459	2.877
ITFC	5	500	4.00	5	6	original	ϕ_o	0.731	0.237	0.484	2.771
ITFC	5	750	4.00	5	6	original	ϕ_o	0.728	0.282	0.505	3.213
ITFC	5	1000	4.00	5	6	original	ϕ_o	0.726	0.288	0.507	2.776
ITFC	5	500	4.00	7	5	original	ϕ_o	0.638	0.319	0.478	2.713
ITFC	5	750	4.00	7	5	original	ϕ_o	0.638	0.377	0.507	2.782
ITFC	5	1000	4.00	7	5	original	ϕ_o	0.637	0.382	0.509	2.786
ITFC	5	500	4.00	6	5	original	ϕ_o	0.724	0.122	0.423	2.089
ITFC	5	750	4.00	6	5	original	ϕ_o	0.726	0.179	0.452	2.117
ITFC	5	1000	4.00	6	5	original	ϕ_o	0.726	0.191	0.458	2.119
ITFC	5	10	2.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	5	10	2.30	3	2	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	5	10	3.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	5	100	2.00	3	2	original	ϕ_o	0.865	0.083	0.474	2.519
ITFC	5	100	2.30	3	2	original	ϕ_o	0.865	0.076	0.471	2.518
ITFC	5	100	3.00	3	2	original	ϕ_o	0.865	0.073	0.469	2.519
ITFC	5	250	2.00	3	2	original	ϕ_o	0.860	0.156	0.508	2.526
ITFC	5	250	2.30	3	2	original	ϕ_o	0.863	0.106	0.484	2.520
ITFC	5	250	3.00	3	2	original	ϕ_o	0.864	0.079	0.472	2.517
ITFC	5	500	2.00	4	7	original	ϕ_o	0.594	0.864	0.729	3.500
ITFC	5	500	2.30	4	7	original	ϕ_o	0.667	0.780	0.723	3.532
ITFC	5	500	3.00	4	7	original	ϕ_o	0.747	0.548	0.648	2.985
ITFC	5	750	2.00	4	7	original	ϕ_o	0.556	0.882	0.719	3.464
ITFC	5	750	2.30	4	7	original	ϕ_o	0.639	0.805	0.722	3.493
ITFC	5	750	3.00	4	7	original	ϕ_o	0.737	0.581	0.659	3.511
ITFC	5	1000	2.00	4	7	original	ϕ_o	0.551	0.884	0.718	3.458
ITFC	5	1000	2.30	4	7	original	ϕ_o	0.635	0.807	0.721	3.489
ITFC	5	1000	3.00	4	7	original	ϕ_o	0.736	0.584	0.660	3.506
ITFC	5	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	4.00	2	6	original	ϕ_o	0.963	0.058	0.510	2.824
ITFC	5	250	4.00	2	6	original	ϕ_o	0.962	0.064	0.513	1.906
ITFC	5	500	2.00	3	6	original	ϕ_o	0.745	0.725	0.735	3.644
ITFC	5	500	2.30	3	6	original	ϕ_o	0.789	0.620	0.705	3.610
ITFC	5	500	3.00	3	6	original	ϕ_o	0.839	0.369	0.604	3.127
ITFC	5	750	2.00	3	6	original	ϕ_o	0.702	0.782	0.742	3.670
ITFC	5	750	2.30	3	6	original	ϕ_o	0.760	0.695	0.727	3.642
ITFC	5	750	3.00	3	6	original	ϕ_o	0.827	0.472	0.649	3.157
ITFC	5	1000	2.00	3	6	original	ϕ_o	0.690	0.791	0.740	3.668
ITFC	5	1000	2.30	3	6	original	ϕ_o	0.751	0.703	0.727	3.645
ITFC	5	1000	3.00	3	6	original	ϕ_o	0.823	0.481	0.652	3.152
ITFC	5	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	5	100	4.00	4	4	original	ϕ_o	0.788	0.100	0.444	2.284
ITFC	5	250	4.00	4	4	original	ϕ_o	0.786	0.120	0.453	2.874
ITFC	5	10	1.25	7	6	original	ϕ_o	0.671	0.166	0.419	1.921
ITFC	5	10	1.50	7	6	original	ϕ_o	0.678	0.132	0.405	1.922
ITFC	5	10	1.70	7	6	original	ϕ_o	0.680	0.119	0.399	2.374
ITFC	5	100	1.25	7	6	original	ϕ_o	0.494	0.815	0.655	2.814
ITFC	5	100	1.50	7	6	original	ϕ_o	0.563	0.660	0.612	2.809
ITFC	5	100	1.70	7	6	original	ϕ_o	0.598	0.526	0.562	2.778
ITFC	5	250	1.25	7	6	original	ϕ_o	0.311	0.948	0.630	2.683
ITFC	5	250	1.50	7	6	original	ϕ_o	0.396	0.898	0.647	2.731
ITFC	5	250	1.70	7	6	original	ϕ_o	0.457	0.836	0.646	2.754
ITFC	5	500	4.00	6	4	original	ϕ_o	0.722	0.073	0.398	2.071
ITFC	5	750	4.00	6	4	original	ϕ_o	0.726	0.116	0.421	2.091
ITFC	5	1000	4.00	6	4	original	ϕ_o	0.726	0.155	0.440	2.107
ITFC	5	10	2.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.521
ITFC	5	10	2.30	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	10	3.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	100	2.00	3	7	original	ϕ_o	0.859	0.170	0.514	2.521
ITFC	5	100	2.30	3	7	original	ϕ_o	0.863	0.116	0.489	2.521

ITFC	5	100	3.00	3	7	original	ϕ_o	0.865	0.080	0.473	2.519
ITFC	5	250	2.00	3	7	original	ϕ_o	0.817	0.444	0.631	3.137
ITFC	5	250	2.30	3	7	original	ϕ_o	0.840	0.317	0.579	2.515
ITFC	5	250	3.00	3	7	original	ϕ_o	0.859	0.151	0.505	2.520
ITFC	5	500	1.25	3	3	original	ϕ_o	0.693	0.798	0.745	3.673
ITFC	5	500	1.50	3	3	original	ϕ_o	0.760	0.695	0.728	3.637
ITFC	5	500	1.70	3	3	original	ϕ_o	0.795	0.604	0.700	3.168
ITFC	5	750	1.25	3	3	original	ϕ_o	0.599	0.872	0.735	3.699
ITFC	5	750	1.50	3	3	original	ϕ_o	0.690	0.798	0.744	3.663
ITFC	5	750	1.70	3	3	original	ϕ_o	0.739	0.731	0.735	3.645
ITFC	5	1000	1.25	3	3	original	ϕ_o	0.512	0.911	0.712	3.707
ITFC	5	1000	1.50	3	3	original	ϕ_o	0.617	0.856	0.736	3.691
ITFC	5	1000	1.70	3	3	original	ϕ_o	0.680	0.805	0.742	3.665
ITFC	5	10	0.20	4	3	original	ϕ_o	0.296	0.987	0.641	2.148
ITFC	5	100	0.20	4	3	original	ϕ_o	0.120	0.999	0.560	1.476
ITFC	5	250	0.20	4	3	original	ϕ_o	0.072	1.000	0.536	1.191
ITFC	5	500	0.20	5	4	original	ϕ_o	0.017	0.999	0.508	0.970
ITFC	5	750	0.20	5	4	original	ϕ_o	0.008	1.000	0.504	0.890
ITFC	5	1000	0.20	5	4	original	ϕ_o	0.004	1.000	0.502	0.852
ITFC	5	10	1.25	5	7	original	ϕ_o	0.742	0.182	0.462	2.772
ITFC	5	10	1.50	5	7	original	ϕ_o	0.745	0.128	0.437	2.759
ITFC	5	10	1.70	5	7	original	ϕ_o	0.747	0.114	0.430	2.757
ITFC	5	100	1.25	5	7	original	ϕ_o	0.619	0.710	0.664	3.130
ITFC	5	100	1.50	5	7	original	ϕ_o	0.676	0.571	0.623	2.738
ITFC	5	100	1.70	5	7	original	ϕ_o	0.706	0.455	0.580	2.754
ITFC	5	250	1.25	5	7	original	ϕ_o	0.443	0.899	0.671	3.139
ITFC	5	250	1.50	5	7	original	ϕ_o	0.526	0.840	0.683	3.136
ITFC	5	250	1.70	5	7	original	ϕ_o	0.578	0.778	0.678	3.138
ITFC	5	500	0.50	5	2	original	ϕ_o	0.223	0.953	0.588	2.414
ITFC	5	500	0.70	5	2	original	ϕ_o	0.330	0.926	0.628	2.763
ITFC	5	500	1.00	5	2	original	ϕ_o	0.480	0.839	0.660	2.964
ITFC	5	750	0.50	5	2	original	ϕ_o	0.169	0.962	0.565	2.274
ITFC	5	750	0.70	5	2	original	ϕ_o	0.256	0.943	0.599	2.668
ITFC	5	750	1.00	5	2	original	ϕ_o	0.389	0.902	0.645	2.928
ITFC	5	1000	0.50	5	2	original	ϕ_o	0.132	0.968	0.550	2.157
ITFC	5	1000	0.70	5	2	original	ϕ_o	0.208	0.952	0.580	2.594
ITFC	5	1000	1.00	5	2	original	ϕ_o	0.318	0.929	0.623	2.890
ITFC	5	500	0.50	2	2	original	ϕ_o	0.538	0.961	0.749	3.927
ITFC	5	500	0.70	2	2	original	ϕ_o	0.695	0.915	0.805	4.272
ITFC	5	500	1.00	2	2	original	ϕ_o	0.822	0.834	0.828	4.342
ITFC	5	750	0.50	2	2	original	ϕ_o	0.447	0.972	0.710	3.770
ITFC	5	750	0.70	2	2	original	ϕ_o	0.618	0.939	0.779	4.192
ITFC	5	750	1.00	2	2	original	ϕ_o	0.761	0.875	0.818	4.347
ITFC	5	1000	0.50	2	2	original	ϕ_o	0.382	0.980	0.681	3.639
ITFC	5	1000	0.70	2	2	original	ϕ_o	0.553	0.954	0.754	4.112
ITFC	5	1000	1.00	2	2	original	ϕ_o	0.706	0.899	0.803	4.325
ITFC	5	10	2.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	10	2.30	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	10	3.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	100	2.00	3	6	original	ϕ_o	0.859	0.163	0.511	2.522
ITFC	5	100	2.30	3	6	original	ϕ_o	0.863	0.112	0.487	2.521
ITFC	5	100	3.00	3	6	original	ϕ_o	0.865	0.079	0.472	2.519
ITFC	5	250	2.00	3	6	original	ϕ_o	0.823	0.431	0.627	2.511
ITFC	5	250	2.30	3	6	original	ϕ_o	0.843	0.305	0.574	2.517
ITFC	5	250	3.00	3	6	original	ϕ_o	0.860	0.143	0.501	2.520
ITFC	5	10	0.50	7	7	original	ϕ_o	0.476	0.812	0.644	2.675
ITFC	5	10	0.70	7	7	original	ϕ_o	0.583	0.565	0.574	2.775
ITFC	5	10	1.00	7	7	original	ϕ_o	0.649	0.248	0.448	2.370
ITFC	5	100	0.50	7	7	original	ϕ_o	0.173	0.994	0.584	2.104
ITFC	5	100	0.70	7	7	original	ϕ_o	0.257	0.982	0.620	2.522
ITFC	5	100	1.00	7	7	original	ϕ_o	0.375	0.943	0.659	2.784
ITFC	5	250	0.50	7	7	original	ϕ_o	0.086	0.999	0.542	1.741
ITFC	5	250	0.70	7	7	original	ϕ_o	0.138	0.995	0.566	2.180
ITFC	5	250	1.00	7	7	original	ϕ_o	0.209	0.984	0.596	2.540

ITFC	5	10	2.00	6	2	original	ϕ_o	0.732	0.052	0.392	1.434
ITFC	5	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	2.00	6	2	original	ϕ_o	0.724	0.054	0.389	2.071
ITFC	5	100	2.30	6	2	original	ϕ_o	0.726	0.052	0.389	2.078
ITFC	5	100	3.00	6	2	original	ϕ_o	0.729	0.052	0.391	2.088
ITFC	5	250	2.00	6	2	original	ϕ_o	0.709	0.080	0.395	1.392
ITFC	5	250	2.30	6	2	original	ϕ_o	0.714	0.062	0.388	2.043
ITFC	5	250	3.00	6	2	original	ϕ_o	0.721	0.054	0.387	2.062
ITFC	5	500	1.25	4	2	original	ϕ_o	0.586	0.869	0.727	3.406
ITFC	5	500	1.50	4	2	original	ϕ_o	0.653	0.777	0.715	3.471
ITFC	5	500	1.70	4	2	original	ϕ_o	0.690	0.685	0.688	3.485
ITFC	5	750	1.25	4	2	original	ϕ_o	0.490	0.934	0.712	3.368
ITFC	5	750	1.50	4	2	original	ϕ_o	0.586	0.877	0.731	3.437
ITFC	5	750	1.70	4	2	original	ϕ_o	0.634	0.817	0.726	3.476
ITFC	5	1000	1.25	4	2	original	ϕ_o	0.398	0.963	0.680	3.325
ITFC	5	1000	1.50	4	2	original	ϕ_o	0.514	0.927	0.720	3.412
ITFC	5	1000	1.70	4	2	original	ϕ_o	0.581	0.884	0.733	3.452
ITFC	5	10	0.20	6	3	original	ϕ_o	0.233	0.985	0.609	1.906
ITFC	5	100	0.20	6	3	original	ϕ_o	0.112	0.997	0.555	1.523
ITFC	5	250	0.20	6	3	original	ϕ_o	0.071	0.999	0.535	1.335
ITFC	5	500	4.00	7	7	original	ϕ_o	0.651	0.338	0.494	2.817
ITFC	5	750	4.00	7	7	original	ϕ_o	0.647	0.352	0.499	2.812
ITFC	5	1000	4.00	7	7	original	ϕ_o	0.647	0.355	0.501	2.815
ITFC	5	10	2.00	4	4	original	ϕ_o	0.789	0.096	0.442	2.286
ITFC	5	10	2.30	4	4	original	ϕ_o	0.789	0.097	0.443	3.307
ITFC	5	10	3.00	4	4	original	ϕ_o	0.789	0.097	0.443	2.872
ITFC	5	100	2.00	4	4	original	ϕ_o	0.784	0.177	0.480	2.908
ITFC	5	100	2.30	4	4	original	ϕ_o	0.787	0.125	0.456	2.285
ITFC	5	100	3.00	4	4	original	ϕ_o	0.788	0.103	0.446	2.869
ITFC	5	250	2.00	4	4	original	ϕ_o	0.742	0.545	0.644	3.541
ITFC	5	250	2.30	4	4	original	ϕ_o	0.764	0.392	0.578	3.506
ITFC	5	250	3.00	4	4	original	ϕ_o	0.783	0.181	0.482	3.400
ITFC	5	500	0.50	7	7	original	ϕ_o	0.062	0.999	0.531	1.642
ITFC	5	500	0.70	7	7	original	ϕ_o	0.103	0.996	0.550	2.072
ITFC	5	500	1.00	7	7	original	ϕ_o	0.162	0.987	0.575	2.435
ITFC	5	750	0.50	7	7	original	ϕ_o	0.055	0.999	0.527	1.637
ITFC	5	750	0.70	7	7	original	ϕ_o	0.096	0.996	0.546	2.067
ITFC	5	750	1.00	7	7	original	ϕ_o	0.155	0.987	0.571	2.437
ITFC	5	1000	0.50	7	7	original	ϕ_o	0.053	0.999	0.526	1.635
ITFC	5	1000	0.70	7	7	original	ϕ_o	0.094	0.996	0.545	2.067
ITFC	5	1000	1.00	7	7	original	ϕ_o	0.154	0.987	0.571	2.438
ITFC	5	500	4.00	6	2	original	ϕ_o	0.717	0.057	0.387	2.047
ITFC	5	750	4.00	6	2	original	ϕ_o	0.712	0.067	0.389	2.035
ITFC	5	1000	4.00	6	2	original	ϕ_o	0.708	0.090	0.399	2.025
ITFC	5	500	0.50	5	7	original	ϕ_o	0.075	0.987	0.531	2.096
ITFC	5	500	0.70	5	7	original	ϕ_o	0.142	0.976	0.559	2.615
ITFC	5	500	1.00	5	7	original	ϕ_o	0.240	0.956	0.598	3.017
ITFC	5	750	0.50	5	7	original	ϕ_o	0.060	0.992	0.526	2.046
ITFC	5	750	0.70	5	7	original	ϕ_o	0.122	0.982	0.552	2.586
ITFC	5	750	1.00	5	7	original	ϕ_o	0.215	0.965	0.590	3.000
ITFC	5	1000	0.50	5	7	original	ϕ_o	0.057	0.994	0.525	2.041
ITFC	5	1000	0.70	5	7	original	ϕ_o	0.117	0.986	0.552	2.584
ITFC	5	1000	1.00	5	7	original	ϕ_o	0.211	0.970	0.590	3.003
ITFC	5	500	1.25	7	3	original	ϕ_o	0.272	0.932	0.602	2.543
ITFC	5	500	1.50	7	3	original	ϕ_o	0.353	0.875	0.614	2.576
ITFC	5	500	1.70	7	3	original	ϕ_o	0.416	0.811	0.613	2.590
ITFC	5	750	1.25	7	3	original	ϕ_o	0.203	0.960	0.582	2.489
ITFC	5	750	1.50	7	3	original	ϕ_o	0.267	0.928	0.597	2.545
ITFC	5	750	1.70	7	3	original	ϕ_o	0.323	0.889	0.606	2.569
ITFC	5	1000	1.25	7	3	original	ϕ_o	0.188	0.966	0.577	2.502
ITFC	5	1000	1.50	7	3	original	ϕ_o	0.249	0.942	0.596	2.562
ITFC	5	1000	1.70	7	3	original	ϕ_o	0.306	0.910	0.608	2.589
ITFC	5	500	2.00	6	4	original	ϕ_o	0.645	0.528	0.587	2.567

ITFC	5	500	2.30	6	4	original	ϕ_o	0.680	0.385	0.533	2.069
ITFC	5	500	3.00	6	4	original	ϕ_o	0.714	0.159	0.436	2.069
ITFC	5	750	2.00	6	4	original	ϕ_o	0.601	0.696	0.649	2.621
ITFC	5	750	2.30	6	4	original	ϕ_o	0.649	0.572	0.610	2.622
ITFC	5	750	3.00	6	4	original	ϕ_o	0.704	0.304	0.504	2.609
ITFC	5	1000	2.00	6	4	original	ϕ_o	0.583	0.753	0.668	3.078
ITFC	5	1000	2.30	6	4	original	ϕ_o	0.634	0.642	0.638	2.659
ITFC	5	1000	3.00	6	4	original	ϕ_o	0.697	0.376	0.536	2.652
ITFC	5	10	1.25	6	2	original	ϕ_o	0.729	0.053	0.391	1.428
ITFC	5	10	1.50	6	2	original	ϕ_o	0.731	0.052	0.391	2.093
ITFC	5	10	1.70	6	2	original	ϕ_o	0.731	0.052	0.392	1.433
ITFC	5	100	1.25	6	2	original	ϕ_o	0.701	0.158	0.429	2.029
ITFC	5	100	1.50	6	2	original	ϕ_o	0.714	0.081	0.397	2.047
ITFC	5	100	1.70	6	2	original	ϕ_o	0.719	0.061	0.390	2.059
ITFC	5	250	1.25	6	2	original	ϕ_o	0.653	0.372	0.512	1.987
ITFC	5	250	1.50	6	2	original	ϕ_o	0.687	0.210	0.448	2.006
ITFC	5	250	1.70	6	2	original	ϕ_o	0.700	0.134	0.417	2.020
ITFC	5	500	0.20	6	2	original	ϕ_o	0.074	0.999	0.536	1.398
ITFC	5	750	0.20	6	2	original	ϕ_o	0.049	1.000	0.525	1.317
ITFC	5	1000	0.20	6	2	original	ϕ_o	0.035	1.000	0.518	1.264
ITFC	5	10	4.00	3	6	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	5	100	4.00	3	6	original	ϕ_o	0.865	0.075	0.470	2.519
ITFC	5	250	4.00	3	6	original	ϕ_o	0.863	0.089	0.476	2.516
ITFC	5	500	0.20	6	7	original	ϕ_o	0.007	1.000	0.503	1.070
ITFC	5	750	0.20	6	7	original	ϕ_o	0.004	1.000	0.502	1.047
ITFC	5	1000	0.20	6	7	original	ϕ_o	0.003	1.000	0.502	1.039
ITFC	5	500	4.00	3	2	original	ϕ_o	0.864	0.083	0.473	2.515
ITFC	5	750	4.00	3	2	original	ϕ_o	0.862	0.098	0.480	2.514
ITFC	5	1000	4.00	3	2	original	ϕ_o	0.859	0.127	0.493	2.512
ITFC	5	10	0.20	5	6	original	ϕ_o	0.220	0.979	0.599	1.864
ITFC	5	100	0.20	5	6	original	ϕ_o	0.058	0.994	0.526	1.251
ITFC	5	250	0.20	5	6	original	ϕ_o	0.023	0.998	0.510	1.002
ITFC	5	500	1.25	4	5	original	ϕ_o	0.354	0.972	0.663	3.301
ITFC	5	500	1.50	4	5	original	ϕ_o	0.456	0.945	0.701	3.417
ITFC	5	500	1.70	4	5	original	ϕ_o	0.538	0.911	0.725	3.468
ITFC	5	750	1.25	4	5	original	ϕ_o	0.299	0.980	0.639	3.202
ITFC	5	750	1.50	4	5	original	ϕ_o	0.371	0.962	0.667	3.339
ITFC	5	750	1.70	4	5	original	ϕ_o	0.449	0.941	0.695	3.402
ITFC	5	1000	1.25	4	5	original	ϕ_o	0.281	0.982	0.631	3.184
ITFC	5	1000	1.50	4	5	original	ϕ_o	0.350	0.966	0.658	3.325
ITFC	5	1000	1.70	4	5	original	ϕ_o	0.425	0.947	0.686	3.392
ITFC	5	10	4.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	4.00	6	7	original	ϕ_o	0.726	0.055	0.391	2.078
ITFC	5	250	4.00	6	7	original	ϕ_o	0.720	0.083	0.402	2.069
ITFC	5	500	2.00	2	2	original	ϕ_o	0.955	0.376	0.666	2.867
ITFC	5	500	2.30	2	2	original	ϕ_o	0.960	0.224	0.592	2.851
ITFC	5	500	3.00	2	2	original	ϕ_o	0.963	0.077	0.520	2.829
ITFC	5	750	2.00	2	2	original	ϕ_o	0.939	0.527	0.733	2.867
ITFC	5	750	2.30	2	2	original	ϕ_o	0.951	0.400	0.676	2.860
ITFC	5	750	3.00	2	2	original	ϕ_o	0.960	0.147	0.553	2.836
ITFC	5	1000	2.00	2	2	original	ϕ_o	0.920	0.618	0.769	3.677
ITFC	5	1000	2.30	2	2	original	ϕ_o	0.939	0.512	0.725	2.859
ITFC	5	1000	3.00	2	2	original	ϕ_o	0.955	0.248	0.602	2.842
ITFC	5	500	2.00	2	5	original	ϕ_o	0.901	0.708	0.804	3.710
ITFC	5	500	2.30	2	5	original	ϕ_o	0.926	0.604	0.765	3.699
ITFC	5	500	3.00	2	5	original	ϕ_o	0.953	0.327	0.640	2.855
ITFC	5	750	2.00	2	5	original	ϕ_o	0.858	0.802	0.830	4.388
ITFC	5	750	2.30	2	5	original	ϕ_o	0.896	0.738	0.817	3.728
ITFC	5	750	3.00	2	5	original	ϕ_o	0.942	0.541	0.741	3.712
ITFC	5	1000	2.00	2	5	original	ϕ_o	0.843	0.818	0.831	4.399
ITFC	5	1000	2.30	2	5	original	ϕ_o	0.886	0.760	0.823	4.366
ITFC	5	1000	3.00	2	5	original	ϕ_o	0.937	0.578	0.758	3.716
ITFC	5	10	1.25	7	4	original	ϕ_o	0.679	0.154	0.416	2.393
ITFC	5	10	1.50	7	4	original	ϕ_o	0.682	0.125	0.403	2.386

ITFC	5	10	1.70	7	4	original	ϕ_o	0.683	0.114	0.399	1.928
ITFC	5	100	1.25	7	4	original	ϕ_o	0.558	0.595	0.577	2.695
ITFC	5	100	1.50	7	4	original	ϕ_o	0.605	0.434	0.520	2.671
ITFC	5	100	1.70	7	4	original	ϕ_o	0.630	0.341	0.485	2.335
ITFC	5	250	1.25	7	4	original	ϕ_o	0.390	0.875	0.632	2.636
ITFC	5	250	1.50	7	4	original	ϕ_o	0.468	0.778	0.623	2.653
ITFC	5	250	1.70	7	4	original	ϕ_o	0.515	0.678	0.596	2.650
ITFC	5	10	0.20	5	5	original	ϕ_o	0.228	0.978	0.603	1.877
ITFC	5	100	0.20	5	5	original	ϕ_o	0.065	0.994	0.530	1.299
ITFC	5	250	0.20	5	5	original	ϕ_o	0.027	0.998	0.512	1.042
ITFC	5	10	0.50	3	5	original	ϕ_o	0.752	0.716	0.734	3.123
ITFC	5	10	0.70	3	5	original	ϕ_o	0.828	0.469	0.649	3.134
ITFC	5	10	1.00	3	5	original	ϕ_o	0.862	0.175	0.518	2.525
ITFC	5	100	0.50	3	5	original	ϕ_o	0.478	0.933	0.706	3.446
ITFC	5	100	0.70	3	5	original	ϕ_o	0.633	0.855	0.744	3.643
ITFC	5	100	1.00	3	5	original	ϕ_o	0.764	0.672	0.718	3.172
ITFC	5	250	0.50	3	5	original	ϕ_o	0.284	0.970	0.627	3.147
ITFC	5	250	0.70	3	5	original	ϕ_o	0.443	0.935	0.689	3.534
ITFC	5	250	1.00	3	5	original	ϕ_o	0.620	0.854	0.737	3.646
ITFC	5	10	0.20	5	7	original	ϕ_o	0.195	0.979	0.587	1.804
ITFC	5	100	0.20	5	7	original	ϕ_o	0.041	0.995	0.518	1.167
ITFC	5	250	0.20	5	7	original	ϕ_o	0.013	0.998	0.506	0.932
ITFC	5	500	1.25	4	4	original	ϕ_o	0.380	0.970	0.675	3.335
ITFC	5	500	1.50	4	4	original	ϕ_o	0.487	0.940	0.713	3.445
ITFC	5	500	1.70	4	4	original	ϕ_o	0.562	0.903	0.733	3.490
ITFC	5	750	1.25	4	4	original	ϕ_o	0.305	0.983	0.644	3.232
ITFC	5	750	1.50	4	4	original	ϕ_o	0.382	0.966	0.674	3.373
ITFC	5	750	1.70	4	4	original	ϕ_o	0.461	0.944	0.703	3.440
ITFC	5	1000	1.25	4	4	original	ϕ_o	0.282	0.986	0.634	3.190
ITFC	5	1000	1.50	4	4	original	ϕ_o	0.348	0.971	0.660	3.335
ITFC	5	1000	1.70	4	4	original	ϕ_o	0.422	0.951	0.687	3.410
ITFC	5	500	2.00	3	2	original	ϕ_o	0.844	0.352	0.598	2.534
ITFC	5	500	2.30	3	2	original	ϕ_o	0.854	0.226	0.540	2.527
ITFC	5	500	3.00	3	2	original	ϕ_o	0.862	0.108	0.485	2.518
ITFC	5	750	2.00	3	2	original	ϕ_o	0.820	0.532	0.676	2.532
ITFC	5	750	2.30	3	2	original	ϕ_o	0.839	0.392	0.616	3.148
ITFC	5	750	3.00	3	2	original	ϕ_o	0.857	0.173	0.515	2.520
ITFC	5	1000	2.00	3	2	original	ϕ_o	0.788	0.644	0.716	3.643
ITFC	5	1000	2.30	3	2	original	ϕ_o	0.818	0.532	0.675	3.168
ITFC	5	1000	3.00	3	2	original	ϕ_o	0.849	0.279	0.564	2.523
ITFC	5	500	2.00	2	7	original	ϕ_o	0.875	0.761	0.818	4.303
ITFC	5	500	2.30	2	7	original	ϕ_o	0.910	0.670	0.790	3.698
ITFC	5	500	3.00	2	7	original	ϕ_o	0.947	0.411	0.679	3.635
ITFC	5	750	2.00	2	7	original	ϕ_o	0.846	0.811	0.829	4.382
ITFC	5	750	2.30	2	7	original	ϕ_o	0.888	0.745	0.816	3.724
ITFC	5	750	3.00	2	7	original	ϕ_o	0.940	0.537	0.739	3.702
ITFC	5	1000	2.00	2	7	original	ϕ_o	0.842	0.814	0.828	4.378
ITFC	5	1000	2.30	2	7	original	ϕ_o	0.885	0.747	0.816	4.350
ITFC	5	1000	3.00	2	7	original	ϕ_o	0.940	0.539	0.740	3.690
ITFC	5	500	4.00	6	6	original	ϕ_o	0.725	0.139	0.432	2.099
ITFC	5	750	4.00	6	6	original	ϕ_o	0.726	0.187	0.457	2.121
ITFC	5	1000	4.00	6	6	original	ϕ_o	0.726	0.189	0.458	2.121
ITFC	5	500	2.00	5	6	original	ϕ_o	0.566	0.818	0.692	3.202
ITFC	5	500	2.30	5	6	original	ϕ_o	0.623	0.718	0.671	3.204
ITFC	5	500	3.00	5	6	original	ϕ_o	0.702	0.472	0.587	3.216
ITFC	5	750	2.00	5	6	original	ϕ_o	0.527	0.852	0.690	3.185
ITFC	5	750	2.30	5	6	original	ϕ_o	0.593	0.767	0.680	3.188
ITFC	5	750	3.00	5	6	original	ϕ_o	0.685	0.541	0.613	3.209
ITFC	5	1000	2.00	5	6	original	ϕ_o	0.511	0.860	0.685	3.174
ITFC	5	1000	2.30	5	6	original	ϕ_o	0.581	0.776	0.678	3.174
ITFC	5	1000	3.00	5	6	original	ϕ_o	0.678	0.551	0.615	3.199
ITFC	5	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	4.00	6	5	original	ϕ_o	0.727	0.052	0.390	2.079
ITFC	5	250	4.00	6	5	original	ϕ_o	0.722	0.063	0.393	2.065

ITFC	5	10	2.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	10	2.30	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	10	3.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	100	2.00	3	5	original	ϕ_o	0.862	0.120	0.491	2.519
ITFC	5	100	2.30	3	5	original	ϕ_o	0.864	0.089	0.477	2.517
ITFC	5	100	3.00	3	5	original	ϕ_o	0.865	0.075	0.470	2.518
ITFC	5	250	2.00	3	5	original	ϕ_o	0.836	0.343	0.590	2.515
ITFC	5	250	2.30	3	5	original	ϕ_o	0.851	0.228	0.540	2.517
ITFC	5	250	3.00	3	5	original	ϕ_o	0.861	0.111	0.486	2.515
ITFC	5	10	1.25	3	6	original	ϕ_o	0.864	0.119	0.491	2.525
ITFC	5	10	1.50	3	6	original	ϕ_o	0.866	0.080	0.473	2.523
ITFC	5	10	1.70	3	6	original	ϕ_o	0.866	0.074	0.470	2.521
ITFC	5	100	1.25	3	6	original	ϕ_o	0.803	0.534	0.668	3.159
ITFC	5	100	1.50	3	6	original	ϕ_o	0.834	0.364	0.599	2.511
ITFC	5	100	1.70	3	6	original	ϕ_o	0.849	0.262	0.556	3.098
ITFC	5	250	1.25	3	6	original	ϕ_o	0.684	0.805	0.745	3.666
ITFC	5	250	1.50	3	6	original	ϕ_o	0.754	0.695	0.725	3.625
ITFC	5	250	1.70	3	6	original	ϕ_o	0.790	0.591	0.691	3.160
ITFC	5	500	4.00	3	3	original	ϕ_o	0.864	0.092	0.478	2.516
ITFC	5	750	4.00	3	3	original	ϕ_o	0.861	0.123	0.492	2.518
ITFC	5	1000	4.00	3	3	original	ϕ_o	0.856	0.181	0.519	2.521
ITFC	5	10	0.50	3	2	original	ϕ_o	0.775	0.667	0.721	3.150
ITFC	5	10	0.70	3	2	original	ϕ_o	0.842	0.394	0.618	2.534
ITFC	5	10	1.00	3	2	original	ϕ_o	0.864	0.138	0.501	2.521
ITFC	5	100	0.50	3	2	original	ϕ_o	0.580	0.903	0.742	3.569
ITFC	5	100	0.70	3	2	original	ϕ_o	0.724	0.785	0.755	3.741
ITFC	5	100	1.00	3	2	original	ϕ_o	0.822	0.524	0.673	2.529
ITFC	5	250	0.50	3	2	original	ϕ_o	0.445	0.946	0.696	3.394
ITFC	5	250	0.70	3	2	original	ϕ_o	0.604	0.889	0.746	3.681
ITFC	5	250	1.00	3	2	original	ϕ_o	0.753	0.736	0.744	3.722
ITFC	5	500	0.50	7	6	original	ϕ_o	0.065	0.999	0.532	1.665
ITFC	5	500	0.70	7	6	original	ϕ_o	0.108	0.996	0.552	2.093
ITFC	5	500	1.00	7	6	original	ϕ_o	0.170	0.985	0.578	2.444
ITFC	5	750	0.50	7	6	original	ϕ_o	0.057	0.999	0.528	1.639
ITFC	5	750	0.70	7	6	original	ϕ_o	0.098	0.996	0.547	2.072
ITFC	5	750	1.00	7	6	original	ϕ_o	0.155	0.986	0.570	2.440
ITFC	5	1000	0.50	7	6	original	ϕ_o	0.053	0.999	0.526	1.636
ITFC	5	1000	0.70	7	6	original	ϕ_o	0.095	0.996	0.545	2.070
ITFC	5	1000	1.00	7	6	original	ϕ_o	0.152	0.986	0.569	2.441
ITFC	5	500	1.25	2	6	original	ϕ_o	0.731	0.898	0.815	4.398
ITFC	5	500	1.50	2	6	original	ϕ_o	0.794	0.860	0.827	4.396
ITFC	5	500	1.70	2	6	original	ϕ_o	0.838	0.823	0.831	4.367
ITFC	5	750	1.25	2	6	original	ϕ_o	0.666	0.925	0.796	4.389
ITFC	5	750	1.50	2	6	original	ϕ_o	0.740	0.895	0.818	4.423
ITFC	5	750	1.70	2	6	original	ϕ_o	0.787	0.866	0.827	4.421
ITFC	5	1000	1.25	2	6	original	ϕ_o	0.645	0.933	0.789	4.381
ITFC	5	1000	1.50	2	6	original	ϕ_o	0.723	0.902	0.813	4.418
ITFC	5	1000	1.70	2	6	original	ϕ_o	0.774	0.873	0.823	4.414
ITFC	5	10	2.00	5	7	original	ϕ_o	0.747	0.105	0.426	2.178
ITFC	5	10	2.30	5	7	original	ϕ_o	0.747	0.104	0.426	2.179
ITFC	5	10	3.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	2.00	5	7	original	ϕ_o	0.727	0.302	0.515	2.768
ITFC	5	100	2.30	5	7	original	ϕ_o	0.735	0.204	0.470	2.175
ITFC	5	100	3.00	5	7	original	ϕ_o	0.742	0.128	0.435	2.748
ITFC	5	250	2.00	5	7	original	ϕ_o	0.640	0.673	0.656	3.162
ITFC	5	250	2.30	5	7	original	ϕ_o	0.682	0.562	0.622	3.186
ITFC	5	250	3.00	5	7	original	ϕ_o	0.726	0.323	0.525	3.214
ITFC	5	10	0.20	7	7	original	ϕ_o	0.182	0.992	0.587	1.532
ITFC	5	100	0.20	7	7	original	ϕ_o	0.043	1.000	0.521	0.899
ITFC	5	250	0.20	7	7	original	ϕ_o	0.022	1.000	0.511	0.716
ITFC	5	10	0.20	4	6	original	ϕ_o	0.226	0.993	0.609	1.881
ITFC	5	100	0.20	4	6	original	ϕ_o	0.078	1.000	0.539	1.207
ITFC	5	250	0.20	4	6	original	ϕ_o	0.043	1.000	0.521	0.975
ITFC	5	500	4.00	7	6	original	ϕ_o	0.648	0.302	0.475	2.740

ITFC	5	750	4.00	7	6	original	ϕ_o	0.649	0.355	0.502	2.806
ITFC	5	1000	4.00	7	6	original	ϕ_o	0.648	0.359	0.504	2.809
ITFC	5	10	0.20	3	5	original	ϕ_o	0.351	0.965	0.658	2.562
ITFC	5	100	0.20	3	5	original	ϕ_o	0.092	0.993	0.542	1.867
ITFC	5	250	0.20	3	5	original	ϕ_o	0.029	0.998	0.513	1.537
ITFC	5	500	1.25	7	7	original	ϕ_o	0.210	0.974	0.592	2.597
ITFC	5	500	1.50	7	7	original	ϕ_o	0.270	0.956	0.613	2.685
ITFC	5	500	1.70	7	7	original	ϕ_o	0.328	0.932	0.630	2.736
ITFC	5	750	1.25	7	7	original	ϕ_o	0.204	0.975	0.590	2.603
ITFC	5	750	1.50	7	7	original	ϕ_o	0.263	0.958	0.610	2.687
ITFC	5	750	1.70	7	7	original	ϕ_o	0.321	0.934	0.628	2.738
ITFC	5	1000	1.25	7	7	original	ϕ_o	0.203	0.975	0.589	2.604
ITFC	5	1000	1.50	7	7	original	ϕ_o	0.263	0.958	0.610	2.688
ITFC	5	1000	1.70	7	7	original	ϕ_o	0.321	0.934	0.628	2.740
ITFC	5	500	0.50	3	7	original	ϕ_o	0.115	0.991	0.553	2.713
ITFC	5	500	0.70	3	7	original	ϕ_o	0.220	0.976	0.598	3.281
ITFC	5	500	1.00	3	7	original	ϕ_o	0.377	0.948	0.663	3.635
ITFC	5	750	0.50	3	7	original	ϕ_o	0.083	0.994	0.539	2.621
ITFC	5	750	0.70	3	7	original	ϕ_o	0.174	0.982	0.578	3.210
ITFC	5	750	1.00	3	7	original	ϕ_o	0.313	0.959	0.636	3.599
ITFC	5	1000	0.50	3	7	original	ϕ_o	0.078	0.994	0.536	2.596
ITFC	5	1000	0.70	3	7	original	ϕ_o	0.165	0.982	0.573	3.192
ITFC	5	1000	1.00	3	7	original	ϕ_o	0.298	0.959	0.628	3.584
ITFC	5	10	1.25	4	2	original	ϕ_o	0.788	0.102	0.445	2.278
ITFC	5	10	1.50	4	2	original	ϕ_o	0.788	0.095	0.441	2.858
ITFC	5	10	1.70	4	2	original	ϕ_o	0.788	0.095	0.442	2.864
ITFC	5	100	1.25	4	2	original	ϕ_o	0.750	0.408	0.579	2.916
ITFC	5	100	1.50	4	2	original	ϕ_o	0.773	0.241	0.507	2.283
ITFC	5	100	1.70	4	2	original	ϕ_o	0.779	0.160	0.470	2.276
ITFC	5	250	1.25	4	2	original	ϕ_o	0.687	0.687	0.687	3.476
ITFC	5	250	1.50	4	2	original	ϕ_o	0.730	0.523	0.626	3.467
ITFC	5	250	1.70	4	2	original	ϕ_o	0.753	0.391	0.572	2.920
ITFC	5	500	0.20	6	4	original	ϕ_o	0.024	1.000	0.512	1.162
ITFC	5	750	0.20	6	4	original	ϕ_o	0.014	1.000	0.507	1.116
ITFC	5	1000	0.20	6	4	original	ϕ_o	0.008	1.000	0.504	1.095
ITFC	5	500	4.00	4	2	original	ϕ_o	0.780	0.124	0.452	2.862
ITFC	5	750	4.00	4	2	original	ϕ_o	0.777	0.167	0.472	2.866
ITFC	5	1000	4.00	4	2	original	ϕ_o	0.774	0.222	0.498	2.884
ITFC	5	10	2.00	5	6	original	ϕ_o	0.748	0.104	0.426	2.759
ITFC	5	10	2.30	5	6	original	ϕ_o	0.748	0.103	0.426	2.763
ITFC	5	10	3.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	5	100	2.00	5	6	original	ϕ_o	0.733	0.233	0.483	2.757
ITFC	5	100	2.30	5	6	original	ϕ_o	0.739	0.163	0.451	2.754
ITFC	5	100	3.00	5	6	original	ϕ_o	0.744	0.119	0.432	2.749
ITFC	5	250	2.00	5	6	original	ϕ_o	0.664	0.604	0.634	3.175
ITFC	5	250	2.30	5	6	original	ϕ_o	0.700	0.470	0.585	2.749
ITFC	5	250	3.00	5	6	original	ϕ_o	0.732	0.246	0.489	2.764
ITFC	5	10	2.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	10	2.30	5	2	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	5	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	2.00	5	2	original	ϕ_o	0.747	0.117	0.432	2.748
ITFC	5	100	2.30	5	2	original	ϕ_o	0.748	0.111	0.429	2.754
ITFC	5	100	3.00	5	2	original	ϕ_o	0.748	0.106	0.427	2.761
ITFC	5	250	2.00	5	2	original	ϕ_o	0.737	0.171	0.454	2.722
ITFC	5	250	2.30	5	2	original	ϕ_o	0.741	0.136	0.439	2.724
ITFC	5	250	3.00	5	2	original	ϕ_o	0.744	0.114	0.429	2.739
ITFC	5	10	2.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	2.30	2	2	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	5	10	3.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	2.00	2	2	original	ϕ_o	0.965	0.059	0.512	2.830
ITFC	5	100	2.30	2	2	original	ϕ_o	0.964	0.057	0.511	2.828
ITFC	5	100	3.00	2	2	original	ϕ_o	0.964	0.057	0.510	2.826
ITFC	5	250	2.00	2	2	original	ϕ_o	0.964	0.129	0.547	1.917
ITFC	5	250	2.30	2	2	original	ϕ_o	0.964	0.075	0.520	2.834

ITFC	5	250	3.00	2	2	original	ϕ_o	0.964	0.060	0.512	2.828
ITFC	5	500	2.00	2	4	original	ϕ_o	0.922	0.617	0.770	3.679
ITFC	5	500	2.30	2	4	original	ϕ_o	0.939	0.501	0.720	2.845
ITFC	5	500	3.00	2	4	original	ϕ_o	0.953	0.231	0.592	2.833
ITFC	5	750	2.00	2	4	original	ϕ_o	0.886	0.743	0.814	3.699
ITFC	5	750	2.30	2	4	original	ϕ_o	0.915	0.659	0.787	3.690
ITFC	5	750	3.00	2	4	original	ϕ_o	0.944	0.446	0.695	2.848
ITFC	5	1000	2.00	2	4	original	ϕ_o	0.862	0.787	0.824	4.342
ITFC	5	1000	2.30	2	4	original	ϕ_o	0.899	0.718	0.808	3.707
ITFC	5	1000	3.00	2	4	original	ϕ_o	0.941	0.523	0.732	3.678
ITFC	5	500	1.25	6	3	original	ϕ_o	0.500	0.820	0.660	2.893
ITFC	5	500	1.50	6	3	original	ϕ_o	0.573	0.718	0.645	2.540
ITFC	5	500	1.70	6	3	original	ϕ_o	0.618	0.611	0.615	2.540
ITFC	5	750	1.25	6	3	original	ϕ_o	0.426	0.890	0.658	2.950
ITFC	5	750	1.50	6	3	original	ϕ_o	0.507	0.830	0.668	2.958
ITFC	5	750	1.70	6	3	original	ϕ_o	0.561	0.768	0.665	2.947
ITFC	5	1000	1.25	6	3	original	ϕ_o	0.392	0.924	0.658	3.007
ITFC	5	1000	1.50	6	3	original	ϕ_o	0.475	0.877	0.676	3.038
ITFC	5	1000	1.70	6	3	original	ϕ_o	0.532	0.828	0.680	3.041
ITFC	5	500	1.25	7	5	original	ϕ_o	0.222	0.971	0.597	2.566
ITFC	5	500	1.50	7	5	original	ϕ_o	0.281	0.950	0.615	2.641
ITFC	5	500	1.70	7	5	original	ϕ_o	0.338	0.921	0.630	2.676
ITFC	5	750	1.25	7	5	original	ϕ_o	0.198	0.974	0.586	2.557
ITFC	5	750	1.50	7	5	original	ϕ_o	0.254	0.958	0.606	2.648
ITFC	5	750	1.70	7	5	original	ϕ_o	0.308	0.936	0.622	2.693
ITFC	5	1000	1.25	7	5	original	ϕ_o	0.195	0.974	0.585	2.558
ITFC	5	1000	1.50	7	5	original	ϕ_o	0.250	0.959	0.604	2.647
ITFC	5	1000	1.70	7	5	original	ϕ_o	0.304	0.937	0.621	2.696
ITFC	5	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	250	4.00	2	2	original	ϕ_o	0.963	0.058	0.511	2.826
ITFC	5	500	0.50	6	2	original	ϕ_o	0.240	0.967	0.604	2.368
ITFC	5	500	0.70	6	2	original	ϕ_o	0.347	0.920	0.634	2.630
ITFC	5	500	1.00	6	2	original	ϕ_o	0.485	0.789	0.637	2.753
ITFC	5	750	0.50	6	2	original	ϕ_o	0.189	0.979	0.584	2.250
ITFC	5	750	0.70	6	2	original	ϕ_o	0.276	0.951	0.614	2.569
ITFC	5	750	1.00	6	2	original	ϕ_o	0.400	0.878	0.639	2.726
ITFC	5	1000	0.50	6	2	original	ϕ_o	0.151	0.987	0.569	2.157
ITFC	5	1000	0.70	6	2	original	ϕ_o	0.228	0.967	0.598	2.508
ITFC	5	1000	1.00	6	2	original	ϕ_o	0.338	0.919	0.628	2.708
ITFC	5	500	2.00	6	2	original	ϕ_o	0.686	0.198	0.442	1.996
ITFC	5	500	2.30	6	2	original	ϕ_o	0.698	0.126	0.412	2.012
ITFC	5	500	3.00	6	2	original	ϕ_o	0.710	0.069	0.390	2.031
ITFC	5	750	2.00	6	2	original	ϕ_o	0.651	0.369	0.510	1.986
ITFC	5	750	2.30	6	2	original	ϕ_o	0.677	0.245	0.461	1.992
ITFC	5	750	3.00	6	2	original	ϕ_o	0.701	0.109	0.405	2.015
ITFC	5	1000	2.00	6	2	original	ϕ_o	0.606	0.545	0.576	2.458
ITFC	5	1000	2.30	6	2	original	ϕ_o	0.645	0.400	0.523	1.988
ITFC	5	1000	3.00	6	2	original	ϕ_o	0.690	0.185	0.437	2.006
ITFC	5	10	1.25	6	7	original	ϕ_o	0.725	0.120	0.422	2.089
ITFC	5	10	1.50	6	7	original	ϕ_o	0.729	0.071	0.400	2.091
ITFC	5	10	1.70	6	7	original	ϕ_o	0.730	0.059	0.394	2.091
ITFC	5	100	1.25	6	7	original	ϕ_o	0.630	0.620	0.625	2.601
ITFC	5	100	1.50	6	7	original	ϕ_o	0.671	0.432	0.551	2.594
ITFC	5	100	1.70	6	7	original	ϕ_o	0.690	0.317	0.504	2.068
ITFC	5	250	1.25	6	7	original	ϕ_o	0.503	0.866	0.684	3.044
ITFC	5	250	1.50	6	7	original	ϕ_o	0.574	0.773	0.673	3.046
ITFC	5	250	1.70	6	7	original	ϕ_o	0.614	0.675	0.645	2.613
ITFC	5	500	0.50	4	2	original	ϕ_o	0.225	0.988	0.606	2.515
ITFC	5	500	0.70	4	2	original	ϕ_o	0.309	0.973	0.641	2.983
ITFC	5	500	1.00	4	2	original	ϕ_o	0.468	0.933	0.701	3.304
ITFC	5	750	0.50	4	2	original	ϕ_o	0.182	0.995	0.588	2.311
ITFC	5	750	0.70	4	2	original	ϕ_o	0.249	0.986	0.618	2.814
ITFC	5	750	1.00	4	2	original	ϕ_o	0.358	0.968	0.663	3.222

ITFC	5	1000	0.50	4	2	original	ϕ_o	0.156	0.997	0.577	2.160
ITFC	5	1000	0.70	4	2	original	ϕ_o	0.215	0.992	0.604	2.674
ITFC	5	1000	1.00	4	2	original	ϕ_o	0.295	0.980	0.638	3.132
ITFC	5	500	2.00	4	3	original	ϕ_o	0.677	0.754	0.716	3.533
ITFC	5	500	2.30	4	3	original	ϕ_o	0.718	0.631	0.674	3.531
ITFC	5	500	3.00	4	3	original	ϕ_o	0.764	0.365	0.565	3.458
ITFC	5	750	2.00	4	3	original	ϕ_o	0.617	0.853	0.735	3.495
ITFC	5	750	2.30	4	3	original	ϕ_o	0.670	0.765	0.717	3.511
ITFC	5	750	3.00	4	3	original	ϕ_o	0.739	0.519	0.629	3.493
ITFC	5	1000	2.00	4	3	original	ϕ_o	0.572	0.894	0.733	3.473
ITFC	5	1000	2.30	4	3	original	ϕ_o	0.634	0.826	0.730	3.494
ITFC	5	1000	3.00	4	3	original	ϕ_o	0.721	0.613	0.667	3.498
ITFC	5	10	2.00	4	3	original	ϕ_o	0.788	0.096	0.442	2.285
ITFC	5	10	2.30	4	3	original	ϕ_o	0.788	0.097	0.443	2.286
ITFC	5	10	3.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	5	100	2.00	4	3	original	ϕ_o	0.783	0.152	0.468	2.884
ITFC	5	100	2.30	4	3	original	ϕ_o	0.786	0.116	0.451	2.869
ITFC	5	100	3.00	4	3	original	ϕ_o	0.788	0.102	0.445	2.864
ITFC	5	250	2.00	4	3	original	ϕ_o	0.755	0.444	0.599	2.953
ITFC	5	250	2.30	4	3	original	ϕ_o	0.772	0.307	0.539	2.929
ITFC	5	250	3.00	4	3	original	ϕ_o	0.783	0.150	0.467	2.285
ITFC	5	10	0.50	4	4	original	ϕ_o	0.622	0.823	0.722	3.332
ITFC	5	10	0.70	4	4	original	ϕ_o	0.719	0.612	0.665	2.931
ITFC	5	10	1.00	4	4	original	ϕ_o	0.779	0.261	0.520	2.918
ITFC	5	100	0.50	4	4	original	ϕ_o	0.354	0.976	0.665	2.909
ITFC	5	100	0.70	4	4	original	ϕ_o	0.484	0.932	0.708	3.267
ITFC	5	100	1.00	4	4	original	ϕ_o	0.647	0.802	0.724	3.470
ITFC	5	250	0.50	4	4	original	ϕ_o	0.220	0.995	0.608	2.502
ITFC	5	250	0.70	4	4	original	ϕ_o	0.313	0.985	0.649	3.004
ITFC	5	250	1.00	4	4	original	ϕ_o	0.461	0.947	0.704	3.344
ITFC	5	10	0.50	5	6	original	ϕ_o	0.577	0.806	0.691	3.101
ITFC	5	10	0.70	5	6	original	ϕ_o	0.672	0.588	0.630	2.737
ITFC	5	10	1.00	5	6	original	ϕ_o	0.731	0.278	0.505	2.767
ITFC	5	100	0.50	5	6	original	ϕ_o	0.305	0.958	0.632	2.725
ITFC	5	100	0.70	5	6	original	ϕ_o	0.431	0.922	0.677	3.050
ITFC	5	100	1.00	5	6	original	ϕ_o	0.566	0.805	0.686	3.140
ITFC	5	250	0.50	5	6	original	ϕ_o	0.166	0.978	0.572	2.393
ITFC	5	250	0.70	5	6	original	ϕ_o	0.268	0.959	0.614	2.850
ITFC	5	250	1.00	5	6	original	ϕ_o	0.393	0.931	0.662	3.119
ITFC	5	500	4.00	4	4	original	ϕ_o	0.783	0.223	0.503	3.437
ITFC	5	750	4.00	4	4	original	ϕ_o	0.776	0.320	0.548	2.954
ITFC	5	1000	4.00	4	4	original	ϕ_o	0.771	0.367	0.569	3.467
ITFC	5	500	0.50	5	5	original	ϕ_o	0.107	0.986	0.547	2.159
ITFC	5	500	0.70	5	5	original	ϕ_o	0.177	0.976	0.577	2.673
ITFC	5	500	1.00	5	5	original	ϕ_o	0.282	0.954	0.618	3.033
ITFC	5	750	0.50	5	5	original	ϕ_o	0.075	0.992	0.533	2.046
ITFC	5	750	0.70	5	5	original	ϕ_o	0.135	0.983	0.559	2.579
ITFC	5	750	1.00	5	5	original	ϕ_o	0.226	0.966	0.596	2.979
ITFC	5	1000	0.50	5	5	original	ϕ_o	0.061	0.994	0.528	2.002
ITFC	5	1000	0.70	5	5	original	ϕ_o	0.115	0.987	0.551	2.540
ITFC	5	1000	1.00	5	5	original	ϕ_o	0.199	0.974	0.587	2.951
ITFC	5	10	1.25	2	5	original	ϕ_o	0.963	0.085	0.524	2.822
ITFC	5	10	1.50	2	5	original	ϕ_o	0.963	0.056	0.510	2.821
ITFC	5	10	1.70	2	5	original	ϕ_o	0.963	0.056	0.510	2.823
ITFC	5	100	1.25	2	5	original	ϕ_o	0.931	0.571	0.751	2.858
ITFC	5	100	1.50	2	5	original	ϕ_o	0.951	0.371	0.661	2.855
ITFC	5	100	1.70	2	5	original	ϕ_o	0.957	0.212	0.585	2.843
ITFC	5	250	1.25	2	5	original	ϕ_o	0.867	0.788	0.827	3.702
ITFC	5	250	1.50	2	5	original	ϕ_o	0.907	0.686	0.797	3.708
ITFC	5	250	1.70	2	5	original	ϕ_o	0.929	0.587	0.758	3.693
ITFC	5	10	4.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	4.00	5	5	original	ϕ_o	0.748	0.109	0.429	2.763
ITFC	5	250	4.00	5	5	original	ϕ_o	0.745	0.135	0.440	2.774
ITFC	5	500	2.00	7	6	original	ϕ_o	0.440	0.841	0.640	2.754

ITFC	5	500	2.30	7	6	original	ϕ_o	0.509	0.739	0.624	2.777
ITFC	5	500	3.00	7	6	original	ϕ_o	0.599	0.498	0.548	2.775
ITFC	5	750	2.00	7	6	original	ϕ_o	0.412	0.870	0.641	2.771
ITFC	5	750	2.30	7	6	original	ϕ_o	0.486	0.782	0.634	2.799
ITFC	5	750	3.00	7	6	original	ϕ_o	0.587	0.563	0.575	2.816
ITFC	5	1000	2.00	7	6	original	ϕ_o	0.411	0.873	0.642	2.775
ITFC	5	1000	2.30	7	6	original	ϕ_o	0.485	0.788	0.636	2.803
ITFC	5	1000	3.00	7	6	original	ϕ_o	0.586	0.570	0.578	2.821
ITFC	5	10	0.20	2	7	original	ϕ_o	0.427	0.976	0.701	3.004
ITFC	5	100	0.20	2	7	original	ϕ_o	0.148	0.993	0.570	2.237
ITFC	5	250	0.20	2	7	original	ϕ_o	0.054	0.998	0.526	1.841
ITFC	5	500	1.25	5	4	original	ϕ_o	0.409	0.910	0.659	3.051
ITFC	5	500	1.50	5	4	original	ϕ_o	0.494	0.859	0.676	3.084
ITFC	5	500	1.70	5	4	original	ϕ_o	0.550	0.800	0.675	3.092
ITFC	5	750	1.25	5	4	original	ϕ_o	0.318	0.941	0.629	3.039
ITFC	5	750	1.50	5	4	original	ϕ_o	0.399	0.916	0.657	3.087
ITFC	5	750	1.70	5	4	original	ϕ_o	0.464	0.882	0.673	3.109
ITFC	5	1000	1.25	5	4	original	ϕ_o	0.267	0.956	0.612	3.023
ITFC	5	1000	1.50	5	4	original	ϕ_o	0.344	0.937	0.640	3.078
ITFC	5	1000	1.70	5	4	original	ϕ_o	0.408	0.913	0.660	3.101
ITFC	5	10	0.20	2	5	original	ϕ_o	0.454	0.976	0.715	3.090
ITFC	5	100	0.20	2	5	original	ϕ_o	0.193	0.993	0.593	2.374
ITFC	5	250	0.20	2	5	original	ϕ_o	0.081	0.997	0.539	1.991
ITFC	5	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	4.00	6	4	original	ϕ_o	0.730	0.053	0.392	2.091
ITFC	5	250	4.00	6	4	original	ϕ_o	0.725	0.056	0.391	2.074
ITFC	5	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	4.00	6	2	original	ϕ_o	0.731	0.052	0.392	1.432
ITFC	5	250	4.00	6	2	original	ϕ_o	0.725	0.052	0.389	2.073
ITFC	5	10	0.20	2	4	original	ϕ_o	0.477	0.975	0.726	3.147
ITFC	5	100	0.20	2	4	original	ϕ_o	0.235	0.990	0.612	2.472
ITFC	5	250	0.20	2	4	original	ϕ_o	0.120	0.996	0.558	2.124
ITFC	5	500	4.00	2	4	original	ϕ_o	0.957	0.082	0.520	2.817
ITFC	5	750	4.00	2	4	original	ϕ_o	0.954	0.174	0.564	2.827
ITFC	5	1000	4.00	2	4	original	ϕ_o	0.955	0.238	0.596	2.841
ITFC	5	10	0.50	3	3	original	ϕ_o	0.773	0.684	0.729	3.166
ITFC	5	10	0.70	3	3	original	ϕ_o	0.837	0.425	0.631	2.533
ITFC	5	10	1.00	3	3	original	ϕ_o	0.863	0.164	0.513	2.528
ITFC	5	100	0.50	3	3	original	ϕ_o	0.548	0.916	0.732	3.545
ITFC	5	100	0.70	3	3	original	ϕ_o	0.696	0.810	0.753	3.706
ITFC	5	100	1.00	3	3	original	ϕ_o	0.802	0.567	0.684	2.512
ITFC	5	250	0.50	3	3	original	ϕ_o	0.391	0.958	0.674	3.336
ITFC	5	250	0.70	3	3	original	ϕ_o	0.554	0.907	0.731	3.635
ITFC	5	250	1.00	3	3	original	ϕ_o	0.715	0.777	0.746	3.686
ITFC	5	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	4.00	6	3	original	ϕ_o	0.730	0.052	0.391	2.091
ITFC	5	250	4.00	6	3	original	ϕ_o	0.723	0.055	0.389	2.069
ITFC	5	10	0.50	7	6	original	ϕ_o	0.482	0.803	0.643	2.678
ITFC	5	10	0.70	7	6	original	ϕ_o	0.587	0.560	0.574	2.390
ITFC	5	10	1.00	7	6	original	ϕ_o	0.653	0.253	0.453	1.917
ITFC	5	100	0.50	7	6	original	ϕ_o	0.190	0.991	0.590	2.136
ITFC	5	100	0.70	7	6	original	ϕ_o	0.273	0.975	0.624	2.539
ITFC	5	100	1.00	7	6	original	ϕ_o	0.398	0.921	0.659	2.766
ITFC	5	250	0.50	7	6	original	ϕ_o	0.102	0.997	0.550	1.794
ITFC	5	250	0.70	7	6	original	ϕ_o	0.163	0.991	0.577	2.217
ITFC	5	250	1.00	7	6	original	ϕ_o	0.238	0.975	0.607	2.554
ITFC	5	500	0.20	6	6	original	ϕ_o	0.009	1.000	0.505	1.090
ITFC	5	750	0.20	6	6	original	ϕ_o	0.005	1.000	0.502	1.063
ITFC	5	1000	0.20	6	6	original	ϕ_o	0.004	1.000	0.502	1.054
ITFC	5	10	1.25	3	3	original	ϕ_o	0.865	0.089	0.477	2.518
ITFC	5	10	1.50	3	3	original	ϕ_o	0.866	0.073	0.469	2.520
ITFC	5	10	1.70	3	3	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	5	100	1.25	3	3	original	ϕ_o	0.839	0.358	0.599	2.524
ITFC	5	100	1.50	3	3	original	ϕ_o	0.857	0.213	0.535	2.527

ITFC	5	100	1.70	3	3	original	ϕ_o	0.862	0.146	0.504	2.525
ITFC	5	250	1.25	3	3	original	ϕ_o	0.785	0.633	0.709	3.641
ITFC	5	250	1.50	3	3	original	ϕ_o	0.823	0.461	0.642	2.519
ITFC	5	250	1.70	3	3	original	ϕ_o	0.841	0.337	0.589	2.520
ITFC	5	10	2.00	4	6	original	ϕ_o	0.789	0.096	0.443	2.869
ITFC	5	10	2.30	4	6	original	ϕ_o	0.789	0.097	0.443	2.288
ITFC	5	10	3.00	4	6	original	ϕ_o	0.789	0.098	0.443	2.873
ITFC	5	100	2.00	4	6	original	ϕ_o	0.775	0.298	0.537	2.306
ITFC	5	100	2.30	4	6	original	ϕ_o	0.782	0.191	0.486	2.904
ITFC	5	100	3.00	4	6	original	ϕ_o	0.786	0.114	0.450	2.871
ITFC	5	250	2.00	4	6	original	ϕ_o	0.721	0.667	0.694	3.571
ITFC	5	250	2.30	4	6	original	ϕ_o	0.751	0.516	0.634	2.974
ITFC	5	250	3.00	4	6	original	ϕ_o	0.778	0.246	0.512	3.436
ITFC	5	500	0.50	2	7	original	ϕ_o	0.264	0.984	0.624	3.420
ITFC	5	500	0.70	2	7	original	ϕ_o	0.443	0.966	0.705	3.980
ITFC	5	500	1.00	2	7	original	ϕ_o	0.618	0.934	0.776	4.311
ITFC	5	750	0.50	2	7	original	ϕ_o	0.199	0.992	0.595	3.304
ITFC	5	750	0.70	2	7	original	ϕ_o	0.371	0.978	0.674	3.903
ITFC	5	750	1.00	2	7	original	ϕ_o	0.560	0.952	0.756	4.288
ITFC	5	1000	0.50	2	7	original	ϕ_o	0.180	0.993	0.587	3.282
ITFC	5	1000	0.70	2	7	original	ϕ_o	0.350	0.982	0.666	3.888
ITFC	5	1000	1.00	2	7	original	ϕ_o	0.542	0.957	0.750	4.284
ITFC	5	10	2.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	5	10	2.30	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	3.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	2.00	2	7	original	ϕ_o	0.960	0.132	0.546	1.910
ITFC	5	100	2.30	2	7	original	ϕ_o	0.962	0.075	0.518	2.823
ITFC	5	100	3.00	2	7	original	ϕ_o	0.963	0.059	0.511	2.822
ITFC	5	250	2.00	2	7	original	ϕ_o	0.938	0.519	0.728	2.856
ITFC	5	250	2.30	2	7	original	ϕ_o	0.950	0.362	0.656	2.849
ITFC	5	250	3.00	2	7	original	ϕ_o	0.959	0.122	0.541	2.826
ITFC	5	10	2.00	5	5	original	ϕ_o	0.748	0.104	0.426	2.182
ITFC	5	10	2.30	5	5	original	ϕ_o	0.748	0.103	0.426	2.764
ITFC	5	10	3.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	5	100	2.00	5	5	original	ϕ_o	0.738	0.190	0.464	2.766
ITFC	5	100	2.30	5	5	original	ϕ_o	0.743	0.145	0.444	2.771
ITFC	5	100	3.00	5	5	original	ϕ_o	0.747	0.116	0.431	2.767
ITFC	5	250	2.00	5	5	original	ϕ_o	0.686	0.503	0.594	3.205
ITFC	5	250	2.30	5	5	original	ϕ_o	0.715	0.366	0.540	3.216
ITFC	5	250	3.00	5	5	original	ϕ_o	0.739	0.194	0.466	2.771
ITFC	5	10	4.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	5	100	4.00	3	4	original	ϕ_o	0.866	0.074	0.470	2.521
ITFC	5	250	4.00	3	4	original	ϕ_o	0.864	0.079	0.472	2.518
ITFC	5	10	0.50	4	3	original	ϕ_o	0.639	0.797	0.718	3.349
ITFC	5	10	0.70	4	3	original	ϕ_o	0.729	0.566	0.648	2.924
ITFC	5	10	1.00	4	3	original	ϕ_o	0.780	0.228	0.504	2.891
ITFC	5	100	0.50	4	3	original	ϕ_o	0.389	0.971	0.680	2.989
ITFC	5	100	0.70	4	3	original	ϕ_o	0.525	0.913	0.719	3.296
ITFC	5	100	1.00	4	3	original	ϕ_o	0.667	0.758	0.713	3.484
ITFC	5	250	0.50	4	3	original	ϕ_o	0.254	0.993	0.624	2.642
ITFC	5	250	0.70	4	3	original	ϕ_o	0.362	0.979	0.670	3.097
ITFC	5	250	1.00	4	3	original	ϕ_o	0.527	0.926	0.726	3.393
ITFC	5	500	0.50	2	5	original	ϕ_o	0.342	0.981	0.661	3.547
ITFC	5	500	0.70	2	5	original	ϕ_o	0.523	0.961	0.742	4.052
ITFC	5	500	1.00	2	5	original	ϕ_o	0.680	0.921	0.801	4.332
ITFC	5	750	0.50	2	5	original	ϕ_o	0.249	0.989	0.619	3.365
ITFC	5	750	0.70	2	5	original	ϕ_o	0.418	0.973	0.696	3.926
ITFC	5	750	1.00	2	5	original	ϕ_o	0.595	0.947	0.771	4.286
ITFC	5	1000	0.50	2	5	original	ϕ_o	0.208	0.993	0.601	3.304
ITFC	5	1000	0.70	2	5	original	ϕ_o	0.376	0.982	0.679	3.886
ITFC	5	1000	1.00	2	5	original	ϕ_o	0.561	0.957	0.759	4.272
ITFC	5	500	1.25	7	2	original	ϕ_o	0.394	0.818	0.606	2.482
ITFC	5	500	1.50	7	2	original	ϕ_o	0.474	0.718	0.596	2.527
ITFC	5	500	1.70	7	2	original	ϕ_o	0.518	0.629	0.573	2.557

ITFC	5	750	1.25	7	2	original	ϕ_o	0.284	0.921	0.603	2.440
ITFC	5	750	1.50	7	2	original	ϕ_o	0.368	0.856	0.612	2.503
ITFC	5	750	1.70	7	2	original	ϕ_o	0.426	0.795	0.611	2.526
ITFC	5	1000	1.25	7	2	original	ϕ_o	0.227	0.959	0.593	2.471
ITFC	5	1000	1.50	7	2	original	ϕ_o	0.309	0.919	0.614	2.538
ITFC	5	1000	1.70	7	2	original	ϕ_o	0.372	0.875	0.624	2.574
ITFC	5	10	0.50	7	2	original	ϕ_o	0.565	0.493	0.529	2.592
ITFC	5	10	0.70	7	2	original	ϕ_o	0.632	0.300	0.466	1.887
ITFC	5	10	1.00	7	2	original	ϕ_o	0.675	0.157	0.416	2.392
ITFC	5	100	0.50	7	2	original	ϕ_o	0.329	0.860	0.594	2.324
ITFC	5	100	0.70	7	2	original	ϕ_o	0.461	0.725	0.593	2.508
ITFC	5	100	1.00	7	2	original	ϕ_o	0.584	0.485	0.534	2.643
ITFC	5	250	0.50	7	2	original	ϕ_o	0.202	0.956	0.579	2.137
ITFC	5	250	0.70	7	2	original	ϕ_o	0.300	0.883	0.591	2.342
ITFC	5	250	1.00	7	2	original	ϕ_o	0.454	0.741	0.597	2.509
ITFC	5	500	0.50	2	3	original	ϕ_o	0.464	0.974	0.719	3.778
ITFC	5	500	0.70	2	3	original	ϕ_o	0.628	0.945	0.786	4.216
ITFC	5	500	1.00	2	3	original	ϕ_o	0.771	0.885	0.828	4.402
ITFC	5	750	0.50	2	3	original	ϕ_o	0.363	0.982	0.672	3.592
ITFC	5	750	0.70	2	3	original	ϕ_o	0.533	0.961	0.747	4.095
ITFC	5	750	1.00	2	3	original	ϕ_o	0.693	0.920	0.806	4.364
ITFC	5	1000	0.50	2	3	original	ϕ_o	0.293	0.987	0.640	3.443
ITFC	5	1000	0.70	2	3	original	ϕ_o	0.461	0.972	0.717	3.980
ITFC	5	1000	1.00	2	3	original	ϕ_o	0.626	0.940	0.783	4.317
ITFC	5	10	0.50	3	7	original	ϕ_o	0.730	0.775	0.753	3.129
ITFC	5	10	0.70	3	7	original	ϕ_o	0.815	0.539	0.677	2.519
ITFC	5	10	1.00	3	7	original	ϕ_o	0.857	0.246	0.552	2.535
ITFC	5	100	0.50	3	7	original	ϕ_o	0.431	0.940	0.686	3.380
ITFC	5	100	0.70	3	7	original	ϕ_o	0.594	0.885	0.740	3.643
ITFC	5	100	1.00	3	7	original	ϕ_o	0.732	0.734	0.733	3.657
ITFC	5	250	0.50	3	7	original	ϕ_o	0.226	0.976	0.601	3.023
ITFC	5	250	0.70	3	7	original	ϕ_o	0.382	0.949	0.666	3.480
ITFC	5	250	1.00	3	7	original	ϕ_o	0.564	0.894	0.729	3.679
ITFC	5	10	1.25	2	7	original	ϕ_o	0.963	0.090	0.526	1.909
ITFC	5	10	1.50	2	7	original	ϕ_o	0.963	0.056	0.510	2.820
ITFC	5	10	1.70	2	7	original	ϕ_o	0.963	0.056	0.510	2.822
ITFC	5	100	1.25	2	7	original	ϕ_o	0.923	0.632	0.777	3.691
ITFC	5	100	1.50	2	7	original	ϕ_o	0.946	0.454	0.700	2.859
ITFC	5	100	1.70	2	7	original	ϕ_o	0.954	0.295	0.625	2.851
ITFC	5	250	1.25	2	7	original	ϕ_o	0.830	0.825	0.827	4.343
ITFC	5	250	1.50	2	7	original	ϕ_o	0.883	0.745	0.814	3.699
ITFC	5	250	1.70	2	7	original	ϕ_o	0.913	0.665	0.789	3.688
ITFC	5	500	1.25	5	5	original	ϕ_o	0.366	0.938	0.652	3.143
ITFC	5	500	1.50	5	5	original	ϕ_o	0.450	0.908	0.679	3.178
ITFC	5	500	1.70	5	5	original	ϕ_o	0.510	0.871	0.691	3.183
ITFC	5	750	1.25	5	5	original	ϕ_o	0.302	0.952	0.627	3.114
ITFC	5	750	1.50	5	5	original	ϕ_o	0.383	0.932	0.657	3.162
ITFC	5	750	1.70	5	5	original	ϕ_o	0.450	0.905	0.678	3.174
ITFC	5	1000	1.25	5	5	original	ϕ_o	0.274	0.960	0.617	3.087
ITFC	5	1000	1.50	5	5	original	ϕ_o	0.353	0.940	0.647	3.141
ITFC	5	1000	1.70	5	5	original	ϕ_o	0.420	0.915	0.668	3.151
ITFC	5	500	1.25	3	2	original	ϕ_o	0.743	0.747	0.745	3.715
ITFC	5	500	1.50	3	2	original	ϕ_o	0.798	0.630	0.714	3.202
ITFC	5	500	1.70	3	2	original	ϕ_o	0.824	0.522	0.673	3.187
ITFC	5	750	1.25	3	2	original	ϕ_o	0.666	0.832	0.749	3.733
ITFC	5	750	1.50	3	2	original	ϕ_o	0.744	0.740	0.742	3.702
ITFC	5	750	1.70	3	2	original	ϕ_o	0.784	0.662	0.723	3.664
ITFC	5	1000	1.25	3	2	original	ϕ_o	0.586	0.884	0.735	3.728
ITFC	5	1000	1.50	3	2	original	ϕ_o	0.682	0.811	0.746	3.724
ITFC	5	1000	1.70	3	2	original	ϕ_o	0.736	0.746	0.741	3.694
ITFC	5	500	0.50	2	6	original	ϕ_o	0.299	0.983	0.641	3.504
ITFC	5	500	0.70	2	6	original	ϕ_o	0.478	0.964	0.721	4.031
ITFC	5	500	1.00	2	6	original	ϕ_o	0.646	0.931	0.788	4.339
ITFC	5	750	0.50	2	6	original	ϕ_o	0.217	0.991	0.604	3.341

ITFC	5	750	0.70	2	6	original	ϕ_o	0.386	0.977	0.681	3.921
ITFC	5	750	1.00	2	6	original	ϕ_o	0.569	0.951	0.760	4.289
ITFC	5	1000	0.50	2	6	original	ϕ_o	0.189	0.993	0.591	3.295
ITFC	5	1000	0.70	2	6	original	ϕ_o	0.355	0.982	0.668	3.889
ITFC	5	1000	1.00	2	6	original	ϕ_o	0.543	0.958	0.750	4.274
ITFC	5	500	0.20	3	7	original	ϕ_o	0.005	1.000	0.502	1.224
ITFC	5	750	0.20	3	7	original	ϕ_o	0.002	1.000	0.501	1.162
ITFC	5	1000	0.20	3	7	original	ϕ_o	0.002	1.000	0.501	1.145
ITFC	5	10	1.25	5	3	original	ϕ_o	0.748	0.116	0.432	2.753
ITFC	5	10	1.50	5	3	original	ϕ_o	0.748	0.105	0.426	3.123
ITFC	5	10	1.70	5	3	original	ϕ_o	0.748	0.103	0.425	2.761
ITFC	5	100	1.25	5	3	original	ϕ_o	0.705	0.331	0.518	2.689
ITFC	5	100	1.50	5	3	original	ϕ_o	0.727	0.201	0.464	2.720
ITFC	5	100	1.70	5	3	original	ϕ_o	0.735	0.148	0.441	2.728
ITFC	5	250	1.25	5	3	original	ϕ_o	0.607	0.653	0.630	3.051
ITFC	5	250	1.50	5	3	original	ϕ_o	0.667	0.481	0.574	3.091
ITFC	5	250	1.70	5	3	original	ϕ_o	0.699	0.362	0.530	3.113
ITFC	5	10	1.25	3	5	original	ϕ_o	0.865	0.090	0.478	2.518
ITFC	5	10	1.50	3	5	original	ϕ_o	0.866	0.073	0.469	2.522
ITFC	5	10	1.70	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	100	1.25	3	5	original	ϕ_o	0.819	0.465	0.642	3.148
ITFC	5	100	1.50	3	5	original	ϕ_o	0.845	0.291	0.568	2.517
ITFC	5	100	1.70	3	5	original	ϕ_o	0.856	0.197	0.526	2.520
ITFC	5	250	1.25	3	5	original	ϕ_o	0.715	0.753	0.734	3.598
ITFC	5	250	1.50	3	5	original	ϕ_o	0.779	0.630	0.704	3.155
ITFC	5	250	1.70	3	5	original	ϕ_o	0.810	0.511	0.660	3.135
ITFC	5	10	4.00	3	5	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	5	100	4.00	3	5	original	ϕ_o	0.865	0.074	0.469	2.520
ITFC	5	250	4.00	3	5	original	ϕ_o	0.864	0.082	0.473	2.514
ITFC	5	500	2.00	7	7	original	ϕ_o	0.416	0.870	0.643	2.774
ITFC	5	500	2.30	7	7	original	ϕ_o	0.489	0.781	0.635	2.798
ITFC	5	500	3.00	7	7	original	ϕ_o	0.590	0.552	0.571	2.817
ITFC	5	750	2.00	7	7	original	ϕ_o	0.409	0.875	0.642	2.772
ITFC	5	750	2.30	7	7	original	ϕ_o	0.482	0.789	0.636	2.792
ITFC	5	750	3.00	7	7	original	ϕ_o	0.584	0.566	0.575	2.809
ITFC	5	1000	2.00	7	7	original	ϕ_o	0.409	0.875	0.642	2.772
ITFC	5	1000	2.30	7	7	original	ϕ_o	0.482	0.791	0.636	2.793
ITFC	5	1000	3.00	7	7	original	ϕ_o	0.584	0.570	0.577	2.812
ITFC	5	10	2.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	2.30	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	3.00	2	5	original	ϕ_o	0.963	0.057	0.510	1.909
ITFC	5	100	2.00	2	5	original	ϕ_o	0.961	0.087	0.524	2.826
ITFC	5	100	2.30	2	5	original	ϕ_o	0.962	0.064	0.513	2.822
ITFC	5	100	3.00	2	5	original	ϕ_o	0.962	0.059	0.511	2.820
ITFC	5	250	2.00	2	5	original	ϕ_o	0.948	0.416	0.682	2.855
ITFC	5	250	2.30	2	5	original	ϕ_o	0.956	0.245	0.600	2.847
ITFC	5	250	3.00	2	5	original	ϕ_o	0.961	0.079	0.520	2.827
ITFC	5	500	1.25	2	3	original	ϕ_o	0.843	0.828	0.836	4.406
ITFC	5	500	1.50	2	3	original	ϕ_o	0.891	0.755	0.823	3.726
ITFC	5	500	1.70	2	3	original	ϕ_o	0.918	0.681	0.800	3.725
ITFC	5	750	1.25	2	3	original	ϕ_o	0.777	0.878	0.827	4.415
ITFC	5	750	1.50	2	3	original	ϕ_o	0.840	0.830	0.835	4.410
ITFC	5	750	1.70	2	3	original	ϕ_o	0.876	0.785	0.830	4.386
ITFC	5	1000	1.25	2	3	original	ϕ_o	0.717	0.906	0.811	4.403
ITFC	5	1000	1.50	2	3	original	ϕ_o	0.787	0.867	0.827	4.423
ITFC	5	1000	1.70	2	3	original	ϕ_o	0.833	0.833	0.833	4.412
ITFC	5	10	1.25	2	4	original	ϕ_o	0.963	0.076	0.519	1.909
ITFC	5	10	1.50	2	4	original	ϕ_o	0.963	0.056	0.510	2.823
ITFC	5	10	1.70	2	4	original	ϕ_o	0.963	0.056	0.510	1.878
ITFC	5	100	1.25	2	4	original	ϕ_o	0.941	0.495	0.718	2.855
ITFC	5	100	1.50	2	4	original	ϕ_o	0.955	0.287	0.621	2.848
ITFC	5	100	1.70	2	4	original	ϕ_o	0.959	0.158	0.558	2.835
ITFC	5	250	1.25	2	4	original	ϕ_o	0.891	0.735	0.813	3.694
ITFC	5	250	1.50	2	4	original	ϕ_o	0.924	0.612	0.768	3.686

ITFC	5	250	1.70	2	4	original	ϕ_o	0.940	0.499	0.720	2.851
ITFC	5	500	1.25	7	6	original	ϕ_o	0.223	0.971	0.597	2.602
ITFC	5	500	1.50	7	6	original	ϕ_o	0.288	0.948	0.618	2.683
ITFC	5	500	1.70	7	6	original	ϕ_o	0.350	0.916	0.633	2.720
ITFC	5	750	1.25	7	6	original	ϕ_o	0.202	0.974	0.588	2.603
ITFC	5	750	1.50	7	6	original	ϕ_o	0.262	0.956	0.609	2.687
ITFC	5	750	1.70	7	6	original	ϕ_o	0.322	0.931	0.626	2.736
ITFC	5	1000	1.25	7	6	original	ϕ_o	0.200	0.974	0.587	2.605
ITFC	5	1000	1.50	7	6	original	ϕ_o	0.261	0.956	0.608	2.691
ITFC	5	1000	1.70	7	6	original	ϕ_o	0.321	0.932	0.626	2.740
ITFC	5	500	2.00	5	4	original	ϕ_o	0.619	0.685	0.652	3.117
ITFC	5	500	2.30	5	4	original	ϕ_o	0.669	0.551	0.610	3.126
ITFC	5	500	3.00	5	4	original	ϕ_o	0.721	0.283	0.502	2.736
ITFC	5	750	2.00	5	4	original	ϕ_o	0.546	0.808	0.677	3.124
ITFC	5	750	2.30	5	4	original	ϕ_o	0.611	0.705	0.658	3.142
ITFC	5	750	3.00	5	4	original	ϕ_o	0.697	0.440	0.569	3.184
ITFC	5	1000	2.00	5	4	original	ϕ_o	0.498	0.856	0.677	3.119
ITFC	5	1000	2.30	5	4	original	ϕ_o	0.571	0.770	0.671	3.138
ITFC	5	1000	3.00	5	4	original	ϕ_o	0.674	0.525	0.599	3.188
ITFC	5	500	0.50	6	4	original	ϕ_o	0.159	0.992	0.575	2.250
ITFC	5	500	0.70	6	4	original	ϕ_o	0.256	0.971	0.613	2.681
ITFC	5	500	1.00	6	4	original	ϕ_o	0.372	0.920	0.646	2.900
ITFC	5	750	0.50	6	4	original	ϕ_o	0.120	0.995	0.558	2.162
ITFC	5	750	0.70	6	4	original	ϕ_o	0.207	0.986	0.596	2.619
ITFC	5	750	1.00	6	4	original	ϕ_o	0.317	0.952	0.634	2.916
ITFC	5	1000	0.50	6	4	original	ϕ_o	0.101	0.997	0.549	2.136
ITFC	5	1000	0.70	6	4	original	ϕ_o	0.181	0.990	0.586	2.601
ITFC	5	1000	1.00	6	4	original	ϕ_o	0.294	0.967	0.630	2.935
ITFC	5	500	0.20	2	3	original	ϕ_o	0.070	0.999	0.534	1.963
ITFC	5	750	0.20	2	3	original	ϕ_o	0.040	0.999	0.520	1.794
ITFC	5	1000	0.20	2	3	original	ϕ_o	0.024	1.000	0.512	1.682
ITFC	5	500	4.00	4	5	original	ϕ_o	0.783	0.212	0.498	2.922
ITFC	5	750	4.00	4	5	original	ϕ_o	0.776	0.299	0.537	3.447
ITFC	5	1000	4.00	4	5	original	ϕ_o	0.772	0.343	0.557	2.942
ITFC	5	10	0.50	2	3	original	ϕ_o	0.875	0.797	0.836	3.650
ITFC	5	10	0.70	2	3	original	ϕ_o	0.934	0.584	0.759	2.856
ITFC	5	10	1.00	2	3	original	ϕ_o	0.961	0.236	0.598	1.921
ITFC	5	100	0.50	2	3	original	ϕ_o	0.734	0.920	0.827	4.246
ITFC	5	100	0.70	2	3	original	ϕ_o	0.845	0.837	0.841	3.666
ITFC	5	100	1.00	2	3	original	ϕ_o	0.922	0.662	0.792	3.722
ITFC	5	250	0.50	2	3	original	ϕ_o	0.602	0.955	0.778	4.035
ITFC	5	250	0.70	2	3	original	ϕ_o	0.751	0.906	0.829	4.349
ITFC	5	250	1.00	2	3	original	ϕ_o	0.860	0.813	0.836	4.399
ITFC	5	500	4.00	2	2	original	ϕ_o	0.963	0.061	0.512	2.826
ITFC	5	750	4.00	2	2	original	ϕ_o	0.961	0.069	0.515	2.822
ITFC	5	1000	4.00	2	2	original	ϕ_o	0.959	0.086	0.523	2.821
ITFC	5	10	0.50	5	3	original	ϕ_o	0.607	0.658	0.633	2.567
ITFC	5	10	0.70	5	3	original	ϕ_o	0.699	0.396	0.548	2.705
ITFC	5	10	1.00	5	3	original	ϕ_o	0.738	0.154	0.446	2.740
ITFC	5	100	0.50	5	3	original	ϕ_o	0.388	0.914	0.651	2.728
ITFC	5	100	0.70	5	3	original	ϕ_o	0.521	0.797	0.659	2.948
ITFC	5	100	1.00	5	3	original	ϕ_o	0.648	0.549	0.599	2.638
ITFC	5	250	0.50	5	3	original	ϕ_o	0.255	0.962	0.609	2.521
ITFC	5	250	0.70	5	3	original	ϕ_o	0.373	0.926	0.650	2.840
ITFC	5	250	1.00	5	3	original	ϕ_o	0.519	0.806	0.663	2.995
ITFC	5	500	0.50	4	5	original	ϕ_o	0.133	0.999	0.566	2.078
ITFC	5	500	0.70	4	5	original	ϕ_o	0.199	0.996	0.597	2.623
ITFC	5	500	1.00	4	5	original	ϕ_o	0.280	0.986	0.633	3.089
ITFC	5	750	0.50	4	5	original	ϕ_o	0.103	1.000	0.551	1.930
ITFC	5	750	0.70	4	5	original	ϕ_o	0.166	0.997	0.582	2.478
ITFC	5	750	1.00	4	5	original	ϕ_o	0.243	0.990	0.616	2.970
ITFC	5	1000	0.50	4	5	original	ϕ_o	0.084	1.000	0.542	1.885
ITFC	5	1000	0.70	4	5	original	ϕ_o	0.145	0.998	0.571	2.437
ITFC	5	1000	1.00	4	5	original	ϕ_o	0.224	0.991	0.608	2.940

ITFC	5	500	0.50	4	6	original	ϕ_o	0.114	0.999	0.557	1.990
ITFC	5	500	0.70	4	6	original	ϕ_o	0.182	0.997	0.590	2.559
ITFC	5	500	1.00	4	6	original	ϕ_o	0.267	0.990	0.628	3.069
ITFC	5	750	0.50	4	6	original	ϕ_o	0.093	1.000	0.546	1.879
ITFC	5	750	0.70	4	6	original	ϕ_o	0.157	0.998	0.577	2.456
ITFC	5	750	1.00	4	6	original	ϕ_o	0.240	0.992	0.616	2.982
ITFC	5	1000	0.50	4	6	original	ϕ_o	0.082	1.000	0.541	1.863
ITFC	5	1000	0.70	4	6	original	ϕ_o	0.143	0.998	0.571	2.441
ITFC	5	1000	1.00	4	6	original	ϕ_o	0.229	0.993	0.611	2.973
ITFC	5	500	1.25	4	7	original	ϕ_o	0.312	0.981	0.647	3.264
ITFC	5	500	1.50	4	7	original	ϕ_o	0.402	0.957	0.679	3.389
ITFC	5	500	1.70	4	7	original	ϕ_o	0.488	0.927	0.707	3.448
ITFC	5	750	1.25	4	7	original	ϕ_o	0.290	0.984	0.637	3.206
ITFC	5	750	1.50	4	7	original	ϕ_o	0.364	0.964	0.664	3.337
ITFC	5	750	1.70	4	7	original	ϕ_o	0.442	0.938	0.690	3.405
ITFC	5	1000	1.25	4	7	original	ϕ_o	0.287	0.984	0.635	3.204
ITFC	5	1000	1.50	4	7	original	ϕ_o	0.360	0.964	0.662	3.335
ITFC	5	1000	1.70	4	7	original	ϕ_o	0.438	0.939	0.688	3.400
ITFC	5	500	4.00	6	7	original	ϕ_o	0.727	0.158	0.442	2.117
ITFC	5	750	4.00	6	7	original	ϕ_o	0.728	0.181	0.455	2.126
ITFC	5	1000	4.00	6	7	original	ϕ_o	0.728	0.182	0.455	2.126
ITFC	5	10	2.00	5	4	original	ϕ_o	0.748	0.104	0.426	2.760
ITFC	5	10	2.30	5	4	original	ϕ_o	0.748	0.103	0.426	2.763
ITFC	5	10	3.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	2.00	5	4	original	ϕ_o	0.739	0.135	0.437	2.737
ITFC	5	100	2.30	5	4	original	ϕ_o	0.742	0.118	0.430	2.745
ITFC	5	100	3.00	5	4	original	ϕ_o	0.745	0.110	0.427	2.752
ITFC	5	250	2.00	5	4	original	ϕ_o	0.709	0.345	0.527	2.714
ITFC	5	250	2.30	5	4	original	ϕ_o	0.727	0.232	0.479	2.729
ITFC	5	250	3.00	5	4	original	ϕ_o	0.739	0.141	0.440	2.738
ITFC	5	10	1.25	6	3	original	ϕ_o	0.727	0.062	0.395	2.083
ITFC	5	10	1.50	6	3	original	ϕ_o	0.730	0.052	0.391	2.090
ITFC	5	10	1.70	6	3	original	ϕ_o	0.731	0.052	0.391	2.094
ITFC	5	100	1.25	6	3	original	ϕ_o	0.685	0.308	0.497	2.042
ITFC	5	100	1.50	6	3	original	ϕ_o	0.705	0.162	0.434	2.055
ITFC	5	100	1.70	6	3	original	ϕ_o	0.714	0.101	0.408	2.058
ITFC	5	250	1.25	6	3	original	ϕ_o	0.614	0.610	0.612	2.528
ITFC	5	250	1.50	6	3	original	ϕ_o	0.661	0.425	0.543	2.028
ITFC	5	250	1.70	6	3	original	ϕ_o	0.684	0.300	0.492	2.036
ITFC	5	500	4.00	5	7	original	ϕ_o	0.729	0.271	0.500	3.212
ITFC	5	750	4.00	5	7	original	ϕ_o	0.726	0.298	0.512	2.778
ITFC	5	1000	4.00	5	7	original	ϕ_o	0.726	0.299	0.513	2.780
ITFC	5	500	1.25	6	2	original	ϕ_o	0.572	0.631	0.602	2.434
ITFC	5	500	1.50	6	2	original	ϕ_o	0.628	0.461	0.544	2.459
ITFC	5	500	1.70	6	2	original	ϕ_o	0.659	0.330	0.494	1.984
ITFC	5	750	1.25	6	2	original	ϕ_o	0.492	0.782	0.637	2.760
ITFC	5	750	1.50	6	2	original	ϕ_o	0.566	0.654	0.610	2.444
ITFC	5	750	1.70	6	2	original	ϕ_o	0.607	0.539	0.573	2.452
ITFC	5	1000	1.25	6	2	original	ϕ_o	0.424	0.858	0.641	2.762
ITFC	5	1000	1.50	6	2	original	ϕ_o	0.501	0.774	0.638	2.773
ITFC	5	1000	1.70	6	2	original	ϕ_o	0.553	0.689	0.621	2.450
ITFC	5	500	0.50	5	4	original	ϕ_o	0.129	0.984	0.557	2.203
ITFC	5	500	0.70	5	4	original	ϕ_o	0.204	0.969	0.586	2.670
ITFC	5	500	1.00	5	4	original	ϕ_o	0.318	0.939	0.629	2.970
ITFC	5	750	0.50	5	4	original	ϕ_o	0.086	0.991	0.539	2.068
ITFC	5	750	0.70	5	4	original	ϕ_o	0.147	0.980	0.563	2.567
ITFC	5	750	1.00	5	4	original	ϕ_o	0.238	0.960	0.599	2.926
ITFC	5	1000	0.50	5	4	original	ϕ_o	0.065	0.994	0.529	1.992
ITFC	5	1000	0.70	5	4	original	ϕ_o	0.117	0.986	0.551	2.506
ITFC	5	1000	1.00	5	4	original	ϕ_o	0.195	0.971	0.583	2.892
ITFC	5	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	5	100	4.00	3	2	original	ϕ_o	0.865	0.073	0.469	2.519
ITFC	5	250	4.00	3	2	original	ϕ_o	0.865	0.074	0.470	2.518
ITFC	5	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825

ITFC	5	100	4.00	2	7	original	ϕ_o	0.963	0.058	0.511	2.823
ITFC	5	250	4.00	2	7	original	ϕ_o	0.962	0.066	0.514	2.818
ITFC	5	10	2.00	3	4	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	10	2.30	3	4	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	5	10	3.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	5	100	2.00	3	4	original	ϕ_o	0.864	0.111	0.487	2.523
ITFC	5	100	2.30	3	4	original	ϕ_o	0.865	0.085	0.475	2.521
ITFC	5	100	3.00	3	4	original	ϕ_o	0.865	0.075	0.470	2.521
ITFC	5	250	2.00	3	4	original	ϕ_o	0.846	0.280	0.563	2.518
ITFC	5	250	2.30	3	4	original	ϕ_o	0.857	0.186	0.522	2.520
ITFC	5	250	3.00	3	4	original	ϕ_o	0.863	0.099	0.481	2.517
ITFC	5	500	0.20	3	3	original	ϕ_o	0.025	0.999	0.512	1.468
ITFC	5	750	0.20	3	3	original	ϕ_o	0.013	1.000	0.506	1.338
ITFC	5	1000	0.20	3	3	original	ϕ_o	0.007	1.000	0.503	1.254
ITFC	5	10	4.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	4.00	5	6	original	ϕ_o	0.746	0.110	0.428	2.752
ITFC	5	250	4.00	5	6	original	ϕ_o	0.741	0.148	0.445	2.058
ITFC	5	10	0.50	5	7	original	ϕ_o	0.561	0.823	0.692	3.068
ITFC	5	10	0.70	5	7	original	ϕ_o	0.660	0.625	0.642	2.738
ITFC	5	10	1.00	5	7	original	ϕ_o	0.729	0.319	0.524	2.181
ITFC	5	100	0.50	5	7	original	ϕ_o	0.272	0.961	0.616	2.648
ITFC	5	100	0.70	5	7	original	ϕ_o	0.396	0.929	0.662	3.003
ITFC	5	100	1.00	5	7	original	ϕ_o	0.535	0.835	0.685	3.116
ITFC	5	250	0.50	5	7	original	ϕ_o	0.138	0.978	0.558	2.310
ITFC	5	250	0.70	5	7	original	ϕ_o	0.233	0.961	0.597	2.782
ITFC	5	250	1.00	5	7	original	ϕ_o	0.352	0.935	0.643	3.085
ITFC	5	500	4.00	2	7	original	ϕ_o	0.959	0.149	0.554	2.831
ITFC	5	750	4.00	2	7	original	ϕ_o	0.961	0.259	0.610	2.862
ITFC	5	1000	4.00	2	7	original	ϕ_o	0.960	0.261	0.611	2.862
ITFC	5	10	1.25	7	7	original	ϕ_o	0.671	0.165	0.418	2.383
ITFC	5	10	1.50	7	7	original	ϕ_o	0.678	0.131	0.405	2.379
ITFC	5	10	1.70	7	7	original	ϕ_o	0.680	0.119	0.399	1.923
ITFC	5	100	1.25	7	7	original	ϕ_o	0.476	0.859	0.667	2.856
ITFC	5	100	1.50	7	7	original	ϕ_o	0.549	0.725	0.637	2.882
ITFC	5	100	1.70	7	7	original	ϕ_o	0.588	0.592	0.590	2.872
ITFC	5	250	1.25	7	7	original	ϕ_o	0.276	0.968	0.622	2.694
ITFC	5	250	1.50	7	7	original	ϕ_o	0.356	0.937	0.646	2.773
ITFC	5	250	1.70	7	7	original	ϕ_o	0.421	0.895	0.658	2.818
ITFC	5	500	2.00	5	3	original	ϕ_o	0.665	0.509	0.587	3.102
ITFC	5	500	2.30	5	3	original	ϕ_o	0.699	0.375	0.537	2.695
ITFC	5	500	3.00	5	3	original	ϕ_o	0.729	0.202	0.466	2.730
ITFC	5	750	2.00	5	3	original	ϕ_o	0.599	0.692	0.646	3.095
ITFC	5	750	2.30	5	3	original	ϕ_o	0.654	0.555	0.604	3.131
ITFC	5	750	3.00	5	3	original	ϕ_o	0.715	0.312	0.514	3.190
ITFC	5	1000	2.00	5	3	original	ϕ_o	0.543	0.796	0.669	3.092
ITFC	5	1000	2.30	5	3	original	ϕ_o	0.609	0.679	0.644	3.121
ITFC	5	1000	3.00	5	3	original	ϕ_o	0.696	0.410	0.553	3.194
ITFC	5	500	1.25	2	5	original	ϕ_o	0.763	0.881	0.822	4.388
ITFC	5	500	1.50	2	5	original	ϕ_o	0.823	0.836	0.830	4.382
ITFC	5	500	1.70	2	5	original	ϕ_o	0.862	0.792	0.827	3.706
ITFC	5	750	1.25	2	5	original	ϕ_o	0.687	0.918	0.802	4.385
ITFC	5	750	1.50	2	5	original	ϕ_o	0.757	0.885	0.821	4.415
ITFC	5	750	1.70	2	5	original	ϕ_o	0.803	0.856	0.829	4.418
ITFC	5	1000	1.25	2	5	original	ϕ_o	0.659	0.932	0.796	4.381
ITFC	5	1000	1.50	2	5	original	ϕ_o	0.733	0.899	0.816	4.423
ITFC	5	1000	1.70	2	5	original	ϕ_o	0.782	0.870	0.826	4.423
ITFC	5	10	0.20	3	3	original	ϕ_o	0.387	0.958	0.673	2.680
ITFC	5	100	0.20	3	3	original	ϕ_o	0.143	0.992	0.567	2.040
ITFC	5	250	0.20	3	3	original	ϕ_o	0.063	0.997	0.530	1.713
ITFC	5	10	1.25	6	5	original	ϕ_o	0.724	0.090	0.407	2.077
ITFC	5	10	1.50	6	5	original	ϕ_o	0.728	0.059	0.394	2.086
ITFC	5	10	1.70	6	5	original	ϕ_o	0.730	0.052	0.391	2.089
ITFC	5	100	1.25	6	5	original	ϕ_o	0.654	0.474	0.564	2.567
ITFC	5	100	1.50	6	5	original	ϕ_o	0.688	0.299	0.494	2.054

ITFC	5	100	1.70	6	5	original	ϕ_o	0.702	0.200	0.451	2.055
ITFC	5	250	1.25	6	5	original	ϕ_o	0.544	0.778	0.661	2.970
ITFC	5	250	1.50	6	5	original	ϕ_o	0.608	0.638	0.623	2.568
ITFC	5	250	1.70	6	5	original	ϕ_o	0.645	0.516	0.581	2.046
ITFC	5	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
ITFC	5	100	4.00	7	2	original	ϕ_o	0.679	0.112	0.396	2.373
ITFC	5	250	4.00	7	2	original	ϕ_o	0.665	0.119	0.392	2.307
ITFC	5	10	1.25	3	2	original	ϕ_o	0.865	0.081	0.473	2.516
ITFC	5	10	1.50	3	2	original	ϕ_o	0.866	0.072	0.469	2.518
ITFC	5	10	1.70	3	2	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	5	100	1.25	3	2	original	ϕ_o	0.850	0.309	0.580	2.534
ITFC	5	100	1.50	3	2	original	ϕ_o	0.860	0.171	0.515	2.527
ITFC	5	100	1.70	3	2	original	ϕ_o	0.863	0.114	0.489	2.522
ITFC	5	250	1.25	3	2	original	ϕ_o	0.813	0.574	0.693	3.208
ITFC	5	250	1.50	3	2	original	ϕ_o	0.841	0.388	0.614	2.534
ITFC	5	250	1.70	3	2	original	ϕ_o	0.853	0.270	0.561	2.532
ITFC	5	500	4.00	5	5	original	ϕ_o	0.738	0.208	0.473	3.204
ITFC	5	750	4.00	5	5	original	ϕ_o	0.732	0.261	0.497	3.221
ITFC	5	1000	4.00	5	5	original	ϕ_o	0.727	0.281	0.504	3.226
ITFC	5	500	1.25	5	2	original	ϕ_o	0.578	0.721	0.650	3.038
ITFC	5	500	1.50	5	2	original	ϕ_o	0.649	0.569	0.609	3.074
ITFC	5	500	1.70	5	2	original	ϕ_o	0.685	0.449	0.567	3.086
ITFC	5	750	1.25	5	2	original	ϕ_o	0.492	0.834	0.663	2.993
ITFC	5	750	1.50	5	2	original	ϕ_o	0.575	0.733	0.654	3.034
ITFC	5	750	1.70	5	2	original	ϕ_o	0.628	0.634	0.631	3.066
ITFC	5	1000	1.25	5	2	original	ϕ_o	0.417	0.890	0.654	2.987
ITFC	5	1000	1.50	5	2	original	ϕ_o	0.505	0.827	0.666	3.020
ITFC	5	1000	1.70	5	2	original	ϕ_o	0.565	0.756	0.661	3.040
ITFC	5	500	1.25	3	7	original	ϕ_o	0.496	0.918	0.707	3.718
ITFC	5	500	1.50	3	7	original	ϕ_o	0.600	0.874	0.737	3.737
ITFC	5	500	1.70	3	7	original	ϕ_o	0.665	0.826	0.745	3.715
ITFC	5	750	1.25	3	7	original	ϕ_o	0.425	0.935	0.680	3.711
ITFC	5	750	1.50	3	7	original	ϕ_o	0.537	0.901	0.719	3.742
ITFC	5	750	1.70	3	7	original	ϕ_o	0.613	0.864	0.739	3.735
ITFC	5	1000	1.25	3	7	original	ϕ_o	0.407	0.935	0.671	3.699
ITFC	5	1000	1.50	3	7	original	ϕ_o	0.520	0.902	0.711	3.721
ITFC	5	1000	1.70	3	7	original	ϕ_o	0.601	0.865	0.733	3.712
ITFC	5	10	4.00	7	4	original	ϕ_o	0.685	0.112	0.398	2.400
ITFC	5	100	4.00	7	4	original	ϕ_o	0.674	0.113	0.393	1.894
ITFC	5	250	4.00	7	4	original	ϕ_o	0.653	0.156	0.404	1.847
ITFC	5	500	0.50	5	6	original	ϕ_o	0.094	0.987	0.541	2.134
ITFC	5	500	0.70	5	6	original	ϕ_o	0.158	0.977	0.567	2.654
ITFC	5	500	1.00	5	6	original	ϕ_o	0.258	0.958	0.608	3.038
ITFC	5	750	0.50	5	6	original	ϕ_o	0.070	0.992	0.531	2.041
ITFC	5	750	0.70	5	6	original	ϕ_o	0.128	0.983	0.555	2.580
ITFC	5	750	1.00	5	6	original	ϕ_o	0.214	0.967	0.591	2.992
ITFC	5	1000	0.50	5	6	original	ϕ_o	0.062	0.995	0.528	2.019
ITFC	5	1000	0.70	5	6	original	ϕ_o	0.117	0.987	0.552	2.556
ITFC	5	1000	1.00	5	6	original	ϕ_o	0.201	0.973	0.587	2.970
ITFC	5	10	0.20	4	7	original	ϕ_o	0.209	0.995	0.602	1.794
ITFC	5	100	0.20	4	7	original	ϕ_o	0.067	1.000	0.533	1.146
ITFC	5	250	0.20	4	7	original	ϕ_o	0.034	1.000	0.517	0.941
ITFC	5	10	1.25	5	6	original	ϕ_o	0.742	0.163	0.453	2.764
ITFC	5	10	1.50	5	6	original	ϕ_o	0.746	0.124	0.435	2.183
ITFC	5	10	1.70	5	6	original	ϕ_o	0.747	0.111	0.429	2.757
ITFC	5	100	1.25	5	6	original	ϕ_o	0.645	0.657	0.651	3.138
ITFC	5	100	1.50	5	6	original	ϕ_o	0.695	0.494	0.594	2.739
ITFC	5	100	1.70	5	6	original	ϕ_o	0.718	0.368	0.543	2.753
ITFC	5	250	1.25	5	6	original	ϕ_o	0.487	0.885	0.686	3.172
ITFC	5	250	1.50	5	6	original	ϕ_o	0.563	0.810	0.686	3.168
ITFC	5	250	1.70	5	6	original	ϕ_o	0.610	0.731	0.670	3.164
ITFC	5	10	2.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	5	10	2.30	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	5	10	3.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520

ITFC	5	100	2.00	3	3	original	ϕ_o	0.864	0.096	0.480	2.520
ITFC	5	100	2.30	3	3	original	ϕ_o	0.865	0.081	0.473	2.519
ITFC	5	100	3.00	3	3	original	ϕ_o	0.865	0.074	0.470	2.519
ITFC	5	250	2.00	3	3	original	ϕ_o	0.855	0.208	0.532	2.523
ITFC	5	250	2.30	3	3	original	ϕ_o	0.861	0.138	0.499	2.520
ITFC	5	250	3.00	3	3	original	ϕ_o	0.864	0.087	0.475	2.516
ITFC	5	500	0.20	4	3	original	ϕ_o	0.046	1.000	0.523	1.004
ITFC	5	750	0.20	4	3	original	ϕ_o	0.031	1.000	0.515	0.926
ITFC	5	1000	0.20	4	3	original	ϕ_o	0.022	1.000	0.511	0.885
ITFC	5	500	4.00	2	3	original	ϕ_o	0.962	0.071	0.517	2.832
ITFC	5	750	4.00	2	3	original	ϕ_o	0.961	0.114	0.537	2.839
ITFC	5	1000	4.00	2	3	original	ϕ_o	0.959	0.190	0.574	2.847
ITFC	5	10	4.00	4	7	original	ϕ_o	0.788	0.097	0.443	2.726
ITFC	5	100	4.00	4	7	original	ϕ_o	0.786	0.107	0.446	2.867
ITFC	5	250	4.00	4	7	original	ϕ_o	0.783	0.157	0.470	2.891
ITFC	5	10	1.25	6	4	original	ϕ_o	0.728	0.064	0.396	2.083
ITFC	5	10	1.50	6	4	original	ϕ_o	0.730	0.052	0.391	2.091
ITFC	5	10	1.70	6	4	original	ϕ_o	0.731	0.052	0.392	2.094
ITFC	5	100	1.25	6	4	original	ϕ_o	0.684	0.362	0.523	2.065
ITFC	5	100	1.50	6	4	original	ϕ_o	0.707	0.196	0.451	2.066
ITFC	5	100	1.70	6	4	original	ϕ_o	0.716	0.117	0.416	1.414
ITFC	5	250	1.25	6	4	original	ϕ_o	0.589	0.676	0.632	2.555
ITFC	5	250	1.50	6	4	original	ϕ_o	0.648	0.504	0.576	2.052
ITFC	5	250	1.70	6	4	original	ϕ_o	0.677	0.376	0.526	2.055
ITFC	5	500	1.25	2	4	original	ϕ_o	0.800	0.848	0.824	4.358
ITFC	5	500	1.50	2	4	original	ϕ_o	0.862	0.784	0.823	3.688
ITFC	5	500	1.70	2	4	original	ϕ_o	0.893	0.724	0.809	3.692
ITFC	5	750	1.25	2	4	original	ϕ_o	0.721	0.896	0.808	4.364
ITFC	5	750	1.50	2	4	original	ϕ_o	0.791	0.853	0.822	4.363
ITFC	5	750	1.70	2	4	original	ϕ_o	0.838	0.812	0.825	3.694
ITFC	5	1000	1.25	2	4	original	ϕ_o	0.680	0.918	0.799	4.372
ITFC	5	1000	1.50	2	4	original	ϕ_o	0.753	0.879	0.816	4.390
ITFC	5	1000	1.70	2	4	original	ϕ_o	0.803	0.845	0.824	4.380
ITFC	5	500	4.00	4	6	original	ϕ_o	0.784	0.223	0.503	3.439
ITFC	5	750	4.00	4	6	original	ϕ_o	0.779	0.276	0.528	3.452
ITFC	5	1000	4.00	4	6	original	ϕ_o	0.778	0.296	0.537	3.451
ITFC	5	10	0.20	3	4	original	ϕ_o	0.370	0.963	0.666	2.622
ITFC	5	100	0.20	3	4	original	ϕ_o	0.113	0.992	0.553	1.959
ITFC	5	250	0.20	3	4	original	ϕ_o	0.040	0.998	0.519	1.621
ITFC	5	10	0.50	5	2	original	ϕ_o	0.632	0.601	0.616	2.604
ITFC	5	10	0.70	5	2	original	ϕ_o	0.716	0.333	0.524	2.731
ITFC	5	10	1.00	5	2	original	ϕ_o	0.744	0.151	0.448	2.750
ITFC	5	100	0.50	5	2	original	ϕ_o	0.438	0.869	0.653	2.769
ITFC	5	100	0.70	5	2	original	ϕ_o	0.575	0.713	0.644	2.996
ITFC	5	100	1.00	5	2	original	ϕ_o	0.692	0.419	0.555	2.701
ITFC	5	250	0.50	5	2	original	ϕ_o	0.322	0.932	0.627	2.597
ITFC	5	250	0.70	5	2	original	ϕ_o	0.450	0.859	0.654	2.872
ITFC	5	250	1.00	5	2	original	ϕ_o	0.600	0.673	0.637	2.625
ITFC	5	10	0.20	6	7	original	ϕ_o	0.184	0.993	0.589	1.742
ITFC	5	100	0.20	6	7	original	ϕ_o	0.056	0.999	0.527	1.312
ITFC	5	250	0.20	6	7	original	ϕ_o	0.020	1.000	0.510	1.153
ITFC	5	500	1.25	7	4	original	ϕ_o	0.236	0.964	0.600	2.649
ITFC	5	500	1.50	7	4	original	ϕ_o	0.310	0.937	0.624	2.713
ITFC	5	500	1.70	7	4	original	ϕ_o	0.371	0.904	0.637	2.736
ITFC	5	750	1.25	7	4	original	ϕ_o	0.192	0.969	0.580	2.609
ITFC	5	750	1.50	7	4	original	ϕ_o	0.254	0.953	0.603	2.685
ITFC	5	750	1.70	7	4	original	ϕ_o	0.311	0.931	0.621	2.721
ITFC	5	1000	1.25	7	4	original	ϕ_o	0.187	0.970	0.578	2.606
ITFC	5	1000	1.50	7	4	original	ϕ_o	0.247	0.954	0.601	2.689
ITFC	5	1000	1.70	7	4	original	ϕ_o	0.304	0.934	0.619	2.725
ITFC	5	10	0.20	2	2	original	ϕ_o	0.523	0.970	0.746	3.278
ITFC	5	100	0.20	2	2	original	ϕ_o	0.312	0.989	0.651	2.754
ITFC	5	250	0.20	2	2	original	ϕ_o	0.187	0.996	0.591	2.441
ITFC	5	10	2.00	6	5	original	ϕ_o	0.731	0.051	0.391	2.092

ITFC	5	10	2.30	6	5	original	ϕ_o	0.732	0.052	0.392	2.095
ITFC	5	10	3.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	2.00	6	5	original	ϕ_o	0.713	0.115	0.414	1.406
ITFC	5	100	2.30	6	5	original	ϕ_o	0.718	0.079	0.399	1.409
ITFC	5	100	3.00	6	5	original	ϕ_o	0.724	0.055	0.390	2.070
ITFC	5	250	2.00	6	5	original	ϕ_o	0.681	0.354	0.518	2.056
ITFC	5	250	2.30	6	5	original	ϕ_o	0.700	0.232	0.466	2.058
ITFC	5	250	3.00	6	5	original	ϕ_o	0.716	0.102	0.409	2.059
ITFC	5	10	0.50	2	5	original	ϕ_o	0.861	0.821	0.841	3.626
ITFC	5	10	0.70	2	5	original	ϕ_o	0.925	0.635	0.780	2.850
ITFC	5	10	1.00	2	5	original	ϕ_o	0.958	0.285	0.622	2.854
ITFC	5	100	0.50	2	5	original	ϕ_o	0.674	0.934	0.804	4.139
ITFC	5	100	0.70	2	5	original	ϕ_o	0.801	0.871	0.836	4.373
ITFC	5	100	1.00	2	5	original	ϕ_o	0.893	0.735	0.814	3.699
ITFC	5	250	0.50	2	5	original	ϕ_o	0.515	0.965	0.740	3.849
ITFC	5	250	0.70	2	5	original	ϕ_o	0.674	0.930	0.802	4.246
ITFC	5	250	1.00	2	5	original	ϕ_o	0.802	0.860	0.831	4.390
ITFC	5	500	0.50	7	2	original	ϕ_o	0.126	0.986	0.556	1.896
ITFC	5	500	0.70	7	2	original	ϕ_o	0.183	0.969	0.576	2.202
ITFC	5	500	1.00	7	2	original	ϕ_o	0.293	0.905	0.599	2.402
ITFC	5	750	0.50	7	2	original	ϕ_o	0.091	0.993	0.542	1.723
ITFC	5	750	0.70	7	2	original	ϕ_o	0.129	0.985	0.557	2.075
ITFC	5	750	1.00	7	2	original	ϕ_o	0.201	0.964	0.583	2.332
ITFC	5	1000	0.50	7	2	original	ϕ_o	0.075	0.995	0.535	1.668
ITFC	5	1000	0.70	7	2	original	ϕ_o	0.104	0.990	0.547	2.036
ITFC	5	1000	1.00	7	2	original	ϕ_o	0.159	0.980	0.569	2.344
ITFC	5	500	0.50	7	3	original	ϕ_o	0.091	0.994	0.543	1.841
ITFC	5	500	0.70	7	3	original	ϕ_o	0.131	0.985	0.558	2.216
ITFC	5	500	1.00	7	3	original	ϕ_o	0.201	0.965	0.583	2.472
ITFC	5	750	0.50	7	3	original	ϕ_o	0.075	0.997	0.536	1.691
ITFC	5	750	0.70	7	3	original	ϕ_o	0.103	0.990	0.547	2.083
ITFC	5	750	1.00	7	3	original	ϕ_o	0.149	0.977	0.563	2.381
ITFC	5	1000	0.50	7	3	original	ϕ_o	0.069	0.997	0.533	1.672
ITFC	5	1000	0.70	7	3	original	ϕ_o	0.096	0.992	0.544	2.065
ITFC	5	1000	1.00	7	3	original	ϕ_o	0.139	0.980	0.559	2.384
ITFC	5	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	5	100	4.00	4	3	original	ϕ_o	0.788	0.100	0.444	2.869
ITFC	5	250	4.00	4	3	original	ϕ_o	0.786	0.113	0.450	2.870
ITFC	5	500	4.00	5	3	original	ϕ_o	0.739	0.141	0.440	2.740
ITFC	5	750	4.00	5	3	original	ϕ_o	0.735	0.184	0.460	2.756
ITFC	5	1000	4.00	5	3	original	ϕ_o	0.732	0.224	0.478	3.221
ITFC	5	500	4.00	3	5	original	ϕ_o	0.859	0.134	0.497	2.517
ITFC	5	750	4.00	3	5	original	ϕ_o	0.855	0.212	0.533	2.526
ITFC	5	1000	4.00	3	5	original	ϕ_o	0.853	0.269	0.561	3.111
ITFC	5	10	0.50	6	3	original	ϕ_o	0.577	0.707	0.642	2.486
ITFC	5	10	0.70	6	3	original	ϕ_o	0.670	0.405	0.537	2.041
ITFC	5	10	1.00	6	3	original	ϕ_o	0.717	0.125	0.421	2.075
ITFC	5	100	0.50	6	3	original	ϕ_o	0.393	0.924	0.658	2.724
ITFC	5	100	0.70	6	3	original	ϕ_o	0.521	0.803	0.662	2.882
ITFC	5	100	1.00	6	3	original	ϕ_o	0.642	0.521	0.582	2.024
ITFC	5	250	0.50	6	3	original	ϕ_o	0.277	0.969	0.623	2.521
ITFC	5	250	0.70	6	3	original	ϕ_o	0.395	0.914	0.655	2.803
ITFC	5	250	1.00	6	3	original	ϕ_o	0.532	0.781	0.657	2.506
ITFC	5	500	0.20	2	7	original	ϕ_o	0.017	1.000	0.508	1.602
ITFC	5	750	0.20	2	7	original	ϕ_o	0.008	1.000	0.504	1.524
ITFC	5	1000	0.20	2	7	original	ϕ_o	0.006	1.000	0.503	1.502
ITFC	5	10	2.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	5	10	2.30	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	3.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	2.00	2	6	original	ϕ_o	0.961	0.110	0.535	2.831
ITFC	5	100	2.30	2	6	original	ϕ_o	0.962	0.068	0.515	2.825
ITFC	5	100	3.00	2	6	original	ϕ_o	0.963	0.059	0.511	2.822
ITFC	5	250	2.00	2	6	original	ϕ_o	0.943	0.488	0.716	2.860
ITFC	5	250	2.30	2	6	original	ϕ_o	0.953	0.319	0.636	2.851

ITFC	5	250	3.00	2	6	original	ϕ_o	0.960	0.099	0.530	2.826
ITFC	5	500	0.20	3	6	original	ϕ_o	0.006	0.999	0.503	1.259
ITFC	5	750	0.20	3	6	original	ϕ_o	0.003	1.000	0.501	1.186
ITFC	5	1000	0.20	3	6	original	ϕ_o	0.002	1.000	0.501	1.164
ITFC	5	500	0.50	4	4	original	ϕ_o	0.141	0.999	0.570	2.116
ITFC	5	500	0.70	4	4	original	ϕ_o	0.209	0.996	0.603	2.664
ITFC	5	500	1.00	4	4	original	ϕ_o	0.292	0.987	0.640	3.130
ITFC	5	750	0.50	4	4	original	ϕ_o	0.110	1.000	0.555	1.946
ITFC	5	750	0.70	4	4	original	ϕ_o	0.175	0.998	0.586	2.494
ITFC	5	750	1.00	4	4	original	ϕ_o	0.249	0.992	0.621	2.991
ITFC	5	1000	0.50	4	4	original	ϕ_o	0.091	1.000	0.545	1.888
ITFC	5	1000	0.70	4	4	original	ϕ_o	0.153	0.999	0.576	2.434
ITFC	5	1000	1.00	4	4	original	ϕ_o	0.229	0.993	0.611	2.940
ITFC	5	10	2.00	7	5	original	ϕ_o	0.683	0.112	0.397	1.928
ITFC	5	10	2.30	7	5	original	ϕ_o	0.683	0.109	0.396	2.388
ITFC	5	10	3.00	7	5	original	ϕ_o	0.684	0.109	0.397	1.936
ITFC	5	100	2.00	7	5	original	ϕ_o	0.637	0.335	0.486	2.366
ITFC	5	100	2.30	7	5	original	ϕ_o	0.653	0.256	0.455	2.353
ITFC	5	100	3.00	7	5	original	ϕ_o	0.667	0.171	0.419	2.342
ITFC	5	250	2.00	7	5	original	ϕ_o	0.523	0.706	0.614	2.711
ITFC	5	250	2.30	7	5	original	ϕ_o	0.568	0.565	0.566	2.691
ITFC	5	250	3.00	7	5	original	ϕ_o	0.622	0.340	0.481	2.308
ITFC	5	10	0.20	7	5	original	ϕ_o	0.204	0.990	0.597	1.659
ITFC	5	100	0.20	7	5	original	ϕ_o	0.056	1.000	0.528	1.009
ITFC	5	250	0.20	7	5	original	ϕ_o	0.032	1.000	0.516	0.798
ITFC	5	500	0.20	3	4	original	ϕ_o	0.014	0.999	0.507	1.380
ITFC	5	750	0.20	3	4	original	ϕ_o	0.006	1.000	0.503	1.267
ITFC	5	1000	0.20	3	4	original	ϕ_o	0.003	1.000	0.502	1.211
ITFC	5	10	2.00	6	4	original	ϕ_o	0.732	0.052	0.392	1.433
ITFC	5	10	2.30	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	10	3.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	5	100	2.00	6	4	original	ϕ_o	0.722	0.069	0.396	1.417
ITFC	5	100	2.30	6	4	original	ϕ_o	0.725	0.058	0.392	2.076
ITFC	5	100	3.00	6	4	original	ϕ_o	0.729	0.054	0.391	2.085
ITFC	5	250	2.00	6	4	original	ϕ_o	0.701	0.222	0.461	2.058
ITFC	5	250	2.30	6	4	original	ϕ_o	0.713	0.129	0.421	2.060
ITFC	5	250	3.00	6	4	original	ϕ_o	0.721	0.065	0.393	2.066
ITFC	5	500	0.20	5	6	original	ϕ_o	0.008	0.999	0.504	0.859
ITFC	5	750	0.20	5	6	original	ϕ_o	0.004	1.000	0.502	0.810
ITFC	5	1000	0.20	5	6	original	ϕ_o	0.003	1.000	0.501	0.796
ITFC	5	10	0.50	6	4	original	ϕ_o	0.577	0.727	0.652	2.510
ITFC	5	10	0.70	6	4	original	ϕ_o	0.672	0.431	0.552	2.066
ITFC	5	10	1.00	6	4	original	ϕ_o	0.718	0.138	0.428	2.081
ITFC	5	100	0.50	6	4	original	ϕ_o	0.375	0.939	0.657	2.731
ITFC	5	100	0.70	6	4	original	ϕ_o	0.502	0.838	0.670	2.917
ITFC	5	100	1.00	6	4	original	ϕ_o	0.633	0.575	0.604	2.574
ITFC	5	250	0.50	6	4	original	ϕ_o	0.253	0.977	0.615	2.478
ITFC	5	250	0.70	6	4	original	ϕ_o	0.366	0.933	0.649	2.818
ITFC	5	250	1.00	6	4	original	ϕ_o	0.501	0.824	0.663	2.919
ITFC	5	500	0.50	4	3	original	ϕ_o	0.167	0.999	0.583	2.290
ITFC	5	500	0.70	4	3	original	ϕ_o	0.244	0.994	0.619	2.812
ITFC	5	500	1.00	4	3	original	ϕ_o	0.359	0.979	0.669	3.226
ITFC	5	750	0.50	4	3	original	ϕ_o	0.132	1.000	0.566	2.100
ITFC	5	750	0.70	4	3	original	ϕ_o	0.197	0.998	0.597	2.636
ITFC	5	750	1.00	4	3	original	ϕ_o	0.283	0.988	0.636	3.097
ITFC	5	1000	0.50	4	3	original	ϕ_o	0.110	1.000	0.555	1.988
ITFC	5	1000	0.70	4	3	original	ϕ_o	0.170	0.998	0.584	2.525
ITFC	5	1000	1.00	4	3	original	ϕ_o	0.246	0.992	0.619	3.012
ITFC	5	500	1.25	6	5	original	ϕ_o	0.422	0.912	0.667	3.025
ITFC	5	500	1.50	6	5	original	ϕ_o	0.501	0.855	0.678	3.050
ITFC	5	500	1.70	6	5	original	ϕ_o	0.554	0.794	0.674	3.051
ITFC	5	750	1.25	6	5	original	ϕ_o	0.378	0.940	0.659	3.057
ITFC	5	750	1.50	6	5	original	ϕ_o	0.458	0.900	0.679	3.103
ITFC	5	750	1.70	6	5	original	ϕ_o	0.513	0.858	0.685	3.118

ITFC	5	1000	1.25	6	5	original	ϕ_o	0.366	0.947	0.657	3.067
ITFC	5	1000	1.50	6	5	original	ϕ_o	0.449	0.910	0.679	3.119
ITFC	5	1000	1.70	6	5	original	ϕ_o	0.504	0.872	0.688	3.130
ITFC	5	10	0.20	6	2	original	ϕ_o	0.274	0.950	0.612	2.002
ITFC	5	100	0.20	6	2	original	ϕ_o	0.160	0.991	0.576	1.703
ITFC	5	250	0.20	6	2	original	ϕ_o	0.111	0.997	0.554	1.535
ITFC	5	10	0.50	6	2	original	ϕ_o	0.588	0.559	0.573	1.900
ITFC	5	10	0.70	6	2	original	ϕ_o	0.679	0.299	0.489	2.020
ITFC	5	10	1.00	6	2	original	ϕ_o	0.722	0.087	0.404	2.072
ITFC	5	100	0.50	6	2	original	ϕ_o	0.441	0.833	0.637	2.616
ITFC	5	100	0.70	6	2	original	ϕ_o	0.564	0.634	0.599	2.402
ITFC	5	100	1.00	6	2	original	ϕ_o	0.666	0.337	0.501	2.002
ITFC	5	250	0.50	6	2	original	ϕ_o	0.336	0.931	0.633	2.507
ITFC	5	250	0.70	6	2	original	ϕ_o	0.459	0.819	0.639	2.700
ITFC	5	250	1.00	6	2	original	ϕ_o	0.591	0.580	0.585	2.444
ITFC	5	10	0.20	5	2	original	ϕ_o	0.286	0.950	0.618	2.009
ITFC	5	100	0.20	5	2	original	ϕ_o	0.144	0.978	0.561	1.594
ITFC	5	250	0.20	5	2	original	ϕ_o	0.087	0.985	0.536	1.368
ITFC	5	500	2.00	3	5	original	ϕ_o	0.766	0.663	0.715	3.154
ITFC	5	500	2.30	3	5	original	ϕ_o	0.804	0.545	0.675	3.131
ITFC	5	500	3.00	3	5	original	ϕ_o	0.845	0.291	0.568	2.523
ITFC	5	750	2.00	3	5	original	ϕ_o	0.710	0.762	0.736	3.621
ITFC	5	750	2.30	3	5	original	ϕ_o	0.763	0.671	0.717	3.596
ITFC	5	750	3.00	3	5	original	ϕ_o	0.828	0.435	0.631	3.120
ITFC	5	1000	2.00	3	5	original	ϕ_o	0.682	0.804	0.743	3.681
ITFC	5	1000	2.30	3	5	original	ϕ_o	0.742	0.720	0.731	3.653
ITFC	5	1000	3.00	3	5	original	ϕ_o	0.817	0.505	0.661	3.594
ITFC	5	500	0.20	7	2	original	ϕ_o	0.048	0.999	0.524	0.928
ITFC	5	750	0.20	7	2	original	ϕ_o	0.040	1.000	0.520	0.820
ITFC	5	1000	0.20	7	2	original	ϕ_o	0.035	1.000	0.517	0.776
ITFC	5	10	0.50	7	4	original	ϕ_o	0.516	0.756	0.636	2.724
ITFC	5	10	0.70	7	4	original	ϕ_o	0.612	0.496	0.554	2.416
ITFC	5	10	1.00	7	4	original	ϕ_o	0.668	0.237	0.453	2.417
ITFC	5	100	0.50	7	4	original	ϕ_o	0.241	0.969	0.605	2.337
ITFC	5	100	0.70	7	4	original	ϕ_o	0.340	0.922	0.631	2.599
ITFC	5	100	1.00	7	4	original	ϕ_o	0.483	0.773	0.628	2.695
ITFC	5	250	0.50	7	4	original	ϕ_o	0.135	0.989	0.562	1.975
ITFC	5	250	0.70	7	4	original	ϕ_o	0.201	0.974	0.588	2.352
ITFC	5	250	1.00	7	4	original	ϕ_o	0.298	0.936	0.617	2.578
ITFC	5	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	5	100	4.00	5	3	original	ϕ_o	0.747	0.105	0.426	2.760
ITFC	5	250	4.00	5	3	original	ϕ_o	0.744	0.116	0.430	2.748
ITFC	5	500	0.50	6	6	original	ϕ_o	0.106	0.996	0.551	2.143
ITFC	5	500	0.70	6	6	original	ϕ_o	0.197	0.987	0.592	2.644
ITFC	5	500	1.00	6	6	original	ϕ_o	0.317	0.962	0.639	2.973
ITFC	5	750	0.50	6	6	original	ϕ_o	0.083	0.998	0.540	2.099
ITFC	5	750	0.70	6	6	original	ϕ_o	0.164	0.993	0.578	2.610
ITFC	5	750	1.00	6	6	original	ϕ_o	0.281	0.973	0.627	2.972
ITFC	5	1000	0.50	6	6	original	ϕ_o	0.077	0.998	0.538	2.093
ITFC	5	1000	0.70	6	6	original	ϕ_o	0.156	0.994	0.575	2.605
ITFC	5	1000	1.00	6	6	original	ϕ_o	0.274	0.975	0.624	2.968
ITFC	5	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	100	4.00	2	4	original	ϕ_o	0.963	0.058	0.510	1.907
ITFC	5	250	4.00	2	4	original	ϕ_o	0.961	0.062	0.511	2.818
ITFC	5	10	1.25	5	5	original	ϕ_o	0.744	0.155	0.449	2.768
ITFC	5	10	1.50	5	5	original	ϕ_o	0.747	0.117	0.432	2.759
ITFC	5	10	1.70	5	5	original	ϕ_o	0.748	0.107	0.428	2.760
ITFC	5	100	1.25	5	5	original	ϕ_o	0.665	0.581	0.623	3.166
ITFC	5	100	1.50	5	5	original	ϕ_o	0.709	0.404	0.557	3.190
ITFC	5	100	1.70	5	5	original	ϕ_o	0.726	0.290	0.508	2.762
ITFC	5	250	1.25	5	5	original	ϕ_o	0.520	0.847	0.683	3.132
ITFC	5	250	1.50	5	5	original	ϕ_o	0.591	0.746	0.669	3.148
ITFC	5	250	1.70	5	5	original	ϕ_o	0.637	0.653	0.645	3.175
ITFC	5	10	2.00	7	3	original	ϕ_o	0.682	0.110	0.396	2.733

ITFC	5	10	2.30	7	3	original	ϕ_o	0.683	0.109	0.396	2.386
ITFC	5	10	3.00	7	3	original	ϕ_o	0.684	0.111	0.398	2.394
ITFC	5	100	2.00	7	3	original	ϕ_o	0.672	0.203	0.437	2.394
ITFC	5	100	2.30	7	3	original	ϕ_o	0.677	0.167	0.422	2.389
ITFC	5	100	3.00	7	3	original	ϕ_o	0.679	0.130	0.405	2.378
ITFC	5	250	2.00	7	3	original	ϕ_o	0.615	0.390	0.502	2.658
ITFC	5	250	2.30	7	3	original	ϕ_o	0.641	0.308	0.475	2.348
ITFC	5	250	3.00	7	3	original	ϕ_o	0.666	0.203	0.435	2.361
ITFC	5	10	0.50	6	7	original	ϕ_o	0.546	0.831	0.689	2.971
ITFC	5	10	0.70	6	7	original	ϕ_o	0.646	0.591	0.618	2.056
ITFC	5	10	1.00	6	7	original	ϕ_o	0.709	0.253	0.481	2.088
ITFC	5	100	0.50	6	7	original	ϕ_o	0.293	0.971	0.632	2.603
ITFC	5	100	0.70	6	7	original	ϕ_o	0.422	0.921	0.671	2.921
ITFC	5	100	1.00	6	7	original	ϕ_o	0.560	0.790	0.675	3.030
ITFC	5	250	0.50	6	7	original	ϕ_o	0.172	0.990	0.581	2.291
ITFC	5	250	0.70	6	7	original	ϕ_o	0.276	0.973	0.624	2.757
ITFC	5	250	1.00	6	7	original	ϕ_o	0.408	0.928	0.668	2.999
ITFC	5	10	1.25	7	2	original	ϕ_o	0.680	0.127	0.404	2.738
ITFC	5	10	1.50	7	2	original	ϕ_o	0.683	0.117	0.400	1.941
ITFC	5	10	1.70	7	2	original	ϕ_o	0.684	0.113	0.398	2.400
ITFC	5	100	1.25	7	2	original	ϕ_o	0.628	0.318	0.473	2.327
ITFC	5	100	1.50	7	2	original	ϕ_o	0.650	0.219	0.434	2.331
ITFC	5	100	1.70	7	2	original	ϕ_o	0.659	0.176	0.418	1.882
ITFC	5	250	1.25	7	2	original	ϕ_o	0.539	0.593	0.566	2.582
ITFC	5	250	1.50	7	2	original	ϕ_o	0.588	0.442	0.515	2.614
ITFC	5	250	1.70	7	2	original	ϕ_o	0.611	0.349	0.480	1.837
ITFC	5	500	0.20	7	6	original	ϕ_o	0.014	1.000	0.507	0.682
ITFC	5	750	0.20	7	6	original	ϕ_o	0.010	1.000	0.505	0.667
ITFC	5	1000	0.20	7	6	original	ϕ_o	0.008	1.000	0.504	0.660
ITFC	5	10	0.20	3	6	original	ϕ_o	0.323	0.965	0.644	2.502
ITFC	5	100	0.20	3	6	original	ϕ_o	0.072	0.993	0.533	1.782
ITFC	5	250	0.20	3	6	original	ϕ_o	0.022	0.998	0.510	1.463
ITFC	5	10	0.20	2	6	original	ϕ_o	0.447	0.975	0.711	3.091
ITFC	5	100	0.20	2	6	original	ϕ_o	0.171	0.993	0.582	2.346
ITFC	5	250	0.20	2	6	original	ϕ_o	0.066	0.998	0.532	1.941
ITFC	5	500	2.00	4	4	original	ϕ_o	0.644	0.825	0.735	3.538
ITFC	5	500	2.30	4	4	original	ϕ_o	0.696	0.729	0.712	3.562
ITFC	5	500	3.00	4	4	original	ϕ_o	0.758	0.476	0.617	3.545
ITFC	5	750	2.00	4	4	original	ϕ_o	0.566	0.895	0.730	3.493
ITFC	5	750	2.30	4	4	original	ϕ_o	0.641	0.822	0.732	3.528
ITFC	5	750	3.00	4	4	original	ϕ_o	0.733	0.607	0.670	3.549
ITFC	5	1000	2.00	4	4	original	ϕ_o	0.533	0.906	0.720	3.472
ITFC	5	1000	2.30	4	4	original	ϕ_o	0.617	0.841	0.729	3.502
ITFC	5	1000	3.00	4	4	original	ϕ_o	0.721	0.645	0.683	3.532
ITFC	5	10	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	5	100	4.00	4	5	original	ϕ_o	0.788	0.101	0.445	2.871
ITFC	5	250	4.00	4	5	original	ϕ_o	0.785	0.122	0.454	2.282
ITFC	5	500	1.25	4	3	original	ϕ_o	0.475	0.951	0.713	3.389
ITFC	5	500	1.50	4	3	original	ϕ_o	0.567	0.905	0.736	3.464
ITFC	5	500	1.70	4	3	original	ϕ_o	0.619	0.856	0.738	3.502
ITFC	5	750	1.25	4	3	original	ϕ_o	0.374	0.975	0.674	3.308
ITFC	5	750	1.50	4	3	original	ϕ_o	0.477	0.947	0.712	3.409
ITFC	5	750	1.70	4	3	original	ϕ_o	0.545	0.916	0.731	3.451
ITFC	5	1000	1.25	4	3	original	ϕ_o	0.311	0.983	0.647	3.244
ITFC	5	1000	1.50	4	3	original	ϕ_o	0.405	0.966	0.685	3.370
ITFC	5	1000	1.70	4	3	original	ϕ_o	0.482	0.943	0.713	3.425
ITFC	5	500	0.20	7	3	original	ϕ_o	0.039	1.000	0.519	0.826
ITFC	5	750	0.20	7	3	original	ϕ_o	0.033	1.000	0.517	0.763
ITFC	5	1000	0.20	7	3	original	ϕ_o	0.030	1.000	0.515	0.748
ITFC	5	500	0.50	7	4	original	ϕ_o	0.075	0.997	0.536	1.717
ITFC	5	500	0.70	7	4	original	ϕ_o	0.114	0.991	0.553	2.146
ITFC	5	500	1.00	7	4	original	ϕ_o	0.175	0.979	0.577	2.512
ITFC	5	750	0.50	7	4	original	ϕ_o	0.066	0.998	0.532	1.634
ITFC	5	750	0.70	7	4	original	ϕ_o	0.098	0.992	0.545	2.064

ITFC	5	750	1.00	7	4	original	ϕ_o	0.145	0.981	0.563	2.447
ITFC	5	1000	0.50	7	4	original	ϕ_o	0.062	0.998	0.530	1.627
ITFC	5	1000	0.70	7	4	original	ϕ_o	0.094	0.992	0.543	2.058
ITFC	5	1000	1.00	7	4	original	ϕ_o	0.141	0.981	0.561	2.442
ITFC	5	500	0.50	3	6	original	ϕ_o	0.126	0.986	0.556	2.734
ITFC	5	500	0.70	3	6	original	ϕ_o	0.236	0.970	0.603	3.291
ITFC	5	500	1.00	3	6	original	ϕ_o	0.393	0.939	0.666	3.623
ITFC	5	750	0.50	3	6	original	ϕ_o	0.086	0.992	0.539	2.621
ITFC	5	750	0.70	3	6	original	ϕ_o	0.180	0.978	0.579	3.206
ITFC	5	750	1.00	3	6	original	ϕ_o	0.320	0.954	0.637	3.582
ITFC	5	1000	0.50	3	6	original	ϕ_o	0.079	0.994	0.536	2.593
ITFC	5	1000	0.70	3	6	original	ϕ_o	0.166	0.981	0.574	3.186
ITFC	5	1000	1.00	3	6	original	ϕ_o	0.300	0.958	0.629	3.572
ITFC	5	500	1.25	6	4	original	ϕ_o	0.459	0.857	0.658	2.930
ITFC	5	500	1.50	6	4	original	ϕ_o	0.538	0.772	0.655	2.920
ITFC	5	500	1.70	6	4	original	ϕ_o	0.589	0.681	0.635	2.568
ITFC	5	750	1.25	6	4	original	ϕ_o	0.400	0.912	0.656	2.979
ITFC	5	750	1.50	6	4	original	ϕ_o	0.479	0.857	0.668	3.000
ITFC	5	750	1.70	6	4	original	ϕ_o	0.533	0.801	0.667	2.997
ITFC	5	1000	1.25	6	4	original	ϕ_o	0.380	0.936	0.658	3.032
ITFC	5	1000	1.50	6	4	original	ϕ_o	0.460	0.892	0.676	3.069
ITFC	5	1000	1.70	6	4	original	ϕ_o	0.515	0.844	0.679	3.080
ITFC	5	10	0.50	5	5	original	ϕ_o	0.585	0.780	0.682	3.094
ITFC	5	10	0.70	5	5	original	ϕ_o	0.678	0.557	0.617	2.740
ITFC	5	10	1.00	5	5	original	ϕ_o	0.733	0.260	0.497	2.771
ITFC	5	100	0.50	5	5	original	ϕ_o	0.326	0.956	0.641	2.755
ITFC	5	100	0.70	5	5	original	ϕ_o	0.455	0.908	0.682	3.036
ITFC	5	100	1.00	5	5	original	ϕ_o	0.589	0.747	0.668	3.120
ITFC	5	250	0.50	5	5	original	ϕ_o	0.186	0.977	0.581	2.443
ITFC	5	250	0.70	5	5	original	ϕ_o	0.294	0.956	0.625	2.873
ITFC	5	250	1.00	5	5	original	ϕ_o	0.426	0.917	0.672	3.098
ITFC	5	10	2.00	4	7	original	ϕ_o	0.789	0.096	0.443	2.868
ITFC	5	10	2.30	4	7	original	ϕ_o	0.789	0.097	0.443	2.870
ITFC	5	10	3.00	4	7	original	ϕ_o	0.789	0.098	0.443	2.872
ITFC	5	100	2.00	4	7	original	ϕ_o	0.771	0.353	0.562	2.951
ITFC	5	100	2.30	4	7	original	ϕ_o	0.780	0.228	0.504	2.915
ITFC	5	100	3.00	4	7	original	ϕ_o	0.785	0.123	0.454	2.281
ITFC	5	250	2.00	4	7	original	ϕ_o	0.707	0.725	0.716	3.573
ITFC	5	250	2.30	4	7	original	ϕ_o	0.740	0.600	0.670	3.571
ITFC	5	250	3.00	4	7	original	ϕ_o	0.774	0.322	0.548	2.956
ITFC	5	500	2.00	7	2	original	ϕ_o	0.564	0.494	0.529	2.579
ITFC	5	500	2.30	7	2	original	ϕ_o	0.593	0.383	0.488	2.592
ITFC	5	500	3.00	7	2	original	ϕ_o	0.625	0.223	0.424	2.586
ITFC	5	750	2.00	7	2	original	ϕ_o	0.491	0.691	0.591	2.553
ITFC	5	750	2.30	7	2	original	ϕ_o	0.536	0.583	0.560	2.570
ITFC	5	750	3.00	7	2	original	ϕ_o	0.597	0.367	0.482	2.593
ITFC	5	1000	2.00	7	2	original	ϕ_o	0.449	0.795	0.622	2.614
ITFC	5	1000	2.30	7	2	original	ϕ_o	0.505	0.701	0.603	2.640
ITFC	5	1000	3.00	7	2	original	ϕ_o	0.582	0.483	0.532	2.652
ITFC	5	10	0.50	6	6	original	ϕ_o	0.553	0.782	0.668	2.478
ITFC	5	10	0.70	6	6	original	ϕ_o	0.653	0.518	0.585	2.044
ITFC	5	10	1.00	6	6	original	ϕ_o	0.711	0.212	0.461	2.079
ITFC	5	100	0.50	6	6	original	ϕ_o	0.317	0.965	0.641	2.628
ITFC	5	100	0.70	6	6	original	ϕ_o	0.443	0.900	0.671	2.897
ITFC	5	100	1.00	6	6	original	ϕ_o	0.576	0.722	0.649	2.558
ITFC	5	250	0.50	6	6	original	ϕ_o	0.193	0.989	0.591	2.339
ITFC	5	250	0.70	6	6	original	ϕ_o	0.302	0.965	0.634	2.767
ITFC	5	250	1.00	6	6	original	ϕ_o	0.434	0.901	0.668	2.961
ITFC	5	10	0.50	2	6	original	ϕ_o	0.859	0.822	0.840	3.630
ITFC	5	10	0.70	2	6	original	ϕ_o	0.925	0.635	0.780	2.850
ITFC	5	10	1.00	2	6	original	ϕ_o	0.959	0.284	0.621	2.855
ITFC	5	100	0.50	2	6	original	ϕ_o	0.653	0.939	0.796	4.132
ITFC	5	100	0.70	2	6	original	ϕ_o	0.783	0.886	0.834	4.375
ITFC	5	100	1.00	2	6	original	ϕ_o	0.883	0.768	0.825	3.710

ITFC	5	250	0.50	2	6	original	ϕ_o	0.472	0.967	0.720	3.815
ITFC	5	250	0.70	2	6	original	ϕ_o	0.643	0.937	0.790	4.238
ITFC	5	250	1.00	2	6	original	ϕ_o	0.774	0.879	0.826	4.395
ITFC	5	500	4.00	7	4	original	ϕ_o	0.644	0.292	0.468	2.696
ITFC	5	750	4.00	7	4	original	ϕ_o	0.639	0.376	0.507	2.751
ITFC	5	1000	4.00	7	4	original	ϕ_o	0.636	0.389	0.512	2.762
ITFC	5	10	0.50	4	5	original	ϕ_o	0.615	0.835	0.725	3.330
ITFC	5	10	0.70	4	5	original	ϕ_o	0.715	0.635	0.675	2.938
ITFC	5	10	1.00	4	5	original	ϕ_o	0.777	0.302	0.539	2.934
ITFC	5	100	0.50	4	5	original	ϕ_o	0.336	0.977	0.657	2.867
ITFC	5	100	0.70	4	5	original	ϕ_o	0.466	0.938	0.702	3.244
ITFC	5	100	1.00	4	5	original	ϕ_o	0.635	0.815	0.725	3.454
ITFC	5	250	0.50	4	5	original	ϕ_o	0.205	0.996	0.601	2.451
ITFC	5	250	0.70	4	5	original	ϕ_o	0.295	0.986	0.640	2.962
ITFC	5	250	1.00	4	5	original	ϕ_o	0.434	0.955	0.694	3.320
ITFC	5	500	2.00	7	4	original	ϕ_o	0.450	0.834	0.642	2.754
ITFC	5	500	2.30	7	4	original	ϕ_o	0.510	0.743	0.627	2.758
ITFC	5	500	3.00	7	4	original	ϕ_o	0.595	0.503	0.549	2.739
ITFC	5	750	2.00	7	4	original	ϕ_o	0.397	0.879	0.638	2.754
ITFC	5	750	2.30	7	4	original	ϕ_o	0.467	0.809	0.638	2.776
ITFC	5	750	3.00	7	4	original	ϕ_o	0.570	0.601	0.586	2.783
ITFC	5	1000	2.00	7	4	original	ϕ_o	0.390	0.885	0.637	2.759
ITFC	5	1000	2.30	7	4	original	ϕ_o	0.462	0.817	0.640	2.778
ITFC	5	1000	3.00	7	4	original	ϕ_o	0.567	0.614	0.591	2.792
ITFC	5	10	0.20	2	3	original	ϕ_o	0.501	0.976	0.738	3.212
ITFC	5	100	0.20	2	3	original	ϕ_o	0.265	0.991	0.628	2.596
ITFC	5	250	0.20	2	3	original	ϕ_o	0.147	0.996	0.572	2.249
ITFC	5	10	0.50	7	5	original	ϕ_o	0.492	0.785	0.638	2.678
ITFC	5	10	0.70	7	5	original	ϕ_o	0.592	0.534	0.563	2.787
ITFC	5	10	1.00	7	5	original	ϕ_o	0.656	0.248	0.452	2.388
ITFC	5	100	0.50	7	5	original	ϕ_o	0.204	0.988	0.596	2.201
ITFC	5	100	0.70	7	5	original	ϕ_o	0.286	0.967	0.626	2.557
ITFC	5	100	1.00	7	5	original	ϕ_o	0.415	0.900	0.658	2.758
ITFC	5	250	0.50	7	5	original	ϕ_o	0.114	0.996	0.555	1.841
ITFC	5	250	0.70	7	5	original	ϕ_o	0.175	0.989	0.582	2.236
ITFC	5	250	1.00	7	5	original	ϕ_o	0.249	0.970	0.610	2.544
ITFC	5	500	0.20	5	3	original	ϕ_o	0.024	0.998	0.511	1.029
ITFC	5	750	0.20	5	3	original	ϕ_o	0.012	0.999	0.506	0.937
ITFC	5	1000	0.20	5	3	original	ϕ_o	0.007	0.999	0.503	0.884
ITFC	5	500	4.00	7	3	original	ϕ_o	0.652	0.244	0.448	2.337
ITFC	5	750	4.00	7	3	original	ϕ_o	0.637	0.341	0.489	2.351
ITFC	5	1000	4.00	7	3	original	ϕ_o	0.632	0.362	0.497	2.684
ITFC	5	500	4.00	3	6	original	ϕ_o	0.858	0.165	0.512	1.710
ITFC	5	750	4.00	3	6	original	ϕ_o	0.855	0.236	0.546	2.535
ITFC	5	1000	4.00	3	6	original	ϕ_o	0.855	0.244	0.549	2.536
ITFC	5	10	2.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	2.30	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	5	10	3.00	2	4	original	ϕ_o	0.963	0.057	0.510	1.909
ITFC	5	100	2.00	2	4	original	ϕ_o	0.961	0.075	0.518	2.823
ITFC	5	100	2.30	2	4	original	ϕ_o	0.962	0.061	0.511	2.821
ITFC	5	100	3.00	2	4	original	ϕ_o	0.962	0.059	0.510	2.821
ITFC	5	250	2.00	2	4	original	ϕ_o	0.952	0.320	0.636	2.846
ITFC	5	250	2.30	2	4	original	ϕ_o	0.957	0.169	0.563	2.835
ITFC	5	250	3.00	2	4	original	ϕ_o	0.960	0.070	0.515	2.820
ITFC	5	500	2.00	6	6	original	ϕ_o	0.603	0.719	0.661	3.080
ITFC	5	500	2.30	6	6	original	ϕ_o	0.647	0.595	0.621	2.651
ITFC	5	500	3.00	6	6	original	ϕ_o	0.703	0.324	0.514	2.106
ITFC	5	750	2.00	6	6	original	ϕ_o	0.575	0.796	0.685	3.144
ITFC	5	750	2.30	6	6	original	ϕ_o	0.627	0.694	0.660	3.131
ITFC	5	750	3.00	6	6	original	ϕ_o	0.694	0.430	0.562	2.689
ITFC	5	1000	2.00	6	6	original	ϕ_o	0.573	0.798	0.686	3.138
ITFC	5	1000	2.30	6	6	original	ϕ_o	0.626	0.697	0.661	3.130
ITFC	5	1000	3.00	6	6	original	ϕ_o	0.694	0.434	0.564	2.688
ITFC	5	10	1.25	6	6	original	ϕ_o	0.725	0.103	0.414	2.082

ITFC	5	10	1.50	6	6	original	ϕ_o	0.729	0.067	0.398	2.088
ITFC	5	10	1.70	6	6	original	ϕ_o	0.730	0.056	0.393	2.091
ITFC	5	100	1.25	6	6	original	ϕ_o	0.644	0.534	0.589	2.048
ITFC	5	100	1.50	6	6	original	ϕ_o	0.682	0.350	0.516	2.058
ITFC	5	100	1.70	6	6	original	ϕ_o	0.699	0.242	0.470	2.060
ITFC	5	250	1.25	6	6	original	ϕ_o	0.524	0.814	0.669	2.982
ITFC	5	250	1.50	6	6	original	ϕ_o	0.590	0.693	0.641	2.576
ITFC	5	250	1.70	6	6	original	ϕ_o	0.629	0.583	0.606	2.575
ITFC	7	500	1.25	2	3	original	ϕ_o	0.747	0.884	0.815	4.414
ITFC	7	500	1.50	2	3	original	ϕ_o	0.823	0.832	0.827	4.392
ITFC	7	500	1.70	2	3	original	ϕ_o	0.869	0.779	0.824	3.719
ITFC	7	750	1.25	2	3	original	ϕ_o	0.651	0.925	0.788	4.414
ITFC	7	750	1.50	2	3	original	ϕ_o	0.727	0.890	0.808	4.410
ITFC	7	750	1.70	2	3	original	ϕ_o	0.787	0.857	0.822	4.408
ITFC	7	1000	1.25	2	3	original	ϕ_o	0.569	0.947	0.758	4.387
ITFC	7	1000	1.50	2	3	original	ϕ_o	0.647	0.921	0.784	4.403
ITFC	7	1000	1.70	2	3	original	ϕ_o	0.706	0.896	0.801	4.403
ITFC	7	10	0.20	6	5	original	ϕ_o	0.189	0.994	0.591	1.909
ITFC	7	100	0.20	6	5	original	ϕ_o	0.066	0.999	0.533	1.520
ITFC	7	250	0.20	6	5	original	ϕ_o	0.026	1.000	0.513	1.359
ITFC	7	10	0.50	3	5	original	ϕ_o	0.648	0.827	0.738	3.576
ITFC	7	10	0.70	3	5	original	ϕ_o	0.779	0.631	0.705	3.128
ITFC	7	10	1.00	3	5	original	ϕ_o	0.854	0.245	0.549	2.524
ITFC	7	100	0.50	3	5	original	ϕ_o	0.290	0.964	0.627	3.437
ITFC	7	100	0.70	3	5	original	ϕ_o	0.425	0.929	0.677	3.637
ITFC	7	100	1.00	3	5	original	ϕ_o	0.633	0.817	0.725	3.594
ITFC	7	250	0.50	3	5	original	ϕ_o	0.151	0.984	0.568	3.117
ITFC	7	250	0.70	3	5	original	ϕ_o	0.243	0.967	0.605	3.505
ITFC	7	250	1.00	3	5	original	ϕ_o	0.372	0.933	0.652	3.636
ITFC	7	500	0.20	7	6	original	ϕ_o	0.008	1.000	0.504	0.754
ITFC	7	750	0.20	7	6	original	ϕ_o	0.005	1.000	0.503	0.741
ITFC	7	1000	0.20	7	6	original	ϕ_o	0.004	1.000	0.502	0.735
ITFC	7	500	1.25	7	6	original	ϕ_o	0.098	0.994	0.546	2.475
ITFC	7	500	1.50	7	6	original	ϕ_o	0.118	0.989	0.553	2.559
ITFC	7	500	1.70	7	6	original	ϕ_o	0.137	0.985	0.561	2.614
ITFC	7	750	1.25	7	6	original	ϕ_o	0.091	0.994	0.542	2.459
ITFC	7	750	1.50	7	6	original	ϕ_o	0.109	0.990	0.550	2.550
ITFC	7	750	1.70	7	6	original	ϕ_o	0.126	0.986	0.556	2.603
ITFC	7	1000	1.25	7	6	original	ϕ_o	0.086	0.994	0.540	2.464
ITFC	7	1000	1.50	7	6	original	ϕ_o	0.105	0.990	0.548	2.554
ITFC	7	1000	1.70	7	6	original	ϕ_o	0.122	0.986	0.554	2.609
ITFC	7	10	0.20	7	2	original	ϕ_o	0.192	0.958	0.575	2.022
ITFC	7	100	0.20	7	2	original	ϕ_o	0.078	0.996	0.537	1.445
ITFC	7	250	0.20	7	2	original	ϕ_o	0.053	0.999	0.526	1.164
ITFC	7	10	0.50	3	7	original	ϕ_o	0.617	0.864	0.740	3.658
ITFC	7	10	0.70	3	7	original	ϕ_o	0.752	0.693	0.723	3.586
ITFC	7	10	1.00	3	7	original	ϕ_o	0.845	0.333	0.589	2.525
ITFC	7	100	0.50	3	7	original	ϕ_o	0.249	0.970	0.609	3.372
ITFC	7	100	0.70	3	7	original	ϕ_o	0.380	0.942	0.661	3.622
ITFC	7	100	1.00	3	7	original	ϕ_o	0.563	0.861	0.712	3.624
ITFC	7	250	0.50	3	7	original	ϕ_o	0.113	0.991	0.552	2.996
ITFC	7	250	0.70	3	7	original	ϕ_o	0.198	0.978	0.588	3.447
ITFC	7	250	1.00	3	7	original	ϕ_o	0.315	0.955	0.635	3.639
ITFC	7	500	0.50	5	7	original	ϕ_o	0.042	0.992	0.517	2.157
ITFC	7	500	0.70	5	7	original	ϕ_o	0.079	0.983	0.531	2.633
ITFC	7	500	1.00	5	7	original	ϕ_o	0.127	0.969	0.548	3.024
ITFC	7	750	0.50	5	7	original	ϕ_o	0.033	0.995	0.514	2.114
ITFC	7	750	0.70	5	7	original	ϕ_o	0.064	0.989	0.527	2.597
ITFC	7	750	1.00	5	7	original	ϕ_o	0.112	0.977	0.545	3.000
ITFC	7	1000	0.50	5	7	original	ϕ_o	0.030	0.997	0.513	2.114
ITFC	7	1000	0.70	5	7	original	ϕ_o	0.060	0.992	0.526	2.598
ITFC	7	1000	1.00	5	7	original	ϕ_o	0.106	0.982	0.544	3.001
ITFC	7	10	1.25	3	3	original	ϕ_o	0.865	0.107	0.486	2.522
ITFC	7	10	1.50	3	3	original	ϕ_o	0.866	0.075	0.471	2.520

ITFC	7	10	1.70	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	100	1.25	3	3	original	ϕ_o	0.810	0.521	0.665	3.170
ITFC	7	100	1.50	3	3	original	ϕ_o	0.844	0.313	0.578	3.142
ITFC	7	100	1.70	3	3	original	ϕ_o	0.857	0.205	0.531	2.523
ITFC	7	250	1.25	3	3	original	ϕ_o	0.687	0.784	0.736	3.653
ITFC	7	250	1.50	3	3	original	ϕ_o	0.774	0.656	0.715	3.167
ITFC	7	250	1.70	3	3	original	ϕ_o	0.810	0.525	0.668	2.522
ITFC	7	10	1.25	6	7	original	ϕ_o	0.721	0.173	0.447	2.098
ITFC	7	10	1.50	6	7	original	ϕ_o	0.728	0.089	0.408	2.095
ITFC	7	10	1.70	6	7	original	ϕ_o	0.729	0.065	0.397	2.092
ITFC	7	100	1.25	6	7	original	ϕ_o	0.561	0.777	0.669	3.022
ITFC	7	100	1.50	6	7	original	ϕ_o	0.629	0.611	0.620	2.604
ITFC	7	100	1.70	6	7	original	ϕ_o	0.663	0.469	0.566	2.064
ITFC	7	250	1.25	6	7	original	ϕ_o	0.370	0.929	0.649	3.029
ITFC	7	250	1.50	6	7	original	ϕ_o	0.456	0.885	0.671	3.040
ITFC	7	250	1.70	6	7	original	ϕ_o	0.521	0.832	0.677	3.027
ITFC	7	500	2.00	4	4	original	ϕ_o	0.409	0.963	0.686	3.458
ITFC	7	500	2.30	4	4	original	ϕ_o	0.529	0.919	0.724	3.504
ITFC	7	500	3.00	4	4	original	ϕ_o	0.684	0.740	0.712	3.548
ITFC	7	750	2.00	4	4	original	ϕ_o	0.293	0.982	0.637	3.368
ITFC	7	750	2.30	4	4	original	ϕ_o	0.381	0.963	0.672	3.438
ITFC	7	750	3.00	4	4	original	ϕ_o	0.596	0.859	0.727	3.516
ITFC	7	1000	2.00	4	4	original	ϕ_o	0.264	0.985	0.625	3.336
ITFC	7	1000	2.30	4	4	original	ϕ_o	0.335	0.970	0.653	3.410
ITFC	7	1000	3.00	4	4	original	ϕ_o	0.556	0.880	0.718	3.482
ITFC	7	500	2.00	2	7	original	ϕ_o	0.765	0.851	0.808	4.320
ITFC	7	500	2.30	2	7	original	ϕ_o	0.833	0.799	0.816	4.281
ITFC	7	500	3.00	2	7	original	ϕ_o	0.917	0.614	0.766	3.670
ITFC	7	750	2.00	2	7	original	ϕ_o	0.707	0.892	0.799	4.393
ITFC	7	750	2.30	2	7	original	ϕ_o	0.782	0.851	0.816	4.375
ITFC	7	750	3.00	2	7	original	ϕ_o	0.891	0.715	0.803	4.307
ITFC	7	1000	2.00	2	7	original	ϕ_o	0.692	0.900	0.796	4.396
ITFC	7	1000	2.30	2	7	original	ϕ_o	0.772	0.858	0.815	4.381
ITFC	7	1000	3.00	2	7	original	ϕ_o	0.887	0.719	0.803	3.704
ITFC	7	500	0.20	6	7	original	ϕ_o	0.002	1.000	0.501	1.217
ITFC	7	750	0.20	6	7	original	ϕ_o	0.002	1.000	0.501	1.196
ITFC	7	1000	0.20	6	7	original	ϕ_o	0.002	1.000	0.501	1.190
ITFC	7	500	4.00	7	5	original	ϕ_o	0.559	0.588	0.573	2.713
ITFC	7	750	4.00	7	5	original	ϕ_o	0.529	0.681	0.605	2.770
ITFC	7	1000	4.00	7	5	original	ϕ_o	0.526	0.692	0.609	2.780
ITFC	7	500	1.25	3	6	original	ϕ_o	0.269	0.959	0.614	3.645
ITFC	7	500	1.50	3	6	original	ϕ_o	0.336	0.942	0.639	3.668
ITFC	7	500	1.70	3	6	original	ϕ_o	0.408	0.920	0.664	3.661
ITFC	7	750	1.25	3	6	original	ϕ_o	0.220	0.971	0.596	3.618
ITFC	7	750	1.50	3	6	original	ϕ_o	0.273	0.959	0.616	3.657
ITFC	7	750	1.70	3	6	original	ϕ_o	0.326	0.945	0.636	3.665
ITFC	7	1000	1.25	3	6	original	ϕ_o	0.209	0.976	0.593	3.601
ITFC	7	1000	1.50	3	6	original	ϕ_o	0.257	0.965	0.611	3.637
ITFC	7	1000	1.70	3	6	original	ϕ_o	0.301	0.952	0.626	3.647
ITFC	7	500	2.00	7	5	original	ϕ_o	0.177	0.976	0.576	2.620
ITFC	7	500	2.30	7	5	original	ϕ_o	0.235	0.958	0.597	2.661
ITFC	7	500	3.00	7	5	original	ϕ_o	0.406	0.852	0.629	2.710
ITFC	7	750	2.00	7	5	original	ϕ_o	0.154	0.978	0.566	2.619
ITFC	7	750	2.30	7	5	original	ϕ_o	0.197	0.966	0.581	2.667
ITFC	7	750	3.00	7	5	original	ϕ_o	0.352	0.894	0.623	2.732
ITFC	7	1000	2.00	7	5	original	ϕ_o	0.149	0.979	0.564	2.626
ITFC	7	1000	2.30	7	5	original	ϕ_o	0.192	0.967	0.580	2.676
ITFC	7	1000	3.00	7	5	original	ϕ_o	0.348	0.899	0.623	2.737
ITFC	7	10	0.20	2	3	original	ϕ_o	0.470	0.980	0.725	3.260
ITFC	7	100	0.20	2	3	original	ϕ_o	0.217	0.993	0.605	2.654
ITFC	7	250	0.20	2	3	original	ϕ_o	0.100	0.998	0.549	2.315
ITFC	7	10	1.25	5	2	original	ϕ_o	0.747	0.123	0.435	2.182
ITFC	7	10	1.50	5	2	original	ϕ_o	0.748	0.107	0.427	2.763
ITFC	7	10	1.70	5	2	original	ϕ_o	0.748	0.103	0.426	2.765

ITFC	7	100	1.25	5	2	original	ϕ_o	0.705	0.379	0.542	2.729
ITFC	7	100	1.50	5	2	original	ϕ_o	0.736	0.221	0.479	2.755
ITFC	7	100	1.70	5	2	original	ϕ_o	0.743	0.156	0.450	2.753
ITFC	7	250	1.25	5	2	original	ϕ_o	0.585	0.721	0.653	3.082
ITFC	7	250	1.50	5	2	original	ϕ_o	0.663	0.526	0.595	3.143
ITFC	7	250	1.70	5	2	original	ϕ_o	0.702	0.384	0.543	2.716
ITFC	7	10	0.20	7	3	original	ϕ_o	0.162	0.987	0.574	2.020
ITFC	7	100	0.20	7	3	original	ϕ_o	0.058	0.998	0.528	1.330
ITFC	7	250	0.20	7	3	original	ϕ_o	0.044	1.000	0.522	1.043
ITFC	7	500	2.00	3	6	original	ϕ_o	0.538	0.869	0.704	3.637
ITFC	7	500	2.30	3	6	original	ϕ_o	0.649	0.803	0.726	3.616
ITFC	7	500	3.00	3	6	original	ϕ_o	0.787	0.603	0.695	3.557
ITFC	7	750	2.00	3	6	original	ϕ_o	0.433	0.911	0.672	3.651
ITFC	7	750	2.30	3	6	original	ϕ_o	0.555	0.861	0.708	3.642
ITFC	7	750	3.00	3	6	original	ϕ_o	0.740	0.702	0.721	3.599
ITFC	7	1000	2.00	3	6	original	ϕ_o	0.401	0.920	0.660	3.645
ITFC	7	1000	2.30	3	6	original	ϕ_o	0.525	0.872	0.699	3.638
ITFC	7	1000	3.00	3	6	original	ϕ_o	0.725	0.714	0.719	3.603
ITFC	7	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
ITFC	7	100	4.00	7	2	original	ϕ_o	0.679	0.108	0.394	2.368
ITFC	7	250	4.00	7	2	original	ϕ_o	0.663	0.120	0.392	1.862
ITFC	7	500	0.20	2	7	original	ϕ_o	0.007	1.000	0.504	1.695
ITFC	7	750	0.20	2	7	original	ϕ_o	0.002	1.000	0.501	1.620
ITFC	7	1000	0.20	2	7	original	ϕ_o	0.002	1.000	0.501	1.603
ITFC	7	500	2.00	6	4	original	ϕ_o	0.548	0.732	0.640	2.866
ITFC	7	500	2.30	6	4	original	ϕ_o	0.613	0.603	0.608	2.542
ITFC	7	500	3.00	6	4	original	ϕ_o	0.693	0.309	0.501	2.064
ITFC	7	750	2.00	6	4	original	ϕ_o	0.466	0.841	0.653	2.962
ITFC	7	750	2.30	6	4	original	ϕ_o	0.543	0.769	0.656	2.953
ITFC	7	750	3.00	6	4	original	ϕ_o	0.655	0.538	0.597	2.607
ITFC	7	1000	2.00	6	4	original	ϕ_o	0.440	0.884	0.662	3.056
ITFC	7	1000	2.30	6	4	original	ϕ_o	0.517	0.821	0.669	3.046
ITFC	7	1000	3.00	6	4	original	ϕ_o	0.638	0.621	0.630	2.653
ITFC	7	10	0.50	3	4	original	ϕ_o	0.663	0.821	0.742	3.590
ITFC	7	10	0.70	3	4	original	ϕ_o	0.791	0.605	0.698	3.143
ITFC	7	10	1.00	3	4	original	ϕ_o	0.856	0.233	0.545	3.114
ITFC	7	100	0.50	3	4	original	ϕ_o	0.320	0.963	0.641	3.500
ITFC	7	100	0.70	3	4	original	ϕ_o	0.465	0.923	0.694	3.686
ITFC	7	100	1.00	3	4	original	ϕ_o	0.684	0.786	0.735	3.627
ITFC	7	250	0.50	3	4	original	ϕ_o	0.169	0.984	0.576	3.210
ITFC	7	250	0.70	3	4	original	ϕ_o	0.270	0.966	0.618	3.570
ITFC	7	250	1.00	3	4	original	ϕ_o	0.422	0.923	0.672	3.676
ITFC	7	10	1.25	7	4	original	ϕ_o	0.672	0.199	0.435	2.402
ITFC	7	10	1.50	7	4	original	ϕ_o	0.680	0.142	0.411	2.392
ITFC	7	10	1.70	7	4	original	ϕ_o	0.682	0.123	0.403	2.386
ITFC	7	100	1.25	7	4	original	ϕ_o	0.404	0.848	0.626	2.677
ITFC	7	100	1.50	7	4	original	ϕ_o	0.506	0.700	0.603	2.673
ITFC	7	100	1.70	7	4	original	ϕ_o	0.558	0.562	0.560	2.661
ITFC	7	250	1.25	7	4	original	ϕ_o	0.177	0.964	0.571	2.582
ITFC	7	250	1.50	7	4	original	ϕ_o	0.237	0.944	0.591	2.611
ITFC	7	250	1.70	7	4	original	ϕ_o	0.306	0.915	0.611	2.622
ITFC	7	10	0.20	6	3	original	ϕ_o	0.205	0.990	0.597	1.985
ITFC	7	100	0.20	6	3	original	ϕ_o	0.092	0.997	0.545	1.624
ITFC	7	250	0.20	6	3	original	ϕ_o	0.057	0.999	0.528	1.450
ITFC	7	500	1.25	6	4	original	ϕ_o	0.322	0.922	0.622	2.902
ITFC	7	500	1.50	6	4	original	ϕ_o	0.397	0.875	0.636	2.893
ITFC	7	500	1.70	6	4	original	ϕ_o	0.459	0.826	0.643	2.882
ITFC	7	750	1.25	6	4	original	ϕ_o	0.262	0.954	0.608	2.956
ITFC	7	750	1.50	6	4	original	ϕ_o	0.324	0.927	0.626	2.974
ITFC	7	750	1.70	6	4	original	ϕ_o	0.380	0.898	0.639	2.974
ITFC	7	1000	1.25	6	4	original	ϕ_o	0.237	0.970	0.604	3.005
ITFC	7	1000	1.50	6	4	original	ϕ_o	0.297	0.951	0.624	3.042
ITFC	7	1000	1.70	6	4	original	ϕ_o	0.353	0.930	0.641	3.052
ITFC	7	10	2.00	6	5	original	ϕ_o	0.731	0.051	0.391	2.092

ITFC	7	10	2.30	6	5	original	ϕ_o	0.732	0.052	0.392	2.095
ITFC	7	10	3.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	2.00	6	5	original	ϕ_o	0.706	0.178	0.442	2.060
ITFC	7	100	2.30	6	5	original	ϕ_o	0.715	0.105	0.410	2.061
ITFC	7	100	3.00	6	5	original	ϕ_o	0.723	0.056	0.389	2.068
ITFC	7	250	2.00	6	5	original	ϕ_o	0.636	0.544	0.590	2.566
ITFC	7	250	2.30	6	5	original	ϕ_o	0.675	0.391	0.533	2.059
ITFC	7	250	3.00	6	5	original	ϕ_o	0.710	0.158	0.434	2.062
ITFC	7	10	0.50	6	7	original	ϕ_o	0.488	0.887	0.687	2.977
ITFC	7	10	0.70	6	7	original	ϕ_o	0.603	0.717	0.660	2.611
ITFC	7	10	1.00	6	7	original	ϕ_o	0.693	0.363	0.528	2.092
ITFC	7	100	0.50	6	7	original	ϕ_o	0.228	0.982	0.605	2.617
ITFC	7	100	0.70	6	7	original	ϕ_o	0.329	0.952	0.641	2.925
ITFC	7	100	1.00	6	7	original	ϕ_o	0.463	0.883	0.673	3.019
ITFC	7	250	0.50	6	7	original	ϕ_o	0.114	0.994	0.554	2.326
ITFC	7	250	0.70	6	7	original	ϕ_o	0.196	0.984	0.590	2.756
ITFC	7	250	1.00	6	7	original	ϕ_o	0.294	0.958	0.626	2.993
ITFC	7	500	4.00	2	7	original	ϕ_o	0.952	0.300	0.626	2.845
ITFC	7	750	4.00	2	7	original	ϕ_o	0.947	0.460	0.703	2.872
ITFC	7	1000	4.00	2	7	original	ϕ_o	0.946	0.463	0.705	2.871
ITFC	7	500	0.20	6	6	original	ϕ_o	0.004	1.000	0.502	1.233
ITFC	7	750	0.20	6	6	original	ϕ_o	0.002	1.000	0.501	1.208
ITFC	7	1000	0.20	6	6	original	ϕ_o	0.002	1.000	0.501	1.200
ITFC	7	500	0.20	7	2	original	ϕ_o	0.041	0.999	0.520	0.971
ITFC	7	750	0.20	7	2	original	ϕ_o	0.035	1.000	0.517	0.875
ITFC	7	1000	0.20	7	2	original	ϕ_o	0.030	1.000	0.515	0.834
ITFC	7	10	0.20	2	7	original	ϕ_o	0.395	0.980	0.688	3.050
ITFC	7	100	0.20	2	7	original	ϕ_o	0.105	0.996	0.550	2.295
ITFC	7	250	0.20	2	7	original	ϕ_o	0.029	0.999	0.514	1.921
ITFC	7	10	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	7	100	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.869
ITFC	7	250	4.00	4	5	original	ϕ_o	0.785	0.132	0.459	2.890
ITFC	7	10	1.25	6	4	original	ϕ_o	0.727	0.083	0.405	2.089
ITFC	7	10	1.50	6	4	original	ϕ_o	0.730	0.054	0.392	1.431
ITFC	7	10	1.70	6	4	original	ϕ_o	0.731	0.051	0.391	2.094
ITFC	7	100	1.25	6	4	original	ϕ_o	0.648	0.518	0.583	2.058
ITFC	7	100	1.50	6	4	original	ϕ_o	0.691	0.321	0.506	2.068
ITFC	7	100	1.70	6	4	original	ϕ_o	0.708	0.194	0.451	2.072
ITFC	7	250	1.25	6	4	original	ϕ_o	0.479	0.819	0.649	2.897
ITFC	7	250	1.50	6	4	original	ϕ_o	0.571	0.694	0.632	2.536
ITFC	7	250	1.70	6	4	original	ϕ_o	0.625	0.564	0.595	2.538
ITFC	7	500	0.50	5	3	original	ϕ_o	0.094	0.987	0.540	2.337
ITFC	7	500	0.70	5	3	original	ϕ_o	0.139	0.976	0.557	2.739
ITFC	7	500	1.00	5	3	original	ϕ_o	0.204	0.957	0.580	2.981
ITFC	7	750	0.50	5	3	original	ϕ_o	0.062	0.992	0.527	2.194
ITFC	7	750	0.70	5	3	original	ϕ_o	0.101	0.984	0.543	2.623
ITFC	7	750	1.00	5	3	original	ϕ_o	0.149	0.972	0.560	2.936
ITFC	7	1000	0.50	5	3	original	ϕ_o	0.044	0.996	0.520	2.104
ITFC	7	1000	0.70	5	3	original	ϕ_o	0.076	0.990	0.533	2.557
ITFC	7	1000	1.00	5	3	original	ϕ_o	0.116	0.980	0.548	2.893
ITFC	7	500	0.50	2	6	original	ϕ_o	0.183	0.993	0.588	3.512
ITFC	7	500	0.70	2	6	original	ϕ_o	0.328	0.982	0.655	4.023
ITFC	7	500	1.00	2	6	original	ϕ_o	0.493	0.962	0.727	4.317
ITFC	7	750	0.50	2	6	original	ϕ_o	0.109	0.997	0.553	3.350
ITFC	7	750	0.70	2	6	original	ϕ_o	0.229	0.992	0.611	3.910
ITFC	7	750	1.00	2	6	original	ϕ_o	0.389	0.978	0.683	4.266
ITFC	7	1000	0.50	2	6	original	ϕ_o	0.088	0.998	0.543	3.305
ITFC	7	1000	0.70	2	6	original	ϕ_o	0.198	0.995	0.596	3.879
ITFC	7	1000	1.00	2	6	original	ϕ_o	0.350	0.983	0.666	4.247
ITFC	7	500	4.00	6	2	original	ϕ_o	0.716	0.055	0.385	2.043
ITFC	7	750	4.00	6	2	original	ϕ_o	0.709	0.076	0.393	2.028
ITFC	7	1000	4.00	6	2	original	ϕ_o	0.700	0.135	0.417	2.018
ITFC	7	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	7	100	4.00	4	2	original	ϕ_o	0.787	0.098	0.442	2.281

ITFC	7	250	4.00	4	2	original	ϕ_o	0.785	0.100	0.442	2.857
ITFC	7	10	4.00	3	6	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	100	4.00	3	6	original	ϕ_o	0.865	0.073	0.469	2.518
ITFC	7	250	4.00	3	6	original	ϕ_o	0.862	0.097	0.480	2.518
ITFC	7	500	4.00	3	6	original	ϕ_o	0.847	0.310	0.579	3.098
ITFC	7	750	4.00	3	6	original	ϕ_o	0.831	0.437	0.634	3.542
ITFC	7	1000	4.00	3	6	original	ϕ_o	0.826	0.451	0.639	2.537
ITFC	7	500	0.20	2	3	original	ϕ_o	0.040	0.999	0.520	2.040
ITFC	7	750	0.20	2	3	original	ϕ_o	0.019	1.000	0.510	1.876
ITFC	7	1000	0.20	2	3	original	ϕ_o	0.011	1.000	0.506	1.770
ITFC	7	10	0.20	2	6	original	ϕ_o	0.413	0.979	0.696	3.136
ITFC	7	100	0.20	2	6	original	ϕ_o	0.125	0.996	0.561	2.401
ITFC	7	250	0.20	2	6	original	ϕ_o	0.037	0.999	0.518	2.018
ITFC	7	500	2.00	6	5	original	ϕ_o	0.500	0.838	0.669	3.030
ITFC	7	500	2.30	6	5	original	ϕ_o	0.570	0.752	0.661	3.023
ITFC	7	500	3.00	6	5	original	ϕ_o	0.669	0.492	0.580	2.628
ITFC	7	750	2.00	6	5	original	ϕ_o	0.436	0.893	0.665	3.097
ITFC	7	750	2.30	6	5	original	ϕ_o	0.514	0.840	0.677	3.094
ITFC	7	750	3.00	6	5	original	ϕ_o	0.636	0.655	0.645	2.688
ITFC	7	1000	2.00	6	5	original	ϕ_o	0.421	0.907	0.664	3.116
ITFC	7	1000	2.30	6	5	original	ϕ_o	0.502	0.856	0.679	3.114
ITFC	7	1000	3.00	6	5	original	ϕ_o	0.627	0.676	0.651	3.096
ITFC	7	500	4.00	7	6	original	ϕ_o	0.577	0.564	0.571	2.762
ITFC	7	750	4.00	7	6	original	ϕ_o	0.551	0.657	0.604	2.815
ITFC	7	1000	4.00	7	6	original	ϕ_o	0.549	0.667	0.608	2.824
ITFC	7	10	1.25	7	2	original	ϕ_o	0.679	0.141	0.410	2.399
ITFC	7	10	1.50	7	2	original	ϕ_o	0.682	0.121	0.402	2.400
ITFC	7	10	1.70	7	2	original	ϕ_o	0.683	0.115	0.399	2.748
ITFC	7	100	1.25	7	2	original	ϕ_o	0.582	0.510	0.546	2.318
ITFC	7	100	1.50	7	2	original	ϕ_o	0.627	0.338	0.483	2.336
ITFC	7	100	1.70	7	2	original	ϕ_o	0.648	0.246	0.447	2.341
ITFC	7	250	1.25	7	2	original	ϕ_o	0.397	0.810	0.603	2.519
ITFC	7	250	1.50	7	2	original	ϕ_o	0.501	0.689	0.595	2.579
ITFC	7	250	1.70	7	2	original	ϕ_o	0.551	0.583	0.567	2.613
ITFC	7	10	0.50	6	6	original	ϕ_o	0.497	0.855	0.676	2.916
ITFC	7	10	0.70	6	6	original	ϕ_o	0.614	0.637	0.625	2.559
ITFC	7	10	1.00	6	6	original	ϕ_o	0.700	0.305	0.502	2.083
ITFC	7	100	0.50	6	6	original	ϕ_o	0.252	0.978	0.615	2.642
ITFC	7	100	0.70	6	6	original	ϕ_o	0.354	0.939	0.647	2.901
ITFC	7	100	1.00	6	6	original	ϕ_o	0.490	0.836	0.663	2.953
ITFC	7	250	0.50	6	6	original	ϕ_o	0.130	0.993	0.561	2.373
ITFC	7	250	0.70	6	6	original	ϕ_o	0.218	0.980	0.599	2.765
ITFC	7	250	1.00	6	6	original	ϕ_o	0.323	0.945	0.634	2.945
ITFC	7	500	2.00	3	3	original	ϕ_o	0.775	0.649	0.712	3.148
ITFC	7	500	2.30	3	3	original	ϕ_o	0.816	0.509	0.662	3.122
ITFC	7	500	3.00	3	3	original	ϕ_o	0.854	0.222	0.538	2.524
ITFC	7	750	2.00	3	3	original	ϕ_o	0.672	0.783	0.727	3.620
ITFC	7	750	2.30	3	3	original	ϕ_o	0.749	0.691	0.720	3.585
ITFC	7	750	3.00	3	3	original	ϕ_o	0.829	0.443	0.636	3.106
ITFC	7	1000	2.00	3	3	original	ϕ_o	0.557	0.861	0.709	3.645
ITFC	7	1000	2.30	3	3	original	ϕ_o	0.658	0.790	0.724	3.612
ITFC	7	1000	3.00	3	3	original	ϕ_o	0.790	0.611	0.700	3.128
ITFC	7	10	0.20	6	2	original	ϕ_o	0.244	0.969	0.607	2.073
ITFC	7	100	0.20	6	2	original	ϕ_o	0.135	0.994	0.565	1.794
ITFC	7	250	0.20	6	2	original	ϕ_o	0.088	0.998	0.543	1.639
ITFC	7	10	2.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	10	2.30	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	10	3.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	100	2.00	3	7	original	ϕ_o	0.847	0.247	0.547	2.511
ITFC	7	100	2.30	3	7	original	ϕ_o	0.859	0.157	0.508	2.520
ITFC	7	100	3.00	3	7	original	ϕ_o	0.865	0.083	0.474	2.520
ITFC	7	250	2.00	3	7	original	ϕ_o	0.743	0.662	0.703	3.532
ITFC	7	250	2.30	3	7	original	ϕ_o	0.797	0.513	0.655	3.110
ITFC	7	250	3.00	3	7	original	ϕ_o	0.850	0.242	0.546	2.516

ITFC	7	500	4.00	5	7	original	ϕ_o	0.694	0.517	0.605	3.196
ITFC	7	750	4.00	5	7	original	ϕ_o	0.680	0.559	0.620	3.193
ITFC	7	1000	4.00	5	7	original	ϕ_o	0.678	0.563	0.620	3.200
ITFC	7	10	2.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	10	2.30	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	10	3.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	100	2.00	3	6	original	ϕ_o	0.850	0.238	0.544	2.514
ITFC	7	100	2.30	3	6	original	ϕ_o	0.860	0.151	0.506	2.520
ITFC	7	100	3.00	3	6	original	ϕ_o	0.865	0.082	0.473	2.519
ITFC	7	250	2.00	3	6	original	ϕ_o	0.760	0.645	0.703	3.538
ITFC	7	250	2.30	3	6	original	ϕ_o	0.807	0.494	0.651	3.102
ITFC	7	250	3.00	3	6	original	ϕ_o	0.852	0.228	0.540	2.520
ITFC	7	10	1.25	2	5	original	ϕ_o	0.961	0.126	0.544	2.829
ITFC	7	10	1.50	2	5	original	ϕ_o	0.963	0.059	0.511	2.822
ITFC	7	10	1.70	2	5	original	ϕ_o	0.963	0.056	0.510	2.823
ITFC	7	100	1.25	2	5	original	ϕ_o	0.902	0.683	0.793	3.687
ITFC	7	100	1.50	2	5	original	ϕ_o	0.936	0.516	0.726	3.658
ITFC	7	100	1.70	2	5	original	ϕ_o	0.950	0.353	0.652	2.850
ITFC	7	250	1.25	2	5	original	ϕ_o	0.790	0.853	0.821	4.382
ITFC	7	250	1.50	2	5	original	ϕ_o	0.855	0.785	0.820	4.336
ITFC	7	250	1.70	2	5	original	ϕ_o	0.892	0.712	0.802	3.694
ITFC	7	500	2.00	4	3	original	ϕ_o	0.536	0.914	0.725	3.474
ITFC	7	500	2.30	4	3	original	ϕ_o	0.613	0.847	0.730	3.492
ITFC	7	500	3.00	4	3	original	ϕ_o	0.716	0.608	0.662	3.497
ITFC	7	750	2.00	4	3	original	ϕ_o	0.414	0.962	0.688	3.422
ITFC	7	750	2.30	4	3	original	ϕ_o	0.511	0.925	0.718	3.452
ITFC	7	750	3.00	4	3	original	ϕ_o	0.650	0.777	0.714	3.480
ITFC	7	1000	2.00	4	3	original	ϕ_o	0.323	0.978	0.650	3.391
ITFC	7	1000	2.30	4	3	original	ϕ_o	0.425	0.956	0.690	3.435
ITFC	7	1000	3.00	4	3	original	ϕ_o	0.597	0.852	0.724	3.468
ITFC	7	500	0.20	6	2	original	ϕ_o	0.051	1.000	0.525	1.508
ITFC	7	750	0.20	6	2	original	ϕ_o	0.032	1.000	0.516	1.435
ITFC	7	1000	0.20	6	2	original	ϕ_o	0.022	1.000	0.511	1.385
ITFC	7	500	4.00	4	4	original	ϕ_o	0.763	0.428	0.596	3.533
ITFC	7	750	4.00	4	4	original	ϕ_o	0.728	0.604	0.666	3.533
ITFC	7	1000	4.00	4	4	original	ϕ_o	0.711	0.651	0.681	3.502
ITFC	7	10	1.25	3	5	original	ϕ_o	0.864	0.108	0.486	2.520
ITFC	7	10	1.50	3	5	original	ϕ_o	0.866	0.075	0.470	2.522
ITFC	7	10	1.70	3	5	original	ϕ_o	0.866	0.071	0.469	2.521
ITFC	7	100	1.25	3	5	original	ϕ_o	0.755	0.666	0.711	3.153
ITFC	7	100	1.50	3	5	original	ϕ_o	0.816	0.456	0.636	3.123
ITFC	7	100	1.70	3	5	original	ϕ_o	0.840	0.308	0.574	3.101
ITFC	7	250	1.25	3	5	original	ϕ_o	0.514	0.876	0.695	3.598
ITFC	7	250	1.50	3	5	original	ϕ_o	0.654	0.793	0.724	3.564
ITFC	7	250	1.70	3	5	original	ϕ_o	0.727	0.709	0.718	3.549
ITFC	7	500	4.00	7	7	original	ϕ_o	0.558	0.645	0.601	2.826
ITFC	7	750	4.00	7	7	original	ϕ_o	0.547	0.665	0.606	2.814
ITFC	7	1000	4.00	7	7	original	ϕ_o	0.546	0.668	0.607	2.819
ITFC	7	10	0.20	3	5	original	ϕ_o	0.271	0.975	0.623	2.619
ITFC	7	100	0.20	3	5	original	ϕ_o	0.044	0.996	0.520	1.952
ITFC	7	250	0.20	3	5	original	ϕ_o	0.014	0.999	0.507	1.651
ITFC	7	500	2.00	7	7	original	ϕ_o	0.164	0.978	0.571	2.666
ITFC	7	500	2.30	7	7	original	ϕ_o	0.216	0.964	0.590	2.714
ITFC	7	500	3.00	7	7	original	ϕ_o	0.389	0.881	0.635	2.782
ITFC	7	750	2.00	7	7	original	ϕ_o	0.156	0.980	0.568	2.664
ITFC	7	750	2.30	7	7	original	ϕ_o	0.207	0.966	0.587	2.713
ITFC	7	750	3.00	7	7	original	ϕ_o	0.376	0.888	0.632	2.781
ITFC	7	1000	2.00	7	7	original	ϕ_o	0.155	0.980	0.567	2.666
ITFC	7	1000	2.30	7	7	original	ϕ_o	0.206	0.966	0.586	2.715
ITFC	7	1000	3.00	7	7	original	ϕ_o	0.375	0.889	0.632	2.783
ITFC	7	10	0.20	5	7	original	ϕ_o	0.139	0.984	0.562	1.879
ITFC	7	100	0.20	5	7	original	ϕ_o	0.027	0.996	0.512	1.290
ITFC	7	250	0.20	5	7	original	ϕ_o	0.008	0.999	0.503	1.074
ITFC	7	10	0.20	5	5	original	ϕ_o	0.168	0.984	0.576	1.958

ITFC	7	100	0.20	5	5	original	ϕ_o	0.042	0.996	0.519	1.412
ITFC	7	250	0.20	5	5	original	ϕ_o	0.017	0.998	0.508	1.171
ITFC	7	10	0.50	2	3	original	ϕ_o	0.847	0.831	0.839	3.652
ITFC	7	10	0.70	2	3	original	ϕ_o	0.913	0.657	0.785	3.667
ITFC	7	10	1.00	2	3	original	ϕ_o	0.957	0.326	0.642	2.863
ITFC	7	100	0.50	2	3	original	ϕ_o	0.666	0.941	0.803	4.250
ITFC	7	100	0.70	2	3	original	ϕ_o	0.786	0.879	0.832	4.412
ITFC	7	100	1.00	2	3	original	ϕ_o	0.887	0.744	0.816	3.708
ITFC	7	250	0.50	2	3	original	ϕ_o	0.512	0.970	0.741	4.038
ITFC	7	250	0.70	2	3	original	ϕ_o	0.661	0.935	0.798	4.347
ITFC	7	250	1.00	2	3	original	ϕ_o	0.786	0.866	0.826	4.420
ITFC	7	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	4.00	2	7	original	ϕ_o	0.963	0.056	0.510	2.823
ITFC	7	250	4.00	2	7	original	ϕ_o	0.961	0.074	0.517	2.818
ITFC	7	10	0.50	5	5	original	ϕ_o	0.453	0.906	0.680	3.102
ITFC	7	10	0.70	5	5	original	ϕ_o	0.576	0.744	0.660	3.064
ITFC	7	10	1.00	5	5	original	ϕ_o	0.710	0.406	0.558	3.195
ITFC	7	100	0.50	5	5	original	ϕ_o	0.200	0.969	0.584	2.788
ITFC	7	100	0.70	5	5	original	ϕ_o	0.285	0.947	0.616	3.077
ITFC	7	100	1.00	5	5	original	ϕ_o	0.422	0.893	0.657	3.112
ITFC	7	250	0.50	5	5	original	ϕ_o	0.111	0.983	0.547	2.477
ITFC	7	250	0.70	5	5	original	ϕ_o	0.168	0.969	0.568	2.896
ITFC	7	250	1.00	5	5	original	ϕ_o	0.242	0.949	0.596	3.125
ITFC	7	500	2.00	7	6	original	ϕ_o	0.180	0.975	0.577	2.664
ITFC	7	500	2.30	7	6	original	ϕ_o	0.248	0.956	0.602	2.709
ITFC	7	500	3.00	7	6	original	ϕ_o	0.430	0.838	0.634	2.764
ITFC	7	750	2.00	7	6	original	ϕ_o	0.157	0.977	0.567	2.663
ITFC	7	750	2.30	7	6	original	ϕ_o	0.206	0.964	0.585	2.718
ITFC	7	750	3.00	7	6	original	ϕ_o	0.379	0.884	0.632	2.784
ITFC	7	1000	2.00	7	6	original	ϕ_o	0.153	0.978	0.565	2.671
ITFC	7	1000	2.30	7	6	original	ϕ_o	0.203	0.965	0.584	2.725
ITFC	7	1000	3.00	7	6	original	ϕ_o	0.377	0.887	0.632	2.789
ITFC	7	500	0.50	4	6	original	ϕ_o	0.070	1.000	0.535	1.961
ITFC	7	500	0.70	4	6	original	ϕ_o	0.116	0.999	0.558	2.444
ITFC	7	500	1.00	4	6	original	ϕ_o	0.173	0.998	0.585	2.877
ITFC	7	750	0.50	4	6	original	ϕ_o	0.048	1.000	0.524	1.874
ITFC	7	750	0.70	4	6	original	ϕ_o	0.091	1.000	0.545	2.349
ITFC	7	750	1.00	4	6	original	ϕ_o	0.149	0.998	0.573	2.787
ITFC	7	1000	0.50	4	6	original	ϕ_o	0.037	1.000	0.518	1.857
ITFC	7	1000	0.70	4	6	original	ϕ_o	0.077	1.000	0.538	2.337
ITFC	7	1000	1.00	4	6	original	ϕ_o	0.133	0.998	0.566	2.781
ITFC	7	500	0.50	5	5	original	ϕ_o	0.065	0.991	0.528	2.216
ITFC	7	500	0.70	5	5	original	ϕ_o	0.103	0.983	0.543	2.690
ITFC	7	500	1.00	5	5	original	ϕ_o	0.153	0.969	0.561	3.045
ITFC	7	750	0.50	5	5	original	ϕ_o	0.045	0.995	0.520	2.117
ITFC	7	750	0.70	5	5	original	ϕ_o	0.079	0.989	0.534	2.595
ITFC	7	750	1.00	5	5	original	ϕ_o	0.121	0.979	0.550	2.986
ITFC	7	1000	0.50	5	5	original	ϕ_o	0.035	0.997	0.516	2.076
ITFC	7	1000	0.70	5	5	original	ϕ_o	0.064	0.993	0.529	2.559
ITFC	7	1000	1.00	5	5	original	ϕ_o	0.105	0.985	0.545	2.955
ITFC	7	500	0.50	7	6	original	ϕ_o	0.037	1.000	0.518	1.658
ITFC	7	500	0.70	7	6	original	ϕ_o	0.054	0.999	0.527	2.040
ITFC	7	500	1.00	7	6	original	ϕ_o	0.079	0.997	0.538	2.345
ITFC	7	750	0.50	7	6	original	ϕ_o	0.028	1.000	0.514	1.636
ITFC	7	750	0.70	7	6	original	ϕ_o	0.047	0.999	0.523	2.020
ITFC	7	750	1.00	7	6	original	ϕ_o	0.072	0.997	0.535	2.331
ITFC	7	1000	0.50	7	6	original	ϕ_o	0.024	1.000	0.512	1.633
ITFC	7	1000	0.70	7	6	original	ϕ_o	0.042	0.999	0.521	2.022
ITFC	7	1000	1.00	7	6	original	ϕ_o	0.067	0.997	0.532	2.332
ITFC	7	10	2.00	5	6	original	ϕ_o	0.748	0.104	0.426	2.760
ITFC	7	10	2.30	5	6	original	ϕ_o	0.748	0.102	0.425	2.761
ITFC	7	10	3.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.064
ITFC	7	100	2.00	5	6	original	ϕ_o	0.710	0.409	0.560	2.752
ITFC	7	100	2.30	5	6	original	ϕ_o	0.732	0.249	0.491	2.769

ITFC	7	100	3.00	5	6	original	ϕ_o	0.743	0.124	0.433	2.749
ITFC	7	250	2.00	5	6	original	ϕ_o	0.527	0.835	0.681	3.144
ITFC	7	250	2.30	5	6	original	ϕ_o	0.604	0.737	0.671	3.144
ITFC	7	250	3.00	5	6	original	ϕ_o	0.704	0.443	0.574	3.188
ITFC	7	500	0.20	4	2	original	ϕ_o	0.071	1.000	0.535	1.244
ITFC	7	750	0.20	4	2	original	ϕ_o	0.057	1.000	0.528	1.154
ITFC	7	1000	0.20	4	2	original	ϕ_o	0.046	1.000	0.523	1.096
ITFC	7	10	2.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	10	2.30	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	10	3.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	2.00	2	5	original	ϕ_o	0.959	0.144	0.551	2.834
ITFC	7	100	2.30	2	5	original	ϕ_o	0.961	0.071	0.516	2.823
ITFC	7	100	3.00	2	5	original	ϕ_o	0.962	0.057	0.510	2.819
ITFC	7	250	2.00	2	5	original	ϕ_o	0.926	0.578	0.752	2.855
ITFC	7	250	2.30	2	5	original	ϕ_o	0.946	0.415	0.681	2.852
ITFC	7	250	3.00	2	5	original	ϕ_o	0.959	0.116	0.538	2.831
ITFC	7	10	4.00	7	5	original	ϕ_o	0.685	0.111	0.398	2.399
ITFC	7	100	4.00	7	5	original	ϕ_o	0.671	0.141	0.406	2.339
ITFC	7	250	4.00	7	5	original	ϕ_o	0.621	0.334	0.478	2.295
ITFC	7	500	1.25	7	5	original	ϕ_o	0.099	0.994	0.546	2.441
ITFC	7	500	1.50	7	5	original	ϕ_o	0.117	0.989	0.553	2.522
ITFC	7	500	1.70	7	5	original	ϕ_o	0.135	0.985	0.560	2.569
ITFC	7	750	1.25	7	5	original	ϕ_o	0.091	0.994	0.543	2.418
ITFC	7	750	1.50	7	5	original	ϕ_o	0.109	0.991	0.550	2.502
ITFC	7	750	1.70	7	5	original	ϕ_o	0.124	0.986	0.555	2.557
ITFC	7	1000	1.25	7	5	original	ϕ_o	0.086	0.995	0.540	2.421
ITFC	7	1000	1.50	7	5	original	ϕ_o	0.104	0.991	0.547	2.505
ITFC	7	1000	1.70	7	5	original	ϕ_o	0.120	0.987	0.553	2.562
ITFC	7	500	4.00	2	2	original	ϕ_o	0.962	0.058	0.510	2.824
ITFC	7	750	4.00	2	2	original	ϕ_o	0.961	0.078	0.519	2.822
ITFC	7	1000	4.00	2	2	original	ϕ_o	0.958	0.138	0.548	2.826
ITFC	7	500	0.50	4	4	original	ϕ_o	0.095	1.000	0.547	2.063
ITFC	7	500	0.70	4	4	original	ϕ_o	0.143	0.999	0.571	2.533
ITFC	7	500	1.00	4	4	original	ϕ_o	0.195	0.997	0.596	2.930
ITFC	7	750	0.50	4	4	original	ϕ_o	0.064	1.000	0.532	1.926
ITFC	7	750	0.70	4	4	original	ϕ_o	0.110	1.000	0.555	2.379
ITFC	7	750	1.00	4	4	original	ϕ_o	0.164	0.998	0.581	2.783
ITFC	7	1000	0.50	4	4	original	ϕ_o	0.046	1.000	0.523	1.877
ITFC	7	1000	0.70	4	4	original	ϕ_o	0.086	1.000	0.543	2.332
ITFC	7	1000	1.00	4	4	original	ϕ_o	0.140	0.999	0.570	2.737
ITFC	7	10	2.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	10	2.30	2	2	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	7	10	3.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	2.00	2	2	original	ϕ_o	0.964	0.061	0.513	2.830
ITFC	7	100	2.30	2	2	original	ϕ_o	0.964	0.056	0.510	2.827
ITFC	7	100	3.00	2	2	original	ϕ_o	0.964	0.056	0.510	1.910
ITFC	7	250	2.00	2	2	original	ϕ_o	0.961	0.227	0.594	2.854
ITFC	7	250	2.30	2	2	original	ϕ_o	0.963	0.105	0.534	2.838
ITFC	7	250	3.00	2	2	original	ϕ_o	0.964	0.057	0.511	2.828
ITFC	7	10	0.50	5	7	original	ϕ_o	0.428	0.922	0.675	3.101
ITFC	7	10	0.70	5	7	original	ϕ_o	0.542	0.813	0.677	3.115
ITFC	7	10	1.00	5	7	original	ϕ_o	0.687	0.497	0.592	3.156
ITFC	7	100	0.50	5	7	original	ϕ_o	0.161	0.971	0.566	2.684
ITFC	7	100	0.70	5	7	original	ϕ_o	0.234	0.952	0.593	3.041
ITFC	7	100	1.00	5	7	original	ϕ_o	0.341	0.923	0.632	3.157
ITFC	7	250	0.50	5	7	original	ϕ_o	0.081	0.984	0.532	2.355
ITFC	7	250	0.70	5	7	original	ϕ_o	0.131	0.971	0.551	2.808
ITFC	7	250	1.00	5	7	original	ϕ_o	0.190	0.954	0.572	3.108
ITFC	7	10	0.50	7	3	original	ϕ_o	0.418	0.795	0.607	2.580
ITFC	7	10	0.70	7	3	original	ϕ_o	0.578	0.486	0.532	2.617
ITFC	7	10	1.00	7	3	original	ϕ_o	0.653	0.261	0.457	2.389
ITFC	7	100	0.50	7	3	original	ϕ_o	0.141	0.974	0.557	2.383
ITFC	7	100	0.70	7	3	original	ϕ_o	0.201	0.948	0.574	2.496
ITFC	7	100	1.00	7	3	original	ϕ_o	0.361	0.828	0.595	2.530

ITFC	7	250	0.50	7	3	original	ϕ_o	0.088	0.992	0.540	2.099
ITFC	7	250	0.70	7	3	original	ϕ_o	0.115	0.980	0.548	2.346
ITFC	7	250	1.00	7	3	original	ϕ_o	0.171	0.956	0.564	2.455
ITFC	7	500	2.00	5	6	original	ϕ_o	0.328	0.930	0.629	3.220
ITFC	7	500	2.30	5	6	original	ϕ_o	0.421	0.909	0.665	3.217
ITFC	7	500	3.00	5	6	original	ϕ_o	0.593	0.778	0.686	3.203
ITFC	7	750	2.00	5	6	original	ϕ_o	0.267	0.944	0.605	3.196
ITFC	7	750	2.30	5	6	original	ϕ_o	0.355	0.926	0.640	3.197
ITFC	7	750	3.00	5	6	original	ϕ_o	0.544	0.828	0.686	3.190
ITFC	7	1000	2.00	5	6	original	ϕ_o	0.248	0.951	0.599	3.178
ITFC	7	1000	2.30	5	6	original	ϕ_o	0.332	0.933	0.633	3.180
ITFC	7	1000	3.00	5	6	original	ϕ_o	0.525	0.839	0.682	3.178
ITFC	7	500	4.00	6	5	original	ϕ_o	0.717	0.211	0.464	2.097
ITFC	7	750	4.00	6	5	original	ϕ_o	0.707	0.352	0.529	2.673
ITFC	7	1000	4.00	6	5	original	ϕ_o	0.702	0.375	0.539	2.677
ITFC	7	500	1.25	3	7	original	ϕ_o	0.251	0.969	0.610	3.653
ITFC	7	500	1.50	3	7	original	ϕ_o	0.313	0.954	0.633	3.673
ITFC	7	500	1.70	3	7	original	ϕ_o	0.381	0.934	0.658	3.673
ITFC	7	750	1.25	3	7	original	ϕ_o	0.215	0.977	0.596	3.620
ITFC	7	750	1.50	3	7	original	ϕ_o	0.265	0.966	0.616	3.655
ITFC	7	750	1.70	3	7	original	ϕ_o	0.311	0.953	0.632	3.672
ITFC	7	1000	1.25	3	7	original	ϕ_o	0.211	0.978	0.594	3.595
ITFC	7	1000	1.50	3	7	original	ϕ_o	0.259	0.966	0.613	3.631
ITFC	7	1000	1.70	3	7	original	ϕ_o	0.301	0.954	0.627	3.646
ITFC	7	500	1.25	6	5	original	ϕ_o	0.282	0.955	0.618	3.002
ITFC	7	500	1.50	6	5	original	ϕ_o	0.352	0.928	0.640	3.026
ITFC	7	500	1.70	6	5	original	ϕ_o	0.411	0.900	0.656	3.032
ITFC	7	750	1.25	6	5	original	ϕ_o	0.231	0.970	0.601	3.036
ITFC	7	750	1.50	6	5	original	ϕ_o	0.293	0.953	0.623	3.077
ITFC	7	750	1.70	6	5	original	ϕ_o	0.350	0.934	0.642	3.090
ITFC	7	1000	1.25	6	5	original	ϕ_o	0.215	0.976	0.596	3.048
ITFC	7	1000	1.50	6	5	original	ϕ_o	0.276	0.960	0.618	3.088
ITFC	7	1000	1.70	6	5	original	ϕ_o	0.333	0.944	0.638	3.107
ITFC	7	10	2.00	4	2	original	ϕ_o	0.788	0.096	0.442	2.285
ITFC	7	10	2.30	4	2	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	7	10	3.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	7	100	2.00	4	2	original	ϕ_o	0.780	0.140	0.460	2.868
ITFC	7	100	2.30	4	2	original	ϕ_o	0.784	0.104	0.444	3.305
ITFC	7	100	3.00	4	2	original	ϕ_o	0.786	0.097	0.441	2.276
ITFC	7	250	2.00	4	2	original	ϕ_o	0.746	0.420	0.583	2.914
ITFC	7	250	2.30	4	2	original	ϕ_o	0.767	0.266	0.516	2.891
ITFC	7	250	3.00	4	2	original	ϕ_o	0.781	0.118	0.450	2.273
ITFC	7	500	4.00	6	6	original	ϕ_o	0.714	0.252	0.483	2.106
ITFC	7	750	4.00	6	6	original	ϕ_o	0.704	0.371	0.537	2.679
ITFC	7	1000	4.00	6	6	original	ϕ_o	0.703	0.375	0.539	2.128
ITFC	7	500	0.50	4	7	original	ϕ_o	0.055	1.000	0.527	1.895
ITFC	7	500	0.70	4	7	original	ϕ_o	0.096	1.000	0.548	2.385
ITFC	7	500	1.00	4	7	original	ϕ_o	0.150	0.998	0.574	2.830
ITFC	7	750	0.50	4	7	original	ϕ_o	0.041	1.000	0.520	1.846
ITFC	7	750	0.70	4	7	original	ϕ_o	0.078	1.000	0.539	2.330
ITFC	7	750	1.00	4	7	original	ϕ_o	0.132	0.998	0.565	2.776
ITFC	7	1000	0.50	4	7	original	ϕ_o	0.035	1.000	0.518	1.841
ITFC	7	1000	0.70	4	7	original	ϕ_o	0.072	1.000	0.536	2.323
ITFC	7	1000	1.00	4	7	original	ϕ_o	0.126	0.998	0.562	2.770
ITFC	7	10	0.50	6	4	original	ϕ_o	0.519	0.816	0.668	2.908
ITFC	7	10	0.70	6	4	original	ϕ_o	0.638	0.552	0.595	2.560
ITFC	7	10	1.00	6	4	original	ϕ_o	0.711	0.219	0.465	2.091
ITFC	7	100	0.50	6	4	original	ϕ_o	0.300	0.960	0.630	2.745
ITFC	7	100	0.70	6	4	original	ϕ_o	0.405	0.900	0.653	2.912
ITFC	7	100	1.00	6	4	original	ϕ_o	0.555	0.731	0.643	2.554
ITFC	7	250	0.50	6	4	original	ϕ_o	0.186	0.987	0.586	2.510
ITFC	7	250	0.70	6	4	original	ϕ_o	0.272	0.958	0.615	2.822
ITFC	7	250	1.00	6	4	original	ϕ_o	0.383	0.898	0.640	2.900
ITFC	7	10	4.00	3	5	original	ϕ_o	0.866	0.071	0.468	2.520

ITFC	7	100	4.00	3	5	original	ϕ_o	0.865	0.072	0.469	1.675
ITFC	7	250	4.00	3	5	original	ϕ_o	0.863	0.082	0.473	2.513
ITFC	7	500	4.00	5	2	original	ϕ_o	0.742	0.111	0.426	2.714
ITFC	7	750	4.00	5	2	original	ϕ_o	0.736	0.130	0.433	2.694
ITFC	7	1000	4.00	5	2	original	ϕ_o	0.729	0.191	0.460	2.694
ITFC	7	10	1.25	5	3	original	ϕ_o	0.747	0.126	0.436	2.761
ITFC	7	10	1.50	5	3	original	ϕ_o	0.748	0.106	0.427	2.761
ITFC	7	10	1.70	5	3	original	ϕ_o	0.748	0.103	0.425	2.761
ITFC	7	100	1.25	5	3	original	ϕ_o	0.650	0.542	0.596	3.102
ITFC	7	100	1.50	5	3	original	ϕ_o	0.710	0.321	0.516	2.714
ITFC	7	100	1.70	5	3	original	ϕ_o	0.728	0.209	0.469	2.741
ITFC	7	250	1.25	5	3	original	ϕ_o	0.453	0.865	0.659	3.012
ITFC	7	250	1.50	5	3	original	ϕ_o	0.562	0.747	0.654	3.040
ITFC	7	250	1.70	5	3	original	ϕ_o	0.629	0.604	0.616	3.090
ITFC	7	10	0.50	5	4	original	ϕ_o	0.473	0.868	0.670	3.024
ITFC	7	10	0.70	5	4	original	ϕ_o	0.606	0.673	0.640	3.057
ITFC	7	10	1.00	5	4	original	ϕ_o	0.723	0.279	0.501	3.178
ITFC	7	100	0.50	5	4	original	ϕ_o	0.220	0.961	0.590	2.774
ITFC	7	100	0.70	5	4	original	ϕ_o	0.320	0.929	0.625	2.992
ITFC	7	100	1.00	5	4	original	ϕ_o	0.474	0.841	0.657	3.017
ITFC	7	250	0.50	5	4	original	ϕ_o	0.129	0.979	0.554	2.517
ITFC	7	250	0.70	5	4	original	ϕ_o	0.189	0.961	0.575	2.874
ITFC	7	250	1.00	5	4	original	ϕ_o	0.282	0.933	0.608	3.026
ITFC	7	10	0.50	3	2	original	ϕ_o	0.701	0.793	0.747	3.590
ITFC	7	10	0.70	3	2	original	ϕ_o	0.818	0.523	0.670	3.160
ITFC	7	10	1.00	3	2	original	ϕ_o	0.862	0.188	0.525	2.529
ITFC	7	100	0.50	3	2	original	ϕ_o	0.420	0.949	0.684	3.585
ITFC	7	100	0.70	3	2	original	ϕ_o	0.591	0.890	0.741	3.756
ITFC	7	100	1.00	3	2	original	ϕ_o	0.771	0.694	0.733	3.692
ITFC	7	250	0.50	3	2	original	ϕ_o	0.276	0.972	0.624	3.395
ITFC	7	250	0.70	3	2	original	ϕ_o	0.407	0.945	0.676	3.696
ITFC	7	250	1.00	3	2	original	ϕ_o	0.624	0.861	0.742	3.748
ITFC	7	500	1.25	7	2	original	ϕ_o	0.187	0.960	0.574	2.442
ITFC	7	500	1.50	7	2	original	ϕ_o	0.283	0.919	0.601	2.496
ITFC	7	500	1.70	7	2	original	ϕ_o	0.362	0.864	0.613	2.524
ITFC	7	750	1.25	7	2	original	ϕ_o	0.117	0.985	0.551	2.387
ITFC	7	750	1.50	7	2	original	ϕ_o	0.159	0.976	0.567	2.457
ITFC	7	750	1.70	7	2	original	ϕ_o	0.210	0.959	0.585	2.489
ITFC	7	1000	1.25	7	2	original	ϕ_o	0.094	0.989	0.541	2.402
ITFC	7	1000	1.50	7	2	original	ϕ_o	0.117	0.986	0.551	2.490
ITFC	7	1000	1.70	7	2	original	ϕ_o	0.148	0.980	0.564	2.531
ITFC	7	500	0.50	5	2	original	ϕ_o	0.130	0.961	0.546	2.480
ITFC	7	500	0.70	5	2	original	ϕ_o	0.186	0.945	0.566	2.816
ITFC	7	500	1.00	5	2	original	ϕ_o	0.296	0.923	0.609	2.992
ITFC	7	750	0.50	5	2	original	ϕ_o	0.098	0.968	0.533	2.332
ITFC	7	750	0.70	5	2	original	ϕ_o	0.141	0.955	0.548	2.718
ITFC	7	750	1.00	5	2	original	ϕ_o	0.210	0.939	0.574	2.966
ITFC	7	1000	0.50	5	2	original	ϕ_o	0.080	0.975	0.527	2.224
ITFC	7	1000	0.70	5	2	original	ϕ_o	0.115	0.962	0.539	2.643
ITFC	7	1000	1.00	5	2	original	ϕ_o	0.164	0.947	0.556	2.933
ITFC	7	500	4.00	4	5	original	ϕ_o	0.760	0.424	0.592	3.520
ITFC	7	750	4.00	4	5	original	ϕ_o	0.726	0.592	0.659	3.500
ITFC	7	1000	4.00	4	5	original	ϕ_o	0.711	0.637	0.674	3.472
ITFC	7	10	0.50	2	6	original	ϕ_o	0.823	0.853	0.838	4.369
ITFC	7	10	0.70	2	6	original	ϕ_o	0.897	0.706	0.802	3.680
ITFC	7	10	1.00	2	6	original	ϕ_o	0.952	0.393	0.672	2.862
ITFC	7	100	0.50	2	6	original	ϕ_o	0.569	0.957	0.763	4.129
ITFC	7	100	0.70	2	6	original	ϕ_o	0.705	0.918	0.812	4.378
ITFC	7	100	1.00	2	6	original	ϕ_o	0.818	0.833	0.826	4.378
ITFC	7	250	0.50	2	6	original	ϕ_o	0.358	0.981	0.669	3.824
ITFC	7	250	0.70	2	6	original	ϕ_o	0.523	0.959	0.741	4.230
ITFC	7	250	1.00	2	6	original	ϕ_o	0.668	0.919	0.793	4.384
ITFC	7	500	0.50	7	4	original	ϕ_o	0.047	0.999	0.523	1.705
ITFC	7	500	0.70	7	4	original	ϕ_o	0.062	0.997	0.530	2.092

ITFC	7	500	1.00	7	4	original	ϕ_o	0.085	0.993	0.539	2.421
ITFC	7	750	0.50	7	4	original	ϕ_o	0.041	1.000	0.520	1.631
ITFC	7	750	0.70	7	4	original	ϕ_o	0.055	0.998	0.527	2.017
ITFC	7	750	1.00	7	4	original	ϕ_o	0.075	0.994	0.535	2.346
ITFC	7	1000	0.50	7	4	original	ϕ_o	0.036	1.000	0.518	1.625
ITFC	7	1000	0.70	7	4	original	ϕ_o	0.050	0.998	0.524	2.011
ITFC	7	1000	1.00	7	4	original	ϕ_o	0.070	0.995	0.532	2.343
ITFC	7	10	0.20	7	6	original	ϕ_o	0.126	0.996	0.561	1.575
ITFC	7	100	0.20	7	6	original	ϕ_o	0.031	1.000	0.515	0.980
ITFC	7	250	0.20	7	6	original	ϕ_o	0.016	1.000	0.508	0.809
ITFC	7	10	4.00	7	4	original	ϕ_o	0.685	0.111	0.398	2.399
ITFC	7	100	4.00	7	4	original	ϕ_o	0.673	0.114	0.393	2.326
ITFC	7	250	4.00	7	4	original	ϕ_o	0.642	0.221	0.431	2.591
ITFC	7	10	2.00	7	7	original	ϕ_o	0.682	0.116	0.399	2.382
ITFC	7	10	2.30	7	7	original	ϕ_o	0.683	0.109	0.396	2.384
ITFC	7	10	3.00	7	7	original	ϕ_o	0.684	0.108	0.396	2.390
ITFC	7	100	2.00	7	7	original	ϕ_o	0.537	0.732	0.634	2.854
ITFC	7	100	2.30	7	7	original	ϕ_o	0.591	0.563	0.577	2.836
ITFC	7	100	3.00	7	7	original	ϕ_o	0.656	0.289	0.472	2.416
ITFC	7	250	2.00	7	7	original	ϕ_o	0.249	0.967	0.608	2.788
ITFC	7	250	2.30	7	7	original	ϕ_o	0.344	0.933	0.639	2.818
ITFC	7	250	3.00	7	7	original	ϕ_o	0.514	0.765	0.639	2.855
ITFC	7	500	2.00	3	5	original	ϕ_o	0.606	0.820	0.713	3.562
ITFC	7	500	2.30	3	5	original	ϕ_o	0.701	0.737	0.719	3.539
ITFC	7	500	3.00	3	5	original	ϕ_o	0.810	0.513	0.661	3.097
ITFC	7	750	2.00	3	5	original	ϕ_o	0.460	0.898	0.679	3.633
ITFC	7	750	2.30	3	5	original	ϕ_o	0.580	0.841	0.711	3.606
ITFC	7	750	3.00	3	5	original	ϕ_o	0.750	0.669	0.710	3.141
ITFC	7	1000	2.00	3	5	original	ϕ_o	0.391	0.927	0.659	3.669
ITFC	7	1000	2.30	3	5	original	ϕ_o	0.513	0.883	0.698	3.657
ITFC	7	1000	3.00	3	5	original	ϕ_o	0.713	0.738	0.725	3.612
ITFC	7	10	1.25	6	2	original	ϕ_o	0.729	0.056	0.392	2.086
ITFC	7	10	1.50	6	2	original	ϕ_o	0.731	0.052	0.391	1.431
ITFC	7	10	1.70	6	2	original	ϕ_o	0.731	0.052	0.392	2.095
ITFC	7	100	1.25	6	2	original	ϕ_o	0.691	0.243	0.467	2.031
ITFC	7	100	1.50	6	2	original	ϕ_o	0.711	0.114	0.412	2.046
ITFC	7	100	1.70	6	2	original	ϕ_o	0.718	0.072	0.395	2.057
ITFC	7	250	1.25	6	2	original	ϕ_o	0.612	0.537	0.575	1.983
ITFC	7	250	1.50	6	2	original	ϕ_o	0.666	0.332	0.499	2.003
ITFC	7	250	1.70	6	2	original	ϕ_o	0.690	0.212	0.451	2.014
ITFC	7	500	4.00	3	7	original	ϕ_o	0.844	0.329	0.587	3.117
ITFC	7	750	4.00	3	7	original	ϕ_o	0.829	0.448	0.638	3.144
ITFC	7	1000	4.00	3	7	original	ϕ_o	0.827	0.455	0.641	3.132
ITFC	7	10	2.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	10	2.30	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	10	3.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	7	100	2.00	3	3	original	ϕ_o	0.863	0.120	0.491	2.522
ITFC	7	100	2.30	3	3	original	ϕ_o	0.865	0.087	0.476	2.519
ITFC	7	100	3.00	3	3	original	ϕ_o	0.865	0.073	0.469	2.518
ITFC	7	250	2.00	3	3	original	ϕ_o	0.842	0.329	0.585	2.523
ITFC	7	250	2.30	3	3	original	ϕ_o	0.856	0.202	0.529	2.523
ITFC	7	250	3.00	3	3	original	ϕ_o	0.864	0.094	0.479	2.515
ITFC	7	500	1.25	7	7	original	ϕ_o	0.094	0.995	0.545	2.455
ITFC	7	500	1.50	7	7	original	ϕ_o	0.114	0.991	0.553	2.548
ITFC	7	500	1.70	7	7	original	ϕ_o	0.131	0.987	0.559	2.603
ITFC	7	750	1.25	7	7	original	ϕ_o	0.088	0.995	0.542	2.458
ITFC	7	750	1.50	7	7	original	ϕ_o	0.107	0.992	0.550	2.550
ITFC	7	750	1.70	7	7	original	ϕ_o	0.124	0.988	0.556	2.604
ITFC	7	1000	1.25	7	7	original	ϕ_o	0.086	0.995	0.541	2.460
ITFC	7	1000	1.50	7	7	original	ϕ_o	0.106	0.992	0.549	2.553
ITFC	7	1000	1.70	7	7	original	ϕ_o	0.123	0.988	0.556	2.607
ITFC	7	10	2.00	7	4	original	ϕ_o	0.683	0.111	0.397	2.384
ITFC	7	10	2.30	7	4	original	ϕ_o	0.684	0.106	0.395	2.386
ITFC	7	10	3.00	7	4	original	ϕ_o	0.684	0.109	0.396	2.392

ITFC	7	100	2.00	7	4	original	ϕ_o	0.608	0.400	0.504	1.881
ITFC	7	100	2.30	7	4	original	ϕ_o	0.638	0.291	0.464	2.323
ITFC	7	100	3.00	7	4	original	ϕ_o	0.666	0.163	0.415	1.895
ITFC	7	250	2.00	7	4	original	ϕ_o	0.406	0.837	0.622	2.628
ITFC	7	250	2.30	7	4	original	ϕ_o	0.488	0.715	0.602	2.619
ITFC	7	250	3.00	7	4	original	ϕ_o	0.588	0.435	0.511	2.266
ITFC	7	500	2.00	4	7	original	ϕ_o	0.303	0.976	0.639	3.380
ITFC	7	500	2.30	4	7	original	ϕ_o	0.416	0.945	0.681	3.442
ITFC	7	500	3.00	4	7	original	ϕ_o	0.638	0.800	0.719	3.502
ITFC	7	750	2.00	4	7	original	ϕ_o	0.274	0.981	0.627	3.314
ITFC	7	750	2.30	4	7	original	ϕ_o	0.354	0.959	0.657	3.380
ITFC	7	750	3.00	4	7	original	ϕ_o	0.590	0.835	0.713	3.454
ITFC	7	1000	2.00	4	7	original	ϕ_o	0.270	0.981	0.625	3.305
ITFC	7	1000	2.30	4	7	original	ϕ_o	0.348	0.960	0.654	3.374
ITFC	7	1000	3.00	4	7	original	ϕ_o	0.584	0.839	0.711	3.447
ITFC	7	10	1.25	2	7	original	ϕ_o	0.961	0.134	0.548	2.831
ITFC	7	10	1.50	2	7	original	ϕ_o	0.963	0.060	0.511	1.908
ITFC	7	10	1.70	2	7	original	ϕ_o	0.963	0.056	0.510	2.822
ITFC	7	100	1.25	2	7	original	ϕ_o	0.879	0.739	0.809	3.689
ITFC	7	100	1.50	2	7	original	ϕ_o	0.925	0.600	0.763	3.668
ITFC	7	100	1.70	2	7	original	ϕ_o	0.943	0.458	0.701	2.855
ITFC	7	250	1.25	2	7	original	ϕ_o	0.723	0.882	0.803	4.349
ITFC	7	250	1.50	2	7	original	ϕ_o	0.800	0.830	0.815	4.301
ITFC	7	250	1.70	2	7	original	ϕ_o	0.851	0.777	0.814	3.685
ITFC	7	10	2.00	4	7	original	ϕ_o	0.789	0.094	0.442	2.866
ITFC	7	10	2.30	4	7	original	ϕ_o	0.789	0.096	0.442	2.287
ITFC	7	10	3.00	4	7	original	ϕ_o	0.789	0.097	0.443	2.288
ITFC	7	100	2.00	4	7	original	ϕ_o	0.740	0.573	0.657	3.547
ITFC	7	100	2.30	4	7	original	ϕ_o	0.766	0.393	0.580	2.957
ITFC	7	100	3.00	4	7	original	ϕ_o	0.783	0.152	0.468	2.886
ITFC	7	250	2.00	4	7	original	ϕ_o	0.567	0.902	0.734	3.532
ITFC	7	250	2.30	4	7	original	ϕ_o	0.653	0.814	0.733	3.550
ITFC	7	250	3.00	4	7	original	ϕ_o	0.744	0.560	0.652	3.560
ITFC	7	10	0.50	5	3	original	ϕ_o	0.491	0.839	0.665	2.957
ITFC	7	10	0.70	5	3	original	ϕ_o	0.635	0.599	0.617	3.060
ITFC	7	10	1.00	5	3	original	ϕ_o	0.732	0.219	0.475	2.752
ITFC	7	100	0.50	5	3	original	ϕ_o	0.252	0.956	0.604	2.789
ITFC	7	100	0.70	5	3	original	ϕ_o	0.362	0.920	0.641	2.979
ITFC	7	100	1.00	5	3	original	ϕ_o	0.535	0.782	0.658	3.017
ITFC	7	250	0.50	5	3	original	ϕ_o	0.149	0.975	0.562	2.568
ITFC	7	250	0.70	5	3	original	ϕ_o	0.220	0.957	0.588	2.891
ITFC	7	250	1.00	5	3	original	ϕ_o	0.333	0.922	0.628	3.014
ITFC	7	500	2.00	3	7	original	ϕ_o	0.517	0.884	0.701	3.665
ITFC	7	500	2.30	3	7	original	ϕ_o	0.634	0.819	0.726	3.645
ITFC	7	500	3.00	3	7	original	ϕ_o	0.777	0.620	0.699	3.155
ITFC	7	750	2.00	3	7	original	ϕ_o	0.414	0.922	0.668	3.684
ITFC	7	750	2.30	3	7	original	ϕ_o	0.544	0.873	0.709	3.678
ITFC	7	750	3.00	3	7	original	ϕ_o	0.735	0.713	0.724	3.635
ITFC	7	1000	2.00	3	7	original	ϕ_o	0.391	0.924	0.657	3.653
ITFC	7	1000	2.30	3	7	original	ϕ_o	0.521	0.876	0.699	3.651
ITFC	7	1000	3.00	3	7	original	ϕ_o	0.726	0.718	0.722	3.612
ITFC	7	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	7	100	4.00	4	3	original	ϕ_o	0.788	0.097	0.442	3.311
ITFC	7	250	4.00	4	3	original	ϕ_o	0.786	0.114	0.450	2.282
ITFC	7	500	2.00	3	2	original	ϕ_o	0.816	0.556	0.686	3.176
ITFC	7	500	2.30	3	2	original	ϕ_o	0.841	0.395	0.618	2.538
ITFC	7	500	3.00	3	2	original	ϕ_o	0.859	0.145	0.502	2.519
ITFC	7	750	2.00	3	2	original	ϕ_o	0.752	0.704	0.728	3.657
ITFC	7	750	2.30	3	2	original	ϕ_o	0.802	0.596	0.699	3.172
ITFC	7	750	3.00	3	2	original	ϕ_o	0.847	0.313	0.580	2.532
ITFC	7	1000	2.00	3	2	original	ϕ_o	0.666	0.801	0.734	3.682
ITFC	7	1000	2.30	3	2	original	ϕ_o	0.743	0.709	0.726	3.644
ITFC	7	1000	3.00	3	2	original	ϕ_o	0.825	0.487	0.656	2.534
ITFC	7	500	4.00	7	3	original	ϕ_o	0.605	0.403	0.504	2.620

ITFC	7	750	4.00	7	3	original	ϕ_o	0.537	0.610	0.573	2.624
ITFC	7	1000	4.00	7	3	original	ϕ_o	0.521	0.654	0.588	2.652
ITFC	7	10	2.00	5	5	original	ϕ_o	0.748	0.104	0.426	2.763
ITFC	7	10	2.30	5	5	original	ϕ_o	0.748	0.102	0.425	2.764
ITFC	7	10	3.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	7	100	2.00	5	5	original	ϕ_o	0.726	0.303	0.514	2.771
ITFC	7	100	2.30	5	5	original	ϕ_o	0.739	0.186	0.463	2.774
ITFC	7	100	3.00	5	5	original	ϕ_o	0.746	0.116	0.431	2.768
ITFC	7	250	2.00	5	5	original	ϕ_o	0.578	0.769	0.674	3.153
ITFC	7	250	2.30	5	5	original	ϕ_o	0.646	0.633	0.639	3.176
ITFC	7	250	3.00	5	5	original	ϕ_o	0.724	0.317	0.521	3.214
ITFC	7	500	0.20	7	3	original	ϕ_o	0.035	1.000	0.517	0.877
ITFC	7	750	0.20	7	3	original	ϕ_o	0.029	1.000	0.514	0.823
ITFC	7	1000	0.20	7	3	original	ϕ_o	0.024	1.000	0.512	0.811
ITFC	7	10	2.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	10	2.30	5	2	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	7	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	100	2.00	5	2	original	ϕ_o	0.747	0.119	0.433	2.748
ITFC	7	100	2.30	5	2	original	ϕ_o	0.748	0.109	0.428	2.750
ITFC	7	100	3.00	5	2	original	ϕ_o	0.748	0.105	0.426	2.760
ITFC	7	250	2.00	5	2	original	ϕ_o	0.730	0.237	0.483	2.732
ITFC	7	250	2.30	5	2	original	ϕ_o	0.739	0.159	0.449	2.165
ITFC	7	250	3.00	5	2	original	ϕ_o	0.744	0.111	0.428	2.729
ITFC	7	500	2.00	7	2	original	ϕ_o	0.454	0.765	0.610	2.558
ITFC	7	500	2.30	7	2	original	ϕ_o	0.516	0.656	0.586	2.588
ITFC	7	500	3.00	7	2	original	ϕ_o	0.596	0.398	0.497	2.619
ITFC	7	750	2.00	7	2	original	ϕ_o	0.304	0.915	0.610	2.529
ITFC	7	750	2.30	7	2	original	ϕ_o	0.388	0.852	0.620	2.559
ITFC	7	750	3.00	7	2	original	ϕ_o	0.515	0.660	0.587	2.590
ITFC	7	1000	2.00	7	2	original	ϕ_o	0.217	0.960	0.588	2.580
ITFC	7	1000	2.30	7	2	original	ϕ_o	0.303	0.924	0.614	2.609
ITFC	7	1000	3.00	7	2	original	ϕ_o	0.461	0.792	0.627	2.654
ITFC	7	10	0.50	7	7	original	ϕ_o	0.304	0.923	0.613	2.604
ITFC	7	10	0.70	7	7	original	ϕ_o	0.470	0.767	0.619	2.667
ITFC	7	10	1.00	7	7	original	ϕ_o	0.610	0.390	0.500	2.716
ITFC	7	100	0.50	7	7	original	ϕ_o	0.091	0.998	0.545	2.083
ITFC	7	100	0.70	7	7	original	ϕ_o	0.131	0.993	0.562	2.470
ITFC	7	100	1.00	7	7	original	ϕ_o	0.182	0.983	0.583	2.725
ITFC	7	250	0.50	7	7	original	ϕ_o	0.050	1.000	0.525	1.728
ITFC	7	250	0.70	7	7	original	ϕ_o	0.072	0.999	0.536	2.123
ITFC	7	250	1.00	7	7	original	ϕ_o	0.102	0.996	0.549	2.446
ITFC	7	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	1.909
ITFC	7	250	4.00	2	2	original	ϕ_o	0.963	0.056	0.510	2.825
ITFC	7	10	0.20	5	2	original	ϕ_o	0.223	0.967	0.595	2.077
ITFC	7	100	0.20	5	2	original	ϕ_o	0.097	0.980	0.539	1.685
ITFC	7	250	0.20	5	2	original	ϕ_o	0.059	0.987	0.523	1.477
ITFC	7	500	2.00	2	2	original	ϕ_o	0.941	0.512	0.726	2.867
ITFC	7	500	2.30	2	2	original	ϕ_o	0.953	0.364	0.659	2.860
ITFC	7	500	3.00	2	2	original	ϕ_o	0.962	0.111	0.536	2.832
ITFC	7	750	2.00	2	2	original	ϕ_o	0.910	0.646	0.778	3.670
ITFC	7	750	2.30	2	2	original	ϕ_o	0.935	0.536	0.735	2.861
ITFC	7	750	3.00	2	2	original	ϕ_o	0.955	0.264	0.609	2.846
ITFC	7	1000	2.00	2	2	original	ϕ_o	0.870	0.731	0.800	3.676
ITFC	7	1000	2.30	2	2	original	ϕ_o	0.909	0.641	0.775	3.660
ITFC	7	1000	3.00	2	2	original	ϕ_o	0.946	0.410	0.678	2.848
ITFC	7	500	0.50	2	5	original	ϕ_o	0.226	0.991	0.609	3.558
ITFC	7	500	0.70	2	5	original	ϕ_o	0.382	0.978	0.680	4.041
ITFC	7	500	1.00	2	5	original	ϕ_o	0.547	0.955	0.751	4.318
ITFC	7	750	0.50	2	5	original	ϕ_o	0.138	0.996	0.567	3.371
ITFC	7	750	0.70	2	5	original	ϕ_o	0.269	0.989	0.629	3.919
ITFC	7	750	1.00	2	5	original	ϕ_o	0.430	0.973	0.702	4.266
ITFC	7	1000	0.50	2	5	original	ϕ_o	0.104	0.998	0.551	3.304
ITFC	7	1000	0.70	2	5	original	ϕ_o	0.221	0.994	0.608	3.878

ITFC	7	1000	1.00	2	5	original	ϕ_o	0.377	0.982	0.680	4.248
ITFC	7	500	1.25	5	4	original	ϕ_o	0.219	0.946	0.583	3.053
ITFC	7	500	1.50	5	4	original	ϕ_o	0.275	0.933	0.604	3.078
ITFC	7	500	1.70	5	4	original	ϕ_o	0.333	0.920	0.626	3.087
ITFC	7	750	1.25	5	4	original	ϕ_o	0.162	0.964	0.563	3.029
ITFC	7	750	1.50	5	4	original	ϕ_o	0.196	0.953	0.575	3.064
ITFC	7	750	1.70	5	4	original	ϕ_o	0.231	0.945	0.588	3.079
ITFC	7	1000	1.25	5	4	original	ϕ_o	0.132	0.975	0.554	3.010
ITFC	7	1000	1.50	5	4	original	ϕ_o	0.159	0.966	0.563	3.056
ITFC	7	1000	1.70	5	4	original	ϕ_o	0.184	0.959	0.572	3.073
ITFC	7	10	1.25	6	5	original	ϕ_o	0.722	0.125	0.424	2.086
ITFC	7	10	1.50	6	5	original	ϕ_o	0.728	0.071	0.399	2.089
ITFC	7	10	1.70	6	5	original	ϕ_o	0.730	0.055	0.392	2.090
ITFC	7	100	1.25	6	5	original	ϕ_o	0.600	0.641	0.620	2.942
ITFC	7	100	1.50	6	5	original	ϕ_o	0.660	0.451	0.556	2.048
ITFC	7	100	1.70	6	5	original	ϕ_o	0.685	0.320	0.503	2.055
ITFC	7	250	1.25	6	5	original	ϕ_o	0.430	0.884	0.657	2.957
ITFC	7	250	1.50	6	5	original	ϕ_o	0.516	0.801	0.659	2.953
ITFC	7	250	1.70	6	5	original	ϕ_o	0.575	0.709	0.642	2.952
ITFC	7	500	0.20	3	4	original	ϕ_o	0.007	1.000	0.503	1.514
ITFC	7	750	0.20	3	4	original	ϕ_o	0.003	1.000	0.501	1.413
ITFC	7	1000	0.20	3	4	original	ϕ_o	0.001	1.000	0.501	1.365
ITFC	7	500	0.50	3	7	original	ϕ_o	0.055	0.997	0.526	2.697
ITFC	7	500	0.70	3	7	original	ϕ_o	0.110	0.993	0.551	3.215
ITFC	7	500	1.00	3	7	original	ϕ_o	0.192	0.981	0.586	3.566
ITFC	7	750	0.50	3	7	original	ϕ_o	0.040	0.999	0.519	2.608
ITFC	7	750	0.70	3	7	original	ϕ_o	0.087	0.995	0.541	3.130
ITFC	7	750	1.00	3	7	original	ϕ_o	0.163	0.987	0.575	3.504
ITFC	7	1000	0.50	3	7	original	ϕ_o	0.037	0.999	0.518	2.587
ITFC	7	1000	0.70	3	7	original	ϕ_o	0.083	0.995	0.539	3.110
ITFC	7	1000	1.00	3	7	original	ϕ_o	0.159	0.987	0.573	3.480
ITFC	7	500	4.00	3	5	original	ϕ_o	0.852	0.226	0.539	2.524
ITFC	7	750	4.00	3	5	original	ϕ_o	0.835	0.395	0.615	2.531
ITFC	7	1000	4.00	3	5	original	ϕ_o	0.820	0.486	0.653	3.122
ITFC	7	500	0.50	3	6	original	ϕ_o	0.062	0.994	0.528	2.720
ITFC	7	500	0.70	3	6	original	ϕ_o	0.123	0.986	0.554	3.227
ITFC	7	500	1.00	3	6	original	ϕ_o	0.207	0.972	0.590	3.564
ITFC	7	750	0.50	3	6	original	ϕ_o	0.041	0.997	0.519	2.615
ITFC	7	750	0.70	3	6	original	ϕ_o	0.088	0.992	0.540	3.130
ITFC	7	750	1.00	3	6	original	ϕ_o	0.166	0.982	0.574	3.505
ITFC	7	1000	0.50	3	6	original	ϕ_o	0.037	0.998	0.518	2.588
ITFC	7	1000	0.70	3	6	original	ϕ_o	0.081	0.995	0.538	3.110
ITFC	7	1000	1.00	3	6	original	ϕ_o	0.157	0.985	0.571	3.482
ITFC	7	10	2.00	4	3	original	ϕ_o	0.788	0.094	0.441	2.284
ITFC	7	10	2.30	4	3	original	ϕ_o	0.788	0.096	0.442	2.869
ITFC	7	10	3.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	7	100	2.00	4	3	original	ϕ_o	0.775	0.253	0.514	2.915
ITFC	7	100	2.30	4	3	original	ϕ_o	0.783	0.147	0.465	2.283
ITFC	7	100	3.00	4	3	original	ϕ_o	0.787	0.098	0.443	2.279
ITFC	7	250	2.00	4	3	original	ϕ_o	0.695	0.689	0.692	3.527
ITFC	7	250	2.30	4	3	original	ϕ_o	0.738	0.529	0.634	3.512
ITFC	7	250	3.00	4	3	original	ϕ_o	0.778	0.235	0.506	2.912
ITFC	7	10	0.50	4	3	original	ϕ_o	0.436	0.905	0.670	3.205
ITFC	7	10	0.70	4	3	original	ϕ_o	0.636	0.747	0.691	3.342
ITFC	7	10	1.00	4	3	original	ϕ_o	0.759	0.378	0.568	2.299
ITFC	7	100	0.50	4	3	original	ϕ_o	0.250	0.991	0.621	2.894
ITFC	7	100	0.70	4	3	original	ϕ_o	0.318	0.976	0.647	3.183
ITFC	7	100	1.00	4	3	original	ϕ_o	0.503	0.910	0.706	3.398
ITFC	7	250	0.50	4	3	original	ϕ_o	0.174	0.998	0.586	2.552
ITFC	7	250	0.70	4	3	original	ϕ_o	0.231	0.994	0.613	2.969
ITFC	7	250	1.00	4	3	original	ϕ_o	0.298	0.982	0.640	3.291
ITFC	7	10	2.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	10	2.30	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	10	3.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097

ITFC	7	100	2.00	6	4	original	ϕ_o	0.720	0.091	0.406	2.073
ITFC	7	100	2.30	6	4	original	ϕ_o	0.724	0.061	0.393	1.382
ITFC	7	100	3.00	6	4	original	ϕ_o	0.728	0.052	0.390	2.083
ITFC	7	250	2.00	6	4	original	ϕ_o	0.674	0.378	0.526	2.051
ITFC	7	250	2.30	6	4	original	ϕ_o	0.700	0.231	0.465	2.058
ITFC	7	250	3.00	6	4	original	ϕ_o	0.719	0.078	0.399	2.065
ITFC	7	500	4.00	2	4	original	ϕ_o	0.956	0.125	0.541	2.823
ITFC	7	750	4.00	2	4	original	ϕ_o	0.949	0.338	0.644	2.839
ITFC	7	1000	4.00	2	4	original	ϕ_o	0.946	0.429	0.688	3.637
ITFC	7	10	2.00	4	6	original	ϕ_o	0.789	0.094	0.442	2.867
ITFC	7	10	2.30	4	6	original	ϕ_o	0.789	0.096	0.442	2.871
ITFC	7	10	3.00	4	6	original	ϕ_o	0.789	0.097	0.443	2.288
ITFC	7	100	2.00	4	6	original	ϕ_o	0.752	0.497	0.624	2.969
ITFC	7	100	2.30	4	6	original	ϕ_o	0.772	0.319	0.546	2.940
ITFC	7	100	3.00	4	6	original	ϕ_o	0.784	0.128	0.456	2.877
ITFC	7	250	2.00	4	6	original	ϕ_o	0.607	0.869	0.738	3.537
ITFC	7	250	2.30	4	6	original	ϕ_o	0.680	0.764	0.722	3.555
ITFC	7	250	3.00	4	6	original	ϕ_o	0.757	0.453	0.605	3.524
ITFC	7	10	1.25	7	3	original	ϕ_o	0.675	0.172	0.423	2.402
ITFC	7	10	1.50	7	3	original	ϕ_o	0.680	0.134	0.407	2.391
ITFC	7	10	1.70	7	3	original	ϕ_o	0.681	0.121	0.401	1.930
ITFC	7	100	1.25	7	3	original	ϕ_o	0.499	0.664	0.582	2.572
ITFC	7	100	1.50	7	3	original	ϕ_o	0.576	0.493	0.534	2.619
ITFC	7	100	1.70	7	3	original	ϕ_o	0.614	0.383	0.498	2.646
ITFC	7	250	1.25	7	3	original	ϕ_o	0.240	0.917	0.578	2.487
ITFC	7	250	1.50	7	3	original	ϕ_o	0.336	0.841	0.589	2.505
ITFC	7	250	1.70	7	3	original	ϕ_o	0.418	0.766	0.592	2.527
ITFC	7	10	0.50	2	2	original	ϕ_o	0.857	0.794	0.826	3.657
ITFC	7	10	0.70	2	2	original	ϕ_o	0.917	0.592	0.755	3.639
ITFC	7	10	1.00	2	2	original	ϕ_o	0.960	0.267	0.613	2.855
ITFC	7	100	0.50	2	2	original	ϕ_o	0.711	0.919	0.815	4.280
ITFC	7	100	0.70	2	2	original	ϕ_o	0.821	0.837	0.829	4.379
ITFC	7	100	1.00	2	2	original	ϕ_o	0.907	0.646	0.777	3.671
ITFC	7	250	0.50	2	2	original	ϕ_o	0.576	0.957	0.766	4.135
ITFC	7	250	0.70	2	2	original	ϕ_o	0.713	0.906	0.809	4.359
ITFC	7	250	1.00	2	2	original	ϕ_o	0.831	0.807	0.819	3.696
ITFC	7	500	2.00	6	3	original	ϕ_o	0.597	0.657	0.627	2.536
ITFC	7	500	2.30	6	3	original	ϕ_o	0.647	0.510	0.579	2.533
ITFC	7	500	3.00	6	3	original	ϕ_o	0.698	0.223	0.461	2.048
ITFC	7	750	2.00	6	3	original	ϕ_o	0.509	0.806	0.658	2.922
ITFC	7	750	2.30	6	3	original	ϕ_o	0.581	0.722	0.651	2.915
ITFC	7	750	3.00	6	3	original	ϕ_o	0.671	0.466	0.568	2.579
ITFC	7	1000	2.00	6	3	original	ϕ_o	0.465	0.865	0.665	3.025
ITFC	7	1000	2.30	6	3	original	ϕ_o	0.543	0.800	0.672	3.017
ITFC	7	1000	3.00	6	3	original	ϕ_o	0.653	0.586	0.620	2.641
ITFC	7	500	4.00	2	6	original	ϕ_o	0.955	0.285	0.620	2.850
ITFC	7	750	4.00	2	6	original	ϕ_o	0.947	0.472	0.710	2.873
ITFC	7	1000	4.00	2	6	original	ϕ_o	0.945	0.477	0.711	3.660
ITFC	7	500	1.25	2	6	original	ϕ_o	0.585	0.938	0.762	4.378
ITFC	7	500	1.50	2	6	original	ϕ_o	0.660	0.911	0.786	4.382
ITFC	7	500	1.70	2	6	original	ϕ_o	0.715	0.887	0.801	4.379
ITFC	7	750	1.25	2	6	original	ϕ_o	0.489	0.964	0.726	4.362
ITFC	7	750	1.50	2	6	original	ϕ_o	0.568	0.945	0.757	4.393
ITFC	7	750	1.70	2	6	original	ϕ_o	0.627	0.926	0.777	4.399
ITFC	7	1000	1.25	2	6	original	ϕ_o	0.449	0.970	0.710	4.354
ITFC	7	1000	1.50	2	6	original	ϕ_o	0.534	0.953	0.744	4.392
ITFC	7	1000	1.70	2	6	original	ϕ_o	0.598	0.935	0.766	4.397
ITFC	7	10	0.20	3	3	original	ϕ_o	0.310	0.972	0.641	2.734
ITFC	7	100	0.20	3	3	original	ϕ_o	0.076	0.997	0.536	2.121
ITFC	7	250	0.20	3	3	original	ϕ_o	0.027	0.999	0.513	1.816
ITFC	7	500	2.00	7	3	original	ϕ_o	0.254	0.919	0.586	2.530
ITFC	7	500	2.30	7	3	original	ϕ_o	0.333	0.863	0.598	2.547
ITFC	7	500	3.00	7	3	original	ϕ_o	0.497	0.674	0.586	2.577
ITFC	7	750	2.00	7	3	original	ϕ_o	0.181	0.958	0.569	2.521

ITFC	7	750	2.30	7	3	original	ϕ_o	0.229	0.932	0.580	2.547
ITFC	7	750	3.00	7	3	original	ϕ_o	0.378	0.822	0.600	2.584
ITFC	7	1000	2.00	7	3	original	ϕ_o	0.161	0.967	0.564	2.544
ITFC	7	1000	2.30	7	3	original	ϕ_o	0.207	0.948	0.578	2.574
ITFC	7	1000	3.00	7	3	original	ϕ_o	0.353	0.856	0.605	2.616
ITFC	7	500	0.50	6	7	original	ϕ_o	0.049	0.999	0.524	2.174
ITFC	7	500	0.70	6	7	original	ϕ_o	0.103	0.994	0.549	2.649
ITFC	7	500	1.00	6	7	original	ϕ_o	0.186	0.983	0.584	2.986
ITFC	7	750	0.50	6	7	original	ϕ_o	0.038	0.999	0.518	2.149
ITFC	7	750	0.70	6	7	original	ϕ_o	0.084	0.997	0.540	2.627
ITFC	7	750	1.00	6	7	original	ϕ_o	0.159	0.989	0.574	2.984
ITFC	7	1000	0.50	6	7	original	ϕ_o	0.037	0.999	0.518	2.145
ITFC	7	1000	0.70	6	7	original	ϕ_o	0.082	0.997	0.539	2.626
ITFC	7	1000	1.00	6	7	original	ϕ_o	0.155	0.991	0.573	2.981
ITFC	7	500	0.50	3	3	original	ϕ_o	0.123	0.993	0.558	3.062
ITFC	7	500	0.70	3	3	original	ϕ_o	0.208	0.981	0.594	3.479
ITFC	7	500	1.00	3	3	original	ϕ_o	0.333	0.952	0.643	3.688
ITFC	7	750	0.50	3	3	original	ϕ_o	0.079	0.997	0.538	2.884
ITFC	7	750	0.70	3	3	original	ϕ_o	0.148	0.991	0.569	3.356
ITFC	7	750	1.00	3	3	original	ϕ_o	0.238	0.973	0.606	3.644
ITFC	7	1000	0.50	3	3	original	ϕ_o	0.057	0.998	0.527	2.750
ITFC	7	1000	0.70	3	3	original	ϕ_o	0.111	0.995	0.553	3.245
ITFC	7	1000	1.00	3	3	original	ϕ_o	0.189	0.984	0.586	3.591
ITFC	7	10	0.20	4	2	original	ϕ_o	0.221	0.983	0.602	2.300
ITFC	7	100	0.20	4	2	original	ϕ_o	0.131	0.995	0.563	1.693
ITFC	7	250	0.20	4	2	original	ϕ_o	0.098	0.999	0.548	1.433
ITFC	7	10	0.20	3	6	original	ϕ_o	0.238	0.975	0.606	2.558
ITFC	7	100	0.20	3	6	original	ϕ_o	0.034	0.997	0.515	1.870
ITFC	7	250	0.20	3	6	original	ϕ_o	0.010	0.999	0.504	1.578
ITFC	7	10	0.20	5	6	original	ϕ_o	0.163	0.984	0.573	1.941
ITFC	7	100	0.20	5	6	original	ϕ_o	0.039	0.996	0.517	1.366
ITFC	7	250	0.20	5	6	original	ϕ_o	0.015	0.998	0.507	1.136
ITFC	7	500	0.50	5	4	original	ϕ_o	0.078	0.990	0.534	2.261
ITFC	7	500	0.70	5	4	original	ϕ_o	0.118	0.979	0.549	2.694
ITFC	7	500	1.00	5	4	original	ϕ_o	0.174	0.960	0.567	2.985
ITFC	7	750	0.50	5	4	original	ϕ_o	0.051	0.994	0.522	2.133
ITFC	7	750	0.70	5	4	original	ϕ_o	0.085	0.988	0.536	2.579
ITFC	7	750	1.00	5	4	original	ϕ_o	0.130	0.976	0.553	2.923
ITFC	7	1000	0.50	5	4	original	ϕ_o	0.037	0.997	0.517	2.067
ITFC	7	1000	0.70	5	4	original	ϕ_o	0.064	0.992	0.528	2.526
ITFC	7	1000	1.00	5	4	original	ϕ_o	0.103	0.984	0.543	2.891
ITFC	7	10	4.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	4.00	6	7	original	ϕ_o	0.726	0.054	0.390	2.076
ITFC	7	250	4.00	6	7	original	ϕ_o	0.718	0.112	0.415	2.068
ITFC	7	500	4.00	6	7	original	ϕ_o	0.714	0.287	0.500	2.121
ITFC	7	750	4.00	6	7	original	ϕ_o	0.707	0.352	0.530	2.132
ITFC	7	1000	4.00	6	7	original	ϕ_o	0.707	0.353	0.530	2.688
ITFC	7	500	1.25	3	2	original	ϕ_o	0.585	0.875	0.730	3.743
ITFC	7	500	1.50	3	2	original	ϕ_o	0.703	0.777	0.740	3.699
ITFC	7	500	1.70	3	2	original	ϕ_o	0.764	0.692	0.728	3.663
ITFC	7	750	1.25	3	2	original	ϕ_o	0.442	0.928	0.685	3.743
ITFC	7	750	1.50	3	2	original	ϕ_o	0.576	0.874	0.725	3.739
ITFC	7	750	1.70	3	2	original	ϕ_o	0.664	0.810	0.737	3.697
ITFC	7	1000	1.25	3	2	original	ϕ_o	0.342	0.952	0.647	3.716
ITFC	7	1000	1.50	3	2	original	ϕ_o	0.458	0.921	0.690	3.736
ITFC	7	1000	1.70	3	2	original	ϕ_o	0.552	0.883	0.717	3.731
ITFC	7	500	0.20	3	5	original	ϕ_o	0.005	1.000	0.502	1.451
ITFC	7	750	0.20	3	5	original	ϕ_o	0.002	1.000	0.501	1.370
ITFC	7	1000	0.20	3	5	original	ϕ_o	0.001	1.000	0.501	1.341
ITFC	7	500	4.00	5	5	original	ϕ_o	0.717	0.392	0.555	2.781
ITFC	7	750	4.00	5	5	original	ϕ_o	0.689	0.533	0.611	3.228
ITFC	7	1000	4.00	5	5	original	ϕ_o	0.671	0.570	0.621	3.204
ITFC	7	500	4.00	4	7	original	ϕ_o	0.749	0.512	0.631	3.515
ITFC	7	750	4.00	4	7	original	ϕ_o	0.735	0.564	0.649	3.484

ITFC	7	1000	4.00	4	7	original	ϕ_o	0.733	0.569	0.651	3.478
ITFC	7	10	0.50	3	3	original	ϕ_o	0.686	0.807	0.746	3.613
ITFC	7	10	0.70	3	3	original	ϕ_o	0.805	0.551	0.678	3.161
ITFC	7	10	1.00	3	3	original	ϕ_o	0.858	0.218	0.538	2.530
ITFC	7	100	0.50	3	3	original	ϕ_o	0.369	0.959	0.664	3.558
ITFC	7	100	0.70	3	3	original	ϕ_o	0.534	0.906	0.720	3.721
ITFC	7	100	1.00	3	3	original	ϕ_o	0.734	0.733	0.733	3.193
ITFC	7	250	0.50	3	3	original	ϕ_o	0.217	0.981	0.599	3.328
ITFC	7	250	0.70	3	3	original	ϕ_o	0.333	0.958	0.646	3.635
ITFC	7	250	1.00	3	3	original	ϕ_o	0.541	0.892	0.716	3.701
ITFC	7	500	1.25	2	5	original	ϕ_o	0.639	0.927	0.783	4.377
ITFC	7	500	1.50	2	5	original	ϕ_o	0.713	0.894	0.804	4.385
ITFC	7	500	1.70	2	5	original	ϕ_o	0.767	0.864	0.815	4.375
ITFC	7	750	1.25	2	5	original	ϕ_o	0.529	0.957	0.743	4.363
ITFC	7	750	1.50	2	5	original	ϕ_o	0.604	0.936	0.770	4.396
ITFC	7	750	1.70	2	5	original	ϕ_o	0.661	0.915	0.788	4.399
ITFC	7	1000	1.25	2	5	original	ϕ_o	0.479	0.968	0.724	4.360
ITFC	7	1000	1.50	2	5	original	ϕ_o	0.561	0.951	0.756	4.401
ITFC	7	1000	1.70	2	5	original	ϕ_o	0.621	0.932	0.777	4.408
ITFC	7	10	2.00	5	7	original	ϕ_o	0.747	0.106	0.427	2.757
ITFC	7	10	2.30	5	7	original	ϕ_o	0.747	0.103	0.425	2.759
ITFC	7	10	3.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.179
ITFC	7	100	2.00	5	7	original	ϕ_o	0.691	0.515	0.603	3.172
ITFC	7	100	2.30	5	7	original	ϕ_o	0.723	0.340	0.531	2.771
ITFC	7	100	3.00	5	7	original	ϕ_o	0.740	0.143	0.442	2.758
ITFC	7	250	2.00	5	7	original	ϕ_o	0.470	0.869	0.670	3.149
ITFC	7	250	2.30	5	7	original	ϕ_o	0.557	0.799	0.678	3.128
ITFC	7	250	3.00	5	7	original	ϕ_o	0.680	0.564	0.622	3.177
ITFC	7	500	0.20	6	3	original	ϕ_o	0.036	1.000	0.518	1.340
ITFC	7	750	0.20	6	3	original	ϕ_o	0.025	1.000	0.512	1.284
ITFC	7	1000	0.20	6	3	original	ϕ_o	0.018	1.000	0.509	1.261
ITFC	7	10	0.50	4	7	original	ϕ_o	0.364	0.963	0.664	3.263
ITFC	7	10	0.70	4	7	original	ϕ_o	0.543	0.872	0.707	3.399
ITFC	7	10	1.00	4	7	original	ϕ_o	0.737	0.580	0.659	3.514
ITFC	7	100	0.50	4	7	original	ϕ_o	0.184	0.998	0.591	2.600
ITFC	7	100	0.70	4	7	original	ϕ_o	0.249	0.994	0.621	3.077
ITFC	7	100	1.00	4	7	original	ϕ_o	0.327	0.976	0.651	3.392
ITFC	7	250	0.50	4	7	original	ϕ_o	0.104	1.000	0.552	2.159
ITFC	7	250	0.70	4	7	original	ϕ_o	0.157	0.999	0.578	2.674
ITFC	7	250	1.00	4	7	original	ϕ_o	0.217	0.996	0.606	3.111
ITFC	7	10	0.20	2	2	original	ϕ_o	0.495	0.975	0.735	3.324
ITFC	7	100	0.20	2	2	original	ϕ_o	0.258	0.993	0.625	2.810
ITFC	7	250	0.20	2	2	original	ϕ_o	0.137	0.998	0.567	2.502
ITFC	7	10	1.25	2	2	original	ϕ_o	0.963	0.078	0.521	2.826
ITFC	7	10	1.50	2	2	original	ϕ_o	0.963	0.055	0.509	2.825
ITFC	7	10	1.70	2	2	original	ϕ_o	0.964	0.056	0.510	2.826
ITFC	7	100	1.25	2	2	original	ϕ_o	0.947	0.459	0.703	2.870
ITFC	7	100	1.50	2	2	original	ϕ_o	0.961	0.240	0.601	2.859
ITFC	7	100	1.70	2	2	original	ϕ_o	0.964	0.113	0.539	2.840
ITFC	7	250	1.25	2	2	original	ϕ_o	0.897	0.682	0.789	3.682
ITFC	7	250	1.50	2	2	original	ϕ_o	0.936	0.550	0.743	3.664
ITFC	7	250	1.70	2	2	original	ϕ_o	0.951	0.425	0.688	2.871
ITFC	7	10	0.50	7	6	original	ϕ_o	0.310	0.916	0.613	2.600
ITFC	7	10	0.70	7	6	original	ϕ_o	0.483	0.764	0.623	2.689
ITFC	7	10	1.00	7	6	original	ϕ_o	0.617	0.393	0.505	2.366
ITFC	7	100	0.50	7	6	original	ϕ_o	0.102	0.996	0.549	2.117
ITFC	7	100	0.70	7	6	original	ϕ_o	0.144	0.989	0.567	2.488
ITFC	7	100	1.00	7	6	original	ϕ_o	0.201	0.976	0.589	2.711
ITFC	7	250	0.50	7	6	original	ϕ_o	0.057	0.999	0.528	1.785
ITFC	7	250	0.70	7	6	original	ϕ_o	0.083	0.997	0.540	2.165
ITFC	7	250	1.00	7	6	original	ϕ_o	0.117	0.991	0.554	2.470
ITFC	7	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	4.00	6	5	original	ϕ_o	0.727	0.051	0.389	1.421
ITFC	7	250	4.00	6	5	original	ϕ_o	0.721	0.068	0.394	2.064

ITFC	7	500	2.00	2	3	original	ϕ_o	0.912	0.679	0.796	4.312
ITFC	7	500	2.30	2	3	original	ϕ_o	0.938	0.562	0.750	2.867
ITFC	7	500	3.00	2	3	original	ϕ_o	0.958	0.259	0.609	2.854
ITFC	7	750	2.00	2	3	original	ϕ_o	0.857	0.799	0.828	4.375
ITFC	7	750	2.30	2	3	original	ϕ_o	0.898	0.720	0.809	3.723
ITFC	7	750	3.00	2	3	original	ϕ_o	0.945	0.504	0.724	3.692
ITFC	7	1000	2.00	2	3	original	ϕ_o	0.787	0.855	0.821	4.395
ITFC	7	1000	2.30	2	3	original	ϕ_o	0.850	0.806	0.828	4.372
ITFC	7	1000	3.00	2	3	original	ϕ_o	0.923	0.641	0.782	3.716
ITFC	7	10	0.20	6	6	original	ϕ_o	0.171	0.995	0.583	1.851
ITFC	7	100	0.20	6	6	original	ϕ_o	0.047	0.999	0.523	1.468
ITFC	7	250	0.20	6	6	original	ϕ_o	0.014	1.000	0.507	1.316
ITFC	7	10	4.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	100	4.00	5	6	original	ϕ_o	0.746	0.106	0.426	3.117
ITFC	7	250	4.00	5	6	original	ϕ_o	0.738	0.187	0.462	2.767
ITFC	7	10	1.25	7	5	original	ϕ_o	0.663	0.219	0.441	2.383
ITFC	7	10	1.50	7	5	original	ϕ_o	0.676	0.158	0.417	2.742
ITFC	7	10	1.70	7	5	original	ϕ_o	0.680	0.133	0.406	2.386
ITFC	7	100	1.25	7	5	original	ϕ_o	0.308	0.942	0.625	2.767
ITFC	7	100	1.50	7	5	original	ϕ_o	0.425	0.872	0.648	2.784
ITFC	7	100	1.70	7	5	original	ϕ_o	0.499	0.780	0.639	2.778
ITFC	7	250	1.25	7	5	original	ϕ_o	0.149	0.983	0.566	2.578
ITFC	7	250	1.50	7	5	original	ϕ_o	0.184	0.974	0.579	2.645
ITFC	7	250	1.70	7	5	original	ϕ_o	0.229	0.964	0.596	2.673
ITFC	7	10	4.00	7	3	original	ϕ_o	0.684	0.112	0.398	2.398
ITFC	7	100	4.00	7	3	original	ϕ_o	0.680	0.114	0.397	2.373
ITFC	7	250	4.00	7	3	original	ϕ_o	0.670	0.166	0.418	2.686
ITFC	7	500	4.00	3	2	original	ϕ_o	0.863	0.082	0.473	2.513
ITFC	7	750	4.00	3	2	original	ϕ_o	0.861	0.114	0.487	2.514
ITFC	7	1000	4.00	3	2	original	ϕ_o	0.855	0.203	0.529	2.518
ITFC	7	10	1.25	4	6	original	ϕ_o	0.780	0.272	0.526	2.939
ITFC	7	10	1.50	4	6	original	ϕ_o	0.788	0.125	0.457	2.879
ITFC	7	10	1.70	4	6	original	ϕ_o	0.789	0.097	0.443	2.288
ITFC	7	100	1.25	4	6	original	ϕ_o	0.530	0.911	0.721	3.488
ITFC	7	100	1.50	4	6	original	ϕ_o	0.654	0.807	0.731	3.535
ITFC	7	100	1.70	4	6	original	ϕ_o	0.706	0.694	0.700	3.551
ITFC	7	250	1.25	4	6	original	ϕ_o	0.282	0.985	0.634	3.347
ITFC	7	250	1.50	4	6	original	ϕ_o	0.371	0.970	0.670	3.458
ITFC	7	250	1.70	4	6	original	ϕ_o	0.481	0.941	0.711	3.499
ITFC	7	500	0.50	2	4	original	ϕ_o	0.295	0.985	0.640	3.658
ITFC	7	500	0.70	2	4	original	ϕ_o	0.448	0.969	0.708	4.117
ITFC	7	500	1.00	2	4	original	ϕ_o	0.600	0.939	0.769	4.335
ITFC	7	750	0.50	2	4	original	ϕ_o	0.200	0.992	0.596	3.462
ITFC	7	750	0.70	2	4	original	ϕ_o	0.335	0.982	0.659	3.979
ITFC	7	750	1.00	2	4	original	ϕ_o	0.487	0.961	0.724	4.286
ITFC	7	1000	0.50	2	4	original	ϕ_o	0.145	0.996	0.570	3.363
ITFC	7	1000	0.70	2	4	original	ϕ_o	0.270	0.988	0.629	3.912
ITFC	7	1000	1.00	2	4	original	ϕ_o	0.424	0.974	0.699	4.264
ITFC	7	500	0.20	6	4	original	ϕ_o	0.015	1.000	0.508	1.294
ITFC	7	750	0.20	6	4	original	ϕ_o	0.007	1.000	0.504	1.252
ITFC	7	1000	0.20	6	4	original	ϕ_o	0.004	1.000	0.502	1.234
ITFC	7	10	0.20	6	7	original	ϕ_o	0.157	0.996	0.576	1.826
ITFC	7	100	0.20	6	7	original	ϕ_o	0.037	0.999	0.518	1.430
ITFC	7	250	0.20	6	7	original	ϕ_o	0.010	1.000	0.505	1.290
ITFC	7	500	0.50	7	3	original	ϕ_o	0.064	0.998	0.531	1.816
ITFC	7	500	0.70	7	3	original	ϕ_o	0.079	0.995	0.537	2.150
ITFC	7	500	1.00	7	3	original	ϕ_o	0.103	0.988	0.546	2.368
ITFC	7	750	0.50	7	3	original	ϕ_o	0.055	0.999	0.527	1.683
ITFC	7	750	0.70	7	3	original	ϕ_o	0.068	0.997	0.533	2.028
ITFC	7	750	1.00	7	3	original	ϕ_o	0.086	0.993	0.540	2.280
ITFC	7	1000	0.50	7	3	original	ϕ_o	0.048	0.999	0.524	1.668
ITFC	7	1000	0.70	7	3	original	ϕ_o	0.061	0.998	0.530	2.017
ITFC	7	1000	1.00	7	3	original	ϕ_o	0.078	0.994	0.536	2.279
ITFC	7	10	4.00	4	6	original	ϕ_o	0.789	0.097	0.443	3.312

ITFC	7	100	4.00	4	6	original	ϕ_o	0.787	0.099	0.443	2.279
ITFC	7	250	4.00	4	6	original	ϕ_o	0.782	0.169	0.475	2.900
ITFC	7	500	1.25	2	7	original	ϕ_o	0.551	0.941	0.746	4.350
ITFC	7	500	1.50	2	7	original	ϕ_o	0.630	0.916	0.773	4.360
ITFC	7	500	1.70	2	7	original	ϕ_o	0.687	0.892	0.790	4.352
ITFC	7	750	1.25	2	7	original	ϕ_o	0.474	0.964	0.719	4.358
ITFC	7	750	1.50	2	7	original	ϕ_o	0.559	0.946	0.752	4.385
ITFC	7	750	1.70	2	7	original	ϕ_o	0.622	0.926	0.774	4.393
ITFC	7	1000	1.25	2	7	original	ϕ_o	0.448	0.970	0.709	4.358
ITFC	7	1000	1.50	2	7	original	ϕ_o	0.536	0.953	0.745	4.393
ITFC	7	1000	1.70	2	7	original	ϕ_o	0.603	0.934	0.769	4.402
ITFC	7	10	1.25	3	6	original	ϕ_o	0.862	0.158	0.510	2.527
ITFC	7	10	1.50	3	6	original	ϕ_o	0.866	0.090	0.478	2.524
ITFC	7	10	1.70	3	6	original	ϕ_o	0.866	0.076	0.471	2.522
ITFC	7	100	1.25	3	6	original	ϕ_o	0.717	0.723	0.720	3.548
ITFC	7	100	1.50	3	6	original	ϕ_o	0.793	0.535	0.664	3.117
ITFC	7	100	1.70	3	6	original	ϕ_o	0.824	0.391	0.607	2.505
ITFC	7	250	1.25	3	6	original	ϕ_o	0.447	0.909	0.678	3.650
ITFC	7	250	1.50	3	6	original	ϕ_o	0.586	0.846	0.716	3.611
ITFC	7	250	1.70	3	6	original	ϕ_o	0.675	0.776	0.726	3.578
ITFC	7	10	4.00	7	7	original	ϕ_o	0.685	0.111	0.398	2.398
ITFC	7	100	4.00	7	7	original	ϕ_o	0.676	0.165	0.420	2.759
ITFC	7	250	4.00	7	7	original	ϕ_o	0.618	0.454	0.536	2.825
ITFC	7	10	1.25	4	7	original	ϕ_o	0.779	0.277	0.528	2.935
ITFC	7	10	1.50	4	7	original	ϕ_o	0.788	0.124	0.456	2.876
ITFC	7	10	1.70	4	7	original	ϕ_o	0.789	0.097	0.443	2.861
ITFC	7	100	1.25	4	7	original	ϕ_o	0.492	0.931	0.712	3.487
ITFC	7	100	1.50	4	7	original	ϕ_o	0.628	0.840	0.734	3.533
ITFC	7	100	1.70	4	7	original	ϕ_o	0.688	0.746	0.717	3.552
ITFC	7	250	1.25	4	7	original	ϕ_o	0.256	0.990	0.623	3.325
ITFC	7	250	1.50	4	7	original	ϕ_o	0.323	0.980	0.652	3.445
ITFC	7	250	1.70	4	7	original	ϕ_o	0.429	0.959	0.694	3.495
ITFC	7	500	2.00	5	7	original	ϕ_o	0.301	0.929	0.615	3.212
ITFC	7	500	2.30	5	7	original	ϕ_o	0.395	0.910	0.652	3.200
ITFC	7	500	3.00	5	7	original	ϕ_o	0.577	0.795	0.686	3.175
ITFC	7	750	2.00	5	7	original	ϕ_o	0.270	0.938	0.604	3.203
ITFC	7	750	2.30	5	7	original	ϕ_o	0.361	0.920	0.641	3.201
ITFC	7	750	3.00	5	7	original	ϕ_o	0.551	0.820	0.685	3.177
ITFC	7	1000	2.00	5	7	original	ϕ_o	0.264	0.945	0.604	3.208
ITFC	7	1000	2.30	5	7	original	ϕ_o	0.355	0.927	0.641	3.205
ITFC	7	1000	3.00	5	7	original	ϕ_o	0.547	0.825	0.686	3.187
ITFC	7	500	0.20	5	2	original	ϕ_o	0.033	0.992	0.512	1.307
ITFC	7	750	0.20	5	2	original	ϕ_o	0.021	0.994	0.508	1.208
ITFC	7	1000	0.20	5	2	original	ϕ_o	0.014	0.996	0.505	1.142
ITFC	7	500	1.25	5	7	original	ϕ_o	0.159	0.959	0.559	3.143
ITFC	7	500	1.50	5	7	original	ϕ_o	0.192	0.950	0.571	3.182
ITFC	7	500	1.70	5	7	original	ϕ_o	0.227	0.942	0.584	3.198
ITFC	7	750	1.25	5	7	original	ϕ_o	0.142	0.966	0.554	3.133
ITFC	7	750	1.50	5	7	original	ϕ_o	0.173	0.958	0.565	3.178
ITFC	7	750	1.70	5	7	original	ϕ_o	0.203	0.951	0.577	3.193
ITFC	7	1000	1.25	5	7	original	ϕ_o	0.137	0.973	0.555	3.138
ITFC	7	1000	1.50	5	7	original	ϕ_o	0.167	0.964	0.566	3.181
ITFC	7	1000	1.70	5	7	original	ϕ_o	0.197	0.956	0.577	3.199
ITFC	7	500	0.20	3	2	original	ϕ_o	0.027	0.999	0.513	1.679
ITFC	7	750	0.20	3	2	original	ϕ_o	0.015	1.000	0.508	1.550
ITFC	7	1000	0.20	3	2	original	ϕ_o	0.009	1.000	0.504	1.473
ITFC	7	500	1.25	6	3	original	ϕ_o	0.370	0.896	0.633	2.873
ITFC	7	500	1.50	6	3	original	ϕ_o	0.457	0.838	0.647	2.873
ITFC	7	500	1.70	6	3	original	ϕ_o	0.521	0.777	0.649	2.862
ITFC	7	750	1.25	6	3	original	ϕ_o	0.292	0.938	0.615	2.924
ITFC	7	750	1.50	6	3	original	ϕ_o	0.359	0.904	0.631	2.934
ITFC	7	750	1.70	6	3	original	ϕ_o	0.419	0.870	0.645	2.929
ITFC	7	1000	1.25	6	3	original	ϕ_o	0.253	0.960	0.607	2.980
ITFC	7	1000	1.50	6	3	original	ϕ_o	0.316	0.937	0.626	3.014

ITFC	7	1000	1.70	6	3	original	ϕ_o	0.374	0.913	0.643	3.023
ITFC	7	10	1.25	2	6	original	ϕ_o	0.962	0.128	0.545	1.912
ITFC	7	10	1.50	2	6	original	ϕ_o	0.963	0.060	0.512	2.821
ITFC	7	10	1.70	2	6	original	ϕ_o	0.963	0.056	0.510	2.822
ITFC	7	100	1.25	2	6	original	ϕ_o	0.888	0.729	0.808	3.695
ITFC	7	100	1.50	2	6	original	ϕ_o	0.931	0.575	0.753	3.672
ITFC	7	100	1.70	2	6	original	ϕ_o	0.948	0.419	0.683	3.647
ITFC	7	250	1.25	2	6	original	ϕ_o	0.747	0.875	0.811	4.375
ITFC	7	250	1.50	2	6	original	ϕ_o	0.820	0.821	0.820	4.328
ITFC	7	250	1.70	2	6	original	ϕ_o	0.867	0.764	0.815	4.294
ITFC	7	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	7	100	4.00	4	4	original	ϕ_o	0.789	0.097	0.443	2.283
ITFC	7	250	4.00	4	4	original	ϕ_o	0.785	0.130	0.458	2.883
ITFC	7	10	4.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	100	4.00	5	4	original	ϕ_o	0.747	0.105	0.426	2.758
ITFC	7	250	4.00	5	4	original	ϕ_o	0.743	0.116	0.430	2.741
ITFC	7	10	1.25	5	7	original	ϕ_o	0.735	0.255	0.495	2.784
ITFC	7	10	1.50	5	7	original	ϕ_o	0.744	0.151	0.447	2.770
ITFC	7	10	1.70	5	7	original	ϕ_o	0.746	0.123	0.434	2.182
ITFC	7	100	1.25	5	7	original	ϕ_o	0.452	0.877	0.664	3.124
ITFC	7	100	1.50	5	7	original	ϕ_o	0.558	0.786	0.672	3.099
ITFC	7	100	1.70	5	7	original	ϕ_o	0.624	0.685	0.654	3.119
ITFC	7	250	1.25	5	7	original	ϕ_o	0.241	0.941	0.591	3.170
ITFC	7	250	1.50	5	7	original	ϕ_o	0.303	0.927	0.615	3.177
ITFC	7	250	1.70	5	7	original	ϕ_o	0.368	0.911	0.639	3.164
ITFC	7	10	0.20	2	4	original	ϕ_o	0.446	0.979	0.712	3.190
ITFC	7	100	0.20	2	4	original	ϕ_o	0.189	0.993	0.591	2.529
ITFC	7	250	0.20	2	4	original	ϕ_o	0.080	0.998	0.539	2.192
ITFC	7	10	2.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	10	2.30	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	10	3.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	100	2.00	3	5	original	ϕ_o	0.858	0.168	0.513	2.517
ITFC	7	100	2.30	3	5	original	ϕ_o	0.863	0.107	0.485	2.519
ITFC	7	100	3.00	3	5	original	ϕ_o	0.865	0.073	0.469	2.518
ITFC	7	250	2.00	3	5	original	ϕ_o	0.794	0.555	0.674	3.110
ITFC	7	250	2.30	3	5	original	ϕ_o	0.829	0.391	0.610	2.514
ITFC	7	250	3.00	3	5	original	ϕ_o	0.858	0.155	0.507	2.518
ITFC	7	500	4.00	3	3	original	ϕ_o	0.863	0.099	0.481	2.515
ITFC	7	750	4.00	3	3	original	ϕ_o	0.857	0.176	0.517	2.524
ITFC	7	1000	4.00	3	3	original	ϕ_o	0.844	0.331	0.587	2.532
ITFC	7	500	0.50	3	5	original	ϕ_o	0.077	0.994	0.536	2.789
ITFC	7	500	0.70	3	5	original	ϕ_o	0.144	0.985	0.565	3.266
ITFC	7	500	1.00	3	5	original	ϕ_o	0.229	0.968	0.598	3.564
ITFC	7	750	0.50	3	5	original	ϕ_o	0.048	0.997	0.523	2.642
ITFC	7	750	0.70	3	5	original	ϕ_o	0.097	0.993	0.545	3.144
ITFC	7	750	1.00	3	5	original	ϕ_o	0.175	0.981	0.578	3.504
ITFC	7	1000	0.50	3	5	original	ϕ_o	0.037	0.998	0.518	2.596
ITFC	7	1000	0.70	3	5	original	ϕ_o	0.079	0.995	0.537	3.102
ITFC	7	1000	1.00	3	5	original	ϕ_o	0.152	0.987	0.570	3.478
ITFC	7	10	0.50	4	2	original	ϕ_o	0.479	0.861	0.670	3.174
ITFC	7	10	0.70	4	2	original	ϕ_o	0.671	0.671	0.671	3.384
ITFC	7	10	1.00	4	2	original	ϕ_o	0.769	0.309	0.539	2.913
ITFC	7	100	0.50	4	2	original	ϕ_o	0.282	0.967	0.624	2.924
ITFC	7	100	0.70	4	2	original	ϕ_o	0.367	0.938	0.653	3.173
ITFC	7	100	1.00	4	2	original	ϕ_o	0.607	0.810	0.709	3.393
ITFC	7	250	0.50	4	2	original	ϕ_o	0.218	0.985	0.601	2.687
ITFC	7	250	0.70	4	2	original	ϕ_o	0.273	0.974	0.623	3.031
ITFC	7	250	1.00	4	2	original	ϕ_o	0.401	0.941	0.671	3.302
ITFC	7	10	4.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	100	4.00	3	4	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	7	250	4.00	3	4	original	ϕ_o	0.864	0.078	0.471	2.516
ITFC	7	10	0.20	4	5	original	ϕ_o	0.174	0.996	0.585	2.003
ITFC	7	100	0.20	4	5	original	ϕ_o	0.075	1.000	0.537	1.354
ITFC	7	250	0.20	4	5	original	ϕ_o	0.034	1.000	0.517	1.123

ITFC	7	500	2.00	7	4	original	ϕ_o	0.189	0.967	0.578	2.707
ITFC	7	500	2.30	7	4	original	ϕ_o	0.258	0.948	0.603	2.724
ITFC	7	500	3.00	7	4	original	ϕ_o	0.432	0.838	0.635	2.741
ITFC	7	750	2.00	7	4	original	ϕ_o	0.148	0.972	0.560	2.692
ITFC	7	750	2.30	7	4	original	ϕ_o	0.190	0.961	0.576	2.728
ITFC	7	750	3.00	7	4	original	ϕ_o	0.351	0.897	0.624	2.759
ITFC	7	1000	2.00	7	4	original	ϕ_o	0.143	0.974	0.558	2.692
ITFC	7	1000	2.30	7	4	original	ϕ_o	0.183	0.963	0.573	2.729
ITFC	7	1000	3.00	7	4	original	ϕ_o	0.342	0.903	0.622	2.767
ITFC	7	500	0.20	2	2	original	ϕ_o	0.070	0.999	0.535	2.230
ITFC	7	750	0.20	2	2	original	ϕ_o	0.042	1.000	0.521	2.058
ITFC	7	1000	0.20	2	2	original	ϕ_o	0.028	1.000	0.514	1.944
ITFC	7	500	4.00	3	4	original	ϕ_o	0.858	0.147	0.503	2.518
ITFC	7	750	4.00	3	4	original	ϕ_o	0.843	0.314	0.578	2.523
ITFC	7	1000	4.00	3	4	original	ϕ_o	0.822	0.493	0.658	3.146
ITFC	7	10	0.20	4	3	original	ϕ_o	0.198	0.996	0.597	2.152
ITFC	7	100	0.20	4	3	original	ϕ_o	0.094	1.000	0.547	1.505
ITFC	7	250	0.20	4	3	original	ϕ_o	0.055	1.000	0.528	1.246
ITFC	7	500	0.20	2	4	original	ϕ_o	0.030	1.000	0.515	1.930
ITFC	7	750	0.20	2	4	original	ϕ_o	0.014	1.000	0.507	1.782
ITFC	7	1000	0.20	2	4	original	ϕ_o	0.008	1.000	0.504	1.701
ITFC	7	500	2.00	5	5	original	ϕ_o	0.372	0.922	0.647	3.208
ITFC	7	500	2.30	5	5	original	ϕ_o	0.461	0.894	0.678	3.212
ITFC	7	500	3.00	5	5	original	ϕ_o	0.619	0.733	0.676	3.222
ITFC	7	750	2.00	5	5	original	ϕ_o	0.283	0.941	0.612	3.187
ITFC	7	750	2.30	5	5	original	ϕ_o	0.371	0.921	0.646	3.195
ITFC	7	750	3.00	5	5	original	ϕ_o	0.556	0.819	0.688	3.204
ITFC	7	1000	2.00	5	5	original	ϕ_o	0.247	0.950	0.598	3.153
ITFC	7	1000	2.30	5	5	original	ϕ_o	0.328	0.932	0.630	3.160
ITFC	7	1000	3.00	5	5	original	ϕ_o	0.523	0.837	0.680	3.166
ITFC	7	500	1.25	5	3	original	ϕ_o	0.269	0.939	0.604	3.028
ITFC	7	500	1.50	5	3	original	ϕ_o	0.351	0.914	0.633	3.036
ITFC	7	500	1.70	5	3	original	ϕ_o	0.430	0.880	0.655	3.028
ITFC	7	750	1.25	5	3	original	ϕ_o	0.189	0.960	0.574	3.013
ITFC	7	750	1.50	5	3	original	ϕ_o	0.241	0.947	0.594	3.050
ITFC	7	750	1.70	5	3	original	ϕ_o	0.297	0.933	0.615	3.058
ITFC	7	1000	1.25	5	3	original	ϕ_o	0.148	0.971	0.560	3.009
ITFC	7	1000	1.50	5	3	original	ϕ_o	0.183	0.962	0.572	3.051
ITFC	7	1000	1.70	5	3	original	ϕ_o	0.220	0.954	0.587	3.070
ITFC	7	10	0.20	2	5	original	ϕ_o	0.420	0.980	0.700	3.135
ITFC	7	100	0.20	2	5	original	ϕ_o	0.146	0.995	0.570	2.430
ITFC	7	250	0.20	2	5	original	ϕ_o	0.047	0.999	0.523	2.064
ITFC	7	500	1.25	5	5	original	ϕ_o	0.191	0.958	0.574	3.146
ITFC	7	500	1.50	5	5	original	ϕ_o	0.234	0.948	0.591	3.186
ITFC	7	500	1.70	5	5	original	ϕ_o	0.281	0.939	0.610	3.196
ITFC	7	750	1.25	5	5	original	ϕ_o	0.152	0.969	0.560	3.103
ITFC	7	750	1.50	5	5	original	ϕ_o	0.183	0.960	0.572	3.147
ITFC	7	750	1.70	5	5	original	ϕ_o	0.216	0.954	0.585	3.164
ITFC	7	1000	1.25	5	5	original	ϕ_o	0.133	0.977	0.555	3.077
ITFC	7	1000	1.50	5	5	original	ϕ_o	0.161	0.968	0.565	3.119
ITFC	7	1000	1.70	5	5	original	ϕ_o	0.187	0.962	0.575	3.138
ITFC	7	10	1.25	2	3	original	ϕ_o	0.962	0.101	0.532	2.827
ITFC	7	10	1.50	2	3	original	ϕ_o	0.963	0.056	0.510	2.823
ITFC	7	10	1.70	2	3	original	ϕ_o	0.963	0.056	0.510	2.824
ITFC	7	100	1.25	2	3	original	ϕ_o	0.932	0.583	0.757	3.692
ITFC	7	100	1.50	2	3	original	ϕ_o	0.956	0.366	0.661	2.868
ITFC	7	100	1.70	2	3	original	ϕ_o	0.961	0.192	0.577	2.853
ITFC	7	250	1.25	2	3	original	ϕ_o	0.863	0.787	0.825	3.716
ITFC	7	250	1.50	2	3	original	ϕ_o	0.912	0.680	0.796	3.715
ITFC	7	250	1.70	2	3	original	ϕ_o	0.935	0.580	0.758	2.870
ITFC	7	500	1.25	4	5	original	ϕ_o	0.222	0.993	0.607	3.075
ITFC	7	500	1.50	4	5	original	ϕ_o	0.250	0.987	0.619	3.228
ITFC	7	500	1.70	4	5	original	ϕ_o	0.277	0.981	0.629	3.318
ITFC	7	750	1.25	4	5	original	ϕ_o	0.191	0.995	0.593	2.950

ITFC	7	750	1.50	4	5	original	ϕ_o	0.221	0.991	0.606	3.097
ITFC	7	750	1.70	4	5	original	ϕ_o	0.243	0.987	0.615	3.193
ITFC	7	1000	1.25	4	5	original	ϕ_o	0.169	0.996	0.582	2.935
ITFC	7	1000	1.50	4	5	original	ϕ_o	0.199	0.993	0.596	3.086
ITFC	7	1000	1.70	4	5	original	ϕ_o	0.222	0.989	0.605	3.186
ITFC	7	500	1.25	2	2	original	ϕ_o	0.812	0.817	0.814	4.308
ITFC	7	500	1.50	2	2	original	ϕ_o	0.878	0.721	0.799	3.683
ITFC	7	500	1.70	2	2	original	ϕ_o	0.913	0.642	0.777	3.675
ITFC	7	750	1.25	2	2	original	ϕ_o	0.734	0.873	0.804	4.337
ITFC	7	750	1.50	2	2	original	ϕ_o	0.811	0.811	0.811	4.286
ITFC	7	750	1.70	2	2	original	ϕ_o	0.861	0.747	0.804	3.682
ITFC	7	1000	1.25	2	2	original	ϕ_o	0.662	0.902	0.782	4.338
ITFC	7	1000	1.50	2	2	original	ϕ_o	0.744	0.859	0.802	4.311
ITFC	7	1000	1.70	2	2	original	ϕ_o	0.803	0.815	0.809	4.274
ITFC	7	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	4.00	6	2	original	ϕ_o	0.731	0.052	0.392	2.095
ITFC	7	250	4.00	6	2	original	ϕ_o	0.725	0.051	0.388	2.072
ITFC	7	10	2.00	7	6	original	ϕ_o	0.682	0.116	0.399	2.381
ITFC	7	10	2.30	7	6	original	ϕ_o	0.683	0.109	0.396	2.385
ITFC	7	10	3.00	7	6	original	ϕ_o	0.684	0.108	0.396	2.391
ITFC	7	100	2.00	7	6	original	ϕ_o	0.560	0.641	0.600	2.770
ITFC	7	100	2.30	7	6	original	ϕ_o	0.605	0.473	0.539	2.733
ITFC	7	100	3.00	7	6	original	ϕ_o	0.653	0.249	0.451	2.692
ITFC	7	250	2.00	7	6	original	ϕ_o	0.314	0.933	0.624	2.728
ITFC	7	250	2.30	7	6	original	ϕ_o	0.410	0.868	0.639	2.735
ITFC	7	250	3.00	7	6	original	ϕ_o	0.550	0.633	0.592	2.710
ITFC	7	10	0.50	2	7	original	ϕ_o	0.819	0.858	0.839	4.366
ITFC	7	10	0.70	2	7	original	ϕ_o	0.895	0.714	0.805	3.679
ITFC	7	10	1.00	2	7	original	ϕ_o	0.950	0.399	0.675	2.859
ITFC	7	100	0.50	2	7	original	ϕ_o	0.540	0.959	0.750	4.090
ITFC	7	100	0.70	2	7	original	ϕ_o	0.687	0.921	0.804	4.356
ITFC	7	100	1.00	2	7	original	ϕ_o	0.808	0.839	0.823	4.366
ITFC	7	250	0.50	2	7	original	ϕ_o	0.316	0.982	0.649	3.744
ITFC	7	250	0.70	2	7	original	ϕ_o	0.484	0.961	0.722	4.191
ITFC	7	250	1.00	2	7	original	ϕ_o	0.638	0.923	0.780	4.361
ITFC	7	10	1.25	4	4	original	ϕ_o	0.786	0.174	0.480	2.301
ITFC	7	10	1.50	4	4	original	ϕ_o	0.790	0.100	0.445	2.286
ITFC	7	10	1.70	4	4	original	ϕ_o	0.790	0.093	0.441	2.862
ITFC	7	100	1.25	4	4	original	ϕ_o	0.606	0.837	0.722	3.468
ITFC	7	100	1.50	4	4	original	ϕ_o	0.698	0.682	0.690	3.509
ITFC	7	100	1.70	4	4	original	ϕ_o	0.739	0.535	0.637	3.516
ITFC	7	250	1.25	4	4	original	ϕ_o	0.325	0.975	0.650	3.362
ITFC	7	250	1.50	4	4	original	ϕ_o	0.465	0.941	0.703	3.448
ITFC	7	250	1.70	4	4	original	ϕ_o	0.569	0.890	0.730	3.489
ITFC	7	10	1.25	4	2	original	ϕ_o	0.786	0.123	0.454	2.284
ITFC	7	10	1.50	4	2	original	ϕ_o	0.788	0.094	0.441	2.856
ITFC	7	10	1.70	4	2	original	ϕ_o	0.788	0.094	0.441	2.864
ITFC	7	100	1.25	4	2	original	ϕ_o	0.697	0.624	0.661	3.460
ITFC	7	100	1.50	4	2	original	ϕ_o	0.749	0.408	0.578	3.441
ITFC	7	100	1.70	4	2	original	ϕ_o	0.769	0.261	0.515	2.895
ITFC	7	250	1.25	4	2	original	ϕ_o	0.569	0.867	0.718	3.409
ITFC	7	250	1.50	4	2	original	ϕ_o	0.657	0.748	0.702	3.455
ITFC	7	250	1.70	4	2	original	ϕ_o	0.702	0.624	0.663	3.475
ITFC	7	500	0.20	7	4	original	ϕ_o	0.021	1.000	0.510	0.790
ITFC	7	750	0.20	7	4	original	ϕ_o	0.017	1.000	0.508	0.767
ITFC	7	1000	0.20	7	4	original	ϕ_o	0.015	1.000	0.508	0.762
ITFC	7	500	0.50	3	4	original	ϕ_o	0.090	0.994	0.542	2.900
ITFC	7	500	0.70	3	4	original	ϕ_o	0.161	0.985	0.573	3.355
ITFC	7	500	1.00	3	4	original	ϕ_o	0.254	0.966	0.610	3.625
ITFC	7	750	0.50	3	4	original	ϕ_o	0.055	0.997	0.526	2.716
ITFC	7	750	0.70	3	4	original	ϕ_o	0.109	0.992	0.551	3.211
ITFC	7	750	1.00	3	4	original	ϕ_o	0.188	0.981	0.585	3.560
ITFC	7	1000	0.50	3	4	original	ϕ_o	0.040	0.998	0.519	2.625
ITFC	7	1000	0.70	3	4	original	ϕ_o	0.083	0.995	0.539	3.130

ITFC	7	1000	1.00	3	4	original	ϕ_o	0.153	0.987	0.570	3.518
ITFC	7	500	2.00	2	6	original	ϕ_o	0.789	0.845	0.817	4.339
ITFC	7	500	2.30	2	6	original	ϕ_o	0.850	0.791	0.820	4.303
ITFC	7	500	3.00	2	6	original	ϕ_o	0.925	0.601	0.763	3.679
ITFC	7	750	2.00	2	6	original	ϕ_o	0.710	0.893	0.802	4.398
ITFC	7	750	2.30	2	6	original	ϕ_o	0.784	0.853	0.818	4.386
ITFC	7	750	3.00	2	6	original	ϕ_o	0.890	0.723	0.807	4.314
ITFC	7	1000	2.00	2	6	original	ϕ_o	0.685	0.903	0.794	4.392
ITFC	7	1000	2.30	2	6	original	ϕ_o	0.765	0.861	0.813	4.379
ITFC	7	1000	3.00	2	6	original	ϕ_o	0.883	0.729	0.806	4.307
ITFC	7	10	2.00	2	7	original	ϕ_o	0.963	0.056	0.510	2.824
ITFC	7	10	2.30	2	7	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	7	10	3.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	2.00	2	7	original	ϕ_o	0.955	0.245	0.600	2.844
ITFC	7	100	2.30	2	7	original	ϕ_o	0.960	0.115	0.537	2.828
ITFC	7	100	3.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.820
ITFC	7	250	2.00	2	7	original	ϕ_o	0.903	0.675	0.789	3.674
ITFC	7	250	2.30	2	7	original	ϕ_o	0.932	0.544	0.738	3.651
ITFC	7	250	3.00	2	7	original	ϕ_o	0.955	0.232	0.594	2.838
ITFC	7	10	0.20	5	4	original	ϕ_o	0.184	0.980	0.582	1.999
ITFC	7	100	0.20	5	4	original	ϕ_o	0.056	0.995	0.525	1.506
ITFC	7	250	0.20	5	4	original	ϕ_o	0.026	0.998	0.512	1.268
ITFC	7	10	0.50	4	5	original	ϕ_o	0.386	0.930	0.658	3.197
ITFC	7	10	0.70	4	5	original	ϕ_o	0.587	0.805	0.696	3.330
ITFC	7	10	1.00	4	5	original	ϕ_o	0.749	0.481	0.615	2.947
ITFC	7	100	0.50	4	5	original	ϕ_o	0.223	0.992	0.608	2.767
ITFC	7	100	0.70	4	5	original	ϕ_o	0.289	0.981	0.635	3.110
ITFC	7	100	1.00	4	5	original	ϕ_o	0.397	0.943	0.670	3.335
ITFC	7	250	0.50	4	5	original	ϕ_o	0.147	0.999	0.573	2.361
ITFC	7	250	0.70	4	5	original	ϕ_o	0.199	0.996	0.598	2.814
ITFC	7	250	1.00	4	5	original	ϕ_o	0.258	0.988	0.623	3.157
ITFC	7	10	0.50	5	6	original	ϕ_o	0.443	0.917	0.680	3.125
ITFC	7	10	0.70	5	6	original	ϕ_o	0.558	0.787	0.673	3.094
ITFC	7	10	1.00	5	6	original	ϕ_o	0.700	0.442	0.571	2.740
ITFC	7	100	0.50	5	6	original	ϕ_o	0.184	0.970	0.577	2.757
ITFC	7	100	0.70	5	6	original	ϕ_o	0.263	0.950	0.607	3.081
ITFC	7	100	1.00	5	6	original	ϕ_o	0.384	0.911	0.648	3.151
ITFC	7	250	0.50	5	6	original	ϕ_o	0.100	0.984	0.542	2.434
ITFC	7	250	0.70	5	6	original	ϕ_o	0.150	0.971	0.561	2.871
ITFC	7	250	1.00	5	6	original	ϕ_o	0.216	0.953	0.585	3.142
ITFC	7	500	0.50	6	6	original	ϕ_o	0.057	0.998	0.528	2.197
ITFC	7	500	0.70	6	6	original	ϕ_o	0.112	0.993	0.553	2.655
ITFC	7	500	1.00	6	6	original	ϕ_o	0.196	0.979	0.588	2.957
ITFC	7	750	0.50	6	6	original	ϕ_o	0.041	0.999	0.520	2.154
ITFC	7	750	0.70	6	6	original	ϕ_o	0.085	0.997	0.541	2.621
ITFC	7	750	1.00	6	6	original	ϕ_o	0.159	0.989	0.574	2.961
ITFC	7	1000	0.50	6	6	original	ϕ_o	0.038	0.999	0.519	2.149
ITFC	7	1000	0.70	6	6	original	ϕ_o	0.081	0.997	0.539	2.617
ITFC	7	1000	1.00	6	6	original	ϕ_o	0.153	0.990	0.572	2.957
ITFC	7	10	1.25	5	4	original	ϕ_o	0.741	0.138	0.440	2.757
ITFC	7	10	1.50	5	4	original	ϕ_o	0.746	0.110	0.428	2.753
ITFC	7	10	1.70	5	4	original	ϕ_o	0.747	0.104	0.426	2.754
ITFC	7	100	1.25	5	4	original	ϕ_o	0.596	0.694	0.645	3.071
ITFC	7	100	1.50	5	4	original	ϕ_o	0.676	0.482	0.579	2.694
ITFC	7	100	1.70	5	4	original	ϕ_o	0.712	0.322	0.517	2.726
ITFC	7	250	1.25	5	4	original	ϕ_o	0.376	0.902	0.639	3.030
ITFC	7	250	1.50	5	4	original	ϕ_o	0.481	0.845	0.663	3.040
ITFC	7	250	1.70	5	4	original	ϕ_o	0.555	0.771	0.663	3.063
ITFC	7	10	2.00	5	4	original	ϕ_o	0.748	0.103	0.426	2.761
ITFC	7	10	2.30	5	4	original	ϕ_o	0.748	0.103	0.425	2.763
ITFC	7	10	3.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	100	2.00	5	4	original	ϕ_o	0.734	0.176	0.455	2.741
ITFC	7	100	2.30	5	4	original	ϕ_o	0.741	0.127	0.434	2.745
ITFC	7	100	3.00	5	4	original	ϕ_o	0.745	0.106	0.425	2.748

ITFC	7	250	2.00	5	4	original	ϕ_o	0.636	0.608	0.622	3.108
ITFC	7	250	2.30	5	4	original	ϕ_o	0.690	0.430	0.560	2.700
ITFC	7	250	3.00	5	4	original	ϕ_o	0.735	0.175	0.455	2.738
ITFC	7	500	0.20	6	5	original	ϕ_o	0.008	1.000	0.504	1.266
ITFC	7	750	0.20	6	5	original	ϕ_o	0.004	1.000	0.502	1.230
ITFC	7	1000	0.20	6	5	original	ϕ_o	0.002	1.000	0.501	1.216
ITFC	7	500	0.20	4	7	original	ϕ_o	0.006	1.000	0.503	0.945
ITFC	7	750	0.20	4	7	original	ϕ_o	0.002	1.000	0.501	0.927
ITFC	7	1000	0.20	4	7	original	ϕ_o	0.001	1.000	0.501	0.923
ITFC	7	10	0.20	4	4	original	ϕ_o	0.185	0.996	0.591	2.026
ITFC	7	100	0.20	4	4	original	ϕ_o	0.079	1.000	0.540	1.378
ITFC	7	250	0.20	4	4	original	ϕ_o	0.040	1.000	0.520	1.143
ITFC	7	500	0.20	3	7	original	ϕ_o	0.002	1.000	0.501	1.364
ITFC	7	750	0.20	3	7	original	ϕ_o	0.001	1.000	0.500	1.315
ITFC	7	1000	0.20	3	7	original	ϕ_o	0.001	1.000	0.500	1.300
ITFC	7	10	2.00	4	5	original	ϕ_o	0.789	0.094	0.442	2.865
ITFC	7	10	2.30	4	5	original	ϕ_o	0.789	0.096	0.442	2.869
ITFC	7	10	3.00	4	5	original	ϕ_o	0.789	0.097	0.443	2.873
ITFC	7	100	2.00	4	5	original	ϕ_o	0.765	0.365	0.565	2.948
ITFC	7	100	2.30	4	5	original	ϕ_o	0.781	0.219	0.500	2.916
ITFC	7	100	3.00	4	5	original	ϕ_o	0.788	0.106	0.447	2.283
ITFC	7	250	2.00	4	5	original	ϕ_o	0.647	0.797	0.722	3.505
ITFC	7	250	2.30	4	5	original	ϕ_o	0.706	0.672	0.689	3.525
ITFC	7	250	3.00	4	5	original	ϕ_o	0.768	0.343	0.555	3.490
ITFC	7	500	4.00	5	4	original	ϕ_o	0.729	0.226	0.478	2.742
ITFC	7	750	4.00	5	4	original	ϕ_o	0.699	0.429	0.564	3.197
ITFC	7	1000	4.00	5	4	original	ϕ_o	0.667	0.554	0.610	3.186
ITFC	7	500	2.00	6	2	original	ϕ_o	0.661	0.334	0.498	1.991
ITFC	7	500	2.30	6	2	original	ϕ_o	0.687	0.206	0.446	2.004
ITFC	7	500	3.00	6	2	original	ϕ_o	0.707	0.084	0.395	2.024
ITFC	7	750	2.00	6	2	original	ϕ_o	0.589	0.588	0.588	2.452
ITFC	7	750	2.30	6	2	original	ϕ_o	0.639	0.429	0.534	1.988
ITFC	7	750	3.00	6	2	original	ϕ_o	0.691	0.181	0.436	2.006
ITFC	7	1000	2.00	6	2	original	ϕ_o	0.509	0.752	0.630	2.448
ITFC	7	1000	2.30	6	2	original	ϕ_o	0.572	0.636	0.604	2.455
ITFC	7	1000	3.00	6	2	original	ϕ_o	0.659	0.352	0.505	1.997
ITFC	7	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	7	100	4.00	3	2	original	ϕ_o	0.865	0.072	0.469	2.519
ITFC	7	250	4.00	3	2	original	ϕ_o	0.865	0.072	0.469	2.518
ITFC	7	10	0.20	7	5	original	ϕ_o	0.136	0.994	0.565	1.668
ITFC	7	100	0.20	7	5	original	ϕ_o	0.038	1.000	0.519	1.044
ITFC	7	250	0.20	7	5	original	ϕ_o	0.024	1.000	0.512	0.853
ITFC	7	500	0.20	3	6	original	ϕ_o	0.003	1.000	0.501	1.404
ITFC	7	750	0.20	3	6	original	ϕ_o	0.001	1.000	0.500	1.343
ITFC	7	1000	0.20	3	6	original	ϕ_o	0.001	1.000	0.500	1.323
ITFC	7	500	0.50	6	4	original	ϕ_o	0.109	0.995	0.552	2.290
ITFC	7	500	0.70	6	4	original	ϕ_o	0.175	0.985	0.580	2.689
ITFC	7	500	1.00	6	4	original	ϕ_o	0.258	0.954	0.606	2.877
ITFC	7	750	0.50	6	4	original	ϕ_o	0.077	0.997	0.537	2.212
ITFC	7	750	0.70	6	4	original	ϕ_o	0.129	0.992	0.561	2.631
ITFC	7	750	1.00	6	4	original	ϕ_o	0.206	0.975	0.590	2.901
ITFC	7	1000	0.50	6	4	original	ϕ_o	0.058	0.998	0.528	2.190
ITFC	7	1000	0.70	6	4	original	ϕ_o	0.108	0.995	0.551	2.622
ITFC	7	1000	1.00	6	4	original	ϕ_o	0.180	0.986	0.583	2.918
ITFC	7	500	0.50	7	7	original	ϕ_o	0.033	1.000	0.517	1.638
ITFC	7	500	0.70	7	7	original	ϕ_o	0.050	0.999	0.525	2.022
ITFC	7	500	1.00	7	7	original	ϕ_o	0.076	0.998	0.537	2.330
ITFC	7	750	0.50	7	7	original	ϕ_o	0.025	1.000	0.513	1.632
ITFC	7	750	0.70	7	7	original	ϕ_o	0.044	0.999	0.522	2.021
ITFC	7	750	1.00	7	7	original	ϕ_o	0.068	0.998	0.533	2.336
ITFC	7	1000	0.50	7	7	original	ϕ_o	0.023	1.000	0.511	1.632
ITFC	7	1000	0.70	7	7	original	ϕ_o	0.041	0.999	0.520	2.019
ITFC	7	1000	1.00	7	7	original	ϕ_o	0.066	0.998	0.532	2.337
ITFC	7	10	4.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097

ITFC	7	100	4.00	6	6	original	ϕ_o	0.727	0.052	0.389	1.422
ITFC	7	250	4.00	6	6	original	ϕ_o	0.721	0.082	0.402	2.066
ITFC	7	10	0.50	2	5	original	ϕ_o	0.827	0.850	0.839	4.360
ITFC	7	10	0.70	2	5	original	ϕ_o	0.899	0.703	0.801	3.677
ITFC	7	10	1.00	2	5	original	ϕ_o	0.951	0.392	0.671	2.861
ITFC	7	100	0.50	2	5	original	ϕ_o	0.604	0.953	0.779	4.137
ITFC	7	100	0.70	2	5	original	ϕ_o	0.734	0.906	0.820	4.368
ITFC	7	100	1.00	2	5	original	ϕ_o	0.842	0.807	0.825	4.369
ITFC	7	250	0.50	2	5	original	ϕ_o	0.406	0.978	0.692	3.854
ITFC	7	250	0.70	2	5	original	ϕ_o	0.574	0.955	0.764	4.246
ITFC	7	250	1.00	2	5	original	ϕ_o	0.712	0.906	0.809	4.389
ITFC	7	10	4.00	3	7	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	100	4.00	3	7	original	ϕ_o	0.865	0.073	0.469	2.519
ITFC	7	250	4.00	3	7	original	ϕ_o	0.863	0.101	0.482	2.519
ITFC	7	500	1.25	4	7	original	ϕ_o	0.187	0.997	0.592	3.045
ITFC	7	500	1.50	4	7	original	ϕ_o	0.218	0.993	0.605	3.194
ITFC	7	500	1.70	4	7	original	ϕ_o	0.243	0.988	0.616	3.284
ITFC	7	750	1.25	4	7	original	ϕ_o	0.170	0.997	0.583	2.985
ITFC	7	750	1.50	4	7	original	ϕ_o	0.202	0.994	0.598	3.125
ITFC	7	750	1.70	4	7	original	ϕ_o	0.227	0.990	0.609	3.210
ITFC	7	1000	1.25	4	7	original	ϕ_o	0.164	0.997	0.581	2.979
ITFC	7	1000	1.50	4	7	original	ϕ_o	0.197	0.994	0.596	3.117
ITFC	7	1000	1.70	4	7	original	ϕ_o	0.223	0.990	0.607	3.205
ITFC	7	500	0.50	6	5	original	ϕ_o	0.082	0.997	0.539	2.236
ITFC	7	500	0.70	6	5	original	ϕ_o	0.138	0.990	0.564	2.668
ITFC	7	500	1.00	6	5	original	ϕ_o	0.220	0.973	0.596	2.943
ITFC	7	750	0.50	6	5	original	ϕ_o	0.056	0.998	0.527	2.175
ITFC	7	750	0.70	6	5	original	ϕ_o	0.104	0.994	0.549	2.628
ITFC	7	750	1.00	6	5	original	ϕ_o	0.174	0.983	0.579	2.943
ITFC	7	1000	0.50	6	5	original	ϕ_o	0.044	0.999	0.521	2.165
ITFC	7	1000	0.70	6	5	original	ϕ_o	0.090	0.996	0.543	2.623
ITFC	7	1000	1.00	6	5	original	ϕ_o	0.160	0.989	0.574	2.950
ITFC	7	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	4.00	2	6	original	ϕ_o	0.963	0.056	0.510	2.824
ITFC	7	250	4.00	2	6	original	ϕ_o	0.961	0.065	0.513	2.820
ITFC	7	500	0.50	3	2	original	ϕ_o	0.175	0.985	0.580	3.151
ITFC	7	500	0.70	3	2	original	ϕ_o	0.275	0.970	0.622	3.556
ITFC	7	500	1.00	3	2	original	ϕ_o	0.430	0.934	0.682	3.748
ITFC	7	750	0.50	3	2	original	ϕ_o	0.126	0.991	0.559	2.970
ITFC	7	750	0.70	3	2	original	ϕ_o	0.206	0.981	0.593	3.433
ITFC	7	750	1.00	3	2	original	ϕ_o	0.319	0.957	0.638	3.707
ITFC	7	1000	0.50	3	2	original	ϕ_o	0.095	0.995	0.545	2.827
ITFC	7	1000	0.70	3	2	original	ϕ_o	0.162	0.987	0.575	3.315
ITFC	7	1000	1.00	3	2	original	ϕ_o	0.255	0.971	0.613	3.644
ITFC	7	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	1.907
ITFC	7	250	4.00	2	5	original	ϕ_o	0.961	0.061	0.511	2.821
ITFC	7	10	0.20	4	6	original	ϕ_o	0.158	0.998	0.578	1.892
ITFC	7	100	0.20	4	6	original	ϕ_o	0.061	1.000	0.531	1.263
ITFC	7	250	0.20	4	6	original	ϕ_o	0.027	1.000	0.514	1.058
ITFC	7	500	0.50	6	2	original	ϕ_o	0.181	0.977	0.579	2.394
ITFC	7	500	0.70	6	2	original	ϕ_o	0.255	0.950	0.603	2.641
ITFC	7	500	1.00	6	2	original	ϕ_o	0.368	0.885	0.627	2.728
ITFC	7	750	0.50	6	2	original	ϕ_o	0.133	0.988	0.560	2.289
ITFC	7	750	0.70	6	2	original	ϕ_o	0.198	0.969	0.584	2.574
ITFC	7	750	1.00	6	2	original	ϕ_o	0.284	0.929	0.607	2.709
ITFC	7	1000	0.50	6	2	original	ϕ_o	0.107	0.994	0.550	2.205
ITFC	7	1000	0.70	6	2	original	ϕ_o	0.158	0.980	0.569	2.518
ITFC	7	1000	1.00	6	2	original	ϕ_o	0.233	0.953	0.593	2.702
ITFC	7	10	0.50	7	2	original	ϕ_o	0.466	0.668	0.567	2.492
ITFC	7	10	0.70	7	2	original	ϕ_o	0.587	0.426	0.506	2.281
ITFC	7	10	1.00	7	2	original	ϕ_o	0.667	0.207	0.437	2.400
ITFC	7	100	0.50	7	2	original	ϕ_o	0.177	0.945	0.561	2.273
ITFC	7	100	0.70	7	2	original	ϕ_o	0.278	0.875	0.577	2.409

ITFC	7	100	1.00	7	2	original	ϕ_o	0.484	0.709	0.597	2.580
ITFC	7	250	0.50	7	2	original	ϕ_o	0.113	0.984	0.548	2.098
ITFC	7	250	0.70	7	2	original	ϕ_o	0.151	0.964	0.558	2.298
ITFC	7	250	1.00	7	2	original	ϕ_o	0.255	0.904	0.580	2.434
ITFC	7	10	1.25	3	4	original	ϕ_o	0.865	0.106	0.485	2.520
ITFC	7	10	1.50	3	4	original	ϕ_o	0.866	0.075	0.470	2.520
ITFC	7	10	1.70	3	4	original	ϕ_o	0.866	0.071	0.469	2.520
ITFC	7	100	1.25	3	4	original	ϕ_o	0.783	0.606	0.695	3.167
ITFC	7	100	1.50	3	4	original	ϕ_o	0.829	0.384	0.606	2.516
ITFC	7	100	1.70	3	4	original	ϕ_o	0.849	0.259	0.554	2.517
ITFC	7	250	1.25	3	4	original	ϕ_o	0.589	0.848	0.719	3.636
ITFC	7	250	1.50	3	4	original	ϕ_o	0.711	0.743	0.727	3.158
ITFC	7	250	1.70	3	4	original	ϕ_o	0.769	0.638	0.704	3.556
ITFC	7	10	2.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.096
ITFC	7	10	2.30	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	2.00	6	3	original	ϕ_o	0.719	0.080	0.400	2.065
ITFC	7	100	2.30	6	3	original	ϕ_o	0.723	0.060	0.391	2.072
ITFC	7	100	3.00	6	3	original	ϕ_o	0.728	0.052	0.390	2.083
ITFC	7	250	2.00	6	3	original	ϕ_o	0.687	0.289	0.488	2.043
ITFC	7	250	2.30	6	3	original	ϕ_o	0.702	0.168	0.435	2.044
ITFC	7	250	3.00	6	3	original	ϕ_o	0.716	0.068	0.392	1.405
ITFC	7	10	2.00	7	3	original	ϕ_o	0.682	0.111	0.397	2.387
ITFC	7	10	2.30	7	3	original	ϕ_o	0.683	0.108	0.395	2.384
ITFC	7	10	3.00	7	3	original	ϕ_o	0.684	0.110	0.397	2.393
ITFC	7	100	2.00	7	3	original	ϕ_o	0.653	0.274	0.463	2.369
ITFC	7	100	2.30	7	3	original	ϕ_o	0.670	0.208	0.439	2.384
ITFC	7	100	3.00	7	3	original	ϕ_o	0.679	0.139	0.409	2.380
ITFC	7	250	2.00	7	3	original	ϕ_o	0.511	0.633	0.572	2.558
ITFC	7	250	2.30	7	3	original	ϕ_o	0.571	0.497	0.534	2.591
ITFC	7	250	3.00	7	3	original	ϕ_o	0.644	0.284	0.464	2.331
ITFC	7	10	1.25	5	6	original	ϕ_o	0.737	0.223	0.480	2.780
ITFC	7	10	1.50	5	6	original	ϕ_o	0.745	0.141	0.443	2.185
ITFC	7	10	1.70	5	6	original	ϕ_o	0.747	0.118	0.432	2.762
ITFC	7	100	1.25	5	6	original	ϕ_o	0.500	0.848	0.674	3.107
ITFC	7	100	1.50	5	6	original	ϕ_o	0.600	0.732	0.666	3.113
ITFC	7	100	1.70	5	6	original	ϕ_o	0.658	0.608	0.633	3.144
ITFC	7	250	1.25	5	6	original	ϕ_o	0.277	0.937	0.607	3.179
ITFC	7	250	1.50	5	6	original	ϕ_o	0.354	0.918	0.636	3.174
ITFC	7	250	1.70	5	6	original	ϕ_o	0.427	0.895	0.661	3.160
ITFC	7	500	1.25	5	6	original	ϕ_o	0.169	0.962	0.565	3.162
ITFC	7	500	1.50	5	6	original	ϕ_o	0.207	0.952	0.580	3.196
ITFC	7	500	1.70	5	6	original	ϕ_o	0.246	0.944	0.595	3.213
ITFC	7	750	1.25	5	6	original	ϕ_o	0.144	0.970	0.557	3.121
ITFC	7	750	1.50	5	6	original	ϕ_o	0.173	0.962	0.568	3.167
ITFC	7	750	1.70	5	6	original	ϕ_o	0.203	0.956	0.579	3.183
ITFC	7	1000	1.25	5	6	original	ϕ_o	0.134	0.976	0.555	3.106
ITFC	7	1000	1.50	5	6	original	ϕ_o	0.162	0.969	0.565	3.151
ITFC	7	1000	1.70	5	6	original	ϕ_o	0.188	0.962	0.575	3.168
ITFC	7	500	2.00	5	3	original	ϕ_o	0.538	0.788	0.663	3.045
ITFC	7	500	2.30	5	3	original	ϕ_o	0.620	0.644	0.632	3.096
ITFC	7	500	3.00	5	3	original	ϕ_o	0.710	0.335	0.523	2.717
ITFC	7	750	2.00	5	3	original	ϕ_o	0.400	0.900	0.650	3.055
ITFC	7	750	2.30	5	3	original	ϕ_o	0.499	0.836	0.667	3.069
ITFC	7	750	3.00	5	3	original	ϕ_o	0.653	0.571	0.612	3.149
ITFC	7	1000	2.00	5	3	original	ϕ_o	0.298	0.936	0.617	3.081
ITFC	7	1000	2.30	5	3	original	ϕ_o	0.396	0.906	0.651	3.093
ITFC	7	1000	3.00	5	3	original	ϕ_o	0.586	0.737	0.661	3.132
ITFC	7	500	0.20	3	3	original	ϕ_o	0.011	1.000	0.505	1.587
ITFC	7	750	0.20	3	3	original	ϕ_o	0.006	1.000	0.503	1.467
ITFC	7	1000	0.20	3	3	original	ϕ_o	0.003	1.000	0.501	1.397
ITFC	7	10	2.00	3	4	original	ϕ_o	0.866	0.071	0.469	2.520
ITFC	7	10	2.30	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	10	3.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.519

ITFC	7	100	2.00	3	4	original	ϕ_o	0.862	0.146	0.504	2.522
ITFC	7	100	2.30	3	4	original	ϕ_o	0.864	0.099	0.481	2.522
ITFC	7	100	3.00	3	4	original	ϕ_o	0.866	0.073	0.469	2.520
ITFC	7	250	2.00	3	4	original	ϕ_o	0.817	0.445	0.631	3.121
ITFC	7	250	2.30	3	4	original	ϕ_o	0.843	0.291	0.567	2.514
ITFC	7	250	3.00	3	4	original	ϕ_o	0.862	0.124	0.493	2.519
ITFC	7	500	0.50	5	6	original	ϕ_o	0.059	0.992	0.525	2.191
ITFC	7	500	0.70	5	6	original	ϕ_o	0.094	0.984	0.539	2.667
ITFC	7	500	1.00	5	6	original	ϕ_o	0.136	0.971	0.553	3.042
ITFC	7	750	0.50	5	6	original	ϕ_o	0.043	0.995	0.519	2.110
ITFC	7	750	0.70	5	6	original	ϕ_o	0.077	0.990	0.533	2.590
ITFC	7	750	1.00	5	6	original	ϕ_o	0.116	0.980	0.548	2.990
ITFC	7	1000	0.50	5	6	original	ϕ_o	0.036	0.997	0.517	2.088
ITFC	7	1000	0.70	5	6	original	ϕ_o	0.067	0.993	0.530	2.567
ITFC	7	1000	1.00	5	6	original	ϕ_o	0.106	0.985	0.545	2.972
ITFC	7	500	1.25	3	4	original	ϕ_o	0.338	0.942	0.640	3.656
ITFC	7	500	1.50	3	4	original	ϕ_o	0.461	0.901	0.681	3.630
ITFC	7	500	1.70	3	4	original	ϕ_o	0.564	0.853	0.708	3.609
ITFC	7	750	1.25	3	4	original	ϕ_o	0.246	0.968	0.607	3.649
ITFC	7	750	1.50	3	4	original	ϕ_o	0.314	0.950	0.632	3.669
ITFC	7	750	1.70	3	4	original	ϕ_o	0.391	0.928	0.659	3.659
ITFC	7	1000	1.25	3	4	original	ϕ_o	0.204	0.978	0.591	3.649
ITFC	7	1000	1.50	3	4	original	ϕ_o	0.251	0.967	0.609	3.705
ITFC	7	1000	1.70	3	4	original	ϕ_o	0.303	0.954	0.629	3.713
ITFC	7	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	7	100	4.00	3	3	original	ϕ_o	0.866	0.072	0.469	1.710
ITFC	7	250	4.00	3	3	original	ϕ_o	0.865	0.075	0.470	2.517
ITFC	7	500	2.00	4	5	original	ϕ_o	0.366	0.965	0.665	3.410
ITFC	7	500	2.30	4	5	original	ϕ_o	0.491	0.928	0.710	3.463
ITFC	7	500	3.00	4	5	original	ϕ_o	0.672	0.749	0.711	3.525
ITFC	7	750	2.00	4	5	original	ϕ_o	0.283	0.977	0.630	3.309
ITFC	7	750	2.30	4	5	original	ϕ_o	0.361	0.959	0.660	3.383
ITFC	7	750	3.00	4	5	original	ϕ_o	0.583	0.855	0.719	3.474
ITFC	7	1000	2.00	4	5	original	ϕ_o	0.262	0.980	0.621	3.301
ITFC	7	1000	2.30	4	5	original	ϕ_o	0.334	0.964	0.649	3.372
ITFC	7	1000	3.00	4	5	original	ϕ_o	0.554	0.872	0.713	3.451
ITFC	7	500	2.00	5	2	original	ϕ_o	0.667	0.532	0.599	3.132
ITFC	7	500	2.30	5	2	original	ϕ_o	0.708	0.366	0.537	2.716
ITFC	7	500	3.00	5	2	original	ϕ_o	0.736	0.162	0.449	2.713
ITFC	7	750	2.00	5	2	original	ϕ_o	0.573	0.757	0.665	3.089
ITFC	7	750	2.30	5	2	original	ϕ_o	0.644	0.610	0.627	3.118
ITFC	7	750	3.00	5	2	original	ϕ_o	0.720	0.293	0.507	3.114
ITFC	7	1000	2.00	5	2	original	ϕ_o	0.471	0.864	0.667	3.082
ITFC	7	1000	2.30	5	2	original	ϕ_o	0.562	0.779	0.670	3.094
ITFC	7	1000	3.00	5	2	original	ϕ_o	0.685	0.482	0.584	3.119
ITFC	7	10	0.50	5	2	original	ϕ_o	0.526	0.771	0.649	2.932
ITFC	7	10	0.70	5	2	original	ϕ_o	0.679	0.483	0.581	3.165
ITFC	7	10	1.00	5	2	original	ϕ_o	0.742	0.184	0.463	2.773
ITFC	7	100	0.50	5	2	original	ϕ_o	0.303	0.930	0.617	2.815
ITFC	7	100	0.70	5	2	original	ϕ_o	0.441	0.860	0.650	2.965
ITFC	7	100	1.00	5	2	original	ϕ_o	0.629	0.633	0.631	3.126
ITFC	7	250	0.50	5	2	original	ϕ_o	0.197	0.949	0.573	2.655
ITFC	7	250	0.70	5	2	original	ϕ_o	0.291	0.927	0.609	2.904
ITFC	7	250	1.00	5	2	original	ϕ_o	0.463	0.854	0.658	3.008
ITFC	7	10	1.25	3	2	original	ϕ_o	0.865	0.092	0.478	2.520
ITFC	7	10	1.50	3	2	original	ϕ_o	0.866	0.073	0.469	2.519
ITFC	7	10	1.70	3	2	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	7	100	1.25	3	2	original	ϕ_o	0.832	0.467	0.650	3.195
ITFC	7	100	1.50	3	2	original	ϕ_o	0.855	0.257	0.556	2.534
ITFC	7	100	1.70	3	2	original	ϕ_o	0.861	0.158	0.510	2.526
ITFC	7	250	1.25	3	2	original	ϕ_o	0.747	0.730	0.738	3.699
ITFC	7	250	1.50	3	2	original	ϕ_o	0.811	0.586	0.698	3.198
ITFC	7	250	1.70	3	2	original	ϕ_o	0.837	0.439	0.638	2.541
ITFC	7	10	1.25	6	6	original	ϕ_o	0.722	0.145	0.434	2.091

ITFC	7	10	1.50	6	6	original	ϕ_o	0.728	0.081	0.405	2.093
ITFC	7	10	1.70	6	6	original	ϕ_o	0.730	0.061	0.395	2.091
ITFC	7	100	1.25	6	6	original	ϕ_o	0.583	0.691	0.637	2.569
ITFC	7	100	1.50	6	6	original	ϕ_o	0.646	0.518	0.582	2.570
ITFC	7	100	1.70	6	6	original	ϕ_o	0.676	0.378	0.527	2.058
ITFC	7	250	1.25	6	6	original	ϕ_o	0.404	0.901	0.653	2.969
ITFC	7	250	1.50	6	6	original	ϕ_o	0.487	0.833	0.660	2.963
ITFC	7	250	1.70	6	6	original	ϕ_o	0.548	0.756	0.652	2.949
ITFC	7	10	2.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.763
ITFC	7	10	2.30	5	3	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	7	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.179
ITFC	7	100	2.00	5	3	original	ϕ_o	0.740	0.133	0.437	2.743
ITFC	7	100	2.30	5	3	original	ϕ_o	0.743	0.113	0.428	2.169
ITFC	7	100	3.00	5	3	original	ϕ_o	0.746	0.105	0.426	2.752
ITFC	7	250	2.00	5	3	original	ϕ_o	0.692	0.404	0.548	2.691
ITFC	7	250	2.30	5	3	original	ϕ_o	0.721	0.264	0.492	2.144
ITFC	7	250	3.00	5	3	original	ϕ_o	0.740	0.132	0.436	2.738
ITFC	7	500	4.00	4	2	original	ϕ_o	0.778	0.139	0.459	2.864
ITFC	7	750	4.00	4	2	original	ϕ_o	0.769	0.258	0.513	2.887
ITFC	7	1000	4.00	4	2	original	ϕ_o	0.755	0.395	0.575	3.424
ITFC	7	500	0.20	5	6	original	ϕ_o	0.005	1.000	0.502	1.003
ITFC	7	750	0.20	5	6	original	ϕ_o	0.002	1.000	0.501	0.962
ITFC	7	1000	0.20	5	6	original	ϕ_o	0.002	1.000	0.501	0.949
ITFC	7	500	0.50	2	2	original	ϕ_o	0.427	0.975	0.701	3.933
ITFC	7	500	0.70	2	2	original	ϕ_o	0.590	0.946	0.768	4.276
ITFC	7	500	1.00	2	2	original	ϕ_o	0.730	0.884	0.807	4.361
ITFC	7	750	0.50	2	2	original	ϕ_o	0.331	0.985	0.658	3.779
ITFC	7	750	0.70	2	2	original	ϕ_o	0.494	0.963	0.728	4.191
ITFC	7	750	1.00	2	2	original	ϕ_o	0.643	0.918	0.780	4.347
ITFC	7	1000	0.50	2	2	original	ϕ_o	0.260	0.990	0.625	3.651
ITFC	7	1000	0.70	2	2	original	ϕ_o	0.414	0.973	0.693	4.101
ITFC	7	1000	1.00	2	2	original	ϕ_o	0.573	0.939	0.756	4.321
ITFC	7	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	4.00	6	4	original	ϕ_o	0.730	0.052	0.391	2.090
ITFC	7	250	4.00	6	4	original	ϕ_o	0.725	0.054	0.389	2.072
ITFC	7	500	0.50	7	5	original	ϕ_o	0.042	1.000	0.521	1.667
ITFC	7	500	0.70	7	5	original	ϕ_o	0.058	0.999	0.529	2.031
ITFC	7	500	1.00	7	5	original	ϕ_o	0.081	0.997	0.539	2.321
ITFC	7	750	0.50	7	5	original	ϕ_o	0.034	1.000	0.517	1.638
ITFC	7	750	0.70	7	5	original	ϕ_o	0.051	0.999	0.525	2.003
ITFC	7	750	1.00	7	5	original	ϕ_o	0.074	0.997	0.535	2.299
ITFC	7	1000	0.50	7	5	original	ϕ_o	0.030	1.000	0.515	1.635
ITFC	7	1000	0.70	7	5	original	ϕ_o	0.046	0.999	0.523	2.001
ITFC	7	1000	1.00	7	5	original	ϕ_o	0.069	0.997	0.533	2.300
ITFC	7	10	2.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	7	10	2.30	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	10	3.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	2.00	2	6	original	ϕ_o	0.958	0.197	0.578	2.842
ITFC	7	100	2.30	2	6	original	ϕ_o	0.961	0.090	0.526	2.826
ITFC	7	100	3.00	2	6	original	ϕ_o	0.963	0.056	0.509	1.907
ITFC	7	250	2.00	2	6	original	ϕ_o	0.915	0.648	0.782	3.681
ITFC	7	250	2.30	2	6	original	ϕ_o	0.939	0.502	0.721	2.858
ITFC	7	250	3.00	2	6	original	ϕ_o	0.958	0.182	0.570	2.837
ITFC	7	10	2.00	6	7	original	ϕ_o	0.731	0.054	0.392	2.092
ITFC	7	10	2.30	6	7	original	ϕ_o	0.731	0.052	0.392	2.094
ITFC	7	10	3.00	6	7	original	ϕ_o	0.732	0.052	0.392	1.434
ITFC	7	100	2.00	6	7	original	ϕ_o	0.693	0.300	0.497	2.069
ITFC	7	100	2.30	6	7	original	ϕ_o	0.710	0.187	0.448	2.071
ITFC	7	100	3.00	6	7	original	ϕ_o	0.722	0.077	0.400	1.379
ITFC	7	250	2.00	6	7	original	ϕ_o	0.593	0.712	0.652	3.016
ITFC	7	250	2.30	6	7	original	ϕ_o	0.641	0.568	0.604	2.606
ITFC	7	250	3.00	6	7	original	ϕ_o	0.697	0.288	0.492	2.073
ITFC	7	10	0.50	7	5	original	ϕ_o	0.312	0.910	0.611	2.594
ITFC	7	10	0.70	7	5	original	ϕ_o	0.491	0.751	0.621	2.690

ITFC	7	10	1.00	7	5	original	ϕ_o	0.622	0.379	0.500	2.373
ITFC	7	100	0.50	7	5	original	ϕ_o	0.109	0.995	0.552	2.165
ITFC	7	100	0.70	7	5	original	ϕ_o	0.150	0.986	0.568	2.497
ITFC	7	100	1.00	7	5	original	ϕ_o	0.209	0.970	0.589	2.703
ITFC	7	250	0.50	7	5	original	ϕ_o	0.063	0.999	0.531	1.824
ITFC	7	250	0.70	7	5	original	ϕ_o	0.089	0.996	0.542	2.174
ITFC	7	250	1.00	7	5	original	ϕ_o	0.122	0.989	0.556	2.461
ITFC	7	500	0.50	6	3	original	ϕ_o	0.136	0.990	0.563	2.344
ITFC	7	500	0.70	6	3	original	ϕ_o	0.204	0.977	0.590	2.707
ITFC	7	500	1.00	6	3	original	ϕ_o	0.293	0.939	0.616	2.860
ITFC	7	750	0.50	6	3	original	ϕ_o	0.102	0.995	0.548	2.240
ITFC	7	750	0.70	6	3	original	ϕ_o	0.155	0.987	0.571	2.638
ITFC	7	750	1.00	6	3	original	ϕ_o	0.232	0.964	0.598	2.877
ITFC	7	1000	0.50	6	3	original	ϕ_o	0.081	0.997	0.539	2.196
ITFC	7	1000	0.70	6	3	original	ϕ_o	0.126	0.991	0.559	2.616
ITFC	7	1000	1.00	6	3	original	ϕ_o	0.197	0.978	0.588	2.900
ITFC	7	10	1.25	4	5	original	ϕ_o	0.784	0.208	0.496	2.307
ITFC	7	10	1.50	4	5	original	ϕ_o	0.789	0.106	0.448	2.867
ITFC	7	10	1.70	4	5	original	ϕ_o	0.790	0.093	0.441	2.285
ITFC	7	100	1.25	4	5	original	ϕ_o	0.586	0.850	0.718	3.446
ITFC	7	100	1.50	4	5	original	ϕ_o	0.686	0.707	0.697	3.492
ITFC	7	100	1.70	4	5	original	ϕ_o	0.730	0.575	0.652	3.509
ITFC	7	250	1.25	4	5	original	ϕ_o	0.305	0.977	0.641	3.325
ITFC	7	250	1.50	4	5	original	ϕ_o	0.429	0.949	0.689	3.429
ITFC	7	250	1.70	4	5	original	ϕ_o	0.541	0.904	0.722	3.471
ITFC	7	500	1.25	6	2	original	ϕ_o	0.473	0.795	0.634	2.751
ITFC	7	500	1.50	6	2	original	ϕ_o	0.563	0.654	0.609	2.445
ITFC	7	500	1.70	6	2	original	ϕ_o	0.612	0.522	0.567	2.460
ITFC	7	750	1.25	6	2	original	ϕ_o	0.362	0.882	0.622	2.732
ITFC	7	750	1.50	6	2	original	ϕ_o	0.449	0.815	0.632	2.744
ITFC	7	750	1.70	6	2	original	ϕ_o	0.517	0.738	0.627	2.755
ITFC	7	1000	1.25	6	2	original	ϕ_o	0.291	0.921	0.606	2.731
ITFC	7	1000	1.50	6	2	original	ϕ_o	0.361	0.881	0.621	2.745
ITFC	7	1000	1.70	6	2	original	ϕ_o	0.421	0.839	0.630	2.754
ITFC	7	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	100	4.00	5	2	original	ϕ_o	0.748	0.104	0.426	2.764
ITFC	7	250	4.00	5	2	original	ϕ_o	0.746	0.106	0.426	2.745
ITFC	7	10	4.00	7	6	original	ϕ_o	0.685	0.111	0.398	1.940
ITFC	7	100	4.00	7	6	original	ϕ_o	0.669	0.151	0.410	2.339
ITFC	7	250	4.00	7	6	original	ϕ_o	0.626	0.334	0.480	2.658
ITFC	7	500	4.00	7	2	original	ϕ_o	0.633	0.195	0.414	2.594
ITFC	7	750	4.00	7	2	original	ϕ_o	0.598	0.381	0.489	2.598
ITFC	7	1000	4.00	7	2	original	ϕ_o	0.573	0.529	0.551	2.664
ITFC	7	10	1.25	2	4	original	ϕ_o	0.962	0.105	0.533	1.910
ITFC	7	10	1.50	2	4	original	ϕ_o	0.963	0.058	0.510	2.822
ITFC	7	10	1.70	2	4	original	ϕ_o	0.963	0.056	0.510	2.823
ITFC	7	100	1.25	2	4	original	ϕ_o	0.918	0.617	0.767	3.680
ITFC	7	100	1.50	2	4	original	ϕ_o	0.946	0.425	0.686	2.854
ITFC	7	100	1.70	2	4	original	ϕ_o	0.954	0.263	0.609	2.844
ITFC	7	250	1.25	2	4	original	ϕ_o	0.829	0.810	0.820	4.335
ITFC	7	250	1.50	2	4	original	ϕ_o	0.889	0.718	0.804	3.687
ITFC	7	250	1.70	2	4	original	ϕ_o	0.916	0.632	0.774	3.681
ITFC	7	10	2.00	7	2	original	ϕ_o	0.684	0.113	0.399	2.403
ITFC	7	10	2.30	7	2	original	ϕ_o	0.685	0.113	0.399	2.744
ITFC	7	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	1.943
ITFC	7	100	2.00	7	2	original	ϕ_o	0.662	0.172	0.417	2.691
ITFC	7	100	2.30	7	2	original	ϕ_o	0.667	0.142	0.404	2.339
ITFC	7	100	3.00	7	2	original	ϕ_o	0.674	0.113	0.394	2.690
ITFC	7	250	2.00	7	2	original	ϕ_o	0.599	0.425	0.512	2.645
ITFC	7	250	2.30	7	2	original	ϕ_o	0.627	0.298	0.463	2.655
ITFC	7	250	3.00	7	2	original	ϕ_o	0.652	0.164	0.408	2.292
ITFC	7	10	1.25	4	3	original	ϕ_o	0.784	0.150	0.467	2.877
ITFC	7	10	1.50	4	3	original	ϕ_o	0.788	0.096	0.442	2.855
ITFC	7	10	1.70	4	3	original	ϕ_o	0.788	0.092	0.440	2.282

ITFC	7	100	1.25	4	3	original	ϕ_o	0.644	0.788	0.716	3.475
ITFC	7	100	1.50	4	3	original	ϕ_o	0.716	0.607	0.661	3.501
ITFC	7	100	1.70	4	3	original	ϕ_o	0.749	0.450	0.600	3.482
ITFC	7	250	1.25	4	3	original	ϕ_o	0.423	0.956	0.690	3.418
ITFC	7	250	1.50	4	3	original	ϕ_o	0.557	0.899	0.728	3.476
ITFC	7	250	1.70	4	3	original	ϕ_o	0.627	0.833	0.730	3.506
ITFC	7	10	0.50	4	6	original	ϕ_o	0.370	0.958	0.664	3.272
ITFC	7	10	0.70	4	6	original	ϕ_o	0.556	0.863	0.709	3.405
ITFC	7	10	1.00	4	6	original	ϕ_o	0.741	0.571	0.656	3.521
ITFC	7	100	0.50	4	6	original	ϕ_o	0.200	0.997	0.599	2.673
ITFC	7	100	0.70	4	6	original	ϕ_o	0.267	0.991	0.629	3.109
ITFC	7	100	1.00	4	6	original	ϕ_o	0.352	0.969	0.660	3.394
ITFC	7	250	0.50	4	6	original	ϕ_o	0.126	1.000	0.563	2.261
ITFC	7	250	0.70	4	6	original	ϕ_o	0.180	0.998	0.589	2.755
ITFC	7	250	1.00	4	6	original	ϕ_o	0.241	0.993	0.617	3.159
ITFC	7	500	2.00	4	6	original	ϕ_o	0.335	0.972	0.653	3.411
ITFC	7	500	2.30	4	6	original	ϕ_o	0.448	0.946	0.697	3.467
ITFC	7	500	3.00	4	6	original	ϕ_o	0.651	0.791	0.721	3.529
ITFC	7	750	2.00	4	6	original	ϕ_o	0.285	0.980	0.632	3.331
ITFC	7	750	2.30	4	6	original	ϕ_o	0.361	0.963	0.662	3.406
ITFC	7	750	3.00	4	6	original	ϕ_o	0.588	0.851	0.719	3.484
ITFC	7	1000	2.00	4	6	original	ϕ_o	0.273	0.982	0.628	3.334
ITFC	7	1000	2.30	4	6	original	ϕ_o	0.347	0.966	0.657	3.405
ITFC	7	1000	3.00	4	6	original	ϕ_o	0.577	0.858	0.718	3.480
ITFC	7	500	2.00	6	6	original	ϕ_o	0.477	0.864	0.671	3.061
ITFC	7	500	2.30	6	6	original	ϕ_o	0.550	0.789	0.670	3.050
ITFC	7	500	3.00	6	6	original	ϕ_o	0.655	0.550	0.602	2.640
ITFC	7	750	2.00	6	6	original	ϕ_o	0.425	0.907	0.666	3.128
ITFC	7	750	2.30	6	6	original	ϕ_o	0.504	0.856	0.680	3.120
ITFC	7	750	3.00	6	6	original	ϕ_o	0.628	0.678	0.653	3.099
ITFC	7	1000	2.00	6	6	original	ϕ_o	0.417	0.909	0.663	3.127
ITFC	7	1000	2.30	6	6	original	ϕ_o	0.498	0.860	0.679	3.117
ITFC	7	1000	3.00	6	6	original	ϕ_o	0.626	0.682	0.654	3.100
ITFC	7	500	1.25	6	6	original	ϕ_o	0.262	0.964	0.613	3.031
ITFC	7	500	1.50	6	6	original	ϕ_o	0.331	0.941	0.636	3.062
ITFC	7	500	1.70	6	6	original	ϕ_o	0.389	0.917	0.653	3.070
ITFC	7	750	1.25	6	6	original	ϕ_o	0.218	0.977	0.597	3.062
ITFC	7	750	1.50	6	6	original	ϕ_o	0.281	0.960	0.620	3.102
ITFC	7	750	1.70	6	6	original	ϕ_o	0.337	0.943	0.640	3.119
ITFC	7	1000	1.25	6	6	original	ϕ_o	0.211	0.978	0.595	3.062
ITFC	7	1000	1.50	6	6	original	ϕ_o	0.272	0.961	0.617	3.099
ITFC	7	1000	1.70	6	6	original	ϕ_o	0.328	0.945	0.637	3.119
ITFC	7	10	2.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	7	10	2.30	3	2	original	ϕ_o	0.866	0.071	0.468	1.677
ITFC	7	10	3.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	7	100	2.00	3	2	original	ϕ_o	0.864	0.093	0.479	2.520
ITFC	7	100	2.30	3	2	original	ϕ_o	0.865	0.076	0.471	2.518
ITFC	7	100	3.00	3	2	original	ϕ_o	0.865	0.072	0.469	2.519
ITFC	7	250	2.00	3	2	original	ϕ_o	0.854	0.247	0.550	2.531
ITFC	7	250	2.30	3	2	original	ϕ_o	0.861	0.141	0.501	2.523
ITFC	7	250	3.00	3	2	original	ϕ_o	0.864	0.079	0.472	2.516
ITFC	7	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	250	4.00	2	3	original	ϕ_o	0.963	0.058	0.511	2.827
ITFC	7	10	4.00	4	7	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	7	100	4.00	4	7	original	ϕ_o	0.786	0.102	0.444	2.278
ITFC	7	250	4.00	4	7	original	ϕ_o	0.779	0.236	0.507	2.931
ITFC	7	500	2.00	5	4	original	ϕ_o	0.434	0.888	0.661	3.098
ITFC	7	500	2.30	5	4	original	ϕ_o	0.526	0.826	0.676	3.098
ITFC	7	500	3.00	5	4	original	ϕ_o	0.665	0.566	0.615	3.138
ITFC	7	750	2.00	5	4	original	ϕ_o	0.303	0.931	0.617	3.090
ITFC	7	750	2.30	5	4	original	ϕ_o	0.391	0.905	0.648	3.102
ITFC	7	750	3.00	5	4	original	ϕ_o	0.574	0.768	0.671	3.141
ITFC	7	1000	2.00	5	4	original	ϕ_o	0.236	0.948	0.592	3.090

ITFC	7	1000	2.30	5	4	original	ϕ_o	0.311	0.932	0.622	3.100
ITFC	7	1000	3.00	5	4	original	ϕ_o	0.507	0.841	0.674	3.123
ITFC	7	500	0.20	4	3	original	ϕ_o	0.029	1.000	0.514	1.086
ITFC	7	750	0.20	4	3	original	ϕ_o	0.016	1.000	0.508	1.022
ITFC	7	1000	0.20	4	3	original	ϕ_o	0.009	1.000	0.504	0.990
ITFC	7	500	1.25	2	4	original	ϕ_o	0.688	0.901	0.794	4.350
ITFC	7	500	1.50	2	4	original	ϕ_o	0.766	0.857	0.811	4.333
ITFC	7	500	1.70	2	4	original	ϕ_o	0.822	0.811	0.817	4.307
ITFC	7	750	1.25	2	4	original	ϕ_o	0.578	0.941	0.759	4.350
ITFC	7	750	1.50	2	4	original	ϕ_o	0.652	0.911	0.782	4.350
ITFC	7	750	1.70	2	4	original	ϕ_o	0.713	0.884	0.798	4.345
ITFC	7	1000	1.25	2	4	original	ϕ_o	0.518	0.958	0.738	4.351
ITFC	7	1000	1.50	2	4	original	ϕ_o	0.596	0.936	0.766	4.373
ITFC	7	1000	1.70	2	4	original	ϕ_o	0.655	0.913	0.784	4.373
ITFC	7	10	1.25	3	7	original	ϕ_o	0.862	0.161	0.512	2.527
ITFC	7	10	1.50	3	7	original	ϕ_o	0.865	0.092	0.479	2.524
ITFC	7	10	1.70	3	7	original	ϕ_o	0.866	0.076	0.471	2.522
ITFC	7	100	1.25	3	7	original	ϕ_o	0.704	0.732	0.718	3.543
ITFC	7	100	1.50	3	7	original	ϕ_o	0.784	0.546	0.665	3.118
ITFC	7	100	1.70	3	7	original	ϕ_o	0.819	0.402	0.611	3.100
ITFC	7	250	1.25	3	7	original	ϕ_o	0.422	0.920	0.671	3.641
ITFC	7	250	1.50	3	7	original	ϕ_o	0.557	0.858	0.708	3.605
ITFC	7	250	1.70	3	7	original	ϕ_o	0.652	0.790	0.721	3.570
ITFC	7	500	1.25	5	2	original	ϕ_o	0.413	0.886	0.649	3.025
ITFC	7	500	1.50	5	2	original	ϕ_o	0.523	0.815	0.669	3.060
ITFC	7	500	1.70	5	2	original	ϕ_o	0.593	0.716	0.654	3.093
ITFC	7	750	1.25	5	2	original	ϕ_o	0.292	0.924	0.608	3.027
ITFC	7	750	1.50	5	2	original	ϕ_o	0.393	0.897	0.645	3.050
ITFC	7	750	1.70	5	2	original	ϕ_o	0.472	0.860	0.666	3.063
ITFC	7	1000	1.25	5	2	original	ϕ_o	0.218	0.937	0.578	3.015
ITFC	7	1000	1.50	5	2	original	ϕ_o	0.293	0.925	0.609	3.052
ITFC	7	1000	1.70	5	2	original	ϕ_o	0.365	0.909	0.637	3.066
ITFC	7	10	4.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	7	100	4.00	5	7	original	ϕ_o	0.744	0.106	0.425	2.747
ITFC	7	250	4.00	5	7	original	ϕ_o	0.732	0.260	0.496	2.782
ITFC	7	10	0.50	6	3	original	ϕ_o	0.523	0.799	0.661	2.876
ITFC	7	10	0.70	6	3	original	ϕ_o	0.646	0.527	0.586	2.039
ITFC	7	10	1.00	6	3	original	ϕ_o	0.712	0.195	0.454	2.084
ITFC	7	100	0.50	6	3	original	ϕ_o	0.318	0.952	0.635	2.744
ITFC	7	100	0.70	6	3	original	ϕ_o	0.432	0.877	0.655	2.881
ITFC	7	100	1.00	6	3	original	ϕ_o	0.584	0.684	0.634	2.535
ITFC	7	250	0.50	6	3	original	ϕ_o	0.207	0.981	0.594	2.547
ITFC	7	250	0.70	6	3	original	ϕ_o	0.299	0.947	0.623	2.807
ITFC	7	250	1.00	6	3	original	ϕ_o	0.427	0.871	0.649	2.870
ITFC	7	500	0.50	2	3	original	ϕ_o	0.352	0.984	0.668	3.783
ITFC	7	500	0.70	2	3	original	ϕ_o	0.512	0.965	0.739	4.209
ITFC	7	500	1.00	2	3	original	ϕ_o	0.663	0.927	0.795	4.397
ITFC	7	750	0.50	2	3	original	ϕ_o	0.248	0.990	0.619	3.603
ITFC	7	750	0.70	2	3	original	ϕ_o	0.401	0.979	0.690	4.084
ITFC	7	750	1.00	2	3	original	ϕ_o	0.559	0.952	0.755	4.353
ITFC	7	1000	0.50	2	3	original	ϕ_o	0.176	0.994	0.585	3.458
ITFC	7	1000	0.70	2	3	original	ϕ_o	0.317	0.985	0.651	3.972
ITFC	7	1000	1.00	2	3	original	ϕ_o	0.474	0.967	0.721	4.305
ITFC	7	500	1.25	4	3	original	ϕ_o	0.258	0.989	0.623	3.275
ITFC	7	500	1.50	4	3	original	ϕ_o	0.336	0.978	0.657	3.389
ITFC	7	500	1.70	4	3	original	ϕ_o	0.423	0.960	0.691	3.434
ITFC	7	750	1.25	4	3	original	ϕ_o	0.217	0.994	0.605	3.141
ITFC	7	750	1.50	4	3	original	ϕ_o	0.253	0.988	0.620	3.291
ITFC	7	750	1.70	4	3	original	ϕ_o	0.304	0.982	0.643	3.364
ITFC	7	1000	1.25	4	3	original	ϕ_o	0.190	0.996	0.593	3.041
ITFC	7	1000	1.50	4	3	original	ϕ_o	0.219	0.992	0.605	3.216
ITFC	7	1000	1.70	4	3	original	ϕ_o	0.247	0.988	0.617	3.304
ITFC	7	500	0.20	5	3	original	ϕ_o	0.013	0.999	0.506	1.161
ITFC	7	750	0.20	5	3	original	ϕ_o	0.006	1.000	0.503	1.077

ITFC	7	1000	0.20	5	3	original	ϕ_o	0.003	1.000	0.501	1.025
ITFC	7	500	0.20	5	7	original	ϕ_o	0.003	1.000	0.501	0.968
ITFC	7	750	0.20	5	7	original	ϕ_o	0.001	1.000	0.501	0.944
ITFC	7	1000	0.20	5	7	original	ϕ_o	0.001	1.000	0.500	0.940
ITFC	7	500	0.50	7	2	original	ϕ_o	0.077	0.993	0.535	1.872
ITFC	7	500	0.70	7	2	original	ϕ_o	0.097	0.988	0.542	2.152
ITFC	7	500	1.00	7	2	original	ϕ_o	0.133	0.979	0.556	2.348
ITFC	7	750	0.50	7	2	original	ϕ_o	0.061	0.996	0.529	1.712
ITFC	7	750	0.70	7	2	original	ϕ_o	0.075	0.993	0.534	2.032
ITFC	7	750	1.00	7	2	original	ϕ_o	0.094	0.989	0.542	2.284
ITFC	7	1000	0.50	7	2	original	ϕ_o	0.054	0.997	0.525	1.654
ITFC	7	1000	0.70	7	2	original	ϕ_o	0.065	0.995	0.530	1.996
ITFC	7	1000	1.00	7	2	original	ϕ_o	0.079	0.992	0.536	2.274
ITFC	7	10	0.50	6	2	original	ϕ_o	0.551	0.667	0.609	2.390
ITFC	7	10	0.70	6	2	original	ϕ_o	0.664	0.402	0.533	2.024
ITFC	7	10	1.00	6	2	original	ϕ_o	0.719	0.122	0.421	2.078
ITFC	7	100	0.50	6	2	original	ϕ_o	0.369	0.907	0.638	2.629
ITFC	7	100	0.70	6	2	original	ϕ_o	0.504	0.757	0.630	2.402
ITFC	7	100	1.00	6	2	original	ϕ_o	0.639	0.470	0.555	2.001
ITFC	7	250	0.50	6	2	original	ϕ_o	0.258	0.958	0.608	2.534
ITFC	7	250	0.70	6	2	original	ϕ_o	0.363	0.903	0.633	2.698
ITFC	7	250	1.00	6	2	original	ϕ_o	0.522	0.735	0.629	2.437
ITFC	7	10	2.00	6	6	original	ϕ_o	0.731	0.053	0.392	1.431
ITFC	7	10	2.30	6	6	original	ϕ_o	0.732	0.052	0.392	2.094
ITFC	7	10	3.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	2.00	6	6	original	ϕ_o	0.704	0.221	0.462	2.063
ITFC	7	100	2.30	6	6	original	ϕ_o	0.716	0.133	0.425	2.069
ITFC	7	100	3.00	6	6	original	ϕ_o	0.724	0.063	0.394	2.072
ITFC	7	250	2.00	6	6	original	ϕ_o	0.612	0.614	0.613	2.566
ITFC	7	250	2.30	6	6	original	ϕ_o	0.658	0.462	0.560	2.061
ITFC	7	250	3.00	6	6	original	ϕ_o	0.708	0.201	0.454	2.066
ITFC	7	500	4.00	2	3	original	ϕ_o	0.962	0.075	0.519	2.833
ITFC	7	750	4.00	2	3	original	ϕ_o	0.958	0.209	0.584	2.846
ITFC	7	1000	4.00	2	3	original	ϕ_o	0.953	0.354	0.654	2.859
ITFC	7	500	0.20	4	4	original	ϕ_o	0.018	1.000	0.509	1.007
ITFC	7	750	0.20	4	4	original	ϕ_o	0.009	1.000	0.505	0.961
ITFC	7	1000	0.20	4	4	original	ϕ_o	0.005	1.000	0.503	0.941
ITFC	7	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	1.907
ITFC	7	250	4.00	2	4	original	ϕ_o	0.961	0.058	0.510	2.817
ITFC	7	500	0.20	5	5	original	ϕ_o	0.006	1.000	0.503	1.027
ITFC	7	750	0.20	5	5	original	ϕ_o	0.003	1.000	0.501	0.976
ITFC	7	1000	0.20	5	5	original	ϕ_o	0.002	1.000	0.501	0.955
ITFC	7	10	0.50	3	6	original	ϕ_o	0.617	0.864	0.741	3.653
ITFC	7	10	0.70	3	6	original	ϕ_o	0.752	0.692	0.722	3.575
ITFC	7	10	1.00	3	6	original	ϕ_o	0.845	0.331	0.588	2.525
ITFC	7	100	0.50	3	6	original	ϕ_o	0.261	0.966	0.614	3.393
ITFC	7	100	0.70	3	6	original	ϕ_o	0.390	0.937	0.664	3.629
ITFC	7	100	1.00	3	6	original	ϕ_o	0.578	0.854	0.716	3.625
ITFC	7	250	0.50	3	6	original	ϕ_o	0.129	0.985	0.557	3.041
ITFC	7	250	0.70	3	6	original	ϕ_o	0.218	0.971	0.594	3.476
ITFC	7	250	1.00	3	6	original	ϕ_o	0.334	0.945	0.640	3.651
ITFC	7	10	1.25	6	3	original	ϕ_o	0.727	0.077	0.402	2.087
ITFC	7	10	1.50	6	3	original	ϕ_o	0.730	0.054	0.392	2.090
ITFC	7	10	1.70	6	3	original	ϕ_o	0.731	0.051	0.391	2.093
ITFC	7	100	1.25	6	3	original	ϕ_o	0.663	0.449	0.556	2.044
ITFC	7	100	1.50	6	3	original	ϕ_o	0.697	0.260	0.478	2.060
ITFC	7	100	1.70	6	3	original	ϕ_o	0.709	0.157	0.433	2.061
ITFC	7	250	1.25	6	3	original	ϕ_o	0.529	0.770	0.649	2.875
ITFC	7	250	1.50	6	3	original	ϕ_o	0.610	0.615	0.613	2.536
ITFC	7	250	1.70	6	3	original	ϕ_o	0.654	0.472	0.563	2.034
ITFC	7	10	2.00	7	5	original	ϕ_o	0.682	0.117	0.400	2.385
ITFC	7	10	2.30	7	5	original	ϕ_o	0.683	0.110	0.397	1.931
ITFC	7	10	3.00	7	5	original	ϕ_o	0.684	0.108	0.396	2.391

ITFC	7	100	2.00	7	5	original	ϕ_o	0.570	0.596	0.583	2.756
ITFC	7	100	2.30	7	5	original	ϕ_o	0.613	0.428	0.520	2.718
ITFC	7	100	3.00	7	5	original	ϕ_o	0.658	0.226	0.442	2.682
ITFC	7	250	2.00	7	5	original	ϕ_o	0.317	0.930	0.624	2.694
ITFC	7	250	2.30	7	5	original	ϕ_o	0.408	0.865	0.637	2.694
ITFC	7	250	3.00	7	5	original	ϕ_o	0.543	0.626	0.585	2.668
ITFC	7	10	0.50	7	4	original	ϕ_o	0.340	0.893	0.617	2.652
ITFC	7	10	0.70	7	4	original	ϕ_o	0.528	0.694	0.611	2.705
ITFC	7	10	1.00	7	4	original	ϕ_o	0.638	0.365	0.501	2.781
ITFC	7	100	0.50	7	4	original	ϕ_o	0.128	0.985	0.557	2.292
ITFC	7	100	0.70	7	4	original	ϕ_o	0.175	0.969	0.572	2.554
ITFC	7	100	1.00	7	4	original	ϕ_o	0.270	0.928	0.599	2.648
ITFC	7	250	0.50	7	4	original	ϕ_o	0.075	0.996	0.535	1.941
ITFC	7	250	0.70	7	4	original	ϕ_o	0.102	0.989	0.545	2.291
ITFC	7	250	1.00	7	4	original	ϕ_o	0.139	0.976	0.558	2.521
ITFC	7	500	1.25	4	6	original	ϕ_o	0.210	0.995	0.602	3.080
ITFC	7	500	1.50	4	6	original	ϕ_o	0.240	0.990	0.615	3.236
ITFC	7	500	1.70	4	6	original	ϕ_o	0.265	0.984	0.625	3.319
ITFC	7	750	1.25	4	6	original	ϕ_o	0.186	0.996	0.591	2.994
ITFC	7	750	1.50	4	6	original	ϕ_o	0.218	0.993	0.605	3.140
ITFC	7	750	1.70	4	6	original	ϕ_o	0.242	0.989	0.616	3.229
ITFC	7	1000	1.25	4	6	original	ϕ_o	0.172	0.997	0.584	2.989
ITFC	7	1000	1.50	4	6	original	ϕ_o	0.204	0.994	0.599	3.138
ITFC	7	1000	1.70	4	6	original	ϕ_o	0.229	0.990	0.610	3.230
ITFC	7	500	1.25	6	7	original	ϕ_o	0.250	0.971	0.610	3.079
ITFC	7	500	1.50	6	7	original	ϕ_o	0.318	0.952	0.635	3.116
ITFC	7	500	1.70	6	7	original	ϕ_o	0.378	0.931	0.655	3.122
ITFC	7	750	1.25	6	7	original	ϕ_o	0.219	0.977	0.598	3.083
ITFC	7	750	1.50	6	7	original	ϕ_o	0.282	0.961	0.622	3.126
ITFC	7	750	1.70	6	7	original	ϕ_o	0.340	0.943	0.642	3.142
ITFC	7	1000	1.25	6	7	original	ϕ_o	0.214	0.979	0.596	3.082
ITFC	7	1000	1.50	6	7	original	ϕ_o	0.276	0.963	0.619	3.124
ITFC	7	1000	1.70	6	7	original	ϕ_o	0.333	0.945	0.639	3.142
ITFC	7	10	0.50	2	4	original	ϕ_o	0.838	0.838	0.838	4.359
ITFC	7	10	0.70	2	4	original	ϕ_o	0.908	0.668	0.788	3.670
ITFC	7	10	1.00	2	4	original	ϕ_o	0.955	0.340	0.647	2.858
ITFC	7	100	0.50	2	4	original	ϕ_o	0.631	0.945	0.788	4.188
ITFC	7	100	0.70	2	4	original	ϕ_o	0.756	0.888	0.822	4.376
ITFC	7	100	1.00	2	4	original	ϕ_o	0.867	0.767	0.817	3.684
ITFC	7	250	0.50	2	4	original	ϕ_o	0.459	0.972	0.715	3.941
ITFC	7	250	0.70	2	4	original	ϕ_o	0.615	0.942	0.779	4.280
ITFC	7	250	1.00	2	4	original	ϕ_o	0.746	0.881	0.813	4.367
ITFC	7	500	0.50	2	7	original	ϕ_o	0.152	0.994	0.573	3.427
ITFC	7	500	0.70	2	7	original	ϕ_o	0.290	0.983	0.637	3.969
ITFC	7	500	1.00	2	7	original	ϕ_o	0.452	0.964	0.708	4.289
ITFC	7	750	0.50	2	7	original	ϕ_o	0.095	0.997	0.546	3.312
ITFC	7	750	0.70	2	7	original	ϕ_o	0.211	0.993	0.602	3.894
ITFC	7	750	1.00	2	7	original	ϕ_o	0.373	0.978	0.676	4.264
ITFC	7	1000	0.50	2	7	original	ϕ_o	0.081	0.998	0.540	3.289
ITFC	7	1000	0.70	2	7	original	ϕ_o	0.190	0.995	0.592	3.878
ITFC	7	1000	1.00	2	7	original	ϕ_o	0.346	0.984	0.665	4.257
ITFC	7	10	0.20	5	3	original	ϕ_o	0.200	0.976	0.588	2.003
ITFC	7	100	0.20	5	3	original	ϕ_o	0.068	0.994	0.531	1.557
ITFC	7	250	0.20	5	3	original	ϕ_o	0.033	0.998	0.516	1.330
ITFC	7	500	1.25	7	4	original	ϕ_o	0.103	0.988	0.545	2.552
ITFC	7	500	1.50	7	4	original	ϕ_o	0.123	0.982	0.552	2.636
ITFC	7	500	1.70	7	4	original	ϕ_o	0.143	0.977	0.560	2.674
ITFC	7	750	1.25	7	4	original	ϕ_o	0.091	0.989	0.540	2.490
ITFC	7	750	1.50	7	4	original	ϕ_o	0.107	0.984	0.546	2.584
ITFC	7	750	1.70	7	4	original	ϕ_o	0.122	0.980	0.551	2.642
ITFC	7	1000	1.25	7	4	original	ϕ_o	0.086	0.990	0.538	2.486
ITFC	7	1000	1.50	7	4	original	ϕ_o	0.102	0.985	0.544	2.583
ITFC	7	1000	1.70	7	4	original	ϕ_o	0.117	0.981	0.549	2.640
ITFC	7	500	1.25	3	3	original	ϕ_o	0.475	0.908	0.692	3.684

ITFC	7	500	1.50	3	3	original	ϕ_o	0.615	0.836	0.726	3.649
ITFC	7	500	1.70	3	3	original	ϕ_o	0.696	0.764	0.730	3.622
ITFC	7	750	1.25	3	3	original	ϕ_o	0.333	0.952	0.642	3.694
ITFC	7	750	1.50	3	3	original	ϕ_o	0.455	0.911	0.683	3.679
ITFC	7	750	1.70	3	3	original	ϕ_o	0.556	0.867	0.711	3.653
ITFC	7	1000	1.25	3	3	original	ϕ_o	0.251	0.970	0.610	3.683
ITFC	7	1000	1.50	3	3	original	ϕ_o	0.341	0.948	0.644	3.697
ITFC	7	1000	1.70	3	3	original	ϕ_o	0.427	0.919	0.673	3.681
ITFC	7	10	2.00	4	4	original	ϕ_o	0.789	0.094	0.442	2.285
ITFC	7	10	2.30	4	4	original	ϕ_o	0.789	0.096	0.442	2.869
ITFC	7	10	3.00	4	4	original	ϕ_o	0.789	0.097	0.443	2.873
ITFC	7	100	2.00	4	4	original	ϕ_o	0.770	0.316	0.543	2.943
ITFC	7	100	2.30	4	4	original	ϕ_o	0.783	0.176	0.480	2.293
ITFC	7	100	3.00	4	4	original	ϕ_o	0.788	0.100	0.444	2.281
ITFC	7	250	2.00	4	4	original	ϕ_o	0.663	0.778	0.720	3.522
ITFC	7	250	2.30	4	4	original	ϕ_o	0.715	0.646	0.680	3.533
ITFC	7	250	3.00	4	4	original	ϕ_o	0.771	0.319	0.545	2.947
ITFC	7	500	4.00	2	5	original	ϕ_o	0.957	0.190	0.574	2.841
ITFC	7	750	4.00	2	5	original	ϕ_o	0.950	0.446	0.698	2.869
ITFC	7	1000	4.00	2	5	original	ϕ_o	0.945	0.496	0.721	3.691
ITFC	7	500	2.00	4	2	original	ϕ_o	0.651	0.763	0.707	3.458
ITFC	7	500	2.30	4	2	original	ϕ_o	0.701	0.626	0.664	3.462
ITFC	7	500	3.00	4	2	original	ϕ_o	0.760	0.321	0.541	2.899
ITFC	7	750	2.00	4	2	original	ϕ_o	0.565	0.887	0.726	3.446
ITFC	7	750	2.30	4	2	original	ϕ_o	0.632	0.805	0.718	3.457
ITFC	7	750	3.00	4	2	original	ϕ_o	0.724	0.547	0.635	3.452
ITFC	7	1000	2.00	4	2	original	ϕ_o	0.467	0.944	0.705	3.444
ITFC	7	1000	2.30	4	2	original	ϕ_o	0.563	0.891	0.727	3.463
ITFC	7	1000	3.00	4	2	original	ϕ_o	0.682	0.697	0.689	3.479
ITFC	7	10	0.20	3	7	original	ϕ_o	0.230	0.975	0.603	2.534
ITFC	7	100	0.20	3	7	original	ϕ_o	0.030	0.997	0.514	1.828
ITFC	7	250	0.20	3	7	original	ϕ_o	0.008	1.000	0.504	1.530
ITFC	7	500	0.20	4	6	original	ϕ_o	0.008	1.000	0.504	0.952
ITFC	7	750	0.20	4	6	original	ϕ_o	0.003	1.000	0.502	0.926
ITFC	7	1000	0.20	4	6	original	ϕ_o	0.002	1.000	0.501	0.916
ITFC	7	500	0.20	2	6	original	ϕ_o	0.009	1.000	0.504	1.762
ITFC	7	750	0.20	2	6	original	ϕ_o	0.002	1.000	0.501	1.656
ITFC	7	1000	0.20	2	6	original	ϕ_o	0.002	1.000	0.501	1.628
ITFC	7	10	2.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	2.00	6	2	original	ϕ_o	0.723	0.054	0.389	2.068
ITFC	7	100	2.30	6	2	original	ϕ_o	0.726	0.051	0.388	2.076
ITFC	7	100	3.00	6	2	original	ϕ_o	0.729	0.052	0.390	1.427
ITFC	7	250	2.00	6	2	original	ϕ_o	0.705	0.112	0.408	2.028
ITFC	7	250	2.30	6	2	original	ϕ_o	0.712	0.071	0.392	2.040
ITFC	7	250	3.00	6	2	original	ϕ_o	0.720	0.052	0.386	2.058
ITFC	7	10	0.50	6	5	original	ϕ_o	0.504	0.841	0.673	2.909
ITFC	7	10	0.70	6	5	original	ϕ_o	0.619	0.611	0.615	2.553
ITFC	7	10	1.00	6	5	original	ϕ_o	0.703	0.276	0.490	2.082
ITFC	7	100	0.50	6	5	original	ϕ_o	0.272	0.974	0.623	2.663
ITFC	7	100	0.70	6	5	original	ϕ_o	0.372	0.931	0.651	2.894
ITFC	7	100	1.00	6	5	original	ϕ_o	0.510	0.808	0.659	2.944
ITFC	7	250	0.50	6	5	original	ϕ_o	0.155	0.991	0.573	2.422
ITFC	7	250	0.70	6	5	original	ϕ_o	0.242	0.974	0.608	2.782
ITFC	7	250	1.00	6	5	original	ϕ_o	0.344	0.935	0.640	2.934
ITFC	7	500	4.00	4	3	original	ϕ_o	0.770	0.306	0.538	2.923
ITFC	7	750	4.00	4	3	original	ϕ_o	0.741	0.488	0.614	2.923
ITFC	7	1000	4.00	4	3	original	ϕ_o	0.713	0.608	0.660	3.468
ITFC	7	500	1.25	4	2	original	ϕ_o	0.357	0.964	0.660	3.335
ITFC	7	500	1.50	4	2	original	ϕ_o	0.499	0.921	0.710	3.407
ITFC	7	500	1.70	4	2	original	ϕ_o	0.579	0.871	0.725	3.434
ITFC	7	750	1.25	4	2	original	ϕ_o	0.261	0.983	0.622	3.259
ITFC	7	750	1.50	4	2	original	ϕ_o	0.351	0.969	0.660	3.378

ITFC	7	750	1.70	4	2	original	ϕ_o	0.453	0.945	0.699	3.422
ITFC	7	1000	1.25	4	2	original	ϕ_o	0.227	0.990	0.609	3.159
ITFC	7	1000	1.50	4	2	original	ϕ_o	0.267	0.984	0.626	3.322
ITFC	7	1000	1.70	4	2	original	ϕ_o	0.334	0.975	0.654	3.395
ITFC	7	500	1.25	4	4	original	ϕ_o	0.228	0.994	0.611	3.138
ITFC	7	500	1.50	4	4	original	ϕ_o	0.258	0.989	0.624	3.300
ITFC	7	500	1.70	4	4	original	ϕ_o	0.293	0.983	0.638	3.381
ITFC	7	750	1.25	4	4	original	ϕ_o	0.197	0.996	0.596	2.991
ITFC	7	750	1.50	4	4	original	ϕ_o	0.224	0.993	0.609	3.153
ITFC	7	750	1.70	4	4	original	ϕ_o	0.247	0.990	0.619	3.254
ITFC	7	1000	1.25	4	4	original	ϕ_o	0.174	0.997	0.586	2.948
ITFC	7	1000	1.50	4	4	original	ϕ_o	0.202	0.995	0.598	3.112
ITFC	7	1000	1.70	4	4	original	ϕ_o	0.224	0.992	0.608	3.220
ITFC	7	500	2.00	2	5	original	ϕ_o	0.833	0.809	0.821	4.343
ITFC	7	500	2.30	2	5	original	ϕ_o	0.882	0.737	0.809	3.696
ITFC	7	500	3.00	2	5	original	ϕ_o	0.936	0.518	0.727	3.673
ITFC	7	750	2.00	2	5	original	ϕ_o	0.742	0.880	0.811	4.392
ITFC	7	750	2.30	2	5	original	ϕ_o	0.810	0.836	0.823	4.369
ITFC	7	750	3.00	2	5	original	ϕ_o	0.903	0.701	0.802	3.713
ITFC	7	1000	2.00	2	5	original	ϕ_o	0.707	0.899	0.803	4.411
ITFC	7	1000	2.30	2	5	original	ϕ_o	0.783	0.857	0.820	4.406
ITFC	7	1000	3.00	2	5	original	ϕ_o	0.891	0.733	0.812	3.716
ITFC	7	10	1.25	5	5	original	ϕ_o	0.740	0.206	0.473	2.787
ITFC	7	10	1.50	5	5	original	ϕ_o	0.746	0.131	0.438	2.186
ITFC	7	10	1.70	5	5	original	ϕ_o	0.747	0.111	0.429	2.183
ITFC	7	100	1.25	5	5	original	ϕ_o	0.546	0.796	0.671	3.092
ITFC	7	100	1.50	5	5	original	ϕ_o	0.638	0.641	0.640	3.145
ITFC	7	100	1.70	5	5	original	ϕ_o	0.687	0.495	0.591	2.736
ITFC	7	250	1.25	5	5	original	ϕ_o	0.315	0.929	0.622	3.151
ITFC	7	250	1.50	5	5	original	ϕ_o	0.411	0.902	0.656	3.146
ITFC	7	250	1.70	5	5	original	ϕ_o	0.484	0.864	0.674	3.147
ITFC	7	10	2.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	7	10	2.30	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	10	3.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	2.00	2	4	original	ϕ_o	0.960	0.105	0.533	2.828
ITFC	7	100	2.30	2	4	original	ϕ_o	0.961	0.063	0.512	2.820
ITFC	7	100	3.00	2	4	original	ϕ_o	0.962	0.057	0.509	2.820
ITFC	7	250	2.00	2	4	original	ϕ_o	0.941	0.474	0.708	3.646
ITFC	7	250	2.30	2	4	original	ϕ_o	0.952	0.305	0.629	2.845
ITFC	7	250	3.00	2	4	original	ϕ_o	0.959	0.082	0.521	2.823
ITFC	7	500	4.00	7	4	original	ϕ_o	0.571	0.573	0.572	2.732
ITFC	7	750	4.00	7	4	original	ϕ_o	0.526	0.700	0.613	2.778
ITFC	7	1000	4.00	7	4	original	ϕ_o	0.520	0.716	0.618	2.786
ITFC	7	10	0.20	3	4	original	ϕ_o	0.292	0.974	0.633	2.678
ITFC	7	100	0.20	3	4	original	ϕ_o	0.054	0.997	0.525	2.043
ITFC	7	250	0.20	3	4	original	ϕ_o	0.018	0.999	0.509	1.732
ITFC	7	10	4.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	100	4.00	5	5	original	ϕ_o	0.748	0.106	0.427	2.184
ITFC	7	250	4.00	5	5	original	ϕ_o	0.743	0.146	0.445	2.772
ITFC	7	500	0.50	4	2	original	ϕ_o	0.164	0.996	0.580	2.411
ITFC	7	500	0.70	4	2	original	ϕ_o	0.211	0.990	0.600	2.826
ITFC	7	500	1.00	4	2	original	ϕ_o	0.265	0.980	0.623	3.175
ITFC	7	750	0.50	4	2	original	ϕ_o	0.134	0.999	0.566	2.228
ITFC	7	750	0.70	4	2	original	ϕ_o	0.176	0.996	0.586	2.661
ITFC	7	750	1.00	4	2	original	ϕ_o	0.224	0.990	0.607	3.046
ITFC	7	1000	0.50	4	2	original	ϕ_o	0.111	0.999	0.555	2.103
ITFC	7	1000	0.70	4	2	original	ϕ_o	0.151	0.998	0.574	2.538
ITFC	7	1000	1.00	4	2	original	ϕ_o	0.196	0.994	0.595	2.930
ITFC	7	10	0.20	3	2	original	ϕ_o	0.321	0.964	0.642	2.708
ITFC	7	100	0.20	3	2	original	ϕ_o	0.108	0.990	0.549	2.183
ITFC	7	250	0.20	3	2	original	ϕ_o	0.051	0.996	0.524	1.896
ITFC	7	10	0.50	4	4	original	ϕ_o	0.397	0.920	0.659	3.190
ITFC	7	10	0.70	4	4	original	ϕ_o	0.603	0.786	0.695	3.324
ITFC	7	10	1.00	4	4	original	ϕ_o	0.754	0.432	0.593	2.928

ITFC	7	100	0.50	4	4	original	ϕ_o	0.236	0.992	0.614	2.804
ITFC	7	100	0.70	4	4	original	ϕ_o	0.300	0.980	0.640	3.131
ITFC	7	100	1.00	4	4	original	ϕ_o	0.421	0.937	0.679	3.358
ITFC	7	250	0.50	4	4	original	ϕ_o	0.157	0.999	0.578	2.408
ITFC	7	250	0.70	4	4	original	ϕ_o	0.212	0.996	0.604	2.858
ITFC	7	250	1.00	4	4	original	ϕ_o	0.271	0.988	0.629	3.196
ITFC	7	10	0.20	6	4	original	ϕ_o	0.205	0.993	0.599	1.970
ITFC	7	100	0.20	6	4	original	ϕ_o	0.077	0.999	0.538	1.589
ITFC	7	250	0.20	6	4	original	ϕ_o	0.037	1.000	0.518	1.400
ITFC	7	10	2.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	10	2.30	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	7	100	2.00	2	3	original	ϕ_o	0.964	0.074	0.519	2.832
ITFC	7	100	2.30	2	3	original	ϕ_o	0.964	0.057	0.511	2.827
ITFC	7	100	3.00	2	3	original	ϕ_o	0.964	0.057	0.510	2.826
ITFC	7	250	2.00	2	3	original	ϕ_o	0.955	0.382	0.668	2.866
ITFC	7	250	2.30	2	3	original	ϕ_o	0.961	0.202	0.582	2.852
ITFC	7	250	3.00	2	3	original	ϕ_o	0.963	0.065	0.514	2.830
ITFC	7	500	4.00	5	6	original	ϕ_o	0.702	0.460	0.581	3.210
ITFC	7	750	4.00	5	6	original	ϕ_o	0.678	0.558	0.618	3.206
ITFC	7	1000	4.00	5	6	original	ϕ_o	0.669	0.574	0.621	3.197
ITFC	7	500	1.25	7	3	original	ϕ_o	0.129	0.979	0.554	2.442
ITFC	7	500	1.50	7	3	original	ϕ_o	0.163	0.967	0.565	2.492
ITFC	7	500	1.70	7	3	original	ϕ_o	0.195	0.953	0.574	2.513
ITFC	7	750	1.25	7	3	original	ϕ_o	0.103	0.987	0.545	2.381
ITFC	7	750	1.50	7	3	original	ϕ_o	0.123	0.980	0.551	2.448
ITFC	7	750	1.70	7	3	original	ϕ_o	0.143	0.973	0.558	2.484
ITFC	7	1000	1.25	7	3	original	ϕ_o	0.094	0.990	0.542	2.392
ITFC	7	1000	1.50	7	3	original	ϕ_o	0.110	0.983	0.547	2.462
ITFC	7	1000	1.70	7	3	original	ϕ_o	0.127	0.978	0.552	2.504
ITFC	7	10	0.20	7	4	original	ϕ_o	0.146	0.990	0.568	1.759
ITFC	7	100	0.20	7	4	original	ϕ_o	0.046	1.000	0.523	1.145
ITFC	7	250	0.20	7	4	original	ϕ_o	0.030	1.000	0.515	0.905
ITFC	7	500	2.00	2	4	original	ϕ_o	0.881	0.732	0.807	3.681
ITFC	7	500	2.30	2	4	original	ϕ_o	0.914	0.641	0.777	3.671
ITFC	7	500	3.00	2	4	original	ϕ_o	0.946	0.395	0.670	2.842
ITFC	7	750	2.00	2	4	original	ϕ_o	0.796	0.834	0.815	4.318
ITFC	7	750	2.30	2	4	original	ϕ_o	0.858	0.772	0.815	4.280
ITFC	7	750	3.00	2	4	original	ϕ_o	0.924	0.603	0.764	3.667
ITFC	7	1000	2.00	2	4	original	ϕ_o	0.742	0.872	0.807	4.357
ITFC	7	1000	2.30	2	4	original	ϕ_o	0.814	0.821	0.818	4.330
ITFC	7	1000	3.00	2	4	original	ϕ_o	0.907	0.676	0.792	3.688
ITFC	7	500	0.20	5	4	original	ϕ_o	0.010	0.999	0.505	1.104
ITFC	7	750	0.20	5	4	original	ϕ_o	0.004	1.000	0.502	1.033
ITFC	7	1000	0.20	5	4	original	ϕ_o	0.002	1.000	0.501	0.999
ITFC	7	500	0.20	7	7	original	ϕ_o	0.007	1.000	0.504	0.741
ITFC	7	750	0.20	7	7	original	ϕ_o	0.005	1.000	0.502	0.732
ITFC	7	1000	0.20	7	7	original	ϕ_o	0.004	1.000	0.502	0.728
ITFC	7	500	0.20	2	5	original	ϕ_o	0.012	1.000	0.506	1.799
ITFC	7	750	0.20	2	5	original	ϕ_o	0.004	1.000	0.502	1.676
ITFC	7	1000	0.20	2	5	original	ϕ_o	0.003	1.000	0.501	1.633
ITFC	7	500	2.00	3	4	original	ϕ_o	0.682	0.764	0.723	3.570
ITFC	7	500	2.30	3	4	original	ϕ_o	0.756	0.657	0.706	3.124
ITFC	7	500	3.00	3	4	original	ϕ_o	0.832	0.362	0.597	2.512
ITFC	7	750	2.00	3	4	original	ϕ_o	0.524	0.877	0.701	3.642
ITFC	7	750	2.30	3	4	original	ϕ_o	0.636	0.810	0.723	3.613
ITFC	7	750	3.00	3	4	original	ϕ_o	0.777	0.617	0.697	3.132
ITFC	7	1000	2.00	3	4	original	ϕ_o	0.414	0.924	0.669	3.707
ITFC	7	1000	2.30	3	4	original	ϕ_o	0.537	0.880	0.709	3.693
ITFC	7	1000	3.00	3	4	original	ϕ_o	0.724	0.740	0.732	3.635
ITFC	7	10	1.25	7	6	original	ϕ_o	0.660	0.217	0.439	2.374
ITFC	7	10	1.50	7	6	original	ϕ_o	0.674	0.155	0.415	2.381
ITFC	7	10	1.70	7	6	original	ϕ_o	0.679	0.130	0.405	2.380
ITFC	7	100	1.25	7	6	original	ϕ_o	0.290	0.954	0.622	2.784

ITFC	7	100	1.50	7	6	original	ϕ_o	0.406	0.895	0.651	2.799
ITFC	7	100	1.70	7	6	original	ϕ_o	0.484	0.811	0.647	2.800
ITFC	7	250	1.25	7	6	original	ϕ_o	0.144	0.985	0.565	2.600
ITFC	7	250	1.50	7	6	original	ϕ_o	0.178	0.977	0.578	2.669
ITFC	7	250	1.70	7	6	original	ϕ_o	0.222	0.967	0.595	2.704
ITFC	7	500	4.00	6	4	original	ϕ_o	0.720	0.098	0.409	2.068
ITFC	7	750	4.00	6	4	original	ϕ_o	0.713	0.233	0.473	2.097
ITFC	7	1000	4.00	6	4	original	ϕ_o	0.707	0.314	0.510	2.116
ITFC	7	10	0.20	7	7	original	ϕ_o	0.123	0.996	0.559	1.546
ITFC	7	100	0.20	7	7	original	ϕ_o	0.029	1.000	0.514	0.941
ITFC	7	250	0.20	7	7	original	ϕ_o	0.015	1.000	0.507	0.777
ITFC	7	500	1.25	3	5	original	ϕ_o	0.294	0.950	0.622	3.623
ITFC	7	500	1.50	3	5	original	ϕ_o	0.382	0.922	0.652	3.610
ITFC	7	500	1.70	3	5	original	ϕ_o	0.474	0.886	0.680	3.587
ITFC	7	750	1.25	3	5	original	ϕ_o	0.228	0.970	0.599	3.605
ITFC	7	750	1.50	3	5	original	ϕ_o	0.283	0.956	0.619	3.645
ITFC	7	750	1.70	3	5	original	ϕ_o	0.341	0.939	0.640	3.646
ITFC	7	1000	1.25	3	5	original	ϕ_o	0.202	0.978	0.590	3.603
ITFC	7	1000	1.50	3	5	original	ϕ_o	0.248	0.968	0.608	3.659
ITFC	7	1000	1.70	3	5	original	ϕ_o	0.292	0.956	0.624	3.668
ITFC	7	500	4.00	6	3	original	ϕ_o	0.714	0.078	0.396	2.050
ITFC	7	750	4.00	6	3	original	ϕ_o	0.711	0.178	0.445	2.069
ITFC	7	1000	4.00	6	3	original	ϕ_o	0.709	0.274	0.492	2.100
ITFC	7	10	0.20	4	7	original	ϕ_o	0.154	0.999	0.576	1.805
ITFC	7	100	0.20	4	7	original	ϕ_o	0.049	1.000	0.525	1.205
ITFC	7	250	0.20	4	7	original	ϕ_o	0.020	1.000	0.510	1.028
ITFC	7	500	0.20	7	5	original	ϕ_o	0.014	1.000	0.507	0.781
ITFC	7	750	0.20	7	5	original	ϕ_o	0.010	1.000	0.505	0.767
ITFC	7	1000	0.20	7	5	original	ϕ_o	0.008	1.000	0.504	0.762
ITFC	7	10	1.25	7	7	original	ϕ_o	0.656	0.214	0.435	2.354
ITFC	7	10	1.50	7	7	original	ϕ_o	0.674	0.154	0.414	1.924
ITFC	7	10	1.70	7	7	original	ϕ_o	0.679	0.130	0.405	2.380
ITFC	7	100	1.25	7	7	original	ϕ_o	0.254	0.969	0.612	2.815
ITFC	7	100	1.50	7	7	original	ϕ_o	0.368	0.931	0.650	2.847
ITFC	7	100	1.70	7	7	original	ϕ_o	0.449	0.870	0.660	2.854
ITFC	7	250	1.25	7	7	original	ϕ_o	0.125	0.993	0.559	2.594
ITFC	7	250	1.50	7	7	original	ϕ_o	0.150	0.988	0.569	2.683
ITFC	7	250	1.70	7	7	original	ϕ_o	0.177	0.982	0.579	2.739
ITFC	7	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	7	100	4.00	5	3	original	ϕ_o	0.747	0.104	0.426	2.760
ITFC	7	250	4.00	5	3	original	ϕ_o	0.744	0.110	0.427	2.746
ITFC	7	500	0.50	4	5	original	ϕ_o	0.087	1.000	0.543	2.033
ITFC	7	500	0.70	4	5	original	ϕ_o	0.135	0.999	0.567	2.495
ITFC	7	500	1.00	4	5	original	ϕ_o	0.188	0.996	0.592	2.877
ITFC	7	750	0.50	4	5	original	ϕ_o	0.057	1.000	0.528	1.915
ITFC	7	750	0.70	4	5	original	ϕ_o	0.102	1.000	0.551	2.364
ITFC	7	750	1.00	4	5	original	ϕ_o	0.157	0.998	0.577	2.760
ITFC	7	1000	0.50	4	5	original	ϕ_o	0.038	1.000	0.519	1.876
ITFC	7	1000	0.70	4	5	original	ϕ_o	0.079	1.000	0.539	2.334
ITFC	7	1000	1.00	4	5	original	ϕ_o	0.133	0.998	0.565	2.734
ITFC	7	500	2.00	6	7	original	ϕ_o	0.474	0.886	0.680	3.119
ITFC	7	500	2.30	6	7	original	ϕ_o	0.549	0.817	0.683	3.118
ITFC	7	500	3.00	6	7	original	ϕ_o	0.652	0.584	0.618	2.675
ITFC	7	750	2.00	6	7	original	ϕ_o	0.434	0.907	0.670	3.144
ITFC	7	750	2.30	6	7	original	ϕ_o	0.514	0.851	0.683	3.132
ITFC	7	750	3.00	6	7	original	ϕ_o	0.633	0.659	0.646	2.692
ITFC	7	1000	2.00	6	7	original	ϕ_o	0.428	0.909	0.668	3.140
ITFC	7	1000	2.30	6	7	original	ϕ_o	0.510	0.853	0.682	3.131
ITFC	7	1000	3.00	6	7	original	ϕ_o	0.632	0.660	0.646	3.112
ITFC	7	500	0.50	4	3	original	ϕ_o	0.117	1.000	0.559	2.219
ITFC	7	500	0.70	4	3	original	ϕ_o	0.166	0.999	0.583	2.686
ITFC	7	500	1.00	4	3	original	ϕ_o	0.220	0.994	0.607	3.074
ITFC	7	750	0.50	4	3	original	ϕ_o	0.087	1.000	0.543	2.050
ITFC	7	750	0.70	4	3	original	ϕ_o	0.133	1.000	0.566	2.512

ITFC	7	750	1.00	4	3	original	ϕ_o	0.184	0.997	0.591	2.915
ITFC	7	1000	0.50	4	3	original	ϕ_o	0.065	1.000	0.532	1.955
ITFC	7	1000	0.70	4	3	original	ϕ_o	0.108	1.000	0.554	2.411
ITFC	7	1000	1.00	4	3	original	ϕ_o	0.159	0.998	0.579	2.812
ITFC	7	500	4.00	5	3	original	ϕ_o	0.738	0.155	0.446	2.744
ITFC	7	750	4.00	5	3	original	ϕ_o	0.726	0.271	0.499	2.758
ITFC	7	1000	4.00	5	3	original	ϕ_o	0.704	0.394	0.549	2.745
ITFC	7	500	4.00	4	6	original	ϕ_o	0.755	0.457	0.606	3.528
ITFC	7	750	4.00	4	6	original	ϕ_o	0.735	0.562	0.649	3.512
ITFC	7	1000	4.00	4	6	original	ϕ_o	0.730	0.581	0.656	3.502
ITFC	7	500	0.20	4	5	original	ϕ_o	0.013	1.000	0.506	0.993
ITFC	7	750	0.20	4	5	original	ϕ_o	0.005	1.000	0.502	0.950
ITFC	7	1000	0.20	4	5	original	ϕ_o	0.002	1.000	0.501	0.930
ITFC	7	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	7	100	4.00	6	3	original	ϕ_o	0.730	0.052	0.391	2.091
ITFC	7	250	4.00	6	3	original	ϕ_o	0.722	0.053	0.388	2.066
ITFC	10	500	4.00	2	2	original	ϕ_o	0.962	0.059	0.511	2.824
ITFC	10	750	4.00	2	2	original	ϕ_o	0.960	0.111	0.535	2.826
ITFC	10	1000	4.00	2	2	original	ϕ_o	0.955	0.214	0.584	2.833
ITFC	10	10	1.25	6	6	original	ϕ_o	0.717	0.200	0.458	2.093
ITFC	10	10	1.50	6	6	original	ϕ_o	0.727	0.103	0.415	2.095
ITFC	10	10	1.70	6	6	original	ϕ_o	0.729	0.070	0.400	2.095
ITFC	10	100	1.25	6	6	original	ϕ_o	0.505	0.795	0.650	2.923
ITFC	10	100	1.50	6	6	original	ϕ_o	0.593	0.654	0.623	2.556
ITFC	10	100	1.70	6	6	original	ϕ_o	0.642	0.518	0.580	2.556
ITFC	10	250	1.25	6	6	original	ϕ_o	0.308	0.939	0.623	2.937
ITFC	10	250	1.50	6	6	original	ϕ_o	0.384	0.899	0.642	2.940
ITFC	10	250	1.70	6	6	original	ϕ_o	0.448	0.852	0.650	2.926
ITFC	10	10	4.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	4.00	6	6	original	ϕ_o	0.727	0.051	0.389	2.078
ITFC	10	250	4.00	6	6	original	ϕ_o	0.719	0.109	0.414	2.068
ITFC	10	500	0.50	7	7	original	ϕ_o	0.022	1.000	0.511	1.636
ITFC	10	500	0.70	7	7	original	ϕ_o	0.032	1.000	0.516	1.986
ITFC	10	500	1.00	7	7	original	ϕ_o	0.045	1.000	0.523	2.246
ITFC	10	750	0.50	7	7	original	ϕ_o	0.017	1.000	0.508	1.632
ITFC	10	750	0.70	7	7	original	ϕ_o	0.027	1.000	0.513	1.987
ITFC	10	750	1.00	7	7	original	ϕ_o	0.039	1.000	0.520	2.251
ITFC	10	1000	0.50	7	7	original	ϕ_o	0.015	1.000	0.508	1.631
ITFC	10	1000	0.70	7	7	original	ϕ_o	0.025	1.000	0.513	1.985
ITFC	10	1000	1.00	7	7	original	ϕ_o	0.038	1.000	0.519	2.251
ITFC	10	10	2.00	6	6	original	ϕ_o	0.731	0.054	0.392	1.431
ITFC	10	10	2.30	6	6	original	ϕ_o	0.732	0.052	0.392	2.094
ITFC	10	10	3.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	2.00	6	6	original	ϕ_o	0.685	0.326	0.506	2.060
ITFC	10	100	2.30	6	6	original	ϕ_o	0.709	0.192	0.450	2.070
ITFC	10	100	3.00	6	6	original	ϕ_o	0.723	0.075	0.399	2.072
ITFC	10	250	2.00	6	6	original	ϕ_o	0.538	0.751	0.645	2.916
ITFC	10	250	2.30	6	6	original	ϕ_o	0.604	0.620	0.612	2.552
ITFC	10	250	3.00	6	6	original	ϕ_o	0.689	0.312	0.500	2.063
ITFC	10	500	2.00	4	7	original	ϕ_o	0.197	0.993	0.595	3.239
ITFC	10	500	2.30	4	7	original	ϕ_o	0.234	0.987	0.611	3.322
ITFC	10	500	3.00	4	7	original	ϕ_o	0.453	0.925	0.689	3.430
ITFC	10	750	2.00	4	7	original	ϕ_o	0.180	0.994	0.587	3.149
ITFC	10	750	2.30	4	7	original	ϕ_o	0.212	0.990	0.601	3.234
ITFC	10	750	3.00	4	7	original	ϕ_o	0.374	0.947	0.661	3.368
ITFC	10	1000	2.00	4	7	original	ϕ_o	0.174	0.994	0.584	3.139
ITFC	10	1000	2.30	4	7	original	ϕ_o	0.207	0.990	0.598	3.224
ITFC	10	1000	3.00	4	7	original	ϕ_o	0.366	0.949	0.657	3.360
ITFC	10	500	1.25	2	7	original	ϕ_o	0.419	0.967	0.693	4.317
ITFC	10	500	1.50	2	7	original	ϕ_o	0.498	0.947	0.723	4.327
ITFC	10	500	1.70	2	7	original	ϕ_o	0.559	0.931	0.745	4.323
ITFC	10	750	1.25	2	7	original	ϕ_o	0.330	0.984	0.657	4.326
ITFC	10	750	1.50	2	7	original	ϕ_o	0.407	0.972	0.690	4.353
ITFC	10	750	1.70	2	7	original	ϕ_o	0.468	0.961	0.714	4.357

ITFC	10	1000	1.25	2	7	original	ϕ_o	0.305	0.987	0.646	4.325
ITFC	10	1000	1.50	2	7	original	ϕ_o	0.378	0.977	0.677	4.357
ITFC	10	1000	1.70	2	7	original	ϕ_o	0.438	0.967	0.702	4.365
ITFC	10	500	1.25	5	5	original	ϕ_o	0.138	0.968	0.553	3.084
ITFC	10	500	1.50	5	5	original	ϕ_o	0.158	0.961	0.559	3.113
ITFC	10	500	1.70	5	5	original	ϕ_o	0.175	0.955	0.565	3.134
ITFC	10	750	1.25	5	5	original	ϕ_o	0.114	0.978	0.546	3.033
ITFC	10	750	1.50	5	5	original	ϕ_o	0.132	0.971	0.552	3.074
ITFC	10	750	1.70	5	5	original	ϕ_o	0.146	0.966	0.556	3.083
ITFC	10	1000	1.25	5	5	original	ϕ_o	0.099	0.986	0.542	3.005
ITFC	10	1000	1.50	5	5	original	ϕ_o	0.117	0.979	0.548	3.044
ITFC	10	1000	1.70	5	5	original	ϕ_o	0.129	0.975	0.552	3.057
ITFC	10	10	1.25	4	3	original	ϕ_o	0.775	0.234	0.504	3.358
ITFC	10	10	1.50	4	3	original	ϕ_o	0.787	0.108	0.448	2.861
ITFC	10	10	1.70	4	3	original	ϕ_o	0.788	0.093	0.441	2.281
ITFC	10	100	1.25	4	3	original	ϕ_o	0.518	0.903	0.710	3.408
ITFC	10	100	1.50	4	3	original	ϕ_o	0.644	0.774	0.709	3.457
ITFC	10	100	1.70	4	3	original	ϕ_o	0.702	0.638	0.670	3.484
ITFC	10	250	1.25	4	3	original	ϕ_o	0.276	0.984	0.630	3.330
ITFC	10	250	1.50	4	3	original	ϕ_o	0.395	0.961	0.678	3.412
ITFC	10	250	1.70	4	3	original	ϕ_o	0.501	0.925	0.713	3.449
ITFC	10	10	1.25	6	2	original	ϕ_o	0.728	0.062	0.395	2.087
ITFC	10	10	1.50	6	2	original	ϕ_o	0.731	0.052	0.391	2.093
ITFC	10	10	1.70	6	2	original	ϕ_o	0.731	0.052	0.392	2.095
ITFC	10	100	1.25	6	2	original	ϕ_o	0.674	0.347	0.510	2.030
ITFC	10	100	1.50	6	2	original	ϕ_o	0.705	0.165	0.435	2.049
ITFC	10	100	1.70	6	2	original	ϕ_o	0.716	0.092	0.404	2.056
ITFC	10	250	1.25	6	2	original	ϕ_o	0.558	0.673	0.615	2.459
ITFC	10	250	1.50	6	2	original	ϕ_o	0.634	0.470	0.552	2.496
ITFC	10	250	1.70	6	2	original	ϕ_o	0.672	0.317	0.494	2.013
ITFC	10	10	0.50	7	6	original	ϕ_o	0.190	0.967	0.579	2.522
ITFC	10	10	0.70	7	6	original	ϕ_o	0.284	0.899	0.591	2.569
ITFC	10	10	1.00	7	6	original	ϕ_o	0.542	0.605	0.573	2.698
ITFC	10	100	0.50	7	6	original	ϕ_o	0.070	0.998	0.534	2.086
ITFC	10	100	0.70	7	6	original	ϕ_o	0.095	0.995	0.545	2.408
ITFC	10	100	1.00	7	6	original	ϕ_o	0.122	0.989	0.555	2.624
ITFC	10	250	0.50	7	6	original	ϕ_o	0.043	1.000	0.521	1.772
ITFC	10	250	0.70	7	6	original	ϕ_o	0.060	0.999	0.529	2.118
ITFC	10	250	1.00	7	6	original	ϕ_o	0.080	0.997	0.538	2.371
ITFC	10	10	2.00	6	7	original	ϕ_o	0.731	0.056	0.393	2.093
ITFC	10	10	2.30	6	7	original	ϕ_o	0.731	0.052	0.392	2.094
ITFC	10	10	3.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	2.00	6	7	original	ϕ_o	0.670	0.422	0.546	2.067
ITFC	10	100	2.30	6	7	original	ϕ_o	0.698	0.271	0.485	2.072
ITFC	10	100	3.00	6	7	original	ϕ_o	0.720	0.101	0.410	2.070
ITFC	10	250	2.00	6	7	original	ϕ_o	0.504	0.833	0.668	2.996
ITFC	10	250	2.30	6	7	original	ϕ_o	0.580	0.722	0.651	2.981
ITFC	10	250	3.00	6	7	original	ϕ_o	0.673	0.425	0.549	2.071
ITFC	10	500	1.25	3	6	original	ϕ_o	0.194	0.976	0.585	3.551
ITFC	10	500	1.50	3	6	original	ϕ_o	0.232	0.967	0.599	3.578
ITFC	10	500	1.70	3	6	original	ϕ_o	0.263	0.958	0.610	3.583
ITFC	10	750	1.25	3	6	original	ϕ_o	0.153	0.985	0.569	3.514
ITFC	10	750	1.50	3	6	original	ϕ_o	0.190	0.978	0.584	3.555
ITFC	10	750	1.70	3	6	original	ϕ_o	0.219	0.972	0.595	3.575
ITFC	10	1000	1.25	3	6	original	ϕ_o	0.145	0.989	0.567	3.492
ITFC	10	1000	1.50	3	6	original	ϕ_o	0.181	0.983	0.582	3.528
ITFC	10	1000	1.70	3	6	original	ϕ_o	0.208	0.978	0.593	3.550
ITFC	10	10	0.20	7	3	original	ϕ_o	0.106	0.992	0.549	2.001
ITFC	10	100	0.20	7	3	original	ϕ_o	0.052	0.999	0.525	1.323
ITFC	10	250	0.20	7	3	original	ϕ_o	0.041	1.000	0.521	1.062
ITFC	10	10	1.25	2	2	original	ϕ_o	0.962	0.104	0.533	2.830
ITFC	10	10	1.50	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	10	1.70	2	2	original	ϕ_o	0.964	0.056	0.510	1.910
ITFC	10	100	1.25	2	2	original	ϕ_o	0.928	0.544	0.736	2.866

ITFC	10	100	1.50	2	2	original	ϕ_o	0.956	0.328	0.642	2.863
ITFC	10	100	1.70	2	2	original	ϕ_o	0.962	0.166	0.564	2.848
ITFC	10	250	1.25	2	2	original	ϕ_o	0.841	0.748	0.794	3.655
ITFC	10	250	1.50	2	2	original	ϕ_o	0.911	0.625	0.768	3.648
ITFC	10	250	1.70	2	2	original	ϕ_o	0.939	0.515	0.727	2.869
ITFC	10	10	1.25	4	2	original	ϕ_o	0.782	0.178	0.480	2.888
ITFC	10	10	1.50	4	2	original	ϕ_o	0.788	0.098	0.443	2.281
ITFC	10	10	1.70	4	2	original	ϕ_o	0.788	0.093	0.441	2.716
ITFC	10	100	1.25	4	2	original	ϕ_o	0.624	0.784	0.704	3.403
ITFC	10	100	1.50	4	2	original	ϕ_o	0.707	0.587	0.647	3.443
ITFC	10	100	1.70	4	2	original	ϕ_o	0.746	0.411	0.578	3.423
ITFC	10	250	1.25	4	2	original	ϕ_o	0.417	0.942	0.679	3.337
ITFC	10	250	1.50	4	2	original	ϕ_o	0.561	0.871	0.716	3.395
ITFC	10	250	1.70	4	2	original	ϕ_o	0.633	0.783	0.708	3.429
ITFC	10	10	1.25	5	4	original	ϕ_o	0.737	0.175	0.456	3.203
ITFC	10	10	1.50	5	4	original	ϕ_o	0.745	0.119	0.432	2.759
ITFC	10	10	1.70	5	4	original	ϕ_o	0.747	0.106	0.426	2.756
ITFC	10	100	1.25	5	4	original	ϕ_o	0.435	0.843	0.639	2.954
ITFC	10	100	1.50	5	4	original	ϕ_o	0.580	0.699	0.640	3.036
ITFC	10	100	1.70	5	4	original	ϕ_o	0.656	0.525	0.591	3.102
ITFC	10	250	1.25	5	4	original	ϕ_o	0.234	0.936	0.585	2.982
ITFC	10	250	1.50	5	4	original	ϕ_o	0.307	0.915	0.611	2.976
ITFC	10	250	1.70	5	4	original	ϕ_o	0.383	0.883	0.633	2.981
ITFC	10	10	0.20	4	2	original	ϕ_o	0.187	0.989	0.588	2.272
ITFC	10	100	0.20	4	2	original	ϕ_o	0.119	0.997	0.558	1.697
ITFC	10	250	0.20	4	2	original	ϕ_o	0.086	0.999	0.543	1.458
ITFC	10	500	1.25	5	2	original	ϕ_o	0.253	0.925	0.589	2.981
ITFC	10	500	1.50	5	2	original	ϕ_o	0.351	0.898	0.625	2.998
ITFC	10	500	1.70	5	2	original	ϕ_o	0.442	0.863	0.653	3.022
ITFC	10	750	1.25	5	2	original	ϕ_o	0.182	0.941	0.561	2.981
ITFC	10	750	1.50	5	2	original	ϕ_o	0.234	0.930	0.582	3.004
ITFC	10	750	1.70	5	2	original	ϕ_o	0.294	0.918	0.606	3.012
ITFC	10	1000	1.25	5	2	original	ϕ_o	0.147	0.950	0.548	2.971
ITFC	10	1000	1.50	5	2	original	ϕ_o	0.179	0.941	0.560	3.006
ITFC	10	1000	1.70	5	2	original	ϕ_o	0.213	0.934	0.574	3.024
ITFC	10	500	4.00	2	4	original	ϕ_o	0.954	0.201	0.577	2.831
ITFC	10	750	4.00	2	4	original	ϕ_o	0.942	0.453	0.697	3.623
ITFC	10	1000	4.00	2	4	original	ϕ_o	0.932	0.551	0.742	3.653
ITFC	10	500	4.00	6	3	original	ϕ_o	0.711	0.111	0.411	2.050
ITFC	10	750	4.00	6	3	original	ϕ_o	0.696	0.320	0.508	2.559
ITFC	10	1000	4.00	6	3	original	ϕ_o	0.682	0.460	0.571	2.109
ITFC	10	500	1.25	3	2	original	ϕ_o	0.387	0.933	0.660	3.724
ITFC	10	500	1.50	3	2	original	ϕ_o	0.547	0.874	0.711	3.691
ITFC	10	500	1.70	3	2	original	ϕ_o	0.654	0.800	0.727	3.660
ITFC	10	750	1.25	3	2	original	ϕ_o	0.272	0.960	0.616	3.696
ITFC	10	750	1.50	3	2	original	ϕ_o	0.379	0.935	0.657	3.714
ITFC	10	750	1.70	3	2	original	ϕ_o	0.487	0.900	0.693	3.700
ITFC	10	1000	1.25	3	2	original	ϕ_o	0.224	0.974	0.599	3.655
ITFC	10	1000	1.50	3	2	original	ϕ_o	0.276	0.959	0.617	3.693
ITFC	10	1000	1.70	3	2	original	ϕ_o	0.352	0.940	0.646	3.699
ITFC	10	10	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.287
ITFC	10	100	4.00	4	5	original	ϕ_o	0.789	0.095	0.442	2.867
ITFC	10	250	4.00	4	5	original	ϕ_o	0.781	0.189	0.485	2.915
ITFC	10	500	4.00	4	3	original	ϕ_o	0.745	0.464	0.605	3.445
ITFC	10	750	4.00	4	3	original	ϕ_o	0.681	0.677	0.679	3.453
ITFC	10	1000	4.00	4	3	original	ϕ_o	0.630	0.789	0.710	3.441
ITFC	10	10	0.20	2	2	original	ϕ_o	0.464	0.979	0.721	3.345
ITFC	10	100	0.20	2	2	original	ϕ_o	0.212	0.995	0.603	2.837
ITFC	10	250	0.20	2	2	original	ϕ_o	0.106	0.999	0.553	2.534
ITFC	10	10	1.25	7	5	original	ϕ_o	0.634	0.314	0.474	2.702
ITFC	10	10	1.50	7	5	original	ϕ_o	0.668	0.200	0.434	2.382
ITFC	10	10	1.70	7	5	original	ϕ_o	0.677	0.156	0.416	2.390
ITFC	10	100	1.25	7	5	original	ϕ_o	0.153	0.977	0.565	2.696
ITFC	10	100	1.50	7	5	original	ϕ_o	0.220	0.962	0.591	2.732

ITFC	10	100	1.70	7	5	original	ϕ_o	0.316	0.931	0.624	2.745
ITFC	10	250	1.25	7	5	original	ϕ_o	0.098	0.993	0.545	2.462
ITFC	10	250	1.50	7	5	original	ϕ_o	0.111	0.990	0.550	2.529
ITFC	10	250	1.70	7	5	original	ϕ_o	0.124	0.986	0.555	2.579
ITFC	10	500	0.50	4	4	original	ϕ_o	0.064	1.000	0.532	2.053
ITFC	10	500	0.70	4	4	original	ϕ_o	0.103	1.000	0.552	2.472
ITFC	10	500	1.00	4	4	original	ϕ_o	0.147	0.999	0.573	2.803
ITFC	10	750	0.50	4	4	original	ϕ_o	0.038	1.000	0.519	1.938
ITFC	10	750	0.70	4	4	original	ϕ_o	0.069	1.000	0.535	2.347
ITFC	10	750	1.00	4	4	original	ϕ_o	0.111	1.000	0.555	2.690
ITFC	10	1000	0.50	4	4	original	ϕ_o	0.023	1.000	0.511	1.895
ITFC	10	1000	0.70	4	4	original	ϕ_o	0.048	1.000	0.524	2.303
ITFC	10	1000	1.00	4	4	original	ϕ_o	0.086	1.000	0.543	2.646
ITFC	10	500	2.00	7	3	original	ϕ_o	0.150	0.970	0.560	2.443
ITFC	10	500	2.30	7	3	original	ϕ_o	0.185	0.956	0.570	2.471
ITFC	10	500	3.00	7	3	original	ϕ_o	0.304	0.881	0.592	2.523
ITFC	10	750	2.00	7	3	original	ϕ_o	0.111	0.984	0.548	2.418
ITFC	10	750	2.30	7	3	original	ϕ_o	0.131	0.977	0.554	2.458
ITFC	10	750	3.00	7	3	original	ϕ_o	0.200	0.947	0.573	2.520
ITFC	10	1000	2.00	7	3	original	ϕ_o	0.095	0.988	0.542	2.435
ITFC	10	1000	2.30	7	3	original	ϕ_o	0.114	0.983	0.548	2.480
ITFC	10	1000	3.00	7	3	original	ϕ_o	0.174	0.961	0.568	2.551
ITFC	10	500	2.00	2	4	original	ϕ_o	0.821	0.799	0.810	4.279
ITFC	10	500	2.30	2	4	original	ϕ_o	0.880	0.719	0.800	3.667
ITFC	10	500	3.00	2	4	original	ϕ_o	0.935	0.504	0.719	3.636
ITFC	10	750	2.00	2	4	original	ϕ_o	0.684	0.887	0.785	4.318
ITFC	10	750	2.30	2	4	original	ϕ_o	0.770	0.837	0.804	4.290
ITFC	10	750	3.00	2	4	original	ϕ_o	0.895	0.691	0.793	3.668
ITFC	10	1000	2.00	2	4	original	ϕ_o	0.610	0.920	0.765	4.339
ITFC	10	1000	2.30	2	4	original	ϕ_o	0.700	0.882	0.791	4.326
ITFC	10	1000	3.00	2	4	original	ϕ_o	0.858	0.760	0.809	4.260
ITFC	10	500	0.50	3	3	original	ϕ_o	0.088	0.996	0.542	3.030
ITFC	10	500	0.70	3	3	original	ϕ_o	0.148	0.990	0.569	3.422
ITFC	10	500	1.00	3	3	original	ϕ_o	0.222	0.974	0.598	3.632
ITFC	10	750	0.50	3	3	original	ϕ_o	0.057	0.999	0.528	2.855
ITFC	10	750	0.70	3	3	original	ϕ_o	0.106	0.996	0.551	3.290
ITFC	10	750	1.00	3	3	original	ϕ_o	0.171	0.987	0.579	3.572
ITFC	10	1000	0.50	3	3	original	ϕ_o	0.040	0.999	0.519	2.720
ITFC	10	1000	0.70	3	3	original	ϕ_o	0.079	0.998	0.538	3.183
ITFC	10	1000	1.00	3	3	original	ϕ_o	0.135	0.993	0.564	3.512
ITFC	10	500	0.20	2	2	original	ϕ_o	0.051	1.000	0.525	2.263
ITFC	10	750	0.20	2	2	original	ϕ_o	0.030	1.000	0.515	2.097
ITFC	10	1000	0.20	2	2	original	ϕ_o	0.018	1.000	0.509	1.990
ITFC	10	10	2.00	4	2	original	ϕ_o	0.788	0.095	0.442	2.867
ITFC	10	10	2.30	4	2	original	ϕ_o	0.788	0.096	0.442	2.286
ITFC	10	10	3.00	4	2	original	ϕ_o	0.788	0.097	0.443	3.311
ITFC	10	100	2.00	4	2	original	ϕ_o	0.774	0.210	0.492	2.280
ITFC	10	100	2.30	4	2	original	ϕ_o	0.782	0.122	0.452	2.864
ITFC	10	100	3.00	4	2	original	ϕ_o	0.786	0.095	0.441	2.858
ITFC	10	250	2.00	4	2	original	ϕ_o	0.703	0.606	0.655	3.448
ITFC	10	250	2.30	4	2	original	ϕ_o	0.745	0.411	0.578	3.426
ITFC	10	250	3.00	4	2	original	ϕ_o	0.778	0.153	0.465	2.275
ITFC	10	500	1.25	7	6	original	ϕ_o	0.062	0.999	0.530	2.355
ITFC	10	500	1.50	7	6	original	ϕ_o	0.073	0.997	0.535	2.426
ITFC	10	500	1.70	7	6	original	ϕ_o	0.081	0.996	0.539	2.470
ITFC	10	750	1.25	7	6	original	ϕ_o	0.054	0.999	0.526	2.346
ITFC	10	750	1.50	7	6	original	ϕ_o	0.064	0.998	0.531	2.413
ITFC	10	750	1.70	7	6	original	ϕ_o	0.073	0.996	0.535	2.454
ITFC	10	1000	1.25	7	6	original	ϕ_o	0.050	0.999	0.524	2.349
ITFC	10	1000	1.50	7	6	original	ϕ_o	0.059	0.998	0.529	2.418
ITFC	10	1000	1.70	7	6	original	ϕ_o	0.068	0.996	0.532	2.463
ITFC	10	10	0.50	6	3	original	ϕ_o	0.440	0.863	0.651	2.853
ITFC	10	10	0.70	6	3	original	ϕ_o	0.593	0.649	0.621	2.532
ITFC	10	10	1.00	6	3	original	ϕ_o	0.703	0.285	0.494	2.085

ITFC	10	100	0.50	6	3	original	ϕ_o	0.255	0.964	0.610	2.741
ITFC	10	100	0.70	6	3	original	ϕ_o	0.349	0.917	0.633	2.865
ITFC	10	100	1.00	6	3	original	ϕ_o	0.507	0.787	0.647	2.866
ITFC	10	250	0.50	6	3	original	ϕ_o	0.168	0.986	0.577	2.547
ITFC	10	250	0.70	6	3	original	ϕ_o	0.239	0.964	0.601	2.801
ITFC	10	250	1.00	6	3	original	ϕ_o	0.331	0.913	0.622	2.845
ITFC	10	10	0.20	6	5	original	ϕ_o	0.163	0.996	0.579	1.942
ITFC	10	100	0.20	6	5	original	ϕ_o	0.052	0.999	0.526	1.568
ITFC	10	250	0.20	6	5	original	ϕ_o	0.017	1.000	0.509	1.417
ITFC	10	500	4.00	2	3	original	ϕ_o	0.961	0.101	0.531	2.836
ITFC	10	750	4.00	2	3	original	ϕ_o	0.955	0.304	0.630	2.855
ITFC	10	1000	4.00	2	3	original	ϕ_o	0.944	0.479	0.712	2.861
ITFC	10	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	250	4.00	2	3	original	ϕ_o	0.963	0.056	0.510	2.826
ITFC	10	10	0.20	7	7	original	ϕ_o	0.087	0.998	0.543	1.542
ITFC	10	100	0.20	7	7	original	ϕ_o	0.023	1.000	0.511	0.966
ITFC	10	250	0.20	7	7	original	ϕ_o	0.010	1.000	0.505	0.817
ITFC	10	500	0.50	5	7	original	ϕ_o	0.029	0.994	0.512	2.168
ITFC	10	500	0.70	5	7	original	ϕ_o	0.056	0.988	0.522	2.617
ITFC	10	500	1.00	5	7	original	ϕ_o	0.095	0.977	0.536	2.965
ITFC	10	750	0.50	5	7	original	ϕ_o	0.021	0.997	0.509	2.131
ITFC	10	750	0.70	5	7	original	ϕ_o	0.044	0.993	0.519	2.585
ITFC	10	750	1.00	5	7	original	ϕ_o	0.079	0.984	0.532	2.942
ITFC	10	1000	0.50	5	7	original	ϕ_o	0.019	0.998	0.508	2.129
ITFC	10	1000	0.70	5	7	original	ϕ_o	0.041	0.995	0.518	2.586
ITFC	10	1000	1.00	5	7	original	ϕ_o	0.074	0.988	0.531	2.946
ITFC	10	10	0.20	2	4	original	ϕ_o	0.415	0.981	0.698	3.209
ITFC	10	100	0.20	2	4	original	ϕ_o	0.152	0.995	0.573	2.558
ITFC	10	250	0.20	2	4	original	ϕ_o	0.057	0.999	0.528	2.228
ITFC	10	10	2.00	7	2	original	ϕ_o	0.684	0.114	0.399	2.748
ITFC	10	10	2.30	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
ITFC	10	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	1.943
ITFC	10	100	2.00	7	2	original	ϕ_o	0.653	0.241	0.447	2.353
ITFC	10	100	2.30	7	2	original	ϕ_o	0.664	0.170	0.417	2.344
ITFC	10	100	3.00	7	2	original	ϕ_o	0.673	0.119	0.396	2.348
ITFC	10	250	2.00	7	2	original	ϕ_o	0.534	0.647	0.590	2.626
ITFC	10	250	2.30	7	2	original	ϕ_o	0.587	0.504	0.546	2.669
ITFC	10	250	3.00	7	2	original	ϕ_o	0.643	0.237	0.440	2.318
ITFC	10	500	1.25	4	4	original	ϕ_o	0.174	0.998	0.586	2.978
ITFC	10	500	1.50	4	4	original	ϕ_o	0.195	0.996	0.595	3.130
ITFC	10	500	1.70	4	4	original	ϕ_o	0.212	0.994	0.603	3.238
ITFC	10	750	1.25	4	4	original	ϕ_o	0.139	0.999	0.569	2.849
ITFC	10	750	1.50	4	4	original	ϕ_o	0.161	0.998	0.579	2.982
ITFC	10	750	1.70	4	4	original	ϕ_o	0.176	0.996	0.586	3.075
ITFC	10	1000	1.25	4	4	original	ϕ_o	0.114	0.999	0.557	2.817
ITFC	10	1000	1.50	4	4	original	ϕ_o	0.135	0.998	0.567	2.949
ITFC	10	1000	1.70	4	4	original	ϕ_o	0.151	0.997	0.574	3.039
ITFC	10	10	2.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.760
ITFC	10	10	2.30	5	4	original	ϕ_o	0.748	0.103	0.425	2.763
ITFC	10	10	3.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.179
ITFC	10	100	2.00	5	4	original	ϕ_o	0.717	0.286	0.501	3.153
ITFC	10	100	2.30	5	4	original	ϕ_o	0.737	0.162	0.450	2.749
ITFC	10	100	3.00	5	4	original	ϕ_o	0.745	0.105	0.425	2.175
ITFC	10	250	2.00	5	4	original	ϕ_o	0.511	0.805	0.658	3.009
ITFC	10	250	2.30	5	4	original	ϕ_o	0.607	0.662	0.634	3.061
ITFC	10	250	3.00	5	4	original	ϕ_o	0.717	0.291	0.504	2.720
ITFC	10	500	0.20	7	6	original	ϕ_o	0.005	1.000	0.503	0.798
ITFC	10	750	0.20	7	6	original	ϕ_o	0.003	1.000	0.502	0.785
ITFC	10	1000	0.20	7	6	original	ϕ_o	0.003	1.000	0.502	0.780
ITFC	10	500	0.50	3	6	original	ϕ_o	0.043	0.997	0.520	2.692
ITFC	10	500	0.70	3	6	original	ϕ_o	0.086	0.993	0.539	3.159
ITFC	10	500	1.00	3	6	original	ϕ_o	0.148	0.984	0.566	3.469
ITFC	10	750	0.50	3	6	original	ϕ_o	0.027	0.999	0.513	2.590

ITFC	10	750	0.70	3	6	original	ϕ_o	0.060	0.997	0.528	3.069
ITFC	10	750	1.00	3	6	original	ϕ_o	0.111	0.991	0.551	3.408
ITFC	10	1000	0.50	3	6	original	ϕ_o	0.024	0.999	0.512	2.568
ITFC	10	1000	0.70	3	6	original	ϕ_o	0.055	0.998	0.526	3.045
ITFC	10	1000	1.00	3	6	original	ϕ_o	0.104	0.994	0.549	3.386
ITFC	10	500	2.00	7	4	original	ϕ_o	0.101	0.987	0.544	2.608
ITFC	10	500	2.30	7	4	original	ϕ_o	0.119	0.982	0.550	2.644
ITFC	10	500	3.00	7	4	original	ϕ_o	0.209	0.961	0.585	2.688
ITFC	10	750	2.00	7	4	original	ϕ_o	0.087	0.989	0.538	2.558
ITFC	10	750	2.30	7	4	original	ϕ_o	0.101	0.985	0.543	2.617
ITFC	10	750	3.00	7	4	original	ϕ_o	0.149	0.970	0.560	2.689
ITFC	10	1000	2.00	7	4	original	ϕ_o	0.081	0.990	0.536	2.558
ITFC	10	1000	2.30	7	4	original	ϕ_o	0.095	0.987	0.541	2.616
ITFC	10	1000	3.00	7	4	original	ϕ_o	0.143	0.972	0.558	2.692
ITFC	10	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	4.00	6	2	original	ϕ_o	0.731	0.052	0.391	2.094
ITFC	10	250	4.00	6	2	original	ϕ_o	0.724	0.050	0.387	2.070
ITFC	10	500	2.00	4	3	original	ϕ_o	0.378	0.967	0.673	3.412
ITFC	10	500	2.30	4	3	original	ϕ_o	0.486	0.931	0.709	3.438
ITFC	10	500	3.00	4	3	original	ϕ_o	0.644	0.777	0.711	3.465
ITFC	10	750	2.00	4	3	original	ϕ_o	0.251	0.987	0.619	3.339
ITFC	10	750	2.30	4	3	original	ϕ_o	0.344	0.975	0.659	3.390
ITFC	10	750	3.00	4	3	original	ϕ_o	0.540	0.896	0.718	3.426
ITFC	10	1000	2.00	4	3	original	ϕ_o	0.197	0.992	0.594	3.276
ITFC	10	1000	2.30	4	3	original	ϕ_o	0.248	0.987	0.617	3.343
ITFC	10	1000	3.00	4	3	original	ϕ_o	0.447	0.943	0.695	3.416
ITFC	10	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
ITFC	10	100	4.00	4	2	original	ϕ_o	0.787	0.097	0.442	2.281
ITFC	10	250	4.00	4	2	original	ϕ_o	0.784	0.099	0.441	3.298
ITFC	10	500	4.00	6	4	original	ϕ_o	0.712	0.165	0.439	1.415
ITFC	10	750	4.00	6	4	original	ϕ_o	0.685	0.400	0.543	2.096
ITFC	10	1000	4.00	6	4	original	ϕ_o	0.668	0.504	0.586	2.632
ITFC	10	10	0.20	3	3	original	ϕ_o	0.205	0.982	0.594	2.761
ITFC	10	100	0.20	3	3	original	ϕ_o	0.047	0.998	0.522	2.159
ITFC	10	250	0.20	3	3	original	ϕ_o	0.018	1.000	0.509	1.862
ITFC	10	10	1.25	5	5	original	ϕ_o	0.725	0.296	0.511	3.234
ITFC	10	10	1.50	5	5	original	ϕ_o	0.744	0.154	0.449	2.779
ITFC	10	10	1.70	5	5	original	ϕ_o	0.747	0.119	0.433	2.765
ITFC	10	100	1.25	5	5	original	ϕ_o	0.362	0.893	0.628	3.033
ITFC	10	100	1.50	5	5	original	ϕ_o	0.505	0.819	0.662	3.052
ITFC	10	100	1.70	5	5	original	ϕ_o	0.598	0.707	0.653	3.097
ITFC	10	250	1.25	5	5	original	ϕ_o	0.199	0.948	0.574	3.099
ITFC	10	250	1.50	5	5	original	ϕ_o	0.247	0.935	0.591	3.097
ITFC	10	250	1.70	5	5	original	ϕ_o	0.305	0.921	0.613	3.099
ITFC	10	10	0.20	5	2	original	ϕ_o	0.152	0.971	0.561	2.105
ITFC	10	100	0.20	5	2	original	ϕ_o	0.073	0.983	0.528	1.716
ITFC	10	250	0.20	5	2	original	ϕ_o	0.048	0.989	0.519	1.515
ITFC	10	500	0.50	3	5	original	ϕ_o	0.055	0.997	0.526	2.755
ITFC	10	500	0.70	3	5	original	ϕ_o	0.105	0.992	0.549	3.200
ITFC	10	500	1.00	3	5	original	ϕ_o	0.171	0.981	0.576	3.480
ITFC	10	750	0.50	3	5	original	ϕ_o	0.033	0.999	0.516	2.617
ITFC	10	750	0.70	3	5	original	ϕ_o	0.067	0.997	0.532	3.081
ITFC	10	750	1.00	3	5	original	ϕ_o	0.124	0.991	0.557	3.410
ITFC	10	1000	0.50	3	5	original	ϕ_o	0.024	0.999	0.512	2.252
ITFC	10	1000	0.70	3	5	original	ϕ_o	0.053	0.998	0.525	3.038
ITFC	10	1000	1.00	3	5	original	ϕ_o	0.102	0.995	0.548	3.384
ITFC	10	500	0.20	2	6	original	ϕ_o	0.004	1.000	0.502	1.806
ITFC	10	750	0.20	2	6	original	ϕ_o	0.001	1.000	0.501	1.708
ITFC	10	1000	0.20	2	6	original	ϕ_o	0.001	1.000	0.501	1.682
ITFC	10	500	4.00	2	5	original	ϕ_o	0.952	0.304	0.628	2.849
ITFC	10	750	4.00	2	5	original	ϕ_o	0.931	0.576	0.753	3.690
ITFC	10	1000	4.00	2	5	original	ϕ_o	0.922	0.622	0.772	3.697
ITFC	10	10	2.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	10	2.30	5	2	original	ϕ_o	0.748	0.103	0.425	2.765

ITFC	10	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	100	2.00	5	2	original	ϕ_o	0.746	0.130	0.438	2.755
ITFC	10	100	2.30	5	2	original	ϕ_o	0.747	0.111	0.429	2.751
ITFC	10	100	3.00	5	2	original	ϕ_o	0.748	0.103	0.426	2.759
ITFC	10	250	2.00	5	2	original	ϕ_o	0.708	0.368	0.538	3.194
ITFC	10	250	2.30	5	2	original	ϕ_o	0.733	0.222	0.477	2.744
ITFC	10	250	3.00	5	2	original	ϕ_o	0.744	0.115	0.429	2.730
ITFC	10	500	1.25	6	4	original	ϕ_o	0.246	0.949	0.597	2.867
ITFC	10	500	1.50	6	4	original	ϕ_o	0.295	0.922	0.608	2.859
ITFC	10	500	1.70	6	4	original	ϕ_o	0.342	0.891	0.616	2.846
ITFC	10	750	1.25	6	4	original	ϕ_o	0.194	0.972	0.583	2.917
ITFC	10	750	1.50	6	4	original	ϕ_o	0.234	0.956	0.595	2.928
ITFC	10	750	1.70	6	4	original	ϕ_o	0.270	0.938	0.604	2.933
ITFC	10	1000	1.25	6	4	original	ϕ_o	0.165	0.984	0.575	2.970
ITFC	10	1000	1.50	6	4	original	ϕ_o	0.206	0.972	0.589	3.001
ITFC	10	1000	1.70	6	4	original	ϕ_o	0.241	0.961	0.601	3.007
ITFC	10	10	0.20	3	7	original	ϕ_o	0.141	0.983	0.562	2.560
ITFC	10	100	0.20	3	7	original	ϕ_o	0.019	0.999	0.509	1.871
ITFC	10	250	0.20	3	7	original	ϕ_o	0.005	1.000	0.502	1.597
ITFC	10	500	1.25	7	7	original	ϕ_o	0.056	0.999	0.527	2.341
ITFC	10	500	1.50	7	7	original	ϕ_o	0.066	0.998	0.532	2.409
ITFC	10	500	1.70	7	7	original	ϕ_o	0.074	0.996	0.535	2.454
ITFC	10	750	1.25	7	7	original	ϕ_o	0.049	0.999	0.524	2.349
ITFC	10	750	1.50	7	7	original	ϕ_o	0.058	0.998	0.528	2.415
ITFC	10	750	1.70	7	7	original	ϕ_o	0.066	0.997	0.532	2.458
ITFC	10	1000	1.25	7	7	original	ϕ_o	0.047	0.999	0.523	2.351
ITFC	10	1000	1.50	7	7	original	ϕ_o	0.057	0.998	0.527	2.417
ITFC	10	1000	1.70	7	7	original	ϕ_o	0.065	0.997	0.531	2.461
ITFC	10	10	4.00	3	7	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	100	4.00	3	7	original	ϕ_o	0.865	0.072	0.469	2.519
ITFC	10	250	4.00	3	7	original	ϕ_o	0.860	0.133	0.497	2.518
ITFC	10	500	0.50	6	6	original	ϕ_o	0.033	0.999	0.516	2.216
ITFC	10	500	0.70	6	6	original	ϕ_o	0.071	0.996	0.533	2.640
ITFC	10	500	1.00	6	6	original	ϕ_o	0.129	0.987	0.558	2.923
ITFC	10	750	0.50	6	6	original	ϕ_o	0.021	1.000	0.511	2.173
ITFC	10	750	0.70	6	6	original	ϕ_o	0.052	0.998	0.525	2.610
ITFC	10	750	1.00	6	6	original	ϕ_o	0.100	0.994	0.547	2.921
ITFC	10	1000	0.50	6	6	original	ϕ_o	0.019	1.000	0.509	2.168
ITFC	10	1000	0.70	6	6	original	ϕ_o	0.049	0.998	0.524	2.607
ITFC	10	1000	1.00	6	6	original	ϕ_o	0.096	0.995	0.545	2.920
ITFC	10	500	1.25	5	7	original	ϕ_o	0.117	0.968	0.543	3.073
ITFC	10	500	1.50	5	7	original	ϕ_o	0.135	0.961	0.548	3.113
ITFC	10	500	1.70	5	7	original	ϕ_o	0.148	0.956	0.552	3.124
ITFC	10	750	1.25	5	7	original	ϕ_o	0.104	0.976	0.540	3.056
ITFC	10	750	1.50	5	7	original	ϕ_o	0.122	0.968	0.545	3.110
ITFC	10	750	1.70	5	7	original	ϕ_o	0.134	0.963	0.549	3.120
ITFC	10	1000	1.25	5	7	original	ϕ_o	0.098	0.982	0.540	3.064
ITFC	10	1000	1.50	5	7	original	ϕ_o	0.115	0.975	0.545	3.112
ITFC	10	1000	1.70	5	7	original	ϕ_o	0.129	0.969	0.549	3.125
ITFC	10	500	2.00	3	6	original	ϕ_o	0.333	0.934	0.633	3.584
ITFC	10	500	2.30	3	6	original	ϕ_o	0.448	0.893	0.670	3.577
ITFC	10	500	3.00	3	6	original	ϕ_o	0.683	0.745	0.714	3.547
ITFC	10	750	2.00	3	6	original	ϕ_o	0.265	0.959	0.612	3.590
ITFC	10	750	2.30	3	6	original	ϕ_o	0.344	0.935	0.639	3.601
ITFC	10	750	3.00	3	6	original	ϕ_o	0.577	0.828	0.702	3.582
ITFC	10	1000	2.00	3	6	original	ϕ_o	0.250	0.965	0.608	3.563
ITFC	10	1000	2.30	3	6	original	ϕ_o	0.311	0.944	0.628	3.576
ITFC	10	1000	3.00	3	6	original	ϕ_o	0.545	0.841	0.693	3.569
ITFC	10	500	0.20	5	7	original	ϕ_o	0.002	1.000	0.501	1.042
ITFC	10	750	0.20	5	7	original	ϕ_o	0.001	1.000	0.500	1.018
ITFC	10	1000	0.20	5	7	original	ϕ_o	0.001	1.000	0.500	1.015
ITFC	10	500	4.00	7	6	original	ϕ_o	0.417	0.849	0.633	2.748
ITFC	10	750	4.00	7	6	original	ϕ_o	0.349	0.903	0.626	2.776
ITFC	10	1000	4.00	7	6	original	ϕ_o	0.346	0.906	0.626	2.780

ITFC	10	500	1.25	3	7	original	ϕ_o	0.176	0.986	0.581	3.538
ITFC	10	500	1.50	3	7	original	ϕ_o	0.212	0.978	0.595	3.564
ITFC	10	500	1.70	3	7	original	ϕ_o	0.243	0.970	0.607	3.572
ITFC	10	750	1.25	3	7	original	ϕ_o	0.150	0.990	0.570	3.506
ITFC	10	750	1.50	3	7	original	ϕ_o	0.185	0.985	0.585	3.547
ITFC	10	750	1.70	3	7	original	ϕ_o	0.211	0.980	0.596	3.566
ITFC	10	1000	1.25	3	7	original	ϕ_o	0.146	0.990	0.568	3.487
ITFC	10	1000	1.50	3	7	original	ϕ_o	0.181	0.985	0.583	3.525
ITFC	10	1000	1.70	3	7	original	ϕ_o	0.208	0.980	0.594	3.541
ITFC	10	10	0.50	7	5	original	ϕ_o	0.188	0.966	0.577	2.514
ITFC	10	10	0.70	7	5	original	ϕ_o	0.293	0.892	0.592	2.564
ITFC	10	10	1.00	7	5	original	ϕ_o	0.547	0.588	0.568	2.698
ITFC	10	100	0.50	7	5	original	ϕ_o	0.075	0.998	0.536	2.122
ITFC	10	100	0.70	7	5	original	ϕ_o	0.099	0.993	0.546	2.414
ITFC	10	100	1.00	7	5	original	ϕ_o	0.125	0.986	0.556	2.610
ITFC	10	250	0.50	7	5	original	ϕ_o	0.048	1.000	0.524	1.803
ITFC	10	250	0.70	7	5	original	ϕ_o	0.063	0.999	0.531	2.129
ITFC	10	250	1.00	7	5	original	ϕ_o	0.084	0.996	0.540	2.362
ITFC	10	10	0.20	5	6	original	ϕ_o	0.113	0.986	0.550	1.960
ITFC	10	100	0.20	5	6	original	ϕ_o	0.031	0.997	0.514	1.419
ITFC	10	250	0.20	5	6	original	ϕ_o	0.011	0.999	0.505	1.198
ITFC	10	10	0.50	3	7	original	ϕ_o	0.433	0.918	0.676	3.626
ITFC	10	10	0.70	3	7	original	ϕ_o	0.574	0.810	0.692	3.519
ITFC	10	10	1.00	3	7	original	ϕ_o	0.805	0.447	0.626	3.088
ITFC	10	100	0.50	3	7	original	ϕ_o	0.168	0.983	0.576	3.330
ITFC	10	100	0.70	3	7	original	ϕ_o	0.255	0.965	0.610	3.576
ITFC	10	100	1.00	3	7	original	ϕ_o	0.374	0.927	0.650	3.558
ITFC	10	250	0.50	3	7	original	ϕ_o	0.080	0.996	0.538	2.955
ITFC	10	250	0.70	3	7	original	ϕ_o	0.138	0.990	0.564	3.374
ITFC	10	250	1.00	3	7	original	ϕ_o	0.216	0.975	0.596	3.560
ITFC	10	500	0.50	4	3	original	ϕ_o	0.086	1.000	0.543	2.188
ITFC	10	500	0.70	4	3	original	ϕ_o	0.128	1.000	0.564	2.598
ITFC	10	500	1.00	4	3	original	ϕ_o	0.172	0.998	0.585	2.943
ITFC	10	750	0.50	4	3	original	ϕ_o	0.055	1.000	0.527	2.043
ITFC	10	750	0.70	4	3	original	ϕ_o	0.091	1.000	0.546	2.457
ITFC	10	750	1.00	4	3	original	ϕ_o	0.135	0.999	0.567	2.796
ITFC	10	1000	0.50	4	3	original	ϕ_o	0.035	1.000	0.517	1.959
ITFC	10	1000	0.70	4	3	original	ϕ_o	0.066	1.000	0.533	2.365
ITFC	10	1000	1.00	4	3	original	ϕ_o	0.107	1.000	0.553	2.707
ITFC	10	500	0.20	5	5	original	ϕ_o	0.004	1.000	0.502	1.096
ITFC	10	750	0.20	5	5	original	ϕ_o	0.002	1.000	0.501	1.049
ITFC	10	1000	0.20	5	5	original	ϕ_o	0.001	1.000	0.501	1.033
ITFC	10	500	0.50	6	2	original	ϕ_o	0.142	0.985	0.563	2.399
ITFC	10	500	0.70	6	2	original	ϕ_o	0.203	0.964	0.584	2.621
ITFC	10	500	1.00	6	2	original	ϕ_o	0.285	0.922	0.603	2.702
ITFC	10	750	0.50	6	2	original	ϕ_o	0.108	0.993	0.551	2.291
ITFC	10	750	0.70	6	2	original	ϕ_o	0.157	0.979	0.568	2.560
ITFC	10	750	1.00	6	2	original	ϕ_o	0.225	0.952	0.589	2.685
ITFC	10	1000	0.50	6	2	original	ϕ_o	0.083	0.997	0.540	2.214
ITFC	10	1000	0.70	6	2	original	ϕ_o	0.126	0.988	0.557	2.508
ITFC	10	1000	1.00	6	2	original	ϕ_o	0.183	0.969	0.576	2.669
ITFC	10	10	1.25	6	4	original	ϕ_o	0.725	0.119	0.422	2.093
ITFC	10	10	1.50	6	4	original	ϕ_o	0.730	0.060	0.395	2.093
ITFC	10	10	1.70	6	4	original	ϕ_o	0.731	0.052	0.391	2.094
ITFC	10	100	1.25	6	4	original	ϕ_o	0.583	0.661	0.622	2.541
ITFC	10	100	1.50	6	4	original	ϕ_o	0.663	0.453	0.558	2.062
ITFC	10	100	1.70	6	4	original	ϕ_o	0.694	0.300	0.497	2.071
ITFC	10	250	1.25	6	4	original	ϕ_o	0.376	0.885	0.630	2.859
ITFC	10	250	1.50	6	4	original	ϕ_o	0.472	0.806	0.639	2.850
ITFC	10	250	1.70	6	4	original	ϕ_o	0.548	0.715	0.631	2.518
ITFC	10	500	2.00	6	5	original	ϕ_o	0.373	0.906	0.640	2.997
ITFC	10	500	2.30	6	5	original	ϕ_o	0.457	0.855	0.656	2.996
ITFC	10	500	3.00	6	5	original	ϕ_o	0.605	0.667	0.636	2.978
ITFC	10	750	2.00	6	5	original	ϕ_o	0.301	0.940	0.620	3.053

ITFC	10	750	2.30	6	5	original	ϕ_o	0.378	0.908	0.643	3.057
ITFC	10	750	3.00	6	5	original	ϕ_o	0.542	0.795	0.669	3.048
ITFC	10	1000	2.00	6	5	original	ϕ_o	0.281	0.951	0.616	3.068
ITFC	10	1000	2.30	6	5	original	ϕ_o	0.359	0.922	0.640	3.073
ITFC	10	1000	3.00	6	5	original	ϕ_o	0.528	0.815	0.671	3.067
ITFC	10	500	2.00	3	2	original	ϕ_o	0.760	0.678	0.719	3.632
ITFC	10	500	2.30	3	2	original	ϕ_o	0.814	0.547	0.681	3.147
ITFC	10	500	3.00	3	2	original	ϕ_o	0.854	0.226	0.540	2.525
ITFC	10	750	2.00	3	2	original	ϕ_o	0.631	0.815	0.723	3.654
ITFC	10	750	2.30	3	2	original	ϕ_o	0.729	0.715	0.722	3.623
ITFC	10	750	3.00	3	2	original	ϕ_o	0.829	0.466	0.647	3.120
ITFC	10	1000	2.00	3	2	original	ϕ_o	0.491	0.894	0.693	3.681
ITFC	10	1000	2.30	3	2	original	ϕ_o	0.614	0.823	0.718	3.642
ITFC	10	1000	3.00	3	2	original	ϕ_o	0.777	0.624	0.701	3.145
ITFC	10	500	2.00	2	7	original	ϕ_o	0.647	0.897	0.772	4.300
ITFC	10	500	2.30	2	7	original	ϕ_o	0.728	0.857	0.793	4.281
ITFC	10	500	3.00	2	7	original	ϕ_o	0.870	0.723	0.797	4.221
ITFC	10	750	2.00	2	7	original	ϕ_o	0.561	0.936	0.749	4.358
ITFC	10	750	2.30	2	7	original	ϕ_o	0.651	0.906	0.778	4.354
ITFC	10	750	3.00	2	7	original	ϕ_o	0.818	0.805	0.812	4.318
ITFC	10	1000	2.00	2	7	original	ϕ_o	0.536	0.945	0.740	4.366
ITFC	10	1000	2.30	2	7	original	ϕ_o	0.631	0.915	0.773	4.361
ITFC	10	1000	3.00	2	7	original	ϕ_o	0.810	0.812	0.811	4.318
ITFC	10	500	0.20	6	4	original	ϕ_o	0.010	1.000	0.505	1.356
ITFC	10	750	0.20	6	4	original	ϕ_o	0.004	1.000	0.502	1.319
ITFC	10	1000	0.20	6	4	original	ϕ_o	0.002	1.000	0.501	1.304
ITFC	10	500	0.50	2	3	original	ϕ_o	0.266	0.990	0.628	3.777
ITFC	10	500	0.70	2	3	original	ϕ_o	0.413	0.979	0.696	4.193
ITFC	10	500	1.00	2	3	original	ϕ_o	0.558	0.952	0.755	4.386
ITFC	10	750	0.50	2	3	original	ϕ_o	0.168	0.996	0.582	3.595
ITFC	10	750	0.70	2	3	original	ϕ_o	0.296	0.988	0.642	4.066
ITFC	10	750	1.00	2	3	original	ϕ_o	0.442	0.972	0.707	4.336
ITFC	10	1000	0.50	2	3	original	ϕ_o	0.111	0.999	0.555	3.446
ITFC	10	1000	0.70	2	3	original	ϕ_o	0.214	0.993	0.604	3.956
ITFC	10	1000	1.00	2	3	original	ϕ_o	0.353	0.982	0.667	4.276
ITFC	10	500	4.00	7	3	original	ϕ_o	0.499	0.669	0.584	2.580
ITFC	10	750	4.00	7	3	original	ϕ_o	0.354	0.844	0.599	2.572
ITFC	10	1000	4.00	7	3	original	ϕ_o	0.321	0.881	0.601	2.610
ITFC	10	500	1.25	7	4	original	ϕ_o	0.067	0.995	0.531	2.432
ITFC	10	500	1.50	7	4	original	ϕ_o	0.078	0.992	0.535	2.508
ITFC	10	500	1.70	7	4	original	ϕ_o	0.087	0.990	0.538	2.558
ITFC	10	750	1.25	7	4	original	ϕ_o	0.059	0.996	0.527	2.371
ITFC	10	750	1.50	7	4	original	ϕ_o	0.068	0.994	0.531	2.448
ITFC	10	750	1.70	7	4	original	ϕ_o	0.075	0.992	0.534	2.498
ITFC	10	1000	1.25	7	4	original	ϕ_o	0.054	0.997	0.525	2.369
ITFC	10	1000	1.50	7	4	original	ϕ_o	0.062	0.995	0.528	2.446
ITFC	10	1000	1.70	7	4	original	ϕ_o	0.069	0.993	0.531	2.501
ITFC	10	500	0.50	5	3	original	ϕ_o	0.067	0.991	0.529	2.340
ITFC	10	500	0.70	5	3	original	ϕ_o	0.101	0.983	0.542	2.722
ITFC	10	500	1.00	5	3	original	ϕ_o	0.142	0.970	0.556	2.943
ITFC	10	750	0.50	5	3	original	ϕ_o	0.043	0.996	0.519	2.208
ITFC	10	750	0.70	5	3	original	ϕ_o	0.073	0.990	0.531	2.610
ITFC	10	750	1.00	5	3	original	ϕ_o	0.107	0.980	0.543	2.888
ITFC	10	1000	0.50	5	3	original	ϕ_o	0.029	0.998	0.513	2.124
ITFC	10	1000	0.70	5	3	original	ϕ_o	0.050	0.995	0.522	2.536
ITFC	10	1000	1.00	5	3	original	ϕ_o	0.082	0.987	0.535	2.844
ITFC	10	10	2.00	4	7	original	ϕ_o	0.789	0.094	0.442	2.865
ITFC	10	10	2.30	4	7	original	ϕ_o	0.789	0.094	0.442	2.868
ITFC	10	10	3.00	4	7	original	ϕ_o	0.789	0.097	0.443	2.872
ITFC	10	100	2.00	4	7	original	ϕ_o	0.683	0.737	0.710	3.525
ITFC	10	100	2.30	4	7	original	ϕ_o	0.734	0.576	0.655	2.968
ITFC	10	100	3.00	4	7	original	ϕ_o	0.779	0.226	0.502	2.912
ITFC	10	250	2.00	4	7	original	ϕ_o	0.376	0.969	0.673	3.476
ITFC	10	250	2.30	4	7	original	ϕ_o	0.513	0.925	0.719	3.505

ITFC	10	250	3.00	4	7	original	ϕ_o	0.688	0.734	0.711	3.539
ITFC	10	10	0.20	3	5	original	ϕ_o	0.174	0.983	0.579	2.644
ITFC	10	100	0.20	3	5	original	ϕ_o	0.030	0.998	0.514	1.989
ITFC	10	250	0.20	3	5	original	ϕ_o	0.010	1.000	0.505	1.709
ITFC	10	10	2.00	3	5	original	ϕ_o	0.866	0.071	0.469	2.520
ITFC	10	10	2.30	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	10	10	3.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	10	100	2.00	3	5	original	ϕ_o	0.847	0.247	0.547	2.512
ITFC	10	100	2.30	3	5	original	ϕ_o	0.861	0.138	0.499	2.518
ITFC	10	100	3.00	3	5	original	ϕ_o	0.865	0.075	0.470	2.517
ITFC	10	250	2.00	3	5	original	ϕ_o	0.715	0.701	0.708	3.505
ITFC	10	250	2.30	3	5	original	ϕ_o	0.789	0.555	0.672	3.088
ITFC	10	250	3.00	3	5	original	ϕ_o	0.849	0.242	0.546	2.516
ITFC	10	10	4.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	4.00	6	7	original	ϕ_o	0.725	0.054	0.390	2.074
ITFC	10	250	4.00	6	7	original	ϕ_o	0.712	0.166	0.439	2.069
ITFC	10	10	4.00	7	3	original	ϕ_o	0.684	0.111	0.398	2.398
ITFC	10	100	4.00	7	3	original	ϕ_o	0.680	0.118	0.399	2.373
ITFC	10	250	4.00	7	3	original	ϕ_o	0.661	0.217	0.439	2.344
ITFC	10	10	1.25	2	7	original	ϕ_o	0.958	0.202	0.580	2.840
ITFC	10	10	1.50	2	7	original	ϕ_o	0.962	0.069	0.516	2.821
ITFC	10	10	1.70	2	7	original	ϕ_o	0.963	0.057	0.510	2.821
ITFC	10	100	1.25	2	7	original	ϕ_o	0.814	0.802	0.808	4.290
ITFC	10	100	1.50	2	7	original	ϕ_o	0.891	0.691	0.791	3.659
ITFC	10	100	1.70	2	7	original	ϕ_o	0.925	0.569	0.747	3.651
ITFC	10	250	1.25	2	7	original	ϕ_o	0.616	0.918	0.767	4.338
ITFC	10	250	1.50	2	7	original	ϕ_o	0.698	0.877	0.787	4.310
ITFC	10	250	1.70	2	7	original	ϕ_o	0.764	0.836	0.800	4.267
ITFC	10	10	2.00	7	7	original	ϕ_o	0.681	0.125	0.403	2.730
ITFC	10	10	2.30	7	7	original	ϕ_o	0.682	0.114	0.398	2.730
ITFC	10	10	3.00	7	7	original	ϕ_o	0.684	0.107	0.396	2.730
ITFC	10	100	2.00	7	7	original	ϕ_o	0.379	0.915	0.647	2.811
ITFC	10	100	2.30	7	7	original	ϕ_o	0.478	0.816	0.647	2.825
ITFC	10	100	3.00	7	7	original	ϕ_o	0.607	0.499	0.553	2.816
ITFC	10	250	2.00	7	7	original	ϕ_o	0.122	0.991	0.557	2.685
ITFC	10	250	2.30	7	7	original	ϕ_o	0.152	0.985	0.569	2.735
ITFC	10	250	3.00	7	7	original	ϕ_o	0.317	0.942	0.630	2.803
ITFC	10	10	0.50	4	6	original	ϕ_o	0.294	0.980	0.637	3.176
ITFC	10	10	0.70	4	6	original	ϕ_o	0.372	0.939	0.655	3.308
ITFC	10	10	1.00	4	6	original	ϕ_o	0.667	0.730	0.699	3.462
ITFC	10	100	0.50	4	6	original	ϕ_o	0.167	0.999	0.583	2.602
ITFC	10	100	0.70	4	6	original	ϕ_o	0.215	0.996	0.606	2.993
ITFC	10	100	1.00	4	6	original	ϕ_o	0.263	0.987	0.625	3.275
ITFC	10	250	0.50	4	6	original	ϕ_o	0.095	1.000	0.547	2.233
ITFC	10	250	0.70	4	6	original	ϕ_o	0.141	0.999	0.570	2.668
ITFC	10	250	1.00	4	6	original	ϕ_o	0.189	0.998	0.593	3.019
ITFC	10	500	0.20	4	6	original	ϕ_o	0.003	1.000	0.502	1.014
ITFC	10	750	0.20	4	6	original	ϕ_o	0.001	1.000	0.500	0.988
ITFC	10	1000	0.20	4	6	original	ϕ_o	0.000	1.000	0.500	0.979
ITFC	10	500	2.00	6	7	original	ϕ_o	0.332	0.937	0.635	3.083
ITFC	10	500	2.30	6	7	original	ϕ_o	0.420	0.899	0.660	3.078
ITFC	10	500	3.00	6	7	original	ϕ_o	0.582	0.748	0.665	3.066
ITFC	10	750	2.00	6	7	original	ϕ_o	0.289	0.949	0.619	3.096
ITFC	10	750	2.30	6	7	original	ϕ_o	0.370	0.920	0.645	3.091
ITFC	10	750	3.00	6	7	original	ϕ_o	0.545	0.799	0.672	3.077
ITFC	10	1000	2.00	6	7	original	ϕ_o	0.284	0.951	0.618	3.090
ITFC	10	1000	2.30	6	7	original	ϕ_o	0.364	0.922	0.643	3.089
ITFC	10	1000	3.00	6	7	original	ϕ_o	0.541	0.802	0.671	3.076
ITFC	10	10	0.50	2	6	original	ϕ_o	0.776	0.882	0.829	4.372
ITFC	10	10	0.70	2	6	original	ϕ_o	0.847	0.765	0.806	3.665
ITFC	10	10	1.00	2	6	original	ϕ_o	0.937	0.490	0.714	2.860
ITFC	10	100	0.50	2	6	original	ϕ_o	0.492	0.970	0.731	4.124
ITFC	10	100	0.70	2	6	original	ϕ_o	0.627	0.940	0.783	4.367
ITFC	10	100	1.00	2	6	original	ϕ_o	0.740	0.877	0.808	4.378

ITFC	10	250	0.50	2	6	original	ϕ_o	0.271	0.990	0.631	3.819
ITFC	10	250	0.70	2	6	original	ϕ_o	0.423	0.975	0.699	4.217
ITFC	10	250	1.00	2	6	original	ϕ_o	0.564	0.944	0.754	4.365
ITFC	10	10	4.00	3	5	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	100	4.00	3	5	original	ϕ_o	0.865	0.071	0.468	2.519
ITFC	10	250	4.00	3	5	original	ϕ_o	0.863	0.092	0.477	2.515
ITFC	10	500	2.00	7	7	original	ϕ_o	0.089	0.994	0.541	2.522
ITFC	10	500	2.30	7	7	original	ϕ_o	0.107	0.991	0.549	2.591
ITFC	10	500	3.00	7	7	original	ϕ_o	0.174	0.974	0.574	2.695
ITFC	10	750	2.00	7	7	original	ϕ_o	0.081	0.995	0.538	2.524
ITFC	10	750	2.30	7	7	original	ϕ_o	0.099	0.992	0.546	2.592
ITFC	10	750	3.00	7	7	original	ϕ_o	0.165	0.976	0.570	2.694
ITFC	10	1000	2.00	7	7	original	ϕ_o	0.079	0.995	0.537	2.527
ITFC	10	1000	2.30	7	7	original	ϕ_o	0.097	0.992	0.545	2.594
ITFC	10	1000	3.00	7	7	original	ϕ_o	0.163	0.976	0.570	2.697
ITFC	10	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	4.00	6	3	original	ϕ_o	0.730	0.052	0.391	1.428
ITFC	10	250	4.00	6	3	original	ϕ_o	0.722	0.053	0.387	2.064
ITFC	10	500	0.20	6	2	original	ϕ_o	0.038	1.000	0.519	1.560
ITFC	10	750	0.20	6	2	original	ϕ_o	0.025	1.000	0.512	1.493
ITFC	10	1000	0.20	6	2	original	ϕ_o	0.015	1.000	0.507	1.447
ITFC	10	500	4.00	5	3	original	ϕ_o	0.731	0.217	0.474	3.186
ITFC	10	750	4.00	5	3	original	ϕ_o	0.691	0.446	0.568	3.182
ITFC	10	1000	4.00	5	3	original	ϕ_o	0.627	0.651	0.639	3.149
ITFC	10	10	0.20	7	4	original	ϕ_o	0.102	0.993	0.548	1.746
ITFC	10	100	0.20	7	4	original	ϕ_o	0.038	1.000	0.519	1.152
ITFC	10	250	0.20	7	4	original	ϕ_o	0.024	1.000	0.512	0.931
ITFC	10	10	1.25	3	2	original	ϕ_o	0.864	0.110	0.487	2.523
ITFC	10	10	1.50	3	2	original	ϕ_o	0.866	0.075	0.470	2.519
ITFC	10	10	1.70	3	2	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	10	100	1.25	3	2	original	ϕ_o	0.794	0.617	0.705	3.187
ITFC	10	100	1.50	3	2	original	ϕ_o	0.844	0.369	0.607	2.539
ITFC	10	100	1.70	3	2	original	ϕ_o	0.857	0.222	0.539	2.530
ITFC	10	250	1.25	3	2	original	ϕ_o	0.624	0.832	0.728	3.688
ITFC	10	250	1.50	3	2	original	ϕ_o	0.750	0.703	0.727	3.654
ITFC	10	250	1.70	3	2	original	ϕ_o	0.805	0.589	0.697	3.172
ITFC	10	10	0.50	5	3	original	ϕ_o	0.332	0.903	0.617	2.899
ITFC	10	10	0.70	5	3	original	ϕ_o	0.486	0.756	0.621	2.888
ITFC	10	10	1.00	5	3	original	ϕ_o	0.707	0.321	0.514	3.148
ITFC	10	100	0.50	5	3	original	ϕ_o	0.170	0.965	0.567	2.793
ITFC	10	100	0.70	5	3	original	ϕ_o	0.235	0.944	0.589	2.959
ITFC	10	100	1.00	5	3	original	ϕ_o	0.366	0.884	0.625	2.929
ITFC	10	250	0.50	5	3	original	ϕ_o	0.110	0.981	0.546	2.574
ITFC	10	250	0.70	5	3	original	ϕ_o	0.153	0.968	0.560	2.881
ITFC	10	250	1.00	5	3	original	ϕ_o	0.213	0.947	0.580	2.977
ITFC	10	10	4.00	7	4	original	ϕ_o	0.685	0.111	0.398	1.940
ITFC	10	100	4.00	7	4	original	ϕ_o	0.671	0.126	0.399	1.892
ITFC	10	250	4.00	7	4	original	ϕ_o	0.606	0.386	0.496	2.280
ITFC	10	500	0.20	3	3	original	ϕ_o	0.008	1.000	0.504	1.644
ITFC	10	750	0.20	3	3	original	ϕ_o	0.003	1.000	0.502	1.537
ITFC	10	1000	0.20	3	3	original	ϕ_o	0.002	1.000	0.501	1.469
ITFC	10	500	0.50	5	5	original	ϕ_o	0.048	0.994	0.521	2.226
ITFC	10	500	0.70	5	5	original	ϕ_o	0.078	0.988	0.533	2.664
ITFC	10	500	1.00	5	5	original	ϕ_o	0.116	0.977	0.546	2.989
ITFC	10	750	0.50	5	5	original	ϕ_o	0.032	0.997	0.514	2.128
ITFC	10	750	0.70	5	5	original	ϕ_o	0.059	0.993	0.526	2.578
ITFC	10	750	1.00	5	5	original	ϕ_o	0.091	0.986	0.538	2.923
ITFC	10	1000	0.50	5	5	original	ϕ_o	0.024	0.998	0.511	2.095
ITFC	10	1000	0.70	5	5	original	ϕ_o	0.046	0.996	0.521	2.542
ITFC	10	1000	1.00	5	5	original	ϕ_o	0.077	0.991	0.534	2.893
ITFC	10	500	4.00	3	4	original	ϕ_o	0.852	0.220	0.536	2.514
ITFC	10	750	4.00	3	4	original	ϕ_o	0.811	0.486	0.648	3.092
ITFC	10	1000	4.00	3	4	original	ϕ_o	0.760	0.663	0.711	3.149
ITFC	10	500	1.25	4	5	original	ϕ_o	0.168	0.997	0.583	2.908

ITFC	10	500	1.50	4	5	original	ϕ_o	0.191	0.996	0.593	3.045
ITFC	10	500	1.70	4	5	original	ϕ_o	0.208	0.993	0.601	3.150
ITFC	10	750	1.25	4	5	original	ϕ_o	0.133	0.998	0.565	2.813
ITFC	10	750	1.50	4	5	original	ϕ_o	0.157	0.997	0.577	2.933
ITFC	10	750	1.70	4	5	original	ϕ_o	0.173	0.996	0.584	3.012
ITFC	10	1000	1.25	4	5	original	ϕ_o	0.107	0.999	0.553	2.801
ITFC	10	1000	1.50	4	5	original	ϕ_o	0.131	0.997	0.564	2.922
ITFC	10	1000	1.70	4	5	original	ϕ_o	0.148	0.996	0.572	3.003
ITFC	10	10	1.25	3	6	original	ϕ_o	0.853	0.208	0.531	2.511
ITFC	10	10	1.50	3	6	original	ϕ_o	0.865	0.106	0.485	2.525
ITFC	10	10	1.70	3	6	original	ϕ_o	0.866	0.080	0.473	2.523
ITFC	10	100	1.25	3	6	original	ϕ_o	0.542	0.835	0.689	3.487
ITFC	10	100	1.50	3	6	original	ϕ_o	0.709	0.689	0.699	3.094
ITFC	10	100	1.70	3	6	original	ϕ_o	0.781	0.538	0.660	3.084
ITFC	10	250	1.25	3	6	original	ϕ_o	0.289	0.950	0.620	3.574
ITFC	10	250	1.50	3	6	original	ϕ_o	0.361	0.918	0.639	3.552
ITFC	10	250	1.70	3	6	original	ϕ_o	0.476	0.874	0.675	3.529
ITFC	10	10	2.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	10	2.30	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	10	3.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	10	100	2.00	3	4	original	ϕ_o	0.855	0.198	0.526	3.088
ITFC	10	100	2.30	3	4	original	ϕ_o	0.863	0.119	0.491	2.523
ITFC	10	100	3.00	3	4	original	ϕ_o	0.866	0.074	0.470	2.520
ITFC	10	250	2.00	3	4	original	ϕ_o	0.770	0.612	0.691	3.528
ITFC	10	250	2.30	3	4	original	ϕ_o	0.818	0.427	0.622	3.104
ITFC	10	250	3.00	3	4	original	ϕ_o	0.858	0.167	0.513	2.520
ITFC	10	10	4.00	7	5	original	ϕ_o	0.685	0.111	0.398	2.741
ITFC	10	100	4.00	7	5	original	ϕ_o	0.667	0.176	0.421	2.342
ITFC	10	250	4.00	7	5	original	ϕ_o	0.555	0.588	0.571	2.650
ITFC	10	500	1.25	5	3	original	ϕ_o	0.174	0.958	0.566	2.973
ITFC	10	500	1.50	5	3	original	ϕ_o	0.215	0.946	0.580	2.975
ITFC	10	500	1.70	5	3	original	ϕ_o	0.262	0.931	0.597	2.971
ITFC	10	750	1.25	5	3	original	ϕ_o	0.131	0.973	0.552	2.962
ITFC	10	750	1.50	5	3	original	ϕ_o	0.154	0.964	0.559	2.979
ITFC	10	750	1.70	5	3	original	ϕ_o	0.178	0.957	0.567	2.986
ITFC	10	1000	1.25	5	3	original	ϕ_o	0.104	0.981	0.542	2.938
ITFC	10	1000	1.50	5	3	original	ϕ_o	0.123	0.975	0.549	2.976
ITFC	10	1000	1.70	5	3	original	ϕ_o	0.138	0.969	0.554	2.984
ITFC	10	10	0.50	6	7	original	ϕ_o	0.405	0.918	0.662	2.969
ITFC	10	10	0.70	6	7	original	ϕ_o	0.525	0.810	0.667	2.974
ITFC	10	10	1.00	6	7	original	ϕ_o	0.668	0.491	0.579	2.610
ITFC	10	100	0.50	6	7	original	ϕ_o	0.179	0.987	0.583	2.615
ITFC	10	100	0.70	6	7	original	ϕ_o	0.266	0.966	0.616	2.916
ITFC	10	100	1.00	6	7	original	ϕ_o	0.366	0.922	0.644	2.998
ITFC	10	250	0.50	6	7	original	ϕ_o	0.077	0.996	0.536	2.336
ITFC	10	250	0.70	6	7	original	ϕ_o	0.139	0.989	0.564	2.745
ITFC	10	250	1.00	6	7	original	ϕ_o	0.222	0.973	0.598	2.962
ITFC	10	10	4.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	100	4.00	5	6	original	ϕ_o	0.746	0.105	0.425	2.748
ITFC	10	250	4.00	5	6	original	ϕ_o	0.727	0.298	0.512	2.766
ITFC	10	500	1.25	3	3	original	ϕ_o	0.284	0.955	0.619	3.643
ITFC	10	500	1.50	3	3	original	ϕ_o	0.413	0.916	0.664	3.630
ITFC	10	500	1.70	3	3	original	ϕ_o	0.530	0.865	0.697	3.608
ITFC	10	750	1.25	3	3	original	ϕ_o	0.216	0.976	0.596	3.632
ITFC	10	750	1.50	3	3	original	ϕ_o	0.269	0.960	0.614	3.640
ITFC	10	750	1.70	3	3	original	ϕ_o	0.347	0.937	0.642	3.629
ITFC	10	1000	1.25	3	3	original	ϕ_o	0.177	0.986	0.581	3.604
ITFC	10	1000	1.50	3	3	original	ϕ_o	0.214	0.976	0.595	3.631
ITFC	10	1000	1.70	3	3	original	ϕ_o	0.251	0.965	0.608	3.629
ITFC	10	500	2.00	2	5	original	ϕ_o	0.748	0.863	0.805	4.343
ITFC	10	500	2.30	2	5	original	ϕ_o	0.820	0.807	0.814	4.310
ITFC	10	500	3.00	2	5	original	ϕ_o	0.912	0.629	0.771	3.675
ITFC	10	750	2.00	2	5	original	ϕ_o	0.617	0.924	0.770	4.373
ITFC	10	750	2.30	2	5	original	ϕ_o	0.700	0.890	0.795	4.364

ITFC	10	750	3.00	2	5	original	ϕ_o	0.848	0.783	0.815	4.325
ITFC	10	1000	2.00	2	5	original	ϕ_o	0.562	0.942	0.752	4.383
ITFC	10	1000	2.30	2	5	original	ϕ_o	0.654	0.913	0.783	4.383
ITFC	10	1000	3.00	2	5	original	ϕ_o	0.823	0.812	0.818	4.352
ITFC	10	500	4.00	3	5	original	ϕ_o	0.836	0.377	0.606	3.077
ITFC	10	750	4.00	3	5	original	ϕ_o	0.787	0.569	0.678	3.089
ITFC	10	1000	4.00	3	5	original	ϕ_o	0.747	0.662	0.705	3.542
ITFC	10	500	4.00	6	2	original	ϕ_o	0.714	0.056	0.385	2.040
ITFC	10	750	4.00	6	2	original	ϕ_o	0.705	0.104	0.405	2.021
ITFC	10	1000	4.00	6	2	original	ϕ_o	0.684	0.234	0.459	2.007
ITFC	10	10	2.00	2	7	original	ϕ_o	0.963	0.056	0.510	1.909
ITFC	10	10	2.30	2	7	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	10	10	3.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	2.00	2	7	original	ϕ_o	0.949	0.358	0.654	2.849
ITFC	10	100	2.30	2	7	original	ϕ_o	0.957	0.180	0.569	2.836
ITFC	10	100	3.00	2	7	original	ϕ_o	0.962	0.060	0.511	2.820
ITFC	10	250	2.00	2	7	original	ϕ_o	0.851	0.759	0.805	3.662
ITFC	10	250	2.30	2	7	original	ϕ_o	0.904	0.654	0.779	3.655
ITFC	10	250	3.00	2	7	original	ϕ_o	0.948	0.351	0.650	2.846
ITFC	10	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	10	100	4.00	3	2	original	ϕ_o	0.865	0.072	0.468	2.518
ITFC	10	250	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.517
ITFC	10	500	4.00	7	2	original	ϕ_o	0.613	0.346	0.479	2.642
ITFC	10	750	4.00	7	2	original	ϕ_o	0.528	0.638	0.583	2.606
ITFC	10	1000	4.00	7	2	original	ϕ_o	0.463	0.789	0.626	2.660
ITFC	10	500	2.00	2	6	original	ϕ_o	0.679	0.891	0.785	4.343
ITFC	10	500	2.30	2	6	original	ϕ_o	0.758	0.849	0.804	4.315
ITFC	10	500	3.00	2	6	original	ϕ_o	0.887	0.708	0.797	3.677
ITFC	10	750	2.00	2	6	original	ϕ_o	0.571	0.936	0.754	4.369
ITFC	10	750	2.30	2	6	original	ϕ_o	0.657	0.906	0.782	4.368
ITFC	10	750	3.00	2	6	original	ϕ_o	0.819	0.809	0.814	4.327
ITFC	10	1000	2.00	2	6	original	ϕ_o	0.531	0.946	0.738	4.362
ITFC	10	1000	2.30	2	6	original	ϕ_o	0.624	0.917	0.771	4.364
ITFC	10	1000	3.00	2	6	original	ϕ_o	0.803	0.818	0.810	4.320
ITFC	10	500	1.25	2	6	original	ϕ_o	0.459	0.965	0.712	4.347
ITFC	10	500	1.50	2	6	original	ϕ_o	0.536	0.944	0.740	4.359
ITFC	10	500	1.70	2	6	original	ϕ_o	0.596	0.926	0.761	4.358
ITFC	10	750	1.25	2	6	original	ϕ_o	0.347	0.983	0.665	4.334
ITFC	10	750	1.50	2	6	original	ϕ_o	0.424	0.971	0.698	4.361
ITFC	10	750	1.70	2	6	original	ϕ_o	0.483	0.960	0.721	4.362
ITFC	10	1000	1.25	2	6	original	ϕ_o	0.307	0.987	0.647	4.318
ITFC	10	1000	1.50	2	6	original	ϕ_o	0.379	0.977	0.678	4.352
ITFC	10	1000	1.70	2	6	original	ϕ_o	0.437	0.967	0.702	4.358
ITFC	10	500	2.00	4	2	original	ϕ_o	0.558	0.880	0.719	3.409
ITFC	10	500	2.30	4	2	original	ϕ_o	0.633	0.784	0.709	3.424
ITFC	10	500	3.00	4	2	original	ϕ_o	0.732	0.486	0.609	2.903
ITFC	10	750	2.00	4	2	original	ϕ_o	0.411	0.955	0.683	3.396
ITFC	10	750	2.30	4	2	original	ϕ_o	0.522	0.909	0.715	3.414
ITFC	10	750	3.00	4	2	original	ϕ_o	0.662	0.724	0.693	3.434
ITFC	10	1000	2.00	4	2	original	ϕ_o	0.281	0.982	0.632	3.376
ITFC	10	1000	2.30	4	2	original	ϕ_o	0.397	0.961	0.679	3.417
ITFC	10	1000	3.00	4	2	original	ϕ_o	0.594	0.847	0.721	3.438
ITFC	10	500	0.50	7	6	original	ϕ_o	0.024	1.000	0.512	1.655
ITFC	10	500	0.70	7	6	original	ϕ_o	0.035	1.000	0.518	2.002
ITFC	10	500	1.00	7	6	original	ϕ_o	0.051	0.999	0.525	2.260
ITFC	10	750	0.50	7	6	original	ϕ_o	0.017	1.000	0.509	1.636
ITFC	10	750	0.70	7	6	original	ϕ_o	0.028	1.000	0.514	1.982
ITFC	10	750	1.00	7	6	original	ϕ_o	0.043	0.999	0.521	2.243
ITFC	10	1000	0.50	7	6	original	ϕ_o	0.015	1.000	0.508	1.634
ITFC	10	1000	0.70	7	6	original	ϕ_o	0.026	1.000	0.513	1.983
ITFC	10	1000	1.00	7	6	original	ϕ_o	0.040	0.999	0.520	2.246
ITFC	10	500	0.50	2	5	original	ϕ_o	0.149	0.996	0.573	3.546
ITFC	10	500	0.70	2	5	original	ϕ_o	0.277	0.989	0.633	4.025
ITFC	10	500	1.00	2	5	original	ϕ_o	0.430	0.974	0.702	4.297

ITFC	10	750	0.50	2	5	original	ϕ_o	0.078	0.999	0.539	3.360
ITFC	10	750	0.70	2	5	original	ϕ_o	0.173	0.996	0.585	3.900
ITFC	10	750	1.00	2	5	original	ϕ_o	0.305	0.988	0.646	4.238
ITFC	10	1000	0.50	2	5	original	ϕ_o	0.057	1.000	0.529	3.294
ITFC	10	1000	0.70	2	5	original	ϕ_o	0.134	0.998	0.566	3.858
ITFC	10	1000	1.00	2	5	original	ϕ_o	0.251	0.994	0.623	4.218
ITFC	10	500	1.25	2	4	original	ϕ_o	0.581	0.937	0.759	4.334
ITFC	10	500	1.50	2	4	original	ϕ_o	0.664	0.903	0.783	4.330
ITFC	10	500	1.70	2	4	original	ϕ_o	0.729	0.867	0.798	4.314
ITFC	10	750	1.25	2	4	original	ϕ_o	0.460	0.963	0.712	4.323
ITFC	10	750	1.50	2	4	original	ϕ_o	0.534	0.945	0.740	4.330
ITFC	10	750	1.70	2	4	original	ϕ_o	0.592	0.926	0.759	4.330
ITFC	10	1000	1.25	2	4	original	ϕ_o	0.389	0.977	0.683	4.322
ITFC	10	1000	1.50	2	4	original	ϕ_o	0.463	0.963	0.713	4.343
ITFC	10	1000	1.70	2	4	original	ϕ_o	0.520	0.949	0.735	4.344
ITFC	10	500	1.25	4	7	original	ϕ_o	0.132	0.999	0.565	2.907
ITFC	10	500	1.50	4	7	original	ϕ_o	0.155	0.998	0.576	3.033
ITFC	10	500	1.70	4	7	original	ϕ_o	0.172	0.996	0.584	3.122
ITFC	10	750	1.25	4	7	original	ϕ_o	0.112	0.999	0.555	2.855
ITFC	10	750	1.50	4	7	original	ϕ_o	0.137	0.998	0.567	2.976
ITFC	10	750	1.70	4	7	original	ϕ_o	0.154	0.997	0.575	3.051
ITFC	10	1000	1.25	4	7	original	ϕ_o	0.105	0.999	0.552	2.850
ITFC	10	1000	1.50	4	7	original	ϕ_o	0.130	0.998	0.564	2.970
ITFC	10	1000	1.70	4	7	original	ϕ_o	0.148	0.997	0.572	3.044
ITFC	10	500	1.25	6	5	original	ϕ_o	0.204	0.970	0.587	2.966
ITFC	10	500	1.50	6	5	original	ϕ_o	0.250	0.956	0.603	2.989
ITFC	10	500	1.70	6	5	original	ϕ_o	0.292	0.941	0.616	2.991
ITFC	10	750	1.25	6	5	original	ϕ_o	0.160	0.982	0.571	2.996
ITFC	10	750	1.50	6	5	original	ϕ_o	0.200	0.972	0.586	3.030
ITFC	10	750	1.70	6	5	original	ϕ_o	0.234	0.962	0.598	3.048
ITFC	10	1000	1.25	6	5	original	ϕ_o	0.145	0.988	0.566	3.006
ITFC	10	1000	1.50	6	5	original	ϕ_o	0.184	0.978	0.581	3.046
ITFC	10	1000	1.70	6	5	original	ϕ_o	0.217	0.968	0.592	3.061
ITFC	10	10	0.50	5	6	original	ϕ_o	0.294	0.939	0.617	3.119
ITFC	10	10	0.70	5	6	original	ϕ_o	0.379	0.882	0.631	3.016
ITFC	10	10	1.00	5	6	original	ϕ_o	0.606	0.636	0.621	3.011
ITFC	10	100	0.50	5	6	original	ϕ_o	0.131	0.976	0.554	2.754
ITFC	10	100	0.70	5	6	original	ϕ_o	0.180	0.961	0.570	3.069
ITFC	10	100	1.00	5	6	original	ϕ_o	0.243	0.936	0.590	3.110
ITFC	10	250	0.50	5	6	original	ϕ_o	0.080	0.987	0.534	2.432
ITFC	10	250	0.70	5	6	original	ϕ_o	0.116	0.978	0.547	2.856
ITFC	10	250	1.00	5	6	original	ϕ_o	0.154	0.963	0.559	3.095
ITFC	10	500	0.50	6	4	original	ϕ_o	0.083	0.996	0.540	2.302
ITFC	10	500	0.70	6	4	original	ϕ_o	0.135	0.990	0.563	2.676
ITFC	10	500	1.00	6	4	original	ϕ_o	0.200	0.970	0.585	2.851
ITFC	10	750	0.50	6	4	original	ϕ_o	0.052	0.998	0.525	2.230
ITFC	10	750	0.70	6	4	original	ϕ_o	0.093	0.995	0.544	2.625
ITFC	10	750	1.00	6	4	original	ϕ_o	0.152	0.986	0.569	2.870
ITFC	10	1000	0.50	6	4	original	ϕ_o	0.034	0.999	0.517	2.210
ITFC	10	1000	0.70	6	4	original	ϕ_o	0.071	0.997	0.534	2.614
ITFC	10	1000	1.00	6	4	original	ϕ_o	0.124	0.992	0.558	2.895
ITFC	10	10	1.25	2	3	original	ϕ_o	0.961	0.141	0.551	2.835
ITFC	10	10	1.50	2	3	original	ϕ_o	0.963	0.059	0.511	2.824
ITFC	10	10	1.70	2	3	original	ϕ_o	0.963	0.056	0.510	2.824
ITFC	10	100	1.25	2	3	original	ϕ_o	0.906	0.660	0.783	3.677
ITFC	10	100	1.50	2	3	original	ϕ_o	0.946	0.470	0.708	2.866
ITFC	10	100	1.70	2	3	original	ϕ_o	0.958	0.283	0.620	2.859
ITFC	10	250	1.25	2	3	original	ϕ_o	0.790	0.842	0.816	4.375
ITFC	10	250	1.50	2	3	original	ϕ_o	0.872	0.751	0.811	3.698
ITFC	10	250	1.70	2	3	original	ϕ_o	0.913	0.662	0.787	3.694
ITFC	10	10	4.00	3	6	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	100	4.00	3	6	original	ϕ_o	0.865	0.072	0.469	2.518
ITFC	10	250	4.00	3	6	original	ϕ_o	0.861	0.125	0.493	2.518
ITFC	10	10	2.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520

ITFC	10	10	2.30	3	7	original	ϕ_o	0.866	0.071	0.469	2.520
ITFC	10	10	3.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	10	100	2.00	3	7	original	ϕ_o	0.825	0.346	0.586	2.494
ITFC	10	100	2.30	3	7	original	ϕ_o	0.850	0.215	0.532	2.509
ITFC	10	100	3.00	3	7	original	ϕ_o	0.864	0.093	0.479	2.521
ITFC	10	250	2.00	3	7	original	ϕ_o	0.612	0.794	0.703	3.481
ITFC	10	250	2.30	3	7	original	ϕ_o	0.723	0.674	0.698	3.096
ITFC	10	250	3.00	3	7	original	ϕ_o	0.828	0.365	0.597	3.078
ITFC	10	10	4.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.765
ITFC	10	100	4.00	5	7	original	ϕ_o	0.744	0.108	0.426	2.744
ITFC	10	250	4.00	5	7	original	ϕ_o	0.709	0.431	0.570	2.762
ITFC	10	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	10	100	4.00	4	3	original	ϕ_o	0.788	0.095	0.441	2.864
ITFC	10	250	4.00	4	3	original	ϕ_o	0.785	0.137	0.461	2.882
ITFC	10	500	0.20	4	4	original	ϕ_o	0.010	1.000	0.505	1.069
ITFC	10	750	0.20	4	4	original	ϕ_o	0.004	1.000	0.502	1.024
ITFC	10	1000	0.20	4	4	original	ϕ_o	0.002	1.000	0.501	1.004
ITFC	10	500	4.00	4	5	original	ϕ_o	0.709	0.639	0.674	3.511
ITFC	10	750	4.00	4	5	original	ϕ_o	0.625	0.793	0.709	3.458
ITFC	10	1000	4.00	4	5	original	ϕ_o	0.594	0.823	0.709	3.430
ITFC	10	500	0.50	2	6	original	ϕ_o	0.114	0.997	0.555	3.500
ITFC	10	500	0.70	2	6	original	ϕ_o	0.226	0.992	0.609	4.003
ITFC	10	500	1.00	2	6	original	ϕ_o	0.370	0.979	0.674	4.289
ITFC	10	750	0.50	2	6	original	ϕ_o	0.058	0.999	0.529	3.336
ITFC	10	750	0.70	2	6	original	ϕ_o	0.139	0.997	0.568	3.888
ITFC	10	750	1.00	2	6	original	ϕ_o	0.260	0.991	0.626	4.230
ITFC	10	1000	0.50	2	6	original	ϕ_o	0.047	1.000	0.523	3.290
ITFC	10	1000	0.70	2	6	original	ϕ_o	0.115	0.998	0.557	3.856
ITFC	10	1000	1.00	2	6	original	ϕ_o	0.227	0.994	0.611	4.215
ITFC	10	500	4.00	4	7	original	ϕ_o	0.681	0.711	0.696	3.481
ITFC	10	750	4.00	4	7	original	ϕ_o	0.638	0.764	0.701	3.441
ITFC	10	1000	4.00	4	7	original	ϕ_o	0.632	0.770	0.701	3.430
ITFC	10	500	0.20	2	5	original	ϕ_o	0.005	1.000	0.503	1.841
ITFC	10	750	0.20	2	5	original	ϕ_o	0.002	1.000	0.501	1.726
ITFC	10	1000	0.20	2	5	original	ϕ_o	0.001	1.000	0.501	1.688
ITFC	10	10	0.50	4	3	original	ϕ_o	0.323	0.956	0.639	3.114
ITFC	10	10	0.70	4	3	original	ϕ_o	0.470	0.867	0.669	3.236
ITFC	10	10	1.00	4	3	original	ϕ_o	0.711	0.551	0.631	3.375
ITFC	10	100	0.50	4	3	original	ϕ_o	0.207	0.996	0.601	2.802
ITFC	10	100	0.70	4	3	original	ϕ_o	0.252	0.989	0.621	3.068
ITFC	10	100	1.00	4	3	original	ϕ_o	0.333	0.967	0.650	3.304
ITFC	10	250	0.50	4	3	original	ϕ_o	0.142	0.999	0.571	2.485
ITFC	10	250	0.70	4	3	original	ϕ_o	0.188	0.998	0.593	2.852
ITFC	10	250	1.00	4	3	original	ϕ_o	0.231	0.992	0.612	3.166
ITFC	10	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	4.00	2	5	original	ϕ_o	0.963	0.056	0.510	2.822
ITFC	10	250	4.00	2	5	original	ϕ_o	0.961	0.062	0.511	2.821
ITFC	10	500	4.00	6	6	original	ϕ_o	0.686	0.410	0.548	2.622
ITFC	10	750	4.00	6	6	original	ϕ_o	0.660	0.571	0.615	2.673
ITFC	10	1000	4.00	6	6	original	ϕ_o	0.659	0.576	0.618	2.675
ITFC	10	500	2.00	5	3	original	ϕ_o	0.364	0.896	0.630	2.977
ITFC	10	500	2.30	5	3	original	ϕ_o	0.478	0.833	0.655	3.006
ITFC	10	500	3.00	5	3	original	ϕ_o	0.659	0.533	0.596	3.118
ITFC	10	750	2.00	5	3	original	ϕ_o	0.232	0.944	0.588	2.992
ITFC	10	750	2.30	5	3	original	ϕ_o	0.311	0.920	0.615	3.008
ITFC	10	750	3.00	5	3	original	ϕ_o	0.528	0.796	0.662	3.055
ITFC	10	1000	2.00	5	3	original	ϕ_o	0.169	0.961	0.565	2.998
ITFC	10	1000	2.30	5	3	original	ϕ_o	0.219	0.950	0.585	3.014
ITFC	10	1000	3.00	5	3	original	ϕ_o	0.405	0.890	0.647	3.048
ITFC	10	10	2.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	10	2.30	3	2	original	ϕ_o	0.866	0.071	0.468	2.519
ITFC	10	10	3.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	10	100	2.00	3	2	original	ϕ_o	0.863	0.113	0.488	2.522
ITFC	10	100	2.30	3	2	original	ϕ_o	0.865	0.081	0.473	2.518

ITFC	10	100	3.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.519
ITFC	10	250	2.00	3	2	original	ϕ_o	0.843	0.374	0.609	2.539
ITFC	10	250	2.30	3	2	original	ϕ_o	0.857	0.207	0.532	2.526
ITFC	10	250	3.00	3	2	original	ϕ_o	0.864	0.084	0.474	2.516
ITFC	10	10	0.50	2	5	original	ϕ_o	0.781	0.878	0.829	4.364
ITFC	10	10	0.70	2	5	original	ϕ_o	0.849	0.762	0.805	4.298
ITFC	10	10	1.00	2	5	original	ϕ_o	0.938	0.485	0.711	2.856
ITFC	10	100	0.50	2	5	original	ϕ_o	0.533	0.966	0.750	4.132
ITFC	10	100	0.70	2	5	original	ϕ_o	0.664	0.932	0.798	4.366
ITFC	10	100	1.00	2	5	original	ϕ_o	0.774	0.856	0.815	4.368
ITFC	10	250	0.50	2	5	original	ϕ_o	0.321	0.987	0.654	3.853
ITFC	10	250	0.70	2	5	original	ϕ_o	0.479	0.971	0.725	4.229
ITFC	10	250	1.00	2	5	original	ϕ_o	0.620	0.936	0.778	4.378
ITFC	10	500	0.50	7	5	original	ϕ_o	0.030	1.000	0.515	1.660
ITFC	10	500	0.70	7	5	original	ϕ_o	0.040	1.000	0.520	1.989
ITFC	10	500	1.00	7	5	original	ϕ_o	0.053	0.999	0.526	2.234
ITFC	10	750	0.50	7	5	original	ϕ_o	0.024	1.000	0.512	1.635
ITFC	10	750	0.70	7	5	original	ϕ_o	0.033	1.000	0.516	1.963
ITFC	10	750	1.00	7	5	original	ϕ_o	0.045	0.999	0.522	2.211
ITFC	10	1000	0.50	7	5	original	ϕ_o	0.022	1.000	0.511	1.632
ITFC	10	1000	0.70	7	5	original	ϕ_o	0.031	1.000	0.515	1.962
ITFC	10	1000	1.00	7	5	original	ϕ_o	0.042	0.999	0.521	2.213
ITFC	10	500	1.25	4	3	original	ϕ_o	0.199	0.995	0.597	3.148
ITFC	10	500	1.50	4	3	original	ϕ_o	0.224	0.991	0.608	3.284
ITFC	10	500	1.70	4	3	original	ϕ_o	0.267	0.986	0.626	3.351
ITFC	10	750	1.25	4	3	original	ϕ_o	0.162	0.998	0.580	2.996
ITFC	10	750	1.50	4	3	original	ϕ_o	0.184	0.995	0.590	3.157
ITFC	10	750	1.70	4	3	original	ϕ_o	0.201	0.993	0.597	3.247
ITFC	10	1000	1.25	4	3	original	ϕ_o	0.134	0.999	0.566	2.892
ITFC	10	1000	1.50	4	3	original	ϕ_o	0.155	0.997	0.576	3.050
ITFC	10	1000	1.70	4	3	original	ϕ_o	0.170	0.995	0.583	3.157
ITFC	10	10	0.50	3	5	original	ϕ_o	0.458	0.895	0.677	3.539
ITFC	10	10	0.70	3	5	original	ϕ_o	0.616	0.759	0.687	3.461
ITFC	10	10	1.00	3	5	original	ϕ_o	0.829	0.355	0.592	2.500
ITFC	10	100	0.50	3	5	original	ϕ_o	0.204	0.978	0.591	3.401
ITFC	10	100	0.70	3	5	original	ϕ_o	0.285	0.956	0.621	3.596
ITFC	10	100	1.00	3	5	original	ϕ_o	0.418	0.899	0.658	3.550
ITFC	10	250	0.50	3	5	original	ϕ_o	0.112	0.991	0.552	3.071
ITFC	10	250	0.70	3	5	original	ϕ_o	0.182	0.980	0.581	3.442
ITFC	10	250	1.00	3	5	original	ϕ_o	0.257	0.961	0.609	3.570
ITFC	10	500	4.00	5	6	original	ϕ_o	0.623	0.712	0.668	3.173
ITFC	10	750	4.00	5	6	original	ϕ_o	0.570	0.787	0.678	3.155
ITFC	10	1000	4.00	5	6	original	ϕ_o	0.549	0.800	0.675	3.142
ITFC	10	500	4.00	6	5	original	ϕ_o	0.696	0.349	0.523	2.099
ITFC	10	750	4.00	6	5	original	ϕ_o	0.667	0.548	0.608	2.670
ITFC	10	1000	4.00	6	5	original	ϕ_o	0.658	0.574	0.616	2.669
ITFC	10	10	2.00	5	7	original	ϕ_o	0.747	0.110	0.428	2.760
ITFC	10	10	2.30	5	7	original	ϕ_o	0.747	0.103	0.425	2.759
ITFC	10	10	3.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.179
ITFC	10	100	2.00	5	7	original	ϕ_o	0.604	0.704	0.654	3.100
ITFC	10	100	2.30	5	7	original	ϕ_o	0.683	0.532	0.607	3.171
ITFC	10	100	3.00	5	7	original	ϕ_o	0.736	0.191	0.464	2.772
ITFC	10	250	2.00	5	7	original	ϕ_o	0.286	0.923	0.604	3.125
ITFC	10	250	2.30	5	7	original	ϕ_o	0.383	0.899	0.641	3.121
ITFC	10	250	3.00	5	7	original	ϕ_o	0.583	0.758	0.670	3.108
ITFC	10	10	2.00	4	4	original	ϕ_o	0.789	0.093	0.441	2.865
ITFC	10	10	2.30	4	4	original	ϕ_o	0.789	0.095	0.442	2.285
ITFC	10	10	3.00	4	4	original	ϕ_o	0.789	0.097	0.443	2.873
ITFC	10	100	2.00	4	4	original	ϕ_o	0.742	0.501	0.621	3.498
ITFC	10	100	2.30	4	4	original	ϕ_o	0.772	0.295	0.533	3.452
ITFC	10	100	3.00	4	4	original	ϕ_o	0.787	0.108	0.448	2.876
ITFC	10	250	2.00	4	4	original	ϕ_o	0.541	0.904	0.723	3.469
ITFC	10	250	2.30	4	4	original	ϕ_o	0.639	0.805	0.722	3.495
ITFC	10	250	3.00	4	4	original	ϕ_o	0.743	0.510	0.626	3.516

ITFC	10	500	0.20	3	7	original	ϕ_o	0.001	1.000	0.501	1.443
ITFC	10	750	0.20	3	7	original	ϕ_o	0.000	1.000	0.500	1.403
ITFC	10	1000	0.20	3	7	original	ϕ_o	0.000	1.000	0.500	1.390
ITFC	10	500	0.20	2	3	original	ϕ_o	0.025	1.000	0.512	2.081
ITFC	10	750	0.20	2	3	original	ϕ_o	0.011	1.000	0.506	1.918
ITFC	10	1000	0.20	2	3	original	ϕ_o	0.007	1.000	0.503	1.822
ITFC	10	10	1.25	2	4	original	ϕ_o	0.960	0.146	0.553	2.832
ITFC	10	10	1.50	2	4	original	ϕ_o	0.963	0.062	0.512	2.823
ITFC	10	10	1.70	2	4	original	ϕ_o	0.963	0.056	0.509	2.823
ITFC	10	100	1.25	2	4	original	ϕ_o	0.886	0.692	0.789	3.663
ITFC	10	100	1.50	2	4	original	ϕ_o	0.931	0.525	0.728	2.850
ITFC	10	100	1.70	2	4	original	ϕ_o	0.948	0.361	0.655	2.845
ITFC	10	250	1.25	2	4	original	ϕ_o	0.748	0.864	0.806	4.340
ITFC	10	250	1.50	2	4	original	ϕ_o	0.836	0.784	0.810	4.306
ITFC	10	250	1.70	2	4	original	ϕ_o	0.886	0.708	0.797	3.669
ITFC	10	500	1.25	6	3	original	ϕ_o	0.283	0.931	0.607	2.842
ITFC	10	500	1.50	6	3	original	ϕ_o	0.348	0.893	0.621	2.843
ITFC	10	500	1.70	6	3	original	ϕ_o	0.412	0.855	0.633	2.837
ITFC	10	750	1.25	6	3	original	ϕ_o	0.227	0.960	0.593	2.883
ITFC	10	750	1.50	6	3	original	ϕ_o	0.269	0.939	0.604	2.898
ITFC	10	750	1.70	6	3	original	ϕ_o	0.311	0.915	0.613	2.900
ITFC	10	1000	1.25	6	3	original	ϕ_o	0.188	0.976	0.582	2.938
ITFC	10	1000	1.50	6	3	original	ϕ_o	0.230	0.961	0.595	2.966
ITFC	10	1000	1.70	6	3	original	ϕ_o	0.266	0.947	0.606	2.978
ITFC	10	500	0.20	6	6	original	ϕ_o	0.002	1.000	0.501	1.302
ITFC	10	750	0.20	6	6	original	ϕ_o	0.001	1.000	0.501	1.283
ITFC	10	1000	0.20	6	6	original	ϕ_o	0.001	1.000	0.501	1.275
ITFC	10	10	0.20	6	2	original	ϕ_o	0.206	0.978	0.592	2.109
ITFC	10	100	0.20	6	2	original	ϕ_o	0.115	0.996	0.555	1.837
ITFC	10	250	0.20	6	2	original	ϕ_o	0.069	0.999	0.534	1.687
ITFC	10	500	1.25	2	5	original	ϕ_o	0.520	0.957	0.739	4.360
ITFC	10	500	1.50	2	5	original	ϕ_o	0.600	0.932	0.766	4.366
ITFC	10	500	1.70	2	5	original	ϕ_o	0.661	0.908	0.785	4.360
ITFC	10	750	1.25	2	5	original	ϕ_o	0.395	0.977	0.686	4.336
ITFC	10	750	1.50	2	5	original	ϕ_o	0.473	0.964	0.719	4.367
ITFC	10	750	1.70	2	5	original	ϕ_o	0.530	0.951	0.740	4.368
ITFC	10	1000	1.25	2	5	original	ϕ_o	0.334	0.987	0.660	4.328
ITFC	10	1000	1.50	2	5	original	ϕ_o	0.411	0.975	0.693	4.364
ITFC	10	1000	1.70	2	5	original	ϕ_o	0.471	0.964	0.718	4.376
ITFC	10	500	2.00	3	5	original	ϕ_o	0.398	0.901	0.650	3.527
ITFC	10	500	2.30	3	5	original	ϕ_o	0.533	0.844	0.688	3.520
ITFC	10	500	3.00	3	5	original	ϕ_o	0.740	0.662	0.701	3.099
ITFC	10	750	2.00	3	5	original	ϕ_o	0.274	0.952	0.613	3.573
ITFC	10	750	2.30	3	5	original	ϕ_o	0.361	0.923	0.642	3.566
ITFC	10	750	3.00	3	5	original	ϕ_o	0.608	0.801	0.704	3.544
ITFC	10	1000	2.00	3	5	original	ϕ_o	0.240	0.968	0.604	3.588
ITFC	10	1000	2.30	3	5	original	ϕ_o	0.295	0.949	0.622	3.601
ITFC	10	1000	3.00	3	5	original	ϕ_o	0.522	0.858	0.690	3.578
ITFC	10	10	1.25	3	3	original	ϕ_o	0.862	0.133	0.498	2.522
ITFC	10	10	1.50	3	3	original	ϕ_o	0.866	0.079	0.472	2.520
ITFC	10	10	1.70	3	3	original	ϕ_o	0.866	0.072	0.469	2.519
ITFC	10	100	1.25	3	3	original	ϕ_o	0.756	0.670	0.713	3.597
ITFC	10	100	1.50	3	3	original	ϕ_o	0.821	0.435	0.628	3.140
ITFC	10	100	1.70	3	3	original	ϕ_o	0.845	0.283	0.564	3.125
ITFC	10	250	1.25	3	3	original	ϕ_o	0.519	0.878	0.699	3.638
ITFC	10	250	1.50	3	3	original	ϕ_o	0.678	0.768	0.723	3.601
ITFC	10	250	1.70	3	3	original	ϕ_o	0.757	0.669	0.713	3.141
ITFC	10	10	0.50	5	4	original	ϕ_o	0.315	0.913	0.614	2.960
ITFC	10	10	0.70	5	4	original	ϕ_o	0.438	0.808	0.623	2.882
ITFC	10	10	1.00	5	4	original	ϕ_o	0.674	0.441	0.558	3.098
ITFC	10	100	0.50	5	4	original	ϕ_o	0.151	0.969	0.560	2.774
ITFC	10	100	0.70	5	4	original	ϕ_o	0.209	0.947	0.578	2.977
ITFC	10	100	1.00	5	4	original	ϕ_o	0.309	0.908	0.609	2.948
ITFC	10	250	0.50	5	4	original	ϕ_o	0.095	0.984	0.539	2.516

ITFC	10	250	0.70	5	4	original	ϕ_o	0.137	0.971	0.554	2.860
ITFC	10	250	1.00	5	4	original	ϕ_o	0.186	0.949	0.568	2.985
ITFC	10	500	0.50	4	7	original	ϕ_o	0.033	1.000	0.516	1.910
ITFC	10	500	0.70	4	7	original	ϕ_o	0.063	1.000	0.531	2.350
ITFC	10	500	1.00	4	7	original	ϕ_o	0.104	1.000	0.552	2.732
ITFC	10	750	0.50	4	7	original	ϕ_o	0.020	1.000	0.510	1.865
ITFC	10	750	0.70	4	7	original	ϕ_o	0.046	1.000	0.523	2.303
ITFC	10	750	1.00	4	7	original	ϕ_o	0.083	1.000	0.541	2.689
ITFC	10	1000	0.50	4	7	original	ϕ_o	0.016	1.000	0.508	1.860
ITFC	10	1000	0.70	4	7	original	ϕ_o	0.040	1.000	0.520	2.300
ITFC	10	1000	1.00	4	7	original	ϕ_o	0.076	1.000	0.538	2.683
ITFC	10	500	4.00	3	2	original	ϕ_o	0.863	0.086	0.475	2.513
ITFC	10	750	4.00	3	2	original	ϕ_o	0.858	0.165	0.511	2.516
ITFC	10	1000	4.00	3	2	original	ϕ_o	0.844	0.337	0.591	2.531
ITFC	10	10	2.00	5	6	original	ϕ_o	0.748	0.107	0.428	2.181
ITFC	10	10	2.30	5	6	original	ϕ_o	0.748	0.102	0.425	2.760
ITFC	10	10	3.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	100	2.00	5	6	original	ϕ_o	0.647	0.617	0.632	3.126
ITFC	10	100	2.30	5	6	original	ϕ_o	0.707	0.410	0.558	3.182
ITFC	10	100	3.00	5	6	original	ϕ_o	0.741	0.145	0.443	2.761
ITFC	10	250	2.00	5	6	original	ϕ_o	0.341	0.910	0.626	3.109
ITFC	10	250	2.30	5	6	original	ϕ_o	0.449	0.872	0.661	3.102
ITFC	10	250	3.00	5	6	original	ϕ_o	0.634	0.664	0.649	3.124
ITFC	10	10	0.20	3	6	original	ϕ_o	0.147	0.983	0.565	2.585
ITFC	10	100	0.20	3	6	original	ϕ_o	0.023	0.998	0.511	1.912
ITFC	10	250	0.20	3	6	original	ϕ_o	0.006	1.000	0.503	1.641
ITFC	10	10	0.50	2	4	original	ϕ_o	0.791	0.866	0.829	4.363
ITFC	10	10	0.70	2	4	original	ϕ_o	0.861	0.730	0.796	3.651
ITFC	10	10	1.00	2	4	original	ϕ_o	0.945	0.433	0.689	2.857
ITFC	10	100	0.50	2	4	original	ϕ_o	0.565	0.959	0.762	4.182
ITFC	10	100	0.70	2	4	original	ϕ_o	0.689	0.919	0.804	4.373
ITFC	10	100	1.00	2	4	original	ϕ_o	0.803	0.822	0.812	4.346
ITFC	10	250	0.50	2	4	original	ϕ_o	0.381	0.981	0.681	3.935
ITFC	10	250	0.70	2	4	original	ϕ_o	0.528	0.960	0.744	4.269
ITFC	10	250	1.00	2	4	original	ϕ_o	0.659	0.918	0.788	4.360
ITFC	10	500	2.00	6	6	original	ϕ_o	0.346	0.923	0.634	3.025
ITFC	10	500	2.30	6	6	original	ϕ_o	0.427	0.880	0.653	3.018
ITFC	10	500	3.00	6	6	original	ϕ_o	0.582	0.718	0.650	2.992
ITFC	10	750	2.00	6	6	original	ϕ_o	0.283	0.949	0.616	3.082
ITFC	10	750	2.30	6	6	original	ϕ_o	0.361	0.922	0.642	3.083
ITFC	10	750	3.00	6	6	original	ϕ_o	0.530	0.815	0.672	3.076
ITFC	10	1000	2.00	6	6	original	ϕ_o	0.275	0.952	0.614	3.081
ITFC	10	1000	2.30	6	6	original	ϕ_o	0.352	0.924	0.638	3.082
ITFC	10	1000	3.00	6	6	original	ϕ_o	0.525	0.819	0.672	3.074
ITFC	10	10	2.00	7	5	original	ϕ_o	0.682	0.128	0.405	2.389
ITFC	10	10	2.30	7	5	original	ϕ_o	0.683	0.115	0.399	2.388
ITFC	10	10	3.00	7	5	original	ϕ_o	0.684	0.108	0.396	2.733
ITFC	10	100	2.00	7	5	original	ϕ_o	0.444	0.835	0.639	2.755
ITFC	10	100	2.30	7	5	original	ϕ_o	0.532	0.689	0.611	2.741
ITFC	10	100	3.00	7	5	original	ϕ_o	0.628	0.361	0.495	2.694
ITFC	10	250	2.00	7	5	original	ϕ_o	0.151	0.978	0.564	2.625
ITFC	10	250	2.30	7	5	original	ϕ_o	0.205	0.965	0.585	2.649
ITFC	10	250	3.00	7	5	original	ϕ_o	0.391	0.868	0.629	2.664
ITFC	10	10	2.00	2	4	original	ϕ_o	0.963	0.056	0.510	2.824
ITFC	10	10	2.30	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	10	3.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	2.00	2	4	original	ϕ_o	0.958	0.158	0.558	2.834
ITFC	10	100	2.30	2	4	original	ϕ_o	0.961	0.073	0.517	2.821
ITFC	10	100	3.00	2	4	original	ϕ_o	0.962	0.055	0.509	2.819
ITFC	10	250	2.00	2	4	original	ϕ_o	0.925	0.575	0.750	3.657
ITFC	10	250	2.30	2	4	original	ϕ_o	0.945	0.411	0.678	3.630
ITFC	10	250	3.00	2	4	original	ϕ_o	0.958	0.118	0.538	2.826
ITFC	10	10	2.00	7	4	original	ϕ_o	0.683	0.119	0.401	2.389
ITFC	10	10	2.30	7	4	original	ϕ_o	0.683	0.109	0.396	2.388

ITFC	10	10	3.00	7	4	original	ϕ_o	0.684	0.108	0.396	2.391
ITFC	10	100	2.00	7	4	original	ϕ_o	0.526	0.631	0.579	2.654
ITFC	10	100	2.30	7	4	original	ϕ_o	0.586	0.467	0.526	2.642
ITFC	10	100	3.00	7	4	original	ϕ_o	0.652	0.235	0.444	2.656
ITFC	10	250	2.00	7	4	original	ϕ_o	0.203	0.953	0.578	2.573
ITFC	10	250	2.30	7	4	original	ϕ_o	0.293	0.917	0.605	2.590
ITFC	10	250	3.00	7	4	original	ϕ_o	0.481	0.716	0.599	2.604
ITFC	10	500	0.50	4	5	original	ϕ_o	0.056	1.000	0.528	2.028
ITFC	10	500	0.70	4	5	original	ϕ_o	0.096	1.000	0.548	2.441
ITFC	10	500	1.00	4	5	original	ϕ_o	0.140	0.999	0.569	2.757
ITFC	10	750	0.50	4	5	original	ϕ_o	0.030	1.000	0.515	1.929
ITFC	10	750	0.70	4	5	original	ϕ_o	0.062	1.000	0.531	2.332
ITFC	10	750	1.00	4	5	original	ϕ_o	0.103	0.999	0.551	2.668
ITFC	10	1000	0.50	4	5	original	ϕ_o	0.017	1.000	0.508	1.896
ITFC	10	1000	0.70	4	5	original	ϕ_o	0.042	1.000	0.521	2.303
ITFC	10	1000	1.00	4	5	original	ϕ_o	0.078	1.000	0.539	2.644
ITFC	10	500	2.00	5	4	original	ϕ_o	0.262	0.930	0.596	3.015
ITFC	10	500	2.30	5	4	original	ϕ_o	0.343	0.910	0.627	3.033
ITFC	10	500	3.00	5	4	original	ϕ_o	0.546	0.787	0.667	3.066
ITFC	10	750	2.00	5	4	original	ϕ_o	0.182	0.952	0.567	3.004
ITFC	10	750	2.30	5	4	original	ϕ_o	0.224	0.942	0.583	3.016
ITFC	10	750	3.00	5	4	original	ϕ_o	0.387	0.894	0.641	3.045
ITFC	10	1000	2.00	5	4	original	ϕ_o	0.148	0.965	0.557	2.992
ITFC	10	1000	2.30	5	4	original	ϕ_o	0.176	0.957	0.567	3.007
ITFC	10	1000	3.00	5	4	original	ϕ_o	0.295	0.928	0.612	3.032
ITFC	10	10	0.20	4	5	original	ϕ_o	0.152	0.998	0.575	1.990
ITFC	10	100	0.20	4	5	original	ϕ_o	0.061	1.000	0.530	1.384
ITFC	10	250	0.20	4	5	original	ϕ_o	0.023	1.000	0.512	1.175
ITFC	10	10	2.00	6	5	original	ϕ_o	0.731	0.051	0.391	2.092
ITFC	10	10	2.30	6	5	original	ϕ_o	0.732	0.052	0.392	2.095
ITFC	10	10	3.00	6	5	original	ϕ_o	0.732	0.052	0.392	1.434
ITFC	10	100	2.00	6	5	original	ϕ_o	0.695	0.266	0.480	2.059
ITFC	10	100	2.30	6	5	original	ϕ_o	0.710	0.151	0.431	2.062
ITFC	10	100	3.00	6	5	original	ϕ_o	0.722	0.061	0.392	2.067
ITFC	10	250	2.00	6	5	original	ϕ_o	0.572	0.701	0.636	2.932
ITFC	10	250	2.30	6	5	original	ϕ_o	0.633	0.548	0.591	2.052
ITFC	10	250	3.00	6	5	original	ϕ_o	0.699	0.248	0.474	2.066
ITFC	10	10	0.50	4	4	original	ϕ_o	0.312	0.962	0.637	3.091
ITFC	10	10	0.70	4	4	original	ϕ_o	0.415	0.895	0.655	3.208
ITFC	10	10	1.00	4	4	original	ϕ_o	0.696	0.615	0.656	3.394
ITFC	10	100	0.50	4	4	original	ϕ_o	0.197	0.997	0.597	2.719
ITFC	10	100	0.70	4	4	original	ϕ_o	0.243	0.991	0.617	3.007
ITFC	10	100	1.00	4	4	original	ϕ_o	0.290	0.977	0.633	3.244
ITFC	10	250	0.50	4	4	original	ϕ_o	0.122	1.000	0.561	2.356
ITFC	10	250	0.70	4	4	original	ϕ_o	0.169	0.998	0.584	2.755
ITFC	10	250	1.00	4	4	original	ϕ_o	0.215	0.995	0.605	3.047
ITFC	10	500	2.00	3	7	original	ϕ_o	0.301	0.949	0.625	3.584
ITFC	10	500	2.30	3	7	original	ϕ_o	0.409	0.910	0.660	3.588
ITFC	10	500	3.00	3	7	original	ϕ_o	0.668	0.763	0.716	3.138
ITFC	10	750	2.00	3	7	original	ϕ_o	0.255	0.968	0.611	3.589
ITFC	10	750	2.30	3	7	original	ϕ_o	0.315	0.946	0.631	3.606
ITFC	10	750	3.00	3	7	original	ϕ_o	0.566	0.842	0.704	3.601
ITFC	10	1000	2.00	3	7	original	ϕ_o	0.250	0.968	0.609	3.560
ITFC	10	1000	2.30	3	7	original	ϕ_o	0.303	0.947	0.625	3.573
ITFC	10	1000	3.00	3	7	original	ϕ_o	0.541	0.846	0.693	3.566
ITFC	10	10	0.50	4	7	original	ϕ_o	0.293	0.980	0.637	3.166
ITFC	10	10	0.70	4	7	original	ϕ_o	0.364	0.944	0.654	3.310
ITFC	10	10	1.00	4	7	original	ϕ_o	0.659	0.739	0.699	3.452
ITFC	10	100	0.50	4	7	original	ϕ_o	0.146	0.999	0.573	2.532
ITFC	10	100	0.70	4	7	original	ϕ_o	0.198	0.997	0.598	2.953
ITFC	10	100	1.00	4	7	original	ϕ_o	0.248	0.990	0.619	3.263
ITFC	10	250	0.50	4	7	original	ϕ_o	0.077	1.000	0.538	2.139
ITFC	10	250	0.70	4	7	original	ϕ_o	0.119	1.000	0.559	2.594
ITFC	10	250	1.00	4	7	original	ϕ_o	0.164	0.999	0.581	2.974

ITFC	10	500	0.20	7	5	original	ϕ_o	0.011	1.000	0.505	0.821
ITFC	10	750	0.20	7	5	original	ϕ_o	0.008	1.000	0.504	0.807
ITFC	10	1000	0.20	7	5	original	ϕ_o	0.006	1.000	0.503	0.802
ITFC	10	500	4.00	3	6	original	ϕ_o	0.817	0.478	0.647	3.101
ITFC	10	750	4.00	3	6	original	ϕ_o	0.773	0.611	0.692	3.120
ITFC	10	1000	4.00	3	6	original	ϕ_o	0.759	0.627	0.693	3.541
ITFC	10	10	4.00	4	7	original	ϕ_o	0.789	0.097	0.443	2.872
ITFC	10	100	4.00	4	7	original	ϕ_o	0.786	0.104	0.445	2.865
ITFC	10	250	4.00	4	7	original	ϕ_o	0.766	0.394	0.580	3.513
ITFC	10	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	4.00	2	6	original	ϕ_o	0.963	0.055	0.509	2.824
ITFC	10	250	4.00	2	6	original	ϕ_o	0.961	0.078	0.520	2.822
ITFC	10	10	0.50	6	4	original	ϕ_o	0.433	0.873	0.653	2.889
ITFC	10	10	0.70	6	4	original	ϕ_o	0.568	0.669	0.619	2.527
ITFC	10	10	1.00	6	4	original	ϕ_o	0.697	0.322	0.509	2.085
ITFC	10	100	0.50	6	4	original	ϕ_o	0.242	0.971	0.607	2.745
ITFC	10	100	0.70	6	4	original	ϕ_o	0.329	0.930	0.630	2.894
ITFC	10	100	1.00	6	4	original	ϕ_o	0.462	0.827	0.644	2.892
ITFC	10	250	0.50	6	4	original	ϕ_o	0.145	0.991	0.568	2.509
ITFC	10	250	0.70	6	4	original	ϕ_o	0.214	0.972	0.593	2.809
ITFC	10	250	1.00	6	4	original	ϕ_o	0.298	0.932	0.615	2.876
ITFC	10	10	1.25	6	3	original	ϕ_o	0.725	0.105	0.415	2.091
ITFC	10	10	1.50	6	3	original	ϕ_o	0.729	0.058	0.394	2.092
ITFC	10	10	1.70	6	3	original	ϕ_o	0.731	0.052	0.391	2.093
ITFC	10	100	1.25	6	3	original	ϕ_o	0.621	0.590	0.605	2.544
ITFC	10	100	1.50	6	3	original	ϕ_o	0.680	0.376	0.528	2.058
ITFC	10	100	1.70	6	3	original	ϕ_o	0.701	0.233	0.467	2.065
ITFC	10	250	1.25	6	3	original	ϕ_o	0.435	0.850	0.642	2.850
ITFC	10	250	1.50	6	3	original	ϕ_o	0.538	0.747	0.642	2.520
ITFC	10	250	1.70	6	3	original	ϕ_o	0.602	0.629	0.616	2.533
ITFC	10	10	0.20	2	5	original	ϕ_o	0.389	0.983	0.686	3.154
ITFC	10	100	0.20	2	5	original	ϕ_o	0.111	0.997	0.554	2.457
ITFC	10	250	0.20	2	5	original	ϕ_o	0.030	1.000	0.515	2.098
ITFC	10	10	0.20	5	4	original	ϕ_o	0.126	0.983	0.555	2.022
ITFC	10	100	0.20	5	4	original	ϕ_o	0.042	0.996	0.519	1.548
ITFC	10	250	0.20	5	4	original	ϕ_o	0.019	0.999	0.509	1.320
ITFC	10	500	0.20	6	5	original	ϕ_o	0.005	1.000	0.503	1.332
ITFC	10	750	0.20	6	5	original	ϕ_o	0.002	1.000	0.501	1.302
ITFC	10	1000	0.20	6	5	original	ϕ_o	0.001	1.000	0.500	1.289
ITFC	10	10	4.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	100	4.00	3	4	original	ϕ_o	0.866	0.072	0.469	1.712
ITFC	10	250	4.00	3	4	original	ϕ_o	0.864	0.082	0.473	2.516
ITFC	10	500	0.20	7	2	original	ϕ_o	0.039	1.000	0.519	0.993
ITFC	10	750	0.20	7	2	original	ϕ_o	0.031	1.000	0.516	0.909
ITFC	10	1000	0.20	7	2	original	ϕ_o	0.026	1.000	0.513	0.870
ITFC	10	500	1.25	2	2	original	ϕ_o	0.720	0.867	0.793	4.312
ITFC	10	500	1.50	2	2	original	ϕ_o	0.810	0.788	0.799	4.241
ITFC	10	500	1.70	2	2	original	ϕ_o	0.871	0.713	0.792	3.658
ITFC	10	750	1.25	2	2	original	ϕ_o	0.625	0.912	0.768	4.326
ITFC	10	750	1.50	2	2	original	ϕ_o	0.712	0.863	0.788	4.286
ITFC	10	750	1.70	2	2	original	ϕ_o	0.782	0.812	0.797	4.241
ITFC	10	1000	1.25	2	2	original	ϕ_o	0.548	0.936	0.742	4.322
ITFC	10	1000	1.50	2	2	original	ϕ_o	0.630	0.903	0.767	4.301
ITFC	10	1000	1.70	2	2	original	ϕ_o	0.697	0.868	0.782	4.276
ITFC	10	500	0.20	5	3	original	ϕ_o	0.008	1.000	0.504	1.216
ITFC	10	750	0.20	5	3	original	ϕ_o	0.003	1.000	0.501	1.137
ITFC	10	1000	0.20	5	3	original	ϕ_o	0.002	1.000	0.501	1.095
ITFC	10	500	2.00	5	6	original	ϕ_o	0.190	0.949	0.570	3.143
ITFC	10	500	2.30	5	6	original	ϕ_o	0.240	0.940	0.590	3.159
ITFC	10	500	3.00	5	6	original	ϕ_o	0.418	0.901	0.660	3.165
ITFC	10	750	2.00	5	6	original	ϕ_o	0.162	0.960	0.561	3.106
ITFC	10	750	2.30	5	6	original	ϕ_o	0.195	0.952	0.573	3.122
ITFC	10	750	3.00	5	6	original	ϕ_o	0.346	0.921	0.634	3.148
ITFC	10	1000	2.00	5	6	original	ϕ_o	0.149	0.967	0.558	3.092

ITFC	10	1000	2.30	5	6	original	ϕ_o	0.180	0.959	0.569	3.101
ITFC	10	1000	3.00	5	6	original	ϕ_o	0.321	0.929	0.625	3.126
ITFC	10	500	0.20	7	3	original	ϕ_o	0.032	1.000	0.516	0.908
ITFC	10	750	0.20	7	3	original	ϕ_o	0.026	1.000	0.513	0.856
ITFC	10	1000	0.20	7	3	original	ϕ_o	0.020	1.000	0.510	0.846
ITFC	10	10	0.50	4	2	original	ϕ_o	0.338	0.932	0.635	3.081
ITFC	10	10	0.70	4	2	original	ϕ_o	0.559	0.808	0.684	3.288
ITFC	10	10	1.00	4	2	original	ϕ_o	0.734	0.465	0.600	3.406
ITFC	10	100	0.50	4	2	original	ϕ_o	0.232	0.982	0.607	2.821
ITFC	10	100	0.70	4	2	original	ϕ_o	0.278	0.971	0.624	3.064
ITFC	10	100	1.00	4	2	original	ϕ_o	0.464	0.912	0.688	3.305
ITFC	10	250	0.50	4	2	original	ϕ_o	0.182	0.992	0.587	2.605
ITFC	10	250	0.70	4	2	original	ϕ_o	0.221	0.986	0.603	2.906
ITFC	10	250	1.00	4	2	original	ϕ_o	0.271	0.974	0.623	3.194
ITFC	10	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
ITFC	10	100	4.00	7	2	original	ϕ_o	0.679	0.107	0.393	2.366
ITFC	10	250	4.00	7	2	original	ϕ_o	0.661	0.133	0.397	2.637
ITFC	10	500	0.50	4	2	original	ϕ_o	0.135	0.998	0.567	2.364
ITFC	10	500	0.70	4	2	original	ϕ_o	0.171	0.996	0.584	2.717
ITFC	10	500	1.00	4	2	original	ϕ_o	0.208	0.991	0.599	3.032
ITFC	10	750	0.50	4	2	original	ϕ_o	0.105	0.999	0.552	2.199
ITFC	10	750	0.70	4	2	original	ϕ_o	0.138	0.998	0.568	2.581
ITFC	10	750	1.00	4	2	original	ϕ_o	0.175	0.996	0.585	2.906
ITFC	10	1000	0.50	4	2	original	ϕ_o	0.084	1.000	0.542	2.087
ITFC	10	1000	0.70	4	2	original	ϕ_o	0.114	0.999	0.556	2.473
ITFC	10	1000	1.00	4	2	original	ϕ_o	0.148	0.998	0.573	2.800
ITFC	10	10	1.25	7	7	original	ϕ_o	0.617	0.315	0.466	2.648
ITFC	10	10	1.50	7	7	original	ϕ_o	0.662	0.196	0.429	2.351
ITFC	10	10	1.70	7	7	original	ϕ_o	0.675	0.152	0.414	1.927
ITFC	10	100	1.25	7	7	original	ϕ_o	0.135	0.989	0.562	2.725
ITFC	10	100	1.50	7	7	original	ϕ_o	0.174	0.980	0.577	2.780
ITFC	10	100	1.70	7	7	original	ϕ_o	0.248	0.967	0.607	2.800
ITFC	10	250	1.25	7	7	original	ϕ_o	0.080	0.997	0.538	2.452
ITFC	10	250	1.50	7	7	original	ϕ_o	0.092	0.996	0.544	2.545
ITFC	10	250	1.70	7	7	original	ϕ_o	0.103	0.994	0.548	2.609
ITFC	10	500	0.20	5	6	original	ϕ_o	0.003	1.000	0.502	1.073
ITFC	10	750	0.20	5	6	original	ϕ_o	0.001	1.000	0.501	1.034
ITFC	10	1000	0.20	5	6	original	ϕ_o	0.001	1.000	0.501	1.025
ITFC	10	10	0.50	7	7	original	ϕ_o	0.187	0.968	0.578	2.530
ITFC	10	10	0.70	7	7	original	ϕ_o	0.273	0.903	0.588	2.550
ITFC	10	10	1.00	7	7	original	ϕ_o	0.534	0.615	0.574	2.677
ITFC	10	100	0.50	7	7	original	ϕ_o	0.064	0.999	0.532	2.053
ITFC	10	100	0.70	7	7	original	ϕ_o	0.087	0.997	0.542	2.391
ITFC	10	100	1.00	7	7	original	ϕ_o	0.113	0.994	0.553	2.618
ITFC	10	250	0.50	7	7	original	ϕ_o	0.036	1.000	0.518	1.717
ITFC	10	250	0.70	7	7	original	ϕ_o	0.050	1.000	0.525	2.071
ITFC	10	250	1.00	7	7	original	ϕ_o	0.067	0.999	0.533	2.339
ITFC	10	10	1.25	3	4	original	ϕ_o	0.861	0.132	0.496	2.516
ITFC	10	10	1.50	3	4	original	ϕ_o	0.865	0.079	0.472	2.521
ITFC	10	10	1.70	3	4	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	10	100	1.25	3	4	original	ϕ_o	0.697	0.744	0.721	3.584
ITFC	10	100	1.50	3	4	original	ϕ_o	0.794	0.534	0.664	3.135
ITFC	10	100	1.70	3	4	original	ϕ_o	0.829	0.360	0.594	2.508
ITFC	10	250	1.25	3	4	original	ϕ_o	0.366	0.922	0.644	3.585
ITFC	10	250	1.50	3	4	original	ϕ_o	0.549	0.849	0.699	3.578
ITFC	10	250	1.70	3	4	original	ϕ_o	0.667	0.770	0.718	3.556
ITFC	10	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	4.00	2	4	original	ϕ_o	0.963	0.056	0.510	2.822
ITFC	10	250	4.00	2	4	original	ϕ_o	0.960	0.057	0.509	2.816
ITFC	10	10	1.25	2	5	original	ϕ_o	0.959	0.186	0.573	2.838
ITFC	10	10	1.50	2	5	original	ϕ_o	0.963	0.065	0.514	2.823
ITFC	10	10	1.70	2	5	original	ϕ_o	0.963	0.056	0.510	2.822
ITFC	10	100	1.25	2	5	original	ϕ_o	0.856	0.754	0.805	3.671
ITFC	10	100	1.50	2	5	original	ϕ_o	0.914	0.612	0.763	3.659

ITFC	10	100	1.70	2	5	original	ϕ_o	0.940	0.461	0.701	2.850
ITFC	10	250	1.25	2	5	original	ϕ_o	0.702	0.897	0.799	4.374
ITFC	10	250	1.50	2	5	original	ϕ_o	0.782	0.839	0.811	4.341
ITFC	10	250	1.70	2	5	original	ϕ_o	0.841	0.783	0.812	4.303
ITFC	10	500	0.50	5	2	original	ϕ_o	0.100	0.967	0.534	2.497
ITFC	10	500	0.70	5	2	original	ϕ_o	0.134	0.954	0.544	2.813
ITFC	10	500	1.00	5	2	original	ϕ_o	0.186	0.940	0.563	2.958
ITFC	10	750	0.50	5	2	original	ϕ_o	0.079	0.975	0.527	2.344
ITFC	10	750	0.70	5	2	original	ϕ_o	0.109	0.963	0.536	2.724
ITFC	10	750	1.00	5	2	original	ϕ_o	0.145	0.950	0.547	2.930
ITFC	10	1000	0.50	5	2	original	ϕ_o	0.064	0.981	0.522	2.240
ITFC	10	1000	0.70	5	2	original	ϕ_o	0.090	0.970	0.530	2.637
ITFC	10	1000	1.00	5	2	original	ϕ_o	0.122	0.958	0.540	2.899
ITFC	10	10	0.20	4	3	original	ϕ_o	0.169	0.998	0.583	2.141
ITFC	10	100	0.20	4	3	original	ϕ_o	0.080	1.000	0.540	1.520
ITFC	10	250	0.20	4	3	original	ϕ_o	0.043	1.000	0.521	1.288
ITFC	10	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	100	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.763
ITFC	10	250	4.00	5	2	original	ϕ_o	0.746	0.104	0.425	2.171
ITFC	10	10	0.20	4	7	original	ϕ_o	0.135	0.999	0.567	1.795
ITFC	10	100	0.20	4	7	original	ϕ_o	0.039	1.000	0.519	1.244
ITFC	10	250	0.20	4	7	original	ϕ_o	0.012	1.000	0.506	1.081
ITFC	10	10	0.50	7	3	original	ϕ_o	0.241	0.930	0.586	2.513
ITFC	10	10	0.70	7	3	original	ϕ_o	0.467	0.666	0.567	2.528
ITFC	10	10	1.00	7	3	original	ϕ_o	0.620	0.360	0.490	2.672
ITFC	10	100	0.50	7	3	original	ϕ_o	0.097	0.988	0.542	2.304
ITFC	10	100	0.70	7	3	original	ϕ_o	0.128	0.976	0.552	2.407
ITFC	10	100	1.00	7	3	original	ϕ_o	0.201	0.937	0.569	2.457
ITFC	10	250	0.50	7	3	original	ϕ_o	0.070	0.996	0.533	2.043
ITFC	10	250	0.70	7	3	original	ϕ_o	0.085	0.992	0.539	2.252
ITFC	10	250	1.00	7	3	original	ϕ_o	0.114	0.981	0.548	2.355
ITFC	10	500	2.00	6	4	original	ϕ_o	0.432	0.830	0.631	2.829
ITFC	10	500	2.30	6	4	original	ϕ_o	0.520	0.746	0.633	2.517
ITFC	10	500	3.00	6	4	original	ϕ_o	0.650	0.471	0.561	2.524
ITFC	10	750	2.00	6	4	original	ϕ_o	0.337	0.904	0.621	2.930
ITFC	10	750	2.30	6	4	original	ϕ_o	0.417	0.857	0.637	2.913
ITFC	10	750	3.00	6	4	original	ϕ_o	0.577	0.702	0.640	2.896
ITFC	10	1000	2.00	6	4	original	ϕ_o	0.307	0.936	0.622	3.011
ITFC	10	1000	2.30	6	4	original	ϕ_o	0.384	0.900	0.642	3.010
ITFC	10	1000	3.00	6	4	original	ϕ_o	0.547	0.771	0.659	2.997
ITFC	10	500	2.00	5	2	original	ϕ_o	0.567	0.757	0.662	3.079
ITFC	10	500	2.30	5	2	original	ϕ_o	0.650	0.585	0.618	3.140
ITFC	10	500	3.00	5	2	original	ϕ_o	0.728	0.242	0.485	2.557
ITFC	10	750	2.00	5	2	original	ϕ_o	0.408	0.882	0.645	3.030
ITFC	10	750	2.30	5	2	original	ϕ_o	0.521	0.815	0.668	3.061
ITFC	10	750	3.00	5	2	original	ϕ_o	0.678	0.499	0.589	3.133
ITFC	10	1000	2.00	5	2	original	ϕ_o	0.288	0.921	0.605	3.039
ITFC	10	1000	2.30	5	2	original	ϕ_o	0.388	0.893	0.641	3.050
ITFC	10	1000	3.00	5	2	original	ϕ_o	0.595	0.730	0.662	3.104
ITFC	10	10	0.20	5	3	original	ϕ_o	0.140	0.981	0.560	2.029
ITFC	10	100	0.20	5	3	original	ϕ_o	0.051	0.995	0.523	1.595
ITFC	10	250	0.20	5	3	original	ϕ_o	0.024	0.998	0.511	1.376
ITFC	10	500	0.20	3	2	original	ϕ_o	0.019	1.000	0.509	1.731
ITFC	10	750	0.20	3	2	original	ϕ_o	0.010	1.000	0.505	1.618
ITFC	10	1000	0.20	3	2	original	ϕ_o	0.006	1.000	0.503	1.543
ITFC	10	500	4.00	5	2	original	ϕ_o	0.741	0.115	0.428	2.158
ITFC	10	750	4.00	5	2	original	ϕ_o	0.732	0.177	0.455	2.704
ITFC	10	1000	4.00	5	2	original	ϕ_o	0.711	0.339	0.525	2.708
ITFC	10	500	2.00	6	3	original	ϕ_o	0.510	0.774	0.642	2.838
ITFC	10	500	2.30	6	3	original	ϕ_o	0.585	0.668	0.627	2.525
ITFC	10	500	3.00	6	3	original	ϕ_o	0.678	0.366	0.522	2.048
ITFC	10	750	2.00	6	3	original	ϕ_o	0.387	0.873	0.630	2.894
ITFC	10	750	2.30	6	3	original	ϕ_o	0.472	0.819	0.646	2.890
ITFC	10	750	3.00	6	3	original	ϕ_o	0.619	0.638	0.628	2.568

ITFC	10	1000	2.00	6	3	original	ϕ_o	0.336	0.917	0.627	2.991
ITFC	10	1000	2.30	6	3	original	ϕ_o	0.417	0.879	0.648	2.990
ITFC	10	1000	3.00	6	3	original	ϕ_o	0.578	0.742	0.660	2.978
ITFC	10	10	0.20	7	5	original	ϕ_o	0.094	0.997	0.546	1.656
ITFC	10	100	0.20	7	5	original	ϕ_o	0.033	1.000	0.516	1.056
ITFC	10	250	0.20	7	5	original	ϕ_o	0.019	1.000	0.510	0.882
ITFC	10	500	4.00	2	6	original	ϕ_o	0.946	0.422	0.684	2.855
ITFC	10	750	4.00	2	6	original	ϕ_o	0.923	0.607	0.765	3.687
ITFC	10	1000	4.00	2	6	original	ϕ_o	0.918	0.613	0.766	4.252
ITFC	10	500	0.20	6	3	original	ϕ_o	0.030	1.000	0.515	1.397
ITFC	10	750	0.20	6	3	original	ϕ_o	0.020	1.000	0.510	1.348
ITFC	10	1000	0.20	6	3	original	ϕ_o	0.012	1.000	0.506	1.327
ITFC	10	10	2.00	7	3	original	ϕ_o	0.682	0.117	0.400	2.740
ITFC	10	10	2.30	7	3	original	ϕ_o	0.682	0.109	0.396	2.386
ITFC	10	10	3.00	7	3	original	ϕ_o	0.684	0.109	0.396	2.392
ITFC	10	100	2.00	7	3	original	ϕ_o	0.604	0.408	0.506	2.316
ITFC	10	100	2.30	7	3	original	ϕ_o	0.647	0.289	0.468	2.683
ITFC	10	100	3.00	7	3	original	ϕ_o	0.677	0.162	0.419	2.382
ITFC	10	250	2.00	7	3	original	ϕ_o	0.345	0.832	0.588	2.498
ITFC	10	250	2.30	7	3	original	ϕ_o	0.446	0.730	0.588	2.533
ITFC	10	250	3.00	7	3	original	ϕ_o	0.587	0.453	0.520	2.606
ITFC	10	500	0.20	4	5	original	ϕ_o	0.006	1.000	0.503	1.056
ITFC	10	750	0.20	4	5	original	ϕ_o	0.002	1.000	0.501	1.014
ITFC	10	1000	0.20	4	5	original	ϕ_o	0.001	1.000	0.500	0.995
ITFC	10	10	0.50	6	2	original	ϕ_o	0.486	0.765	0.626	2.719
ITFC	10	10	0.70	6	2	original	ϕ_o	0.635	0.520	0.578	2.524
ITFC	10	10	1.00	6	2	original	ϕ_o	0.716	0.174	0.445	2.086
ITFC	10	100	0.50	6	2	original	ϕ_o	0.298	0.937	0.617	2.626
ITFC	10	100	0.70	6	2	original	ϕ_o	0.421	0.850	0.636	2.749
ITFC	10	100	1.00	6	2	original	ϕ_o	0.601	0.594	0.598	2.493
ITFC	10	250	0.50	6	2	original	ϕ_o	0.209	0.969	0.589	2.538
ITFC	10	250	0.70	6	2	original	ϕ_o	0.287	0.932	0.610	2.688
ITFC	10	250	1.00	6	2	original	ϕ_o	0.427	0.838	0.633	2.759
ITFC	10	500	1.25	6	2	original	ϕ_o	0.368	0.871	0.619	2.722
ITFC	10	500	1.50	6	2	original	ϕ_o	0.472	0.786	0.629	2.747
ITFC	10	500	1.70	6	2	original	ϕ_o	0.547	0.682	0.615	2.442
ITFC	10	750	1.25	6	2	original	ϕ_o	0.277	0.921	0.599	2.705
ITFC	10	750	1.50	6	2	original	ϕ_o	0.341	0.882	0.612	2.717
ITFC	10	750	1.70	6	2	original	ϕ_o	0.404	0.837	0.621	2.728
ITFC	10	1000	1.25	6	2	original	ϕ_o	0.229	0.949	0.589	2.699
ITFC	10	1000	1.50	6	2	original	ϕ_o	0.273	0.923	0.598	2.712
ITFC	10	1000	1.70	6	2	original	ϕ_o	0.315	0.898	0.606	2.720
ITFC	10	10	2.00	4	3	original	ϕ_o	0.788	0.094	0.441	2.866
ITFC	10	10	2.30	4	3	original	ϕ_o	0.788	0.095	0.442	2.867
ITFC	10	10	3.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	10	100	2.00	4	3	original	ϕ_o	0.753	0.411	0.582	2.929
ITFC	10	100	2.30	4	3	original	ϕ_o	0.776	0.229	0.502	3.391
ITFC	10	100	3.00	4	3	original	ϕ_o	0.787	0.101	0.444	2.866
ITFC	10	250	2.00	4	3	original	ϕ_o	0.613	0.838	0.725	3.479
ITFC	10	250	2.30	4	3	original	ϕ_o	0.681	0.709	0.695	3.499
ITFC	10	250	3.00	4	3	original	ϕ_o	0.761	0.376	0.569	2.300
ITFC	10	500	4.00	4	2	original	ϕ_o	0.774	0.192	0.483	2.874
ITFC	10	750	4.00	4	2	original	ϕ_o	0.750	0.400	0.575	3.405
ITFC	10	1000	4.00	4	2	original	ϕ_o	0.713	0.579	0.646	3.446
ITFC	10	500	0.50	7	2	original	ϕ_o	0.062	0.995	0.529	1.844
ITFC	10	500	0.70	7	2	original	ϕ_o	0.073	0.993	0.533	2.097
ITFC	10	500	1.00	7	2	original	ϕ_o	0.088	0.990	0.539	2.263
ITFC	10	750	0.50	7	2	original	ϕ_o	0.053	0.997	0.525	1.695
ITFC	10	750	0.70	7	2	original	ϕ_o	0.061	0.995	0.528	1.985
ITFC	10	750	1.00	7	2	original	ϕ_o	0.070	0.993	0.532	2.198
ITFC	10	1000	0.50	7	2	original	ϕ_o	0.047	0.998	0.522	1.649
ITFC	10	1000	0.70	7	2	original	ϕ_o	0.054	0.996	0.525	1.946
ITFC	10	1000	1.00	7	2	original	ϕ_o	0.062	0.994	0.528	2.189
ITFC	10	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825

ITFC	10	100	4.00	2	7	original	ϕ_o	0.963	0.055	0.509	2.822
ITFC	10	250	4.00	2	7	original	ϕ_o	0.960	0.101	0.530	2.823
ITFC	10	500	1.25	4	2	original	ϕ_o	0.239	0.985	0.612	3.234
ITFC	10	500	1.50	4	2	original	ϕ_o	0.333	0.970	0.651	3.339
ITFC	10	500	1.70	4	2	original	ϕ_o	0.439	0.943	0.691	3.381
ITFC	10	750	1.25	4	2	original	ϕ_o	0.198	0.993	0.595	3.116
ITFC	10	750	1.50	4	2	original	ϕ_o	0.225	0.989	0.607	3.280
ITFC	10	750	1.70	4	2	original	ϕ_o	0.279	0.981	0.630	3.344
ITFC	10	1000	1.25	4	2	original	ϕ_o	0.171	0.996	0.583	3.003
ITFC	10	1000	1.50	4	2	original	ϕ_o	0.191	0.994	0.592	3.188
ITFC	10	1000	1.70	4	2	original	ϕ_o	0.211	0.991	0.601	3.289
ITFC	10	500	0.50	2	4	original	ϕ_o	0.219	0.992	0.605	3.650
ITFC	10	500	0.70	2	4	original	ϕ_o	0.353	0.981	0.667	4.100
ITFC	10	500	1.00	2	4	original	ϕ_o	0.496	0.960	0.728	4.318
ITFC	10	750	0.50	2	4	original	ϕ_o	0.131	0.997	0.564	3.454
ITFC	10	750	0.70	2	4	original	ϕ_o	0.240	0.991	0.616	3.960
ITFC	10	750	1.00	2	4	original	ϕ_o	0.376	0.978	0.677	4.263
ITFC	10	1000	0.50	2	4	original	ϕ_o	0.086	0.999	0.543	3.354
ITFC	10	1000	0.70	2	4	original	ϕ_o	0.177	0.996	0.586	3.892
ITFC	10	1000	1.00	2	4	original	ϕ_o	0.303	0.987	0.645	4.230
ITFC	10	10	1.25	5	7	original	ϕ_o	0.706	0.386	0.546	3.179
ITFC	10	10	1.50	5	7	original	ϕ_o	0.740	0.192	0.466	2.779
ITFC	10	10	1.70	5	7	original	ϕ_o	0.745	0.138	0.441	2.773
ITFC	10	100	1.25	5	7	original	ϕ_o	0.274	0.923	0.599	3.097
ITFC	10	100	1.50	5	7	original	ϕ_o	0.379	0.893	0.636	3.069
ITFC	10	100	1.70	5	7	original	ϕ_o	0.481	0.839	0.660	3.060
ITFC	10	250	1.25	5	7	original	ϕ_o	0.161	0.953	0.557	3.127
ITFC	10	250	1.50	5	7	original	ϕ_o	0.189	0.944	0.567	3.132
ITFC	10	250	1.70	5	7	original	ϕ_o	0.219	0.937	0.578	3.125
ITFC	10	500	2.00	7	6	original	ϕ_o	0.096	0.993	0.544	2.539
ITFC	10	500	2.30	7	6	original	ϕ_o	0.114	0.989	0.551	2.595
ITFC	10	500	3.00	7	6	original	ϕ_o	0.209	0.967	0.588	2.694
ITFC	10	750	2.00	7	6	original	ϕ_o	0.087	0.994	0.541	2.523
ITFC	10	750	2.30	7	6	original	ϕ_o	0.104	0.990	0.547	2.591
ITFC	10	750	3.00	7	6	original	ϕ_o	0.165	0.973	0.569	2.691
ITFC	10	1000	2.00	7	6	original	ϕ_o	0.082	0.994	0.538	2.533
ITFC	10	1000	2.30	7	6	original	ϕ_o	0.099	0.991	0.545	2.605
ITFC	10	1000	3.00	7	6	original	ϕ_o	0.161	0.974	0.567	2.702
ITFC	10	10	2.00	4	6	original	ϕ_o	0.789	0.094	0.442	2.716
ITFC	10	10	2.30	4	6	original	ϕ_o	0.789	0.095	0.442	2.870
ITFC	10	10	3.00	4	6	original	ϕ_o	0.789	0.097	0.443	2.288
ITFC	10	100	2.00	4	6	original	ϕ_o	0.705	0.678	0.691	3.530
ITFC	10	100	2.30	4	6	original	ϕ_o	0.749	0.490	0.619	2.959
ITFC	10	100	3.00	4	6	original	ϕ_o	0.782	0.177	0.479	2.898
ITFC	10	250	2.00	4	6	original	ϕ_o	0.441	0.952	0.696	3.481
ITFC	10	250	2.30	4	6	original	ϕ_o	0.569	0.892	0.731	3.508
ITFC	10	250	3.00	4	6	original	ϕ_o	0.711	0.652	0.682	3.530
ITFC	10	500	1.25	3	5	original	ϕ_o	0.214	0.971	0.593	3.542
ITFC	10	500	1.50	3	5	original	ϕ_o	0.253	0.958	0.605	3.549
ITFC	10	500	1.70	3	5	original	ϕ_o	0.289	0.943	0.616	3.547
ITFC	10	750	1.25	3	5	original	ϕ_o	0.165	0.984	0.575	3.507
ITFC	10	750	1.50	3	5	original	ϕ_o	0.201	0.976	0.589	3.547
ITFC	10	750	1.70	3	5	original	ϕ_o	0.228	0.969	0.598	3.561
ITFC	10	1000	1.25	3	5	original	ϕ_o	0.141	0.990	0.565	3.498
ITFC	10	1000	1.50	3	5	original	ϕ_o	0.175	0.985	0.580	3.547
ITFC	10	1000	1.70	3	5	original	ϕ_o	0.201	0.979	0.590	3.567
ITFC	10	500	2.00	2	2	original	ϕ_o	0.921	0.594	0.758	3.648
ITFC	10	500	2.30	2	2	original	ϕ_o	0.945	0.461	0.703	2.862
ITFC	10	500	3.00	2	2	original	ϕ_o	0.960	0.169	0.564	2.840
ITFC	10	750	2.00	2	2	original	ϕ_o	0.867	0.720	0.794	3.655
ITFC	10	750	2.30	2	2	original	ϕ_o	0.912	0.621	0.767	3.642
ITFC	10	750	3.00	2	2	original	ϕ_o	0.950	0.365	0.657	2.851
ITFC	10	1000	2.00	2	2	original	ϕ_o	0.796	0.801	0.798	4.223
ITFC	10	1000	2.30	2	2	original	ϕ_o	0.867	0.720	0.794	3.647

ITFC	10	1000	3.00	2	2	original	ϕ_o	0.934	0.510	0.722	2.849
ITFC	10	10	0.20	6	3	original	ϕ_o	0.176	0.992	0.584	2.022
ITFC	10	100	0.20	6	3	original	ϕ_o	0.080	0.998	0.539	1.666
ITFC	10	250	0.20	6	3	original	ϕ_o	0.050	1.000	0.525	1.503
ITFC	10	10	2.00	2	5	original	ϕ_o	0.963	0.056	0.510	2.824
ITFC	10	10	2.30	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	10	3.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	2.00	2	5	original	ϕ_o	0.955	0.227	0.591	2.841
ITFC	10	100	2.30	2	5	original	ϕ_o	0.960	0.093	0.527	2.826
ITFC	10	100	3.00	2	5	original	ϕ_o	0.962	0.056	0.509	2.819
ITFC	10	250	2.00	2	5	original	ϕ_o	0.900	0.670	0.785	3.672
ITFC	10	250	2.30	2	5	original	ϕ_o	0.931	0.530	0.731	3.655
ITFC	10	250	3.00	2	5	original	ϕ_o	0.957	0.187	0.572	2.840
ITFC	10	10	0.50	6	5	original	ϕ_o	0.421	0.893	0.657	2.896
ITFC	10	10	0.70	6	5	original	ϕ_o	0.547	0.719	0.633	2.522
ITFC	10	10	1.00	6	5	original	ϕ_o	0.685	0.386	0.535	2.079
ITFC	10	100	0.50	6	5	original	ϕ_o	0.218	0.982	0.600	2.665
ITFC	10	100	0.70	6	5	original	ϕ_o	0.302	0.953	0.628	2.877
ITFC	10	100	1.00	6	5	original	ϕ_o	0.417	0.882	0.649	2.917
ITFC	10	250	0.50	6	5	original	ϕ_o	0.116	0.993	0.555	2.426
ITFC	10	250	0.70	6	5	original	ϕ_o	0.182	0.982	0.582	2.771
ITFC	10	250	1.00	6	5	original	ϕ_o	0.264	0.958	0.611	2.904
ITFC	10	10	2.00	2	6	original	ϕ_o	0.963	0.056	0.510	2.825
ITFC	10	10	2.30	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	10	3.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	2.00	2	6	original	ϕ_o	0.953	0.299	0.626	2.849
ITFC	10	100	2.30	2	6	original	ϕ_o	0.960	0.134	0.547	2.832
ITFC	10	100	3.00	2	6	original	ϕ_o	0.962	0.056	0.509	2.820
ITFC	10	250	2.00	2	6	original	ϕ_o	0.870	0.737	0.804	3.672
ITFC	10	250	2.30	2	6	original	ϕ_o	0.917	0.616	0.767	3.658
ITFC	10	250	3.00	2	6	original	ϕ_o	0.953	0.288	0.621	2.848
ITFC	10	10	2.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	10	10	2.30	3	6	original	ϕ_o	0.866	0.071	0.469	2.520
ITFC	10	10	3.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
ITFC	10	100	2.00	3	6	original	ϕ_o	0.830	0.333	0.581	2.500
ITFC	10	100	2.30	3	6	original	ϕ_o	0.853	0.206	0.529	2.513
ITFC	10	100	3.00	3	6	original	ϕ_o	0.864	0.091	0.478	2.520
ITFC	10	250	2.00	3	6	original	ϕ_o	0.641	0.777	0.709	3.518
ITFC	10	250	2.30	3	6	original	ϕ_o	0.742	0.654	0.698	3.495
ITFC	10	250	3.00	3	6	original	ϕ_o	0.834	0.344	0.589	3.072
ITFC	10	10	0.20	2	6	original	ϕ_o	0.382	0.982	0.682	3.154
ITFC	10	100	0.20	2	6	original	ϕ_o	0.093	0.998	0.545	2.427
ITFC	10	250	0.20	2	6	original	ϕ_o	0.024	1.000	0.512	2.054
ITFC	10	10	0.50	7	2	original	ϕ_o	0.308	0.844	0.576	2.393
ITFC	10	10	0.70	7	2	original	ϕ_o	0.508	0.585	0.546	2.525
ITFC	10	10	1.00	7	2	original	ϕ_o	0.649	0.298	0.474	2.389
ITFC	10	100	0.50	7	2	original	ϕ_o	0.120	0.979	0.549	2.218
ITFC	10	100	0.70	7	2	original	ϕ_o	0.162	0.948	0.555	2.330
ITFC	10	100	1.00	7	2	original	ϕ_o	0.316	0.861	0.588	2.498
ITFC	10	250	0.50	7	2	original	ϕ_o	0.083	0.991	0.537	2.048
ITFC	10	250	0.70	7	2	original	ϕ_o	0.101	0.986	0.543	2.228
ITFC	10	250	1.00	7	2	original	ϕ_o	0.144	0.965	0.555	2.350
ITFC	10	500	2.00	5	5	original	ϕ_o	0.215	0.946	0.580	3.149
ITFC	10	500	2.30	5	5	original	ϕ_o	0.280	0.934	0.607	3.162
ITFC	10	500	3.00	5	5	original	ϕ_o	0.467	0.881	0.674	3.176
ITFC	10	750	2.00	5	5	original	ϕ_o	0.169	0.959	0.564	3.099
ITFC	10	750	2.30	5	5	original	ϕ_o	0.206	0.950	0.578	3.114
ITFC	10	750	3.00	5	5	original	ϕ_o	0.362	0.914	0.638	3.145
ITFC	10	1000	2.00	5	5	original	ϕ_o	0.150	0.967	0.558	3.066
ITFC	10	1000	2.30	5	5	original	ϕ_o	0.180	0.959	0.569	3.079
ITFC	10	1000	3.00	5	5	original	ϕ_o	0.315	0.927	0.621	3.105
ITFC	10	500	0.20	7	4	original	ϕ_o	0.018	1.000	0.509	0.827
ITFC	10	750	0.20	7	4	original	ϕ_o	0.016	1.000	0.508	0.802
ITFC	10	1000	0.20	7	4	original	ϕ_o	0.014	1.000	0.507	0.798

ITFC	10	500	0.50	3	7	original	ϕ_o	0.038	0.999	0.519	2.667
ITFC	10	500	0.70	3	7	original	ϕ_o	0.077	0.997	0.537	3.144
ITFC	10	500	1.00	3	7	original	ϕ_o	0.133	0.992	0.562	3.458
ITFC	10	750	0.50	3	7	original	ϕ_o	0.027	1.000	0.513	2.581
ITFC	10	750	0.70	3	7	original	ϕ_o	0.059	0.998	0.529	3.064
ITFC	10	750	1.00	3	7	original	ϕ_o	0.109	0.994	0.552	3.400
ITFC	10	1000	0.50	3	7	original	ϕ_o	0.024	1.000	0.512	2.564
ITFC	10	1000	0.70	3	7	original	ϕ_o	0.055	0.998	0.527	3.043
ITFC	10	1000	1.00	3	7	original	ϕ_o	0.105	0.994	0.550	3.381
ITFC	10	10	0.50	4	5	original	ϕ_o	0.305	0.966	0.636	3.097
ITFC	10	10	0.70	4	5	original	ϕ_o	0.400	0.907	0.653	3.218
ITFC	10	10	1.00	4	5	original	ϕ_o	0.685	0.655	0.670	3.418
ITFC	10	100	0.50	4	5	original	ϕ_o	0.186	0.997	0.592	2.681
ITFC	10	100	0.70	4	5	original	ϕ_o	0.233	0.991	0.612	2.981
ITFC	10	100	1.00	4	5	original	ϕ_o	0.281	0.978	0.629	3.217
ITFC	10	250	0.50	4	5	original	ϕ_o	0.115	1.000	0.557	2.321
ITFC	10	250	0.70	4	5	original	ϕ_o	0.160	0.999	0.579	2.716
ITFC	10	250	1.00	4	5	original	ϕ_o	0.205	0.995	0.600	3.003
ITFC	10	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	250	4.00	2	2	original	ϕ_o	0.963	0.055	0.509	2.825
ITFC	10	10	0.20	4	6	original	ϕ_o	0.138	0.999	0.569	1.882
ITFC	10	100	0.20	4	6	original	ϕ_o	0.049	1.000	0.525	1.299
ITFC	10	250	0.20	4	6	original	ϕ_o	0.016	1.000	0.508	1.112
ITFC	10	10	4.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	100	4.00	5	4	original	ϕ_o	0.747	0.104	0.425	2.756
ITFC	10	250	4.00	5	4	original	ϕ_o	0.742	0.121	0.432	2.168
ITFC	10	500	2.00	4	5	original	ϕ_o	0.234	0.988	0.611	3.274
ITFC	10	500	2.30	4	5	original	ϕ_o	0.288	0.978	0.633	3.360
ITFC	10	500	3.00	4	5	original	ϕ_o	0.537	0.898	0.717	3.460
ITFC	10	750	2.00	4	5	original	ϕ_o	0.199	0.993	0.596	3.131
ITFC	10	750	2.30	4	5	original	ϕ_o	0.228	0.988	0.608	3.231
ITFC	10	750	3.00	4	5	original	ϕ_o	0.377	0.952	0.664	3.387
ITFC	10	1000	2.00	4	5	original	ϕ_o	0.173	0.994	0.583	3.120
ITFC	10	1000	2.30	4	5	original	ϕ_o	0.202	0.990	0.596	3.220
ITFC	10	1000	3.00	4	5	original	ϕ_o	0.341	0.960	0.650	3.365
ITFC	10	500	2.00	5	7	original	ϕ_o	0.173	0.948	0.561	3.139
ITFC	10	500	2.30	5	7	original	ϕ_o	0.217	0.939	0.578	3.150
ITFC	10	500	3.00	5	7	original	ϕ_o	0.389	0.906	0.648	3.157
ITFC	10	750	2.00	5	7	original	ϕ_o	0.156	0.955	0.556	3.131
ITFC	10	750	2.30	5	7	original	ϕ_o	0.191	0.948	0.569	3.135
ITFC	10	750	3.00	5	7	original	ϕ_o	0.350	0.917	0.634	3.157
ITFC	10	1000	2.00	5	7	original	ϕ_o	0.150	0.961	0.556	3.139
ITFC	10	1000	2.30	5	7	original	ϕ_o	0.185	0.953	0.569	3.146
ITFC	10	1000	3.00	5	7	original	ϕ_o	0.342	0.923	0.633	3.163
ITFC	10	10	2.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	10	2.30	2	2	original	ϕ_o	0.963	0.057	0.510	2.824
ITFC	10	10	3.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	2.00	2	2	original	ϕ_o	0.964	0.069	0.517	2.832
ITFC	10	100	2.30	2	2	original	ϕ_o	0.964	0.056	0.510	2.827
ITFC	10	100	3.00	2	2	original	ϕ_o	0.964	0.056	0.510	2.826
ITFC	10	250	2.00	2	2	original	ϕ_o	0.956	0.319	0.637	2.861
ITFC	10	250	2.30	2	2	original	ϕ_o	0.961	0.157	0.559	2.843
ITFC	10	250	3.00	2	2	original	ϕ_o	0.964	0.058	0.511	2.827
ITFC	10	500	0.20	7	7	original	ϕ_o	0.005	1.000	0.502	0.786
ITFC	10	750	0.20	7	7	original	ϕ_o	0.003	1.000	0.502	0.776
ITFC	10	1000	0.20	7	7	original	ϕ_o	0.003	1.000	0.502	0.774
ITFC	10	500	1.25	5	6	original	ϕ_o	0.127	0.971	0.549	3.088
ITFC	10	500	1.50	5	6	original	ϕ_o	0.146	0.964	0.555	3.123
ITFC	10	500	1.70	5	6	original	ϕ_o	0.160	0.958	0.559	3.131
ITFC	10	750	1.25	5	6	original	ϕ_o	0.110	0.979	0.545	3.041
ITFC	10	750	1.50	5	6	original	ϕ_o	0.127	0.973	0.550	3.088
ITFC	10	750	1.70	5	6	original	ϕ_o	0.140	0.968	0.554	3.098
ITFC	10	1000	1.25	5	6	original	ϕ_o	0.100	0.985	0.543	3.027

ITFC	10	1000	1.50	5	6	original	ϕ_o	0.117	0.979	0.548	3.071
ITFC	10	1000	1.70	5	6	original	ϕ_o	0.129	0.975	0.552	3.083
ITFC	10	500	0.50	3	4	original	ϕ_o	0.064	0.997	0.530	2.857
ITFC	10	500	0.70	3	4	original	ϕ_o	0.116	0.992	0.554	3.287
ITFC	10	500	1.00	3	4	original	ϕ_o	0.186	0.980	0.583	3.545
ITFC	10	750	0.50	3	4	original	ϕ_o	0.039	0.999	0.519	2.682
ITFC	10	750	0.70	3	4	original	ϕ_o	0.075	0.997	0.536	3.145
ITFC	10	750	1.00	3	4	original	ϕ_o	0.133	0.990	0.562	3.470
ITFC	10	1000	0.50	3	4	original	ϕ_o	0.028	0.999	0.513	2.598
ITFC	10	1000	0.70	3	4	original	ϕ_o	0.056	0.998	0.527	3.066
ITFC	10	1000	1.00	3	4	original	ϕ_o	0.103	0.995	0.549	3.421
ITFC	10	10	1.25	3	7	original	ϕ_o	0.853	0.211	0.532	2.511
ITFC	10	10	1.50	3	7	original	ϕ_o	0.864	0.108	0.486	2.525
ITFC	10	10	1.70	3	7	original	ϕ_o	0.866	0.081	0.473	2.523
ITFC	10	100	1.25	3	7	original	ϕ_o	0.519	0.844	0.681	3.484
ITFC	10	100	1.50	3	7	original	ϕ_o	0.694	0.701	0.698	3.451
ITFC	10	100	1.70	3	7	original	ϕ_o	0.771	0.552	0.661	3.077
ITFC	10	250	1.25	3	7	original	ϕ_o	0.273	0.961	0.617	3.557
ITFC	10	250	1.50	3	7	original	ϕ_o	0.342	0.931	0.636	3.529
ITFC	10	250	1.70	3	7	original	ϕ_o	0.435	0.888	0.661	3.508
ITFC	10	500	0.20	3	4	original	ϕ_o	0.004	1.000	0.502	1.578
ITFC	10	750	0.20	3	4	original	ϕ_o	0.002	1.000	0.501	1.490
ITFC	10	1000	0.20	3	4	original	ϕ_o	0.001	1.000	0.500	1.448
ITFC	10	500	4.00	3	3	original	ϕ_o	0.861	0.121	0.491	2.518
ITFC	10	750	4.00	3	3	original	ϕ_o	0.849	0.285	0.567	2.529
ITFC	10	1000	4.00	3	3	original	ϕ_o	0.820	0.492	0.656	3.097
ITFC	10	500	4.00	7	4	original	ϕ_o	0.411	0.851	0.631	2.723
ITFC	10	750	4.00	7	4	original	ϕ_o	0.315	0.914	0.614	2.740
ITFC	10	1000	4.00	7	4	original	ϕ_o	0.304	0.919	0.612	2.751
ITFC	10	10	0.20	2	3	original	ϕ_o	0.439	0.982	0.710	3.283
ITFC	10	100	0.20	2	3	original	ϕ_o	0.176	0.995	0.586	2.685
ITFC	10	250	0.20	2	3	original	ϕ_o	0.073	0.999	0.536	2.349
ITFC	10	500	1.25	3	4	original	ϕ_o	0.232	0.969	0.600	3.575
ITFC	10	500	1.50	3	4	original	ϕ_o	0.282	0.952	0.617	3.576
ITFC	10	500	1.70	3	4	original	ϕ_o	0.350	0.927	0.639	3.566
ITFC	10	750	1.25	3	4	original	ϕ_o	0.175	0.984	0.579	3.558
ITFC	10	750	1.50	3	4	original	ϕ_o	0.213	0.975	0.594	3.584
ITFC	10	750	1.70	3	4	original	ϕ_o	0.244	0.966	0.605	3.594
ITFC	10	1000	1.25	3	4	original	ϕ_o	0.142	0.990	0.566	3.544
ITFC	10	1000	1.50	3	4	original	ϕ_o	0.176	0.984	0.580	3.596
ITFC	10	1000	1.70	3	4	original	ϕ_o	0.201	0.979	0.590	3.611
ITFC	10	10	0.50	6	6	original	ϕ_o	0.415	0.899	0.657	2.899
ITFC	10	10	0.70	6	6	original	ϕ_o	0.543	0.735	0.639	2.530
ITFC	10	10	1.00	6	6	original	ϕ_o	0.678	0.419	0.549	2.081
ITFC	10	100	0.50	6	6	original	ϕ_o	0.199	0.984	0.592	2.641
ITFC	10	100	0.70	6	6	original	ϕ_o	0.287	0.959	0.623	2.887
ITFC	10	100	1.00	6	6	original	ϕ_o	0.400	0.895	0.648	2.932
ITFC	10	250	0.50	6	6	original	ϕ_o	0.089	0.995	0.542	2.382
ITFC	10	250	0.70	6	6	original	ϕ_o	0.156	0.986	0.571	2.753
ITFC	10	250	1.00	6	6	original	ϕ_o	0.241	0.965	0.603	2.920
ITFC	10	500	0.50	3	2	original	ϕ_o	0.124	0.993	0.558	3.123
ITFC	10	500	0.70	3	2	original	ϕ_o	0.190	0.983	0.587	3.511
ITFC	10	500	1.00	3	2	original	ϕ_o	0.273	0.962	0.617	3.697
ITFC	10	750	0.50	3	2	original	ϕ_o	0.089	0.997	0.543	2.938
ITFC	10	750	0.70	3	2	original	ϕ_o	0.147	0.991	0.569	3.375
ITFC	10	750	1.00	3	2	original	ϕ_o	0.217	0.977	0.597	3.639
ITFC	10	1000	0.50	3	2	original	ϕ_o	0.066	0.999	0.532	2.799
ITFC	10	1000	0.70	3	2	original	ϕ_o	0.115	0.995	0.555	3.249
ITFC	10	1000	1.00	3	2	original	ϕ_o	0.178	0.986	0.582	3.568
ITFC	10	500	0.20	2	7	original	ϕ_o	0.003	1.000	0.502	1.741
ITFC	10	750	0.20	2	7	original	ϕ_o	0.001	1.000	0.500	1.675
ITFC	10	1000	0.20	2	7	original	ϕ_o	0.001	1.000	0.500	1.661
ITFC	10	10	0.50	7	4	original	ϕ_o	0.202	0.953	0.578	2.583
ITFC	10	10	0.70	7	4	original	ϕ_o	0.350	0.848	0.599	2.614

ITFC	10	10	1.00	7	4	original	ϕ_o	0.579	0.555	0.567	2.752
ITFC	10	100	0.50	7	4	original	ϕ_o	0.086	0.992	0.539	2.238
ITFC	10	100	0.70	7	4	original	ϕ_o	0.112	0.984	0.548	2.462
ITFC	10	100	1.00	7	4	original	ϕ_o	0.153	0.969	0.561	2.564
ITFC	10	250	0.50	7	4	original	ϕ_o	0.055	0.998	0.526	1.909
ITFC	10	250	0.70	7	4	original	ϕ_o	0.071	0.995	0.533	2.223
ITFC	10	250	1.00	7	4	original	ϕ_o	0.093	0.989	0.541	2.416
ITFC	10	10	0.50	2	2	original	ϕ_o	0.809	0.831	0.820	4.334
ITFC	10	10	0.70	2	2	original	ϕ_o	0.871	0.662	0.767	3.622
ITFC	10	10	1.00	2	2	original	ϕ_o	0.953	0.349	0.651	2.854
ITFC	10	100	0.50	2	2	original	ϕ_o	0.645	0.940	0.792	4.281
ITFC	10	100	0.70	2	2	original	ϕ_o	0.758	0.875	0.816	4.377
ITFC	10	100	1.00	2	2	original	ϕ_o	0.857	0.712	0.785	3.649
ITFC	10	250	0.50	2	2	original	ϕ_o	0.492	0.969	0.731	4.134
ITFC	10	250	0.70	2	2	original	ϕ_o	0.629	0.933	0.781	4.350
ITFC	10	250	1.00	2	2	original	ϕ_o	0.755	0.858	0.806	4.342
ITFC	10	10	0.50	3	4	original	ϕ_o	0.466	0.891	0.678	3.558
ITFC	10	10	0.70	3	4	original	ϕ_o	0.649	0.736	0.693	3.467
ITFC	10	10	1.00	3	4	original	ϕ_o	0.835	0.322	0.579	3.117
ITFC	10	100	0.50	3	4	original	ϕ_o	0.216	0.977	0.596	3.469
ITFC	10	100	0.70	3	4	original	ϕ_o	0.302	0.955	0.628	3.648
ITFC	10	100	1.00	3	4	original	ϕ_o	0.483	0.879	0.681	3.585
ITFC	10	250	0.50	3	4	original	ϕ_o	0.123	0.991	0.557	3.171
ITFC	10	250	0.70	3	4	original	ϕ_o	0.195	0.979	0.587	3.522
ITFC	10	250	1.00	3	4	original	ϕ_o	0.276	0.957	0.617	3.610
ITFC	10	10	1.25	4	4	original	ϕ_o	0.774	0.280	0.527	2.918
ITFC	10	10	1.50	4	4	original	ϕ_o	0.788	0.122	0.455	2.877
ITFC	10	10	1.70	4	4	original	ϕ_o	0.790	0.096	0.443	2.722
ITFC	10	100	1.25	4	4	original	ϕ_o	0.433	0.937	0.685	3.386
ITFC	10	100	1.50	4	4	original	ϕ_o	0.602	0.833	0.718	3.448
ITFC	10	100	1.70	4	4	original	ϕ_o	0.678	0.714	0.696	3.488
ITFC	10	250	1.25	4	4	original	ϕ_o	0.243	0.991	0.617	3.223
ITFC	10	250	1.50	4	4	original	ϕ_o	0.282	0.983	0.632	3.356
ITFC	10	250	1.70	4	4	original	ϕ_o	0.380	0.965	0.673	3.424
ITFC	10	10	1.25	4	6	original	ϕ_o	0.763	0.420	0.592	2.964
ITFC	10	10	1.50	4	6	original	ϕ_o	0.786	0.177	0.481	2.903
ITFC	10	10	1.70	4	6	original	ϕ_o	0.788	0.109	0.448	2.291
ITFC	10	100	1.25	4	6	original	ϕ_o	0.341	0.970	0.656	3.418
ITFC	10	100	1.50	4	6	original	ϕ_o	0.520	0.913	0.717	3.478
ITFC	10	100	1.70	4	6	original	ϕ_o	0.622	0.837	0.729	3.501
ITFC	10	250	1.25	4	6	original	ϕ_o	0.218	0.994	0.606	3.209
ITFC	10	250	1.50	4	6	original	ϕ_o	0.244	0.989	0.617	3.348
ITFC	10	250	1.70	4	6	original	ϕ_o	0.292	0.983	0.638	3.419
ITFC	10	10	2.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	2.00	6	2	original	ϕ_o	0.722	0.058	0.390	2.068
ITFC	10	100	2.30	6	2	original	ϕ_o	0.725	0.051	0.388	2.075
ITFC	10	100	3.00	6	2	original	ϕ_o	0.729	0.051	0.390	2.087
ITFC	10	250	2.00	6	2	original	ϕ_o	0.699	0.165	0.432	2.027
ITFC	10	250	2.30	6	2	original	ϕ_o	0.709	0.092	0.401	2.036
ITFC	10	250	3.00	6	2	original	ϕ_o	0.719	0.052	0.386	1.369
ITFC	10	500	0.50	7	4	original	ϕ_o	0.035	1.000	0.517	1.691
ITFC	10	500	0.70	7	4	original	ϕ_o	0.044	0.999	0.521	2.046
ITFC	10	500	1.00	7	4	original	ϕ_o	0.058	0.997	0.527	2.321
ITFC	10	750	0.50	7	4	original	ϕ_o	0.031	1.000	0.515	1.629
ITFC	10	750	0.70	7	4	original	ϕ_o	0.038	0.999	0.519	1.976
ITFC	10	750	1.00	7	4	original	ϕ_o	0.050	0.998	0.524	2.256
ITFC	10	1000	0.50	7	4	original	ϕ_o	0.029	1.000	0.514	1.625
ITFC	10	1000	0.70	7	4	original	ϕ_o	0.036	1.000	0.518	1.971
ITFC	10	1000	1.00	7	4	original	ϕ_o	0.046	0.998	0.522	2.254
ITFC	10	500	2.00	3	4	original	ϕ_o	0.505	0.866	0.686	3.556
ITFC	10	500	2.30	3	4	original	ϕ_o	0.634	0.787	0.711	3.530
ITFC	10	500	3.00	3	4	original	ϕ_o	0.793	0.533	0.663	3.094

ITFC	10	750	2.00	3	4	original	ϕ_o	0.310	0.944	0.627	3.593
ITFC	10	750	2.30	3	4	original	ϕ_o	0.427	0.903	0.665	3.587
ITFC	10	750	3.00	3	4	original	ϕ_o	0.668	0.759	0.714	3.534
ITFC	10	1000	2.00	3	4	original	ϕ_o	0.243	0.967	0.605	3.628
ITFC	10	1000	2.30	3	4	original	ϕ_o	0.310	0.947	0.628	3.638
ITFC	10	1000	3.00	3	4	original	ϕ_o	0.551	0.854	0.703	3.617
ITFC	10	500	4.00	5	7	original	ϕ_o	0.605	0.746	0.675	3.153
ITFC	10	750	4.00	5	7	original	ϕ_o	0.576	0.781	0.679	3.153
ITFC	10	1000	4.00	5	7	original	ϕ_o	0.571	0.786	0.679	3.163
ITFC	10	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	100	4.00	5	3	original	ϕ_o	0.747	0.103	0.425	2.759
ITFC	10	250	4.00	5	3	original	ϕ_o	0.744	0.107	0.426	2.744
ITFC	10	10	1.25	4	7	original	ϕ_o	0.759	0.435	0.597	3.484
ITFC	10	10	1.50	4	7	original	ϕ_o	0.785	0.181	0.483	2.301
ITFC	10	10	1.70	4	7	original	ϕ_o	0.788	0.109	0.449	2.289
ITFC	10	100	1.25	4	7	original	ϕ_o	0.307	0.978	0.642	3.414
ITFC	10	100	1.50	4	7	original	ϕ_o	0.476	0.935	0.706	3.480
ITFC	10	100	1.70	4	7	original	ϕ_o	0.586	0.871	0.729	3.505
ITFC	10	250	1.25	4	7	original	ϕ_o	0.193	0.997	0.595	3.172
ITFC	10	250	1.50	4	7	original	ϕ_o	0.219	0.993	0.606	3.333
ITFC	10	250	1.70	4	7	original	ϕ_o	0.251	0.988	0.620	3.413
ITFC	10	500	1.25	5	4	original	ϕ_o	0.152	0.960	0.556	2.991
ITFC	10	500	1.50	5	4	original	ϕ_o	0.178	0.950	0.564	2.998
ITFC	10	500	1.70	5	4	original	ϕ_o	0.204	0.943	0.573	3.005
ITFC	10	750	1.25	5	4	original	ϕ_o	0.118	0.975	0.547	2.953
ITFC	10	750	1.50	5	4	original	ϕ_o	0.138	0.967	0.552	2.982
ITFC	10	750	1.70	5	4	original	ϕ_o	0.154	0.960	0.557	2.991
ITFC	10	1000	1.25	5	4	original	ϕ_o	0.095	0.985	0.540	2.937
ITFC	10	1000	1.50	5	4	original	ϕ_o	0.114	0.978	0.546	2.976
ITFC	10	1000	1.70	5	4	original	ϕ_o	0.127	0.973	0.550	2.984
ITFC	10	500	4.00	7	7	original	ϕ_o	0.364	0.898	0.631	2.779
ITFC	10	750	4.00	7	7	original	ϕ_o	0.347	0.906	0.627	2.768
ITFC	10	1000	4.00	7	7	original	ϕ_o	0.346	0.907	0.627	2.770
ITFC	10	10	0.20	6	7	original	ϕ_o	0.134	0.997	0.565	1.863
ITFC	10	100	0.20	6	7	original	ϕ_o	0.024	1.000	0.512	1.485
ITFC	10	250	0.20	6	7	original	ϕ_o	0.005	1.000	0.503	1.354
ITFC	10	10	0.20	2	7	original	ϕ_o	0.364	0.983	0.673	3.069
ITFC	10	100	0.20	2	7	original	ϕ_o	0.076	0.998	0.537	2.323
ITFC	10	250	0.20	2	7	original	ϕ_o	0.019	1.000	0.510	1.961
ITFC	10	10	2.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.096
ITFC	10	10	2.30	6	3	original	ϕ_o	0.732	0.052	0.392	2.096
ITFC	10	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	2.00	6	3	original	ϕ_o	0.716	0.112	0.414	2.067
ITFC	10	100	2.30	6	3	original	ϕ_o	0.722	0.068	0.395	2.071
ITFC	10	100	3.00	6	3	original	ϕ_o	0.727	0.052	0.389	2.082
ITFC	10	250	2.00	6	3	original	ϕ_o	0.662	0.433	0.548	2.044
ITFC	10	250	2.30	6	3	original	ϕ_o	0.692	0.265	0.478	2.048
ITFC	10	250	3.00	6	3	original	ϕ_o	0.714	0.085	0.399	2.053
ITFC	10	10	0.20	5	7	original	ϕ_o	0.099	0.986	0.542	1.902
ITFC	10	100	0.20	5	7	original	ϕ_o	0.021	0.997	0.509	1.349
ITFC	10	250	0.20	5	7	original	ϕ_o	0.005	0.999	0.502	1.143
ITFC	10	10	2.00	4	5	original	ϕ_o	0.789	0.093	0.441	2.863
ITFC	10	10	2.30	4	5	original	ϕ_o	0.789	0.095	0.442	2.867
ITFC	10	10	3.00	4	5	original	ϕ_o	0.789	0.097	0.443	2.287
ITFC	10	100	2.00	4	5	original	ϕ_o	0.732	0.552	0.642	3.498
ITFC	10	100	2.30	4	5	original	ϕ_o	0.766	0.351	0.558	3.468
ITFC	10	100	3.00	4	5	original	ϕ_o	0.787	0.125	0.456	2.287
ITFC	10	250	2.00	4	5	original	ϕ_o	0.509	0.918	0.713	3.450
ITFC	10	250	2.30	4	5	original	ϕ_o	0.620	0.825	0.722	3.478
ITFC	10	250	3.00	4	5	original	ϕ_o	0.736	0.543	0.640	3.517
ITFC	10	10	1.25	7	6	original	ϕ_o	0.631	0.318	0.475	2.346
ITFC	10	10	1.50	7	6	original	ϕ_o	0.666	0.197	0.431	2.375
ITFC	10	10	1.70	7	6	original	ϕ_o	0.676	0.153	0.414	2.384
ITFC	10	100	1.25	7	6	original	ϕ_o	0.148	0.981	0.565	2.714

ITFC	10	100	1.50	7	6	original	ϕ_o	0.204	0.969	0.586	2.748
ITFC	10	100	1.70	7	6	original	ϕ_o	0.293	0.946	0.620	2.758
ITFC	10	250	1.25	7	6	original	ϕ_o	0.095	0.994	0.544	2.482
ITFC	10	250	1.50	7	6	original	ϕ_o	0.107	0.991	0.549	2.562
ITFC	10	250	1.70	7	6	original	ϕ_o	0.120	0.988	0.554	2.605
ITFC	10	10	2.00	2	3	original	ϕ_o	0.963	0.056	0.510	2.825
ITFC	10	10	2.30	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
ITFC	10	100	2.00	2	3	original	ϕ_o	0.963	0.101	0.532	2.837
ITFC	10	100	2.30	2	3	original	ϕ_o	0.964	0.060	0.512	2.828
ITFC	10	100	3.00	2	3	original	ϕ_o	0.964	0.056	0.510	2.826
ITFC	10	250	2.00	2	3	original	ϕ_o	0.945	0.492	0.719	2.866
ITFC	10	250	2.30	2	3	original	ϕ_o	0.957	0.298	0.628	2.861
ITFC	10	250	3.00	2	3	original	ϕ_o	0.963	0.074	0.519	2.832
ITFC	10	10	4.00	4	6	original	ϕ_o	0.789	0.097	0.443	3.312
ITFC	10	100	4.00	4	6	original	ϕ_o	0.787	0.098	0.442	2.278
ITFC	10	250	4.00	4	6	original	ϕ_o	0.774	0.276	0.525	3.443
ITFC	10	500	0.20	4	7	original	ϕ_o	0.002	1.000	0.501	1.006
ITFC	10	750	0.20	4	7	original	ϕ_o	0.001	1.000	0.500	0.989
ITFC	10	1000	0.20	4	7	original	ϕ_o	0.000	1.000	0.500	0.985
ITFC	10	10	1.25	5	2	original	ϕ_o	0.747	0.133	0.440	2.183
ITFC	10	10	1.50	5	2	original	ϕ_o	0.748	0.109	0.428	2.765
ITFC	10	10	1.70	5	2	original	ϕ_o	0.748	0.103	0.426	2.765
ITFC	10	100	1.25	5	2	original	ϕ_o	0.643	0.582	0.613	3.147
ITFC	10	100	1.50	5	2	original	ϕ_o	0.720	0.328	0.524	2.753
ITFC	10	100	1.70	5	2	original	ϕ_o	0.738	0.204	0.471	3.201
ITFC	10	250	1.25	5	2	original	ϕ_o	0.438	0.860	0.649	2.996
ITFC	10	250	1.50	5	2	original	ϕ_o	0.568	0.744	0.656	3.073
ITFC	10	250	1.70	5	2	original	ϕ_o	0.641	0.596	0.619	2.691
ITFC	10	10	0.20	3	4	original	ϕ_o	0.187	0.983	0.585	2.703
ITFC	10	100	0.20	3	4	original	ϕ_o	0.036	0.998	0.517	2.081
ITFC	10	250	0.20	3	4	original	ϕ_o	0.013	1.000	0.506	1.783
ITFC	10	500	0.50	5	6	original	ϕ_o	0.044	0.994	0.519	2.199
ITFC	10	500	0.70	5	6	original	ϕ_o	0.073	0.989	0.531	2.646
ITFC	10	500	1.00	5	6	original	ϕ_o	0.107	0.979	0.543	2.989
ITFC	10	750	0.50	5	6	original	ϕ_o	0.031	0.997	0.514	2.123
ITFC	10	750	0.70	5	6	original	ϕ_o	0.057	0.993	0.525	2.572
ITFC	10	750	1.00	5	6	original	ϕ_o	0.090	0.986	0.538	2.926
ITFC	10	1000	0.50	5	6	original	ϕ_o	0.024	0.999	0.511	2.105
ITFC	10	1000	0.70	5	6	original	ϕ_o	0.048	0.996	0.522	2.553
ITFC	10	1000	1.00	5	6	original	ϕ_o	0.080	0.990	0.535	2.910
ITFC	10	500	2.00	3	3	original	ϕ_o	0.673	0.764	0.718	3.581
ITFC	10	500	2.30	3	3	original	ϕ_o	0.761	0.653	0.707	3.122
ITFC	10	500	3.00	3	3	original	ϕ_o	0.840	0.351	0.595	2.526
ITFC	10	750	2.00	3	3	original	ϕ_o	0.490	0.880	0.685	3.609
ITFC	10	750	2.30	3	3	original	ϕ_o	0.616	0.803	0.709	3.575
ITFC	10	750	3.00	3	3	original	ϕ_o	0.786	0.596	0.691	3.106
ITFC	10	1000	2.00	3	3	original	ϕ_o	0.348	0.936	0.642	3.620
ITFC	10	1000	2.30	3	3	original	ϕ_o	0.468	0.887	0.677	3.595
ITFC	10	1000	3.00	3	3	original	ϕ_o	0.691	0.733	0.712	3.542
ITFC	10	500	0.20	5	2	original	ϕ_o	0.025	0.993	0.509	1.352
ITFC	10	750	0.20	5	2	original	ϕ_o	0.016	0.996	0.506	1.256
ITFC	10	1000	0.20	5	2	original	ϕ_o	0.011	0.997	0.504	1.199
ITFC	10	500	4.00	6	7	original	ϕ_o	0.685	0.445	0.565	2.669
ITFC	10	750	4.00	6	7	original	ϕ_o	0.667	0.540	0.603	2.678
ITFC	10	1000	4.00	6	7	original	ϕ_o	0.666	0.542	0.604	2.676
ITFC	10	10	0.50	2	7	original	ϕ_o	0.771	0.888	0.829	4.369
ITFC	10	10	0.70	2	7	original	ϕ_o	0.845	0.770	0.808	4.312
ITFC	10	10	1.00	2	7	original	ϕ_o	0.934	0.499	0.717	3.620
ITFC	10	100	0.50	2	7	original	ϕ_o	0.459	0.971	0.715	4.083
ITFC	10	100	0.70	2	7	original	ϕ_o	0.603	0.942	0.773	4.345
ITFC	10	100	1.00	2	7	original	ϕ_o	0.725	0.881	0.803	4.362
ITFC	10	250	0.50	2	7	original	ϕ_o	0.234	0.991	0.612	3.738
ITFC	10	250	0.70	2	7	original	ϕ_o	0.380	0.977	0.678	4.174

ITFC	10	250	1.00	2	7	original	ϕ_o	0.528	0.948	0.738	4.339
ITFC	10	10	4.00	7	7	original	ϕ_o	0.685	0.111	0.398	1.940
ITFC	10	100	4.00	7	7	original	ϕ_o	0.668	0.224	0.446	2.415
ITFC	10	250	4.00	7	7	original	ϕ_o	0.521	0.747	0.634	2.842
ITFC	10	500	4.00	4	4	original	ϕ_o	0.718	0.629	0.673	3.532
ITFC	10	750	4.00	4	4	original	ϕ_o	0.637	0.795	0.716	3.497
ITFC	10	1000	4.00	4	4	original	ϕ_o	0.598	0.829	0.714	3.461
ITFC	10	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	10	100	4.00	3	3	original	ϕ_o	0.866	0.072	0.469	2.519
ITFC	10	250	4.00	3	3	original	ϕ_o	0.865	0.075	0.470	2.516
ITFC	10	10	4.00	7	6	original	ϕ_o	0.685	0.111	0.398	1.940
ITFC	10	100	4.00	7	6	original	ϕ_o	0.664	0.194	0.429	1.903
ITFC	10	250	4.00	7	6	original	ϕ_o	0.561	0.591	0.576	2.686
ITFC	10	10	1.25	7	2	original	ϕ_o	0.677	0.169	0.423	1.944
ITFC	10	10	1.50	7	2	original	ϕ_o	0.682	0.131	0.406	2.402
ITFC	10	10	1.70	7	2	original	ϕ_o	0.683	0.119	0.401	2.403
ITFC	10	100	1.25	7	2	original	ϕ_o	0.493	0.702	0.598	2.599
ITFC	10	100	1.50	7	2	original	ϕ_o	0.581	0.527	0.554	2.670
ITFC	10	100	1.70	7	2	original	ϕ_o	0.621	0.391	0.506	2.700
ITFC	10	250	1.25	7	2	original	ϕ_o	0.216	0.933	0.575	2.453
ITFC	10	250	1.50	7	2	original	ϕ_o	0.360	0.851	0.605	2.530
ITFC	10	250	1.70	7	2	original	ϕ_o	0.445	0.772	0.608	2.572
ITFC	10	500	4.00	4	6	original	ϕ_o	0.693	0.681	0.687	3.509
ITFC	10	750	4.00	4	6	original	ϕ_o	0.635	0.776	0.705	3.458
ITFC	10	1000	4.00	4	6	original	ϕ_o	0.624	0.788	0.706	3.450
ITFC	10	500	4.00	3	7	original	ϕ_o	0.810	0.499	0.654	3.516
ITFC	10	750	4.00	3	7	original	ϕ_o	0.770	0.624	0.697	3.568
ITFC	10	1000	4.00	3	7	original	ϕ_o	0.761	0.632	0.697	3.542
ITFC	10	10	0.20	4	4	original	ϕ_o	0.161	0.998	0.579	2.014
ITFC	10	100	0.20	4	4	original	ϕ_o	0.065	1.000	0.532	1.405
ITFC	10	250	0.20	4	4	original	ϕ_o	0.029	1.000	0.515	1.192
ITFC	10	500	1.25	6	6	original	ϕ_o	0.176	0.977	0.577	2.996
ITFC	10	500	1.50	6	6	original	ϕ_o	0.225	0.965	0.595	3.021
ITFC	10	500	1.70	6	6	original	ϕ_o	0.267	0.952	0.610	3.030
ITFC	10	750	1.25	6	6	original	ϕ_o	0.141	0.988	0.565	3.019
ITFC	10	750	1.50	6	6	original	ϕ_o	0.182	0.978	0.580	3.056
ITFC	10	750	1.70	6	6	original	ϕ_o	0.216	0.969	0.592	3.074
ITFC	10	1000	1.25	6	6	original	ϕ_o	0.137	0.989	0.563	3.016
ITFC	10	1000	1.50	6	6	original	ϕ_o	0.177	0.980	0.579	3.056
ITFC	10	1000	1.70	6	6	original	ϕ_o	0.212	0.970	0.591	3.073
ITFC	10	10	0.20	7	2	original	ϕ_o	0.131	0.981	0.556	1.994
ITFC	10	100	0.20	7	2	original	ϕ_o	0.063	0.998	0.530	1.437
ITFC	10	250	0.20	7	2	original	ϕ_o	0.047	0.999	0.523	1.180
ITFC	10	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	4.00	6	5	original	ϕ_o	0.727	0.050	0.388	1.421
ITFC	10	250	4.00	6	5	original	ϕ_o	0.720	0.084	0.402	2.064
ITFC	10	500	1.25	7	5	original	ϕ_o	0.063	0.998	0.531	2.326
ITFC	10	500	1.50	7	5	original	ϕ_o	0.074	0.997	0.535	2.393
ITFC	10	500	1.70	7	5	original	ϕ_o	0.082	0.996	0.539	2.433
ITFC	10	750	1.25	7	5	original	ϕ_o	0.055	0.999	0.527	2.314
ITFC	10	750	1.50	7	5	original	ϕ_o	0.065	0.998	0.531	2.379
ITFC	10	750	1.70	7	5	original	ϕ_o	0.073	0.997	0.535	2.417
ITFC	10	1000	1.25	7	5	original	ϕ_o	0.050	0.999	0.524	2.315
ITFC	10	1000	1.50	7	5	original	ϕ_o	0.059	0.998	0.529	2.383
ITFC	10	1000	1.70	7	5	original	ϕ_o	0.067	0.997	0.532	2.428
ITFC	10	500	0.20	5	4	original	ϕ_o	0.007	1.000	0.503	1.165
ITFC	10	750	0.20	5	4	original	ϕ_o	0.003	1.000	0.501	1.102
ITFC	10	1000	0.20	5	4	original	ϕ_o	0.002	1.000	0.501	1.073
ITFC	10	10	0.50	3	3	original	ϕ_o	0.487	0.883	0.685	3.570
ITFC	10	10	0.70	3	3	original	ϕ_o	0.715	0.695	0.705	3.552
ITFC	10	10	1.00	3	3	original	ϕ_o	0.843	0.292	0.568	2.515
ITFC	10	100	0.50	3	3	original	ϕ_o	0.244	0.974	0.609	3.528
ITFC	10	100	0.70	3	3	original	ϕ_o	0.338	0.945	0.642	3.675
ITFC	10	100	1.00	3	3	original	ϕ_o	0.605	0.838	0.721	3.633

ITFC	10	250	0.50	3	3	original	ϕ_o	0.148	0.990	0.569	3.294
ITFC	10	250	0.70	3	3	original	ϕ_o	0.223	0.975	0.599	3.595
ITFC	10	250	1.00	3	3	original	ϕ_o	0.329	0.943	0.636	3.662
ITFC	10	500	0.50	6	7	original	ϕ_o	0.026	0.999	0.513	2.193
ITFC	10	500	0.70	6	7	original	ϕ_o	0.061	0.996	0.529	2.638
ITFC	10	500	1.00	6	7	original	ϕ_o	0.120	0.989	0.554	2.952
ITFC	10	750	0.50	6	7	original	ϕ_o	0.019	1.000	0.509	2.165
ITFC	10	750	0.70	6	7	original	ϕ_o	0.049	0.998	0.524	2.620
ITFC	10	750	1.00	6	7	original	ϕ_o	0.101	0.994	0.548	2.944
ITFC	10	1000	0.50	6	7	original	ϕ_o	0.019	1.000	0.509	2.162
ITFC	10	1000	0.70	6	7	original	ϕ_o	0.049	0.999	0.524	2.620
ITFC	10	1000	1.00	6	7	original	ϕ_o	0.100	0.995	0.547	2.943
ITFC	10	500	2.00	4	4	original	ϕ_o	0.244	0.989	0.617	3.356
ITFC	10	500	2.30	4	4	original	ϕ_o	0.326	0.978	0.652	3.428
ITFC	10	500	3.00	4	4	original	ϕ_o	0.571	0.885	0.728	3.500
ITFC	10	750	2.00	4	4	original	ϕ_o	0.201	0.994	0.598	3.206
ITFC	10	750	2.30	4	4	original	ϕ_o	0.232	0.991	0.611	3.310
ITFC	10	750	3.00	4	4	original	ϕ_o	0.403	0.955	0.679	3.444
ITFC	10	1000	2.00	4	4	original	ϕ_o	0.175	0.995	0.585	3.163
ITFC	10	1000	2.30	4	4	original	ϕ_o	0.203	0.993	0.598	3.267
ITFC	10	1000	3.00	4	4	original	ϕ_o	0.344	0.965	0.655	3.400
ITFC	10	10	1.25	5	3	original	ϕ_o	0.745	0.144	0.445	2.774
ITFC	10	10	1.50	5	3	original	ϕ_o	0.748	0.110	0.429	2.763
ITFC	10	10	1.70	5	3	original	ϕ_o	0.748	0.103	0.425	2.761
ITFC	10	100	1.25	5	3	original	ϕ_o	0.529	0.758	0.643	2.973
ITFC	10	100	1.50	5	3	original	ϕ_o	0.661	0.500	0.580	3.106
ITFC	10	100	1.70	5	3	original	ϕ_o	0.710	0.324	0.517	2.723
ITFC	10	250	1.25	5	3	original	ϕ_o	0.286	0.923	0.604	2.962
ITFC	10	250	1.50	5	3	original	ϕ_o	0.396	0.876	0.636	2.960
ITFC	10	250	1.70	5	3	original	ϕ_o	0.497	0.808	0.653	2.985
ITFC	10	10	0.20	6	6	original	ϕ_o	0.148	0.996	0.572	1.887
ITFC	10	100	0.20	6	6	original	ϕ_o	0.033	0.999	0.516	1.519
ITFC	10	250	0.20	6	6	original	ϕ_o	0.008	1.000	0.504	1.379
ITFC	10	10	1.25	4	5	original	ϕ_o	0.770	0.331	0.550	2.936
ITFC	10	10	1.50	4	5	original	ϕ_o	0.787	0.138	0.463	2.882
ITFC	10	10	1.70	4	5	original	ϕ_o	0.789	0.098	0.444	2.286
ITFC	10	100	1.25	4	5	original	ϕ_o	0.407	0.943	0.675	3.367
ITFC	10	100	1.50	4	5	original	ϕ_o	0.580	0.848	0.714	3.429
ITFC	10	100	1.70	4	5	original	ϕ_o	0.663	0.741	0.702	3.468
ITFC	10	250	1.25	4	5	original	ϕ_o	0.233	0.991	0.612	3.179
ITFC	10	250	1.50	4	5	original	ϕ_o	0.265	0.984	0.624	3.317
ITFC	10	250	1.70	4	5	original	ϕ_o	0.343	0.970	0.657	3.391
ITFC	10	10	2.00	7	6	original	ϕ_o	0.681	0.126	0.403	1.929
ITFC	10	10	2.30	7	6	original	ϕ_o	0.682	0.114	0.398	2.384
ITFC	10	10	3.00	7	6	original	ϕ_o	0.684	0.107	0.396	1.933
ITFC	10	100	2.00	7	6	original	ϕ_o	0.424	0.863	0.643	2.772
ITFC	10	100	2.30	7	6	original	ϕ_o	0.517	0.730	0.624	2.757
ITFC	10	100	3.00	7	6	original	ϕ_o	0.620	0.404	0.512	2.711
ITFC	10	250	2.00	7	6	original	ϕ_o	0.146	0.981	0.563	2.649
ITFC	10	250	2.30	7	6	original	ϕ_o	0.202	0.968	0.585	2.685
ITFC	10	250	3.00	7	6	original	ϕ_o	0.395	0.870	0.632	2.702
ITFC	10	10	0.20	7	6	original	ϕ_o	0.088	0.998	0.543	1.570
ITFC	10	100	0.20	7	6	original	ϕ_o	0.025	1.000	0.513	1.000
ITFC	10	250	0.20	7	6	original	ϕ_o	0.011	1.000	0.506	0.844
ITFC	10	10	0.20	6	4	original	ϕ_o	0.175	0.995	0.585	2.008
ITFC	10	100	0.20	6	4	original	ϕ_o	0.063	0.999	0.531	1.635
ITFC	10	250	0.20	6	4	original	ϕ_o	0.028	1.000	0.514	1.455
ITFC	10	10	0.50	5	5	original	ϕ_o	0.301	0.935	0.618	3.088
ITFC	10	10	0.70	5	5	original	ϕ_o	0.396	0.858	0.627	2.960
ITFC	10	10	1.00	5	5	original	ϕ_o	0.637	0.587	0.612	3.063
ITFC	10	100	0.50	5	5	original	ϕ_o	0.139	0.976	0.557	2.787
ITFC	10	100	0.70	5	5	original	ϕ_o	0.191	0.958	0.575	3.068
ITFC	10	100	1.00	5	5	original	ϕ_o	0.264	0.931	0.597	3.075
ITFC	10	250	0.50	5	5	original	ϕ_o	0.085	0.986	0.536	2.472

ITFC	10	250	0.70	5	5	original	ϕ_o	0.125	0.977	0.551	2.882
ITFC	10	250	1.00	5	5	original	ϕ_o	0.166	0.960	0.563	3.083
ITFC	10	500	1.25	2	3	original	ϕ_o	0.646	0.922	0.784	4.399
ITFC	10	500	1.50	2	3	original	ϕ_o	0.729	0.879	0.804	4.384
ITFC	10	500	1.70	2	3	original	ϕ_o	0.798	0.837	0.817	4.363
ITFC	10	750	1.25	2	3	original	ϕ_o	0.533	0.953	0.743	4.387
ITFC	10	750	1.50	2	3	original	ϕ_o	0.614	0.928	0.771	4.396
ITFC	10	750	1.70	2	3	original	ϕ_o	0.678	0.903	0.790	4.389
ITFC	10	1000	1.25	2	3	original	ϕ_o	0.441	0.969	0.705	4.362
ITFC	10	1000	1.50	2	3	original	ϕ_o	0.518	0.953	0.735	4.380
ITFC	10	1000	1.70	2	3	original	ϕ_o	0.579	0.935	0.757	4.379
ITFC	10	10	2.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	10	2.30	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
ITFC	10	10	3.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
ITFC	10	100	2.00	3	3	original	ϕ_o	0.861	0.153	0.507	2.523
ITFC	10	100	2.30	3	3	original	ϕ_o	0.864	0.099	0.481	2.519
ITFC	10	100	3.00	3	3	original	ϕ_o	0.865	0.073	0.469	2.518
ITFC	10	250	2.00	3	3	original	ϕ_o	0.816	0.476	0.646	3.123
ITFC	10	250	2.30	3	3	original	ϕ_o	0.845	0.297	0.571	3.103
ITFC	10	250	3.00	3	3	original	ϕ_o	0.862	0.112	0.487	2.517
ITFC	10	500	0.50	4	6	original	ϕ_o	0.041	1.000	0.520	1.966
ITFC	10	500	0.70	4	6	original	ϕ_o	0.077	1.000	0.538	2.398
ITFC	10	500	1.00	4	6	original	ϕ_o	0.122	0.999	0.561	2.766
ITFC	10	750	0.50	4	6	original	ϕ_o	0.023	1.000	0.511	1.890
ITFC	10	750	0.70	4	6	original	ϕ_o	0.053	1.000	0.526	2.319
ITFC	10	750	1.00	4	6	original	ϕ_o	0.093	1.000	0.546	2.695
ITFC	10	1000	0.50	4	6	original	ϕ_o	0.016	1.000	0.508	1.875
ITFC	10	1000	0.70	4	6	original	ϕ_o	0.040	1.000	0.520	2.307
ITFC	10	1000	1.00	4	6	original	ϕ_o	0.077	1.000	0.538	2.689
ITFC	10	500	2.00	4	6	original	ϕ_o	0.221	0.990	0.606	3.266
ITFC	10	500	2.30	4	6	original	ϕ_o	0.264	0.983	0.624	3.353
ITFC	10	500	3.00	4	6	original	ϕ_o	0.489	0.924	0.706	3.458
ITFC	10	750	2.00	4	6	original	ϕ_o	0.196	0.993	0.595	3.161
ITFC	10	750	2.30	4	6	original	ϕ_o	0.227	0.989	0.608	3.247
ITFC	10	750	3.00	4	6	original	ϕ_o	0.378	0.955	0.666	3.389
ITFC	10	1000	2.00	4	6	original	ϕ_o	0.179	0.994	0.587	3.162
ITFC	10	1000	2.30	4	6	original	ϕ_o	0.211	0.990	0.601	3.248
ITFC	10	1000	3.00	4	6	original	ϕ_o	0.360	0.959	0.660	3.385
ITFC	10	10	1.25	2	6	original	ϕ_o	0.959	0.189	0.574	2.839
ITFC	10	10	1.50	2	6	original	ϕ_o	0.963	0.067	0.515	2.823
ITFC	10	10	1.70	2	6	original	ϕ_o	0.963	0.057	0.510	2.822
ITFC	10	100	1.25	2	6	original	ϕ_o	0.825	0.793	0.809	4.307
ITFC	10	100	1.50	2	6	original	ϕ_o	0.900	0.669	0.785	3.665
ITFC	10	100	1.70	2	6	original	ϕ_o	0.933	0.531	0.732	2.856
ITFC	10	250	1.25	2	6	original	ϕ_o	0.649	0.913	0.781	4.365
ITFC	10	250	1.50	2	6	original	ϕ_o	0.725	0.868	0.797	4.337
ITFC	10	250	1.70	2	6	original	ϕ_o	0.790	0.825	0.808	3.683
ITFC	10	10	0.50	3	6	original	ϕ_o	0.431	0.917	0.674	3.620
ITFC	10	10	0.70	3	6	original	ϕ_o	0.572	0.810	0.691	3.510
ITFC	10	10	1.00	3	6	original	ϕ_o	0.806	0.447	0.626	3.086
ITFC	10	100	0.50	3	6	original	ϕ_o	0.181	0.979	0.580	3.348
ITFC	10	100	0.70	3	6	original	ϕ_o	0.267	0.960	0.614	3.577
ITFC	10	100	1.00	3	6	original	ϕ_o	0.381	0.919	0.650	3.566
ITFC	10	250	0.50	3	6	original	ϕ_o	0.093	0.991	0.542	2.996
ITFC	10	250	0.70	3	6	original	ϕ_o	0.159	0.983	0.571	3.403
ITFC	10	250	1.00	3	6	original	ϕ_o	0.237	0.966	0.602	3.575
ITFC	10	10	0.20	5	5	original	ϕ_o	0.115	0.986	0.551	1.980
ITFC	10	100	0.20	5	5	original	ϕ_o	0.033	0.997	0.515	1.462
ITFC	10	250	0.20	5	5	original	ϕ_o	0.013	0.999	0.506	1.232
ITFC	10	10	0.50	2	3	original	ϕ_o	0.799	0.862	0.830	4.370
ITFC	10	10	0.70	2	3	original	ϕ_o	0.867	0.717	0.792	3.648
ITFC	10	10	1.00	2	3	original	ϕ_o	0.948	0.419	0.684	2.861
ITFC	10	100	0.50	2	3	original	ϕ_o	0.599	0.957	0.778	4.247
ITFC	10	100	0.70	2	3	original	ϕ_o	0.720	0.911	0.815	4.414

ITFC	10	100	1.00	2	3	original	ϕ_o	0.829	0.801	0.815	3.692
ITFC	10	250	0.50	2	3	original	ϕ_o	0.429	0.979	0.704	4.034
ITFC	10	250	0.70	2	3	original	ϕ_o	0.573	0.955	0.764	4.340
ITFC	10	250	1.00	2	3	original	ϕ_o	0.701	0.906	0.804	4.409
ITFC	10	500	2.00	7	5	original	ϕ_o	0.095	0.993	0.544	2.494
ITFC	10	500	2.30	7	5	original	ϕ_o	0.113	0.989	0.551	2.553
ITFC	10	500	3.00	7	5	original	ϕ_o	0.197	0.968	0.583	2.634
ITFC	10	750	2.00	7	5	original	ϕ_o	0.087	0.994	0.541	2.476
ITFC	10	750	2.30	7	5	original	ϕ_o	0.103	0.991	0.547	2.538
ITFC	10	750	3.00	7	5	original	ϕ_o	0.161	0.974	0.567	2.632
ITFC	10	1000	2.00	7	5	original	ϕ_o	0.081	0.995	0.538	2.485
ITFC	10	1000	2.30	7	5	original	ϕ_o	0.097	0.991	0.544	2.551
ITFC	10	1000	3.00	7	5	original	ϕ_o	0.155	0.975	0.565	2.642
ITFC	10	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	4.00	6	4	original	ϕ_o	0.730	0.052	0.391	2.089
ITFC	10	250	4.00	6	4	original	ϕ_o	0.724	0.054	0.389	2.071
ITFC	10	500	0.20	4	3	original	ϕ_o	0.017	1.000	0.508	1.146
ITFC	10	750	0.20	4	3	original	ϕ_o	0.007	1.000	0.503	1.084
ITFC	10	1000	0.20	4	3	original	ϕ_o	0.003	1.000	0.501	1.051
ITFC	10	500	4.00	5	4	original	ϕ_o	0.695	0.422	0.559	3.127
ITFC	10	750	4.00	5	4	original	ϕ_o	0.607	0.698	0.652	3.113
ITFC	10	1000	4.00	5	4	original	ϕ_o	0.528	0.803	0.665	3.074
ITFC	10	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.872
ITFC	10	100	4.00	4	4	original	ϕ_o	0.789	0.094	0.441	2.282
ITFC	10	250	4.00	4	4	original	ϕ_o	0.782	0.180	0.481	2.786
ITFC	10	10	0.50	5	2	original	ϕ_o	0.366	0.865	0.616	2.845
ITFC	10	10	0.70	5	2	original	ϕ_o	0.584	0.671	0.628	3.030
ITFC	10	10	1.00	5	2	original	ϕ_o	0.731	0.249	0.490	2.758
ITFC	10	100	0.50	5	2	original	ϕ_o	0.199	0.944	0.571	2.816
ITFC	10	100	0.70	5	2	original	ϕ_o	0.294	0.913	0.603	2.920
ITFC	10	100	1.00	5	2	original	ϕ_o	0.504	0.806	0.655	3.006
ITFC	10	250	0.50	5	2	original	ϕ_o	0.139	0.957	0.548	2.666
ITFC	10	250	0.70	5	2	original	ϕ_o	0.187	0.941	0.564	2.889
ITFC	10	250	1.00	5	2	original	ϕ_o	0.303	0.911	0.607	2.957
ITFC	10	500	1.25	4	6	original	ϕ_o	0.152	0.998	0.575	2.938
ITFC	10	500	1.50	4	6	original	ϕ_o	0.177	0.997	0.587	3.059
ITFC	10	500	1.70	4	6	original	ϕ_o	0.194	0.995	0.594	3.152
ITFC	10	750	1.25	4	6	original	ϕ_o	0.124	0.999	0.561	2.862
ITFC	10	750	1.50	4	6	original	ϕ_o	0.150	0.998	0.574	2.983
ITFC	10	750	1.70	4	6	original	ϕ_o	0.168	0.996	0.582	3.058
ITFC	10	1000	1.25	4	6	original	ϕ_o	0.107	0.999	0.553	2.859
ITFC	10	1000	1.50	4	6	original	ϕ_o	0.133	0.998	0.566	2.982
ITFC	10	1000	1.70	4	6	original	ϕ_o	0.152	0.997	0.574	3.060
ITFC	10	500	0.20	3	5	original	ϕ_o	0.003	1.000	0.502	1.523
ITFC	10	750	0.20	3	5	original	ϕ_o	0.001	1.000	0.500	1.456
ITFC	10	1000	0.20	3	5	original	ϕ_o	0.001	1.000	0.500	1.428
ITFC	10	500	0.20	2	4	original	ϕ_o	0.018	1.000	0.509	1.972
ITFC	10	750	0.20	2	4	original	ϕ_o	0.008	1.000	0.504	1.828
ITFC	10	1000	0.20	2	4	original	ϕ_o	0.005	1.000	0.503	1.755
ITFC	10	10	0.20	3	2	original	ϕ_o	0.221	0.976	0.599	2.738
ITFC	10	100	0.20	3	2	original	ϕ_o	0.070	0.995	0.533	1.926
ITFC	10	250	0.20	3	2	original	ϕ_o	0.036	0.999	0.517	1.938
ITFC	10	500	0.50	7	3	original	ϕ_o	0.054	0.999	0.527	1.798
ITFC	10	500	0.70	7	3	original	ϕ_o	0.063	0.998	0.530	2.084
ITFC	10	500	1.00	7	3	original	ϕ_o	0.076	0.995	0.536	2.266
ITFC	10	750	0.50	7	3	original	ϕ_o	0.045	1.000	0.523	1.684
ITFC	10	750	0.70	7	3	original	ϕ_o	0.053	0.999	0.526	1.978
ITFC	10	750	1.00	7	3	original	ϕ_o	0.064	0.997	0.531	2.189
ITFC	10	1000	0.50	7	3	original	ϕ_o	0.039	1.000	0.520	1.673
ITFC	10	1000	0.70	7	3	original	ϕ_o	0.048	1.000	0.524	1.969
ITFC	10	1000	1.00	7	3	original	ϕ_o	0.057	0.998	0.528	2.188
ITFC	10	10	0.50	3	2	original	ϕ_o	0.520	0.872	0.696	3.556
ITFC	10	10	0.70	3	2	original	ϕ_o	0.738	0.668	0.703	3.558
ITFC	10	10	1.00	3	2	original	ϕ_o	0.854	0.257	0.555	2.530

ITFC	10	100	0.50	3	2	original	ϕ_o	0.280	0.967	0.624	3.569
ITFC	10	100	0.70	3	2	original	ϕ_o	0.392	0.935	0.664	3.719
ITFC	10	100	1.00	3	2	original	ϕ_o	0.669	0.801	0.735	3.676
ITFC	10	250	0.50	3	2	original	ϕ_o	0.185	0.983	0.584	3.364
ITFC	10	250	0.70	3	2	original	ϕ_o	0.267	0.966	0.617	3.656
ITFC	10	250	1.00	3	2	original	ϕ_o	0.427	0.924	0.675	3.727
ITFC	10	10	2.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	10	2.30	6	4	original	ϕ_o	0.732	0.052	0.392	2.096
ITFC	10	10	3.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
ITFC	10	100	2.00	6	4	original	ϕ_o	0.716	0.139	0.428	2.074
ITFC	10	100	2.30	6	4	original	ϕ_o	0.723	0.074	0.399	2.076
ITFC	10	100	3.00	6	4	original	ϕ_o	0.728	0.052	0.390	2.082
ITFC	10	250	2.00	6	4	original	ϕ_o	0.629	0.534	0.582	2.043
ITFC	10	250	2.30	6	4	original	ϕ_o	0.676	0.360	0.518	2.050
ITFC	10	250	3.00	6	4	original	ϕ_o	0.716	0.112	0.414	2.063
ITFC	10	500	1.25	7	2	original	ϕ_o	0.108	0.986	0.547	2.355
ITFC	10	500	1.50	7	2	original	ϕ_o	0.135	0.978	0.557	2.437
ITFC	10	500	1.70	7	2	original	ϕ_o	0.184	0.965	0.574	2.478
ITFC	10	750	1.25	7	2	original	ϕ_o	0.080	0.992	0.536	2.284
ITFC	10	750	1.50	7	2	original	ϕ_o	0.092	0.990	0.541	2.363
ITFC	10	750	1.70	7	2	original	ϕ_o	0.104	0.988	0.546	2.419
ITFC	10	1000	1.25	7	2	original	ϕ_o	0.068	0.993	0.531	2.294
ITFC	10	1000	1.50	7	2	original	ϕ_o	0.076	0.992	0.534	2.382
ITFC	10	1000	1.70	7	2	original	ϕ_o	0.084	0.991	0.538	2.443
ITFC	10	500	1.25	6	7	original	ϕ_o	0.166	0.982	0.574	3.041
ITFC	10	500	1.50	6	7	original	ϕ_o	0.212	0.972	0.592	3.070
ITFC	10	500	1.70	6	7	original	ϕ_o	0.254	0.961	0.608	3.079
ITFC	10	750	1.25	6	7	original	ϕ_o	0.142	0.989	0.566	3.041
ITFC	10	750	1.50	6	7	original	ϕ_o	0.184	0.980	0.582	3.079
ITFC	10	750	1.70	6	7	original	ϕ_o	0.221	0.970	0.595	3.094
ITFC	10	1000	1.25	6	7	original	ϕ_o	0.141	0.990	0.565	3.040
ITFC	10	1000	1.50	6	7	original	ϕ_o	0.182	0.981	0.581	3.077
ITFC	10	1000	1.70	6	7	original	ϕ_o	0.218	0.972	0.595	3.091
ITFC	10	10	1.25	7	4	original	ϕ_o	0.650	0.291	0.471	2.751
ITFC	10	10	1.50	7	4	original	ϕ_o	0.675	0.179	0.427	2.399
ITFC	10	10	1.70	7	4	original	ϕ_o	0.680	0.141	0.411	2.393
ITFC	10	100	1.25	7	4	original	ϕ_o	0.209	0.948	0.578	2.611
ITFC	10	100	1.50	7	4	original	ϕ_o	0.330	0.898	0.614	2.633
ITFC	10	100	1.70	7	4	original	ϕ_o	0.423	0.816	0.619	2.650
ITFC	10	250	1.25	7	4	original	ϕ_o	0.111	0.983	0.547	2.484
ITFC	10	250	1.50	7	4	original	ϕ_o	0.130	0.976	0.553	2.526
ITFC	10	250	1.70	7	4	original	ϕ_o	0.149	0.969	0.559	2.548
ITFC	10	500	0.50	6	5	original	ϕ_o	0.057	0.998	0.527	2.251
ITFC	10	500	0.70	6	5	original	ϕ_o	0.100	0.993	0.547	2.658
ITFC	10	500	1.00	6	5	original	ϕ_o	0.159	0.982	0.570	2.907
ITFC	10	750	0.50	6	5	original	ϕ_o	0.033	0.999	0.516	2.194
ITFC	10	750	0.70	6	5	original	ϕ_o	0.070	0.997	0.533	2.617
ITFC	10	750	1.00	6	5	original	ϕ_o	0.120	0.990	0.555	2.912
ITFC	10	1000	0.50	6	5	original	ϕ_o	0.023	1.000	0.511	2.184
ITFC	10	1000	0.70	6	5	original	ϕ_o	0.055	0.998	0.527	2.613
ITFC	10	1000	1.00	6	5	original	ϕ_o	0.105	0.994	0.550	2.917
ITFC	10	10	0.50	5	7	original	ϕ_o	0.284	0.941	0.612	3.094
ITFC	10	10	0.70	5	7	original	ϕ_o	0.365	0.895	0.630	3.052
ITFC	10	10	1.00	5	7	original	ϕ_o	0.568	0.698	0.633	3.001
ITFC	10	100	0.50	5	7	original	ϕ_o	0.115	0.976	0.546	2.684
ITFC	10	100	0.70	5	7	original	ϕ_o	0.160	0.961	0.560	3.033
ITFC	10	100	1.00	5	7	original	ϕ_o	0.215	0.942	0.578	3.135
ITFC	10	250	0.50	5	7	original	ϕ_o	0.061	0.987	0.524	2.354
ITFC	10	250	0.70	5	7	original	ϕ_o	0.099	0.978	0.539	2.793
ITFC	10	250	1.00	5	7	original	ϕ_o	0.136	0.963	0.550	3.066
ITFC	10	10	1.25	6	7	original	ϕ_o	0.712	0.245	0.479	2.097
ITFC	10	10	1.50	6	7	original	ϕ_o	0.727	0.117	0.422	2.098
ITFC	10	10	1.70	6	7	original	ϕ_o	0.729	0.075	0.402	2.096
ITFC	10	100	1.25	6	7	original	ϕ_o	0.471	0.862	0.667	2.999

ITFC	10	100	1.50	6	7	original	ϕ_o	0.567	0.750	0.658	2.594
ITFC	10	100	1.70	6	7	original	ϕ_o	0.621	0.617	0.619	2.589
ITFC	10	250	1.25	6	7	original	ϕ_o	0.279	0.954	0.616	3.007
ITFC	10	250	1.50	6	7	original	ϕ_o	0.341	0.929	0.635	3.010
ITFC	10	250	1.70	6	7	original	ϕ_o	0.403	0.899	0.651	3.002
ITFC	10	10	2.00	5	5	original	ϕ_o	0.748	0.105	0.427	2.182
ITFC	10	10	2.30	5	5	original	ϕ_o	0.748	0.102	0.425	2.763
ITFC	10	10	3.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.180
ITFC	10	100	2.00	5	5	original	ϕ_o	0.686	0.487	0.587	3.175
ITFC	10	100	2.30	5	5	original	ϕ_o	0.726	0.287	0.507	3.214
ITFC	10	100	3.00	5	5	original	ϕ_o	0.745	0.125	0.435	2.771
ITFC	10	250	2.00	5	5	original	ϕ_o	0.416	0.888	0.652	3.102
ITFC	10	250	2.30	5	5	original	ϕ_o	0.523	0.823	0.673	3.111
ITFC	10	250	3.00	5	5	original	ϕ_o	0.678	0.525	0.601	2.728
ITFC	10	500	2.00	2	3	original	ϕ_o	0.874	0.753	0.813	3.702
ITFC	10	500	2.30	2	3	original	ϕ_o	0.917	0.652	0.784	3.699
ITFC	10	500	3.00	2	3	original	ϕ_o	0.954	0.364	0.659	2.861
ITFC	10	750	2.00	2	3	original	ϕ_o	0.774	0.854	0.814	4.373
ITFC	10	750	2.30	2	3	original	ϕ_o	0.849	0.792	0.821	4.346
ITFC	10	750	3.00	2	3	original	ϕ_o	0.929	0.605	0.767	3.698
ITFC	10	1000	2.00	2	3	original	ϕ_o	0.673	0.902	0.788	4.382
ITFC	10	1000	2.30	2	3	original	ϕ_o	0.760	0.862	0.811	4.373
ITFC	10	1000	3.00	2	3	original	ϕ_o	0.888	0.729	0.809	3.710
ITFC	10	10	1.25	6	5	original	ϕ_o	0.718	0.174	0.446	2.090
ITFC	10	10	1.50	6	5	original	ϕ_o	0.727	0.087	0.407	2.091
ITFC	10	10	1.70	6	5	original	ϕ_o	0.729	0.060	0.395	2.092
ITFC	10	100	1.25	6	5	original	ϕ_o	0.527	0.761	0.644	2.915
ITFC	10	100	1.50	6	5	original	ϕ_o	0.615	0.595	0.605	2.551
ITFC	10	100	1.70	6	5	original	ϕ_o	0.661	0.449	0.555	2.050
ITFC	10	250	1.25	6	5	original	ϕ_o	0.330	0.929	0.630	2.931
ITFC	10	250	1.50	6	5	original	ϕ_o	0.412	0.882	0.647	2.928
ITFC	10	250	1.70	6	5	original	ϕ_o	0.483	0.824	0.653	2.930
ITFC	10	10	1.25	7	3	original	ϕ_o	0.665	0.221	0.443	2.388
ITFC	10	10	1.50	7	3	original	ϕ_o	0.678	0.156	0.417	2.395
ITFC	10	10	1.70	7	3	original	ϕ_o	0.680	0.133	0.407	2.749
ITFC	10	100	1.25	7	3	original	ϕ_o	0.327	0.843	0.585	2.502
ITFC	10	100	1.50	7	3	original	ϕ_o	0.462	0.710	0.586	2.552
ITFC	10	100	1.70	7	3	original	ϕ_o	0.535	0.583	0.559	2.591
ITFC	10	250	1.25	7	3	original	ϕ_o	0.147	0.965	0.556	2.399
ITFC	10	250	1.50	7	3	original	ϕ_o	0.190	0.942	0.566	2.431
ITFC	10	250	1.70	7	3	original	ϕ_o	0.237	0.909	0.573	2.455
ITFC	10	500	0.50	6	3	original	ϕ_o	0.111	0.993	0.552	2.355
ITFC	10	500	0.70	6	3	original	ϕ_o	0.164	0.984	0.574	2.698
ITFC	10	500	1.00	6	3	original	ϕ_o	0.233	0.959	0.596	2.832
ITFC	10	750	0.50	6	3	original	ϕ_o	0.081	0.997	0.539	2.254
ITFC	10	750	0.70	6	3	original	ϕ_o	0.122	0.991	0.557	2.629
ITFC	10	750	1.00	6	3	original	ϕ_o	0.182	0.978	0.580	2.841
ITFC	10	1000	0.50	6	3	original	ϕ_o	0.060	0.999	0.529	2.211
ITFC	10	1000	0.70	6	3	original	ϕ_o	0.097	0.995	0.546	2.604
ITFC	10	1000	1.00	6	3	original	ϕ_o	0.146	0.987	0.566	2.869
ITFC	10	500	2.00	7	2	original	ϕ_o	0.290	0.921	0.606	2.526
ITFC	10	500	2.30	7	2	original	ϕ_o	0.384	0.854	0.619	2.560
ITFC	10	500	3.00	7	2	original	ϕ_o	0.530	0.646	0.588	2.617
ITFC	10	750	2.00	7	2	original	ϕ_o	0.140	0.982	0.561	2.477
ITFC	10	750	2.30	7	2	original	ϕ_o	0.202	0.963	0.582	2.517
ITFC	10	750	3.00	7	2	original	ϕ_o	0.375	0.867	0.621	2.578
ITFC	10	1000	2.00	7	2	original	ϕ_o	0.101	0.989	0.545	2.509
ITFC	10	1000	2.30	7	2	original	ϕ_o	0.134	0.984	0.559	2.550
ITFC	10	1000	3.00	7	2	original	ϕ_o	0.273	0.937	0.605	2.613
ITFC	10	500	0.50	2	2	original	ϕ_o	0.340	0.985	0.662	3.933
ITFC	10	500	0.70	2	2	original	ϕ_o	0.491	0.963	0.727	4.268
ITFC	10	500	1.00	2	2	original	ϕ_o	0.629	0.919	0.774	4.350
ITFC	10	750	0.50	2	2	original	ϕ_o	0.247	0.991	0.619	3.772
ITFC	10	750	0.70	2	2	original	ϕ_o	0.388	0.976	0.682	4.177

ITFC	10	750	1.00	2	2	original	ϕ_o	0.536	0.945	0.740	4.336
ITFC	10	1000	0.50	2	2	original	ϕ_o	0.189	0.996	0.592	3.638
ITFC	10	1000	0.70	2	2	original	ϕ_o	0.312	0.985	0.648	4.088
ITFC	10	1000	1.00	2	2	original	ϕ_o	0.456	0.961	0.709	4.312
ITFC	10	500	4.00	2	7	original	ϕ_o	0.939	0.442	0.691	2.848
ITFC	10	750	4.00	2	7	original	ϕ_o	0.922	0.596	0.759	3.677
ITFC	10	1000	4.00	2	7	original	ϕ_o	0.920	0.600	0.760	3.667
ITFC	10	500	0.50	2	7	original	ϕ_o	0.093	0.997	0.545	3.411
ITFC	10	500	0.70	2	7	original	ϕ_o	0.194	0.993	0.593	3.949
ITFC	10	500	1.00	2	7	original	ϕ_o	0.332	0.981	0.656	4.254
ITFC	10	750	0.50	2	7	original	ϕ_o	0.050	0.999	0.525	3.297
ITFC	10	750	0.70	2	7	original	ϕ_o	0.125	0.997	0.561	3.871
ITFC	10	750	1.00	2	7	original	ϕ_o	0.245	0.991	0.618	4.224
ITFC	10	1000	0.50	2	7	original	ϕ_o	0.043	1.000	0.522	3.273
ITFC	10	1000	0.70	2	7	original	ϕ_o	0.110	0.998	0.554	3.857
ITFC	10	1000	1.00	2	7	original	ϕ_o	0.223	0.994	0.608	4.220
ITFC	10	10	4.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	100	4.00	5	5	original	ϕ_o	0.748	0.105	0.427	2.184
ITFC	10	250	4.00	5	5	original	ϕ_o	0.739	0.194	0.467	3.198
ITFC	10	500	0.20	3	6	original	ϕ_o	0.002	1.000	0.501	1.479
ITFC	10	750	0.20	3	6	original	ϕ_o	0.000	1.000	0.500	1.428
ITFC	10	1000	0.20	3	6	original	ϕ_o	0.000	1.000	0.500	1.412
ITFC	10	500	4.00	5	5	original	ϕ_o	0.653	0.648	0.651	3.197
ITFC	10	750	4.00	5	5	original	ϕ_o	0.584	0.774	0.679	3.168
ITFC	10	1000	4.00	5	5	original	ϕ_o	0.547	0.799	0.673	3.133
ITFC	10	10	2.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.179
ITFC	10	10	2.30	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
ITFC	10	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.179
ITFC	10	100	2.00	5	3	original	ϕ_o	0.736	0.169	0.452	2.754
ITFC	10	100	2.30	5	3	original	ϕ_o	0.743	0.122	0.432	2.170
ITFC	10	100	3.00	5	3	original	ϕ_o	0.746	0.103	0.425	2.750
ITFC	10	250	2.00	5	3	original	ϕ_o	0.619	0.622	0.621	3.076
ITFC	10	250	2.30	5	3	original	ϕ_o	0.689	0.421	0.555	3.139
ITFC	10	250	3.00	5	3	original	ϕ_o	0.736	0.163	0.449	2.742
ITFC	10	10	1.25	3	5	original	ϕ_o	0.860	0.137	0.499	2.514
ITFC	10	10	1.50	3	5	original	ϕ_o	0.865	0.080	0.473	2.522
ITFC	10	10	1.70	3	5	original	ϕ_o	0.866	0.072	0.469	2.521
ITFC	10	100	1.25	3	5	original	ϕ_o	0.633	0.790	0.712	3.520
ITFC	10	100	1.50	3	5	original	ϕ_o	0.760	0.621	0.690	3.115
ITFC	10	100	1.70	3	5	original	ϕ_o	0.813	0.451	0.632	3.103
ITFC	10	250	1.25	3	5	original	ϕ_o	0.316	0.935	0.626	3.556
ITFC	10	250	1.50	3	5	original	ϕ_o	0.442	0.883	0.663	3.528
ITFC	10	250	1.70	3	5	original	ϕ_o	0.580	0.823	0.701	3.522
ITFC	10	500	2.00	6	2	original	ϕ_o	0.621	0.493	0.557	2.463
ITFC	10	500	2.30	6	2	original	ϕ_o	0.665	0.323	0.494	1.997
ITFC	10	500	3.00	6	2	original	ϕ_o	0.702	0.117	0.409	2.020
ITFC	10	750	2.00	6	2	original	ϕ_o	0.504	0.743	0.624	2.436
ITFC	10	750	2.30	6	2	original	ϕ_o	0.578	0.608	0.593	2.446
ITFC	10	750	3.00	6	2	original	ϕ_o	0.670	0.301	0.485	2.000
ITFC	10	1000	2.00	6	2	original	ϕ_o	0.391	0.846	0.618	2.735
ITFC	10	1000	2.30	6	2	original	ϕ_o	0.473	0.777	0.625	2.738
ITFC	10	1000	3.00	6	2	original	ϕ_o	0.605	0.537	0.571	2.737
ITFC	10	500	0.20	6	7	original	ϕ_o	0.001	1.000	0.501	1.286
ITFC	10	750	0.20	6	7	original	ϕ_o	0.001	1.000	0.500	1.271
ITFC	10	1000	0.20	6	7	original	ϕ_o	0.001	1.000	0.500	1.264
ITFC	10	500	4.00	7	5	original	ϕ_o	0.388	0.864	0.626	2.693
ITFC	10	750	4.00	7	5	original	ϕ_o	0.321	0.910	0.616	2.716
ITFC	10	1000	4.00	7	5	original	ϕ_o	0.316	0.914	0.615	2.724
ITFC	10	500	0.20	4	2	original	ϕ_o	0.060	1.000	0.530	1.288
ITFC	10	750	0.20	4	2	original	ϕ_o	0.046	1.000	0.523	1.203
ITFC	10	1000	0.20	4	2	original	ϕ_o	0.036	1.000	0.518	1.151
ITFC	10	10	1.25	5	6	original	ϕ_o	0.717	0.335	0.526	3.196
ITFC	10	10	1.50	5	6	original	ϕ_o	0.742	0.171	0.457	3.227
ITFC	10	10	1.70	5	6	original	ϕ_o	0.746	0.130	0.438	2.769

ITFC	10	100	1.25	5	6	original	ϕ_o	0.318	0.911	0.614	3.059
ITFC	10	100	1.50	5	6	original	ϕ_o	0.440	0.863	0.651	3.044
ITFC	10	100	1.70	5	6	original	ϕ_o	0.539	0.790	0.664	3.060
ITFC	10	250	1.25	5	6	original	ϕ_o	0.183	0.952	0.567	3.129
ITFC	10	250	1.50	5	6	original	ϕ_o	0.217	0.940	0.579	3.115
ITFC	10	250	1.70	5	6	original	ϕ_o	0.255	0.930	0.593	3.111
ITFC	10	500	0.50	5	4	original	ϕ_o	0.056	0.993	0.525	2.271
ITFC	10	500	0.70	5	4	original	ϕ_o	0.087	0.986	0.536	2.672
ITFC	10	500	1.00	5	4	original	ϕ_o	0.127	0.972	0.549	2.931
ITFC	10	750	0.50	5	4	original	ϕ_o	0.038	0.996	0.517	2.141
ITFC	10	750	0.70	5	4	original	ϕ_o	0.062	0.992	0.527	2.563
ITFC	10	750	1.00	5	4	original	ϕ_o	0.094	0.983	0.539	2.868
ITFC	10	1000	0.50	5	4	original	ϕ_o	0.026	0.998	0.512	2.085
ITFC	10	1000	0.70	5	4	original	ϕ_o	0.045	0.995	0.520	2.503
ITFC	10	1000	1.00	5	4	original	ϕ_o	0.074	0.990	0.532	2.834
ITFC	10	500	1.25	7	3	original	ϕ_o	0.089	0.992	0.541	2.332
ITFC	10	500	1.50	7	3	original	ϕ_o	0.107	0.987	0.547	2.379
ITFC	10	500	1.70	7	3	original	ϕ_o	0.123	0.981	0.552	2.411
ITFC	10	750	1.25	7	3	original	ϕ_o	0.072	0.996	0.534	2.278
ITFC	10	750	1.50	7	3	original	ϕ_o	0.083	0.992	0.538	2.337
ITFC	10	750	1.70	7	3	original	ϕ_o	0.093	0.990	0.541	2.368
ITFC	10	1000	1.25	7	3	original	ϕ_o	0.065	0.997	0.531	2.278
ITFC	10	1000	1.50	7	3	original	ϕ_o	0.073	0.994	0.534	2.341
ITFC	10	1000	1.70	7	3	original	ϕ_o	0.081	0.992	0.537	2.380

A.1.6 Input Validation Features Cluster

Type	α	η	κ	k_{input}	k_{feat}	Neg fix	ϕ	$\gamma+$	$\gamma-$	γ	Σ
IVFC	3	500	2.00	7	4	original	ϕ_o	0.657	0.256	0.456	2.767
IVFC	3	500	2.30	7	4	original	ϕ_o	0.663	0.244	0.453	2.774
IVFC	3	500	3.00	7	4	original	ϕ_o	0.670	0.228	0.449	2.771
IVFC	3	750	2.00	7	4	original	ϕ_o	0.657	0.256	0.456	2.767
IVFC	3	750	2.30	7	4	original	ϕ_o	0.663	0.244	0.453	2.774
IVFC	3	750	3.00	7	4	original	ϕ_o	0.670	0.228	0.449	2.771
IVFC	3	1000	2.00	7	4	original	ϕ_o	0.657	0.256	0.456	2.767
IVFC	3	1000	2.30	7	4	original	ϕ_o	0.663	0.244	0.453	2.774
IVFC	3	1000	3.00	7	4	original	ϕ_o	0.670	0.228	0.449	2.771
IVFC	3	10	0.20	5	6	original	ϕ_o	0.334	0.923	0.629	2.039
IVFC	3	100	0.20	5	6	original	ϕ_o	0.086	0.971	0.528	0.986
IVFC	3	250	0.20	5	6	original	ϕ_o	0.039	0.976	0.507	0.720
IVFC	3	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	100	4.00	6	2	original	ϕ_o	0.733	0.054	0.394	2.099
IVFC	3	250	4.00	6	2	original	ϕ_o	0.733	0.062	0.398	2.100
IVFC	3	500	1.25	3	7	original	ϕ_o	0.804	0.491	0.648	3.709
IVFC	3	500	1.50	3	7	original	ϕ_o	0.830	0.393	0.612	3.212
IVFC	3	500	1.70	3	7	original	ϕ_o	0.843	0.323	0.583	3.216
IVFC	3	750	1.25	3	7	original	ϕ_o	0.804	0.491	0.648	3.709
IVFC	3	750	1.50	3	7	original	ϕ_o	0.830	0.393	0.612	3.212
IVFC	3	750	1.70	3	7	original	ϕ_o	0.843	0.323	0.583	3.216
IVFC	3	1000	1.25	3	7	original	ϕ_o	0.804	0.491	0.648	3.709
IVFC	3	1000	1.50	3	7	original	ϕ_o	0.830	0.393	0.612	3.212
IVFC	3	1000	1.70	3	7	original	ϕ_o	0.843	0.323	0.583	3.216
IVFC	3	500	4.00	2	7	original	ϕ_o	0.970	0.111	0.541	2.865
IVFC	3	750	4.00	2	7	original	ϕ_o	0.970	0.111	0.541	2.865

IVFC	3	1000	4.00	2	7	original	ϕ_o	0.970	0.111	0.541	2.865
IVFC	3	500	0.20	4	7	original	ϕ_o	0.037	0.972	0.505	0.663
IVFC	3	750	0.20	4	7	original	ϕ_o	0.037	0.972	0.505	0.663
IVFC	3	1000	0.20	4	7	original	ϕ_o	0.037	0.972	0.505	0.663
IVFC	3	10	2.00	5	5	original	ϕ_o	0.749	0.112	0.431	2.776
IVFC	3	10	2.30	5	5	original	ϕ_o	0.748	0.109	0.429	2.770
IVFC	3	10	3.00	5	5	original	ϕ_o	0.748	0.105	0.426	2.764
IVFC	3	100	2.00	5	5	original	ϕ_o	0.748	0.173	0.461	2.820
IVFC	3	100	2.30	5	5	original	ϕ_o	0.749	0.164	0.456	2.819
IVFC	3	100	3.00	5	5	original	ϕ_o	0.749	0.151	0.450	2.806
IVFC	3	250	2.00	5	5	original	ϕ_o	0.733	0.224	0.478	3.221
IVFC	3	250	2.30	5	5	original	ϕ_o	0.738	0.204	0.471	3.219
IVFC	3	250	3.00	5	5	original	ϕ_o	0.743	0.183	0.463	2.796
IVFC	3	500	0.50	7	6	original	ϕ_o	0.383	0.775	0.579	2.136
IVFC	3	500	0.70	7	6	original	ϕ_o	0.505	0.604	0.555	2.484
IVFC	3	500	1.00	7	6	original	ϕ_o	0.599	0.412	0.506	2.703
IVFC	3	750	0.50	7	6	original	ϕ_o	0.383	0.775	0.579	2.136
IVFC	3	750	0.70	7	6	original	ϕ_o	0.505	0.604	0.555	2.484
IVFC	3	750	1.00	7	6	original	ϕ_o	0.599	0.412	0.506	2.703
IVFC	3	1000	0.50	7	6	original	ϕ_o	0.383	0.775	0.579	2.136
IVFC	3	1000	0.70	7	6	original	ϕ_o	0.505	0.604	0.555	2.484
IVFC	3	1000	1.00	7	6	original	ϕ_o	0.599	0.412	0.506	2.703
IVFC	3	10	0.20	4	4	original	ϕ_o	0.437	0.894	0.666	2.431
IVFC	3	100	0.20	4	4	original	ϕ_o	0.161	0.959	0.560	1.278
IVFC	3	250	0.20	4	4	original	ϕ_o	0.073	0.970	0.521	0.857
IVFC	3	10	0.20	3	5	original	ϕ_o	0.430	0.881	0.655	2.562
IVFC	3	100	0.20	3	5	original	ϕ_o	0.137	0.971	0.554	1.447
IVFC	3	250	0.20	3	5	original	ϕ_o	0.059	0.979	0.519	1.088
IVFC	3	500	2.00	2	7	original	ϕ_o	0.966	0.246	0.606	3.707
IVFC	3	500	2.30	2	7	original	ϕ_o	0.969	0.171	0.570	2.882
IVFC	3	500	3.00	2	7	original	ϕ_o	0.971	0.122	0.546	2.873
IVFC	3	750	2.00	2	7	original	ϕ_o	0.966	0.246	0.606	3.707
IVFC	3	750	2.30	2	7	original	ϕ_o	0.969	0.171	0.570	2.882
IVFC	3	750	3.00	2	7	original	ϕ_o	0.971	0.122	0.546	2.873
IVFC	3	1000	2.00	2	7	original	ϕ_o	0.966	0.246	0.606	3.707
IVFC	3	1000	2.30	2	7	original	ϕ_o	0.969	0.171	0.570	2.882
IVFC	3	1000	3.00	2	7	original	ϕ_o	0.971	0.122	0.546	2.873
IVFC	3	500	4.00	4	5	original	ϕ_o	0.789	0.174	0.481	2.900
IVFC	3	750	4.00	4	5	original	ϕ_o	0.789	0.174	0.481	2.900
IVFC	3	1000	4.00	4	5	original	ϕ_o	0.789	0.174	0.481	2.900
IVFC	3	10	4.00	5	5	original	ϕ_o	0.748	0.104	0.426	2.763
IVFC	3	100	4.00	5	5	original	ϕ_o	0.749	0.137	0.443	2.791
IVFC	3	250	4.00	5	5	original	ϕ_o	0.745	0.176	0.460	2.791
IVFC	3	10	0.20	2	7	original	ϕ_o	0.474	0.935	0.705	3.017
IVFC	3	100	0.20	2	7	original	ϕ_o	0.107	0.983	0.545	1.671
IVFC	3	250	0.20	2	7	original	ϕ_o	0.046	0.987	0.517	1.358
IVFC	3	500	0.50	7	5	original	ϕ_o	0.381	0.822	0.601	2.176
IVFC	3	500	0.70	7	5	original	ϕ_o	0.497	0.665	0.581	2.498
IVFC	3	500	1.00	7	5	original	ϕ_o	0.589	0.463	0.526	2.710
IVFC	3	750	0.50	7	5	original	ϕ_o	0.381	0.822	0.601	2.176

IVFC	3	750	0.70	7	5	original	ϕ_o	0.497	0.665	0.581	2.498
IVFC	3	750	1.00	7	5	original	ϕ_o	0.589	0.463	0.526	2.710
IVFC	3	1000	0.50	7	5	original	ϕ_o	0.381	0.822	0.601	2.176
IVFC	3	1000	0.70	7	5	original	ϕ_o	0.497	0.665	0.581	2.498
IVFC	3	1000	1.00	7	5	original	ϕ_o	0.589	0.463	0.526	2.710
IVFC	3	500	4.00	2	5	original	ϕ_o	0.970	0.112	0.541	2.861
IVFC	3	750	4.00	2	5	original	ϕ_o	0.970	0.112	0.541	2.861
IVFC	3	1000	4.00	2	5	original	ϕ_o	0.970	0.112	0.541	2.861
IVFC	3	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	3	100	4.00	3	3	original	ϕ_o	0.865	0.090	0.478	2.523
IVFC	3	250	4.00	3	3	original	ϕ_o	0.863	0.119	0.491	2.526
IVFC	3	500	0.20	5	4	original	ϕ_o	0.041	0.975	0.508	0.716
IVFC	3	750	0.20	5	4	original	ϕ_o	0.041	0.975	0.508	0.716
IVFC	3	1000	0.20	5	4	original	ϕ_o	0.041	0.975	0.508	0.716
IVFC	3	500	2.00	4	7	original	ϕ_o	0.774	0.268	0.521	3.393
IVFC	3	500	2.30	4	7	original	ϕ_o	0.781	0.229	0.505	3.389
IVFC	3	500	3.00	4	7	original	ϕ_o	0.788	0.190	0.489	3.379
IVFC	3	750	2.00	4	7	original	ϕ_o	0.774	0.268	0.521	3.393
IVFC	3	750	2.30	4	7	original	ϕ_o	0.781	0.229	0.505	3.389
IVFC	3	750	3.00	4	7	original	ϕ_o	0.788	0.190	0.489	3.379
IVFC	3	1000	2.00	4	7	original	ϕ_o	0.774	0.268	0.521	3.393
IVFC	3	1000	2.30	4	7	original	ϕ_o	0.781	0.229	0.505	3.389
IVFC	3	1000	3.00	4	7	original	ϕ_o	0.788	0.190	0.489	3.379
IVFC	3	500	4.00	3	2	original	ϕ_o	0.862	0.127	0.494	2.521
IVFC	3	750	4.00	3	2	original	ϕ_o	0.860	0.141	0.500	2.523
IVFC	3	1000	4.00	3	2	original	ϕ_o	0.860	0.142	0.501	2.522
IVFC	3	500	2.00	5	6	original	ϕ_o	0.727	0.240	0.484	3.220
IVFC	3	500	2.30	5	6	original	ϕ_o	0.732	0.217	0.475	3.213
IVFC	3	500	3.00	5	6	original	ϕ_o	0.738	0.192	0.465	3.201
IVFC	3	750	2.00	5	6	original	ϕ_o	0.727	0.240	0.484	3.220
IVFC	3	750	2.30	5	6	original	ϕ_o	0.732	0.217	0.475	3.213
IVFC	3	750	3.00	5	6	original	ϕ_o	0.738	0.192	0.465	3.201
IVFC	3	1000	2.00	5	6	original	ϕ_o	0.727	0.240	0.484	3.220
IVFC	3	1000	2.30	5	6	original	ϕ_o	0.732	0.217	0.475	3.213
IVFC	3	1000	3.00	5	6	original	ϕ_o	0.738	0.192	0.465	3.201
IVFC	3	500	4.00	7	6	original	ϕ_o	0.681	0.201	0.441	2.785
IVFC	3	750	4.00	7	6	original	ϕ_o	0.681	0.201	0.441	2.785
IVFC	3	1000	4.00	7	6	original	ϕ_o	0.681	0.201	0.441	2.785
IVFC	3	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	3	100	4.00	5	3	original	ϕ_o	0.746	0.126	0.436	2.769
IVFC	3	250	4.00	5	3	original	ϕ_o	0.743	0.163	0.453	2.775
IVFC	3	10	2.00	7	7	original	ϕ_o	0.686	0.117	0.402	1.949
IVFC	3	10	2.30	7	7	original	ϕ_o	0.686	0.115	0.400	2.407
IVFC	3	10	3.00	7	7	original	ϕ_o	0.685	0.114	0.399	2.403
IVFC	3	100	2.00	7	7	original	ϕ_o	0.683	0.213	0.448	2.478
IVFC	3	100	2.30	7	7	original	ϕ_o	0.684	0.203	0.444	2.471
IVFC	3	100	3.00	7	7	original	ϕ_o	0.685	0.185	0.435	2.454
IVFC	3	250	2.00	7	7	original	ϕ_o	0.669	0.240	0.455	2.797
IVFC	3	250	2.30	7	7	original	ϕ_o	0.674	0.229	0.451	2.801
IVFC	3	250	3.00	7	7	original	ϕ_o	0.679	0.212	0.446	2.799

IVFC	3	10	4.00	5	4	original	ϕ_o	0.748	0.104	0.426	2.763
IVFC	3	100	4.00	5	4	original	ϕ_o	0.749	0.133	0.441	2.784
IVFC	3	250	4.00	5	4	original	ϕ_o	0.745	0.175	0.460	3.180
IVFC	3	10	0.50	3	7	original	ϕ_o	0.796	0.544	0.670	3.178
IVFC	3	10	0.70	3	7	original	ϕ_o	0.848	0.356	0.602	3.222
IVFC	3	10	1.00	3	7	original	ϕ_o	0.866	0.164	0.515	2.554
IVFC	3	100	0.50	3	7	original	ϕ_o	0.548	0.849	0.698	3.156
IVFC	3	100	0.70	3	7	original	ϕ_o	0.706	0.699	0.702	3.552
IVFC	3	100	1.00	3	7	original	ϕ_o	0.805	0.502	0.653	3.672
IVFC	3	250	0.50	3	7	original	ϕ_o	0.420	0.901	0.661	2.793
IVFC	3	250	0.70	3	7	original	ϕ_o	0.613	0.783	0.698	3.361
IVFC	3	250	1.00	3	7	original	ϕ_o	0.753	0.609	0.681	3.656
IVFC	3	500	4.00	6	5	original	ϕ_o	0.738	0.100	0.419	2.122
IVFC	3	750	4.00	6	5	original	ϕ_o	0.738	0.100	0.419	2.122
IVFC	3	1000	4.00	6	5	original	ϕ_o	0.738	0.100	0.419	2.122
IVFC	3	500	1.25	5	7	original	ϕ_o	0.675	0.432	0.553	3.135
IVFC	3	500	1.50	5	7	original	ϕ_o	0.704	0.337	0.521	3.201
IVFC	3	500	1.70	5	7	original	ϕ_o	0.717	0.288	0.503	3.220
IVFC	3	750	1.25	5	7	original	ϕ_o	0.675	0.432	0.553	3.135
IVFC	3	750	1.50	5	7	original	ϕ_o	0.704	0.337	0.521	3.201
IVFC	3	750	1.70	5	7	original	ϕ_o	0.717	0.288	0.503	3.220
IVFC	3	1000	1.25	5	7	original	ϕ_o	0.675	0.432	0.553	3.135
IVFC	3	1000	1.50	5	7	original	ϕ_o	0.704	0.337	0.521	3.201
IVFC	3	1000	1.70	5	7	original	ϕ_o	0.717	0.288	0.503	3.220
IVFC	3	500	4.00	7	2	original	ϕ_o	0.667	0.210	0.438	2.709
IVFC	3	750	4.00	7	2	original	ϕ_o	0.666	0.216	0.441	2.726
IVFC	3	1000	4.00	7	2	original	ϕ_o	0.666	0.216	0.441	2.731
IVFC	3	500	0.20	7	3	original	ϕ_o	0.108	0.956	0.532	0.982
IVFC	3	750	0.20	7	3	original	ϕ_o	0.107	0.956	0.532	0.976
IVFC	3	1000	0.20	7	3	original	ϕ_o	0.107	0.956	0.532	0.976
IVFC	3	500	0.50	2	2	original	ϕ_o	0.582	0.933	0.758	3.724
IVFC	3	500	0.70	2	2	original	ϕ_o	0.750	0.873	0.811	4.163
IVFC	3	500	1.00	2	2	original	ϕ_o	0.867	0.747	0.807	4.333
IVFC	3	750	0.50	2	2	original	ϕ_o	0.518	0.943	0.731	3.544
IVFC	3	750	0.70	2	2	original	ϕ_o	0.695	0.897	0.796	4.069
IVFC	3	750	1.00	2	2	original	ϕ_o	0.834	0.796	0.815	4.293
IVFC	3	1000	0.50	2	2	original	ϕ_o	0.507	0.944	0.726	3.515
IVFC	3	1000	0.70	2	2	original	ϕ_o	0.686	0.899	0.792	4.050
IVFC	3	1000	1.00	2	2	original	ϕ_o	0.829	0.801	0.815	4.284
IVFC	3	500	1.25	7	5	original	ϕ_o	0.625	0.354	0.490	2.763
IVFC	3	500	1.50	7	5	original	ϕ_o	0.644	0.298	0.471	2.772
IVFC	3	500	1.70	7	5	original	ϕ_o	0.653	0.276	0.465	2.789
IVFC	3	750	1.25	7	5	original	ϕ_o	0.625	0.354	0.490	2.763
IVFC	3	750	1.50	7	5	original	ϕ_o	0.644	0.298	0.471	2.772
IVFC	3	750	1.70	7	5	original	ϕ_o	0.653	0.276	0.465	2.789
IVFC	3	1000	1.25	7	5	original	ϕ_o	0.625	0.354	0.490	2.763
IVFC	3	1000	1.50	7	5	original	ϕ_o	0.644	0.298	0.471	2.772
IVFC	3	1000	1.70	7	5	original	ϕ_o	0.653	0.276	0.465	2.789
IVFC	3	500	2.00	5	3	original	ϕ_o	0.726	0.223	0.474	3.224
IVFC	3	500	2.30	5	3	original	ϕ_o	0.732	0.205	0.468	3.216

IVFC	3	500	3.00	5	3	original	ϕ_o	0.738	0.192	0.465	3.198
IVFC	3	750	2.00	5	3	original	ϕ_o	0.726	0.224	0.475	3.223
IVFC	3	750	2.30	5	3	original	ϕ_o	0.732	0.205	0.468	3.215
IVFC	3	750	3.00	5	3	original	ϕ_o	0.738	0.191	0.464	3.198
IVFC	3	1000	2.00	5	3	original	ϕ_o	0.726	0.224	0.475	3.223
IVFC	3	1000	2.30	5	3	original	ϕ_o	0.732	0.205	0.468	3.215
IVFC	3	1000	3.00	5	3	original	ϕ_o	0.738	0.191	0.464	3.198
IVFC	3	500	0.50	7	3	original	ϕ_o	0.379	0.812	0.595	2.147
IVFC	3	500	0.70	7	3	original	ϕ_o	0.488	0.647	0.567	2.453
IVFC	3	500	1.00	7	3	original	ϕ_o	0.571	0.445	0.508	2.621
IVFC	3	750	0.50	7	3	original	ϕ_o	0.377	0.813	0.595	2.142
IVFC	3	750	0.70	7	3	original	ϕ_o	0.486	0.648	0.567	2.447
IVFC	3	750	1.00	7	3	original	ϕ_o	0.570	0.446	0.508	2.618
IVFC	3	1000	0.50	7	3	original	ϕ_o	0.377	0.813	0.595	2.142
IVFC	3	1000	0.70	7	3	original	ϕ_o	0.486	0.648	0.567	2.447
IVFC	3	1000	1.00	7	3	original	ϕ_o	0.570	0.446	0.508	2.618
IVFC	3	500	1.25	7	3	original	ϕ_o	0.609	0.344	0.477	2.683
IVFC	3	500	1.50	7	3	original	ϕ_o	0.630	0.292	0.461	2.714
IVFC	3	500	1.70	7	3	original	ϕ_o	0.640	0.272	0.456	2.728
IVFC	3	750	1.25	7	3	original	ϕ_o	0.609	0.344	0.476	2.680
IVFC	3	750	1.50	7	3	original	ϕ_o	0.629	0.293	0.461	2.712
IVFC	3	750	1.70	7	3	original	ϕ_o	0.639	0.272	0.456	2.725
IVFC	3	1000	1.25	7	3	original	ϕ_o	0.609	0.344	0.476	2.680
IVFC	3	1000	1.50	7	3	original	ϕ_o	0.629	0.293	0.461	2.712
IVFC	3	1000	1.70	7	3	original	ϕ_o	0.639	0.272	0.456	2.725
IVFC	3	500	0.50	6	6	original	ϕ_o	0.348	0.943	0.645	2.498
IVFC	3	500	0.70	6	6	original	ϕ_o	0.508	0.863	0.686	2.956
IVFC	3	500	1.00	6	6	original	ϕ_o	0.634	0.679	0.656	3.160
IVFC	3	750	0.50	6	6	original	ϕ_o	0.348	0.943	0.645	2.498
IVFC	3	750	0.70	6	6	original	ϕ_o	0.508	0.863	0.686	2.956
IVFC	3	750	1.00	6	6	original	ϕ_o	0.634	0.679	0.656	3.160
IVFC	3	1000	0.50	6	6	original	ϕ_o	0.348	0.943	0.645	2.498
IVFC	3	1000	0.70	6	6	original	ϕ_o	0.508	0.863	0.686	2.956
IVFC	3	1000	1.00	6	6	original	ϕ_o	0.634	0.679	0.656	3.160
IVFC	3	10	0.20	3	3	original	ϕ_o	0.507	0.818	0.663	2.806
IVFC	3	100	0.20	3	3	original	ϕ_o	0.221	0.955	0.588	1.819
IVFC	3	250	0.20	3	3	original	ϕ_o	0.109	0.975	0.542	1.372
IVFC	3	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	3	100	4.00	2	7	original	ϕ_o	0.968	0.093	0.531	2.852
IVFC	3	250	4.00	2	7	original	ϕ_o	0.971	0.111	0.541	2.866
IVFC	3	10	1.25	4	4	original	ϕ_o	0.792	0.109	0.451	2.304
IVFC	3	10	1.50	4	4	original	ϕ_o	0.790	0.105	0.448	2.297
IVFC	3	10	1.70	4	4	original	ϕ_o	0.790	0.104	0.447	2.880
IVFC	3	100	1.25	4	4	original	ϕ_o	0.780	0.266	0.523	2.934
IVFC	3	100	1.50	4	4	original	ϕ_o	0.789	0.202	0.496	2.936
IVFC	3	100	1.70	4	4	original	ϕ_o	0.793	0.179	0.486	2.935
IVFC	3	250	1.25	4	4	original	ϕ_o	0.728	0.465	0.596	3.359
IVFC	3	250	1.50	4	4	original	ϕ_o	0.754	0.357	0.555	3.378
IVFC	3	250	1.70	4	4	original	ϕ_o	0.766	0.295	0.531	3.376
IVFC	3	10	1.25	4	5	original	ϕ_o	0.794	0.110	0.452	2.307

IVFC	3	10	1.50	4	5	original	ϕ_o	0.792	0.106	0.449	2.299
IVFC	3	10	1.70	4	5	original	ϕ_o	0.790	0.105	0.448	2.880
IVFC	3	100	1.25	4	5	original	ϕ_o	0.772	0.303	0.538	3.397
IVFC	3	100	1.50	4	5	original	ϕ_o	0.785	0.231	0.508	3.394
IVFC	3	100	1.70	4	5	original	ϕ_o	0.790	0.200	0.495	3.396
IVFC	3	250	1.25	4	5	original	ϕ_o	0.721	0.459	0.590	3.311
IVFC	3	250	1.50	4	5	original	ϕ_o	0.749	0.353	0.551	3.335
IVFC	3	250	1.70	4	5	original	ϕ_o	0.763	0.294	0.529	3.340
IVFC	3	500	0.50	7	2	original	ϕ_o	0.378	0.779	0.579	2.103
IVFC	3	500	0.70	7	2	original	ϕ_o	0.481	0.591	0.536	2.350
IVFC	3	500	1.00	7	2	original	ϕ_o	0.565	0.402	0.484	2.511
IVFC	3	750	0.50	7	2	original	ϕ_o	0.353	0.801	0.577	2.026
IVFC	3	750	0.70	7	2	original	ϕ_o	0.463	0.624	0.544	2.315
IVFC	3	750	1.00	7	2	original	ϕ_o	0.552	0.425	0.488	2.496
IVFC	3	1000	0.50	7	2	original	ϕ_o	0.349	0.806	0.578	2.018
IVFC	3	1000	0.70	7	2	original	ϕ_o	0.461	0.636	0.549	2.320
IVFC	3	1000	1.00	7	2	original	ϕ_o	0.551	0.432	0.492	2.512
IVFC	3	10	0.50	5	5	original	ϕ_o	0.700	0.437	0.569	2.750
IVFC	3	10	0.70	5	5	original	ϕ_o	0.748	0.229	0.488	2.825
IVFC	3	10	1.00	5	5	original	ϕ_o	0.753	0.146	0.450	2.820
IVFC	3	100	0.50	5	5	original	ϕ_o	0.490	0.818	0.654	2.719
IVFC	3	100	0.70	5	5	original	ϕ_o	0.618	0.617	0.617	3.061
IVFC	3	100	1.00	5	5	original	ϕ_o	0.706	0.371	0.538	3.242
IVFC	3	250	0.50	5	5	original	ϕ_o	0.347	0.896	0.622	2.288
IVFC	3	250	0.70	5	5	original	ϕ_o	0.503	0.768	0.636	2.742
IVFC	3	250	1.00	5	5	original	ϕ_o	0.633	0.533	0.583	3.040
IVFC	3	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	3	100	4.00	2	4	original	ϕ_o	0.968	0.077	0.522	2.844
IVFC	3	250	4.00	2	4	original	ϕ_o	0.971	0.108	0.539	2.865
IVFC	3	500	0.50	3	6	original	ϕ_o	0.417	0.900	0.659	2.777
IVFC	3	500	0.70	3	6	original	ϕ_o	0.608	0.790	0.699	3.341
IVFC	3	500	1.00	3	6	original	ϕ_o	0.748	0.622	0.685	3.633
IVFC	3	750	0.50	3	6	original	ϕ_o	0.417	0.900	0.659	2.777
IVFC	3	750	0.70	3	6	original	ϕ_o	0.608	0.790	0.699	3.341
IVFC	3	750	1.00	3	6	original	ϕ_o	0.748	0.622	0.685	3.633
IVFC	3	1000	0.50	3	6	original	ϕ_o	0.417	0.900	0.659	2.777
IVFC	3	1000	0.70	3	6	original	ϕ_o	0.608	0.790	0.699	3.341
IVFC	3	1000	1.00	3	6	original	ϕ_o	0.748	0.622	0.685	3.633
IVFC	3	10	1.25	5	6	original	ϕ_o	0.752	0.131	0.441	2.806
IVFC	3	10	1.50	5	6	original	ϕ_o	0.750	0.123	0.437	2.198
IVFC	3	10	1.70	5	6	original	ϕ_o	0.750	0.119	0.434	2.785
IVFC	3	100	1.25	5	6	original	ϕ_o	0.722	0.299	0.510	3.236
IVFC	3	100	1.50	5	6	original	ϕ_o	0.735	0.233	0.484	3.244
IVFC	3	100	1.70	5	6	original	ϕ_o	0.740	0.204	0.472	3.235
IVFC	3	250	1.25	5	6	original	ϕ_o	0.678	0.418	0.548	3.130
IVFC	3	250	1.50	5	6	original	ϕ_o	0.707	0.323	0.515	3.193
IVFC	3	250	1.70	5	6	original	ϕ_o	0.719	0.276	0.497	3.212
IVFC	3	500	4.00	7	3	original	ϕ_o	0.668	0.216	0.442	2.753
IVFC	3	750	4.00	7	3	original	ϕ_o	0.667	0.216	0.442	2.750
IVFC	3	1000	4.00	7	3	original	ϕ_o	0.667	0.216	0.442	2.750

IVFC	3	500	4.00	2	6	original	ϕ_o	0.971	0.111	0.541	2.864
IVFC	3	750	4.00	2	6	original	ϕ_o	0.971	0.111	0.541	2.864
IVFC	3	1000	4.00	2	6	original	ϕ_o	0.971	0.111	0.541	2.864
IVFC	3	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	3	100	4.00	4	4	original	ϕ_o	0.791	0.120	0.456	2.894
IVFC	3	250	4.00	4	4	original	ϕ_o	0.790	0.163	0.476	3.347
IVFC	3	500	4.00	3	3	original	ϕ_o	0.860	0.130	0.495	2.518
IVFC	3	750	4.00	3	3	original	ϕ_o	0.860	0.130	0.495	2.516
IVFC	3	1000	4.00	3	3	original	ϕ_o	0.860	0.130	0.495	2.516
IVFC	3	500	0.50	5	6	original	ϕ_o	0.323	0.908	0.616	2.227
IVFC	3	500	0.70	5	6	original	ϕ_o	0.483	0.799	0.641	2.712
IVFC	3	500	1.00	5	6	original	ϕ_o	0.616	0.578	0.597	3.006
IVFC	3	750	0.50	5	6	original	ϕ_o	0.323	0.908	0.616	2.227
IVFC	3	750	0.70	5	6	original	ϕ_o	0.483	0.799	0.641	2.712
IVFC	3	750	1.00	5	6	original	ϕ_o	0.616	0.578	0.597	3.006
IVFC	3	1000	0.50	5	6	original	ϕ_o	0.323	0.908	0.616	2.227
IVFC	3	1000	0.70	5	6	original	ϕ_o	0.483	0.799	0.641	2.712
IVFC	3	1000	1.00	5	6	original	ϕ_o	0.616	0.578	0.597	3.006
IVFC	3	10	0.20	4	2	original	ϕ_o	0.454	0.882	0.668	2.495
IVFC	3	100	0.20	4	2	original	ϕ_o	0.241	0.952	0.597	1.590
IVFC	3	250	0.20	4	2	original	ϕ_o	0.150	0.967	0.558	1.176
IVFC	3	10	0.50	2	6	original	ϕ_o	0.926	0.621	0.774	3.696
IVFC	3	10	0.70	2	6	original	ϕ_o	0.963	0.379	0.671	2.892
IVFC	3	10	1.00	2	6	original	ϕ_o	0.971	0.133	0.552	2.873
IVFC	3	100	0.50	2	6	original	ϕ_o	0.678	0.899	0.788	3.972
IVFC	3	100	0.70	2	6	original	ϕ_o	0.835	0.813	0.824	4.317
IVFC	3	100	1.00	2	6	original	ϕ_o	0.921	0.627	0.774	3.716
IVFC	3	250	0.50	2	6	original	ϕ_o	0.543	0.931	0.737	3.622
IVFC	3	250	0.70	2	6	original	ϕ_o	0.743	0.870	0.807	4.164
IVFC	3	250	1.00	2	6	original	ϕ_o	0.876	0.746	0.811	4.380
IVFC	3	500	0.20	3	5	original	ϕ_o	0.049	0.980	0.515	1.032
IVFC	3	750	0.20	3	5	original	ϕ_o	0.049	0.980	0.515	1.032
IVFC	3	1000	0.20	3	5	original	ϕ_o	0.049	0.980	0.515	1.032
IVFC	3	10	1.25	6	5	original	ϕ_o	0.738	0.059	0.398	2.110
IVFC	3	10	1.50	6	5	original	ϕ_o	0.735	0.056	0.396	2.104
IVFC	3	10	1.70	6	5	original	ϕ_o	0.734	0.055	0.395	2.103
IVFC	3	100	1.25	6	5	original	ϕ_o	0.730	0.232	0.481	2.153
IVFC	3	100	1.50	6	5	original	ϕ_o	0.736	0.137	0.437	2.134
IVFC	3	100	1.70	6	5	original	ϕ_o	0.736	0.108	0.422	2.124
IVFC	3	250	1.25	6	5	original	ϕ_o	0.698	0.445	0.571	2.708
IVFC	3	250	1.50	6	5	original	ϕ_o	0.720	0.298	0.509	2.703
IVFC	3	250	1.70	6	5	original	ϕ_o	0.729	0.216	0.473	2.145
IVFC	3	10	1.25	3	7	original	ϕ_o	0.868	0.100	0.484	2.541
IVFC	3	10	1.50	3	7	original	ϕ_o	0.868	0.085	0.476	2.532
IVFC	3	10	1.70	3	7	original	ϕ_o	0.867	0.082	0.474	2.529
IVFC	3	100	1.25	3	7	original	ϕ_o	0.838	0.377	0.607	3.214
IVFC	3	100	1.50	3	7	original	ϕ_o	0.853	0.276	0.564	2.542
IVFC	3	100	1.70	3	7	original	ϕ_o	0.858	0.216	0.537	3.174
IVFC	3	250	1.25	3	7	original	ϕ_o	0.804	0.491	0.647	3.709
IVFC	3	250	1.50	3	7	original	ϕ_o	0.830	0.393	0.612	3.212

IVFC	3	250	1.70	3	7	original	ϕ_o	0.843	0.323	0.583	3.216
IVFC	3	500	0.50	6	2	original	ϕ_o	0.391	0.904	0.647	2.477
IVFC	3	500	0.70	6	2	original	ϕ_o	0.515	0.763	0.639	2.786
IVFC	3	500	1.00	6	2	original	ϕ_o	0.631	0.523	0.577	2.540
IVFC	3	750	0.50	6	2	original	ϕ_o	0.356	0.927	0.642	2.374
IVFC	3	750	0.70	6	2	original	ϕ_o	0.478	0.816	0.647	2.722
IVFC	3	750	1.00	6	2	original	ϕ_o	0.603	0.599	0.601	2.930
IVFC	3	1000	0.50	6	2	original	ϕ_o	0.351	0.929	0.640	2.356
IVFC	3	1000	0.70	6	2	original	ϕ_o	0.472	0.820	0.646	2.704
IVFC	3	1000	1.00	6	2	original	ϕ_o	0.598	0.606	0.602	2.503
IVFC	3	500	4.00	6	6	original	ϕ_o	0.736	0.099	0.418	2.119
IVFC	3	750	4.00	6	6	original	ϕ_o	0.736	0.099	0.418	2.119
IVFC	3	1000	4.00	6	6	original	ϕ_o	0.736	0.099	0.418	2.119
IVFC	3	500	0.20	2	5	original	ϕ_o	0.071	0.986	0.528	1.546
IVFC	3	750	0.20	2	5	original	ϕ_o	0.071	0.986	0.528	1.546
IVFC	3	1000	0.20	2	5	original	ϕ_o	0.071	0.986	0.528	1.546
IVFC	3	500	1.25	3	3	original	ϕ_o	0.781	0.525	0.653	3.578
IVFC	3	500	1.50	3	3	original	ϕ_o	0.815	0.430	0.623	3.149
IVFC	3	500	1.70	3	3	original	ϕ_o	0.830	0.360	0.595	3.571
IVFC	3	750	1.25	3	3	original	ϕ_o	0.776	0.530	0.653	3.555
IVFC	3	750	1.50	3	3	original	ϕ_o	0.811	0.435	0.623	3.136
IVFC	3	750	1.70	3	3	original	ϕ_o	0.827	0.364	0.596	3.553
IVFC	3	1000	1.25	3	3	original	ϕ_o	0.776	0.530	0.653	3.555
IVFC	3	1000	1.50	3	3	original	ϕ_o	0.811	0.435	0.623	3.136
IVFC	3	1000	1.70	3	3	original	ϕ_o	0.827	0.364	0.596	3.553
IVFC	3	10	1.25	5	4	original	ϕ_o	0.753	0.125	0.439	2.801
IVFC	3	10	1.50	5	4	original	ϕ_o	0.751	0.118	0.435	2.788
IVFC	3	10	1.70	5	4	original	ϕ_o	0.750	0.115	0.433	2.781
IVFC	3	100	1.25	5	4	original	ϕ_o	0.738	0.236	0.487	3.247
IVFC	3	100	1.50	5	4	original	ϕ_o	0.745	0.195	0.470	2.815
IVFC	3	100	1.70	5	4	original	ϕ_o	0.748	0.178	0.463	2.200
IVFC	3	250	1.25	5	4	original	ϕ_o	0.692	0.372	0.532	3.138
IVFC	3	250	1.50	5	4	original	ϕ_o	0.717	0.287	0.502	3.192
IVFC	3	250	1.70	5	4	original	ϕ_o	0.727	0.246	0.487	2.762
IVFC	3	500	0.20	3	4	original	ϕ_o	0.070	0.981	0.525	1.169
IVFC	3	750	0.20	3	4	original	ϕ_o	0.068	0.981	0.525	1.155
IVFC	3	1000	0.20	3	4	original	ϕ_o	0.068	0.981	0.525	1.155
IVFC	3	500	0.50	5	3	original	ϕ_o	0.320	0.900	0.610	2.193
IVFC	3	500	0.70	5	3	original	ϕ_o	0.477	0.772	0.625	2.646
IVFC	3	500	1.00	5	3	original	ϕ_o	0.610	0.558	0.584	2.977
IVFC	3	750	0.50	5	3	original	ϕ_o	0.317	0.902	0.609	2.185
IVFC	3	750	0.70	5	3	original	ϕ_o	0.474	0.776	0.625	2.639
IVFC	3	750	1.00	5	3	original	ϕ_o	0.608	0.563	0.585	2.972
IVFC	3	1000	0.50	5	3	original	ϕ_o	0.317	0.902	0.609	2.185
IVFC	3	1000	0.70	5	3	original	ϕ_o	0.474	0.776	0.625	2.639
IVFC	3	1000	1.00	5	3	original	ϕ_o	0.608	0.563	0.585	2.972
IVFC	3	500	2.00	4	5	original	ϕ_o	0.770	0.270	0.520	2.888
IVFC	3	500	2.30	4	5	original	ϕ_o	0.778	0.233	0.505	3.362
IVFC	3	500	3.00	4	5	original	ϕ_o	0.786	0.194	0.490	3.360
IVFC	3	750	2.00	4	5	original	ϕ_o	0.770	0.270	0.520	2.888

IVFC	3	750	2.30	4	5	original	ϕ_o	0.778	0.233	0.505	3.362
IVFC	3	750	3.00	4	5	original	ϕ_o	0.786	0.194	0.490	3.360
IVFC	3	1000	2.00	4	5	original	ϕ_o	0.770	0.270	0.520	2.888
IVFC	3	1000	2.30	4	5	original	ϕ_o	0.778	0.233	0.505	3.362
IVFC	3	1000	3.00	4	5	original	ϕ_o	0.786	0.194	0.490	3.360
IVFC	3	10	1.25	5	5	original	ϕ_o	0.752	0.129	0.440	2.805
IVFC	3	10	1.50	5	5	original	ϕ_o	0.750	0.121	0.436	2.790
IVFC	3	10	1.70	5	5	original	ϕ_o	0.749	0.117	0.433	2.782
IVFC	3	100	1.25	5	5	original	ϕ_o	0.731	0.265	0.498	3.274
IVFC	3	100	1.50	5	5	original	ϕ_o	0.741	0.216	0.479	3.272
IVFC	3	100	1.70	5	5	original	ϕ_o	0.745	0.193	0.469	2.820
IVFC	3	250	1.25	5	5	original	ϕ_o	0.687	0.390	0.538	3.153
IVFC	3	250	1.50	5	5	original	ϕ_o	0.713	0.303	0.508	3.206
IVFC	3	250	1.70	5	5	original	ϕ_o	0.724	0.260	0.492	3.217
IVFC	3	500	0.50	2	5	original	ϕ_o	0.538	0.938	0.738	3.622
IVFC	3	500	0.70	2	5	original	ϕ_o	0.730	0.880	0.805	4.150
IVFC	3	500	1.00	2	5	original	ϕ_o	0.866	0.760	0.813	4.344
IVFC	3	750	0.50	2	5	original	ϕ_o	0.538	0.938	0.738	3.622
IVFC	3	750	0.70	2	5	original	ϕ_o	0.730	0.880	0.805	4.150
IVFC	3	750	1.00	2	5	original	ϕ_o	0.866	0.760	0.813	4.344
IVFC	3	1000	0.50	2	5	original	ϕ_o	0.538	0.938	0.738	3.622
IVFC	3	1000	0.70	2	5	original	ϕ_o	0.730	0.880	0.805	4.150
IVFC	3	1000	1.00	2	5	original	ϕ_o	0.866	0.760	0.813	4.344
IVFC	3	10	0.50	7	2	original	ϕ_o	0.668	0.197	0.433	2.388
IVFC	3	10	0.70	7	2	original	ϕ_o	0.682	0.144	0.413	2.404
IVFC	3	10	1.00	7	2	original	ϕ_o	0.685	0.122	0.404	2.406
IVFC	3	100	0.50	7	2	original	ϕ_o	0.578	0.477	0.528	2.650
IVFC	3	100	0.70	7	2	original	ϕ_o	0.640	0.314	0.477	2.739
IVFC	3	100	1.00	7	2	original	ϕ_o	0.674	0.228	0.451	2.784
IVFC	3	250	0.50	7	2	original	ϕ_o	0.482	0.650	0.566	2.412
IVFC	3	250	0.70	7	2	original	ϕ_o	0.567	0.454	0.511	2.583
IVFC	3	250	1.00	7	2	original	ϕ_o	0.630	0.305	0.468	2.687
IVFC	3	10	0.20	6	3	original	ϕ_o	0.411	0.912	0.661	2.398
IVFC	3	100	0.20	6	3	original	ϕ_o	0.226	0.974	0.600	1.744
IVFC	3	250	0.20	6	3	original	ϕ_o	0.132	0.985	0.558	1.374
IVFC	3	500	2.00	5	2	original	ϕ_o	0.728	0.230	0.479	3.214
IVFC	3	500	2.30	5	2	original	ϕ_o	0.733	0.209	0.471	3.210
IVFC	3	500	3.00	5	2	original	ϕ_o	0.739	0.186	0.462	3.194
IVFC	3	750	2.00	5	2	original	ϕ_o	0.718	0.245	0.482	3.214
IVFC	3	750	2.30	5	2	original	ϕ_o	0.726	0.222	0.474	3.215
IVFC	3	750	3.00	5	2	original	ϕ_o	0.734	0.200	0.467	3.203
IVFC	3	1000	2.00	5	2	original	ϕ_o	0.718	0.245	0.481	3.211
IVFC	3	1000	2.30	5	2	original	ϕ_o	0.726	0.222	0.474	3.213
IVFC	3	1000	3.00	5	2	original	ϕ_o	0.734	0.200	0.467	3.201
IVFC	3	500	2.00	2	6	original	ϕ_o	0.964	0.254	0.609	2.878
IVFC	3	500	2.30	2	6	original	ϕ_o	0.968	0.177	0.572	2.879
IVFC	3	500	3.00	2	6	original	ϕ_o	0.971	0.123	0.547	2.872
IVFC	3	750	2.00	2	6	original	ϕ_o	0.964	0.254	0.609	2.878
IVFC	3	750	2.30	2	6	original	ϕ_o	0.968	0.177	0.572	2.879
IVFC	3	750	3.00	2	6	original	ϕ_o	0.971	0.123	0.547	2.872

IVFC	3	1000	2.00	2	6	original	ϕ_o	0.964	0.254	0.609	2.878
IVFC	3	1000	2.30	2	6	original	ϕ_o	0.968	0.177	0.572	2.879
IVFC	3	1000	3.00	2	6	original	ϕ_o	0.971	0.123	0.547	2.872
IVFC	3	10	2.00	2	3	original	ϕ_o	0.964	0.059	0.512	2.829
IVFC	3	10	2.30	2	3	original	ϕ_o	0.964	0.058	0.511	2.827
IVFC	3	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.826
IVFC	3	100	2.00	2	3	original	ϕ_o	0.972	0.108	0.540	2.875
IVFC	3	100	2.30	2	3	original	ϕ_o	0.971	0.099	0.535	2.867
IVFC	3	100	3.00	2	3	original	ϕ_o	0.969	0.086	0.528	2.852
IVFC	3	250	2.00	2	3	original	ϕ_o	0.965	0.226	0.596	2.878
IVFC	3	250	2.30	2	3	original	ϕ_o	0.969	0.159	0.564	2.878
IVFC	3	250	3.00	2	3	original	ϕ_o	0.971	0.117	0.544	2.871
IVFC	3	500	1.25	7	2	original	ϕ_o	0.602	0.319	0.461	2.574
IVFC	3	500	1.50	7	2	original	ϕ_o	0.624	0.277	0.450	2.609
IVFC	3	500	1.70	7	2	original	ϕ_o	0.635	0.259	0.447	2.632
IVFC	3	750	1.25	7	2	original	ϕ_o	0.592	0.334	0.463	2.569
IVFC	3	750	1.50	7	2	original	ϕ_o	0.616	0.288	0.452	2.610
IVFC	3	750	1.70	7	2	original	ϕ_o	0.629	0.267	0.448	2.632
IVFC	3	1000	1.25	7	2	original	ϕ_o	0.592	0.338	0.465	2.584
IVFC	3	1000	1.50	7	2	original	ϕ_o	0.616	0.290	0.453	2.623
IVFC	3	1000	1.70	7	2	original	ϕ_o	0.628	0.269	0.449	2.646
IVFC	3	500	0.20	3	6	original	ϕ_o	0.043	0.980	0.512	0.993
IVFC	3	750	0.20	3	6	original	ϕ_o	0.043	0.980	0.512	0.993
IVFC	3	1000	0.20	3	6	original	ϕ_o	0.043	0.980	0.512	0.993
IVFC	3	500	1.25	5	2	original	ϕ_o	0.670	0.377	0.523	3.082
IVFC	3	500	1.50	5	2	original	ϕ_o	0.702	0.301	0.501	3.161
IVFC	3	500	1.70	5	2	original	ϕ_o	0.716	0.264	0.490	3.195
IVFC	3	750	1.25	5	2	original	ϕ_o	0.643	0.424	0.534	3.020
IVFC	3	750	1.50	5	2	original	ϕ_o	0.683	0.333	0.508	3.123
IVFC	3	750	1.70	5	2	original	ϕ_o	0.703	0.286	0.494	3.178
IVFC	3	1000	1.25	5	2	original	ϕ_o	0.642	0.425	0.534	3.016
IVFC	3	1000	1.50	5	2	original	ϕ_o	0.682	0.333	0.508	3.119
IVFC	3	1000	1.70	5	2	original	ϕ_o	0.702	0.286	0.494	3.174
IVFC	3	500	0.20	6	3	original	ϕ_o	0.088	0.988	0.538	1.202
IVFC	3	750	0.20	6	3	original	ϕ_o	0.080	0.988	0.534	1.175
IVFC	3	1000	0.20	6	3	original	ϕ_o	0.080	0.988	0.534	1.175
IVFC	3	10	0.20	5	5	original	ϕ_o	0.351	0.918	0.635	2.106
IVFC	3	100	0.20	5	5	original	ϕ_o	0.112	0.969	0.541	1.087
IVFC	3	250	0.20	5	5	original	ϕ_o	0.052	0.975	0.514	0.767
IVFC	3	500	4.00	4	3	original	ϕ_o	0.784	0.175	0.480	3.313
IVFC	3	750	4.00	4	3	original	ϕ_o	0.784	0.175	0.480	2.876
IVFC	3	1000	4.00	4	3	original	ϕ_o	0.784	0.175	0.480	2.876
IVFC	3	500	1.25	2	6	original	ϕ_o	0.921	0.616	0.769	4.386
IVFC	3	500	1.50	2	6	original	ϕ_o	0.944	0.481	0.713	3.717
IVFC	3	500	1.70	2	6	original	ϕ_o	0.955	0.378	0.667	3.717
IVFC	3	750	1.25	2	6	original	ϕ_o	0.921	0.616	0.769	4.386
IVFC	3	750	1.50	2	6	original	ϕ_o	0.944	0.481	0.713	3.717
IVFC	3	750	1.70	2	6	original	ϕ_o	0.955	0.378	0.667	3.717
IVFC	3	1000	1.25	2	6	original	ϕ_o	0.921	0.616	0.769	4.386
IVFC	3	1000	1.50	2	6	original	ϕ_o	0.944	0.481	0.713	3.717

IVFC	3	1000	1.70	2	6	original	ϕ_o	0.955	0.378	0.667	3.717
IVFC	3	10	1.25	5	2	original	ϕ_o	0.749	0.111	0.430	2.187
IVFC	3	10	1.50	5	2	original	ϕ_o	0.748	0.108	0.428	2.775
IVFC	3	10	1.70	5	2	original	ϕ_o	0.748	0.107	0.427	2.772
IVFC	3	100	1.25	5	2	original	ϕ_o	0.748	0.185	0.466	2.815
IVFC	3	100	1.50	5	2	original	ϕ_o	0.750	0.157	0.454	2.810
IVFC	3	100	1.70	5	2	original	ϕ_o	0.751	0.148	0.449	2.806
IVFC	3	250	1.25	5	2	original	ϕ_o	0.720	0.271	0.495	3.216
IVFC	3	250	1.50	5	2	original	ϕ_o	0.735	0.224	0.479	3.231
IVFC	3	250	1.70	5	2	original	ϕ_o	0.740	0.200	0.470	3.233
IVFC	3	500	0.20	7	6	original	ϕ_o	0.093	0.953	0.523	0.893
IVFC	3	750	0.20	7	6	original	ϕ_o	0.093	0.953	0.523	0.893
IVFC	3	1000	0.20	7	6	original	ϕ_o	0.093	0.953	0.523	0.893
IVFC	3	500	0.20	5	6	original	ϕ_o	0.036	0.976	0.506	0.706
IVFC	3	750	0.20	5	6	original	ϕ_o	0.036	0.976	0.506	0.706
IVFC	3	1000	0.20	5	6	original	ϕ_o	0.036	0.976	0.506	0.706
IVFC	3	10	0.20	7	6	original	ϕ_o	0.423	0.800	0.611	2.259
IVFC	3	100	0.20	7	6	original	ϕ_o	0.163	0.947	0.555	1.209
IVFC	3	250	0.20	7	6	original	ϕ_o	0.097	0.953	0.525	0.910
IVFC	3	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	3	100	4.00	5	2	original	ϕ_o	0.748	0.111	0.430	2.582
IVFC	3	250	4.00	5	2	original	ϕ_o	0.748	0.133	0.441	2.784
IVFC	3	500	4.00	5	6	original	ϕ_o	0.740	0.185	0.463	2.782
IVFC	3	750	4.00	5	6	original	ϕ_o	0.740	0.185	0.463	2.782
IVFC	3	1000	4.00	5	6	original	ϕ_o	0.740	0.185	0.463	2.782
IVFC	3	10	1.25	2	6	original	ϕ_o	0.969	0.077	0.523	2.851
IVFC	3	10	1.50	2	6	original	ϕ_o	0.967	0.068	0.517	2.840
IVFC	3	10	1.70	2	6	original	ϕ_o	0.965	0.065	0.515	2.835
IVFC	3	100	1.25	2	6	original	ϕ_o	0.950	0.464	0.707	3.736
IVFC	3	100	1.50	2	6	original	ϕ_o	0.963	0.319	0.641	3.734
IVFC	3	100	1.70	2	6	original	ϕ_o	0.968	0.233	0.600	2.888
IVFC	3	250	1.25	2	6	original	ϕ_o	0.923	0.615	0.769	4.404
IVFC	3	250	1.50	2	6	original	ϕ_o	0.945	0.480	0.713	3.725
IVFC	3	250	1.70	2	6	original	ϕ_o	0.956	0.376	0.666	4.342
IVFC	3	10	0.50	4	4	original	ϕ_o	0.756	0.455	0.606	3.414
IVFC	3	10	0.70	4	4	original	ϕ_o	0.789	0.221	0.505	2.931
IVFC	3	10	1.00	4	4	original	ϕ_o	0.796	0.124	0.460	2.321
IVFC	3	100	0.50	4	4	original	ϕ_o	0.571	0.782	0.677	2.983
IVFC	3	100	0.70	4	4	original	ϕ_o	0.686	0.620	0.653	3.301
IVFC	3	100	1.00	4	4	original	ϕ_o	0.757	0.391	0.574	3.412
IVFC	3	250	0.50	4	4	original	ϕ_o	0.428	0.879	0.653	2.492
IVFC	3	250	0.70	4	4	original	ϕ_o	0.565	0.774	0.669	2.964
IVFC	3	250	1.00	4	4	original	ϕ_o	0.679	0.602	0.641	3.265
IVFC	3	10	2.00	5	7	original	ϕ_o	0.750	0.114	0.432	2.191
IVFC	3	10	2.30	5	7	original	ϕ_o	0.749	0.111	0.430	2.774
IVFC	3	10	3.00	5	7	original	ϕ_o	0.748	0.106	0.427	2.768
IVFC	3	100	2.00	5	7	original	ϕ_o	0.742	0.182	0.462	2.802
IVFC	3	100	2.30	5	7	original	ϕ_o	0.744	0.171	0.458	2.804
IVFC	3	100	3.00	5	7	original	ϕ_o	0.745	0.160	0.453	2.798
IVFC	3	250	2.00	5	7	original	ϕ_o	0.729	0.238	0.483	3.229

IVFC	3	250	2.30	5	7	original	ϕ_o	0.734	0.215	0.475	3.221
IVFC	3	250	3.00	5	7	original	ϕ_o	0.739	0.190	0.465	2.788
IVFC	3	500	0.20	3	3	original	ϕ_o	0.067	0.980	0.523	1.144
IVFC	3	750	0.20	3	3	original	ϕ_o	0.063	0.980	0.522	1.119
IVFC	3	1000	0.20	3	3	original	ϕ_o	0.063	0.980	0.522	1.119
IVFC	3	10	2.00	5	2	original	ϕ_o	0.748	0.105	0.427	2.769
IVFC	3	10	2.30	5	2	original	ϕ_o	0.748	0.104	0.426	2.766
IVFC	3	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	3	100	2.00	5	2	original	ϕ_o	0.750	0.138	0.444	2.801
IVFC	3	100	2.30	5	2	original	ϕ_o	0.750	0.131	0.441	2.796
IVFC	3	100	3.00	5	2	original	ϕ_o	0.749	0.121	0.435	2.781
IVFC	3	250	2.00	5	2	original	ϕ_o	0.744	0.178	0.461	2.796
IVFC	3	250	2.30	5	2	original	ϕ_o	0.745	0.166	0.456	3.202
IVFC	3	250	3.00	5	2	original	ϕ_o	0.747	0.149	0.448	3.189
IVFC	3	10	0.20	2	5	original	ϕ_o	0.561	0.924	0.743	3.354
IVFC	3	100	0.20	2	5	original	ϕ_o	0.188	0.977	0.583	2.054
IVFC	3	250	0.20	2	5	original	ϕ_o	0.080	0.986	0.533	1.588
IVFC	3	10	2.00	2	7	original	ϕ_o	0.965	0.062	0.513	2.831
IVFC	3	10	2.30	2	7	original	ϕ_o	0.964	0.060	0.512	2.828
IVFC	3	10	3.00	2	7	original	ϕ_o	0.963	0.058	0.511	1.909
IVFC	3	100	2.00	2	7	original	ϕ_o	0.971	0.165	0.568	2.882
IVFC	3	100	2.30	2	7	original	ϕ_o	0.972	0.127	0.549	2.878
IVFC	3	100	3.00	2	7	original	ϕ_o	0.971	0.104	0.538	2.865
IVFC	3	250	2.00	2	7	original	ϕ_o	0.966	0.246	0.606	3.710
IVFC	3	250	2.30	2	7	original	ϕ_o	0.969	0.171	0.570	2.883
IVFC	3	250	3.00	2	7	original	ϕ_o	0.971	0.122	0.546	2.874
IVFC	3	10	4.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	3	100	4.00	3	4	original	ϕ_o	0.865	0.091	0.478	2.523
IVFC	3	250	4.00	3	4	original	ϕ_o	0.864	0.122	0.493	2.527
IVFC	3	10	2.00	5	4	original	ϕ_o	0.749	0.111	0.430	2.774
IVFC	3	10	2.30	5	4	original	ϕ_o	0.748	0.108	0.428	2.770
IVFC	3	10	3.00	5	4	original	ϕ_o	0.748	0.105	0.426	2.763
IVFC	3	100	2.00	5	4	original	ϕ_o	0.750	0.165	0.457	2.812
IVFC	3	100	2.30	5	4	original	ϕ_o	0.750	0.158	0.454	2.810
IVFC	3	100	3.00	5	4	original	ϕ_o	0.750	0.146	0.448	2.801
IVFC	3	250	2.00	5	4	original	ϕ_o	0.735	0.213	0.474	3.212
IVFC	3	250	2.30	5	4	original	ϕ_o	0.739	0.197	0.468	3.208
IVFC	3	250	3.00	5	4	original	ϕ_o	0.744	0.182	0.463	3.192
IVFC	3	10	1.25	7	3	original	ϕ_o	0.685	0.122	0.404	1.950
IVFC	3	10	1.50	7	3	original	ϕ_o	0.685	0.118	0.402	2.406
IVFC	3	10	1.70	7	3	original	ϕ_o	0.685	0.116	0.401	2.405
IVFC	3	100	1.25	7	3	original	ϕ_o	0.678	0.230	0.454	2.838
IVFC	3	100	1.50	7	3	original	ϕ_o	0.681	0.210	0.445	2.462
IVFC	3	100	1.70	7	3	original	ϕ_o	0.682	0.198	0.440	2.458
IVFC	3	250	1.25	7	3	original	ϕ_o	0.643	0.300	0.472	2.771
IVFC	3	250	1.50	7	3	original	ϕ_o	0.657	0.266	0.462	2.792
IVFC	3	250	1.70	7	3	original	ϕ_o	0.663	0.251	0.457	2.799
IVFC	3	500	1.25	4	6	original	ϕ_o	0.711	0.511	0.611	3.311
IVFC	3	500	1.50	4	6	original	ϕ_o	0.742	0.403	0.572	3.358
IVFC	3	500	1.70	4	6	original	ϕ_o	0.757	0.335	0.546	3.363

IVFC	3	750	1.25	4	6	original	ϕ_o	0.711	0.511	0.611	3.311
IVFC	3	750	1.50	4	6	original	ϕ_o	0.742	0.403	0.572	3.358
IVFC	3	750	1.70	4	6	original	ϕ_o	0.757	0.335	0.546	3.363
IVFC	3	1000	1.25	4	6	original	ϕ_o	0.711	0.511	0.611	3.311
IVFC	3	1000	1.50	4	6	original	ϕ_o	0.742	0.403	0.572	3.358
IVFC	3	1000	1.70	4	6	original	ϕ_o	0.757	0.335	0.546	3.363
IVFC	3	10	1.25	2	2	original	ϕ_o	0.967	0.065	0.516	2.838
IVFC	3	10	1.50	2	2	original	ϕ_o	0.965	0.062	0.514	2.833
IVFC	3	10	1.70	2	2	original	ϕ_o	0.965	0.061	0.513	2.831
IVFC	3	100	1.25	2	2	original	ϕ_o	0.968	0.216	0.592	2.888
IVFC	3	100	1.50	2	2	original	ϕ_o	0.971	0.124	0.547	2.879
IVFC	3	100	1.70	2	2	original	ϕ_o	0.971	0.103	0.537	2.874
IVFC	3	250	1.25	2	2	original	ϕ_o	0.946	0.488	0.717	3.715
IVFC	3	250	1.50	2	2	original	ϕ_o	0.961	0.337	0.649	2.883
IVFC	3	250	1.70	2	2	original	ϕ_o	0.966	0.237	0.602	3.702
IVFC	3	500	2.00	5	7	original	ϕ_o	0.727	0.243	0.485	3.231
IVFC	3	500	2.30	5	7	original	ϕ_o	0.733	0.220	0.476	3.222
IVFC	3	500	3.00	5	7	original	ϕ_o	0.738	0.194	0.466	3.208
IVFC	3	750	2.00	5	7	original	ϕ_o	0.727	0.243	0.485	3.231
IVFC	3	750	2.30	5	7	original	ϕ_o	0.733	0.220	0.476	3.222
IVFC	3	750	3.00	5	7	original	ϕ_o	0.738	0.194	0.466	3.208
IVFC	3	1000	2.00	5	7	original	ϕ_o	0.727	0.243	0.485	3.231
IVFC	3	1000	2.30	5	7	original	ϕ_o	0.733	0.220	0.476	3.222
IVFC	3	1000	3.00	5	7	original	ϕ_o	0.738	0.194	0.466	3.208
IVFC	3	500	1.25	3	4	original	ϕ_o	0.789	0.528	0.659	3.649
IVFC	3	500	1.50	3	4	original	ϕ_o	0.820	0.434	0.627	3.185
IVFC	3	500	1.70	3	4	original	ϕ_o	0.834	0.363	0.599	3.184
IVFC	3	750	1.25	3	4	original	ϕ_o	0.787	0.533	0.660	3.645
IVFC	3	750	1.50	3	4	original	ϕ_o	0.818	0.437	0.628	3.182
IVFC	3	750	1.70	3	4	original	ϕ_o	0.833	0.366	0.600	3.182
IVFC	3	1000	1.25	3	4	original	ϕ_o	0.787	0.533	0.660	3.645
IVFC	3	1000	1.50	3	4	original	ϕ_o	0.818	0.437	0.628	3.182
IVFC	3	1000	1.70	3	4	original	ϕ_o	0.833	0.366	0.600	3.182
IVFC	3	10	4.00	3	7	original	ϕ_o	0.865	0.072	0.469	2.520
IVFC	3	100	4.00	3	7	original	ϕ_o	0.865	0.100	0.483	2.527
IVFC	3	250	4.00	3	7	original	ϕ_o	0.863	0.129	0.496	3.111
IVFC	3	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	3	100	4.00	4	2	original	ϕ_o	0.789	0.104	0.447	2.289
IVFC	3	250	4.00	4	2	original	ϕ_o	0.790	0.125	0.458	2.873
IVFC	3	10	1.25	6	4	original	ϕ_o	0.735	0.057	0.396	2.105
IVFC	3	10	1.50	6	4	original	ϕ_o	0.734	0.055	0.394	2.102
IVFC	3	10	1.70	6	4	original	ϕ_o	0.733	0.054	0.394	2.100
IVFC	3	100	1.25	6	4	original	ϕ_o	0.737	0.164	0.451	2.147
IVFC	3	100	1.50	6	4	original	ϕ_o	0.740	0.104	0.422	2.127
IVFC	3	100	1.70	6	4	original	ϕ_o	0.739	0.086	0.412	2.119
IVFC	3	250	1.25	6	4	original	ϕ_o	0.704	0.365	0.534	2.674
IVFC	3	250	1.50	6	4	original	ϕ_o	0.725	0.242	0.484	2.677
IVFC	3	250	1.70	6	4	original	ϕ_o	0.733	0.176	0.455	2.138
IVFC	3	10	2.00	3	2	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	3	10	2.30	3	2	original	ϕ_o	0.866	0.072	0.469	2.520

IVFC	3	10	3.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	3	100	2.00	3	2	original	ϕ_o	0.865	0.101	0.483	2.523
IVFC	3	100	2.30	3	2	original	ϕ_o	0.865	0.095	0.480	2.522
IVFC	3	100	3.00	3	2	original	ϕ_o	0.865	0.085	0.475	2.520
IVFC	3	250	2.00	3	2	original	ϕ_o	0.859	0.140	0.500	2.520
IVFC	3	250	2.30	3	2	original	ϕ_o	0.861	0.127	0.494	2.520
IVFC	3	250	3.00	3	2	original	ϕ_o	0.863	0.110	0.487	3.036
IVFC	3	500	1.25	7	4	original	ϕ_o	0.618	0.351	0.485	2.729
IVFC	3	500	1.50	7	4	original	ϕ_o	0.638	0.296	0.467	2.750
IVFC	3	500	1.70	7	4	original	ϕ_o	0.648	0.275	0.461	2.763
IVFC	3	750	1.25	7	4	original	ϕ_o	0.618	0.351	0.485	2.729
IVFC	3	750	1.50	7	4	original	ϕ_o	0.638	0.296	0.467	2.750
IVFC	3	750	1.70	7	4	original	ϕ_o	0.648	0.275	0.461	2.763
IVFC	3	1000	1.25	7	4	original	ϕ_o	0.618	0.351	0.485	2.729
IVFC	3	1000	1.50	7	4	original	ϕ_o	0.638	0.296	0.467	2.750
IVFC	3	1000	1.70	7	4	original	ϕ_o	0.648	0.275	0.461	2.763
IVFC	3	10	0.50	6	7	original	ϕ_o	0.698	0.532	0.615	2.753
IVFC	3	10	0.70	6	7	original	ϕ_o	0.743	0.245	0.494	2.195
IVFC	3	10	1.00	6	7	original	ϕ_o	0.744	0.076	0.410	2.138
IVFC	3	100	0.50	6	7	original	ϕ_o	0.466	0.896	0.681	2.810
IVFC	3	100	0.70	6	7	original	ϕ_o	0.603	0.754	0.678	3.105
IVFC	3	100	1.00	6	7	original	ϕ_o	0.698	0.465	0.581	2.723
IVFC	3	250	0.50	6	7	original	ϕ_o	0.354	0.938	0.646	2.510
IVFC	3	250	0.70	6	7	original	ϕ_o	0.515	0.855	0.685	2.966
IVFC	3	250	1.00	6	7	original	ϕ_o	0.641	0.663	0.652	3.153
IVFC	3	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	3	100	4.00	4	3	original	ϕ_o	0.790	0.116	0.453	2.301
IVFC	3	250	4.00	4	3	original	ϕ_o	0.790	0.154	0.472	2.897
IVFC	3	500	0.20	7	4	original	ϕ_o	0.100	0.957	0.528	0.961
IVFC	3	750	0.20	7	4	original	ϕ_o	0.100	0.957	0.528	0.961
IVFC	3	1000	0.20	7	4	original	ϕ_o	0.100	0.957	0.528	0.961
IVFC	3	500	0.20	7	5	original	ϕ_o	0.095	0.957	0.526	0.927
IVFC	3	750	0.20	7	5	original	ϕ_o	0.095	0.957	0.526	0.927
IVFC	3	1000	0.20	7	5	original	ϕ_o	0.095	0.957	0.526	0.927
IVFC	3	500	0.20	2	6	original	ϕ_o	0.056	0.986	0.521	1.438
IVFC	3	750	0.20	2	6	original	ϕ_o	0.056	0.986	0.521	1.438
IVFC	3	1000	0.20	2	6	original	ϕ_o	0.056	0.986	0.521	1.438
IVFC	3	10	0.20	6	7	original	ϕ_o	0.328	0.952	0.640	2.113
IVFC	3	100	0.20	6	7	original	ϕ_o	0.099	0.988	0.543	1.232
IVFC	3	250	0.20	6	7	original	ϕ_o	0.052	0.989	0.521	1.004
IVFC	3	10	0.20	6	2	original	ϕ_o	0.399	0.890	0.645	2.329
IVFC	3	100	0.20	6	2	original	ϕ_o	0.257	0.968	0.612	1.813
IVFC	3	250	0.20	6	2	original	ϕ_o	0.174	0.983	0.578	1.495
IVFC	3	10	0.20	6	5	original	ϕ_o	0.354	0.950	0.652	2.226
IVFC	3	100	0.20	6	5	original	ϕ_o	0.130	0.986	0.558	1.354
IVFC	3	250	0.20	6	5	original	ϕ_o	0.067	0.989	0.528	1.075
IVFC	3	500	0.20	6	6	original	ϕ_o	0.054	0.989	0.522	1.016
IVFC	3	750	0.20	6	6	original	ϕ_o	0.054	0.989	0.522	1.016
IVFC	3	1000	0.20	6	6	original	ϕ_o	0.054	0.989	0.522	1.016
IVFC	3	10	0.50	2	7	original	ϕ_o	0.918	0.634	0.776	2.827

IVFC	3	10	0.70	2	7	original	ϕ_o	0.961	0.385	0.673	2.890
IVFC	3	10	1.00	2	7	original	ϕ_o	0.972	0.139	0.555	2.875
IVFC	3	100	0.50	2	7	original	ϕ_o	0.654	0.901	0.778	3.893
IVFC	3	100	0.70	2	7	original	ϕ_o	0.821	0.816	0.819	4.278
IVFC	3	100	1.00	2	7	original	ϕ_o	0.917	0.629	0.773	3.700
IVFC	3	250	0.50	2	7	original	ϕ_o	0.528	0.930	0.729	3.561
IVFC	3	250	0.70	2	7	original	ϕ_o	0.734	0.867	0.801	4.126
IVFC	3	250	1.00	2	7	original	ϕ_o	0.874	0.741	0.808	4.359
IVFC	3	500	4.00	4	4	original	ϕ_o	0.787	0.178	0.483	3.339
IVFC	3	750	4.00	4	4	original	ϕ_o	0.787	0.178	0.483	3.339
IVFC	3	1000	4.00	4	4	original	ϕ_o	0.787	0.178	0.483	3.339
IVFC	3	500	0.50	5	4	original	ϕ_o	0.317	0.894	0.605	2.170
IVFC	3	500	0.70	5	4	original	ϕ_o	0.471	0.775	0.623	2.630
IVFC	3	500	1.00	5	4	original	ϕ_o	0.610	0.563	0.586	2.952
IVFC	3	750	0.50	5	4	original	ϕ_o	0.317	0.894	0.605	2.170
IVFC	3	750	0.70	5	4	original	ϕ_o	0.471	0.775	0.623	2.630
IVFC	3	750	1.00	5	4	original	ϕ_o	0.610	0.563	0.586	2.952
IVFC	3	1000	0.50	5	4	original	ϕ_o	0.317	0.894	0.605	2.170
IVFC	3	1000	0.70	5	4	original	ϕ_o	0.471	0.775	0.623	2.630
IVFC	3	1000	1.00	5	4	original	ϕ_o	0.610	0.563	0.586	2.952
IVFC	3	500	0.50	2	6	original	ϕ_o	0.533	0.931	0.732	3.597
IVFC	3	500	0.70	2	6	original	ϕ_o	0.737	0.870	0.803	4.146
IVFC	3	500	1.00	2	6	original	ϕ_o	0.873	0.746	0.809	4.364
IVFC	3	750	0.50	2	6	original	ϕ_o	0.533	0.931	0.732	3.597
IVFC	3	750	0.70	2	6	original	ϕ_o	0.737	0.870	0.803	4.146
IVFC	3	750	1.00	2	6	original	ϕ_o	0.873	0.746	0.809	4.364
IVFC	3	1000	0.50	2	6	original	ϕ_o	0.533	0.931	0.732	3.597
IVFC	3	1000	0.70	2	6	original	ϕ_o	0.737	0.870	0.803	4.146
IVFC	3	1000	1.00	2	6	original	ϕ_o	0.873	0.746	0.809	4.364
IVFC	3	10	4.00	3	5	original	ϕ_o	0.865	0.072	0.469	2.520
IVFC	3	100	4.00	3	5	original	ϕ_o	0.866	0.094	0.480	2.525
IVFC	3	250	4.00	3	5	original	ϕ_o	0.864	0.123	0.494	2.527
IVFC	3	500	1.25	3	2	original	ϕ_o	0.795	0.456	0.626	3.103
IVFC	3	500	1.50	3	2	original	ϕ_o	0.825	0.344	0.585	3.116
IVFC	3	500	1.70	3	2	original	ϕ_o	0.837	0.272	0.555	3.099
IVFC	3	750	1.25	3	2	original	ϕ_o	0.772	0.523	0.647	3.526
IVFC	3	750	1.50	3	2	original	ϕ_o	0.809	0.416	0.613	3.536
IVFC	3	750	1.70	3	2	original	ϕ_o	0.826	0.338	0.582	3.115
IVFC	3	1000	1.25	3	2	original	ϕ_o	0.767	0.533	0.650	3.526
IVFC	3	1000	1.50	3	2	original	ϕ_o	0.806	0.426	0.616	3.542
IVFC	3	1000	1.70	3	2	original	ϕ_o	0.824	0.347	0.585	3.113
IVFC	3	10	2.00	3	3	original	ϕ_o	0.866	0.074	0.470	2.522
IVFC	3	10	2.30	3	3	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	3	10	3.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	3	100	2.00	3	3	original	ϕ_o	0.864	0.126	0.495	2.536
IVFC	3	100	2.30	3	3	original	ϕ_o	0.865	0.116	0.490	2.534
IVFC	3	100	3.00	3	3	original	ϕ_o	0.865	0.102	0.484	2.528
IVFC	3	250	2.00	3	3	original	ϕ_o	0.855	0.195	0.525	3.118
IVFC	3	250	2.30	3	3	original	ϕ_o	0.859	0.160	0.509	2.528
IVFC	3	250	3.00	3	3	original	ϕ_o	0.862	0.134	0.498	2.528

IVFC	3	500	2.00	7	6	original	ϕ_o	0.667	0.243	0.455	2.788
IVFC	3	500	2.30	7	6	original	ϕ_o	0.671	0.231	0.451	2.790
IVFC	3	500	3.00	7	6	original	ϕ_o	0.677	0.215	0.446	2.790
IVFC	3	750	2.00	7	6	original	ϕ_o	0.667	0.243	0.455	2.788
IVFC	3	750	2.30	7	6	original	ϕ_o	0.671	0.231	0.451	2.790
IVFC	3	750	3.00	7	6	original	ϕ_o	0.677	0.215	0.446	2.790
IVFC	3	1000	2.00	7	6	original	ϕ_o	0.667	0.243	0.455	2.788
IVFC	3	1000	2.30	7	6	original	ϕ_o	0.671	0.231	0.451	2.790
IVFC	3	1000	3.00	7	6	original	ϕ_o	0.677	0.215	0.446	2.790
IVFC	3	10	4.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	3	100	4.00	7	4	original	ϕ_o	0.682	0.151	0.416	2.753
IVFC	3	250	4.00	7	4	original	ϕ_o	0.672	0.200	0.436	2.741
IVFC	3	500	2.00	7	5	original	ϕ_o	0.662	0.255	0.459	2.796
IVFC	3	500	2.30	7	5	original	ϕ_o	0.667	0.243	0.455	2.798
IVFC	3	500	3.00	7	5	original	ϕ_o	0.674	0.226	0.450	2.795
IVFC	3	750	2.00	7	5	original	ϕ_o	0.662	0.255	0.459	2.796
IVFC	3	750	2.30	7	5	original	ϕ_o	0.667	0.243	0.455	2.798
IVFC	3	750	3.00	7	5	original	ϕ_o	0.674	0.226	0.450	2.795
IVFC	3	1000	2.00	7	5	original	ϕ_o	0.662	0.255	0.459	2.796
IVFC	3	1000	2.30	7	5	original	ϕ_o	0.667	0.243	0.455	2.798
IVFC	3	1000	3.00	7	5	original	ϕ_o	0.674	0.226	0.450	2.795
IVFC	3	10	2.00	5	3	original	ϕ_o	0.748	0.107	0.428	2.767
IVFC	3	10	2.30	5	3	original	ϕ_o	0.748	0.105	0.426	2.767
IVFC	3	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.179
IVFC	3	100	2.00	5	3	original	ϕ_o	0.747	0.162	0.455	2.195
IVFC	3	100	2.30	5	3	original	ϕ_o	0.747	0.156	0.451	2.794
IVFC	3	100	3.00	5	3	original	ϕ_o	0.746	0.141	0.444	2.188
IVFC	3	250	2.00	5	3	original	ϕ_o	0.737	0.194	0.465	3.215
IVFC	3	250	2.30	5	3	original	ϕ_o	0.740	0.185	0.462	3.196
IVFC	3	250	3.00	5	3	original	ϕ_o	0.742	0.176	0.459	2.783
IVFC	3	500	4.00	6	7	original	ϕ_o	0.737	0.098	0.417	2.119
IVFC	3	750	4.00	6	7	original	ϕ_o	0.737	0.098	0.417	2.119
IVFC	3	1000	4.00	6	7	original	ϕ_o	0.737	0.098	0.417	2.119
IVFC	3	10	0.20	5	7	original	ϕ_o	0.315	0.928	0.622	1.956
IVFC	3	100	0.20	5	7	original	ϕ_o	0.073	0.972	0.523	0.906
IVFC	3	250	0.20	5	7	original	ϕ_o	0.037	0.976	0.507	0.703
IVFC	3	10	0.50	7	6	original	ϕ_o	0.677	0.265	0.471	2.857
IVFC	3	10	0.70	7	6	original	ϕ_o	0.691	0.167	0.429	2.455
IVFC	3	10	1.00	7	6	original	ϕ_o	0.691	0.132	0.412	2.776
IVFC	3	100	0.50	7	6	original	ϕ_o	0.491	0.684	0.588	2.504
IVFC	3	100	0.70	7	6	original	ϕ_o	0.589	0.483	0.536	2.746
IVFC	3	100	1.00	7	6	original	ϕ_o	0.651	0.312	0.481	2.830
IVFC	3	250	0.50	7	6	original	ϕ_o	0.390	0.773	0.582	2.159
IVFC	3	250	0.70	7	6	original	ϕ_o	0.509	0.601	0.555	2.497
IVFC	3	250	1.00	7	6	original	ϕ_o	0.602	0.408	0.505	2.706
IVFC	3	10	1.25	6	6	original	ϕ_o	0.738	0.059	0.399	2.111
IVFC	3	10	1.50	6	6	original	ϕ_o	0.736	0.056	0.396	2.106
IVFC	3	10	1.70	6	6	original	ϕ_o	0.735	0.055	0.395	2.104
IVFC	3	100	1.25	6	6	original	ϕ_o	0.729	0.246	0.488	2.156
IVFC	3	100	1.50	6	6	original	ϕ_o	0.738	0.145	0.441	2.142

IVFC	3	100	1.70	6	6	original	ϕ_o	0.739	0.112	0.425	2.132
IVFC	3	250	1.25	6	6	original	ϕ_o	0.696	0.461	0.579	2.715
IVFC	3	250	1.50	6	6	original	ϕ_o	0.720	0.308	0.514	2.155
IVFC	3	250	1.70	6	6	original	ϕ_o	0.730	0.223	0.477	2.701
IVFC	3	500	0.50	6	5	original	ϕ_o	0.345	0.944	0.644	2.499
IVFC	3	500	0.70	6	5	original	ϕ_o	0.506	0.863	0.685	2.948
IVFC	3	500	1.00	6	5	original	ϕ_o	0.631	0.671	0.651	3.146
IVFC	3	750	0.50	6	5	original	ϕ_o	0.345	0.944	0.644	2.499
IVFC	3	750	0.70	6	5	original	ϕ_o	0.506	0.863	0.685	2.948
IVFC	3	750	1.00	6	5	original	ϕ_o	0.631	0.671	0.651	3.146
IVFC	3	1000	0.50	6	5	original	ϕ_o	0.345	0.944	0.644	2.499
IVFC	3	1000	0.70	6	5	original	ϕ_o	0.506	0.863	0.685	2.948
IVFC	3	1000	1.00	6	5	original	ϕ_o	0.631	0.671	0.651	3.146
IVFC	3	500	1.25	2	5	original	ϕ_o	0.915	0.632	0.774	3.689
IVFC	3	500	1.50	2	5	original	ϕ_o	0.939	0.492	0.716	3.701
IVFC	3	500	1.70	2	5	original	ϕ_o	0.950	0.381	0.666	3.699
IVFC	3	750	1.25	2	5	original	ϕ_o	0.915	0.632	0.774	3.689
IVFC	3	750	1.50	2	5	original	ϕ_o	0.939	0.492	0.716	3.701
IVFC	3	750	1.70	2	5	original	ϕ_o	0.950	0.381	0.666	3.699
IVFC	3	1000	1.25	2	5	original	ϕ_o	0.915	0.632	0.774	3.689
IVFC	3	1000	1.50	2	5	original	ϕ_o	0.939	0.492	0.716	3.701
IVFC	3	1000	1.70	2	5	original	ϕ_o	0.950	0.381	0.666	3.699
IVFC	3	10	4.00	5	7	original	ϕ_o	0.748	0.104	0.426	2.765
IVFC	3	100	4.00	5	7	original	ϕ_o	0.746	0.149	0.448	2.789
IVFC	3	250	4.00	5	7	original	ϕ_o	0.741	0.181	0.461	2.782
IVFC	3	500	2.00	3	7	original	ϕ_o	0.852	0.242	0.547	3.200
IVFC	3	500	2.30	3	7	original	ϕ_o	0.856	0.191	0.524	3.611
IVFC	3	500	3.00	3	7	original	ϕ_o	0.861	0.144	0.502	3.140
IVFC	3	750	2.00	3	7	original	ϕ_o	0.852	0.242	0.547	3.200
IVFC	3	750	2.30	3	7	original	ϕ_o	0.856	0.191	0.524	3.611
IVFC	3	750	3.00	3	7	original	ϕ_o	0.861	0.144	0.502	3.140
IVFC	3	1000	2.00	3	7	original	ϕ_o	0.852	0.242	0.547	3.200
IVFC	3	1000	2.30	3	7	original	ϕ_o	0.856	0.191	0.524	3.611
IVFC	3	1000	3.00	3	7	original	ϕ_o	0.861	0.144	0.502	3.140
IVFC	3	10	0.50	7	7	original	ϕ_o	0.675	0.279	0.477	2.860
IVFC	3	10	0.70	7	7	original	ϕ_o	0.692	0.171	0.432	2.461
IVFC	3	10	1.00	7	7	original	ϕ_o	0.692	0.135	0.413	2.312
IVFC	3	100	0.50	7	7	original	ϕ_o	0.463	0.715	0.589	2.406
IVFC	3	100	0.70	7	7	original	ϕ_o	0.573	0.520	0.546	2.710
IVFC	3	100	1.00	7	7	original	ϕ_o	0.644	0.335	0.490	2.831
IVFC	3	250	0.50	7	7	original	ϕ_o	0.378	0.771	0.575	2.104
IVFC	3	250	0.70	7	7	original	ϕ_o	0.506	0.604	0.555	2.480
IVFC	3	250	1.00	7	7	original	ϕ_o	0.603	0.407	0.505	2.702
IVFC	3	500	0.20	4	6	original	ϕ_o	0.038	0.973	0.505	0.661
IVFC	3	750	0.20	4	6	original	ϕ_o	0.038	0.973	0.505	0.661
IVFC	3	1000	0.20	4	6	original	ϕ_o	0.038	0.973	0.505	0.661
IVFC	3	10	2.00	2	2	original	ϕ_o	0.964	0.059	0.512	2.829
IVFC	3	10	2.30	2	2	original	ϕ_o	0.964	0.058	0.511	2.827
IVFC	3	10	3.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	3	100	2.00	2	2	original	ϕ_o	0.971	0.093	0.532	2.863

IVFC	3	100	2.30	2	2	original	ϕ_o	0.970	0.087	0.529	2.857
IVFC	3	100	3.00	2	2	original	ϕ_o	0.968	0.077	0.523	2.844
IVFC	3	250	2.00	2	2	original	ϕ_o	0.969	0.153	0.561	2.879
IVFC	3	250	2.30	2	2	original	ϕ_o	0.970	0.119	0.545	2.872
IVFC	3	250	3.00	2	2	original	ϕ_o	0.970	0.101	0.535	2.861
IVFC	3	10	2.00	7	6	original	ϕ_o	0.686	0.116	0.401	1.949
IVFC	3	10	2.30	7	6	original	ϕ_o	0.685	0.115	0.400	2.406
IVFC	3	10	3.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	3	100	2.00	7	6	original	ϕ_o	0.685	0.207	0.446	2.820
IVFC	3	100	2.30	7	6	original	ϕ_o	0.686	0.197	0.442	2.811
IVFC	3	100	3.00	7	6	original	ϕ_o	0.687	0.180	0.434	2.799
IVFC	3	250	2.00	7	6	original	ϕ_o	0.667	0.242	0.455	2.787
IVFC	3	250	2.30	7	6	original	ϕ_o	0.672	0.231	0.451	2.788
IVFC	3	250	3.00	7	6	original	ϕ_o	0.678	0.214	0.446	2.444
IVFC	3	10	1.25	2	3	original	ϕ_o	0.968	0.068	0.518	2.843
IVFC	3	10	1.50	2	3	original	ϕ_o	0.966	0.064	0.515	2.836
IVFC	3	10	1.70	2	3	original	ϕ_o	0.965	0.062	0.513	2.832
IVFC	3	100	1.25	2	3	original	ϕ_o	0.962	0.329	0.646	2.886
IVFC	3	100	1.50	2	3	original	ϕ_o	0.970	0.185	0.577	2.886
IVFC	3	100	1.70	2	3	original	ϕ_o	0.972	0.135	0.553	2.882
IVFC	3	250	1.25	2	3	original	ϕ_o	0.929	0.600	0.764	3.714
IVFC	3	250	1.50	2	3	original	ϕ_o	0.948	0.465	0.707	3.720
IVFC	3	250	1.70	2	3	original	ϕ_o	0.957	0.358	0.658	3.718
IVFC	3	10	2.00	7	4	original	ϕ_o	0.685	0.115	0.400	2.404
IVFC	3	10	2.30	7	4	original	ϕ_o	0.685	0.114	0.399	2.404
IVFC	3	10	3.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	3	100	2.00	7	4	original	ϕ_o	0.680	0.196	0.438	2.437
IVFC	3	100	2.30	7	4	original	ϕ_o	0.680	0.185	0.433	2.430
IVFC	3	100	3.00	7	4	original	ϕ_o	0.681	0.167	0.424	2.419
IVFC	3	250	2.00	7	4	original	ϕ_o	0.661	0.246	0.454	2.757
IVFC	3	250	2.30	7	4	original	ϕ_o	0.665	0.234	0.449	2.405
IVFC	3	250	3.00	7	4	original	ϕ_o	0.669	0.216	0.443	2.748
IVFC	3	500	0.50	4	7	original	ϕ_o	0.353	0.893	0.623	2.229
IVFC	3	500	0.70	4	7	original	ϕ_o	0.526	0.796	0.661	2.843
IVFC	3	500	1.00	4	7	original	ϕ_o	0.662	0.640	0.651	3.221
IVFC	3	750	0.50	4	7	original	ϕ_o	0.353	0.893	0.623	2.229
IVFC	3	750	0.70	4	7	original	ϕ_o	0.526	0.796	0.661	2.843
IVFC	3	750	1.00	4	7	original	ϕ_o	0.662	0.640	0.651	3.221
IVFC	3	1000	0.50	4	7	original	ϕ_o	0.353	0.893	0.623	2.229
IVFC	3	1000	0.70	4	7	original	ϕ_o	0.526	0.796	0.661	2.843
IVFC	3	1000	1.00	4	7	original	ϕ_o	0.662	0.640	0.651	3.221
IVFC	3	500	2.00	3	2	original	ϕ_o	0.848	0.205	0.526	3.073
IVFC	3	500	2.30	3	2	original	ϕ_o	0.853	0.171	0.512	2.516
IVFC	3	500	3.00	3	2	original	ϕ_o	0.859	0.143	0.501	3.044
IVFC	3	750	2.00	3	2	original	ϕ_o	0.840	0.252	0.546	3.096
IVFC	3	750	2.30	3	2	original	ϕ_o	0.848	0.202	0.525	3.074
IVFC	3	750	3.00	3	2	original	ϕ_o	0.856	0.159	0.508	2.519
IVFC	3	1000	2.00	3	2	original	ϕ_o	0.839	0.257	0.548	3.092
IVFC	3	1000	2.30	3	2	original	ϕ_o	0.847	0.205	0.526	3.072
IVFC	3	1000	3.00	3	2	original	ϕ_o	0.856	0.160	0.508	3.058

IVFC	3	500	4.00	6	4	original	ϕ_o	0.736	0.104	0.420	2.118
IVFC	3	750	4.00	6	4	original	ϕ_o	0.736	0.105	0.420	2.119
IVFC	3	1000	4.00	6	4	original	ϕ_o	0.736	0.105	0.420	2.119
IVFC	3	10	0.50	2	3	original	ϕ_o	0.942	0.578	0.760	2.865
IVFC	3	10	0.70	2	3	original	ϕ_o	0.967	0.308	0.637	2.891
IVFC	3	10	1.00	2	3	original	ϕ_o	0.970	0.089	0.530	2.858
IVFC	3	100	0.50	2	3	original	ϕ_o	0.780	0.861	0.821	4.197
IVFC	3	100	0.70	2	3	original	ϕ_o	0.888	0.747	0.817	3.667
IVFC	3	100	1.00	2	3	original	ϕ_o	0.945	0.528	0.737	3.727
IVFC	3	250	0.50	2	3	original	ϕ_o	0.619	0.922	0.771	3.827
IVFC	3	250	0.70	2	3	original	ϕ_o	0.783	0.856	0.819	4.229
IVFC	3	250	1.00	2	3	original	ϕ_o	0.891	0.728	0.809	4.383
IVFC	3	500	0.50	3	3	original	ϕ_o	0.415	0.894	0.655	2.762
IVFC	3	500	0.70	3	3	original	ϕ_o	0.587	0.794	0.690	3.250
IVFC	3	500	1.00	3	3	original	ϕ_o	0.725	0.635	0.680	3.511
IVFC	3	750	0.50	3	3	original	ϕ_o	0.401	0.898	0.649	2.710
IVFC	3	750	0.70	3	3	original	ϕ_o	0.574	0.800	0.687	3.218
IVFC	3	750	1.00	3	3	original	ϕ_o	0.719	0.642	0.680	3.486
IVFC	3	1000	0.50	3	3	original	ϕ_o	0.401	0.898	0.649	2.710
IVFC	3	1000	0.70	3	3	original	ϕ_o	0.574	0.800	0.687	3.218
IVFC	3	1000	1.00	3	3	original	ϕ_o	0.719	0.642	0.680	3.486
IVFC	3	10	1.25	7	5	original	ϕ_o	0.688	0.124	0.406	2.423
IVFC	3	10	1.50	7	5	original	ϕ_o	0.687	0.120	0.404	2.419
IVFC	3	10	1.70	7	5	original	ϕ_o	0.686	0.118	0.402	2.754
IVFC	3	100	1.25	7	5	original	ϕ_o	0.674	0.254	0.464	2.828
IVFC	3	100	1.50	7	5	original	ϕ_o	0.681	0.231	0.456	2.830
IVFC	3	100	1.70	7	5	original	ϕ_o	0.684	0.219	0.451	2.475
IVFC	3	250	1.25	7	5	original	ϕ_o	0.631	0.339	0.485	2.756
IVFC	3	250	1.50	7	5	original	ϕ_o	0.648	0.290	0.469	2.766
IVFC	3	250	1.70	7	5	original	ϕ_o	0.656	0.269	0.463	2.772
IVFC	3	500	4.00	2	4	original	ϕ_o	0.969	0.116	0.543	2.862
IVFC	3	750	4.00	2	4	original	ϕ_o	0.969	0.116	0.543	2.862
IVFC	3	1000	4.00	2	4	original	ϕ_o	0.969	0.116	0.543	2.862
IVFC	3	500	1.25	6	4	original	ϕ_o	0.681	0.475	0.578	3.122
IVFC	3	500	1.50	6	4	original	ϕ_o	0.711	0.336	0.523	2.701
IVFC	3	500	1.70	6	4	original	ϕ_o	0.723	0.252	0.488	2.700
IVFC	3	750	1.25	6	4	original	ϕ_o	0.680	0.478	0.579	2.679
IVFC	3	750	1.50	6	4	original	ϕ_o	0.711	0.338	0.524	2.701
IVFC	3	750	1.70	6	4	original	ϕ_o	0.723	0.254	0.488	2.701
IVFC	3	1000	1.25	6	4	original	ϕ_o	0.680	0.478	0.579	2.679
IVFC	3	1000	1.50	6	4	original	ϕ_o	0.711	0.338	0.524	2.701
IVFC	3	1000	1.70	6	4	original	ϕ_o	0.723	0.254	0.488	2.701
IVFC	3	500	1.25	2	7	original	ϕ_o	0.922	0.609	0.766	4.373
IVFC	3	500	1.50	2	7	original	ϕ_o	0.946	0.472	0.709	3.718
IVFC	3	500	1.70	2	7	original	ϕ_o	0.957	0.369	0.663	3.717
IVFC	3	750	1.25	2	7	original	ϕ_o	0.922	0.609	0.766	4.373
IVFC	3	750	1.50	2	7	original	ϕ_o	0.946	0.472	0.709	3.718
IVFC	3	750	1.70	2	7	original	ϕ_o	0.957	0.369	0.663	3.717
IVFC	3	1000	1.25	2	7	original	ϕ_o	0.922	0.609	0.766	4.373
IVFC	3	1000	1.50	2	7	original	ϕ_o	0.946	0.472	0.709	3.718

IVFC	3	1000	1.70	2	7	original	ϕ_o	0.957	0.369	0.663	3.717
IVFC	3	10	0.50	5	3	original	ϕ_o	0.719	0.341	0.530	2.779
IVFC	3	10	0.70	5	3	original	ϕ_o	0.748	0.187	0.468	2.818
IVFC	3	10	1.00	5	3	original	ϕ_o	0.751	0.134	0.443	3.192
IVFC	3	100	0.50	5	3	original	ϕ_o	0.546	0.725	0.635	2.854
IVFC	3	100	0.70	5	3	original	ϕ_o	0.659	0.492	0.576	3.140
IVFC	3	100	1.00	5	3	original	ϕ_o	0.725	0.271	0.498	3.270
IVFC	3	250	0.50	5	3	original	ϕ_o	0.403	0.861	0.632	2.433
IVFC	3	250	0.70	5	3	original	ϕ_o	0.546	0.689	0.618	2.840
IVFC	3	250	1.00	5	3	original	ϕ_o	0.660	0.446	0.553	3.108
IVFC	3	500	1.25	7	7	original	ϕ_o	0.637	0.320	0.478	2.757
IVFC	3	500	1.50	7	7	original	ϕ_o	0.654	0.277	0.465	2.780
IVFC	3	500	1.70	7	7	original	ϕ_o	0.661	0.258	0.460	2.424
IVFC	3	750	1.25	7	7	original	ϕ_o	0.637	0.320	0.478	2.757
IVFC	3	750	1.50	7	7	original	ϕ_o	0.654	0.277	0.465	2.780
IVFC	3	750	1.70	7	7	original	ϕ_o	0.661	0.258	0.460	2.424
IVFC	3	1000	1.25	7	7	original	ϕ_o	0.637	0.320	0.478	2.757
IVFC	3	1000	1.50	7	7	original	ϕ_o	0.654	0.277	0.465	2.780
IVFC	3	1000	1.70	7	7	original	ϕ_o	0.661	0.258	0.460	2.424
IVFC	3	10	1.25	4	6	original	ϕ_o	0.796	0.110	0.453	2.310
IVFC	3	10	1.50	4	6	original	ϕ_o	0.793	0.105	0.449	2.889
IVFC	3	10	1.70	4	6	original	ϕ_o	0.791	0.102	0.447	2.296
IVFC	3	100	1.25	4	6	original	ϕ_o	0.765	0.342	0.554	2.902
IVFC	3	100	1.50	4	6	original	ϕ_o	0.781	0.255	0.518	2.914
IVFC	3	100	1.70	4	6	original	ϕ_o	0.788	0.213	0.501	3.367
IVFC	3	250	1.25	4	6	original	ϕ_o	0.718	0.481	0.600	3.307
IVFC	3	250	1.50	4	6	original	ϕ_o	0.747	0.376	0.562	3.335
IVFC	3	250	1.70	4	6	original	ϕ_o	0.761	0.313	0.537	3.340
IVFC	3	500	1.25	4	2	original	ϕ_o	0.699	0.504	0.602	3.272
IVFC	3	500	1.50	4	2	original	ϕ_o	0.733	0.379	0.556	3.310
IVFC	3	500	1.70	4	2	original	ϕ_o	0.749	0.310	0.529	3.316
IVFC	3	750	1.25	4	2	original	ϕ_o	0.676	0.546	0.611	3.194
IVFC	3	750	1.50	4	2	original	ϕ_o	0.717	0.423	0.570	3.251
IVFC	3	750	1.70	4	2	original	ϕ_o	0.736	0.349	0.542	3.265
IVFC	3	1000	1.25	4	2	original	ϕ_o	0.675	0.546	0.611	3.189
IVFC	3	1000	1.50	4	2	original	ϕ_o	0.716	0.423	0.569	3.245
IVFC	3	1000	1.70	4	2	original	ϕ_o	0.735	0.349	0.542	3.257
IVFC	3	500	0.50	5	2	original	ϕ_o	0.361	0.866	0.614	2.255
IVFC	3	500	0.70	5	2	original	ϕ_o	0.492	0.729	0.611	2.643
IVFC	3	500	1.00	5	2	original	ϕ_o	0.611	0.508	0.560	2.944
IVFC	3	750	0.50	5	2	original	ϕ_o	0.318	0.891	0.604	2.129
IVFC	3	750	0.70	5	2	original	ϕ_o	0.454	0.775	0.615	2.541
IVFC	3	750	1.00	5	2	original	ϕ_o	0.580	0.567	0.574	2.869
IVFC	3	1000	0.50	5	2	original	ϕ_o	0.316	0.891	0.603	2.123
IVFC	3	1000	0.70	5	2	original	ϕ_o	0.453	0.775	0.614	2.536
IVFC	3	1000	1.00	5	2	original	ϕ_o	0.579	0.568	0.573	2.864
IVFC	3	500	0.50	3	5	original	ϕ_o	0.419	0.899	0.659	2.778
IVFC	3	500	0.70	3	5	original	ϕ_o	0.603	0.792	0.698	3.325
IVFC	3	500	1.00	3	5	original	ϕ_o	0.743	0.625	0.684	3.621
IVFC	3	750	0.50	3	5	original	ϕ_o	0.419	0.899	0.659	2.778

IVFC	3	750	0.70	3	5	original	ϕ_o	0.603	0.792	0.698	3.325
IVFC	3	750	1.00	3	5	original	ϕ_o	0.743	0.625	0.684	3.621
IVFC	3	1000	0.50	3	5	original	ϕ_o	0.419	0.899	0.659	2.778
IVFC	3	1000	0.70	3	5	original	ϕ_o	0.603	0.792	0.698	3.325
IVFC	3	1000	1.00	3	5	original	ϕ_o	0.743	0.625	0.684	3.621
IVFC	3	10	0.50	5	7	original	ϕ_o	0.685	0.489	0.587	2.709
IVFC	3	10	0.70	5	7	original	ϕ_o	0.743	0.265	0.504	2.818
IVFC	3	10	1.00	5	7	original	ϕ_o	0.753	0.148	0.451	2.211
IVFC	3	100	0.50	5	7	original	ϕ_o	0.433	0.860	0.646	2.558
IVFC	3	100	0.70	5	7	original	ϕ_o	0.576	0.689	0.632	2.947
IVFC	3	100	1.00	5	7	original	ϕ_o	0.683	0.441	0.562	3.166
IVFC	3	250	0.50	5	7	original	ϕ_o	0.327	0.910	0.618	2.240
IVFC	3	250	0.70	5	7	original	ϕ_o	0.489	0.793	0.641	2.730
IVFC	3	250	1.00	5	7	original	ϕ_o	0.623	0.558	0.590	3.020
IVFC	3	500	4.00	4	6	original	ϕ_o	0.789	0.172	0.480	3.343
IVFC	3	750	4.00	4	6	original	ϕ_o	0.789	0.172	0.480	3.343
IVFC	3	1000	4.00	4	6	original	ϕ_o	0.789	0.172	0.480	3.343
IVFC	3	10	0.20	3	2	original	ϕ_o	0.530	0.795	0.662	2.879
IVFC	3	100	0.20	3	2	original	ϕ_o	0.284	0.945	0.614	2.037
IVFC	3	250	0.20	3	2	original	ϕ_o	0.171	0.970	0.570	1.613
IVFC	3	10	0.50	2	2	original	ϕ_o	0.947	0.529	0.738	2.872
IVFC	3	10	0.70	2	2	original	ϕ_o	0.968	0.238	0.603	2.884
IVFC	3	10	1.00	2	2	original	ϕ_o	0.969	0.076	0.522	2.851
IVFC	3	100	0.50	2	2	original	ϕ_o	0.828	0.811	0.820	4.276
IVFC	3	100	0.70	2	2	original	ϕ_o	0.911	0.662	0.787	3.689
IVFC	3	100	1.00	2	2	original	ϕ_o	0.957	0.423	0.690	2.885
IVFC	3	250	0.50	2	2	original	ϕ_o	0.708	0.896	0.802	4.043
IVFC	3	250	0.70	2	2	original	ϕ_o	0.836	0.797	0.816	4.296
IVFC	3	250	1.00	2	2	original	ϕ_o	0.918	0.632	0.775	3.694
IVFC	3	10	4.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	3	100	4.00	7	6	original	ϕ_o	0.688	0.164	0.426	2.789
IVFC	3	250	4.00	7	6	original	ϕ_o	0.681	0.201	0.441	2.782
IVFC	3	10	0.50	3	6	original	ϕ_o	0.804	0.525	0.664	3.195
IVFC	3	10	0.70	3	6	original	ϕ_o	0.850	0.345	0.597	2.553
IVFC	3	10	1.00	3	6	original	ϕ_o	0.866	0.157	0.512	2.552
IVFC	3	100	0.50	3	6	original	ϕ_o	0.582	0.813	0.697	3.231
IVFC	3	100	0.70	3	6	original	ϕ_o	0.726	0.667	0.697	3.577
IVFC	3	100	1.00	3	6	original	ϕ_o	0.815	0.481	0.648	3.205
IVFC	3	250	0.50	3	6	original	ϕ_o	0.431	0.894	0.663	2.818
IVFC	3	250	0.70	3	6	original	ϕ_o	0.620	0.780	0.700	3.367
IVFC	3	250	1.00	3	6	original	ϕ_o	0.755	0.610	0.682	3.628
IVFC	3	10	2.00	7	5	original	ϕ_o	0.686	0.116	0.401	1.949
IVFC	3	10	2.30	7	5	original	ϕ_o	0.685	0.115	0.400	2.404
IVFC	3	10	3.00	7	5	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	3	100	2.00	7	5	original	ϕ_o	0.686	0.206	0.446	2.474
IVFC	3	100	2.30	7	5	original	ϕ_o	0.687	0.196	0.442	2.811
IVFC	3	100	3.00	7	5	original	ϕ_o	0.688	0.179	0.433	2.457
IVFC	3	250	2.00	7	5	original	ϕ_o	0.664	0.249	0.457	2.780
IVFC	3	250	2.30	7	5	original	ϕ_o	0.669	0.238	0.453	2.781
IVFC	3	250	3.00	7	5	original	ϕ_o	0.675	0.222	0.449	2.784

IVFC	3	500	2.00	4	2	original	ϕ_o	0.764	0.248	0.506	3.319
IVFC	3	500	2.30	4	2	original	ϕ_o	0.772	0.216	0.494	2.867
IVFC	3	500	3.00	4	2	original	ϕ_o	0.781	0.181	0.481	3.318
IVFC	3	750	2.00	4	2	original	ϕ_o	0.753	0.279	0.516	3.263
IVFC	3	750	2.30	4	2	original	ϕ_o	0.763	0.239	0.501	3.266
IVFC	3	750	3.00	4	2	original	ϕ_o	0.775	0.196	0.485	3.269
IVFC	3	1000	2.00	4	2	original	ϕ_o	0.752	0.279	0.515	3.256
IVFC	3	1000	2.30	4	2	original	ϕ_o	0.762	0.239	0.501	3.259
IVFC	3	1000	3.00	4	2	original	ϕ_o	0.774	0.196	0.485	3.262
IVFC	3	500	2.00	4	6	original	ϕ_o	0.771	0.268	0.519	3.368
IVFC	3	500	2.30	4	6	original	ϕ_o	0.779	0.229	0.504	3.363
IVFC	3	500	3.00	4	6	original	ϕ_o	0.786	0.191	0.488	2.902
IVFC	3	750	2.00	4	6	original	ϕ_o	0.771	0.268	0.519	3.368
IVFC	3	750	2.30	4	6	original	ϕ_o	0.779	0.229	0.504	3.363
IVFC	3	750	3.00	4	6	original	ϕ_o	0.786	0.191	0.488	2.902
IVFC	3	1000	2.00	4	6	original	ϕ_o	0.771	0.268	0.519	3.368
IVFC	3	1000	2.30	4	6	original	ϕ_o	0.779	0.229	0.504	3.363
IVFC	3	1000	3.00	4	6	original	ϕ_o	0.786	0.191	0.488	2.902
IVFC	3	500	0.20	2	7	original	ϕ_o	0.045	0.987	0.516	1.350
IVFC	3	750	0.20	2	7	original	ϕ_o	0.045	0.987	0.516	1.350
IVFC	3	1000	0.20	2	7	original	ϕ_o	0.045	0.987	0.516	1.350
IVFC	3	10	2.00	3	4	original	ϕ_o	0.866	0.074	0.470	2.523
IVFC	3	10	2.30	3	4	original	ϕ_o	0.866	0.072	0.469	2.521
IVFC	3	10	3.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	3	100	2.00	3	4	original	ϕ_o	0.864	0.135	0.499	2.537
IVFC	3	100	2.30	3	4	original	ϕ_o	0.865	0.121	0.493	2.535
IVFC	3	100	3.00	3	4	original	ϕ_o	0.865	0.105	0.485	2.528
IVFC	3	250	2.00	3	4	original	ϕ_o	0.854	0.209	0.532	2.531
IVFC	3	250	2.30	3	4	original	ϕ_o	0.859	0.172	0.515	2.532
IVFC	3	250	3.00	3	4	original	ϕ_o	0.862	0.140	0.501	2.530
IVFC	3	500	2.00	7	3	original	ϕ_o	0.650	0.254	0.452	2.739
IVFC	3	500	2.30	7	3	original	ϕ_o	0.656	0.243	0.449	2.744
IVFC	3	500	3.00	7	3	original	ϕ_o	0.663	0.228	0.445	2.747
IVFC	3	750	2.00	7	3	original	ϕ_o	0.649	0.254	0.452	2.737
IVFC	3	750	2.30	7	3	original	ϕ_o	0.655	0.243	0.449	2.741
IVFC	3	750	3.00	7	3	original	ϕ_o	0.662	0.228	0.445	2.744
IVFC	3	1000	2.00	7	3	original	ϕ_o	0.649	0.254	0.452	2.737
IVFC	3	1000	2.30	7	3	original	ϕ_o	0.655	0.243	0.449	2.741
IVFC	3	1000	3.00	7	3	original	ϕ_o	0.662	0.228	0.445	2.744
IVFC	3	500	0.20	6	4	original	ϕ_o	0.062	0.989	0.525	1.071
IVFC	3	750	0.20	6	4	original	ϕ_o	0.061	0.989	0.525	1.070
IVFC	3	1000	0.20	6	4	original	ϕ_o	0.061	0.989	0.525	1.070
IVFC	3	10	0.20	4	6	original	ϕ_o	0.358	0.916	0.637	2.091
IVFC	3	100	0.20	4	6	original	ϕ_o	0.093	0.968	0.530	0.933
IVFC	3	250	0.20	4	6	original	ϕ_o	0.043	0.972	0.508	0.688
IVFC	3	500	1.25	7	6	original	ϕ_o	0.633	0.322	0.478	2.756
IVFC	3	500	1.50	7	6	original	ϕ_o	0.650	0.279	0.465	2.771
IVFC	3	500	1.70	7	6	original	ϕ_o	0.659	0.261	0.460	2.781
IVFC	3	750	1.25	7	6	original	ϕ_o	0.633	0.322	0.478	2.756
IVFC	3	750	1.50	7	6	original	ϕ_o	0.650	0.279	0.465	2.771

IVFC	3	750	1.70	7	6	original	ϕ_o	0.659	0.261	0.460	2.781
IVFC	3	1000	1.25	7	6	original	ϕ_o	0.633	0.322	0.478	2.756
IVFC	3	1000	1.50	7	6	original	ϕ_o	0.650	0.279	0.465	2.771
IVFC	3	1000	1.70	7	6	original	ϕ_o	0.659	0.261	0.460	2.781
IVFC	3	10	2.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	100	2.00	6	2	original	ϕ_o	0.733	0.064	0.398	2.103
IVFC	3	100	2.30	6	2	original	ϕ_o	0.733	0.061	0.397	2.100
IVFC	3	100	3.00	6	2	original	ϕ_o	0.733	0.057	0.395	2.100
IVFC	3	250	2.00	6	2	original	ϕ_o	0.730	0.083	0.407	2.095
IVFC	3	250	2.30	6	2	original	ϕ_o	0.731	0.077	0.404	2.094
IVFC	3	250	3.00	6	2	original	ϕ_o	0.732	0.069	0.400	1.437
IVFC	3	10	4.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	3	100	4.00	7	3	original	ϕ_o	0.684	0.141	0.412	2.777
IVFC	3	250	4.00	7	3	original	ϕ_o	0.678	0.190	0.434	2.797
IVFC	3	500	2.00	2	5	original	ϕ_o	0.960	0.253	0.606	2.866
IVFC	3	500	2.30	2	5	original	ϕ_o	0.965	0.179	0.572	2.869
IVFC	3	500	3.00	2	5	original	ϕ_o	0.969	0.126	0.548	2.867
IVFC	3	750	2.00	2	5	original	ϕ_o	0.960	0.253	0.606	2.866
IVFC	3	750	2.30	2	5	original	ϕ_o	0.965	0.179	0.572	2.869
IVFC	3	750	3.00	2	5	original	ϕ_o	0.969	0.126	0.548	2.867
IVFC	3	1000	2.00	2	5	original	ϕ_o	0.960	0.253	0.606	2.866
IVFC	3	1000	2.30	2	5	original	ϕ_o	0.965	0.179	0.572	2.869
IVFC	3	1000	3.00	2	5	original	ϕ_o	0.969	0.126	0.548	2.867
IVFC	3	10	4.00	4	5	original	ϕ_o	0.788	0.098	0.443	2.287
IVFC	3	100	4.00	4	5	original	ϕ_o	0.792	0.127	0.460	2.891
IVFC	3	250	4.00	4	5	original	ϕ_o	0.789	0.162	0.475	2.881
IVFC	3	500	2.00	6	3	original	ϕ_o	0.730	0.168	0.449	2.674
IVFC	3	500	2.30	6	3	original	ϕ_o	0.734	0.133	0.434	2.127
IVFC	3	500	3.00	6	3	original	ϕ_o	0.736	0.108	0.422	2.120
IVFC	3	750	2.00	6	3	original	ϕ_o	0.726	0.183	0.455	2.673
IVFC	3	750	2.30	6	3	original	ϕ_o	0.731	0.143	0.437	2.656
IVFC	3	750	3.00	6	3	original	ϕ_o	0.734	0.115	0.424	2.119
IVFC	3	1000	2.00	6	3	original	ϕ_o	0.726	0.183	0.455	2.673
IVFC	3	1000	2.30	6	3	original	ϕ_o	0.731	0.143	0.437	2.656
IVFC	3	1000	3.00	6	3	original	ϕ_o	0.734	0.115	0.424	2.119
IVFC	3	10	2.00	4	4	original	ϕ_o	0.789	0.101	0.445	2.876
IVFC	3	10	2.30	4	4	original	ϕ_o	0.789	0.100	0.444	2.289
IVFC	3	10	3.00	4	4	original	ϕ_o	0.788	0.098	0.443	2.873
IVFC	3	100	2.00	4	4	original	ϕ_o	0.794	0.160	0.477	3.389
IVFC	3	100	2.30	4	4	original	ϕ_o	0.794	0.149	0.472	2.918
IVFC	3	100	3.00	4	4	original	ϕ_o	0.793	0.134	0.463	2.311
IVFC	3	250	2.00	4	4	original	ϕ_o	0.778	0.239	0.509	3.378
IVFC	3	250	2.30	4	4	original	ϕ_o	0.784	0.210	0.497	3.376
IVFC	3	250	3.00	4	4	original	ϕ_o	0.789	0.181	0.485	3.364
IVFC	3	10	2.00	2	6	original	ϕ_o	0.964	0.062	0.513	2.830
IVFC	3	10	2.30	2	6	original	ϕ_o	0.964	0.060	0.512	2.828
IVFC	3	10	3.00	2	6	original	ϕ_o	0.963	0.058	0.511	1.909
IVFC	3	100	2.00	2	6	original	ϕ_o	0.971	0.161	0.566	2.883

IVFC	3	100	2.30	2	6	original	ϕ_o	0.972	0.126	0.549	2.879
IVFC	3	100	3.00	2	6	original	ϕ_o	0.971	0.105	0.538	2.866
IVFC	3	250	2.00	2	6	original	ϕ_o	0.965	0.252	0.608	2.880
IVFC	3	250	2.30	2	6	original	ϕ_o	0.969	0.176	0.572	2.881
IVFC	3	250	3.00	2	6	original	ϕ_o	0.971	0.123	0.547	2.873
IVFC	3	10	0.20	7	5	original	ϕ_o	0.460	0.803	0.632	2.438
IVFC	3	100	0.20	7	5	original	ϕ_o	0.187	0.942	0.565	1.345
IVFC	3	250	0.20	7	5	original	ϕ_o	0.105	0.956	0.531	0.973
IVFC	3	10	0.20	7	7	original	ϕ_o	0.384	0.811	0.598	2.094
IVFC	3	100	0.20	7	7	original	ϕ_o	0.134	0.948	0.541	1.032
IVFC	3	250	0.20	7	7	original	ϕ_o	0.090	0.953	0.521	0.840
IVFC	3	500	1.25	3	5	original	ϕ_o	0.796	0.502	0.649	3.669
IVFC	3	500	1.50	3	5	original	ϕ_o	0.825	0.399	0.612	3.661
IVFC	3	500	1.70	3	5	original	ϕ_o	0.838	0.325	0.581	3.195
IVFC	3	750	1.25	3	5	original	ϕ_o	0.796	0.502	0.649	3.669
IVFC	3	750	1.50	3	5	original	ϕ_o	0.825	0.399	0.612	3.661
IVFC	3	750	1.70	3	5	original	ϕ_o	0.838	0.325	0.581	3.195
IVFC	3	1000	1.25	3	5	original	ϕ_o	0.796	0.502	0.649	3.669
IVFC	3	1000	1.50	3	5	original	ϕ_o	0.825	0.399	0.612	3.661
IVFC	3	1000	1.70	3	5	original	ϕ_o	0.838	0.325	0.581	3.195
IVFC	3	500	0.50	2	3	original	ϕ_o	0.521	0.938	0.730	3.565
IVFC	3	500	0.70	2	3	original	ϕ_o	0.709	0.885	0.797	4.090
IVFC	3	500	1.00	2	3	original	ϕ_o	0.848	0.777	0.812	4.303
IVFC	3	750	0.50	2	3	original	ϕ_o	0.515	0.939	0.727	3.548
IVFC	3	750	0.70	2	3	original	ϕ_o	0.704	0.886	0.795	4.077
IVFC	3	750	1.00	2	3	original	ϕ_o	0.844	0.779	0.811	4.292
IVFC	3	1000	0.50	2	3	original	ϕ_o	0.515	0.939	0.727	3.548
IVFC	3	1000	0.70	2	3	original	ϕ_o	0.704	0.886	0.795	4.077
IVFC	3	1000	1.00	2	3	original	ϕ_o	0.844	0.779	0.811	4.292
IVFC	3	500	0.20	5	5	original	ϕ_o	0.039	0.976	0.507	0.710
IVFC	3	750	0.20	5	5	original	ϕ_o	0.039	0.976	0.507	0.710
IVFC	3	1000	0.20	5	5	original	ϕ_o	0.039	0.976	0.507	0.710
IVFC	3	10	0.50	7	3	original	ϕ_o	0.673	0.227	0.450	2.774
IVFC	3	10	0.70	7	3	original	ϕ_o	0.684	0.155	0.420	2.424
IVFC	3	10	1.00	7	3	original	ϕ_o	0.686	0.129	0.408	2.758
IVFC	3	100	0.50	7	3	original	ϕ_o	0.559	0.570	0.565	2.680
IVFC	3	100	0.70	7	3	original	ϕ_o	0.631	0.385	0.508	2.792
IVFC	3	100	1.00	7	3	original	ϕ_o	0.669	0.264	0.466	2.461
IVFC	3	250	0.50	7	3	original	ϕ_o	0.445	0.744	0.595	2.363
IVFC	3	250	0.70	7	3	original	ϕ_o	0.542	0.555	0.548	2.601
IVFC	3	250	1.00	7	3	original	ϕ_o	0.617	0.374	0.496	2.733
IVFC	3	500	0.50	3	2	original	ϕ_o	0.465	0.863	0.664	2.858
IVFC	3	500	0.70	3	2	original	ϕ_o	0.618	0.743	0.681	3.276
IVFC	3	500	1.00	3	2	original	ϕ_o	0.741	0.576	0.658	3.030
IVFC	3	750	0.50	3	2	original	ϕ_o	0.408	0.899	0.654	2.712
IVFC	3	750	0.70	3	2	original	ϕ_o	0.571	0.797	0.684	3.194
IVFC	3	750	1.00	3	2	original	ϕ_o	0.708	0.638	0.673	3.460
IVFC	3	1000	0.50	3	2	original	ϕ_o	0.396	0.908	0.652	2.687
IVFC	3	1000	0.70	3	2	original	ϕ_o	0.561	0.808	0.685	3.180
IVFC	3	1000	1.00	3	2	original	ϕ_o	0.702	0.649	0.676	3.469

IVFC	3	10	2.00	4	6	original	ϕ_o	0.790	0.101	0.445	2.878
IVFC	3	10	2.30	4	6	original	ϕ_o	0.789	0.101	0.445	2.875
IVFC	3	10	3.00	4	6	original	ϕ_o	0.789	0.099	0.444	2.874
IVFC	3	100	2.00	4	6	original	ϕ_o	0.793	0.179	0.486	2.918
IVFC	3	100	2.30	4	6	original	ϕ_o	0.794	0.161	0.477	2.913
IVFC	3	100	3.00	4	6	original	ϕ_o	0.794	0.141	0.468	2.902
IVFC	3	250	2.00	4	6	original	ϕ_o	0.774	0.251	0.512	3.343
IVFC	3	250	2.30	4	6	original	ϕ_o	0.781	0.216	0.499	3.339
IVFC	3	250	3.00	4	6	original	ϕ_o	0.788	0.182	0.485	2.900
IVFC	3	500	0.50	6	4	original	ϕ_o	0.358	0.932	0.645	2.500
IVFC	3	500	0.70	6	4	original	ϕ_o	0.504	0.843	0.674	2.886
IVFC	3	500	1.00	6	4	original	ϕ_o	0.623	0.643	0.633	3.077
IVFC	3	750	0.50	6	4	original	ϕ_o	0.357	0.933	0.645	2.498
IVFC	3	750	0.70	6	4	original	ϕ_o	0.504	0.844	0.674	2.886
IVFC	3	750	1.00	6	4	original	ϕ_o	0.622	0.646	0.634	2.618
IVFC	3	1000	0.50	6	4	original	ϕ_o	0.357	0.933	0.645	2.498
IVFC	3	1000	0.70	6	4	original	ϕ_o	0.504	0.844	0.674	2.886
IVFC	3	1000	1.00	6	4	original	ϕ_o	0.622	0.646	0.634	2.618
IVFC	3	10	2.00	6	5	original	ϕ_o	0.733	0.054	0.394	2.101
IVFC	3	10	2.30	6	5	original	ϕ_o	0.733	0.054	0.393	2.100
IVFC	3	10	3.00	6	5	original	ϕ_o	0.732	0.053	0.392	2.098
IVFC	3	100	2.00	6	5	original	ϕ_o	0.736	0.089	0.412	2.113
IVFC	3	100	2.30	6	5	original	ϕ_o	0.735	0.082	0.408	2.107
IVFC	3	100	3.00	6	5	original	ϕ_o	0.734	0.073	0.403	2.104
IVFC	3	250	2.00	6	5	original	ϕ_o	0.734	0.149	0.442	2.135
IVFC	3	250	2.30	6	5	original	ϕ_o	0.735	0.121	0.428	2.124
IVFC	3	250	3.00	6	5	original	ϕ_o	0.733	0.098	0.416	2.109
IVFC	3	500	4.00	6	2	original	ϕ_o	0.731	0.081	0.406	2.096
IVFC	3	750	4.00	6	2	original	ϕ_o	0.730	0.098	0.414	2.096
IVFC	3	1000	4.00	6	2	original	ϕ_o	0.730	0.100	0.415	2.094
IVFC	3	500	2.00	6	6	original	ϕ_o	0.736	0.177	0.456	2.710
IVFC	3	500	2.30	6	6	original	ϕ_o	0.738	0.139	0.438	2.144
IVFC	3	500	3.00	6	6	original	ϕ_o	0.738	0.110	0.424	2.132
IVFC	3	750	2.00	6	6	original	ϕ_o	0.736	0.177	0.456	2.710
IVFC	3	750	2.30	6	6	original	ϕ_o	0.738	0.139	0.438	2.144
IVFC	3	750	3.00	6	6	original	ϕ_o	0.738	0.110	0.424	2.132
IVFC	3	1000	2.00	6	6	original	ϕ_o	0.736	0.177	0.456	2.710
IVFC	3	1000	2.30	6	6	original	ϕ_o	0.738	0.139	0.438	2.144
IVFC	3	1000	3.00	6	6	original	ϕ_o	0.738	0.110	0.424	2.132
IVFC	3	10	0.50	4	7	original	ϕ_o	0.744	0.548	0.646	3.450
IVFC	3	10	0.70	4	7	original	ϕ_o	0.787	0.299	0.543	2.346
IVFC	3	10	1.00	4	7	original	ϕ_o	0.799	0.136	0.467	2.922
IVFC	3	100	0.50	4	7	original	ϕ_o	0.480	0.853	0.667	2.704
IVFC	3	100	0.70	4	7	original	ϕ_o	0.624	0.726	0.675	3.154
IVFC	3	100	1.00	4	7	original	ϕ_o	0.726	0.526	0.626	3.391
IVFC	3	250	0.50	4	7	original	ϕ_o	0.364	0.892	0.628	2.271
IVFC	3	250	0.70	4	7	original	ϕ_o	0.536	0.794	0.665	2.883
IVFC	3	250	1.00	4	7	original	ϕ_o	0.668	0.636	0.652	3.246
IVFC	3	10	1.25	2	7	original	ϕ_o	0.970	0.077	0.523	2.853
IVFC	3	10	1.50	2	7	original	ϕ_o	0.967	0.067	0.517	2.841

IVFC	3	10	1.70	2	7	original	ϕ_o	0.966	0.065	0.515	2.835
IVFC	3	100	1.25	2	7	original	ϕ_o	0.947	0.466	0.707	3.721
IVFC	3	100	1.50	2	7	original	ϕ_o	0.962	0.323	0.642	2.884
IVFC	3	100	1.70	2	7	original	ϕ_o	0.967	0.238	0.603	2.886
IVFC	3	250	1.25	2	7	original	ϕ_o	0.923	0.609	0.766	4.383
IVFC	3	250	1.50	2	7	original	ϕ_o	0.947	0.472	0.710	3.721
IVFC	3	250	1.70	2	7	original	ϕ_o	0.957	0.369	0.663	3.720
IVFC	3	10	4.00	6	6	original	ϕ_o	0.732	0.053	0.392	2.097
IVFC	3	100	4.00	6	6	original	ϕ_o	0.735	0.066	0.400	2.106
IVFC	3	250	4.00	6	6	original	ϕ_o	0.735	0.089	0.412	2.109
IVFC	3	500	0.50	5	5	original	ϕ_o	0.318	0.906	0.612	2.200
IVFC	3	500	0.70	5	5	original	ϕ_o	0.476	0.792	0.634	2.673
IVFC	3	500	1.00	5	5	original	ϕ_o	0.612	0.568	0.590	2.982
IVFC	3	750	0.50	5	5	original	ϕ_o	0.318	0.906	0.612	2.200
IVFC	3	750	0.70	5	5	original	ϕ_o	0.476	0.792	0.634	2.673
IVFC	3	750	1.00	5	5	original	ϕ_o	0.612	0.568	0.590	2.982
IVFC	3	1000	0.50	5	5	original	ϕ_o	0.318	0.906	0.612	2.200
IVFC	3	1000	0.70	5	5	original	ϕ_o	0.476	0.792	0.634	2.673
IVFC	3	1000	1.00	5	5	original	ϕ_o	0.612	0.568	0.590	2.982
IVFC	3	500	0.50	7	7	original	ϕ_o	0.377	0.771	0.574	2.100
IVFC	3	500	0.70	7	7	original	ϕ_o	0.505	0.604	0.554	2.477
IVFC	3	500	1.00	7	7	original	ϕ_o	0.602	0.407	0.505	2.699
IVFC	3	750	0.50	7	7	original	ϕ_o	0.377	0.771	0.574	2.100
IVFC	3	750	0.70	7	7	original	ϕ_o	0.505	0.604	0.554	2.477
IVFC	3	750	1.00	7	7	original	ϕ_o	0.602	0.407	0.505	2.699
IVFC	3	1000	0.50	7	7	original	ϕ_o	0.377	0.771	0.574	2.100
IVFC	3	1000	0.70	7	7	original	ϕ_o	0.505	0.604	0.554	2.477
IVFC	3	1000	1.00	7	7	original	ϕ_o	0.602	0.407	0.505	2.699
IVFC	3	500	1.25	5	4	original	ϕ_o	0.670	0.420	0.545	3.074
IVFC	3	500	1.50	5	4	original	ϕ_o	0.702	0.325	0.513	3.139
IVFC	3	500	1.70	5	4	original	ϕ_o	0.716	0.278	0.497	3.174
IVFC	3	750	1.25	5	4	original	ϕ_o	0.670	0.420	0.545	3.074
IVFC	3	750	1.50	5	4	original	ϕ_o	0.702	0.325	0.513	3.139
IVFC	3	750	1.70	5	4	original	ϕ_o	0.716	0.278	0.497	3.174
IVFC	3	1000	1.25	5	4	original	ϕ_o	0.670	0.420	0.545	3.074
IVFC	3	1000	1.50	5	4	original	ϕ_o	0.702	0.325	0.513	3.139
IVFC	3	1000	1.70	5	4	original	ϕ_o	0.716	0.278	0.497	3.174
IVFC	3	10	0.50	4	2	original	ϕ_o	0.756	0.419	0.588	2.912
IVFC	3	10	0.70	4	2	original	ϕ_o	0.786	0.195	0.490	2.306
IVFC	3	10	1.00	4	2	original	ϕ_o	0.789	0.115	0.452	2.295
IVFC	3	100	0.50	4	2	original	ϕ_o	0.616	0.726	0.671	3.106
IVFC	3	100	0.70	4	2	original	ϕ_o	0.715	0.529	0.622	2.839
IVFC	3	100	1.00	4	2	original	ϕ_o	0.774	0.279	0.527	2.915
IVFC	3	250	0.50	4	2	original	ϕ_o	0.497	0.839	0.668	2.732
IVFC	3	250	0.70	4	2	original	ϕ_o	0.621	0.702	0.662	3.118
IVFC	3	250	1.00	4	2	original	ϕ_o	0.720	0.482	0.601	3.338
IVFC	3	500	2.00	3	4	original	ϕ_o	0.846	0.274	0.560	3.163
IVFC	3	500	2.30	3	4	original	ϕ_o	0.853	0.212	0.532	3.562
IVFC	3	500	3.00	3	4	original	ϕ_o	0.859	0.153	0.506	2.527
IVFC	3	750	2.00	3	4	original	ϕ_o	0.846	0.276	0.561	3.164

IVFC	3	750	2.30	3	4	original	ϕ_o	0.852	0.213	0.533	2.525
IVFC	3	750	3.00	3	4	original	ϕ_o	0.859	0.153	0.506	2.526
IVFC	3	1000	2.00	3	4	original	ϕ_o	0.846	0.276	0.561	3.164
IVFC	3	1000	2.30	3	4	original	ϕ_o	0.852	0.213	0.533	2.525
IVFC	3	1000	3.00	3	4	original	ϕ_o	0.859	0.153	0.506	2.526
IVFC	3	500	0.50	4	3	original	ϕ_o	0.351	0.913	0.632	2.222
IVFC	3	500	0.70	4	3	original	ϕ_o	0.502	0.828	0.665	2.772
IVFC	3	500	1.00	4	3	original	ϕ_o	0.633	0.670	0.652	3.135
IVFC	3	750	0.50	4	3	original	ϕ_o	0.347	0.913	0.630	2.206
IVFC	3	750	0.70	4	3	original	ϕ_o	0.498	0.829	0.663	2.753
IVFC	3	750	1.00	4	3	original	ϕ_o	0.629	0.672	0.651	3.121
IVFC	3	1000	0.50	4	3	original	ϕ_o	0.347	0.913	0.630	2.206
IVFC	3	1000	0.70	4	3	original	ϕ_o	0.498	0.829	0.663	2.753
IVFC	3	1000	1.00	4	3	original	ϕ_o	0.629	0.672	0.651	3.121
IVFC	3	500	0.20	2	2	original	ϕ_o	0.118	0.986	0.552	1.806
IVFC	3	750	0.20	2	2	original	ϕ_o	0.086	0.987	0.536	1.640
IVFC	3	1000	0.20	2	2	original	ϕ_o	0.081	0.987	0.534	1.617
IVFC	3	10	1.25	2	5	original	ϕ_o	0.968	0.070	0.519	2.844
IVFC	3	10	1.50	2	5	original	ϕ_o	0.966	0.065	0.516	1.916
IVFC	3	10	1.70	2	5	original	ϕ_o	0.965	0.063	0.514	2.833
IVFC	3	100	1.25	2	5	original	ϕ_o	0.955	0.384	0.670	3.708
IVFC	3	100	1.50	2	5	original	ϕ_o	0.965	0.241	0.603	2.880
IVFC	3	100	1.70	2	5	original	ϕ_o	0.968	0.176	0.572	2.879
IVFC	3	250	1.25	2	5	original	ϕ_o	0.920	0.612	0.766	3.695
IVFC	3	250	1.50	2	5	original	ϕ_o	0.942	0.469	0.706	3.702
IVFC	3	250	1.70	2	5	original	ϕ_o	0.953	0.360	0.656	3.696
IVFC	3	500	0.50	4	5	original	ϕ_o	0.359	0.893	0.626	2.242
IVFC	3	500	0.70	4	5	original	ϕ_o	0.517	0.790	0.654	2.784
IVFC	3	500	1.00	4	5	original	ϕ_o	0.650	0.629	0.640	3.149
IVFC	3	750	0.50	4	5	original	ϕ_o	0.359	0.893	0.626	2.242
IVFC	3	750	0.70	4	5	original	ϕ_o	0.517	0.790	0.654	2.784
IVFC	3	750	1.00	4	5	original	ϕ_o	0.650	0.629	0.640	3.149
IVFC	3	1000	0.50	4	5	original	ϕ_o	0.359	0.893	0.626	2.242
IVFC	3	1000	0.70	4	5	original	ϕ_o	0.517	0.790	0.654	2.784
IVFC	3	1000	1.00	4	5	original	ϕ_o	0.650	0.629	0.640	3.149
IVFC	3	10	1.25	6	7	original	ϕ_o	0.739	0.062	0.400	2.117
IVFC	3	10	1.50	6	7	original	ϕ_o	0.736	0.058	0.397	2.108
IVFC	3	10	1.70	6	7	original	ϕ_o	0.735	0.056	0.396	2.106
IVFC	3	100	1.25	6	7	original	ϕ_o	0.727	0.266	0.496	2.158
IVFC	3	100	1.50	6	7	original	ϕ_o	0.736	0.160	0.448	2.146
IVFC	3	100	1.70	6	7	original	ϕ_o	0.738	0.123	0.431	2.135
IVFC	3	250	1.25	6	7	original	ϕ_o	0.696	0.470	0.583	2.728
IVFC	3	250	1.50	6	7	original	ϕ_o	0.720	0.314	0.517	2.726
IVFC	3	250	1.70	6	7	original	ϕ_o	0.730	0.229	0.479	2.152
IVFC	3	10	0.50	4	5	original	ϕ_o	0.750	0.476	0.613	2.907
IVFC	3	10	0.70	4	5	original	ϕ_o	0.789	0.242	0.515	2.938
IVFC	3	10	1.00	4	5	original	ϕ_o	0.798	0.129	0.464	2.920
IVFC	3	100	0.50	4	5	original	ϕ_o	0.537	0.810	0.673	2.866
IVFC	3	100	0.70	4	5	original	ϕ_o	0.663	0.657	0.660	3.227
IVFC	3	100	1.00	4	5	original	ϕ_o	0.745	0.432	0.588	3.376

IVFC	3	250	0.50	4	5	original	ϕ_o	0.398	0.883	0.640	2.376
IVFC	3	250	0.70	4	5	original	ϕ_o	0.549	0.772	0.661	2.884
IVFC	3	250	1.00	4	5	original	ϕ_o	0.671	0.597	0.634	3.211
IVFC	3	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	3	100	4.00	3	2	original	ϕ_o	0.865	0.079	0.472	2.519
IVFC	3	250	4.00	3	2	original	ϕ_o	0.864	0.096	0.480	2.519
IVFC	3	500	0.20	4	5	original	ϕ_o	0.041	0.972	0.507	0.687
IVFC	3	750	0.20	4	5	original	ϕ_o	0.041	0.972	0.507	0.687
IVFC	3	1000	0.20	4	5	original	ϕ_o	0.041	0.972	0.507	0.687
IVFC	3	10	2.00	6	6	original	ϕ_o	0.734	0.055	0.394	2.103
IVFC	3	10	2.30	6	6	original	ϕ_o	0.733	0.054	0.394	2.101
IVFC	3	10	3.00	6	6	original	ϕ_o	0.732	0.053	0.393	2.098
IVFC	3	100	2.00	6	6	original	ϕ_o	0.738	0.092	0.415	2.120
IVFC	3	100	2.30	6	6	original	ϕ_o	0.737	0.083	0.410	2.115
IVFC	3	100	3.00	6	6	original	ϕ_o	0.735	0.074	0.405	2.108
IVFC	3	250	2.00	6	6	original	ϕ_o	0.736	0.154	0.445	2.144
IVFC	3	250	2.30	6	6	original	ϕ_o	0.738	0.124	0.431	2.135
IVFC	3	250	3.00	6	6	original	ϕ_o	0.737	0.099	0.418	2.120
IVFC	3	500	4.00	4	7	original	ϕ_o	0.791	0.171	0.481	2.913
IVFC	3	750	4.00	4	7	original	ϕ_o	0.791	0.171	0.481	2.913
IVFC	3	1000	4.00	4	7	original	ϕ_o	0.791	0.171	0.481	2.913
IVFC	3	500	0.20	4	2	original	ϕ_o	0.097	0.972	0.534	0.918
IVFC	3	750	0.20	4	2	original	ϕ_o	0.081	0.973	0.527	0.845
IVFC	3	1000	0.20	4	2	original	ϕ_o	0.081	0.973	0.527	0.845
IVFC	3	500	1.25	6	6	original	ϕ_o	0.691	0.502	0.596	3.189
IVFC	3	500	1.50	6	6	original	ϕ_o	0.717	0.347	0.532	2.735
IVFC	3	500	1.70	6	6	original	ϕ_o	0.728	0.260	0.494	2.728
IVFC	3	750	1.25	6	6	original	ϕ_o	0.691	0.502	0.596	3.189
IVFC	3	750	1.50	6	6	original	ϕ_o	0.717	0.347	0.532	2.735
IVFC	3	750	1.70	6	6	original	ϕ_o	0.728	0.260	0.494	2.728
IVFC	3	1000	1.25	6	6	original	ϕ_o	0.691	0.502	0.596	3.189
IVFC	3	1000	1.50	6	6	original	ϕ_o	0.717	0.347	0.532	2.735
IVFC	3	1000	1.70	6	6	original	ϕ_o	0.728	0.260	0.494	2.728
IVFC	3	10	0.50	6	3	original	ϕ_o	0.709	0.358	0.534	2.134
IVFC	3	10	0.70	6	3	original	ϕ_o	0.737	0.135	0.436	1.456
IVFC	3	10	1.00	6	3	original	ϕ_o	0.737	0.060	0.399	2.112
IVFC	3	100	0.50	6	3	original	ϕ_o	0.568	0.740	0.654	2.926
IVFC	3	100	0.70	6	3	original	ϕ_o	0.668	0.518	0.593	2.647
IVFC	3	100	1.00	6	3	original	ϕ_o	0.728	0.253	0.491	2.156
IVFC	3	250	0.50	6	3	original	ϕ_o	0.450	0.874	0.662	2.691
IVFC	3	250	0.70	6	3	original	ϕ_o	0.573	0.720	0.646	2.949
IVFC	3	250	1.00	6	3	original	ϕ_o	0.673	0.485	0.579	2.651
IVFC	3	500	1.25	4	5	original	ϕ_o	0.707	0.503	0.605	3.281
IVFC	3	500	1.50	4	5	original	ϕ_o	0.739	0.397	0.568	3.335
IVFC	3	500	1.70	4	5	original	ϕ_o	0.755	0.334	0.544	3.347
IVFC	3	750	1.25	4	5	original	ϕ_o	0.707	0.503	0.605	3.281
IVFC	3	750	1.50	4	5	original	ϕ_o	0.739	0.397	0.568	3.335
IVFC	3	750	1.70	4	5	original	ϕ_o	0.755	0.334	0.544	3.347
IVFC	3	1000	1.25	4	5	original	ϕ_o	0.707	0.503	0.605	3.281
IVFC	3	1000	1.50	4	5	original	ϕ_o	0.739	0.397	0.568	3.335

IVFC	3	1000	1.70	4	5	original	ϕ_o	0.755	0.334	0.544	3.347
IVFC	3	500	4.00	5	7	original	ϕ_o	0.740	0.185	0.462	2.783
IVFC	3	750	4.00	5	7	original	ϕ_o	0.740	0.185	0.462	2.783
IVFC	3	1000	4.00	5	7	original	ϕ_o	0.740	0.185	0.462	2.783
IVFC	3	10	0.20	2	6	original	ϕ_o	0.507	0.927	0.717	3.140
IVFC	3	100	0.20	2	6	original	ϕ_o	0.139	0.978	0.559	1.821
IVFC	3	250	0.20	2	6	original	ϕ_o	0.061	0.986	0.523	1.455
IVFC	3	10	0.20	7	4	original	ϕ_o	0.484	0.793	0.639	2.535
IVFC	3	100	0.20	7	4	original	ϕ_o	0.217	0.939	0.578	1.492
IVFC	3	250	0.20	7	4	original	ϕ_o	0.118	0.955	0.537	1.047
IVFC	3	500	0.50	4	4	original	ϕ_o	0.361	0.902	0.631	2.255
IVFC	3	500	0.70	4	4	original	ϕ_o	0.510	0.812	0.661	2.787
IVFC	3	500	1.00	4	4	original	ϕ_o	0.640	0.664	0.652	3.150
IVFC	3	750	0.50	4	4	original	ϕ_o	0.361	0.902	0.631	2.255
IVFC	3	750	0.70	4	4	original	ϕ_o	0.510	0.812	0.661	2.786
IVFC	3	750	1.00	4	4	original	ϕ_o	0.640	0.664	0.652	3.150
IVFC	3	1000	0.50	4	4	original	ϕ_o	0.361	0.902	0.631	2.255
IVFC	3	1000	0.70	4	4	original	ϕ_o	0.510	0.812	0.661	2.786
IVFC	3	1000	1.00	4	4	original	ϕ_o	0.640	0.664	0.652	3.150
IVFC	3	10	2.00	3	6	original	ϕ_o	0.866	0.077	0.472	2.524
IVFC	3	10	2.30	3	6	original	ϕ_o	0.866	0.075	0.471	2.522
IVFC	3	10	3.00	3	6	original	ϕ_o	0.866	0.073	0.469	2.520
IVFC	3	100	2.00	3	6	original	ϕ_o	0.863	0.153	0.508	2.542
IVFC	3	100	2.30	3	6	original	ϕ_o	0.865	0.132	0.498	2.538
IVFC	3	100	3.00	3	6	original	ϕ_o	0.865	0.112	0.489	2.532
IVFC	3	250	2.00	3	6	original	ϕ_o	0.853	0.241	0.547	3.192
IVFC	3	250	2.30	3	6	original	ϕ_o	0.858	0.190	0.524	3.171
IVFC	3	250	3.00	3	6	original	ϕ_o	0.862	0.143	0.503	2.534
IVFC	3	500	0.50	6	7	original	ϕ_o	0.348	0.940	0.644	2.494
IVFC	3	500	0.70	6	7	original	ϕ_o	0.509	0.863	0.686	2.965
IVFC	3	500	1.00	6	7	original	ϕ_o	0.636	0.682	0.659	3.175
IVFC	3	750	0.50	6	7	original	ϕ_o	0.348	0.940	0.644	2.494
IVFC	3	750	0.70	6	7	original	ϕ_o	0.509	0.863	0.686	2.965
IVFC	3	750	1.00	6	7	original	ϕ_o	0.636	0.682	0.659	3.175
IVFC	3	1000	0.50	6	7	original	ϕ_o	0.348	0.940	0.644	2.494
IVFC	3	1000	0.70	6	7	original	ϕ_o	0.509	0.863	0.686	2.965
IVFC	3	1000	1.00	6	7	original	ϕ_o	0.636	0.682	0.659	3.175
IVFC	3	500	0.50	5	7	original	ϕ_o	0.321	0.912	0.616	2.223
IVFC	3	500	0.70	5	7	original	ϕ_o	0.484	0.801	0.643	2.721
IVFC	3	500	1.00	5	7	original	ϕ_o	0.618	0.572	0.595	3.015
IVFC	3	750	0.50	5	7	original	ϕ_o	0.321	0.912	0.616	2.223
IVFC	3	750	0.70	5	7	original	ϕ_o	0.484	0.801	0.643	2.721
IVFC	3	750	1.00	5	7	original	ϕ_o	0.618	0.572	0.595	3.015
IVFC	3	1000	0.50	5	7	original	ϕ_o	0.321	0.912	0.616	2.223
IVFC	3	1000	0.70	5	7	original	ϕ_o	0.484	0.801	0.643	2.721
IVFC	3	1000	1.00	5	7	original	ϕ_o	0.618	0.572	0.595	3.015
IVFC	3	10	0.50	5	2	original	ϕ_o	0.717	0.291	0.504	2.751
IVFC	3	10	0.70	5	2	original	ϕ_o	0.750	0.154	0.452	2.809
IVFC	3	10	1.00	5	2	original	ϕ_o	0.750	0.114	0.432	2.790
IVFC	3	100	0.50	5	2	original	ϕ_o	0.580	0.631	0.605	2.896

IVFC	3	100	0.70	5	2	original	ϕ_o	0.678	0.399	0.538	3.132
IVFC	3	100	1.00	5	2	original	ϕ_o	0.736	0.237	0.487	2.798
IVFC	3	250	0.50	5	2	original	ϕ_o	0.469	0.778	0.623	2.575
IVFC	3	250	0.70	5	2	original	ϕ_o	0.586	0.586	0.586	2.903
IVFC	3	250	1.00	5	2	original	ϕ_o	0.685	0.359	0.522	3.134
IVFC	3	500	0.20	7	7	original	ϕ_o	0.088	0.953	0.520	0.833
IVFC	3	750	0.20	7	7	original	ϕ_o	0.088	0.953	0.520	0.833
IVFC	3	1000	0.20	7	7	original	ϕ_o	0.088	0.953	0.520	0.833
IVFC	3	500	4.00	3	4	original	ϕ_o	0.862	0.133	0.497	2.526
IVFC	3	750	4.00	3	4	original	ϕ_o	0.862	0.133	0.498	2.526
IVFC	3	1000	4.00	3	4	original	ϕ_o	0.862	0.133	0.498	2.526
IVFC	3	10	4.00	7	5	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	3	100	4.00	7	5	original	ϕ_o	0.688	0.162	0.425	2.446
IVFC	3	250	4.00	7	5	original	ϕ_o	0.679	0.210	0.444	2.780
IVFC	3	10	4.00	7	7	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	3	100	4.00	7	7	original	ϕ_o	0.685	0.169	0.427	2.788
IVFC	3	250	4.00	7	7	original	ϕ_o	0.682	0.199	0.441	2.789
IVFC	3	10	2.00	3	7	original	ϕ_o	0.866	0.078	0.472	2.525
IVFC	3	10	2.30	3	7	original	ϕ_o	0.866	0.076	0.471	2.523
IVFC	3	10	3.00	3	7	original	ϕ_o	0.866	0.073	0.469	2.520
IVFC	3	100	2.00	3	7	original	ϕ_o	0.862	0.161	0.512	3.147
IVFC	3	100	2.30	3	7	original	ϕ_o	0.864	0.136	0.500	2.538
IVFC	3	100	3.00	3	7	original	ϕ_o	0.865	0.114	0.490	2.533
IVFC	3	250	2.00	3	7	original	ϕ_o	0.852	0.242	0.547	3.200
IVFC	3	250	2.30	3	7	original	ϕ_o	0.856	0.191	0.524	3.612
IVFC	3	250	3.00	3	7	original	ϕ_o	0.861	0.144	0.502	3.140
IVFC	3	10	0.50	4	6	original	ϕ_o	0.744	0.513	0.629	2.917
IVFC	3	10	0.70	4	6	original	ϕ_o	0.788	0.274	0.531	2.340
IVFC	3	10	1.00	4	6	original	ϕ_o	0.799	0.133	0.466	2.328
IVFC	3	100	0.50	4	6	original	ϕ_o	0.505	0.825	0.665	2.766
IVFC	3	100	0.70	4	6	original	ϕ_o	0.644	0.686	0.665	3.174
IVFC	3	100	1.00	4	6	original	ϕ_o	0.734	0.473	0.604	3.352
IVFC	3	250	0.50	4	6	original	ϕ_o	0.372	0.887	0.629	2.288
IVFC	3	250	0.70	4	6	original	ϕ_o	0.535	0.782	0.658	2.853
IVFC	3	250	1.00	4	6	original	ϕ_o	0.665	0.613	0.639	3.202
IVFC	3	10	0.20	3	6	original	ϕ_o	0.400	0.890	0.645	2.448
IVFC	3	100	0.20	3	6	original	ϕ_o	0.112	0.974	0.543	1.334
IVFC	3	250	0.20	3	6	original	ϕ_o	0.046	0.980	0.513	1.011
IVFC	3	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	3	100	4.00	2	5	original	ϕ_o	0.968	0.080	0.524	2.843
IVFC	3	250	4.00	2	5	original	ϕ_o	0.969	0.109	0.539	2.857
IVFC	3	10	1.25	3	3	original	ϕ_o	0.867	0.084	0.476	2.529
IVFC	3	10	1.50	3	3	original	ϕ_o	0.867	0.079	0.473	2.525
IVFC	3	10	1.70	3	3	original	ϕ_o	0.866	0.076	0.471	2.523
IVFC	3	100	1.25	3	3	original	ϕ_o	0.853	0.270	0.561	3.169
IVFC	3	100	1.50	3	3	original	ϕ_o	0.860	0.180	0.520	2.541
IVFC	3	100	1.70	3	3	original	ϕ_o	0.863	0.147	0.505	2.540
IVFC	3	250	1.25	3	3	original	ϕ_o	0.820	0.436	0.628	3.175
IVFC	3	250	1.50	3	3	original	ϕ_o	0.839	0.339	0.589	3.174
IVFC	3	250	1.70	3	3	original	ϕ_o	0.848	0.270	0.559	2.528

IVFC	3	10	1.25	3	4	original	ϕ_o	0.868	0.085	0.476	2.532
IVFC	3	10	1.50	3	4	original	ϕ_o	0.867	0.078	0.473	1.715
IVFC	3	10	1.70	3	4	original	ϕ_o	0.867	0.076	0.471	2.525
IVFC	3	100	1.25	3	4	original	ϕ_o	0.849	0.288	0.569	3.165
IVFC	3	100	1.50	3	4	original	ϕ_o	0.859	0.196	0.527	2.541
IVFC	3	100	1.70	3	4	original	ϕ_o	0.862	0.160	0.511	2.540
IVFC	3	250	1.25	3	4	original	ϕ_o	0.812	0.462	0.637	3.608
IVFC	3	250	1.50	3	4	original	ϕ_o	0.834	0.362	0.598	3.594
IVFC	3	250	1.70	3	4	original	ϕ_o	0.845	0.289	0.567	3.156
IVFC	3	500	2.00	3	6	original	ϕ_o	0.850	0.245	0.547	2.527
IVFC	3	500	2.30	3	6	original	ϕ_o	0.855	0.193	0.524	3.177
IVFC	3	500	3.00	3	6	original	ϕ_o	0.860	0.145	0.503	3.136
IVFC	3	750	2.00	3	6	original	ϕ_o	0.850	0.245	0.547	2.527
IVFC	3	750	2.30	3	6	original	ϕ_o	0.855	0.193	0.524	3.177
IVFC	3	750	3.00	3	6	original	ϕ_o	0.860	0.145	0.503	3.136
IVFC	3	1000	2.00	3	6	original	ϕ_o	0.850	0.245	0.547	2.527
IVFC	3	1000	2.30	3	6	original	ϕ_o	0.855	0.193	0.524	3.177
IVFC	3	1000	3.00	3	6	original	ϕ_o	0.860	0.145	0.503	3.136
IVFC	3	10	2.00	7	3	original	ϕ_o	0.685	0.114	0.400	2.404
IVFC	3	10	2.30	7	3	original	ϕ_o	0.685	0.114	0.399	2.746
IVFC	3	10	3.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	3	100	2.00	7	3	original	ϕ_o	0.683	0.184	0.433	2.812
IVFC	3	100	2.30	7	3	original	ϕ_o	0.683	0.174	0.428	2.803
IVFC	3	100	3.00	7	3	original	ϕ_o	0.683	0.156	0.420	2.430
IVFC	3	250	2.00	7	3	original	ϕ_o	0.669	0.237	0.453	2.804
IVFC	3	250	2.30	7	3	original	ϕ_o	0.672	0.226	0.449	2.807
IVFC	3	250	3.00	7	3	original	ϕ_o	0.675	0.207	0.441	2.803
IVFC	3	500	2.00	4	3	original	ϕ_o	0.763	0.281	0.522	3.336
IVFC	3	500	2.30	4	3	original	ϕ_o	0.771	0.241	0.506	3.328
IVFC	3	500	3.00	4	3	original	ϕ_o	0.780	0.198	0.489	2.881
IVFC	3	750	2.00	4	3	original	ϕ_o	0.763	0.283	0.523	3.331
IVFC	3	750	2.30	4	3	original	ϕ_o	0.771	0.242	0.506	3.324
IVFC	3	750	3.00	4	3	original	ϕ_o	0.780	0.198	0.489	3.320
IVFC	3	1000	2.00	4	3	original	ϕ_o	0.763	0.283	0.523	3.331
IVFC	3	1000	2.30	4	3	original	ϕ_o	0.771	0.242	0.506	3.324
IVFC	3	1000	3.00	4	3	original	ϕ_o	0.780	0.198	0.489	3.320
IVFC	3	500	0.20	6	7	original	ϕ_o	0.051	0.989	0.520	0.996
IVFC	3	750	0.20	6	7	original	ϕ_o	0.051	0.989	0.520	0.996
IVFC	3	1000	0.20	6	7	original	ϕ_o	0.051	0.989	0.520	0.996
IVFC	3	500	2.00	3	5	original	ϕ_o	0.849	0.240	0.544	3.185
IVFC	3	500	2.30	3	5	original	ϕ_o	0.855	0.190	0.522	2.526
IVFC	3	500	3.00	3	5	original	ϕ_o	0.860	0.145	0.503	3.132
IVFC	3	750	2.00	3	5	original	ϕ_o	0.849	0.240	0.544	3.185
IVFC	3	750	2.30	3	5	original	ϕ_o	0.855	0.190	0.522	2.526
IVFC	3	750	3.00	3	5	original	ϕ_o	0.860	0.145	0.503	3.132
IVFC	3	1000	2.00	3	5	original	ϕ_o	0.849	0.240	0.544	3.185
IVFC	3	1000	2.30	3	5	original	ϕ_o	0.855	0.190	0.522	2.526
IVFC	3	1000	3.00	3	5	original	ϕ_o	0.860	0.145	0.503	3.132
IVFC	3	500	4.00	5	5	original	ϕ_o	0.741	0.185	0.463	2.778
IVFC	3	750	4.00	5	5	original	ϕ_o	0.741	0.185	0.463	2.778

IVFC	3	1000	4.00	5	5	original	ϕ_o	0.741	0.185	0.463	2.778
IVFC	3	10	0.50	5	6	original	ϕ_o	0.691	0.475	0.583	2.727
IVFC	3	10	0.70	5	6	original	ϕ_o	0.746	0.251	0.498	2.824
IVFC	3	10	1.00	5	6	original	ϕ_o	0.753	0.148	0.451	3.253
IVFC	3	100	0.50	5	6	original	ϕ_o	0.456	0.842	0.649	2.618
IVFC	3	100	0.70	5	6	original	ϕ_o	0.591	0.666	0.628	2.981
IVFC	3	100	1.00	5	6	original	ϕ_o	0.691	0.425	0.558	3.187
IVFC	3	250	0.50	5	6	original	ϕ_o	0.331	0.905	0.618	2.248
IVFC	3	250	0.70	5	6	original	ϕ_o	0.489	0.788	0.639	2.724
IVFC	3	250	1.00	5	6	original	ϕ_o	0.622	0.561	0.591	3.012
IVFC	3	500	0.50	7	4	original	ϕ_o	0.385	0.819	0.602	2.183
IVFC	3	500	0.70	7	4	original	ϕ_o	0.495	0.658	0.577	2.489
IVFC	3	500	1.00	7	4	original	ϕ_o	0.580	0.459	0.520	2.676
IVFC	3	750	0.50	7	4	original	ϕ_o	0.385	0.819	0.602	2.183
IVFC	3	750	0.70	7	4	original	ϕ_o	0.495	0.658	0.577	2.489
IVFC	3	750	1.00	7	4	original	ϕ_o	0.580	0.459	0.520	2.676
IVFC	3	1000	0.50	7	4	original	ϕ_o	0.385	0.819	0.602	2.183
IVFC	3	1000	0.70	7	4	original	ϕ_o	0.495	0.658	0.577	2.489
IVFC	3	1000	1.00	7	4	original	ϕ_o	0.580	0.459	0.520	2.676
IVFC	3	500	0.50	2	4	original	ϕ_o	0.527	0.938	0.732	3.608
IVFC	3	500	0.70	2	4	original	ϕ_o	0.724	0.884	0.804	4.146
IVFC	3	500	1.00	2	4	original	ϕ_o	0.860	0.774	0.817	4.353
IVFC	3	750	0.50	2	4	original	ϕ_o	0.527	0.938	0.732	3.608
IVFC	3	750	0.70	2	4	original	ϕ_o	0.724	0.884	0.804	4.146
IVFC	3	750	1.00	2	4	original	ϕ_o	0.860	0.774	0.817	4.353
IVFC	3	1000	0.50	2	4	original	ϕ_o	0.527	0.938	0.732	3.608
IVFC	3	1000	0.70	2	4	original	ϕ_o	0.724	0.884	0.804	4.146
IVFC	3	1000	1.00	2	4	original	ϕ_o	0.860	0.774	0.817	4.353
IVFC	3	500	1.25	3	6	original	ϕ_o	0.801	0.500	0.650	3.685
IVFC	3	500	1.50	3	6	original	ϕ_o	0.828	0.400	0.614	3.675
IVFC	3	500	1.70	3	6	original	ϕ_o	0.840	0.328	0.584	3.205
IVFC	3	750	1.25	3	6	original	ϕ_o	0.801	0.500	0.650	3.685
IVFC	3	750	1.50	3	6	original	ϕ_o	0.828	0.400	0.614	3.675
IVFC	3	750	1.70	3	6	original	ϕ_o	0.840	0.328	0.584	3.205
IVFC	3	1000	1.25	3	6	original	ϕ_o	0.801	0.500	0.650	3.685
IVFC	3	1000	1.50	3	6	original	ϕ_o	0.828	0.400	0.614	3.675
IVFC	3	1000	1.70	3	6	original	ϕ_o	0.840	0.328	0.584	3.205
IVFC	3	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	3	100	4.00	7	2	original	ϕ_o	0.684	0.128	0.406	2.411
IVFC	3	250	4.00	7	2	original	ϕ_o	0.680	0.170	0.425	2.414
IVFC	3	10	2.00	2	4	original	ϕ_o	0.964	0.061	0.513	2.830
IVFC	3	10	2.30	2	4	original	ϕ_o	0.964	0.059	0.512	2.826
IVFC	3	10	3.00	2	4	original	ϕ_o	0.963	0.058	0.511	2.825
IVFC	3	100	2.00	2	4	original	ϕ_o	0.972	0.123	0.548	2.878
IVFC	3	100	2.30	2	4	original	ϕ_o	0.972	0.106	0.539	2.872
IVFC	3	100	3.00	2	4	original	ϕ_o	0.971	0.090	0.530	2.858
IVFC	3	250	2.00	2	4	original	ϕ_o	0.965	0.252	0.608	2.882
IVFC	3	250	2.30	2	4	original	ϕ_o	0.969	0.175	0.572	2.880
IVFC	3	250	3.00	2	4	original	ϕ_o	0.971	0.124	0.548	2.874
IVFC	3	10	4.00	6	7	original	ϕ_o	0.732	0.053	0.392	2.097

IVFC	3	100	4.00	6	7	original	ϕ_o	0.735	0.071	0.403	2.106
IVFC	3	250	4.00	6	7	original	ϕ_o	0.734	0.092	0.413	2.108
IVFC	3	500	0.20	2	4	original	ϕ_o	0.073	0.986	0.529	1.556
IVFC	3	750	0.20	2	4	original	ϕ_o	0.073	0.986	0.529	1.556
IVFC	3	1000	0.20	2	4	original	ϕ_o	0.073	0.986	0.529	1.556
IVFC	3	10	0.20	4	7	original	ϕ_o	0.336	0.923	0.630	1.995
IVFC	3	100	0.20	4	7	original	ϕ_o	0.077	0.970	0.524	0.864
IVFC	3	250	0.20	4	7	original	ϕ_o	0.040	0.972	0.506	0.677
IVFC	3	500	0.20	2	3	original	ϕ_o	0.079	0.986	0.533	1.580
IVFC	3	750	0.20	2	3	original	ϕ_o	0.076	0.986	0.531	1.564
IVFC	3	1000	0.20	2	3	original	ϕ_o	0.076	0.986	0.531	1.564
IVFC	3	500	1.25	4	7	original	ϕ_o	0.717	0.516	0.616	3.351
IVFC	3	500	1.50	4	7	original	ϕ_o	0.746	0.406	0.576	3.388
IVFC	3	500	1.70	4	7	original	ϕ_o	0.761	0.337	0.549	3.394
IVFC	3	750	1.25	4	7	original	ϕ_o	0.717	0.516	0.616	3.351
IVFC	3	750	1.50	4	7	original	ϕ_o	0.746	0.406	0.576	3.388
IVFC	3	750	1.70	4	7	original	ϕ_o	0.761	0.337	0.549	3.394
IVFC	3	1000	1.25	4	7	original	ϕ_o	0.717	0.516	0.616	3.351
IVFC	3	1000	1.50	4	7	original	ϕ_o	0.746	0.406	0.576	3.388
IVFC	3	1000	1.70	4	7	original	ϕ_o	0.761	0.337	0.549	3.394
IVFC	3	10	0.20	7	2	original	ϕ_o	0.498	0.681	0.589	2.465
IVFC	3	100	0.20	7	2	original	ϕ_o	0.284	0.904	0.594	1.731
IVFC	3	250	0.20	7	2	original	ϕ_o	0.182	0.944	0.563	1.305
IVFC	3	500	4.00	2	3	original	ϕ_o	0.970	0.116	0.543	2.864
IVFC	3	750	4.00	2	3	original	ϕ_o	0.969	0.116	0.543	2.863
IVFC	3	1000	4.00	2	3	original	ϕ_o	0.969	0.116	0.543	2.863
IVFC	3	500	1.25	6	3	original	ϕ_o	0.679	0.461	0.570	2.660
IVFC	3	500	1.50	6	3	original	ϕ_o	0.709	0.325	0.517	2.686
IVFC	3	500	1.70	6	3	original	ϕ_o	0.721	0.243	0.482	2.686
IVFC	3	750	1.25	6	3	original	ϕ_o	0.671	0.490	0.580	2.655
IVFC	3	750	1.50	6	3	original	ϕ_o	0.703	0.349	0.526	2.678
IVFC	3	750	1.70	6	3	original	ϕ_o	0.716	0.264	0.490	2.678
IVFC	3	1000	1.25	6	3	original	ϕ_o	0.671	0.490	0.580	2.655
IVFC	3	1000	1.50	6	3	original	ϕ_o	0.703	0.349	0.526	2.678
IVFC	3	1000	1.70	6	3	original	ϕ_o	0.716	0.264	0.490	2.678
IVFC	3	10	1.25	4	3	original	ϕ_o	0.789	0.106	0.448	2.881
IVFC	3	10	1.50	4	3	original	ϕ_o	0.789	0.104	0.446	2.879
IVFC	3	10	1.70	4	3	original	ϕ_o	0.789	0.102	0.445	2.877
IVFC	3	100	1.25	4	3	original	ϕ_o	0.786	0.239	0.513	2.807
IVFC	3	100	1.50	4	3	original	ϕ_o	0.792	0.185	0.489	2.937
IVFC	3	100	1.70	4	3	original	ϕ_o	0.793	0.165	0.479	2.930
IVFC	3	250	1.25	4	3	original	ϕ_o	0.740	0.431	0.586	3.384
IVFC	3	250	1.50	4	3	original	ϕ_o	0.763	0.323	0.543	2.762
IVFC	3	250	1.70	4	3	original	ϕ_o	0.773	0.267	0.520	3.374
IVFC	3	10	0.20	6	4	original	ϕ_o	0.394	0.922	0.658	2.355
IVFC	3	100	0.20	6	4	original	ϕ_o	0.171	0.980	0.575	1.543
IVFC	3	250	0.20	6	4	original	ϕ_o	0.087	0.987	0.537	1.183
IVFC	3	500	0.50	3	7	original	ϕ_o	0.420	0.901	0.661	2.792
IVFC	3	500	0.70	3	7	original	ϕ_o	0.613	0.783	0.698	3.360
IVFC	3	500	1.00	3	7	original	ϕ_o	0.753	0.610	0.681	3.656

IVFC	3	750	0.50	3	7	original	ϕ_o	0.420	0.901	0.661	2.792
IVFC	3	750	0.70	3	7	original	ϕ_o	0.613	0.783	0.698	3.360
IVFC	3	750	1.00	3	7	original	ϕ_o	0.753	0.610	0.681	3.656
IVFC	3	1000	0.50	3	7	original	ϕ_o	0.420	0.901	0.661	2.792
IVFC	3	1000	0.70	3	7	original	ϕ_o	0.613	0.783	0.698	3.360
IVFC	3	1000	1.00	3	7	original	ϕ_o	0.753	0.610	0.681	3.656
IVFC	3	500	2.00	2	2	original	ϕ_o	0.962	0.267	0.615	3.698
IVFC	3	500	2.30	2	2	original	ϕ_o	0.967	0.185	0.576	2.878
IVFC	3	500	3.00	2	2	original	ϕ_o	0.970	0.125	0.547	2.869
IVFC	3	750	2.00	2	2	original	ϕ_o	0.955	0.343	0.649	3.694
IVFC	3	750	2.30	2	2	original	ϕ_o	0.963	0.242	0.602	3.681
IVFC	3	750	3.00	2	2	original	ϕ_o	0.969	0.146	0.557	2.873
IVFC	3	1000	2.00	2	2	original	ϕ_o	0.953	0.356	0.654	3.690
IVFC	3	1000	2.30	2	2	original	ϕ_o	0.962	0.253	0.607	3.678
IVFC	3	1000	3.00	2	2	original	ϕ_o	0.968	0.151	0.559	2.871
IVFC	3	10	0.20	2	3	original	ϕ_o	0.621	0.916	0.769	3.573
IVFC	3	100	0.20	2	3	original	ϕ_o	0.267	0.974	0.620	2.368
IVFC	3	250	0.20	2	3	original	ϕ_o	0.127	0.985	0.556	1.813
IVFC	3	10	2.00	6	4	original	ϕ_o	0.732	0.054	0.393	2.100
IVFC	3	10	2.30	6	4	original	ϕ_o	0.732	0.053	0.393	1.434
IVFC	3	10	3.00	6	4	original	ϕ_o	0.732	0.053	0.392	1.434
IVFC	3	100	2.00	6	4	original	ϕ_o	0.737	0.074	0.405	2.110
IVFC	3	100	2.30	6	4	original	ϕ_o	0.736	0.069	0.402	2.106
IVFC	3	100	3.00	6	4	original	ϕ_o	0.734	0.064	0.399	2.102
IVFC	3	250	2.00	6	4	original	ϕ_o	0.737	0.124	0.431	2.646
IVFC	3	250	2.30	6	4	original	ϕ_o	0.737	0.104	0.421	2.120
IVFC	3	250	3.00	6	4	original	ϕ_o	0.735	0.086	0.410	2.109
IVFC	3	500	0.20	4	4	original	ϕ_o	0.049	0.972	0.510	0.734
IVFC	3	750	0.20	4	4	original	ϕ_o	0.049	0.972	0.510	0.734
IVFC	3	1000	0.20	4	4	original	ϕ_o	0.049	0.972	0.510	0.734
IVFC	3	500	4.00	3	5	original	ϕ_o	0.862	0.129	0.496	2.525
IVFC	3	750	4.00	3	5	original	ϕ_o	0.862	0.129	0.496	2.525
IVFC	3	1000	4.00	3	5	original	ϕ_o	0.862	0.129	0.496	2.525
IVFC	3	500	4.00	6	3	original	ϕ_o	0.735	0.096	0.415	2.111
IVFC	3	750	4.00	6	3	original	ϕ_o	0.733	0.104	0.418	2.108
IVFC	3	1000	4.00	6	3	original	ϕ_o	0.733	0.104	0.418	2.108
IVFC	3	500	2.00	7	2	original	ϕ_o	0.647	0.243	0.445	2.656
IVFC	3	500	2.30	7	2	original	ϕ_o	0.654	0.234	0.444	2.673
IVFC	3	500	3.00	7	2	original	ϕ_o	0.662	0.221	0.441	2.688
IVFC	3	750	2.00	7	2	original	ϕ_o	0.642	0.250	0.446	2.661
IVFC	3	750	2.30	7	2	original	ϕ_o	0.650	0.240	0.445	2.348
IVFC	3	750	3.00	7	2	original	ϕ_o	0.660	0.227	0.444	2.710
IVFC	3	1000	2.00	7	2	original	ϕ_o	0.642	0.251	0.447	2.672
IVFC	3	1000	2.30	7	2	original	ϕ_o	0.650	0.241	0.446	2.689
IVFC	3	1000	3.00	7	2	original	ϕ_o	0.660	0.228	0.444	2.716
IVFC	3	500	1.25	6	2	original	ϕ_o	0.681	0.359	0.520	2.590
IVFC	3	500	1.50	6	2	original	ϕ_o	0.707	0.236	0.471	2.607
IVFC	3	500	1.70	6	2	original	ϕ_o	0.716	0.170	0.443	2.092
IVFC	3	750	1.25	6	2	original	ϕ_o	0.664	0.431	0.548	2.587
IVFC	3	750	1.50	6	2	original	ϕ_o	0.697	0.296	0.496	2.614

IVFC	3	750	1.70	6	2	original	ϕ_o	0.710	0.217	0.464	2.619
IVFC	3	1000	1.25	6	2	original	ϕ_o	0.661	0.439	0.550	2.579
IVFC	3	1000	1.50	6	2	original	ϕ_o	0.695	0.302	0.498	2.610
IVFC	3	1000	1.70	6	2	original	ϕ_o	0.709	0.222	0.465	2.614
IVFC	3	10	0.20	3	7	original	ϕ_o	0.366	0.919	0.643	2.322
IVFC	3	100	0.20	3	7	original	ϕ_o	0.084	0.978	0.531	1.188
IVFC	3	250	0.20	3	7	original	ϕ_o	0.038	0.981	0.510	0.958
IVFC	3	500	2.00	5	4	original	ϕ_o	0.726	0.236	0.481	3.191
IVFC	3	500	2.30	5	4	original	ϕ_o	0.732	0.214	0.473	3.194
IVFC	3	500	3.00	5	4	original	ϕ_o	0.739	0.194	0.466	2.784
IVFC	3	750	2.00	5	4	original	ϕ_o	0.726	0.236	0.481	3.191
IVFC	3	750	2.30	5	4	original	ϕ_o	0.732	0.214	0.473	3.194
IVFC	3	750	3.00	5	4	original	ϕ_o	0.739	0.194	0.466	2.784
IVFC	3	1000	2.00	5	4	original	ϕ_o	0.726	0.236	0.481	3.191
IVFC	3	1000	2.30	5	4	original	ϕ_o	0.732	0.214	0.473	3.194
IVFC	3	1000	3.00	5	4	original	ϕ_o	0.739	0.194	0.466	2.784
IVFC	3	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	100	4.00	6	5	original	ϕ_o	0.734	0.065	0.399	2.103
IVFC	3	250	4.00	6	5	original	ϕ_o	0.731	0.088	0.410	2.099
IVFC	3	10	1.25	2	4	original	ϕ_o	0.968	0.072	0.520	2.846
IVFC	3	10	1.50	2	4	original	ϕ_o	0.966	0.066	0.516	2.838
IVFC	3	10	1.70	2	4	original	ϕ_o	0.965	0.063	0.514	2.833
IVFC	3	100	1.25	2	4	original	ϕ_o	0.960	0.373	0.667	3.720
IVFC	3	100	1.50	2	4	original	ϕ_o	0.968	0.232	0.600	2.890
IVFC	3	100	1.70	2	4	original	ϕ_o	0.971	0.168	0.570	2.886
IVFC	3	250	1.25	2	4	original	ϕ_o	0.926	0.618	0.772	3.714
IVFC	3	250	1.50	2	4	original	ϕ_o	0.946	0.486	0.716	3.724
IVFC	3	250	1.70	2	4	original	ϕ_o	0.956	0.383	0.670	2.877
IVFC	3	10	0.20	4	3	original	ϕ_o	0.425	0.907	0.666	2.382
IVFC	3	100	0.20	4	3	original	ϕ_o	0.177	0.961	0.569	1.334
IVFC	3	250	0.20	4	3	original	ϕ_o	0.085	0.970	0.528	0.908
IVFC	3	500	1.25	4	3	original	ϕ_o	0.695	0.539	0.617	3.269
IVFC	3	500	1.50	4	3	original	ϕ_o	0.730	0.424	0.577	3.324
IVFC	3	500	1.70	4	3	original	ϕ_o	0.748	0.353	0.550	3.337
IVFC	3	750	1.25	4	3	original	ϕ_o	0.692	0.541	0.616	3.258
IVFC	3	750	1.50	4	3	original	ϕ_o	0.729	0.426	0.577	3.313
IVFC	3	750	1.70	4	3	original	ϕ_o	0.747	0.355	0.551	3.328
IVFC	3	1000	1.25	4	3	original	ϕ_o	0.692	0.541	0.616	3.258
IVFC	3	1000	1.50	4	3	original	ϕ_o	0.729	0.426	0.577	3.313
IVFC	3	1000	1.70	4	3	original	ϕ_o	0.747	0.355	0.551	3.328
IVFC	3	500	0.20	6	5	original	ϕ_o	0.056	0.989	0.522	1.022
IVFC	3	750	0.20	6	5	original	ϕ_o	0.056	0.989	0.522	1.022
IVFC	3	1000	0.20	6	5	original	ϕ_o	0.056	0.989	0.522	1.022
IVFC	3	10	1.25	7	7	original	ϕ_o	0.690	0.125	0.407	2.426
IVFC	3	10	1.50	7	7	original	ϕ_o	0.688	0.120	0.404	2.419
IVFC	3	10	1.70	7	7	original	ϕ_o	0.688	0.119	0.403	2.415
IVFC	3	100	1.25	7	7	original	ϕ_o	0.666	0.271	0.469	2.849
IVFC	3	100	1.50	7	7	original	ϕ_o	0.676	0.243	0.459	2.855
IVFC	3	100	1.70	7	7	original	ϕ_o	0.680	0.228	0.454	2.855
IVFC	3	250	1.25	7	7	original	ϕ_o	0.637	0.319	0.478	2.761

IVFC	3	250	1.50	7	7	original	ϕ_o	0.654	0.277	0.465	2.783
IVFC	3	250	1.70	7	7	original	ϕ_o	0.662	0.258	0.460	2.792
IVFC	3	10	2.00	4	7	original	ϕ_o	0.790	0.102	0.446	2.879
IVFC	3	10	2.30	4	7	original	ϕ_o	0.789	0.101	0.445	2.875
IVFC	3	10	3.00	4	7	original	ϕ_o	0.789	0.099	0.444	2.874
IVFC	3	100	2.00	4	7	original	ϕ_o	0.792	0.193	0.492	2.938
IVFC	3	100	2.30	4	7	original	ϕ_o	0.794	0.172	0.483	2.934
IVFC	3	100	3.00	4	7	original	ϕ_o	0.795	0.151	0.473	2.921
IVFC	3	250	2.00	4	7	original	ϕ_o	0.776	0.262	0.519	3.397
IVFC	3	250	2.30	4	7	original	ϕ_o	0.783	0.225	0.504	3.394
IVFC	3	250	3.00	4	7	original	ϕ_o	0.789	0.189	0.489	2.925
IVFC	3	10	0.50	6	4	original	ϕ_o	0.710	0.404	0.557	2.149
IVFC	3	10	0.70	6	4	original	ϕ_o	0.740	0.159	0.449	2.156
IVFC	3	10	1.00	6	4	original	ϕ_o	0.738	0.063	0.401	2.116
IVFC	3	100	0.50	6	4	original	ϕ_o	0.543	0.788	0.665	2.896
IVFC	3	100	0.70	6	4	original	ϕ_o	0.650	0.575	0.613	2.632
IVFC	3	100	1.00	6	4	original	ϕ_o	0.720	0.306	0.513	2.691
IVFC	3	250	0.50	6	4	original	ϕ_o	0.417	0.894	0.655	2.637
IVFC	3	250	0.70	6	4	original	ϕ_o	0.553	0.761	0.657	2.927
IVFC	3	250	1.00	6	4	original	ϕ_o	0.659	0.529	0.594	2.637
IVFC	3	500	1.25	2	2	original	ϕ_o	0.913	0.630	0.772	3.686
IVFC	3	500	1.50	2	2	original	ϕ_o	0.939	0.507	0.723	3.706
IVFC	3	500	1.70	2	2	original	ϕ_o	0.952	0.403	0.677	3.708
IVFC	3	750	1.25	2	2	original	ϕ_o	0.891	0.688	0.790	4.338
IVFC	3	750	1.50	2	2	original	ϕ_o	0.924	0.575	0.749	3.690
IVFC	3	750	1.70	2	2	original	ϕ_o	0.940	0.480	0.710	3.697
IVFC	3	1000	1.25	2	2	original	ϕ_o	0.887	0.696	0.792	4.326
IVFC	3	1000	1.50	2	2	original	ϕ_o	0.921	0.585	0.753	3.687
IVFC	3	1000	1.70	2	2	original	ϕ_o	0.938	0.491	0.714	3.695
IVFC	3	10	0.20	5	3	original	ϕ_o	0.392	0.889	0.640	2.276
IVFC	3	100	0.20	5	3	original	ϕ_o	0.149	0.966	0.558	1.273
IVFC	3	250	0.20	5	3	original	ϕ_o	0.071	0.975	0.523	0.889
IVFC	3	500	2.00	6	5	original	ϕ_o	0.735	0.178	0.456	2.706
IVFC	3	500	2.30	6	5	original	ϕ_o	0.738	0.140	0.439	2.145
IVFC	3	500	3.00	6	5	original	ϕ_o	0.739	0.110	0.424	2.135
IVFC	3	750	2.00	6	5	original	ϕ_o	0.735	0.178	0.456	2.706
IVFC	3	750	2.30	6	5	original	ϕ_o	0.738	0.140	0.439	2.145
IVFC	3	750	3.00	6	5	original	ϕ_o	0.739	0.110	0.424	2.135
IVFC	3	1000	2.00	6	5	original	ϕ_o	0.735	0.178	0.456	2.706
IVFC	3	1000	2.30	6	5	original	ϕ_o	0.738	0.140	0.439	2.145
IVFC	3	1000	3.00	6	5	original	ϕ_o	0.739	0.110	0.424	2.135
IVFC	3	500	2.00	5	5	original	ϕ_o	0.726	0.239	0.483	3.206
IVFC	3	500	2.30	5	5	original	ϕ_o	0.732	0.217	0.474	3.206
IVFC	3	500	3.00	5	5	original	ϕ_o	0.738	0.193	0.466	2.783
IVFC	3	750	2.00	5	5	original	ϕ_o	0.726	0.239	0.483	3.206
IVFC	3	750	2.30	5	5	original	ϕ_o	0.732	0.217	0.474	3.206
IVFC	3	750	3.00	5	5	original	ϕ_o	0.738	0.193	0.466	2.783
IVFC	3	1000	2.00	5	5	original	ϕ_o	0.726	0.239	0.483	3.206
IVFC	3	1000	2.30	5	5	original	ϕ_o	0.732	0.217	0.474	3.206
IVFC	3	1000	3.00	5	5	original	ϕ_o	0.738	0.193	0.466	2.783

IVFC	3	500	0.20	4	3	original	ϕ_o	0.055	0.972	0.513	0.750
IVFC	3	750	0.20	4	3	original	ϕ_o	0.054	0.972	0.513	0.745
IVFC	3	1000	0.20	4	3	original	ϕ_o	0.054	0.972	0.513	0.745
IVFC	3	10	1.25	3	2	original	ϕ_o	0.866	0.077	0.472	2.524
IVFC	3	10	1.50	3	2	original	ϕ_o	0.866	0.074	0.470	2.521
IVFC	3	10	1.70	3	2	original	ϕ_o	0.866	0.073	0.469	2.520
IVFC	3	100	1.25	3	2	original	ϕ_o	0.859	0.161	0.510	2.525
IVFC	3	100	1.50	3	2	original	ϕ_o	0.863	0.124	0.493	2.524
IVFC	3	100	1.70	3	2	original	ϕ_o	0.864	0.111	0.488	2.526
IVFC	3	250	1.25	3	2	original	ϕ_o	0.835	0.295	0.565	3.094
IVFC	3	250	1.50	3	2	original	ϕ_o	0.849	0.204	0.527	3.069
IVFC	3	250	1.70	3	2	original	ϕ_o	0.855	0.167	0.511	3.057
IVFC	3	500	0.20	5	7	original	ϕ_o	0.036	0.976	0.506	0.697
IVFC	3	750	0.20	5	7	original	ϕ_o	0.036	0.976	0.506	0.697
IVFC	3	1000	0.20	5	7	original	ϕ_o	0.036	0.976	0.506	0.697
IVFC	3	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	100	4.00	6	3	original	ϕ_o	0.734	0.058	0.396	2.106
IVFC	3	250	4.00	6	3	original	ϕ_o	0.735	0.071	0.403	2.107
IVFC	3	10	0.50	2	4	original	ϕ_o	0.942	0.582	0.762	2.864
IVFC	3	10	0.70	2	4	original	ϕ_o	0.967	0.318	0.642	2.894
IVFC	3	10	1.00	2	4	original	ϕ_o	0.970	0.096	0.533	2.863
IVFC	3	100	0.50	2	4	original	ϕ_o	0.760	0.870	0.815	4.162
IVFC	3	100	0.70	2	4	original	ϕ_o	0.878	0.762	0.820	4.368
IVFC	3	100	1.00	2	4	original	ϕ_o	0.941	0.553	0.747	3.725
IVFC	3	250	0.50	2	4	original	ϕ_o	0.588	0.926	0.757	3.763
IVFC	3	250	0.70	2	4	original	ϕ_o	0.767	0.866	0.816	4.214
IVFC	3	250	1.00	2	4	original	ϕ_o	0.884	0.743	0.814	4.388
IVFC	3	500	0.20	6	2	original	ϕ_o	0.117	0.988	0.552	1.282
IVFC	3	750	0.20	6	2	original	ϕ_o	0.097	0.988	0.542	1.208
IVFC	3	1000	0.20	6	2	original	ϕ_o	0.094	0.988	0.541	1.197
IVFC	3	10	0.50	6	2	original	ϕ_o	0.691	0.321	0.506	2.075
IVFC	3	10	0.70	6	2	original	ϕ_o	0.727	0.115	0.421	2.098
IVFC	3	10	1.00	6	2	original	ϕ_o	0.732	0.055	0.393	2.094
IVFC	3	100	0.50	6	2	original	ϕ_o	0.580	0.642	0.611	2.445
IVFC	3	100	0.70	6	2	original	ϕ_o	0.678	0.394	0.536	2.071
IVFC	3	100	1.00	6	2	original	ϕ_o	0.727	0.151	0.439	2.108
IVFC	3	250	0.50	6	2	original	ϕ_o	0.481	0.816	0.648	2.693
IVFC	3	250	0.70	6	2	original	ϕ_o	0.599	0.602	0.601	2.486
IVFC	3	250	1.00	6	2	original	ϕ_o	0.690	0.335	0.513	2.075
IVFC	3	500	2.00	7	7	original	ϕ_o	0.669	0.240	0.454	2.796
IVFC	3	500	2.30	7	7	original	ϕ_o	0.673	0.229	0.451	2.799
IVFC	3	500	3.00	7	7	original	ϕ_o	0.679	0.212	0.445	2.797
IVFC	3	750	2.00	7	7	original	ϕ_o	0.669	0.240	0.454	2.796
IVFC	3	750	2.30	7	7	original	ϕ_o	0.673	0.229	0.451	2.799
IVFC	3	750	3.00	7	7	original	ϕ_o	0.679	0.212	0.445	2.797
IVFC	3	1000	2.00	7	7	original	ϕ_o	0.669	0.240	0.454	2.796
IVFC	3	1000	2.30	7	7	original	ϕ_o	0.673	0.229	0.451	2.799
IVFC	3	1000	3.00	7	7	original	ϕ_o	0.679	0.212	0.445	2.797
IVFC	3	10	0.50	7	4	original	ϕ_o	0.676	0.245	0.460	2.455
IVFC	3	10	0.70	7	4	original	ϕ_o	0.685	0.161	0.423	2.431

IVFC	3	10	1.00	7	4	original	ϕ_o	0.686	0.131	0.409	2.416
IVFC	3	100	0.50	7	4	original	ϕ_o	0.544	0.642	0.593	2.684
IVFC	3	100	0.70	7	4	original	ϕ_o	0.620	0.436	0.528	2.821
IVFC	3	100	1.00	7	4	original	ϕ_o	0.663	0.289	0.476	2.833
IVFC	3	250	0.50	7	4	original	ϕ_o	0.420	0.794	0.607	2.310
IVFC	3	250	0.70	7	4	original	ϕ_o	0.523	0.621	0.572	2.571
IVFC	3	250	1.00	7	4	original	ϕ_o	0.602	0.422	0.512	2.716
IVFC	3	500	4.00	3	6	original	ϕ_o	0.862	0.129	0.496	3.109
IVFC	3	750	4.00	3	6	original	ϕ_o	0.862	0.129	0.496	3.109
IVFC	3	1000	4.00	3	6	original	ϕ_o	0.862	0.129	0.496	3.109
IVFC	3	10	2.00	3	5	original	ϕ_o	0.866	0.077	0.472	2.524
IVFC	3	10	2.30	3	5	original	ϕ_o	0.866	0.075	0.471	2.522
IVFC	3	10	3.00	3	5	original	ϕ_o	0.866	0.073	0.469	2.520
IVFC	3	100	2.00	3	5	original	ϕ_o	0.864	0.141	0.503	2.537
IVFC	3	100	2.30	3	5	original	ϕ_o	0.865	0.126	0.495	2.535
IVFC	3	100	3.00	3	5	original	ϕ_o	0.865	0.108	0.487	2.528
IVFC	3	250	2.00	3	5	original	ϕ_o	0.853	0.212	0.533	2.526
IVFC	3	250	2.30	3	5	original	ϕ_o	0.858	0.173	0.515	2.530
IVFC	3	250	3.00	3	5	original	ϕ_o	0.862	0.139	0.501	2.531
IVFC	3	500	2.00	6	2	original	ϕ_o	0.724	0.124	0.424	2.089
IVFC	3	500	2.30	6	2	original	ϕ_o	0.727	0.107	0.417	2.090
IVFC	3	500	3.00	6	2	original	ϕ_o	0.730	0.091	0.411	2.093
IVFC	3	750	2.00	6	2	original	ϕ_o	0.720	0.151	0.436	2.094
IVFC	3	750	2.30	6	2	original	ϕ_o	0.725	0.127	0.426	2.608
IVFC	3	750	3.00	6	2	original	ϕ_o	0.729	0.109	0.419	2.096
IVFC	3	1000	2.00	6	2	original	ϕ_o	0.719	0.155	0.437	2.092
IVFC	3	1000	2.30	6	2	original	ϕ_o	0.724	0.129	0.427	2.093
IVFC	3	1000	3.00	6	2	original	ϕ_o	0.728	0.111	0.420	2.096
IVFC	3	500	1.25	2	3	original	ϕ_o	0.901	0.667	0.784	3.671
IVFC	3	500	1.50	2	3	original	ϕ_o	0.930	0.547	0.739	3.694
IVFC	3	500	1.70	2	3	original	ϕ_o	0.943	0.449	0.696	3.698
IVFC	3	750	1.25	2	3	original	ϕ_o	0.899	0.669	0.784	4.328
IVFC	3	750	1.50	2	3	original	ϕ_o	0.929	0.550	0.739	3.690
IVFC	3	750	1.70	2	3	original	ϕ_o	0.942	0.452	0.697	3.694
IVFC	3	1000	1.25	2	3	original	ϕ_o	0.899	0.669	0.784	4.328
IVFC	3	1000	1.50	2	3	original	ϕ_o	0.929	0.550	0.739	3.690
IVFC	3	1000	1.70	2	3	original	ϕ_o	0.942	0.452	0.697	3.694
IVFC	3	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	3	100	4.00	2	3	original	ϕ_o	0.967	0.075	0.521	2.841
IVFC	3	250	4.00	2	3	original	ϕ_o	0.970	0.102	0.536	2.859
IVFC	3	500	0.20	7	2	original	ϕ_o	0.114	0.957	0.535	0.996
IVFC	3	750	0.20	7	2	original	ϕ_o	0.101	0.957	0.529	0.933
IVFC	3	1000	0.20	7	2	original	ϕ_o	0.100	0.957	0.529	0.925
IVFC	3	10	1.25	6	2	original	ϕ_o	0.732	0.053	0.392	2.096
IVFC	3	10	1.50	6	2	original	ϕ_o	0.732	0.053	0.392	2.097
IVFC	3	10	1.70	6	2	original	ϕ_o	0.732	0.053	0.392	2.097
IVFC	3	100	1.25	6	2	original	ϕ_o	0.732	0.086	0.409	2.102
IVFC	3	100	1.50	6	2	original	ϕ_o	0.733	0.072	0.402	2.104
IVFC	3	100	1.70	6	2	original	ϕ_o	0.733	0.068	0.401	1.439
IVFC	3	250	1.25	6	2	original	ϕ_o	0.717	0.183	0.450	2.092

IVFC	3	250	1.50	6	2	original	ϕ_o	0.726	0.115	0.420	2.089
IVFC	3	250	1.70	6	2	original	ϕ_o	0.729	0.095	0.412	2.091
IVFC	3	10	2.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	3	10	2.30	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	3	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	3	100	2.00	7	2	original	ϕ_o	0.682	0.163	0.423	2.768
IVFC	3	100	2.30	7	2	original	ϕ_o	0.682	0.155	0.419	2.418
IVFC	3	100	3.00	7	2	original	ϕ_o	0.683	0.141	0.412	2.414
IVFC	3	250	2.00	7	2	original	ϕ_o	0.673	0.213	0.443	2.758
IVFC	3	250	2.30	7	2	original	ϕ_o	0.675	0.204	0.439	2.761
IVFC	3	250	3.00	7	2	original	ϕ_o	0.677	0.188	0.433	2.760
IVFC	3	500	4.00	7	5	original	ϕ_o	0.678	0.213	0.446	2.792
IVFC	3	750	4.00	7	5	original	ϕ_o	0.678	0.213	0.446	2.792
IVFC	3	1000	4.00	7	5	original	ϕ_o	0.678	0.213	0.446	2.792
IVFC	3	500	0.20	5	3	original	ϕ_o	0.043	0.976	0.509	0.728
IVFC	3	750	0.20	5	3	original	ϕ_o	0.042	0.976	0.509	0.720
IVFC	3	1000	0.20	5	3	original	ϕ_o	0.042	0.976	0.509	0.720
IVFC	3	10	0.50	7	5	original	ϕ_o	0.676	0.255	0.465	2.820
IVFC	3	10	0.70	7	5	original	ϕ_o	0.687	0.163	0.425	2.434
IVFC	3	10	1.00	7	5	original	ϕ_o	0.689	0.132	0.410	2.767
IVFC	3	100	0.50	7	5	original	ϕ_o	0.520	0.667	0.593	2.602
IVFC	3	100	0.70	7	5	original	ϕ_o	0.608	0.463	0.536	2.784
IVFC	3	100	1.00	7	5	original	ϕ_o	0.659	0.303	0.481	2.831
IVFC	3	250	0.50	7	5	original	ϕ_o	0.397	0.806	0.602	2.225
IVFC	3	250	0.70	7	5	original	ϕ_o	0.510	0.639	0.574	2.524
IVFC	3	250	1.00	7	5	original	ϕ_o	0.598	0.437	0.517	2.713
IVFC	3	500	0.20	5	2	original	ϕ_o	0.078	0.969	0.523	0.898
IVFC	3	750	0.20	5	2	original	ϕ_o	0.058	0.972	0.515	0.810
IVFC	3	1000	0.20	5	2	original	ϕ_o	0.057	0.972	0.515	0.805
IVFC	3	500	2.00	2	4	original	ϕ_o	0.958	0.303	0.630	3.699
IVFC	3	500	2.30	2	4	original	ϕ_o	0.963	0.208	0.585	2.870
IVFC	3	500	3.00	2	4	original	ϕ_o	0.968	0.135	0.551	2.868
IVFC	3	750	2.00	2	4	original	ϕ_o	0.958	0.303	0.630	3.699
IVFC	3	750	2.30	2	4	original	ϕ_o	0.963	0.208	0.585	2.870
IVFC	3	750	3.00	2	4	original	ϕ_o	0.968	0.135	0.551	2.868
IVFC	3	1000	2.00	2	4	original	ϕ_o	0.958	0.303	0.630	3.699
IVFC	3	1000	2.30	2	4	original	ϕ_o	0.963	0.208	0.585	2.870
IVFC	3	1000	3.00	2	4	original	ϕ_o	0.968	0.135	0.551	2.868
IVFC	3	10	1.25	6	3	original	ϕ_o	0.735	0.056	0.395	2.106
IVFC	3	10	1.50	6	3	original	ϕ_o	0.733	0.055	0.394	2.102
IVFC	3	10	1.70	6	3	original	ϕ_o	0.733	0.055	0.394	1.437
IVFC	3	100	1.25	6	3	original	ϕ_o	0.741	0.135	0.438	2.147
IVFC	3	100	1.50	6	3	original	ϕ_o	0.742	0.092	0.417	2.131
IVFC	3	100	1.70	6	3	original	ϕ_o	0.740	0.079	0.409	2.122
IVFC	3	250	1.25	6	3	original	ϕ_o	0.712	0.319	0.516	2.684
IVFC	3	250	1.50	6	3	original	ϕ_o	0.730	0.207	0.468	2.141
IVFC	3	250	1.70	6	3	original	ϕ_o	0.736	0.151	0.443	2.139
IVFC	3	500	4.00	5	4	original	ϕ_o	0.741	0.186	0.464	2.783
IVFC	3	750	4.00	5	4	original	ϕ_o	0.741	0.186	0.464	2.783
IVFC	3	1000	4.00	5	4	original	ϕ_o	0.741	0.186	0.464	2.783

IVFC	3	10	0.50	3	3	original	ϕ_o	0.823	0.432	0.628	2.499
IVFC	3	10	0.70	3	3	original	ϕ_o	0.857	0.261	0.559	2.547
IVFC	3	10	1.00	3	3	original	ϕ_o	0.867	0.106	0.486	2.536
IVFC	3	100	0.50	3	3	original	ϕ_o	0.661	0.719	0.690	3.397
IVFC	3	100	0.70	3	3	original	ϕ_o	0.771	0.566	0.668	3.588
IVFC	3	100	1.00	3	3	original	ϕ_o	0.836	0.392	0.614	3.198
IVFC	3	250	0.50	3	3	original	ϕ_o	0.521	0.844	0.682	3.038
IVFC	3	250	0.70	3	3	original	ϕ_o	0.668	0.712	0.690	3.432
IVFC	3	250	1.00	3	3	original	ϕ_o	0.777	0.546	0.662	3.585
IVFC	3	10	1.25	3	6	original	ϕ_o	0.868	0.098	0.483	2.539
IVFC	3	10	1.50	3	6	original	ϕ_o	0.867	0.084	0.476	2.531
IVFC	3	10	1.70	3	6	original	ϕ_o	0.867	0.081	0.474	2.527
IVFC	3	100	1.25	3	6	original	ϕ_o	0.844	0.361	0.602	2.538
IVFC	3	100	1.50	3	6	original	ϕ_o	0.856	0.261	0.558	3.189
IVFC	3	100	1.70	3	6	original	ϕ_o	0.860	0.202	0.531	2.547
IVFC	3	250	1.25	3	6	original	ϕ_o	0.805	0.491	0.648	3.668
IVFC	3	250	1.50	3	6	original	ϕ_o	0.831	0.392	0.612	3.662
IVFC	3	250	1.70	3	6	original	ϕ_o	0.843	0.322	0.583	3.208
IVFC	3	500	4.00	7	4	original	ϕ_o	0.674	0.216	0.445	2.770
IVFC	3	750	4.00	7	4	original	ϕ_o	0.674	0.216	0.445	2.770
IVFC	3	1000	4.00	7	4	original	ϕ_o	0.674	0.216	0.445	2.770
IVFC	3	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	100	4.00	6	4	original	ϕ_o	0.734	0.061	0.397	2.103
IVFC	3	250	4.00	6	4	original	ϕ_o	0.733	0.076	0.405	2.098
IVFC	3	500	1.25	5	3	original	ϕ_o	0.669	0.411	0.540	3.116
IVFC	3	500	1.50	5	3	original	ϕ_o	0.700	0.312	0.506	3.179
IVFC	3	500	1.70	5	3	original	ϕ_o	0.714	0.263	0.489	3.209
IVFC	3	750	1.25	5	3	original	ϕ_o	0.668	0.415	0.541	3.110
IVFC	3	750	1.50	5	3	original	ϕ_o	0.699	0.315	0.507	3.176
IVFC	3	750	1.70	5	3	original	ϕ_o	0.714	0.265	0.490	3.204
IVFC	3	1000	1.25	5	3	original	ϕ_o	0.668	0.415	0.541	3.110
IVFC	3	1000	1.50	5	3	original	ϕ_o	0.699	0.315	0.507	3.176
IVFC	3	1000	1.70	5	3	original	ϕ_o	0.714	0.265	0.490	3.204
IVFC	3	10	1.25	3	5	original	ϕ_o	0.868	0.094	0.481	2.537
IVFC	3	10	1.50	3	5	original	ϕ_o	0.867	0.084	0.475	2.530
IVFC	3	10	1.70	3	5	original	ϕ_o	0.867	0.080	0.473	2.527
IVFC	3	100	1.25	3	5	original	ϕ_o	0.846	0.321	0.584	2.535
IVFC	3	100	1.50	3	5	original	ϕ_o	0.857	0.219	0.538	2.540
IVFC	3	100	1.70	3	5	original	ϕ_o	0.861	0.174	0.518	2.539
IVFC	3	250	1.25	3	5	original	ϕ_o	0.806	0.475	0.640	3.170
IVFC	3	250	1.50	3	5	original	ϕ_o	0.832	0.367	0.600	3.188
IVFC	3	250	1.70	3	5	original	ϕ_o	0.843	0.290	0.567	3.183
IVFC	3	500	0.50	3	4	original	ϕ_o	0.429	0.902	0.665	2.822
IVFC	3	500	0.70	3	4	original	ϕ_o	0.603	0.799	0.701	3.328
IVFC	3	500	1.00	3	4	original	ϕ_o	0.735	0.641	0.688	3.596
IVFC	3	750	0.50	3	4	original	ϕ_o	0.422	0.906	0.664	2.803
IVFC	3	750	0.70	3	4	original	ϕ_o	0.597	0.806	0.701	3.319
IVFC	3	750	1.00	3	4	original	ϕ_o	0.733	0.647	0.690	3.592
IVFC	3	1000	0.50	3	4	original	ϕ_o	0.422	0.906	0.664	2.803
IVFC	3	1000	0.70	3	4	original	ϕ_o	0.597	0.806	0.701	3.319

IVFC	3	1000	1.00	3	4	original	ϕ_o	0.733	0.647	0.690	3.592
IVFC	3	500	0.50	6	3	original	ϕ_o	0.375	0.929	0.652	2.503
IVFC	3	500	0.70	6	3	original	ϕ_o	0.503	0.830	0.667	2.857
IVFC	3	500	1.00	6	3	original	ϕ_o	0.622	0.627	0.625	3.041
IVFC	3	750	0.50	6	3	original	ϕ_o	0.362	0.939	0.650	2.463
IVFC	3	750	0.70	6	3	original	ϕ_o	0.488	0.850	0.669	2.838
IVFC	3	750	1.00	6	3	original	ϕ_o	0.611	0.656	0.634	3.039
IVFC	3	1000	0.50	6	3	original	ϕ_o	0.362	0.939	0.650	2.463
IVFC	3	1000	0.70	6	3	original	ϕ_o	0.488	0.850	0.669	2.838
IVFC	3	1000	1.00	6	3	original	ϕ_o	0.611	0.656	0.634	3.039
IVFC	3	10	0.50	2	5	original	ϕ_o	0.937	0.593	0.765	2.853
IVFC	3	10	0.70	2	5	original	ϕ_o	0.966	0.315	0.641	2.890
IVFC	3	10	1.00	2	5	original	ϕ_o	0.970	0.095	0.532	2.859
IVFC	3	100	0.50	2	5	original	ϕ_o	0.720	0.884	0.802	4.081
IVFC	3	100	0.70	2	5	original	ϕ_o	0.860	0.784	0.822	4.334
IVFC	3	100	1.00	2	5	original	ϕ_o	0.934	0.572	0.753	3.714
IVFC	3	250	0.50	2	5	original	ϕ_o	0.557	0.932	0.744	3.669
IVFC	3	250	0.70	2	5	original	ϕ_o	0.744	0.872	0.808	4.166
IVFC	3	250	1.00	2	5	original	ϕ_o	0.874	0.747	0.811	4.343
IVFC	3	10	1.25	7	2	original	ϕ_o	0.685	0.117	0.401	2.405
IVFC	3	10	1.50	7	2	original	ϕ_o	0.685	0.115	0.400	2.405
IVFC	3	10	1.70	7	2	original	ϕ_o	0.685	0.114	0.399	2.747
IVFC	3	100	1.25	7	2	original	ϕ_o	0.681	0.202	0.441	2.439
IVFC	3	100	1.50	7	2	original	ϕ_o	0.682	0.185	0.433	2.782
IVFC	3	100	1.70	7	2	original	ϕ_o	0.682	0.175	0.428	2.776
IVFC	3	250	1.25	7	2	original	ϕ_o	0.654	0.257	0.455	2.724
IVFC	3	250	1.50	7	2	original	ϕ_o	0.665	0.235	0.450	2.403
IVFC	3	250	1.70	7	2	original	ϕ_o	0.670	0.224	0.447	2.754
IVFC	3	500	1.25	4	4	original	ϕ_o	0.698	0.543	0.620	3.281
IVFC	3	500	1.50	4	4	original	ϕ_o	0.732	0.434	0.583	3.334
IVFC	3	500	1.70	4	4	original	ϕ_o	0.750	0.365	0.557	3.350
IVFC	3	750	1.25	4	4	original	ϕ_o	0.698	0.543	0.620	3.281
IVFC	3	750	1.50	4	4	original	ϕ_o	0.732	0.434	0.583	3.334
IVFC	3	750	1.70	4	4	original	ϕ_o	0.750	0.365	0.557	3.350
IVFC	3	1000	1.25	4	4	original	ϕ_o	0.698	0.543	0.620	3.281
IVFC	3	1000	1.50	4	4	original	ϕ_o	0.732	0.434	0.583	3.334
IVFC	3	1000	1.70	4	4	original	ϕ_o	0.750	0.365	0.557	3.350
IVFC	3	500	0.50	2	7	original	ϕ_o	0.522	0.930	0.726	3.544
IVFC	3	500	0.70	2	7	original	ϕ_o	0.730	0.867	0.799	4.114
IVFC	3	500	1.00	2	7	original	ϕ_o	0.873	0.741	0.807	4.350
IVFC	3	750	0.50	2	7	original	ϕ_o	0.522	0.930	0.726	3.544
IVFC	3	750	0.70	2	7	original	ϕ_o	0.730	0.867	0.799	4.114
IVFC	3	750	1.00	2	7	original	ϕ_o	0.873	0.741	0.807	4.350
IVFC	3	1000	0.50	2	7	original	ϕ_o	0.522	0.930	0.726	3.544
IVFC	3	1000	0.70	2	7	original	ϕ_o	0.730	0.867	0.799	4.114
IVFC	3	1000	1.00	2	7	original	ϕ_o	0.873	0.741	0.807	4.350
IVFC	3	10	0.20	5	2	original	ϕ_o	0.435	0.842	0.639	2.398
IVFC	3	100	0.20	5	2	original	ϕ_o	0.224	0.936	0.580	1.577
IVFC	3	250	0.20	5	2	original	ϕ_o	0.132	0.958	0.545	1.173
IVFC	3	500	0.20	3	2	original	ϕ_o	0.099	0.979	0.539	1.317

IVFC	3	750	0.20	3	2	original	ϕ_o	0.073	0.981	0.527	1.200
IVFC	3	1000	0.20	3	2	original	ϕ_o	0.069	0.982	0.525	1.183
IVFC	3	500	4.00	5	2	original	ϕ_o	0.742	0.171	0.456	3.182
IVFC	3	750	4.00	5	2	original	ϕ_o	0.739	0.193	0.466	2.787
IVFC	3	1000	4.00	5	2	original	ϕ_o	0.739	0.193	0.466	3.188
IVFC	3	500	4.00	7	7	original	ϕ_o	0.682	0.199	0.441	2.789
IVFC	3	750	4.00	7	7	original	ϕ_o	0.682	0.199	0.441	2.789
IVFC	3	1000	4.00	7	7	original	ϕ_o	0.682	0.199	0.441	2.789
IVFC	3	500	1.25	5	6	original	ϕ_o	0.674	0.433	0.554	3.122
IVFC	3	500	1.50	5	6	original	ϕ_o	0.704	0.336	0.520	3.189
IVFC	3	500	1.70	5	6	original	ϕ_o	0.717	0.285	0.501	3.207
IVFC	3	750	1.25	5	6	original	ϕ_o	0.674	0.433	0.554	3.122
IVFC	3	750	1.50	5	6	original	ϕ_o	0.704	0.336	0.520	3.189
IVFC	3	750	1.70	5	6	original	ϕ_o	0.717	0.285	0.501	3.207
IVFC	3	1000	1.25	5	6	original	ϕ_o	0.674	0.433	0.554	3.122
IVFC	3	1000	1.50	5	6	original	ϕ_o	0.704	0.336	0.520	3.189
IVFC	3	1000	1.70	5	6	original	ϕ_o	0.717	0.285	0.501	3.207
IVFC	3	500	4.00	5	3	original	ϕ_o	0.740	0.187	0.464	2.782
IVFC	3	750	4.00	5	3	original	ϕ_o	0.741	0.186	0.464	2.783
IVFC	3	1000	4.00	5	3	original	ϕ_o	0.741	0.186	0.464	2.783
IVFC	3	500	2.00	3	3	original	ϕ_o	0.843	0.271	0.557	2.511
IVFC	3	500	2.30	3	3	original	ϕ_o	0.850	0.208	0.529	3.099
IVFC	3	500	3.00	3	3	original	ϕ_o	0.857	0.150	0.503	2.516
IVFC	3	750	2.00	3	3	original	ϕ_o	0.841	0.274	0.558	3.111
IVFC	3	750	2.30	3	3	original	ϕ_o	0.848	0.210	0.529	2.512
IVFC	3	750	3.00	3	3	original	ϕ_o	0.856	0.150	0.503	2.513
IVFC	3	1000	2.00	3	3	original	ϕ_o	0.841	0.274	0.558	3.111
IVFC	3	1000	2.30	3	3	original	ϕ_o	0.848	0.210	0.529	2.512
IVFC	3	1000	3.00	3	3	original	ϕ_o	0.856	0.150	0.503	2.513
IVFC	3	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	3	100	4.00	2	2	original	ϕ_o	0.966	0.069	0.517	2.836
IVFC	3	250	4.00	2	2	original	ϕ_o	0.969	0.089	0.529	2.849
IVFC	3	10	0.20	4	5	original	ϕ_o	0.396	0.907	0.651	2.254
IVFC	3	100	0.20	4	5	original	ϕ_o	0.119	0.967	0.543	1.072
IVFC	3	250	0.20	4	5	original	ϕ_o	0.053	0.972	0.512	0.749
IVFC	3	500	4.00	3	7	original	ϕ_o	0.863	0.129	0.496	3.111
IVFC	3	750	4.00	3	7	original	ϕ_o	0.863	0.129	0.496	3.111
IVFC	3	1000	4.00	3	7	original	ϕ_o	0.863	0.129	0.496	3.111
IVFC	3	10	0.20	2	2	original	ϕ_o	0.678	0.905	0.791	3.781
IVFC	3	100	0.20	2	2	original	ϕ_o	0.373	0.967	0.670	2.763
IVFC	3	250	0.20	2	2	original	ϕ_o	0.216	0.981	0.598	2.217
IVFC	3	10	2.00	6	3	original	ϕ_o	0.732	0.054	0.393	1.436
IVFC	3	10	2.30	6	3	original	ϕ_o	0.732	0.053	0.393	2.098
IVFC	3	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	3	100	2.00	6	3	original	ϕ_o	0.738	0.070	0.404	1.446
IVFC	3	100	2.30	6	3	original	ϕ_o	0.736	0.066	0.401	2.110
IVFC	3	100	3.00	6	3	original	ϕ_o	0.735	0.062	0.398	2.108
IVFC	3	250	2.00	6	3	original	ϕ_o	0.738	0.111	0.424	2.128
IVFC	3	250	2.30	6	3	original	ϕ_o	0.738	0.095	0.416	2.118
IVFC	3	250	3.00	6	3	original	ϕ_o	0.736	0.080	0.408	2.111

IVFC	3	10	1.25	7	6	original	ϕ_o	0.689	0.124	0.406	2.425
IVFC	3	10	1.50	7	6	original	ϕ_o	0.688	0.120	0.404	2.419
IVFC	3	10	1.70	7	6	original	ϕ_o	0.687	0.118	0.403	2.413
IVFC	3	100	1.25	7	6	original	ϕ_o	0.669	0.257	0.463	2.831
IVFC	3	100	1.50	7	6	original	ϕ_o	0.678	0.233	0.456	2.833
IVFC	3	100	1.70	7	6	original	ϕ_o	0.682	0.221	0.451	2.477
IVFC	3	250	1.25	7	6	original	ϕ_o	0.635	0.321	0.478	2.755
IVFC	3	250	1.50	7	6	original	ϕ_o	0.651	0.278	0.465	2.771
IVFC	3	250	1.70	7	6	original	ϕ_o	0.659	0.260	0.460	2.781
IVFC	3	10	0.50	6	6	original	ϕ_o	0.698	0.524	0.611	2.743
IVFC	3	10	0.70	6	6	original	ϕ_o	0.742	0.239	0.490	2.186
IVFC	3	10	1.00	6	6	original	ϕ_o	0.743	0.073	0.408	2.131
IVFC	3	100	0.50	6	6	original	ϕ_o	0.487	0.884	0.686	2.860
IVFC	3	100	0.70	6	6	original	ϕ_o	0.615	0.723	0.669	3.108
IVFC	3	100	1.00	6	6	original	ϕ_o	0.702	0.435	0.569	2.713
IVFC	3	250	0.50	6	6	original	ϕ_o	0.365	0.936	0.651	2.546
IVFC	3	250	0.70	6	6	original	ϕ_o	0.522	0.845	0.684	2.975
IVFC	3	250	1.00	6	6	original	ϕ_o	0.644	0.646	0.645	3.138
IVFC	3	500	0.20	3	7	original	ϕ_o	0.038	0.981	0.510	0.957
IVFC	3	750	0.20	3	7	original	ϕ_o	0.038	0.981	0.510	0.957
IVFC	3	1000	0.20	3	7	original	ϕ_o	0.038	0.981	0.510	0.957
IVFC	3	10	4.00	3	6	original	ϕ_o	0.865	0.072	0.469	2.520
IVFC	3	100	4.00	3	6	original	ϕ_o	0.865	0.098	0.482	2.527
IVFC	3	250	4.00	3	6	original	ϕ_o	0.864	0.126	0.495	2.530
IVFC	3	10	2.00	5	6	original	ϕ_o	0.749	0.115	0.432	2.780
IVFC	3	10	2.30	5	6	original	ϕ_o	0.749	0.111	0.430	2.775
IVFC	3	10	3.00	5	6	original	ϕ_o	0.748	0.106	0.427	2.766
IVFC	3	100	2.00	5	6	original	ϕ_o	0.743	0.183	0.463	2.188
IVFC	3	100	2.30	5	6	original	ϕ_o	0.744	0.173	0.458	2.800
IVFC	3	100	3.00	5	6	original	ϕ_o	0.745	0.161	0.453	2.794
IVFC	3	250	2.00	5	6	original	ϕ_o	0.728	0.234	0.481	3.216
IVFC	3	250	2.30	5	6	original	ϕ_o	0.733	0.212	0.473	3.209
IVFC	3	250	3.00	5	6	original	ϕ_o	0.738	0.188	0.463	3.194
IVFC	3	10	0.20	5	4	original	ϕ_o	0.371	0.903	0.637	2.199
IVFC	3	100	0.20	5	4	original	ϕ_o	0.125	0.968	0.547	1.164
IVFC	3	250	0.20	5	4	original	ϕ_o	0.059	0.975	0.517	0.803
IVFC	3	10	0.50	4	3	original	ϕ_o	0.758	0.468	0.613	2.947
IVFC	3	10	0.70	4	3	original	ϕ_o	0.788	0.221	0.505	2.933
IVFC	3	10	1.00	4	3	original	ϕ_o	0.792	0.116	0.454	3.334
IVFC	3	100	0.50	4	3	original	ϕ_o	0.590	0.789	0.689	3.082
IVFC	3	100	0.70	4	3	original	ϕ_o	0.701	0.610	0.656	3.384
IVFC	3	100	1.00	4	3	original	ϕ_o	0.768	0.363	0.566	3.456
IVFC	3	250	0.50	4	3	original	ϕ_o	0.443	0.887	0.665	2.575
IVFC	3	250	0.70	4	3	original	ϕ_o	0.580	0.775	0.678	3.038
IVFC	3	250	1.00	4	3	original	ϕ_o	0.694	0.583	0.639	3.325
IVFC	3	10	4.00	4	7	original	ϕ_o	0.788	0.098	0.443	2.287
IVFC	3	100	4.00	4	7	original	ϕ_o	0.794	0.137	0.465	2.904
IVFC	3	250	4.00	4	7	original	ϕ_o	0.791	0.171	0.481	2.916
IVFC	3	10	2.00	4	2	original	ϕ_o	0.788	0.099	0.444	2.873
IVFC	3	10	2.30	4	2	original	ϕ_o	0.788	0.098	0.443	2.873

IVFC	3	10	3.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	3	100	2.00	4	2	original	ϕ_o	0.791	0.127	0.459	2.891
IVFC	3	100	2.30	4	2	original	ϕ_o	0.791	0.121	0.456	2.884
IVFC	3	100	3.00	4	2	original	ϕ_o	0.790	0.111	0.451	2.876
IVFC	3	250	2.00	4	2	original	ϕ_o	0.786	0.175	0.480	2.897
IVFC	3	250	2.30	4	2	original	ϕ_o	0.788	0.158	0.473	2.299
IVFC	3	250	3.00	4	2	original	ϕ_o	0.790	0.140	0.465	2.881
IVFC	3	500	0.50	4	6	original	ϕ_o	0.350	0.896	0.623	2.215
IVFC	3	500	0.70	4	6	original	ϕ_o	0.517	0.795	0.656	2.803
IVFC	3	500	1.00	4	6	original	ϕ_o	0.655	0.636	0.645	3.182
IVFC	3	750	0.50	4	6	original	ϕ_o	0.350	0.896	0.623	2.215
IVFC	3	750	0.70	4	6	original	ϕ_o	0.517	0.795	0.656	2.803
IVFC	3	750	1.00	4	6	original	ϕ_o	0.655	0.636	0.645	3.182
IVFC	3	1000	0.50	4	6	original	ϕ_o	0.350	0.896	0.623	2.215
IVFC	3	1000	0.70	4	6	original	ϕ_o	0.517	0.795	0.656	2.803
IVFC	3	1000	1.00	4	6	original	ϕ_o	0.655	0.636	0.645	3.182
IVFC	3	500	4.00	4	2	original	ϕ_o	0.785	0.162	0.474	2.877
IVFC	3	750	4.00	4	2	original	ϕ_o	0.781	0.175	0.478	2.857
IVFC	3	1000	4.00	4	2	original	ϕ_o	0.781	0.175	0.478	2.854
IVFC	3	10	2.00	6	7	original	ϕ_o	0.734	0.055	0.395	2.103
IVFC	3	10	2.30	6	7	original	ϕ_o	0.733	0.054	0.394	2.101
IVFC	3	10	3.00	6	7	original	ϕ_o	0.732	0.053	0.393	2.098
IVFC	3	100	2.00	6	7	original	ϕ_o	0.738	0.100	0.419	2.126
IVFC	3	100	2.30	6	7	original	ϕ_o	0.736	0.091	0.414	2.120
IVFC	3	100	3.00	6	7	original	ϕ_o	0.735	0.081	0.408	2.109
IVFC	3	250	2.00	6	7	original	ϕ_o	0.736	0.159	0.447	2.146
IVFC	3	250	2.30	6	7	original	ϕ_o	0.737	0.128	0.432	2.667
IVFC	3	250	3.00	6	7	original	ϕ_o	0.736	0.103	0.420	2.121
IVFC	3	10	0.50	3	5	original	ϕ_o	0.810	0.510	0.660	3.203
IVFC	3	10	0.70	3	5	original	ϕ_o	0.852	0.320	0.586	3.210
IVFC	3	10	1.00	3	5	original	ϕ_o	0.867	0.138	0.502	3.124
IVFC	3	100	0.50	3	5	original	ϕ_o	0.605	0.802	0.704	3.284
IVFC	3	100	0.70	3	5	original	ϕ_o	0.738	0.652	0.695	3.591
IVFC	3	100	1.00	3	5	original	ϕ_o	0.820	0.457	0.638	3.196
IVFC	3	250	0.50	3	5	original	ϕ_o	0.452	0.885	0.669	2.877
IVFC	3	250	0.70	3	5	original	ϕ_o	0.630	0.772	0.701	3.376
IVFC	3	250	1.00	3	5	original	ϕ_o	0.757	0.600	0.679	3.617
IVFC	3	10	1.25	4	2	original	ϕ_o	0.789	0.103	0.446	2.876
IVFC	3	10	1.50	4	2	original	ϕ_o	0.789	0.101	0.445	2.875
IVFC	3	10	1.70	4	2	original	ϕ_o	0.788	0.100	0.444	2.288
IVFC	3	100	1.25	4	2	original	ϕ_o	0.788	0.191	0.489	2.918
IVFC	3	100	1.50	4	2	original	ϕ_o	0.791	0.156	0.473	2.309
IVFC	3	100	1.70	4	2	original	ϕ_o	0.791	0.140	0.466	2.898
IVFC	3	250	1.25	4	2	original	ϕ_o	0.756	0.326	0.541	3.365
IVFC	3	250	1.50	4	2	original	ϕ_o	0.774	0.240	0.507	3.362
IVFC	3	250	1.70	4	2	original	ϕ_o	0.781	0.204	0.493	2.895
IVFC	3	500	1.25	6	5	original	ϕ_o	0.687	0.499	0.593	3.176
IVFC	3	500	1.50	6	5	original	ϕ_o	0.715	0.348	0.532	2.729
IVFC	3	500	1.70	6	5	original	ϕ_o	0.727	0.261	0.494	2.722
IVFC	3	750	1.25	6	5	original	ϕ_o	0.687	0.499	0.593	3.176

IVFC	3	750	1.50	6	5	original	ϕ_o	0.715	0.348	0.532	2.729
IVFC	3	750	1.70	6	5	original	ϕ_o	0.727	0.261	0.494	2.722
IVFC	3	1000	1.25	6	5	original	ϕ_o	0.687	0.499	0.593	3.176
IVFC	3	1000	1.50	6	5	original	ϕ_o	0.715	0.348	0.532	2.729
IVFC	3	1000	1.70	6	5	original	ϕ_o	0.727	0.261	0.494	2.722
IVFC	3	500	2.00	4	4	original	ϕ_o	0.766	0.292	0.529	3.357
IVFC	3	500	2.30	4	4	original	ϕ_o	0.775	0.246	0.511	2.898
IVFC	3	500	3.00	4	4	original	ϕ_o	0.783	0.201	0.492	3.350
IVFC	3	750	2.00	4	4	original	ϕ_o	0.766	0.292	0.529	3.357
IVFC	3	750	2.30	4	4	original	ϕ_o	0.775	0.246	0.511	2.898
IVFC	3	750	3.00	4	4	original	ϕ_o	0.783	0.201	0.492	3.350
IVFC	3	1000	2.00	4	4	original	ϕ_o	0.766	0.292	0.529	3.357
IVFC	3	1000	2.30	4	4	original	ϕ_o	0.775	0.246	0.511	2.898
IVFC	3	1000	3.00	4	4	original	ϕ_o	0.783	0.201	0.492	3.350
IVFC	3	500	4.00	2	2	original	ϕ_o	0.970	0.108	0.539	2.860
IVFC	3	750	4.00	2	2	original	ϕ_o	0.970	0.119	0.545	2.865
IVFC	3	1000	4.00	2	2	original	ϕ_o	0.970	0.121	0.546	2.865
IVFC	3	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	3	100	4.00	2	6	original	ϕ_o	0.969	0.094	0.531	2.853
IVFC	3	250	4.00	2	6	original	ϕ_o	0.971	0.111	0.541	2.866
IVFC	3	10	0.20	7	3	original	ϕ_o	0.490	0.734	0.612	2.481
IVFC	3	100	0.20	7	3	original	ϕ_o	0.244	0.918	0.581	1.583
IVFC	3	250	0.20	7	3	original	ϕ_o	0.144	0.948	0.546	1.139
IVFC	3	10	0.20	3	4	original	ϕ_o	0.484	0.844	0.664	2.730
IVFC	3	100	0.20	3	4	original	ϕ_o	0.190	0.966	0.578	1.702
IVFC	3	250	0.20	3	4	original	ϕ_o	0.092	0.978	0.535	1.292
IVFC	3	10	0.50	5	4	original	ϕ_o	0.711	0.411	0.561	2.769
IVFC	3	10	0.70	5	4	original	ϕ_o	0.752	0.214	0.483	2.833
IVFC	3	10	1.00	5	4	original	ϕ_o	0.755	0.141	0.448	2.817
IVFC	3	100	0.50	5	4	original	ϕ_o	0.511	0.780	0.646	2.762
IVFC	3	100	0.70	5	4	original	ϕ_o	0.636	0.570	0.603	3.074
IVFC	3	100	1.00	5	4	original	ϕ_o	0.717	0.331	0.524	3.230
IVFC	3	250	0.50	5	4	original	ϕ_o	0.364	0.882	0.623	2.323
IVFC	3	250	0.70	5	4	original	ϕ_o	0.514	0.745	0.629	2.757
IVFC	3	250	1.00	5	4	original	ϕ_o	0.640	0.517	0.579	3.039
IVFC	3	10	1.25	7	4	original	ϕ_o	0.686	0.123	0.404	2.410
IVFC	3	10	1.50	7	4	original	ϕ_o	0.685	0.119	0.402	2.408
IVFC	3	10	1.70	7	4	original	ϕ_o	0.685	0.117	0.401	2.406
IVFC	3	100	1.25	7	4	original	ϕ_o	0.674	0.245	0.459	2.819
IVFC	3	100	1.50	7	4	original	ϕ_o	0.678	0.223	0.450	2.806
IVFC	3	100	1.70	7	4	original	ϕ_o	0.679	0.211	0.445	2.445
IVFC	3	250	1.25	7	4	original	ϕ_o	0.632	0.329	0.481	2.754
IVFC	3	250	1.50	7	4	original	ϕ_o	0.648	0.283	0.466	2.758
IVFC	3	250	1.70	7	4	original	ϕ_o	0.655	0.264	0.460	2.760
IVFC	3	10	4.00	4	6	original	ϕ_o	0.788	0.098	0.443	2.287
IVFC	3	100	4.00	4	6	original	ϕ_o	0.793	0.127	0.460	2.888
IVFC	3	250	4.00	4	6	original	ϕ_o	0.790	0.164	0.477	3.325
IVFC	3	500	1.25	6	7	original	ϕ_o	0.693	0.497	0.595	3.199
IVFC	3	500	1.50	6	7	original	ϕ_o	0.718	0.342	0.530	2.743
IVFC	3	500	1.70	6	7	original	ϕ_o	0.729	0.257	0.493	2.732

IVFC	3	750	1.25	6	7	original	ϕ_o	0.693	0.497	0.595	3.199
IVFC	3	750	1.50	6	7	original	ϕ_o	0.718	0.342	0.530	2.743
IVFC	3	750	1.70	6	7	original	ϕ_o	0.729	0.257	0.493	2.732
IVFC	3	1000	1.25	6	7	original	ϕ_o	0.693	0.497	0.595	3.199
IVFC	3	1000	1.50	6	7	original	ϕ_o	0.718	0.342	0.530	2.743
IVFC	3	1000	1.70	6	7	original	ϕ_o	0.729	0.257	0.493	2.732
IVFC	3	500	0.50	4	2	original	ϕ_o	0.384	0.903	0.644	2.311
IVFC	3	500	0.70	4	2	original	ϕ_o	0.518	0.811	0.664	2.806
IVFC	3	500	1.00	4	2	original	ϕ_o	0.639	0.646	0.643	3.146
IVFC	3	750	0.50	4	2	original	ϕ_o	0.347	0.914	0.631	2.168
IVFC	3	750	0.70	4	2	original	ϕ_o	0.484	0.829	0.656	2.683
IVFC	3	750	1.00	4	2	original	ϕ_o	0.611	0.677	0.644	3.046
IVFC	3	1000	0.50	4	2	original	ϕ_o	0.346	0.914	0.630	2.158
IVFC	3	1000	0.70	4	2	original	ϕ_o	0.482	0.829	0.656	2.676
IVFC	3	1000	1.00	4	2	original	ϕ_o	0.609	0.677	0.643	3.039
IVFC	3	10	1.25	4	7	original	ϕ_o	0.796	0.110	0.453	2.310
IVFC	3	10	1.50	4	7	original	ϕ_o	0.793	0.105	0.449	2.301
IVFC	3	10	1.70	4	7	original	ϕ_o	0.791	0.103	0.447	3.328
IVFC	3	100	1.25	4	7	original	ϕ_o	0.761	0.379	0.570	3.423
IVFC	3	100	1.50	4	7	original	ϕ_o	0.778	0.279	0.529	2.936
IVFC	3	100	1.70	4	7	original	ϕ_o	0.786	0.232	0.509	2.938
IVFC	3	250	1.25	4	7	original	ϕ_o	0.721	0.509	0.615	3.362
IVFC	3	250	1.50	4	7	original	ϕ_o	0.749	0.399	0.574	3.398
IVFC	3	250	1.70	4	7	original	ϕ_o	0.763	0.330	0.546	3.402
IVFC	3	500	2.00	2	3	original	ϕ_o	0.956	0.315	0.635	3.689
IVFC	3	500	2.30	2	3	original	ϕ_o	0.963	0.220	0.591	3.678
IVFC	3	500	3.00	2	3	original	ϕ_o	0.969	0.137	0.553	2.869
IVFC	3	750	2.00	2	3	original	ϕ_o	0.955	0.317	0.636	3.687
IVFC	3	750	2.30	2	3	original	ϕ_o	0.962	0.223	0.592	2.870
IVFC	3	750	3.00	2	3	original	ϕ_o	0.968	0.138	0.553	2.868
IVFC	3	1000	2.00	2	3	original	ϕ_o	0.955	0.317	0.636	3.687
IVFC	3	1000	2.30	2	3	original	ϕ_o	0.962	0.223	0.592	2.870
IVFC	3	1000	3.00	2	3	original	ϕ_o	0.968	0.138	0.553	2.868
IVFC	3	10	0.50	3	2	original	ϕ_o	0.832	0.369	0.601	3.151
IVFC	3	10	0.70	3	2	original	ϕ_o	0.860	0.176	0.518	2.532
IVFC	3	10	1.00	3	2	original	ϕ_o	0.866	0.085	0.475	2.527
IVFC	3	100	0.50	3	2	original	ϕ_o	0.694	0.653	0.674	3.408
IVFC	3	100	0.70	3	2	original	ϕ_o	0.795	0.480	0.638	3.112
IVFC	3	100	1.00	3	2	original	ϕ_o	0.846	0.260	0.553	3.095
IVFC	3	250	0.50	3	2	original	ϕ_o	0.581	0.779	0.680	3.160
IVFC	3	250	0.70	3	2	original	ϕ_o	0.708	0.628	0.668	3.427
IVFC	3	250	1.00	3	2	original	ϕ_o	0.804	0.436	0.620	3.104
IVFC	3	500	1.25	5	5	original	ϕ_o	0.672	0.422	0.547	3.105
IVFC	3	500	1.50	5	5	original	ϕ_o	0.703	0.328	0.516	3.173
IVFC	3	500	1.70	5	5	original	ϕ_o	0.716	0.281	0.498	3.193
IVFC	3	750	1.25	5	5	original	ϕ_o	0.672	0.422	0.547	3.105
IVFC	3	750	1.50	5	5	original	ϕ_o	0.703	0.328	0.516	3.173
IVFC	3	750	1.70	5	5	original	ϕ_o	0.716	0.281	0.498	3.193
IVFC	3	1000	1.25	5	5	original	ϕ_o	0.672	0.422	0.547	3.105
IVFC	3	1000	1.50	5	5	original	ϕ_o	0.703	0.328	0.516	3.173

IVFC	3	1000	1.70	5	5	original	ϕ_o	0.716	0.281	0.498	3.193
IVFC	3	10	0.50	3	4	original	ϕ_o	0.821	0.452	0.637	3.196
IVFC	3	10	0.70	3	4	original	ϕ_o	0.856	0.273	0.564	2.549
IVFC	3	10	1.00	3	4	original	ϕ_o	0.867	0.113	0.490	2.538
IVFC	3	100	0.50	3	4	original	ϕ_o	0.641	0.750	0.695	3.363
IVFC	3	100	0.70	3	4	original	ϕ_o	0.756	0.599	0.677	3.585
IVFC	3	100	1.00	3	4	original	ϕ_o	0.829	0.416	0.623	3.190
IVFC	3	250	0.50	3	4	original	ϕ_o	0.490	0.866	0.678	2.983
IVFC	3	250	0.70	3	4	original	ϕ_o	0.650	0.741	0.695	3.418
IVFC	3	250	1.00	3	4	original	ϕ_o	0.766	0.577	0.671	3.592
IVFC	3	500	1.25	2	4	original	ϕ_o	0.910	0.662	0.786	3.691
IVFC	3	500	1.50	2	4	original	ϕ_o	0.936	0.539	0.737	3.708
IVFC	3	500	1.70	2	4	original	ϕ_o	0.947	0.439	0.693	3.709
IVFC	3	750	1.25	2	4	original	ϕ_o	0.910	0.662	0.786	3.691
IVFC	3	750	1.50	2	4	original	ϕ_o	0.936	0.539	0.737	3.708
IVFC	3	750	1.70	2	4	original	ϕ_o	0.947	0.439	0.693	3.709
IVFC	3	1000	1.25	2	4	original	ϕ_o	0.910	0.662	0.786	3.691
IVFC	3	1000	1.50	2	4	original	ϕ_o	0.936	0.539	0.737	3.708
IVFC	3	1000	1.70	2	4	original	ϕ_o	0.947	0.439	0.693	3.709
IVFC	3	10	1.25	5	7	original	ϕ_o	0.752	0.128	0.440	2.809
IVFC	3	10	1.50	5	7	original	ϕ_o	0.751	0.121	0.436	2.795
IVFC	3	10	1.70	5	7	original	ϕ_o	0.750	0.117	0.434	2.787
IVFC	3	100	1.25	5	7	original	ϕ_o	0.717	0.311	0.514	3.230
IVFC	3	100	1.50	5	7	original	ϕ_o	0.732	0.240	0.486	3.246
IVFC	3	100	1.70	5	7	original	ϕ_o	0.738	0.208	0.473	3.244
IVFC	3	250	1.25	5	7	original	ϕ_o	0.679	0.419	0.549	3.144
IVFC	3	250	1.50	5	7	original	ϕ_o	0.707	0.327	0.517	3.209
IVFC	3	250	1.70	5	7	original	ϕ_o	0.719	0.279	0.499	3.222
IVFC	3	10	0.20	2	4	original	ϕ_o	0.601	0.917	0.759	3.510
IVFC	3	100	0.20	2	4	original	ϕ_o	0.225	0.974	0.599	2.218
IVFC	3	250	0.20	2	4	original	ϕ_o	0.098	0.985	0.541	1.681
IVFC	3	500	2.00	6	4	original	ϕ_o	0.732	0.174	0.453	2.142
IVFC	3	500	2.30	6	4	original	ϕ_o	0.736	0.138	0.437	2.677
IVFC	3	500	3.00	6	4	original	ϕ_o	0.737	0.113	0.425	2.130
IVFC	3	750	2.00	6	4	original	ϕ_o	0.732	0.175	0.454	2.691
IVFC	3	750	2.30	6	4	original	ϕ_o	0.736	0.139	0.437	2.137
IVFC	3	750	3.00	6	4	original	ϕ_o	0.737	0.113	0.425	2.130
IVFC	3	1000	2.00	6	4	original	ϕ_o	0.732	0.175	0.454	2.691
IVFC	3	1000	2.30	6	4	original	ϕ_o	0.736	0.139	0.437	2.137
IVFC	3	1000	3.00	6	4	original	ϕ_o	0.737	0.113	0.425	2.130
IVFC	3	10	0.20	6	6	original	ϕ_o	0.339	0.952	0.646	2.157
IVFC	3	100	0.20	6	6	original	ϕ_o	0.114	0.986	0.550	1.285
IVFC	3	250	0.20	6	6	original	ϕ_o	0.059	0.989	0.524	1.034
IVFC	3	10	2.00	2	5	original	ϕ_o	0.964	0.060	0.512	2.829
IVFC	3	10	2.30	2	5	original	ϕ_o	0.964	0.059	0.512	2.827
IVFC	3	10	3.00	2	5	original	ϕ_o	0.963	0.058	0.511	2.825
IVFC	3	100	2.00	2	5	original	ϕ_o	0.970	0.128	0.549	2.874
IVFC	3	100	2.30	2	5	original	ϕ_o	0.971	0.109	0.540	2.867
IVFC	3	100	3.00	2	5	original	ϕ_o	0.970	0.092	0.531	2.855
IVFC	3	250	2.00	2	5	original	ϕ_o	0.961	0.237	0.599	3.680

IVFC	3	250	2.30	2	5	original	ϕ_o	0.966	0.171	0.568	2.868
IVFC	3	250	3.00	2	5	original	ϕ_o	0.969	0.124	0.547	2.864
IVFC	3	10	4.00	5	6	original	ϕ_o	0.748	0.104	0.426	2.765
IVFC	3	100	4.00	5	6	original	ϕ_o	0.745	0.149	0.447	2.783
IVFC	3	250	4.00	5	6	original	ϕ_o	0.740	0.181	0.461	2.779
IVFC	3	10	1.25	5	3	original	ϕ_o	0.750	0.122	0.436	2.194
IVFC	3	10	1.50	5	3	original	ϕ_o	0.749	0.115	0.432	2.775
IVFC	3	10	1.70	5	3	original	ϕ_o	0.748	0.111	0.430	2.771
IVFC	3	100	1.25	5	3	original	ϕ_o	0.740	0.202	0.471	2.804
IVFC	3	100	1.50	5	3	original	ϕ_o	0.745	0.177	0.461	2.809
IVFC	3	100	1.70	5	3	original	ϕ_o	0.746	0.169	0.458	2.805
IVFC	3	250	1.25	5	3	original	ϕ_o	0.702	0.313	0.508	3.204
IVFC	3	250	1.50	5	3	original	ϕ_o	0.722	0.245	0.484	3.237
IVFC	3	250	1.70	5	3	original	ϕ_o	0.731	0.216	0.473	3.236
IVFC	3	10	2.00	4	5	original	ϕ_o	0.789	0.103	0.446	2.878
IVFC	3	10	2.30	4	5	original	ϕ_o	0.789	0.101	0.445	2.289
IVFC	3	10	3.00	4	5	original	ϕ_o	0.789	0.099	0.444	2.288
IVFC	3	100	2.00	4	5	original	ϕ_o	0.793	0.173	0.483	2.325
IVFC	3	100	2.30	4	5	original	ϕ_o	0.794	0.159	0.476	2.916
IVFC	3	100	3.00	4	5	original	ϕ_o	0.793	0.141	0.467	2.312
IVFC	3	250	2.00	4	5	original	ϕ_o	0.775	0.242	0.508	3.350
IVFC	3	250	2.30	4	5	original	ϕ_o	0.782	0.212	0.497	3.350
IVFC	3	250	3.00	4	5	original	ϕ_o	0.787	0.180	0.484	2.893
IVFC	3	500	2.00	6	7	original	ϕ_o	0.737	0.176	0.456	2.157
IVFC	3	500	2.30	6	7	original	ϕ_o	0.739	0.137	0.438	2.145
IVFC	3	500	3.00	6	7	original	ϕ_o	0.739	0.109	0.424	2.133
IVFC	3	750	2.00	6	7	original	ϕ_o	0.737	0.176	0.456	2.157
IVFC	3	750	2.30	6	7	original	ϕ_o	0.739	0.137	0.438	2.145
IVFC	3	750	3.00	6	7	original	ϕ_o	0.739	0.109	0.424	2.133
IVFC	3	1000	2.00	6	7	original	ϕ_o	0.737	0.176	0.456	2.157
IVFC	3	1000	2.30	6	7	original	ϕ_o	0.739	0.137	0.438	2.145
IVFC	3	1000	3.00	6	7	original	ϕ_o	0.739	0.109	0.424	2.133
IVFC	3	10	2.00	4	3	original	ϕ_o	0.789	0.100	0.444	3.314
IVFC	3	10	2.30	4	3	original	ϕ_o	0.788	0.099	0.444	2.288
IVFC	3	10	3.00	4	3	original	ϕ_o	0.788	0.098	0.443	2.287
IVFC	3	100	2.00	4	3	original	ϕ_o	0.793	0.148	0.471	3.373
IVFC	3	100	2.30	4	3	original	ϕ_o	0.793	0.140	0.466	2.914
IVFC	3	100	3.00	4	3	original	ϕ_o	0.792	0.128	0.460	2.309
IVFC	3	250	2.00	4	3	original	ϕ_o	0.781	0.219	0.500	3.361
IVFC	3	250	2.30	4	3	original	ϕ_o	0.785	0.194	0.490	3.347
IVFC	3	250	3.00	4	3	original	ϕ_o	0.789	0.169	0.479	3.333
IVFC	3	10	0.50	6	5	original	ϕ_o	0.701	0.504	0.602	2.160
IVFC	3	10	0.70	6	5	original	ϕ_o	0.743	0.229	0.486	2.184
IVFC	3	10	1.00	6	5	original	ϕ_o	0.742	0.072	0.407	2.129
IVFC	3	100	0.50	6	5	original	ϕ_o	0.503	0.875	0.689	2.907
IVFC	3	100	0.70	6	5	original	ϕ_o	0.624	0.702	0.663	2.648
IVFC	3	100	1.00	6	5	original	ϕ_o	0.706	0.410	0.558	2.711
IVFC	3	250	0.50	6	5	original	ϕ_o	0.376	0.935	0.656	2.585
IVFC	3	250	0.70	6	5	original	ϕ_o	0.531	0.839	0.685	2.992
IVFC	3	250	1.00	6	5	original	ϕ_o	0.646	0.630	0.638	3.135

IVFC	5	500	4.00	7	7	original	ϕ_o	0.693	0.194	0.444	2.826
IVFC	5	750	4.00	7	7	original	ϕ_o	0.693	0.194	0.444	2.826
IVFC	5	1000	4.00	7	7	original	ϕ_o	0.693	0.194	0.444	2.826
IVFC	5	500	1.25	5	3	original	ϕ_o	0.348	0.934	0.641	3.183
IVFC	5	500	1.50	5	3	original	ϕ_o	0.464	0.872	0.668	3.181
IVFC	5	500	1.70	5	3	original	ϕ_o	0.540	0.802	0.671	3.167
IVFC	5	750	1.25	5	3	original	ϕ_o	0.342	0.935	0.639	3.180
IVFC	5	750	1.50	5	3	original	ϕ_o	0.458	0.876	0.667	3.180
IVFC	5	750	1.70	5	3	original	ϕ_o	0.535	0.808	0.672	3.167
IVFC	5	1000	1.25	5	3	original	ϕ_o	0.342	0.935	0.639	3.180
IVFC	5	1000	1.50	5	3	original	ϕ_o	0.458	0.876	0.667	3.180
IVFC	5	1000	1.70	5	3	original	ϕ_o	0.535	0.808	0.672	3.167
IVFC	5	500	0.20	7	6	original	ϕ_o	0.019	1.000	0.510	1.018
IVFC	5	750	0.20	7	6	original	ϕ_o	0.019	1.000	0.510	1.018
IVFC	5	1000	0.20	7	6	original	ϕ_o	0.019	1.000	0.510	1.018
IVFC	5	10	0.50	6	3	original	ϕ_o	0.668	0.532	0.600	2.137
IVFC	5	10	0.70	6	3	original	ϕ_o	0.728	0.256	0.492	2.147
IVFC	5	10	1.00	6	3	original	ϕ_o	0.738	0.071	0.404	2.117
IVFC	5	100	0.50	6	3	original	ϕ_o	0.405	0.913	0.659	3.004
IVFC	5	100	0.70	6	3	original	ϕ_o	0.537	0.806	0.671	3.099
IVFC	5	100	1.00	6	3	original	ϕ_o	0.664	0.567	0.616	2.708
IVFC	5	250	0.50	6	3	original	ϕ_o	0.226	0.972	0.599	2.802
IVFC	5	250	0.70	6	3	original	ϕ_o	0.341	0.934	0.637	3.014
IVFC	5	250	1.00	6	3	original	ϕ_o	0.494	0.839	0.666	3.073
IVFC	5	500	0.20	2	3	original	ϕ_o	0.009	1.000	0.504	1.800
IVFC	5	750	0.20	2	3	original	ϕ_o	0.008	1.000	0.504	1.787
IVFC	5	1000	0.20	2	3	original	ϕ_o	0.008	1.000	0.504	1.787
IVFC	5	10	1.25	4	5	original	ϕ_o	0.797	0.108	0.452	2.891
IVFC	5	10	1.50	4	5	original	ϕ_o	0.793	0.097	0.445	2.297
IVFC	5	10	1.70	4	5	original	ϕ_o	0.791	0.097	0.444	1.562
IVFC	5	100	1.25	4	5	original	ϕ_o	0.691	0.693	0.692	3.506
IVFC	5	100	1.50	4	5	original	ϕ_o	0.744	0.547	0.645	2.987
IVFC	5	100	1.70	4	5	original	ϕ_o	0.768	0.440	0.604	3.465
IVFC	5	250	1.25	4	5	original	ϕ_o	0.457	0.916	0.686	3.414
IVFC	5	250	1.50	4	5	original	ϕ_o	0.582	0.835	0.708	3.468
IVFC	5	250	1.70	4	5	original	ϕ_o	0.653	0.755	0.704	3.496
IVFC	5	500	4.00	2	5	original	ϕ_o	0.967	0.193	0.580	2.875
IVFC	5	750	4.00	2	5	original	ϕ_o	0.967	0.193	0.580	2.875
IVFC	5	1000	4.00	2	5	original	ϕ_o	0.967	0.193	0.580	2.875
IVFC	5	10	4.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	100	4.00	3	4	original	ϕ_o	0.866	0.080	0.473	2.519
IVFC	5	250	4.00	3	4	original	ϕ_o	0.865	0.119	0.492	2.524
IVFC	5	10	0.50	5	3	original	ϕ_o	0.655	0.631	0.643	3.251
IVFC	5	10	0.70	5	3	original	ϕ_o	0.739	0.303	0.521	3.306
IVFC	5	10	1.00	5	3	original	ϕ_o	0.753	0.132	0.442	2.800
IVFC	5	100	0.50	5	3	original	ϕ_o	0.288	0.966	0.627	3.064
IVFC	5	100	0.70	5	3	original	ϕ_o	0.452	0.908	0.680	3.202
IVFC	5	100	1.00	5	3	original	ϕ_o	0.629	0.684	0.656	3.226
IVFC	5	250	0.50	5	3	original	ϕ_o	0.113	0.988	0.550	2.725
IVFC	5	250	0.70	5	3	original	ϕ_o	0.207	0.973	0.590	3.080

IVFC	5	250	1.00	5	3	original	ϕ_o	0.380	0.933	0.657	3.198
IVFC	5	500	1.25	4	5	original	ϕ_o	0.381	0.937	0.659	3.345
IVFC	5	500	1.50	4	5	original	ϕ_o	0.512	0.874	0.693	3.414
IVFC	5	500	1.70	4	5	original	ϕ_o	0.597	0.811	0.704	3.459
IVFC	5	750	1.25	4	5	original	ϕ_o	0.381	0.937	0.659	3.345
IVFC	5	750	1.50	4	5	original	ϕ_o	0.512	0.874	0.693	3.414
IVFC	5	750	1.70	4	5	original	ϕ_o	0.597	0.811	0.704	3.459
IVFC	5	1000	1.25	4	5	original	ϕ_o	0.381	0.937	0.659	3.345
IVFC	5	1000	1.50	4	5	original	ϕ_o	0.512	0.874	0.693	3.414
IVFC	5	1000	1.70	4	5	original	ϕ_o	0.597	0.811	0.704	3.459
IVFC	5	500	1.25	6	4	original	ϕ_o	0.440	0.900	0.670	3.175
IVFC	5	500	1.50	6	4	original	ϕ_o	0.531	0.832	0.681	3.175
IVFC	5	500	1.70	6	4	original	ϕ_o	0.588	0.764	0.676	3.166
IVFC	5	750	1.25	6	4	original	ϕ_o	0.439	0.902	0.671	3.178
IVFC	5	750	1.50	6	4	original	ϕ_o	0.529	0.835	0.682	3.182
IVFC	5	750	1.70	6	4	original	ϕ_o	0.587	0.769	0.678	3.175
IVFC	5	1000	1.25	6	4	original	ϕ_o	0.439	0.902	0.671	3.178
IVFC	5	1000	1.50	6	4	original	ϕ_o	0.529	0.835	0.682	3.182
IVFC	5	1000	1.70	6	4	original	ϕ_o	0.587	0.769	0.678	3.175
IVFC	5	10	2.00	7	5	original	ϕ_o	0.686	0.114	0.400	2.408
IVFC	5	10	2.30	7	5	original	ϕ_o	0.685	0.114	0.400	2.746
IVFC	5	10	3.00	7	5	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	5	100	2.00	7	5	original	ϕ_o	0.690	0.244	0.467	2.502
IVFC	5	100	2.30	7	5	original	ϕ_o	0.693	0.209	0.451	2.829
IVFC	5	100	3.00	7	5	original	ϕ_o	0.694	0.168	0.431	2.812
IVFC	5	250	2.00	7	5	original	ϕ_o	0.630	0.546	0.588	2.928
IVFC	5	250	2.30	7	5	original	ϕ_o	0.656	0.448	0.552	2.906
IVFC	5	250	3.00	7	5	original	ϕ_o	0.682	0.304	0.493	2.857
IVFC	5	500	0.20	5	7	original	ϕ_o	0.003	1.000	0.501	1.005
IVFC	5	750	0.20	5	7	original	ϕ_o	0.003	1.000	0.501	1.005
IVFC	5	1000	0.20	5	7	original	ϕ_o	0.003	1.000	0.501	1.005
IVFC	5	500	0.20	5	5	original	ϕ_o	0.003	1.000	0.502	1.009
IVFC	5	750	0.20	5	5	original	ϕ_o	0.003	1.000	0.502	1.009
IVFC	5	1000	0.20	5	5	original	ϕ_o	0.003	1.000	0.502	1.009
IVFC	5	500	0.20	4	6	original	ϕ_o	0.005	1.000	0.502	0.851
IVFC	5	750	0.20	4	6	original	ϕ_o	0.005	1.000	0.502	0.851
IVFC	5	1000	0.20	4	6	original	ϕ_o	0.005	1.000	0.502	0.851
IVFC	5	10	0.50	2	7	original	ϕ_o	0.854	0.793	0.823	3.693
IVFC	5	10	0.70	2	7	original	ϕ_o	0.932	0.594	0.763	2.893
IVFC	5	10	1.00	2	7	original	ϕ_o	0.967	0.288	0.627	2.886
IVFC	5	100	0.50	2	7	original	ϕ_o	0.365	0.976	0.671	3.923
IVFC	5	100	0.70	2	7	original	ϕ_o	0.565	0.949	0.757	4.316
IVFC	5	100	1.00	2	7	original	ϕ_o	0.752	0.889	0.821	4.454
IVFC	5	250	0.50	2	7	original	ϕ_o	0.180	0.993	0.587	3.607
IVFC	5	250	0.70	2	7	original	ϕ_o	0.367	0.978	0.673	4.163
IVFC	5	250	1.00	2	7	original	ϕ_o	0.580	0.945	0.763	4.404
IVFC	5	500	4.00	4	6	original	ϕ_o	0.798	0.202	0.500	2.943
IVFC	5	750	4.00	4	6	original	ϕ_o	0.798	0.202	0.500	2.943
IVFC	5	1000	4.00	4	6	original	ϕ_o	0.798	0.202	0.500	2.943
IVFC	5	10	4.00	4	6	original	ϕ_o	0.788	0.097	0.443	2.872

IVFC	5	100	4.00	4	6	original	ϕ_o	0.797	0.109	0.453	2.307
IVFC	5	250	4.00	4	6	original	ϕ_o	0.799	0.182	0.491	2.923
IVFC	5	10	1.25	2	3	original	ϕ_o	0.969	0.062	0.516	2.845
IVFC	5	10	1.50	2	3	original	ϕ_o	0.967	0.056	0.512	2.837
IVFC	5	10	1.70	2	3	original	ϕ_o	0.966	0.057	0.511	2.833
IVFC	5	100	1.25	2	3	original	ϕ_o	0.913	0.694	0.804	3.754
IVFC	5	100	1.50	2	3	original	ϕ_o	0.943	0.572	0.758	3.742
IVFC	5	100	1.70	2	3	original	ϕ_o	0.957	0.457	0.707	2.897
IVFC	5	250	1.25	2	3	original	ϕ_o	0.763	0.879	0.821	4.452
IVFC	5	250	1.50	2	3	original	ϕ_o	0.837	0.819	0.828	4.438
IVFC	5	250	1.70	2	3	original	ϕ_o	0.877	0.763	0.820	3.745
IVFC	5	500	4.00	6	4	original	ϕ_o	0.739	0.116	0.428	2.133
IVFC	5	750	4.00	6	4	original	ϕ_o	0.739	0.119	0.429	2.134
IVFC	5	1000	4.00	6	4	original	ϕ_o	0.739	0.119	0.429	2.134
IVFC	5	500	0.50	3	5	original	ϕ_o	0.094	0.993	0.544	2.904
IVFC	5	500	0.70	3	5	original	ϕ_o	0.200	0.983	0.592	3.401
IVFC	5	500	1.00	3	5	original	ϕ_o	0.373	0.951	0.662	3.654
IVFC	5	750	0.50	3	5	original	ϕ_o	0.094	0.993	0.544	2.904
IVFC	5	750	0.70	3	5	original	ϕ_o	0.200	0.983	0.592	3.401
IVFC	5	750	1.00	3	5	original	ϕ_o	0.373	0.951	0.662	3.654
IVFC	5	1000	0.50	3	5	original	ϕ_o	0.094	0.993	0.544	2.904
IVFC	5	1000	0.70	3	5	original	ϕ_o	0.200	0.983	0.592	3.401
IVFC	5	1000	1.00	3	5	original	ϕ_o	0.373	0.951	0.662	3.654
IVFC	5	10	0.50	2	4	original	ϕ_o	0.899	0.736	0.818	3.731
IVFC	5	10	0.70	2	4	original	ϕ_o	0.952	0.533	0.742	2.901
IVFC	5	10	1.00	2	4	original	ϕ_o	0.969	0.207	0.588	2.877
IVFC	5	100	0.50	2	4	original	ϕ_o	0.490	0.964	0.727	4.199
IVFC	5	100	0.70	2	4	original	ϕ_o	0.676	0.922	0.799	4.420
IVFC	5	100	1.00	2	4	original	ϕ_o	0.833	0.830	0.831	4.462
IVFC	5	250	0.50	2	4	original	ϕ_o	0.223	0.993	0.608	3.791
IVFC	5	250	0.70	2	4	original	ϕ_o	0.398	0.980	0.689	4.244
IVFC	5	250	1.00	2	4	original	ϕ_o	0.604	0.943	0.774	4.432
IVFC	5	10	0.20	4	7	original	ϕ_o	0.201	0.988	0.594	2.062
IVFC	5	100	0.20	4	7	original	ϕ_o	0.022	1.000	0.511	1.027
IVFC	5	250	0.20	4	7	original	ϕ_o	0.006	1.000	0.503	0.863
IVFC	5	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	5	100	4.00	4	3	original	ϕ_o	0.792	0.104	0.448	2.894
IVFC	5	250	4.00	4	3	original	ϕ_o	0.796	0.144	0.470	2.909
IVFC	5	500	0.50	2	4	original	ϕ_o	0.156	0.995	0.576	3.641
IVFC	5	500	0.70	2	4	original	ϕ_o	0.312	0.986	0.649	4.147
IVFC	5	500	1.00	2	4	original	ϕ_o	0.519	0.958	0.739	4.384
IVFC	5	750	0.50	2	4	original	ϕ_o	0.156	0.995	0.576	3.641
IVFC	5	750	0.70	2	4	original	ϕ_o	0.312	0.986	0.649	4.147
IVFC	5	750	1.00	2	4	original	ϕ_o	0.519	0.958	0.739	4.384
IVFC	5	1000	0.50	2	4	original	ϕ_o	0.156	0.995	0.576	3.641
IVFC	5	1000	0.70	2	4	original	ϕ_o	0.312	0.986	0.649	4.147
IVFC	5	1000	1.00	2	4	original	ϕ_o	0.519	0.958	0.739	4.384
IVFC	5	10	4.00	5	4	original	ϕ_o	0.747	0.103	0.425	2.763
IVFC	5	100	4.00	5	4	original	ϕ_o	0.749	0.116	0.433	2.785
IVFC	5	250	4.00	5	4	original	ϕ_o	0.748	0.159	0.454	3.184

IVFC	5	500	2.00	3	5	original	ϕ_o	0.772	0.637	0.704	3.635
IVFC	5	500	2.30	3	5	original	ϕ_o	0.811	0.517	0.664	3.188
IVFC	5	500	3.00	3	5	original	ϕ_o	0.852	0.292	0.572	3.162
IVFC	5	750	2.00	3	5	original	ϕ_o	0.772	0.637	0.704	3.635
IVFC	5	750	2.30	3	5	original	ϕ_o	0.811	0.517	0.664	3.188
IVFC	5	750	3.00	3	5	original	ϕ_o	0.852	0.292	0.572	3.162
IVFC	5	1000	2.00	3	5	original	ϕ_o	0.772	0.637	0.704	3.635
IVFC	5	1000	2.30	3	5	original	ϕ_o	0.811	0.517	0.664	3.188
IVFC	5	1000	3.00	3	5	original	ϕ_o	0.852	0.292	0.572	3.162
IVFC	5	10	0.20	6	2	original	ϕ_o	0.348	0.936	0.642	2.440
IVFC	5	100	0.20	6	2	original	ϕ_o	0.168	0.993	0.580	1.971
IVFC	5	250	0.20	6	2	original	ϕ_o	0.084	0.999	0.541	1.685
IVFC	5	500	1.25	3	5	original	ϕ_o	0.518	0.899	0.709	3.706
IVFC	5	500	1.50	3	5	original	ϕ_o	0.635	0.826	0.730	3.697
IVFC	5	500	1.70	3	5	original	ϕ_o	0.703	0.754	0.728	3.672
IVFC	5	750	1.25	3	5	original	ϕ_o	0.518	0.899	0.709	3.706
IVFC	5	750	1.50	3	5	original	ϕ_o	0.635	0.826	0.730	3.697
IVFC	5	750	1.70	3	5	original	ϕ_o	0.703	0.754	0.728	3.672
IVFC	5	1000	1.25	3	5	original	ϕ_o	0.518	0.899	0.709	3.706
IVFC	5	1000	1.50	3	5	original	ϕ_o	0.635	0.826	0.730	3.697
IVFC	5	1000	1.70	3	5	original	ϕ_o	0.703	0.754	0.728	3.672
IVFC	5	500	0.20	3	5	original	ϕ_o	0.005	1.000	0.502	1.307
IVFC	5	750	0.20	3	5	original	ϕ_o	0.005	1.000	0.502	1.307
IVFC	5	1000	0.20	3	5	original	ϕ_o	0.005	1.000	0.502	1.307
IVFC	5	500	4.00	5	6	original	ϕ_o	0.743	0.208	0.475	2.796
IVFC	5	750	4.00	5	6	original	ϕ_o	0.743	0.208	0.475	2.796
IVFC	5	1000	4.00	5	6	original	ϕ_o	0.743	0.208	0.475	2.796
IVFC	5	10	1.25	5	7	original	ϕ_o	0.752	0.132	0.442	2.207
IVFC	5	10	1.50	5	7	original	ϕ_o	0.751	0.106	0.429	2.791
IVFC	5	10	1.70	5	7	original	ϕ_o	0.751	0.104	0.427	2.784
IVFC	5	100	1.25	5	7	original	ϕ_o	0.550	0.803	0.676	3.198
IVFC	5	100	1.50	5	7	original	ϕ_o	0.636	0.653	0.644	3.182
IVFC	5	100	1.70	5	7	original	ϕ_o	0.680	0.538	0.609	3.186
IVFC	5	250	1.25	5	7	original	ϕ_o	0.363	0.926	0.644	3.205
IVFC	5	250	1.50	5	7	original	ϕ_o	0.478	0.858	0.668	3.176
IVFC	5	250	1.70	5	7	original	ϕ_o	0.553	0.784	0.668	3.160
IVFC	5	10	0.20	5	6	original	ϕ_o	0.205	0.982	0.593	2.278
IVFC	5	100	0.20	5	6	original	ϕ_o	0.017	0.999	0.508	1.302
IVFC	5	250	0.20	5	6	original	ϕ_o	0.003	1.000	0.502	1.031
IVFC	5	500	4.00	5	5	original	ϕ_o	0.744	0.206	0.475	2.792
IVFC	5	750	4.00	5	5	original	ϕ_o	0.744	0.206	0.475	2.792
IVFC	5	1000	4.00	5	5	original	ϕ_o	0.744	0.206	0.475	2.792
IVFC	5	10	1.25	5	2	original	ϕ_o	0.750	0.104	0.427	2.779
IVFC	5	10	1.50	5	2	original	ϕ_o	0.749	0.104	0.426	2.775
IVFC	5	10	1.70	5	2	original	ϕ_o	0.749	0.104	0.426	2.772
IVFC	5	100	1.25	5	2	original	ϕ_o	0.740	0.280	0.510	2.821
IVFC	5	100	1.50	5	2	original	ϕ_o	0.754	0.188	0.471	2.830
IVFC	5	100	1.70	5	2	original	ϕ_o	0.755	0.149	0.452	2.821
IVFC	5	250	1.25	5	2	original	ϕ_o	0.630	0.628	0.629	3.124
IVFC	5	250	1.50	5	2	original	ϕ_o	0.691	0.456	0.573	3.184

IVFC	5	250	1.70	5	2	original	ϕ_o	0.720	0.348	0.534	3.226
IVFC	5	10	0.50	6	6	original	ϕ_o	0.633	0.728	0.681	2.767
IVFC	5	10	0.70	6	6	original	ϕ_o	0.714	0.437	0.575	2.194
IVFC	5	10	1.00	6	6	original	ϕ_o	0.742	0.120	0.431	2.140
IVFC	5	100	0.50	6	6	original	ϕ_o	0.260	0.974	0.617	2.956
IVFC	5	100	0.70	6	6	original	ϕ_o	0.400	0.930	0.665	3.170
IVFC	5	100	1.00	6	6	original	ϕ_o	0.563	0.805	0.684	3.185
IVFC	5	250	0.50	6	6	original	ϕ_o	0.124	0.992	0.558	2.663
IVFC	5	250	0.70	6	6	original	ϕ_o	0.226	0.976	0.601	3.058
IVFC	5	250	1.00	6	6	original	ϕ_o	0.368	0.933	0.651	3.198
IVFC	5	10	0.50	3	4	original	ϕ_o	0.770	0.623	0.696	3.182
IVFC	5	10	0.70	3	4	original	ϕ_o	0.840	0.405	0.622	3.206
IVFC	5	10	1.00	3	4	original	ϕ_o	0.864	0.176	0.520	2.542
IVFC	5	100	0.50	3	4	original	ϕ_o	0.354	0.961	0.658	3.446
IVFC	5	100	0.70	3	4	original	ϕ_o	0.538	0.897	0.717	3.663
IVFC	5	100	1.00	3	4	original	ϕ_o	0.718	0.747	0.733	3.666
IVFC	5	250	0.50	3	4	original	ϕ_o	0.138	0.992	0.565	3.092
IVFC	5	250	0.70	3	4	original	ϕ_o	0.267	0.974	0.620	3.500
IVFC	5	250	1.00	3	4	original	ϕ_o	0.459	0.919	0.689	3.678
IVFC	5	10	1.25	5	4	original	ϕ_o	0.755	0.117	0.436	2.801
IVFC	5	10	1.50	5	4	original	ϕ_o	0.753	0.107	0.430	2.784
IVFC	5	10	1.70	5	4	original	ϕ_o	0.751	0.107	0.429	2.778
IVFC	5	100	1.25	5	4	original	ϕ_o	0.669	0.591	0.630	3.230
IVFC	5	100	1.50	5	4	original	ϕ_o	0.720	0.422	0.571	2.797
IVFC	5	100	1.70	5	4	original	ϕ_o	0.739	0.311	0.525	2.811
IVFC	5	250	1.25	5	4	original	ϕ_o	0.444	0.883	0.664	3.192
IVFC	5	250	1.50	5	4	original	ϕ_o	0.553	0.792	0.673	3.176
IVFC	5	250	1.70	5	4	original	ϕ_o	0.615	0.704	0.660	3.180
IVFC	5	500	0.50	2	3	original	ϕ_o	0.158	0.996	0.577	3.598
IVFC	5	500	0.70	2	3	original	ϕ_o	0.305	0.984	0.644	4.099
IVFC	5	500	1.00	2	3	original	ϕ_o	0.502	0.958	0.730	4.346
IVFC	5	750	0.50	2	3	original	ϕ_o	0.149	0.996	0.573	3.581
IVFC	5	750	0.70	2	3	original	ϕ_o	0.295	0.985	0.640	4.085
IVFC	5	750	1.00	2	3	original	ϕ_o	0.492	0.958	0.725	4.339
IVFC	5	1000	0.50	2	3	original	ϕ_o	0.149	0.996	0.573	3.581
IVFC	5	1000	0.70	2	3	original	ϕ_o	0.295	0.985	0.640	4.085
IVFC	5	1000	1.00	2	3	original	ϕ_o	0.492	0.958	0.725	4.339
IVFC	5	10	2.00	4	2	original	ϕ_o	0.789	0.097	0.443	2.871
IVFC	5	10	2.30	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	5	10	3.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	5	100	2.00	4	2	original	ϕ_o	0.795	0.115	0.455	2.305
IVFC	5	100	2.30	4	2	original	ϕ_o	0.794	0.103	0.448	2.883
IVFC	5	100	3.00	4	2	original	ϕ_o	0.792	0.099	0.445	2.872
IVFC	5	250	2.00	4	2	original	ϕ_o	0.782	0.318	0.550	2.951
IVFC	5	250	2.30	4	2	original	ϕ_o	0.792	0.214	0.503	2.926
IVFC	5	250	3.00	4	2	original	ϕ_o	0.795	0.122	0.459	2.302
IVFC	5	10	1.25	2	6	original	ϕ_o	0.969	0.103	0.536	2.858
IVFC	5	10	1.50	2	6	original	ϕ_o	0.968	0.060	0.514	2.842
IVFC	5	10	1.70	2	6	original	ϕ_o	0.966	0.057	0.512	2.834
IVFC	5	100	1.25	2	6	original	ϕ_o	0.851	0.817	0.834	4.478

IVFC	5	100	1.50	2	6	original	ϕ_o	0.901	0.728	0.814	4.454
IVFC	5	100	1.70	2	6	original	ϕ_o	0.926	0.648	0.787	3.756
IVFC	5	250	1.25	2	6	original	ϕ_o	0.701	0.913	0.807	4.460
IVFC	5	250	1.50	2	6	original	ϕ_o	0.790	0.861	0.826	4.469
IVFC	5	250	1.70	2	6	original	ϕ_o	0.841	0.816	0.828	4.459
IVFC	5	10	4.00	5	6	original	ϕ_o	0.748	0.103	0.426	2.765
IVFC	5	100	4.00	5	6	original	ϕ_o	0.746	0.124	0.435	2.776
IVFC	5	250	4.00	5	6	original	ϕ_o	0.741	0.190	0.466	2.789
IVFC	5	10	0.20	7	2	original	ϕ_o	0.405	0.869	0.637	2.536
IVFC	5	100	0.20	7	2	original	ϕ_o	0.107	0.995	0.551	1.877
IVFC	5	250	0.20	7	2	original	ϕ_o	0.046	0.999	0.522	1.444
IVFC	5	10	1.25	5	5	original	ϕ_o	0.753	0.127	0.440	2.207
IVFC	5	10	1.50	5	5	original	ϕ_o	0.751	0.109	0.430	2.787
IVFC	5	10	1.70	5	5	original	ϕ_o	0.750	0.107	0.429	2.779
IVFC	5	100	1.25	5	5	original	ϕ_o	0.644	0.661	0.653	3.225
IVFC	5	100	1.50	5	5	original	ϕ_o	0.699	0.493	0.596	3.240
IVFC	5	100	1.70	5	5	original	ϕ_o	0.722	0.381	0.552	3.242
IVFC	5	250	1.25	5	5	original	ϕ_o	0.415	0.898	0.657	3.181
IVFC	5	250	1.50	5	5	original	ϕ_o	0.531	0.821	0.676	3.164
IVFC	5	250	1.70	5	5	original	ϕ_o	0.599	0.738	0.668	3.160
IVFC	5	500	2.00	6	6	original	ϕ_o	0.663	0.646	0.654	3.188
IVFC	5	500	2.30	6	6	original	ϕ_o	0.698	0.511	0.604	2.749
IVFC	5	500	3.00	6	6	original	ϕ_o	0.731	0.243	0.487	2.157
IVFC	5	750	2.00	6	6	original	ϕ_o	0.663	0.646	0.654	3.188
IVFC	5	750	2.30	6	6	original	ϕ_o	0.698	0.511	0.604	2.749
IVFC	5	750	3.00	6	6	original	ϕ_o	0.731	0.243	0.487	2.157
IVFC	5	1000	2.00	6	6	original	ϕ_o	0.663	0.646	0.654	3.188
IVFC	5	1000	2.30	6	6	original	ϕ_o	0.698	0.511	0.604	2.749
IVFC	5	1000	3.00	6	6	original	ϕ_o	0.731	0.243	0.487	2.157
IVFC	5	500	0.50	2	5	original	ϕ_o	0.169	0.995	0.582	3.657
IVFC	5	500	0.70	2	5	original	ϕ_o	0.333	0.984	0.658	4.166
IVFC	5	500	1.00	2	5	original	ϕ_o	0.540	0.953	0.747	4.385
IVFC	5	750	0.50	2	5	original	ϕ_o	0.169	0.995	0.582	3.657
IVFC	5	750	0.70	2	5	original	ϕ_o	0.333	0.984	0.658	4.166
IVFC	5	750	1.00	2	5	original	ϕ_o	0.540	0.953	0.747	4.385
IVFC	5	1000	0.50	2	5	original	ϕ_o	0.169	0.995	0.582	3.657
IVFC	5	1000	0.70	2	5	original	ϕ_o	0.333	0.984	0.658	4.166
IVFC	5	1000	1.00	2	5	original	ϕ_o	0.540	0.953	0.747	4.385
IVFC	5	500	1.25	4	4	original	ϕ_o	0.354	0.948	0.651	3.378
IVFC	5	500	1.50	4	4	original	ϕ_o	0.476	0.904	0.690	3.442
IVFC	5	500	1.70	4	4	original	ϕ_o	0.564	0.853	0.709	3.482
IVFC	5	750	1.25	4	4	original	ϕ_o	0.354	0.948	0.651	3.378
IVFC	5	750	1.50	4	4	original	ϕ_o	0.476	0.904	0.690	3.442
IVFC	5	750	1.70	4	4	original	ϕ_o	0.564	0.853	0.709	3.482
IVFC	5	1000	1.25	4	4	original	ϕ_o	0.354	0.948	0.651	3.378
IVFC	5	1000	1.50	4	4	original	ϕ_o	0.476	0.904	0.690	3.442
IVFC	5	1000	1.70	4	4	original	ϕ_o	0.564	0.853	0.709	3.482
IVFC	5	500	4.00	6	7	original	ϕ_o	0.739	0.105	0.422	2.128
IVFC	5	750	4.00	6	7	original	ϕ_o	0.739	0.105	0.422	2.128
IVFC	5	1000	4.00	6	7	original	ϕ_o	0.739	0.105	0.422	2.128

IVFC	5	10	0.50	6	5	original	ϕ_o	0.639	0.714	0.677	2.768
IVFC	5	10	0.70	6	5	original	ϕ_o	0.717	0.418	0.567	2.192
IVFC	5	10	1.00	6	5	original	ϕ_o	0.743	0.114	0.428	2.138
IVFC	5	100	0.50	6	5	original	ϕ_o	0.281	0.972	0.626	3.000
IVFC	5	100	0.70	6	5	original	ϕ_o	0.420	0.924	0.672	3.190
IVFC	5	100	1.00	6	5	original	ϕ_o	0.581	0.788	0.685	3.191
IVFC	5	250	0.50	6	5	original	ϕ_o	0.138	0.992	0.565	2.694
IVFC	5	250	0.70	6	5	original	ϕ_o	0.238	0.975	0.607	3.071
IVFC	5	250	1.00	6	5	original	ϕ_o	0.382	0.930	0.656	3.200
IVFC	5	10	4.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	5	100	4.00	7	6	original	ϕ_o	0.693	0.145	0.419	2.457
IVFC	5	250	4.00	7	6	original	ϕ_o	0.691	0.197	0.444	2.477
IVFC	5	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	4.00	6	3	original	ϕ_o	0.735	0.055	0.395	2.107
IVFC	5	250	4.00	6	3	original	ϕ_o	0.736	0.059	0.398	2.108
IVFC	5	10	1.25	3	2	original	ϕ_o	0.866	0.072	0.469	2.522
IVFC	5	10	1.50	3	2	original	ϕ_o	0.866	0.071	0.468	2.521
IVFC	5	10	1.70	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	100	1.25	3	2	original	ϕ_o	0.839	0.330	0.585	2.520
IVFC	5	100	1.50	3	2	original	ϕ_o	0.856	0.194	0.525	2.518
IVFC	5	100	1.70	3	2	original	ϕ_o	0.862	0.134	0.498	2.513
IVFC	5	250	1.25	3	2	original	ϕ_o	0.740	0.666	0.703	3.555
IVFC	5	250	1.50	3	2	original	ϕ_o	0.800	0.511	0.655	3.094
IVFC	5	250	1.70	3	2	original	ϕ_o	0.826	0.392	0.609	3.075
IVFC	5	500	0.50	6	7	original	ϕ_o	0.109	0.993	0.551	2.625
IVFC	5	500	0.70	6	7	original	ϕ_o	0.203	0.980	0.592	3.045
IVFC	5	500	1.00	6	7	original	ϕ_o	0.339	0.944	0.641	3.236
IVFC	5	750	0.50	6	7	original	ϕ_o	0.109	0.993	0.551	2.625
IVFC	5	750	0.70	6	7	original	ϕ_o	0.203	0.980	0.592	3.045
IVFC	5	750	1.00	6	7	original	ϕ_o	0.339	0.944	0.641	3.236
IVFC	5	1000	0.50	6	7	original	ϕ_o	0.109	0.993	0.551	2.625
IVFC	5	1000	0.70	6	7	original	ϕ_o	0.203	0.980	0.592	3.045
IVFC	5	1000	1.00	6	7	original	ϕ_o	0.339	0.944	0.641	3.236
IVFC	5	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	5	100	4.00	5	3	original	ϕ_o	0.746	0.113	0.429	2.768
IVFC	5	250	4.00	5	3	original	ϕ_o	0.744	0.136	0.440	2.766
IVFC	5	500	0.20	2	6	original	ϕ_o	0.004	1.000	0.502	1.693
IVFC	5	750	0.20	2	6	original	ϕ_o	0.004	1.000	0.502	1.693
IVFC	5	1000	0.20	2	6	original	ϕ_o	0.004	1.000	0.502	1.693
IVFC	5	500	0.20	6	3	original	ϕ_o	0.021	1.000	0.510	1.427
IVFC	5	750	0.20	6	3	original	ϕ_o	0.016	1.000	0.508	1.402
IVFC	5	1000	0.20	6	3	original	ϕ_o	0.016	1.000	0.508	1.402
IVFC	5	10	2.00	3	3	original	ϕ_o	0.866	0.071	0.469	2.521
IVFC	5	10	2.30	3	3	original	ϕ_o	0.866	0.071	0.469	2.521
IVFC	5	10	3.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.519
IVFC	5	100	2.00	3	3	original	ϕ_o	0.862	0.182	0.522	2.540
IVFC	5	100	2.30	3	3	original	ϕ_o	0.865	0.124	0.495	2.534
IVFC	5	100	3.00	3	3	original	ϕ_o	0.866	0.088	0.477	2.523
IVFC	5	250	2.00	3	3	original	ϕ_o	0.820	0.511	0.665	3.159
IVFC	5	250	2.30	3	3	original	ϕ_o	0.840	0.392	0.616	2.542

IVFC	5	250	3.00	3	3	original	ϕ_o	0.859	0.193	0.526	2.531
IVFC	5	500	4.00	5	3	original	ϕ_o	0.745	0.188	0.466	3.210
IVFC	5	750	4.00	5	3	original	ϕ_o	0.746	0.188	0.467	2.797
IVFC	5	1000	4.00	5	3	original	ϕ_o	0.746	0.188	0.467	2.797
IVFC	5	10	1.25	3	4	original	ϕ_o	0.867	0.091	0.479	2.533
IVFC	5	10	1.50	3	4	original	ϕ_o	0.867	0.074	0.471	1.715
IVFC	5	10	1.70	3	4	original	ϕ_o	0.867	0.072	0.469	2.525
IVFC	5	100	1.25	3	4	original	ϕ_o	0.795	0.598	0.696	3.190
IVFC	5	100	1.50	3	4	original	ϕ_o	0.832	0.446	0.639	2.546
IVFC	5	100	1.70	3	4	original	ϕ_o	0.848	0.334	0.591	2.545
IVFC	5	250	1.25	3	4	original	ϕ_o	0.600	0.851	0.725	3.685
IVFC	5	250	1.50	3	4	original	ϕ_o	0.699	0.766	0.732	3.655
IVFC	5	250	1.70	3	4	original	ϕ_o	0.751	0.693	0.722	3.623
IVFC	5	10	4.00	3	7	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	100	4.00	3	7	original	ϕ_o	0.866	0.087	0.477	2.523
IVFC	5	250	4.00	3	7	original	ϕ_o	0.864	0.143	0.504	2.535
IVFC	5	500	2.00	7	7	original	ϕ_o	0.641	0.478	0.559	2.927
IVFC	5	500	2.30	7	7	original	ϕ_o	0.665	0.376	0.521	2.905
IVFC	5	500	3.00	7	7	original	ϕ_o	0.687	0.255	0.471	2.506
IVFC	5	750	2.00	7	7	original	ϕ_o	0.641	0.478	0.559	2.927
IVFC	5	750	2.30	7	7	original	ϕ_o	0.665	0.376	0.521	2.905
IVFC	5	750	3.00	7	7	original	ϕ_o	0.687	0.255	0.471	2.506
IVFC	5	1000	2.00	7	7	original	ϕ_o	0.641	0.478	0.559	2.927
IVFC	5	1000	2.30	7	7	original	ϕ_o	0.665	0.376	0.521	2.905
IVFC	5	1000	3.00	7	7	original	ϕ_o	0.687	0.255	0.471	2.506
IVFC	5	500	4.00	2	2	original	ϕ_o	0.969	0.179	0.574	2.873
IVFC	5	750	4.00	2	2	original	ϕ_o	0.964	0.310	0.637	2.888
IVFC	5	1000	4.00	2	2	original	ϕ_o	0.962	0.335	0.649	2.889
IVFC	5	10	0.50	4	5	original	ϕ_o	0.676	0.709	0.693	3.438
IVFC	5	10	0.70	4	5	original	ϕ_o	0.766	0.442	0.604	2.973
IVFC	5	10	1.00	4	5	original	ϕ_o	0.796	0.174	0.485	2.332
IVFC	5	100	0.50	4	5	original	ϕ_o	0.253	0.979	0.616	2.946
IVFC	5	100	0.70	4	5	original	ϕ_o	0.387	0.946	0.666	3.321
IVFC	5	100	1.00	4	5	original	ϕ_o	0.589	0.835	0.712	3.484
IVFC	5	250	0.50	4	5	original	ϕ_o	0.115	0.996	0.556	2.432
IVFC	5	250	0.70	4	5	original	ϕ_o	0.199	0.987	0.593	2.947
IVFC	5	250	1.00	4	5	original	ϕ_o	0.324	0.963	0.644	3.291
IVFC	5	10	2.00	4	6	original	ϕ_o	0.791	0.094	0.442	2.290
IVFC	5	10	2.30	4	6	original	ϕ_o	0.790	0.096	0.443	2.290
IVFC	5	10	3.00	4	6	original	ϕ_o	0.789	0.097	0.443	2.872
IVFC	5	100	2.00	4	6	original	ϕ_o	0.782	0.370	0.576	2.962
IVFC	5	100	2.30	4	6	original	ϕ_o	0.795	0.266	0.531	2.945
IVFC	5	100	3.00	4	6	original	ϕ_o	0.800	0.147	0.473	2.325
IVFC	5	250	2.00	4	6	original	ϕ_o	0.705	0.659	0.682	3.480
IVFC	5	250	2.30	4	6	original	ϕ_o	0.747	0.544	0.646	3.474
IVFC	5	250	3.00	4	6	original	ϕ_o	0.787	0.328	0.557	2.360
IVFC	5	10	0.20	6	5	original	ϕ_o	0.261	0.977	0.619	2.373
IVFC	5	100	0.20	6	5	original	ϕ_o	0.054	1.000	0.527	1.559
IVFC	5	250	0.20	6	5	original	ϕ_o	0.016	1.000	0.508	1.316
IVFC	5	500	0.50	3	4	original	ϕ_o	0.097	0.995	0.546	2.925

IVFC	5	500	0.70	3	4	original	ϕ_o	0.195	0.986	0.590	3.395
IVFC	5	500	1.00	3	4	original	ϕ_o	0.352	0.956	0.654	3.658
IVFC	5	750	0.50	3	4	original	ϕ_o	0.095	0.995	0.545	2.906
IVFC	5	750	0.70	3	4	original	ϕ_o	0.191	0.986	0.589	3.383
IVFC	5	750	1.00	3	4	original	ϕ_o	0.343	0.958	0.651	3.650
IVFC	5	1000	0.50	3	4	original	ϕ_o	0.095	0.995	0.545	2.906
IVFC	5	1000	0.70	3	4	original	ϕ_o	0.191	0.986	0.589	3.383
IVFC	5	1000	1.00	3	4	original	ϕ_o	0.343	0.958	0.651	3.650
IVFC	5	500	2.00	3	4	original	ϕ_o	0.750	0.692	0.721	3.632
IVFC	5	500	2.30	3	4	original	ϕ_o	0.795	0.593	0.694	3.608
IVFC	5	500	3.00	3	4	original	ϕ_o	0.843	0.364	0.604	3.142
IVFC	5	750	2.00	3	4	original	ϕ_o	0.743	0.698	0.720	3.623
IVFC	5	750	2.30	3	4	original	ϕ_o	0.790	0.599	0.695	3.598
IVFC	5	750	3.00	3	4	original	ϕ_o	0.842	0.370	0.606	3.138
IVFC	5	1000	2.00	3	4	original	ϕ_o	0.743	0.698	0.720	3.623
IVFC	5	1000	2.30	3	4	original	ϕ_o	0.790	0.599	0.695	3.598
IVFC	5	1000	3.00	3	4	original	ϕ_o	0.842	0.370	0.606	3.138
IVFC	5	10	0.50	5	7	original	ϕ_o	0.577	0.807	0.692	3.250
IVFC	5	10	0.70	5	7	original	ϕ_o	0.694	0.546	0.620	3.280
IVFC	5	10	1.00	5	7	original	ϕ_o	0.750	0.233	0.492	2.824
IVFC	5	100	0.50	5	7	original	ϕ_o	0.146	0.983	0.565	2.794
IVFC	5	100	0.70	5	7	original	ϕ_o	0.259	0.963	0.611	3.122
IVFC	5	100	1.00	5	7	original	ϕ_o	0.429	0.907	0.668	3.222
IVFC	5	250	0.50	5	7	original	ϕ_o	0.066	0.992	0.529	2.521
IVFC	5	250	0.70	5	7	original	ϕ_o	0.130	0.980	0.555	2.977
IVFC	5	250	1.00	5	7	original	ϕ_o	0.245	0.959	0.602	3.186
IVFC	5	10	0.50	7	2	original	ϕ_o	0.653	0.297	0.475	2.386
IVFC	5	10	0.70	7	2	original	ϕ_o	0.680	0.165	0.422	2.391
IVFC	5	10	1.00	7	2	original	ϕ_o	0.685	0.124	0.405	2.741
IVFC	5	100	0.50	7	2	original	ϕ_o	0.424	0.846	0.635	2.721
IVFC	5	100	0.70	7	2	original	ϕ_o	0.557	0.634	0.595	2.759
IVFC	5	100	1.00	7	2	original	ϕ_o	0.654	0.373	0.514	2.807
IVFC	5	250	0.50	7	2	original	ϕ_o	0.191	0.972	0.581	2.591
IVFC	5	250	0.70	7	2	original	ϕ_o	0.348	0.902	0.625	2.705
IVFC	5	250	1.00	7	2	original	ϕ_o	0.510	0.708	0.609	2.739
IVFC	5	500	4.00	3	6	original	ϕ_o	0.864	0.145	0.504	2.535
IVFC	5	750	4.00	3	6	original	ϕ_o	0.864	0.145	0.504	2.535
IVFC	5	1000	4.00	3	6	original	ϕ_o	0.864	0.145	0.504	2.535
IVFC	5	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	4.00	2	4	original	ϕ_o	0.970	0.063	0.516	2.846
IVFC	5	250	4.00	2	4	original	ϕ_o	0.970	0.158	0.564	2.876
IVFC	5	10	0.50	2	5	original	ϕ_o	0.888	0.753	0.820	3.719
IVFC	5	10	0.70	2	5	original	ϕ_o	0.948	0.542	0.745	2.896
IVFC	5	10	1.00	2	5	original	ϕ_o	0.968	0.195	0.582	2.872
IVFC	5	100	0.50	2	5	original	ϕ_o	0.428	0.969	0.698	4.107
IVFC	5	100	0.70	2	5	original	ϕ_o	0.621	0.934	0.777	4.379
IVFC	5	100	1.00	2	5	original	ϕ_o	0.799	0.853	0.826	4.441
IVFC	5	250	0.50	2	5	original	ϕ_o	0.195	0.993	0.594	3.699
IVFC	5	250	0.70	2	5	original	ϕ_o	0.366	0.980	0.673	4.191
IVFC	5	250	1.00	2	5	original	ϕ_o	0.569	0.946	0.757	4.387

IVFC	5	10	0.50	3	5	original	ϕ_o	0.749	0.719	0.734	3.201
IVFC	5	10	0.70	3	5	original	ϕ_o	0.831	0.479	0.655	2.549
IVFC	5	10	1.00	3	5	original	ϕ_o	0.862	0.221	0.542	2.552
IVFC	5	100	0.50	3	5	original	ϕ_o	0.309	0.967	0.638	3.391
IVFC	5	100	0.70	3	5	original	ϕ_o	0.489	0.915	0.702	3.654
IVFC	5	100	1.00	3	5	original	ϕ_o	0.684	0.791	0.738	3.692
IVFC	5	250	0.50	3	5	original	ϕ_o	0.121	0.992	0.557	3.000
IVFC	5	250	0.70	3	5	original	ϕ_o	0.244	0.978	0.611	3.460
IVFC	5	250	1.00	3	5	original	ϕ_o	0.432	0.930	0.681	3.670
IVFC	5	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.287
IVFC	5	100	4.00	4	4	original	ϕ_o	0.794	0.106	0.450	2.889
IVFC	5	250	4.00	4	4	original	ϕ_o	0.796	0.163	0.480	2.919
IVFC	5	10	1.25	5	6	original	ϕ_o	0.752	0.131	0.441	2.205
IVFC	5	10	1.50	5	6	original	ϕ_o	0.751	0.109	0.430	2.788
IVFC	5	10	1.70	5	6	original	ϕ_o	0.750	0.106	0.428	2.782
IVFC	5	100	1.25	5	6	original	ϕ_o	0.585	0.752	0.669	3.188
IVFC	5	100	1.50	5	6	original	ϕ_o	0.660	0.603	0.632	3.181
IVFC	5	100	1.70	5	6	original	ϕ_o	0.697	0.497	0.597	3.199
IVFC	5	250	1.25	5	6	original	ϕ_o	0.369	0.917	0.643	3.180
IVFC	5	250	1.50	5	6	original	ϕ_o	0.487	0.848	0.667	3.153
IVFC	5	250	1.70	5	6	original	ϕ_o	0.561	0.774	0.668	3.137
IVFC	5	500	2.00	2	5	original	ϕ_o	0.876	0.754	0.815	4.375
IVFC	5	500	2.30	2	5	original	ϕ_o	0.912	0.669	0.791	4.339
IVFC	5	500	3.00	2	5	original	ϕ_o	0.952	0.452	0.702	3.700
IVFC	5	750	2.00	2	5	original	ϕ_o	0.876	0.754	0.815	4.375
IVFC	5	750	2.30	2	5	original	ϕ_o	0.912	0.669	0.791	4.339
IVFC	5	750	3.00	2	5	original	ϕ_o	0.952	0.452	0.702	3.700
IVFC	5	1000	2.00	2	5	original	ϕ_o	0.876	0.754	0.815	4.375
IVFC	5	1000	2.30	2	5	original	ϕ_o	0.912	0.669	0.791	4.339
IVFC	5	1000	3.00	2	5	original	ϕ_o	0.952	0.452	0.702	3.700
IVFC	5	10	1.25	4	3	original	ϕ_o	0.790	0.098	0.444	2.294
IVFC	5	10	1.50	4	3	original	ϕ_o	0.789	0.097	0.443	2.872
IVFC	5	10	1.70	4	3	original	ϕ_o	0.789	0.097	0.443	2.289
IVFC	5	100	1.25	4	3	original	ϕ_o	0.754	0.547	0.650	3.550
IVFC	5	100	1.50	4	3	original	ϕ_o	0.785	0.370	0.578	3.004
IVFC	5	100	1.70	4	3	original	ϕ_o	0.795	0.265	0.530	2.977
IVFC	5	250	1.25	4	3	original	ϕ_o	0.550	0.876	0.713	3.502
IVFC	5	250	1.50	4	3	original	ϕ_o	0.658	0.768	0.713	3.527
IVFC	5	250	1.70	4	3	original	ϕ_o	0.709	0.672	0.691	3.536
IVFC	5	10	2.00	2	5	original	ϕ_o	0.965	0.056	0.510	2.829
IVFC	5	10	2.30	2	5	original	ϕ_o	0.964	0.057	0.510	2.828
IVFC	5	10	3.00	2	5	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	5	100	2.00	2	5	original	ϕ_o	0.958	0.409	0.684	2.890
IVFC	5	100	2.30	2	5	original	ϕ_o	0.965	0.268	0.617	2.884
IVFC	5	100	3.00	2	5	original	ϕ_o	0.970	0.101	0.536	2.859
IVFC	5	250	2.00	2	5	original	ϕ_o	0.891	0.731	0.811	4.370
IVFC	5	250	2.30	2	5	original	ϕ_o	0.922	0.640	0.781	3.725
IVFC	5	250	3.00	2	5	original	ϕ_o	0.955	0.408	0.682	3.687
IVFC	5	10	0.20	3	7	original	ϕ_o	0.227	0.978	0.603	2.474
IVFC	5	100	0.20	3	7	original	ϕ_o	0.017	0.999	0.508	1.451

IVFC	5	250	0.20	3	7	original	ϕ_o	0.004	1.000	0.502	1.240
IVFC	5	10	1.25	6	2	original	ϕ_o	0.732	0.051	0.392	2.095
IVFC	5	10	1.50	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	10	1.70	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	1.25	6	2	original	ϕ_o	0.725	0.165	0.445	2.104
IVFC	5	100	1.50	6	2	original	ϕ_o	0.732	0.076	0.404	2.096
IVFC	5	100	1.70	6	2	original	ϕ_o	0.733	0.059	0.396	2.099
IVFC	5	250	1.25	6	2	original	ϕ_o	0.660	0.503	0.582	2.631
IVFC	5	250	1.50	6	2	original	ϕ_o	0.699	0.324	0.511	2.097
IVFC	5	250	1.70	6	2	original	ϕ_o	0.713	0.214	0.463	2.089
IVFC	5	500	0.50	6	3	original	ϕ_o	0.142	0.990	0.566	2.633
IVFC	5	500	0.70	6	3	original	ϕ_o	0.228	0.975	0.601	2.966
IVFC	5	500	1.00	6	3	original	ϕ_o	0.352	0.937	0.644	3.116
IVFC	5	750	0.50	6	3	original	ϕ_o	0.125	0.992	0.559	2.598
IVFC	5	750	0.70	6	3	original	ϕ_o	0.207	0.979	0.593	2.952
IVFC	5	750	1.00	6	3	original	ϕ_o	0.325	0.948	0.636	3.133
IVFC	5	1000	0.50	6	3	original	ϕ_o	0.125	0.992	0.559	2.598
IVFC	5	1000	0.70	6	3	original	ϕ_o	0.207	0.979	0.593	2.952
IVFC	5	1000	1.00	6	3	original	ϕ_o	0.325	0.948	0.636	3.133
IVFC	5	500	0.50	5	7	original	ϕ_o	0.065	0.992	0.529	2.504
IVFC	5	500	0.70	5	7	original	ϕ_o	0.127	0.980	0.554	2.967
IVFC	5	500	1.00	5	7	original	ϕ_o	0.237	0.960	0.598	3.187
IVFC	5	750	0.50	5	7	original	ϕ_o	0.065	0.992	0.529	2.504
IVFC	5	750	0.70	5	7	original	ϕ_o	0.127	0.980	0.554	2.967
IVFC	5	750	1.00	5	7	original	ϕ_o	0.237	0.960	0.598	3.187
IVFC	5	1000	0.50	5	7	original	ϕ_o	0.065	0.992	0.529	2.504
IVFC	5	1000	0.70	5	7	original	ϕ_o	0.127	0.980	0.554	2.967
IVFC	5	1000	1.00	5	7	original	ϕ_o	0.237	0.960	0.598	3.187
IVFC	5	10	1.25	6	5	original	ϕ_o	0.739	0.057	0.398	2.109
IVFC	5	10	1.50	6	5	original	ϕ_o	0.736	0.053	0.394	2.104
IVFC	5	10	1.70	6	5	original	ϕ_o	0.735	0.052	0.393	2.103
IVFC	5	100	1.25	6	5	original	ϕ_o	0.659	0.614	0.636	2.730
IVFC	5	100	1.50	6	5	original	ϕ_o	0.702	0.423	0.563	2.154
IVFC	5	100	1.70	6	5	original	ϕ_o	0.719	0.291	0.505	2.139
IVFC	5	250	1.25	6	5	original	ϕ_o	0.493	0.865	0.679	3.201
IVFC	5	250	1.50	6	5	original	ϕ_o	0.582	0.778	0.680	3.168
IVFC	5	250	1.70	6	5	original	ϕ_o	0.633	0.689	0.661	3.138
IVFC	5	500	2.00	3	7	original	ϕ_o	0.790	0.615	0.702	3.678
IVFC	5	500	2.30	3	7	original	ϕ_o	0.824	0.499	0.662	3.669
IVFC	5	500	3.00	3	7	original	ϕ_o	0.856	0.287	0.571	3.185
IVFC	5	750	2.00	3	7	original	ϕ_o	0.790	0.615	0.702	3.678
IVFC	5	750	2.30	3	7	original	ϕ_o	0.824	0.499	0.662	3.669
IVFC	5	750	3.00	3	7	original	ϕ_o	0.856	0.287	0.571	3.185
IVFC	5	1000	2.00	3	7	original	ϕ_o	0.790	0.615	0.702	3.678
IVFC	5	1000	2.30	3	7	original	ϕ_o	0.824	0.499	0.662	3.669
IVFC	5	1000	3.00	3	7	original	ϕ_o	0.856	0.287	0.571	3.185
IVFC	5	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	5	100	4.00	5	2	original	ϕ_o	0.749	0.107	0.428	2.774
IVFC	5	250	4.00	5	2	original	ϕ_o	0.750	0.113	0.431	2.186
IVFC	5	500	0.50	7	4	original	ϕ_o	0.069	0.996	0.533	2.405

IVFC	5	500	0.70	7	4	original	ϕ_o	0.128	0.988	0.558	2.718
IVFC	5	500	1.00	7	4	original	ϕ_o	0.284	0.955	0.619	2.865
IVFC	5	750	0.50	7	4	original	ϕ_o	0.069	0.996	0.533	2.405
IVFC	5	750	0.70	7	4	original	ϕ_o	0.128	0.988	0.558	2.718
IVFC	5	750	1.00	7	4	original	ϕ_o	0.284	0.955	0.619	2.865
IVFC	5	1000	0.50	7	4	original	ϕ_o	0.069	0.996	0.533	2.405
IVFC	5	1000	0.70	7	4	original	ϕ_o	0.128	0.988	0.558	2.718
IVFC	5	1000	1.00	7	4	original	ϕ_o	0.284	0.955	0.619	2.865
IVFC	5	10	0.50	7	5	original	ϕ_o	0.649	0.428	0.538	2.482
IVFC	5	10	0.70	7	5	original	ϕ_o	0.683	0.200	0.441	1.970
IVFC	5	10	1.00	7	5	original	ϕ_o	0.689	0.136	0.413	2.418
IVFC	5	100	0.50	7	5	original	ϕ_o	0.222	0.975	0.598	2.782
IVFC	5	100	0.70	7	5	original	ϕ_o	0.402	0.892	0.647	2.903
IVFC	5	100	1.00	7	5	original	ϕ_o	0.567	0.689	0.628	2.940
IVFC	5	250	0.50	7	5	original	ϕ_o	0.082	0.995	0.538	2.450
IVFC	5	250	0.70	7	5	original	ϕ_o	0.148	0.984	0.566	2.765
IVFC	5	250	1.00	7	5	original	ϕ_o	0.313	0.940	0.627	2.903
IVFC	5	10	1.25	7	6	original	ϕ_o	0.691	0.120	0.405	2.422
IVFC	5	10	1.50	7	6	original	ϕ_o	0.689	0.117	0.403	2.416
IVFC	5	10	1.70	7	6	original	ϕ_o	0.688	0.116	0.402	2.413
IVFC	5	100	1.25	7	6	original	ϕ_o	0.605	0.591	0.598	2.914
IVFC	5	100	1.50	7	6	original	ϕ_o	0.650	0.445	0.547	2.889
IVFC	5	100	1.70	7	6	original	ϕ_o	0.670	0.355	0.512	2.522
IVFC	5	250	1.25	7	6	original	ϕ_o	0.448	0.848	0.648	2.920
IVFC	5	250	1.50	7	6	original	ϕ_o	0.543	0.727	0.635	2.945
IVFC	5	250	1.70	7	6	original	ϕ_o	0.594	0.622	0.608	2.937
IVFC	5	10	1.25	2	7	original	ϕ_o	0.970	0.110	0.540	2.859
IVFC	5	10	1.50	2	7	original	ϕ_o	0.968	0.060	0.514	2.843
IVFC	5	10	1.70	2	7	original	ϕ_o	0.967	0.056	0.512	2.834
IVFC	5	100	1.25	2	7	original	ϕ_o	0.841	0.818	0.829	4.449
IVFC	5	100	1.50	2	7	original	ϕ_o	0.895	0.729	0.812	3.747
IVFC	5	100	1.70	2	7	original	ϕ_o	0.922	0.650	0.786	3.748
IVFC	5	250	1.25	2	7	original	ϕ_o	0.703	0.906	0.804	4.448
IVFC	5	250	1.50	2	7	original	ϕ_o	0.793	0.855	0.824	4.452
IVFC	5	250	1.70	2	7	original	ϕ_o	0.844	0.809	0.827	4.445
IVFC	5	10	2.00	4	3	original	ϕ_o	0.789	0.097	0.443	2.872
IVFC	5	10	2.30	4	3	original	ϕ_o	0.789	0.098	0.443	2.873
IVFC	5	10	3.00	4	3	original	ϕ_o	0.788	0.098	0.443	2.873
IVFC	5	100	2.00	4	3	original	ϕ_o	0.799	0.178	0.489	2.942
IVFC	5	100	2.30	4	3	original	ϕ_o	0.798	0.138	0.468	2.323
IVFC	5	100	3.00	4	3	original	ϕ_o	0.795	0.111	0.453	2.906
IVFC	5	250	2.00	4	3	original	ϕ_o	0.755	0.530	0.642	3.513
IVFC	5	250	2.30	4	3	original	ϕ_o	0.779	0.404	0.592	2.989
IVFC	5	250	3.00	4	3	original	ϕ_o	0.796	0.227	0.511	2.944
IVFC	5	10	2.00	2	3	original	ϕ_o	0.965	0.057	0.511	2.830
IVFC	5	10	2.30	2	3	original	ϕ_o	0.964	0.057	0.510	2.828
IVFC	5	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	2.00	2	3	original	ϕ_o	0.967	0.271	0.619	2.889
IVFC	5	100	2.30	2	3	original	ϕ_o	0.971	0.145	0.558	2.875
IVFC	5	100	3.00	2	3	original	ϕ_o	0.971	0.072	0.521	2.856

IVFC	5	250	2.00	2	3	original	ϕ_o	0.915	0.675	0.795	3.744
IVFC	5	250	2.30	2	3	original	ϕ_o	0.938	0.582	0.760	3.734
IVFC	5	250	3.00	2	3	original	ϕ_o	0.963	0.343	0.653	2.891
IVFC	5	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	4.00	6	2	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	5	250	4.00	6	2	original	ϕ_o	0.734	0.055	0.394	1.437
IVFC	5	10	2.00	2	4	original	ϕ_o	0.965	0.056	0.511	2.829
IVFC	5	10	2.30	2	4	original	ϕ_o	0.964	0.057	0.510	2.827
IVFC	5	10	3.00	2	4	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	5	100	2.00	2	4	original	ϕ_o	0.964	0.374	0.669	2.897
IVFC	5	100	2.30	2	4	original	ϕ_o	0.969	0.238	0.603	2.888
IVFC	5	100	3.00	2	4	original	ϕ_o	0.971	0.090	0.531	2.862
IVFC	5	250	2.00	2	4	original	ϕ_o	0.904	0.720	0.812	3.759
IVFC	5	250	2.30	2	4	original	ϕ_o	0.931	0.633	0.782	3.754
IVFC	5	250	3.00	2	4	original	ϕ_o	0.960	0.412	0.686	3.721
IVFC	5	500	2.00	2	3	original	ϕ_o	0.854	0.786	0.820	4.388
IVFC	5	500	2.30	2	3	original	ϕ_o	0.894	0.713	0.804	4.351
IVFC	5	500	3.00	2	3	original	ϕ_o	0.942	0.533	0.738	3.708
IVFC	5	750	2.00	2	3	original	ϕ_o	0.850	0.788	0.819	4.380
IVFC	5	750	2.30	2	3	original	ϕ_o	0.891	0.717	0.804	4.342
IVFC	5	750	3.00	2	3	original	ϕ_o	0.941	0.538	0.740	3.706
IVFC	5	1000	2.00	2	3	original	ϕ_o	0.850	0.788	0.819	4.380
IVFC	5	1000	2.30	2	3	original	ϕ_o	0.891	0.717	0.804	4.342
IVFC	5	1000	3.00	2	3	original	ϕ_o	0.941	0.538	0.740	3.706
IVFC	5	500	4.00	3	4	original	ϕ_o	0.860	0.180	0.520	2.530
IVFC	5	750	4.00	3	4	original	ϕ_o	0.860	0.183	0.522	2.529
IVFC	5	1000	4.00	3	4	original	ϕ_o	0.860	0.183	0.522	2.529
IVFC	5	500	2.00	5	3	original	ϕ_o	0.623	0.678	0.651	3.176
IVFC	5	500	2.30	5	3	original	ϕ_o	0.675	0.554	0.614	3.200
IVFC	5	500	3.00	5	3	original	ϕ_o	0.730	0.327	0.528	3.240
IVFC	5	750	2.00	5	3	original	ϕ_o	0.619	0.686	0.652	3.172
IVFC	5	750	2.30	5	3	original	ϕ_o	0.671	0.562	0.617	3.193
IVFC	5	750	3.00	5	3	original	ϕ_o	0.729	0.333	0.531	3.236
IVFC	5	1000	2.00	5	3	original	ϕ_o	0.619	0.686	0.652	3.172
IVFC	5	1000	2.30	5	3	original	ϕ_o	0.671	0.562	0.617	3.193
IVFC	5	1000	3.00	5	3	original	ϕ_o	0.729	0.333	0.531	3.236
IVFC	5	500	2.00	5	4	original	ϕ_o	0.624	0.669	0.646	3.110
IVFC	5	500	2.30	5	4	original	ϕ_o	0.674	0.558	0.616	3.141
IVFC	5	500	3.00	5	4	original	ϕ_o	0.729	0.348	0.538	3.201
IVFC	5	750	2.00	5	4	original	ϕ_o	0.624	0.669	0.646	3.110
IVFC	5	750	2.30	5	4	original	ϕ_o	0.674	0.558	0.616	3.141
IVFC	5	750	3.00	5	4	original	ϕ_o	0.729	0.348	0.538	3.201
IVFC	5	1000	2.00	5	4	original	ϕ_o	0.624	0.669	0.646	3.110
IVFC	5	1000	2.30	5	4	original	ϕ_o	0.674	0.558	0.616	3.141
IVFC	5	1000	3.00	5	4	original	ϕ_o	0.729	0.348	0.538	3.201
IVFC	5	10	2.00	4	5	original	ϕ_o	0.790	0.097	0.444	2.873
IVFC	5	10	2.30	4	5	original	ϕ_o	0.789	0.098	0.443	2.872
IVFC	5	10	3.00	4	5	original	ϕ_o	0.789	0.098	0.443	2.872
IVFC	5	100	2.00	4	5	original	ϕ_o	0.788	0.311	0.549	2.959
IVFC	5	100	2.30	4	5	original	ϕ_o	0.797	0.221	0.509	2.938

IVFC	5	100	3.00	4	5	original	ϕ_o	0.798	0.135	0.466	2.319
IVFC	5	250	2.00	4	5	original	ϕ_o	0.718	0.627	0.672	3.494
IVFC	5	250	2.30	4	5	original	ϕ_o	0.752	0.504	0.628	3.476
IVFC	5	250	3.00	4	5	original	ϕ_o	0.787	0.293	0.540	3.390
IVFC	5	10	0.50	3	3	original	ϕ_o	0.782	0.586	0.684	3.185
IVFC	5	10	0.70	3	3	original	ϕ_o	0.845	0.378	0.612	2.547
IVFC	5	10	1.00	3	3	original	ϕ_o	0.865	0.162	0.514	2.540
IVFC	5	100	0.50	3	3	original	ϕ_o	0.398	0.947	0.673	3.465
IVFC	5	100	0.70	3	3	original	ϕ_o	0.581	0.871	0.726	3.655
IVFC	5	100	1.00	3	3	original	ϕ_o	0.752	0.695	0.723	3.199
IVFC	5	250	0.50	3	3	original	ϕ_o	0.170	0.989	0.580	3.138
IVFC	5	250	0.70	3	3	original	ϕ_o	0.307	0.965	0.636	3.507
IVFC	5	250	1.00	3	3	original	ϕ_o	0.509	0.898	0.703	3.656
IVFC	5	10	0.20	6	4	original	ϕ_o	0.309	0.959	0.634	2.484
IVFC	5	100	0.20	6	4	original	ϕ_o	0.073	0.997	0.535	1.731
IVFC	5	250	0.20	6	4	original	ϕ_o	0.021	0.999	0.510	1.415
IVFC	5	10	2.00	3	4	original	ϕ_o	0.866	0.071	0.469	2.522
IVFC	5	10	2.30	3	4	original	ϕ_o	0.866	0.071	0.469	2.522
IVFC	5	10	3.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.519
IVFC	5	100	2.00	3	4	original	ϕ_o	0.860	0.211	0.536	2.541
IVFC	5	100	2.30	3	4	original	ϕ_o	0.864	0.145	0.505	2.534
IVFC	5	100	3.00	3	4	original	ϕ_o	0.866	0.094	0.480	2.526
IVFC	5	250	2.00	3	4	original	ϕ_o	0.802	0.573	0.687	3.584
IVFC	5	250	2.30	3	4	original	ϕ_o	0.829	0.449	0.639	3.146
IVFC	5	250	3.00	3	4	original	ϕ_o	0.857	0.226	0.541	2.534
IVFC	5	500	1.25	5	7	original	ϕ_o	0.351	0.929	0.640	3.212
IVFC	5	500	1.50	5	7	original	ϕ_o	0.466	0.869	0.667	3.190
IVFC	5	500	1.70	5	7	original	ϕ_o	0.541	0.801	0.671	3.165
IVFC	5	750	1.25	5	7	original	ϕ_o	0.351	0.929	0.640	3.212
IVFC	5	750	1.50	5	7	original	ϕ_o	0.466	0.869	0.667	3.190
IVFC	5	750	1.70	5	7	original	ϕ_o	0.541	0.801	0.671	3.165
IVFC	5	1000	1.25	5	7	original	ϕ_o	0.351	0.929	0.640	3.212
IVFC	5	1000	1.50	5	7	original	ϕ_o	0.466	0.869	0.667	3.190
IVFC	5	1000	1.70	5	7	original	ϕ_o	0.541	0.801	0.671	3.165
IVFC	5	500	4.00	3	5	original	ϕ_o	0.863	0.145	0.504	2.534
IVFC	5	750	4.00	3	5	original	ϕ_o	0.863	0.145	0.504	2.534
IVFC	5	1000	4.00	3	5	original	ϕ_o	0.863	0.145	0.504	2.534
IVFC	5	10	0.20	7	6	original	ϕ_o	0.279	0.968	0.623	2.380
IVFC	5	100	0.20	7	6	original	ϕ_o	0.043	0.999	0.521	1.338
IVFC	5	250	0.20	7	6	original	ϕ_o	0.020	1.000	0.510	1.034
IVFC	5	500	1.25	2	6	original	ϕ_o	0.688	0.913	0.800	4.445
IVFC	5	500	1.50	2	6	original	ϕ_o	0.780	0.862	0.821	4.449
IVFC	5	500	1.70	2	6	original	ϕ_o	0.833	0.816	0.824	4.435
IVFC	5	750	1.25	2	6	original	ϕ_o	0.688	0.913	0.800	4.445
IVFC	5	750	1.50	2	6	original	ϕ_o	0.780	0.862	0.821	4.449
IVFC	5	750	1.70	2	6	original	ϕ_o	0.833	0.816	0.824	4.435
IVFC	5	1000	1.25	2	6	original	ϕ_o	0.688	0.913	0.800	4.445
IVFC	5	1000	1.50	2	6	original	ϕ_o	0.780	0.862	0.821	4.449
IVFC	5	1000	1.70	2	6	original	ϕ_o	0.833	0.816	0.824	4.435
IVFC	5	10	0.20	7	5	original	ϕ_o	0.320	0.956	0.638	2.555

IVFC	5	100	0.20	7	5	original	ϕ_o	0.047	0.999	0.523	1.486
IVFC	5	250	0.20	7	5	original	ϕ_o	0.021	1.000	0.510	1.097
IVFC	5	10	0.50	7	6	original	ϕ_o	0.638	0.486	0.562	2.898
IVFC	5	10	0.70	7	6	original	ϕ_o	0.685	0.218	0.452	2.468
IVFC	5	10	1.00	7	6	original	ϕ_o	0.693	0.140	0.416	1.974
IVFC	5	100	0.50	7	6	original	ϕ_o	0.193	0.984	0.588	2.704
IVFC	5	100	0.70	7	6	original	ϕ_o	0.344	0.935	0.639	2.885
IVFC	5	100	1.00	7	6	original	ϕ_o	0.523	0.761	0.642	2.921
IVFC	5	250	0.50	7	6	original	ϕ_o	0.078	0.995	0.537	2.364
IVFC	5	250	0.70	7	6	original	ϕ_o	0.147	0.984	0.565	2.702
IVFC	5	250	1.00	7	6	original	ϕ_o	0.313	0.936	0.624	2.868
IVFC	5	10	0.20	6	6	original	ϕ_o	0.248	0.978	0.613	2.307
IVFC	5	100	0.20	6	6	original	ϕ_o	0.041	1.000	0.521	1.500
IVFC	5	250	0.20	6	6	original	ϕ_o	0.010	1.000	0.505	1.281
IVFC	5	500	1.25	6	3	original	ϕ_o	0.454	0.884	0.669	3.139
IVFC	5	500	1.50	6	3	original	ϕ_o	0.542	0.811	0.676	3.141
IVFC	5	500	1.70	6	3	original	ϕ_o	0.598	0.741	0.669	3.133
IVFC	5	750	1.25	6	3	original	ϕ_o	0.425	0.906	0.666	3.160
IVFC	5	750	1.50	6	3	original	ϕ_o	0.516	0.844	0.680	3.160
IVFC	5	750	1.70	6	3	original	ϕ_o	0.574	0.783	0.678	3.145
IVFC	5	1000	1.25	6	3	original	ϕ_o	0.425	0.906	0.666	3.160
IVFC	5	1000	1.50	6	3	original	ϕ_o	0.516	0.844	0.680	3.160
IVFC	5	1000	1.70	6	3	original	ϕ_o	0.574	0.783	0.678	3.145
IVFC	5	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	4.00	2	7	original	ϕ_o	0.970	0.079	0.524	2.856
IVFC	5	250	4.00	2	7	original	ϕ_o	0.971	0.161	0.566	2.882
IVFC	5	500	4.00	6	2	original	ϕ_o	0.730	0.072	0.401	2.084
IVFC	5	750	4.00	6	2	original	ϕ_o	0.728	0.103	0.416	2.089
IVFC	5	1000	4.00	6	2	original	ϕ_o	0.728	0.109	0.418	2.087
IVFC	5	10	2.00	5	2	original	ϕ_o	0.748	0.104	0.426	2.770
IVFC	5	10	2.30	5	2	original	ϕ_o	0.748	0.103	0.426	2.767
IVFC	5	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	5	100	2.00	5	2	original	ϕ_o	0.754	0.121	0.437	2.804
IVFC	5	100	2.30	5	2	original	ϕ_o	0.753	0.113	0.433	2.794
IVFC	5	100	3.00	5	2	original	ϕ_o	0.751	0.109	0.430	2.784
IVFC	5	250	2.00	5	2	original	ϕ_o	0.743	0.246	0.494	3.251
IVFC	5	250	2.30	5	2	original	ϕ_o	0.749	0.186	0.468	3.237
IVFC	5	250	3.00	5	2	original	ϕ_o	0.751	0.126	0.438	2.791
IVFC	5	500	2.00	2	6	original	ϕ_o	0.889	0.738	0.813	4.398
IVFC	5	500	2.30	2	6	original	ϕ_o	0.922	0.652	0.787	4.366
IVFC	5	500	3.00	2	6	original	ϕ_o	0.957	0.427	0.692	3.708
IVFC	5	750	2.00	2	6	original	ϕ_o	0.889	0.738	0.813	4.398
IVFC	5	750	2.30	2	6	original	ϕ_o	0.922	0.652	0.787	4.366
IVFC	5	750	3.00	2	6	original	ϕ_o	0.957	0.427	0.692	3.708
IVFC	5	1000	2.00	2	6	original	ϕ_o	0.889	0.738	0.813	4.398
IVFC	5	1000	2.30	2	6	original	ϕ_o	0.922	0.652	0.787	4.366
IVFC	5	1000	3.00	2	6	original	ϕ_o	0.957	0.427	0.692	3.708
IVFC	5	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	4.00	6	5	original	ϕ_o	0.734	0.058	0.396	2.100
IVFC	5	250	4.00	6	5	original	ϕ_o	0.732	0.083	0.408	2.100

IVFC	5	500	0.20	7	2	original	ϕ_o	0.026	1.000	0.513	1.117
IVFC	5	750	0.20	7	2	original	ϕ_o	0.024	1.000	0.512	1.058
IVFC	5	1000	0.20	7	2	original	ϕ_o	0.023	1.000	0.511	1.050
IVFC	5	500	2.00	7	2	original	ϕ_o	0.590	0.519	0.555	2.377
IVFC	5	500	2.30	7	2	original	ϕ_o	0.626	0.427	0.526	2.685
IVFC	5	500	3.00	7	2	original	ϕ_o	0.664	0.290	0.477	2.699
IVFC	5	750	2.00	7	2	original	ϕ_o	0.564	0.579	0.572	2.709
IVFC	5	750	2.30	7	2	original	ϕ_o	0.607	0.478	0.542	2.722
IVFC	5	750	3.00	7	2	original	ϕ_o	0.657	0.321	0.489	2.738
IVFC	5	1000	2.00	7	2	original	ϕ_o	0.563	0.594	0.578	2.749
IVFC	5	1000	2.30	7	2	original	ϕ_o	0.606	0.488	0.547	2.757
IVFC	5	1000	3.00	7	2	original	ϕ_o	0.657	0.324	0.490	2.760
IVFC	5	10	0.20	3	5	original	ϕ_o	0.293	0.963	0.628	2.687
IVFC	5	100	0.20	3	5	original	ϕ_o	0.034	0.999	0.516	1.703
IVFC	5	250	0.20	3	5	original	ϕ_o	0.006	1.000	0.503	1.359
IVFC	5	500	1.25	2	7	original	ϕ_o	0.694	0.906	0.800	4.435
IVFC	5	500	1.50	2	7	original	ϕ_o	0.787	0.855	0.821	4.439
IVFC	5	500	1.70	2	7	original	ϕ_o	0.839	0.809	0.824	4.430
IVFC	5	750	1.25	2	7	original	ϕ_o	0.694	0.906	0.800	4.435
IVFC	5	750	1.50	2	7	original	ϕ_o	0.787	0.855	0.821	4.439
IVFC	5	750	1.70	2	7	original	ϕ_o	0.839	0.809	0.824	4.430
IVFC	5	1000	1.25	2	7	original	ϕ_o	0.694	0.906	0.800	4.435
IVFC	5	1000	1.50	2	7	original	ϕ_o	0.787	0.855	0.821	4.439
IVFC	5	1000	1.70	2	7	original	ϕ_o	0.839	0.809	0.824	4.430
IVFC	5	10	1.25	4	6	original	ϕ_o	0.798	0.113	0.455	2.312
IVFC	5	10	1.50	4	6	original	ϕ_o	0.794	0.097	0.446	2.299
IVFC	5	10	1.70	4	6	original	ϕ_o	0.792	0.094	0.443	2.295
IVFC	5	100	1.25	4	6	original	ϕ_o	0.662	0.735	0.699	3.471
IVFC	5	100	1.50	4	6	original	ϕ_o	0.727	0.607	0.667	3.475
IVFC	5	100	1.70	4	6	original	ϕ_o	0.758	0.505	0.631	3.456
IVFC	5	250	1.25	4	6	original	ϕ_o	0.429	0.919	0.674	3.380
IVFC	5	250	1.50	4	6	original	ϕ_o	0.555	0.846	0.701	3.434
IVFC	5	250	1.70	4	6	original	ϕ_o	0.630	0.775	0.703	3.465
IVFC	5	10	0.50	2	2	original	ϕ_o	0.911	0.675	0.793	3.721
IVFC	5	10	0.70	2	2	original	ϕ_o	0.957	0.453	0.705	2.892
IVFC	5	10	1.00	2	2	original	ϕ_o	0.969	0.105	0.537	2.858
IVFC	5	100	0.50	2	2	original	ϕ_o	0.641	0.934	0.788	4.314
IVFC	5	100	0.70	2	2	original	ϕ_o	0.789	0.861	0.825	4.419
IVFC	5	100	1.00	2	2	original	ϕ_o	0.899	0.702	0.801	3.727
IVFC	5	250	0.50	2	2	original	ϕ_o	0.407	0.978	0.692	4.069
IVFC	5	250	0.70	2	2	original	ϕ_o	0.585	0.947	0.766	4.345
IVFC	5	250	1.00	2	2	original	ϕ_o	0.757	0.873	0.815	4.414
IVFC	5	10	0.50	5	4	original	ϕ_o	0.631	0.700	0.665	2.785
IVFC	5	10	0.70	5	4	original	ϕ_o	0.731	0.400	0.566	2.835
IVFC	5	10	1.00	5	4	original	ϕ_o	0.757	0.161	0.459	2.224
IVFC	5	100	0.50	5	4	original	ϕ_o	0.238	0.969	0.604	3.009
IVFC	5	100	0.70	5	4	original	ϕ_o	0.391	0.930	0.661	3.203
IVFC	5	100	1.00	5	4	original	ϕ_o	0.577	0.774	0.676	3.220
IVFC	5	250	0.50	5	4	original	ϕ_o	0.094	0.987	0.540	2.618
IVFC	5	250	0.70	5	4	original	ϕ_o	0.165	0.971	0.568	3.022

IVFC	5	250	1.00	5	4	original	ϕ_o	0.310	0.940	0.625	3.190
IVFC	5	10	1.25	7	7	original	ϕ_o	0.691	0.121	0.406	1.958
IVFC	5	10	1.50	7	7	original	ϕ_o	0.689	0.116	0.403	2.414
IVFC	5	10	1.70	7	7	original	ϕ_o	0.688	0.115	0.402	1.954
IVFC	5	100	1.25	7	7	original	ϕ_o	0.584	0.661	0.622	2.978
IVFC	5	100	1.50	7	7	original	ϕ_o	0.639	0.503	0.571	2.951
IVFC	5	100	1.70	7	7	original	ϕ_o	0.663	0.402	0.532	2.935
IVFC	5	250	1.25	7	7	original	ϕ_o	0.448	0.849	0.649	2.923
IVFC	5	250	1.50	7	7	original	ϕ_o	0.545	0.725	0.635	2.953
IVFC	5	250	1.70	7	7	original	ϕ_o	0.596	0.618	0.607	2.947
IVFC	5	500	1.25	7	3	original	ϕ_o	0.403	0.894	0.648	2.883
IVFC	5	500	1.50	7	3	original	ϕ_o	0.495	0.798	0.647	2.904
IVFC	5	500	1.70	7	3	original	ϕ_o	0.549	0.711	0.630	2.917
IVFC	5	750	1.25	7	3	original	ϕ_o	0.400	0.895	0.648	2.880
IVFC	5	750	1.50	7	3	original	ϕ_o	0.492	0.801	0.647	2.898
IVFC	5	750	1.70	7	3	original	ϕ_o	0.547	0.714	0.631	2.913
IVFC	5	1000	1.25	7	3	original	ϕ_o	0.400	0.895	0.648	2.880
IVFC	5	1000	1.50	7	3	original	ϕ_o	0.492	0.801	0.647	2.898
IVFC	5	1000	1.70	7	3	original	ϕ_o	0.547	0.714	0.631	2.913
IVFC	5	10	4.00	7	5	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	5	100	4.00	7	5	original	ϕ_o	0.692	0.145	0.419	2.454
IVFC	5	250	4.00	7	5	original	ϕ_o	0.690	0.223	0.456	2.816
IVFC	5	500	2.00	3	3	original	ϕ_o	0.733	0.691	0.712	3.579
IVFC	5	500	2.30	3	3	original	ϕ_o	0.784	0.592	0.688	3.552
IVFC	5	500	3.00	3	3	original	ϕ_o	0.838	0.365	0.601	3.098
IVFC	5	750	2.00	3	3	original	ϕ_o	0.713	0.704	0.708	3.547
IVFC	5	750	2.30	3	3	original	ϕ_o	0.770	0.603	0.687	3.523
IVFC	5	750	3.00	3	3	original	ϕ_o	0.833	0.375	0.604	3.079
IVFC	5	1000	2.00	3	3	original	ϕ_o	0.713	0.704	0.708	3.547
IVFC	5	1000	2.30	3	3	original	ϕ_o	0.770	0.603	0.687	3.523
IVFC	5	1000	3.00	3	3	original	ϕ_o	0.833	0.375	0.604	3.079
IVFC	5	500	4.00	5	2	original	ϕ_o	0.746	0.154	0.450	3.186
IVFC	5	750	4.00	5	2	original	ϕ_o	0.743	0.209	0.476	3.249
IVFC	5	1000	4.00	5	2	original	ϕ_o	0.743	0.209	0.476	3.247
IVFC	5	500	2.00	4	2	original	ϕ_o	0.699	0.674	0.687	3.486
IVFC	5	500	2.30	4	2	original	ϕ_o	0.740	0.554	0.647	3.485
IVFC	5	500	3.00	4	2	original	ϕ_o	0.781	0.314	0.547	3.415
IVFC	5	750	2.00	4	2	original	ϕ_o	0.653	0.734	0.694	3.429
IVFC	5	750	2.30	4	2	original	ϕ_o	0.710	0.624	0.667	3.435
IVFC	5	750	3.00	4	2	original	ϕ_o	0.768	0.397	0.583	2.934
IVFC	5	1000	2.00	4	2	original	ϕ_o	0.652	0.734	0.693	3.424
IVFC	5	1000	2.30	4	2	original	ϕ_o	0.710	0.624	0.667	3.429
IVFC	5	1000	3.00	4	2	original	ϕ_o	0.768	0.397	0.582	2.932
IVFC	5	10	2.00	4	7	original	ϕ_o	0.791	0.095	0.443	2.874
IVFC	5	10	2.30	4	7	original	ϕ_o	0.790	0.097	0.443	2.872
IVFC	5	10	3.00	4	7	original	ϕ_o	0.789	0.098	0.443	2.288
IVFC	5	100	2.00	4	7	original	ϕ_o	0.777	0.437	0.607	3.010
IVFC	5	100	2.30	4	7	original	ϕ_o	0.791	0.317	0.554	2.985
IVFC	5	100	3.00	4	7	original	ϕ_o	0.801	0.169	0.485	2.937
IVFC	5	250	2.00	4	7	original	ϕ_o	0.707	0.691	0.699	3.541

IVFC	5	250	2.30	4	7	original	ϕ_o	0.749	0.586	0.667	3.548
IVFC	5	250	3.00	4	7	original	ϕ_o	0.788	0.363	0.576	3.502
IVFC	5	500	1.25	3	2	original	ϕ_o	0.550	0.860	0.705	3.582
IVFC	5	500	1.50	3	2	original	ϕ_o	0.659	0.779	0.719	3.570
IVFC	5	500	1.70	3	2	original	ϕ_o	0.719	0.704	0.712	3.552
IVFC	5	750	1.25	3	2	original	ϕ_o	0.410	0.918	0.664	3.598
IVFC	5	750	1.50	3	2	original	ϕ_o	0.538	0.861	0.699	3.597
IVFC	5	750	1.70	3	2	original	ϕ_o	0.623	0.805	0.714	3.594
IVFC	5	1000	1.25	3	2	original	ϕ_o	0.386	0.931	0.658	3.613
IVFC	5	1000	1.50	3	2	original	ϕ_o	0.511	0.878	0.694	3.607
IVFC	5	1000	1.70	3	2	original	ϕ_o	0.597	0.825	0.711	3.603
IVFC	5	500	4.00	6	6	original	ϕ_o	0.739	0.106	0.423	2.127
IVFC	5	750	4.00	6	6	original	ϕ_o	0.739	0.106	0.423	2.127
IVFC	5	1000	4.00	6	6	original	ϕ_o	0.739	0.106	0.423	2.127
IVFC	5	500	4.00	2	3	original	ϕ_o	0.963	0.269	0.616	2.878
IVFC	5	750	4.00	2	3	original	ϕ_o	0.963	0.275	0.619	2.878
IVFC	5	1000	4.00	2	3	original	ϕ_o	0.963	0.275	0.619	2.878
IVFC	5	10	1.25	2	5	original	ϕ_o	0.969	0.068	0.518	2.846
IVFC	5	10	1.50	2	5	original	ϕ_o	0.967	0.056	0.512	2.838
IVFC	5	10	1.70	2	5	original	ϕ_o	0.966	0.056	0.511	2.833
IVFC	5	100	1.25	2	5	original	ϕ_o	0.881	0.765	0.823	4.408
IVFC	5	100	1.50	2	5	original	ϕ_o	0.922	0.655	0.788	3.745
IVFC	5	100	1.70	2	5	original	ϕ_o	0.942	0.561	0.752	3.732
IVFC	5	250	1.25	2	5	original	ϕ_o	0.690	0.905	0.797	4.424
IVFC	5	250	1.50	2	5	original	ϕ_o	0.784	0.854	0.819	4.418
IVFC	5	250	1.70	2	5	original	ϕ_o	0.837	0.810	0.823	4.407
IVFC	5	500	0.20	6	7	original	ϕ_o	0.008	1.000	0.504	1.250
IVFC	5	750	0.20	6	7	original	ϕ_o	0.008	1.000	0.504	1.250
IVFC	5	1000	0.20	6	7	original	ϕ_o	0.008	1.000	0.504	1.250
IVFC	5	10	1.25	3	6	original	ϕ_o	0.867	0.127	0.497	2.540
IVFC	5	10	1.50	3	6	original	ϕ_o	0.867	0.085	0.476	2.530
IVFC	5	10	1.70	3	6	original	ϕ_o	0.867	0.076	0.472	2.526
IVFC	5	100	1.25	3	6	original	ϕ_o	0.757	0.682	0.720	3.659
IVFC	5	100	1.50	3	6	original	ϕ_o	0.812	0.547	0.679	3.189
IVFC	5	100	1.70	3	6	original	ϕ_o	0.835	0.443	0.639	2.553
IVFC	5	250	1.25	3	6	original	ϕ_o	0.553	0.881	0.717	3.729
IVFC	5	250	1.50	3	6	original	ϕ_o	0.666	0.803	0.734	3.690
IVFC	5	250	1.70	3	6	original	ϕ_o	0.729	0.731	0.730	3.662
IVFC	5	10	2.00	6	6	original	ϕ_o	0.734	0.053	0.393	2.102
IVFC	5	10	2.30	6	6	original	ϕ_o	0.734	0.053	0.393	2.101
IVFC	5	10	3.00	6	6	original	ϕ_o	0.733	0.052	0.392	2.099
IVFC	5	100	2.00	6	6	original	ϕ_o	0.731	0.181	0.456	2.129
IVFC	5	100	2.30	6	6	original	ϕ_o	0.736	0.110	0.423	2.116
IVFC	5	100	3.00	6	6	original	ϕ_o	0.736	0.066	0.401	2.108
IVFC	5	250	2.00	6	6	original	ϕ_o	0.678	0.560	0.619	2.718
IVFC	5	250	2.30	6	6	original	ϕ_o	0.708	0.414	0.561	2.693
IVFC	5	250	3.00	6	6	original	ϕ_o	0.733	0.182	0.457	2.134
IVFC	5	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	4.00	2	2	original	ϕ_o	0.967	0.061	0.514	2.836
IVFC	5	250	4.00	2	2	original	ϕ_o	0.970	0.077	0.523	2.852

IVFC	5	500	2.00	2	7	original	ϕ_o	0.894	0.728	0.811	3.749
IVFC	5	500	2.30	2	7	original	ϕ_o	0.927	0.636	0.782	3.747
IVFC	5	500	3.00	2	7	original	ϕ_o	0.961	0.407	0.684	3.714
IVFC	5	750	2.00	2	7	original	ϕ_o	0.894	0.728	0.811	3.749
IVFC	5	750	2.30	2	7	original	ϕ_o	0.927	0.636	0.782	3.747
IVFC	5	750	3.00	2	7	original	ϕ_o	0.961	0.407	0.684	3.714
IVFC	5	1000	2.00	2	7	original	ϕ_o	0.894	0.728	0.811	3.749
IVFC	5	1000	2.30	2	7	original	ϕ_o	0.927	0.636	0.782	3.747
IVFC	5	1000	3.00	2	7	original	ϕ_o	0.961	0.407	0.684	3.714
IVFC	5	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	5	100	4.00	3	3	original	ϕ_o	0.865	0.080	0.473	2.518
IVFC	5	250	4.00	3	3	original	ϕ_o	0.864	0.109	0.486	2.522
IVFC	5	500	4.00	5	4	original	ϕ_o	0.745	0.204	0.474	3.195
IVFC	5	750	4.00	5	4	original	ϕ_o	0.745	0.204	0.474	3.195
IVFC	5	1000	4.00	5	4	original	ϕ_o	0.745	0.204	0.474	3.195
IVFC	5	500	0.20	5	2	original	ϕ_o	0.019	0.998	0.509	1.165
IVFC	5	750	0.20	5	2	original	ϕ_o	0.010	0.999	0.505	1.084
IVFC	5	1000	0.20	5	2	original	ϕ_o	0.009	0.999	0.504	1.080
IVFC	5	500	0.20	3	6	original	ϕ_o	0.004	1.000	0.502	1.266
IVFC	5	750	0.20	3	6	original	ϕ_o	0.004	1.000	0.502	1.266
IVFC	5	1000	0.20	3	6	original	ϕ_o	0.004	1.000	0.502	1.266
IVFC	5	500	2.00	3	2	original	ϕ_o	0.781	0.581	0.681	3.503
IVFC	5	500	2.30	3	2	original	ϕ_o	0.817	0.452	0.635	3.089
IVFC	5	500	3.00	3	2	original	ϕ_o	0.850	0.238	0.544	2.518
IVFC	5	750	2.00	3	2	original	ϕ_o	0.712	0.717	0.715	3.556
IVFC	5	750	2.30	3	2	original	ϕ_o	0.770	0.622	0.696	3.109
IVFC	5	750	3.00	3	2	original	ϕ_o	0.833	0.391	0.612	3.093
IVFC	5	1000	2.00	3	2	original	ϕ_o	0.692	0.737	0.715	3.567
IVFC	5	1000	2.30	3	2	original	ϕ_o	0.756	0.645	0.701	3.535
IVFC	5	1000	3.00	3	2	original	ϕ_o	0.828	0.421	0.624	3.497
IVFC	5	500	0.50	7	6	original	ϕ_o	0.072	0.995	0.533	2.334
IVFC	5	500	0.70	7	6	original	ϕ_o	0.138	0.985	0.562	2.685
IVFC	5	500	1.00	7	6	original	ϕ_o	0.303	0.940	0.622	2.865
IVFC	5	750	0.50	7	6	original	ϕ_o	0.072	0.995	0.533	2.334
IVFC	5	750	0.70	7	6	original	ϕ_o	0.138	0.985	0.562	2.685
IVFC	5	750	1.00	7	6	original	ϕ_o	0.303	0.940	0.622	2.865
IVFC	5	1000	0.50	7	6	original	ϕ_o	0.072	0.995	0.533	2.334
IVFC	5	1000	0.70	7	6	original	ϕ_o	0.138	0.985	0.562	2.685
IVFC	5	1000	1.00	7	6	original	ϕ_o	0.303	0.940	0.622	2.865
IVFC	5	500	4.00	3	3	original	ϕ_o	0.858	0.181	0.519	3.058
IVFC	5	750	4.00	3	3	original	ϕ_o	0.857	0.186	0.521	2.515
IVFC	5	1000	4.00	3	3	original	ϕ_o	0.857	0.186	0.521	2.515
IVFC	5	500	2.00	5	7	original	ϕ_o	0.622	0.685	0.654	3.167
IVFC	5	500	2.30	5	7	original	ϕ_o	0.673	0.574	0.624	3.178
IVFC	5	500	3.00	5	7	original	ϕ_o	0.727	0.357	0.542	3.227
IVFC	5	750	2.00	5	7	original	ϕ_o	0.622	0.685	0.654	3.167
IVFC	5	750	2.30	5	7	original	ϕ_o	0.673	0.574	0.624	3.178
IVFC	5	750	3.00	5	7	original	ϕ_o	0.727	0.357	0.542	3.227
IVFC	5	1000	2.00	5	7	original	ϕ_o	0.622	0.685	0.654	3.167
IVFC	5	1000	2.30	5	7	original	ϕ_o	0.673	0.574	0.624	3.178

IVFC	5	1000	3.00	5	7	original	ϕ_o	0.727	0.357	0.542	3.227
IVFC	5	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	4.00	2	3	original	ϕ_o	0.968	0.063	0.515	2.842
IVFC	5	250	4.00	2	3	original	ϕ_o	0.970	0.120	0.545	2.866
IVFC	5	10	0.50	5	6	original	ϕ_o	0.594	0.786	0.690	3.273
IVFC	5	10	0.70	5	6	original	ϕ_o	0.707	0.513	0.610	2.824
IVFC	5	10	1.00	5	6	original	ϕ_o	0.752	0.218	0.485	2.828
IVFC	5	100	0.50	5	6	original	ϕ_o	0.170	0.980	0.575	2.854
IVFC	5	100	0.70	5	6	original	ϕ_o	0.294	0.955	0.624	3.148
IVFC	5	100	1.00	5	6	original	ϕ_o	0.471	0.876	0.674	3.204
IVFC	5	250	0.50	5	6	original	ϕ_o	0.069	0.991	0.530	2.531
IVFC	5	250	0.70	5	6	original	ϕ_o	0.130	0.980	0.555	2.969
IVFC	5	250	1.00	5	6	original	ϕ_o	0.248	0.957	0.602	3.160
IVFC	5	500	0.50	7	3	original	ϕ_o	0.072	0.996	0.534	2.363
IVFC	5	500	0.70	7	3	original	ϕ_o	0.128	0.988	0.558	2.681
IVFC	5	500	1.00	7	3	original	ϕ_o	0.282	0.958	0.620	2.834
IVFC	5	750	0.50	7	3	original	ϕ_o	0.070	0.996	0.533	2.357
IVFC	5	750	0.70	7	3	original	ϕ_o	0.125	0.989	0.557	2.674
IVFC	5	750	1.00	7	3	original	ϕ_o	0.278	0.959	0.619	2.829
IVFC	5	1000	0.50	7	3	original	ϕ_o	0.070	0.996	0.533	2.357
IVFC	5	1000	0.70	7	3	original	ϕ_o	0.125	0.989	0.557	2.674
IVFC	5	1000	1.00	7	3	original	ϕ_o	0.278	0.959	0.619	2.829
IVFC	5	500	0.50	6	2	original	ϕ_o	0.179	0.985	0.582	2.597
IVFC	5	500	0.70	6	2	original	ϕ_o	0.275	0.959	0.617	2.876
IVFC	5	500	1.00	6	2	original	ϕ_o	0.422	0.885	0.654	2.998
IVFC	5	750	0.50	6	2	original	ϕ_o	0.139	0.991	0.565	2.509
IVFC	5	750	0.70	6	2	original	ϕ_o	0.223	0.975	0.599	2.833
IVFC	5	750	1.00	6	2	original	ϕ_o	0.343	0.928	0.635	3.002
IVFC	5	1000	0.50	6	2	original	ϕ_o	0.133	0.992	0.562	2.490
IVFC	5	1000	0.70	6	2	original	ϕ_o	0.214	0.975	0.595	2.818
IVFC	5	1000	1.00	6	2	original	ϕ_o	0.331	0.930	0.631	2.988
IVFC	5	10	1.25	5	3	original	ϕ_o	0.751	0.111	0.431	2.784
IVFC	5	10	1.50	5	3	original	ϕ_o	0.750	0.108	0.429	2.774
IVFC	5	10	1.70	5	3	original	ϕ_o	0.749	0.106	0.428	2.770
IVFC	5	100	1.25	5	3	original	ϕ_o	0.707	0.464	0.585	2.798
IVFC	5	100	1.50	5	3	original	ϕ_o	0.737	0.291	0.514	2.813
IVFC	5	100	1.70	5	3	original	ϕ_o	0.746	0.208	0.477	2.816
IVFC	5	250	1.25	5	3	original	ϕ_o	0.512	0.841	0.677	3.195
IVFC	5	250	1.50	5	3	original	ϕ_o	0.609	0.706	0.658	3.194
IVFC	5	250	1.70	5	3	original	ϕ_o	0.661	0.592	0.627	3.209
IVFC	5	500	0.20	7	7	original	ϕ_o	0.021	1.000	0.510	0.945
IVFC	5	750	0.20	7	7	original	ϕ_o	0.021	1.000	0.510	0.945
IVFC	5	1000	0.20	7	7	original	ϕ_o	0.021	1.000	0.510	0.945
IVFC	5	10	0.50	4	6	original	ϕ_o	0.663	0.731	0.697	3.433
IVFC	5	10	0.70	4	6	original	ϕ_o	0.760	0.485	0.623	2.358
IVFC	5	10	1.00	4	6	original	ϕ_o	0.796	0.197	0.496	2.937
IVFC	5	100	0.50	4	6	original	ϕ_o	0.207	0.982	0.594	2.823
IVFC	5	100	0.70	4	6	original	ϕ_o	0.336	0.953	0.644	3.247
IVFC	5	100	1.00	4	6	original	ϕ_o	0.547	0.859	0.703	3.434
IVFC	5	250	0.50	4	6	original	ϕ_o	0.098	0.997	0.547	2.337

IVFC	5	250	0.70	4	6	original	ϕ_o	0.176	0.988	0.582	2.889
IVFC	5	250	1.00	4	6	original	ϕ_o	0.295	0.963	0.629	3.253
IVFC	5	10	2.00	5	7	original	ϕ_o	0.750	0.105	0.427	2.778
IVFC	5	10	2.30	5	7	original	ϕ_o	0.750	0.105	0.427	2.773
IVFC	5	10	3.00	5	7	original	ϕ_o	0.749	0.104	0.426	2.769
IVFC	5	100	2.00	5	7	original	ϕ_o	0.718	0.390	0.554	2.768
IVFC	5	100	2.30	5	7	original	ϕ_o	0.735	0.285	0.510	2.787
IVFC	5	100	3.00	5	7	original	ϕ_o	0.746	0.157	0.452	3.214
IVFC	5	250	2.00	5	7	original	ϕ_o	0.632	0.658	0.645	3.161
IVFC	5	250	2.30	5	7	original	ϕ_o	0.681	0.541	0.611	3.170
IVFC	5	250	3.00	5	7	original	ϕ_o	0.729	0.328	0.528	3.212
IVFC	5	10	0.50	6	4	original	ϕ_o	0.659	0.593	0.626	2.708
IVFC	5	10	0.70	6	4	original	ϕ_o	0.727	0.306	0.516	2.169
IVFC	5	10	1.00	6	4	original	ϕ_o	0.739	0.079	0.409	2.122
IVFC	5	100	0.50	6	4	original	ϕ_o	0.342	0.934	0.638	2.971
IVFC	5	100	0.70	6	4	original	ϕ_o	0.482	0.845	0.663	3.063
IVFC	5	100	1.00	6	4	original	ϕ_o	0.629	0.640	0.634	2.682
IVFC	5	250	0.50	6	4	original	ϕ_o	0.168	0.980	0.574	2.737
IVFC	5	250	0.70	6	4	original	ϕ_o	0.280	0.952	0.616	2.995
IVFC	5	250	1.00	6	4	original	ϕ_o	0.431	0.876	0.654	3.064
IVFC	5	500	1.25	3	6	original	ϕ_o	0.534	0.895	0.715	3.738
IVFC	5	500	1.50	3	6	original	ϕ_o	0.650	0.822	0.736	3.729
IVFC	5	500	1.70	3	6	original	ϕ_o	0.717	0.751	0.734	3.702
IVFC	5	750	1.25	3	6	original	ϕ_o	0.534	0.895	0.715	3.738
IVFC	5	750	1.50	3	6	original	ϕ_o	0.650	0.822	0.736	3.729
IVFC	5	750	1.70	3	6	original	ϕ_o	0.717	0.751	0.734	3.702
IVFC	5	1000	1.25	3	6	original	ϕ_o	0.534	0.895	0.715	3.738
IVFC	5	1000	1.50	3	6	original	ϕ_o	0.650	0.822	0.736	3.729
IVFC	5	1000	1.70	3	6	original	ϕ_o	0.717	0.751	0.734	3.702
IVFC	5	10	4.00	3	5	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	100	4.00	3	5	original	ϕ_o	0.866	0.081	0.474	2.521
IVFC	5	250	4.00	3	5	original	ϕ_o	0.865	0.121	0.493	2.532
IVFC	5	10	1.25	2	4	original	ϕ_o	0.969	0.070	0.520	2.848
IVFC	5	10	1.50	2	4	original	ϕ_o	0.967	0.057	0.512	2.839
IVFC	5	10	1.70	2	4	original	ϕ_o	0.966	0.056	0.511	2.834
IVFC	5	100	1.25	2	4	original	ϕ_o	0.901	0.732	0.816	3.759
IVFC	5	100	1.50	2	4	original	ϕ_o	0.935	0.621	0.778	3.758
IVFC	5	100	1.70	2	4	original	ϕ_o	0.951	0.527	0.739	3.743
IVFC	5	250	1.25	2	4	original	ϕ_o	0.725	0.898	0.812	4.465
IVFC	5	250	1.50	2	4	original	ϕ_o	0.811	0.845	0.828	4.456
IVFC	5	250	1.70	2	4	original	ϕ_o	0.858	0.799	0.828	4.450
IVFC	5	500	4.00	3	2	original	ϕ_o	0.862	0.129	0.496	2.517
IVFC	5	750	4.00	3	2	original	ϕ_o	0.858	0.197	0.527	2.529
IVFC	5	1000	4.00	3	2	original	ϕ_o	0.856	0.212	0.534	2.528
IVFC	5	500	1.25	2	2	original	ϕ_o	0.684	0.906	0.795	4.408
IVFC	5	500	1.50	2	2	original	ϕ_o	0.774	0.854	0.814	4.392
IVFC	5	500	1.70	2	2	original	ϕ_o	0.827	0.805	0.816	4.370
IVFC	5	750	1.25	2	2	original	ϕ_o	0.582	0.938	0.760	4.401
IVFC	5	750	1.50	2	2	original	ϕ_o	0.682	0.901	0.791	4.405
IVFC	5	750	1.70	2	2	original	ϕ_o	0.748	0.868	0.808	4.396

IVFC	5	1000	1.25	2	2	original	ϕ_o	0.565	0.940	0.753	4.388
IVFC	5	1000	1.50	2	2	original	ϕ_o	0.666	0.904	0.785	4.399
IVFC	5	1000	1.70	2	2	original	ϕ_o	0.734	0.872	0.803	4.386
IVFC	5	10	1.25	4	4	original	ϕ_o	0.794	0.103	0.448	2.305
IVFC	5	10	1.50	4	4	original	ϕ_o	0.791	0.098	0.445	2.875
IVFC	5	10	1.70	4	4	original	ϕ_o	0.790	0.098	0.444	2.876
IVFC	5	100	1.25	4	4	original	ϕ_o	0.729	0.622	0.675	3.548
IVFC	5	100	1.50	4	4	original	ϕ_o	0.768	0.463	0.615	3.521
IVFC	5	100	1.70	4	4	original	ϕ_o	0.784	0.350	0.567	2.987
IVFC	5	250	1.25	4	4	original	ϕ_o	0.494	0.909	0.701	3.473
IVFC	5	250	1.50	4	4	original	ϕ_o	0.611	0.826	0.719	3.524
IVFC	5	250	1.70	4	4	original	ϕ_o	0.673	0.747	0.710	3.548
IVFC	5	10	4.00	3	6	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	100	4.00	3	6	original	ϕ_o	0.866	0.085	0.476	2.523
IVFC	5	250	4.00	3	6	original	ϕ_o	0.865	0.139	0.502	2.537
IVFC	5	10	0.20	2	4	original	ϕ_o	0.480	0.956	0.718	3.586
IVFC	5	100	0.20	2	4	original	ϕ_o	0.061	0.999	0.530	2.391
IVFC	5	250	0.20	2	4	original	ϕ_o	0.011	1.000	0.505	1.895
IVFC	5	10	2.00	5	5	original	ϕ_o	0.749	0.106	0.427	2.775
IVFC	5	10	2.30	5	5	original	ϕ_o	0.748	0.105	0.427	2.771
IVFC	5	10	3.00	5	5	original	ϕ_o	0.748	0.104	0.426	2.765
IVFC	5	100	2.00	5	5	original	ϕ_o	0.741	0.270	0.506	2.814
IVFC	5	100	2.30	5	5	original	ϕ_o	0.748	0.203	0.475	2.207
IVFC	5	100	3.00	5	5	original	ϕ_o	0.750	0.135	0.443	2.809
IVFC	5	250	2.00	5	5	original	ϕ_o	0.665	0.599	0.632	3.166
IVFC	5	250	2.30	5	5	original	ϕ_o	0.703	0.475	0.589	3.188
IVFC	5	250	3.00	5	5	original	ϕ_o	0.739	0.278	0.509	3.206
IVFC	5	10	0.50	4	4	original	ϕ_o	0.695	0.685	0.690	3.454
IVFC	5	10	0.70	4	4	original	ϕ_o	0.772	0.410	0.591	2.977
IVFC	5	10	1.00	4	4	original	ϕ_o	0.796	0.152	0.474	2.323
IVFC	5	100	0.50	4	4	original	ϕ_o	0.292	0.972	0.632	3.066
IVFC	5	100	0.70	4	4	original	ϕ_o	0.442	0.925	0.683	3.359
IVFC	5	100	1.00	4	4	original	ϕ_o	0.644	0.781	0.712	3.506
IVFC	5	250	0.50	4	4	original	ϕ_o	0.126	0.996	0.561	2.561
IVFC	5	250	0.70	4	4	original	ϕ_o	0.210	0.985	0.598	3.057
IVFC	5	250	1.00	4	4	original	ϕ_o	0.348	0.958	0.653	3.374
IVFC	5	10	2.00	7	3	original	ϕ_o	0.685	0.114	0.399	2.403
IVFC	5	10	2.30	7	3	original	ϕ_o	0.685	0.113	0.399	2.287
IVFC	5	10	3.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	100	2.00	7	3	original	ϕ_o	0.685	0.187	0.436	2.815
IVFC	5	100	2.30	7	3	original	ϕ_o	0.686	0.169	0.427	2.445
IVFC	5	100	3.00	7	3	original	ϕ_o	0.685	0.145	0.415	2.432
IVFC	5	250	2.00	7	3	original	ϕ_o	0.661	0.399	0.530	2.904
IVFC	5	250	2.30	7	3	original	ϕ_o	0.673	0.313	0.493	2.498
IVFC	5	250	3.00	7	3	original	ϕ_o	0.681	0.222	0.452	2.826
IVFC	5	500	0.50	3	3	original	ϕ_o	0.090	0.995	0.543	2.860
IVFC	5	500	0.70	3	3	original	ϕ_o	0.176	0.985	0.580	3.325
IVFC	5	500	1.00	3	3	original	ϕ_o	0.318	0.955	0.637	3.588
IVFC	5	750	0.50	3	3	original	ϕ_o	0.087	0.995	0.541	2.806
IVFC	5	750	0.70	3	3	original	ϕ_o	0.168	0.985	0.577	3.272

IVFC	5	750	1.00	3	3	original	ϕ_o	0.298	0.956	0.627	3.541
IVFC	5	1000	0.50	3	3	original	ϕ_o	0.087	0.995	0.541	2.806
IVFC	5	1000	0.70	3	3	original	ϕ_o	0.168	0.985	0.577	3.272
IVFC	5	1000	1.00	3	3	original	ϕ_o	0.298	0.956	0.627	3.541
IVFC	5	500	2.00	7	5	original	ϕ_o	0.617	0.591	0.604	2.961
IVFC	5	500	2.30	7	5	original	ϕ_o	0.648	0.490	0.569	2.941
IVFC	5	500	3.00	7	5	original	ϕ_o	0.678	0.330	0.504	2.897
IVFC	5	750	2.00	7	5	original	ϕ_o	0.617	0.591	0.604	2.961
IVFC	5	750	2.30	7	5	original	ϕ_o	0.648	0.490	0.569	2.941
IVFC	5	750	3.00	7	5	original	ϕ_o	0.678	0.330	0.504	2.897
IVFC	5	1000	2.00	7	5	original	ϕ_o	0.617	0.591	0.604	2.961
IVFC	5	1000	2.30	7	5	original	ϕ_o	0.648	0.490	0.569	2.941
IVFC	5	1000	3.00	7	5	original	ϕ_o	0.678	0.330	0.504	2.897
IVFC	5	10	1.25	7	3	original	ϕ_o	0.686	0.122	0.404	2.406
IVFC	5	10	1.50	7	3	original	ϕ_o	0.685	0.118	0.402	2.405
IVFC	5	10	1.70	7	3	original	ϕ_o	0.685	0.116	0.400	2.405
IVFC	5	100	1.25	7	3	original	ϕ_o	0.668	0.372	0.520	2.902
IVFC	5	100	1.50	7	3	original	ϕ_o	0.681	0.264	0.472	2.485
IVFC	5	100	1.70	7	3	original	ϕ_o	0.684	0.221	0.453	2.469
IVFC	5	250	1.25	7	3	original	ϕ_o	0.537	0.740	0.639	2.929
IVFC	5	250	1.50	7	3	original	ϕ_o	0.603	0.613	0.608	2.936
IVFC	5	250	1.70	7	3	original	ϕ_o	0.635	0.520	0.577	2.926
IVFC	5	10	0.50	7	4	original	ϕ_o	0.654	0.402	0.528	2.861
IVFC	5	10	0.70	7	4	original	ϕ_o	0.683	0.185	0.434	2.423
IVFC	5	10	1.00	7	4	original	ϕ_o	0.686	0.135	0.411	2.409
IVFC	5	100	0.50	7	4	original	ϕ_o	0.293	0.959	0.626	2.862
IVFC	5	100	0.70	7	4	original	ϕ_o	0.462	0.852	0.657	2.931
IVFC	5	100	1.00	7	4	original	ϕ_o	0.603	0.629	0.616	2.950
IVFC	5	250	0.50	7	4	original	ϕ_o	0.092	0.995	0.543	2.541
IVFC	5	250	0.70	7	4	original	ϕ_o	0.186	0.981	0.584	2.806
IVFC	5	250	1.00	7	4	original	ϕ_o	0.366	0.914	0.640	2.886
IVFC	5	10	0.20	3	2	original	ϕ_o	0.422	0.934	0.678	2.950
IVFC	5	100	0.20	3	2	original	ϕ_o	0.099	0.995	0.547	2.220
IVFC	5	250	0.20	3	2	original	ϕ_o	0.033	0.999	0.516	1.820
IVFC	5	500	1.25	5	5	original	ϕ_o	0.348	0.920	0.634	3.172
IVFC	5	500	1.50	5	5	original	ϕ_o	0.469	0.863	0.666	3.152
IVFC	5	500	1.70	5	5	original	ϕ_o	0.545	0.800	0.673	3.132
IVFC	5	750	1.25	5	5	original	ϕ_o	0.348	0.920	0.634	3.172
IVFC	5	750	1.50	5	5	original	ϕ_o	0.469	0.863	0.666	3.152
IVFC	5	750	1.70	5	5	original	ϕ_o	0.545	0.800	0.673	3.132
IVFC	5	1000	1.25	5	5	original	ϕ_o	0.348	0.920	0.634	3.172
IVFC	5	1000	1.50	5	5	original	ϕ_o	0.469	0.863	0.666	3.152
IVFC	5	1000	1.70	5	5	original	ϕ_o	0.545	0.800	0.673	3.132
IVFC	5	500	0.20	5	6	original	ϕ_o	0.003	1.000	0.501	1.015
IVFC	5	750	0.20	5	6	original	ϕ_o	0.003	1.000	0.501	1.015
IVFC	5	1000	0.20	5	6	original	ϕ_o	0.003	1.000	0.501	1.015
IVFC	5	10	0.50	7	7	original	ϕ_o	0.628	0.534	0.581	2.929
IVFC	5	10	0.70	7	7	original	ϕ_o	0.685	0.249	0.467	2.484
IVFC	5	10	1.00	7	7	original	ϕ_o	0.693	0.144	0.419	1.975
IVFC	5	100	0.50	7	7	original	ϕ_o	0.167	0.988	0.577	2.616

IVFC	5	100	0.70	7	7	original	ϕ_o	0.306	0.957	0.632	2.874
IVFC	5	100	1.00	7	7	original	ϕ_o	0.488	0.823	0.656	2.963
IVFC	5	250	0.50	7	7	original	ϕ_o	0.077	0.995	0.536	2.301
IVFC	5	250	0.70	7	7	original	ϕ_o	0.143	0.985	0.564	2.671
IVFC	5	250	1.00	7	7	original	ϕ_o	0.310	0.938	0.624	2.864
IVFC	5	500	0.50	6	4	original	ϕ_o	0.114	0.992	0.553	2.616
IVFC	5	500	0.70	6	4	original	ϕ_o	0.201	0.978	0.590	2.982
IVFC	5	500	1.00	6	4	original	ϕ_o	0.332	0.946	0.639	3.150
IVFC	5	750	0.50	6	4	original	ϕ_o	0.113	0.993	0.553	2.615
IVFC	5	750	0.70	6	4	original	ϕ_o	0.200	0.978	0.589	2.982
IVFC	5	750	1.00	6	4	original	ϕ_o	0.330	0.947	0.639	3.153
IVFC	5	1000	0.50	6	4	original	ϕ_o	0.113	0.993	0.553	2.615
IVFC	5	1000	0.70	6	4	original	ϕ_o	0.200	0.978	0.589	2.982
IVFC	5	1000	1.00	6	4	original	ϕ_o	0.330	0.947	0.639	3.153
IVFC	5	10	1.25	3	5	original	ϕ_o	0.867	0.109	0.488	2.537
IVFC	5	10	1.50	3	5	original	ϕ_o	0.867	0.079	0.473	2.529
IVFC	5	10	1.70	3	5	original	ϕ_o	0.867	0.074	0.471	2.526
IVFC	5	100	1.25	3	5	original	ϕ_o	0.771	0.656	0.714	3.641
IVFC	5	100	1.50	3	5	original	ϕ_o	0.819	0.511	0.665	3.181
IVFC	5	100	1.70	3	5	original	ϕ_o	0.840	0.396	0.618	3.162
IVFC	5	250	1.25	3	5	original	ϕ_o	0.572	0.867	0.720	3.697
IVFC	5	250	1.50	3	5	original	ϕ_o	0.677	0.785	0.731	3.654
IVFC	5	250	1.70	3	5	original	ϕ_o	0.735	0.711	0.723	3.631
IVFC	5	10	0.50	6	2	original	ϕ_o	0.662	0.443	0.553	2.072
IVFC	5	10	0.70	6	2	original	ϕ_o	0.721	0.190	0.455	2.100
IVFC	5	10	1.00	6	2	original	ϕ_o	0.731	0.056	0.394	2.090
IVFC	5	100	0.50	6	2	original	ϕ_o	0.464	0.863	0.663	2.916
IVFC	5	100	0.70	6	2	original	ϕ_o	0.593	0.666	0.630	2.612
IVFC	5	100	1.00	6	2	original	ϕ_o	0.700	0.358	0.529	2.119
IVFC	5	250	0.50	6	2	original	ϕ_o	0.305	0.952	0.628	2.778
IVFC	5	250	0.70	6	2	original	ϕ_o	0.438	0.881	0.659	2.955
IVFC	5	250	1.00	6	2	original	ϕ_o	0.585	0.694	0.639	3.006
IVFC	5	500	2.00	4	5	original	ϕ_o	0.680	0.706	0.693	3.490
IVFC	5	500	2.30	4	5	original	ϕ_o	0.731	0.600	0.665	3.507
IVFC	5	500	3.00	4	5	original	ϕ_o	0.780	0.381	0.580	3.482
IVFC	5	750	2.00	4	5	original	ϕ_o	0.680	0.706	0.693	3.490
IVFC	5	750	2.30	4	5	original	ϕ_o	0.731	0.600	0.665	3.507
IVFC	5	750	3.00	4	5	original	ϕ_o	0.780	0.381	0.580	3.482
IVFC	5	1000	2.00	4	5	original	ϕ_o	0.680	0.706	0.693	3.490
IVFC	5	1000	2.30	4	5	original	ϕ_o	0.731	0.600	0.665	3.507
IVFC	5	1000	3.00	4	5	original	ϕ_o	0.780	0.381	0.580	3.482
IVFC	5	10	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	5	100	4.00	4	5	original	ϕ_o	0.795	0.111	0.453	2.883
IVFC	5	250	4.00	4	5	original	ϕ_o	0.795	0.167	0.481	2.898
IVFC	5	500	1.25	3	3	original	ϕ_o	0.451	0.912	0.682	3.638
IVFC	5	500	1.50	3	3	original	ϕ_o	0.574	0.851	0.712	3.625
IVFC	5	500	1.70	3	3	original	ϕ_o	0.651	0.789	0.720	3.611
IVFC	5	750	1.25	3	3	original	ϕ_o	0.422	0.917	0.669	3.602
IVFC	5	750	1.50	3	3	original	ϕ_o	0.542	0.861	0.701	3.593
IVFC	5	750	1.70	3	3	original	ϕ_o	0.623	0.802	0.712	3.579

IVFC	5	1000	1.25	3	3	original	ϕ_o	0.422	0.917	0.669	3.602
IVFC	5	1000	1.50	3	3	original	ϕ_o	0.542	0.861	0.701	3.593
IVFC	5	1000	1.70	3	3	original	ϕ_o	0.623	0.802	0.712	3.579
IVFC	5	10	1.25	7	5	original	ϕ_o	0.689	0.122	0.405	1.957
IVFC	5	10	1.50	7	5	original	ϕ_o	0.688	0.117	0.403	2.417
IVFC	5	10	1.70	7	5	original	ϕ_o	0.687	0.116	0.402	1.954
IVFC	5	100	1.25	7	5	original	ϕ_o	0.632	0.518	0.575	2.914
IVFC	5	100	1.50	7	5	original	ϕ_o	0.666	0.378	0.522	2.034
IVFC	5	100	1.70	7	5	original	ϕ_o	0.679	0.306	0.493	2.867
IVFC	5	250	1.25	7	5	original	ϕ_o	0.439	0.860	0.650	2.936
IVFC	5	250	1.50	7	5	original	ϕ_o	0.531	0.753	0.642	2.957
IVFC	5	250	1.70	7	5	original	ϕ_o	0.582	0.665	0.624	2.952
IVFC	5	500	0.50	3	7	original	ϕ_o	0.093	0.993	0.543	2.922
IVFC	5	500	0.70	3	7	original	ϕ_o	0.211	0.982	0.597	3.435
IVFC	5	500	1.00	3	7	original	ϕ_o	0.404	0.947	0.676	3.686
IVFC	5	750	0.50	3	7	original	ϕ_o	0.093	0.993	0.543	2.922
IVFC	5	750	0.70	3	7	original	ϕ_o	0.211	0.982	0.597	3.435
IVFC	5	750	1.00	3	7	original	ϕ_o	0.404	0.947	0.676	3.686
IVFC	5	1000	0.50	3	7	original	ϕ_o	0.093	0.993	0.543	2.922
IVFC	5	1000	0.70	3	7	original	ϕ_o	0.211	0.982	0.597	3.435
IVFC	5	1000	1.00	3	7	original	ϕ_o	0.404	0.947	0.676	3.686
IVFC	5	500	0.50	4	3	original	ϕ_o	0.091	0.999	0.545	2.287
IVFC	5	500	0.70	4	3	original	ϕ_o	0.158	0.994	0.576	2.834
IVFC	5	500	1.00	4	3	original	ϕ_o	0.253	0.977	0.615	3.237
IVFC	5	750	0.50	4	3	original	ϕ_o	0.090	0.999	0.544	2.268
IVFC	5	750	0.70	4	3	original	ϕ_o	0.156	0.994	0.575	2.814
IVFC	5	750	1.00	4	3	original	ϕ_o	0.246	0.977	0.612	3.215
IVFC	5	1000	0.50	4	3	original	ϕ_o	0.090	0.999	0.544	2.268
IVFC	5	1000	0.70	4	3	original	ϕ_o	0.156	0.994	0.575	2.814
IVFC	5	1000	1.00	4	3	original	ϕ_o	0.246	0.977	0.612	3.215
IVFC	5	500	0.20	2	4	original	ϕ_o	0.006	1.000	0.503	1.787
IVFC	5	750	0.20	2	4	original	ϕ_o	0.006	1.000	0.503	1.787
IVFC	5	1000	0.20	2	4	original	ϕ_o	0.006	1.000	0.503	1.787
IVFC	5	10	2.00	6	5	original	ϕ_o	0.734	0.053	0.393	2.100
IVFC	5	10	2.30	6	5	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	5	10	3.00	6	5	original	ϕ_o	0.732	0.052	0.392	1.434
IVFC	5	100	2.00	6	5	original	ϕ_o	0.731	0.157	0.444	2.118
IVFC	5	100	2.30	6	5	original	ϕ_o	0.734	0.096	0.415	2.109
IVFC	5	100	3.00	6	5	original	ϕ_o	0.734	0.062	0.398	1.439
IVFC	5	250	2.00	6	5	original	ϕ_o	0.681	0.540	0.611	2.705
IVFC	5	250	2.30	6	5	original	ϕ_o	0.707	0.392	0.550	2.676
IVFC	5	250	3.00	6	5	original	ϕ_o	0.729	0.168	0.449	2.118
IVFC	5	500	0.50	7	7	original	ϕ_o	0.074	0.995	0.535	2.297
IVFC	5	500	0.70	7	7	original	ϕ_o	0.140	0.985	0.562	2.669
IVFC	5	500	1.00	7	7	original	ϕ_o	0.307	0.938	0.622	2.860
IVFC	5	750	0.50	7	7	original	ϕ_o	0.074	0.995	0.535	2.297
IVFC	5	750	0.70	7	7	original	ϕ_o	0.140	0.985	0.562	2.669
IVFC	5	750	1.00	7	7	original	ϕ_o	0.307	0.938	0.622	2.860
IVFC	5	1000	0.50	7	7	original	ϕ_o	0.074	0.995	0.535	2.297
IVFC	5	1000	0.70	7	7	original	ϕ_o	0.140	0.985	0.562	2.669

IVFC	5	1000	1.00	7	7	original	ϕ_o	0.307	0.938	0.622	2.860
IVFC	5	10	0.20	6	7	original	ϕ_o	0.235	0.980	0.607	2.260
IVFC	5	100	0.20	6	7	original	ϕ_o	0.033	1.000	0.516	1.448
IVFC	5	250	0.20	6	7	original	ϕ_o	0.009	1.000	0.505	1.256
IVFC	5	500	1.25	6	2	original	ϕ_o	0.525	0.792	0.658	3.006
IVFC	5	500	1.50	6	2	original	ϕ_o	0.603	0.671	0.637	2.992
IVFC	5	500	1.70	6	2	original	ϕ_o	0.645	0.563	0.604	2.113
IVFC	5	750	1.25	6	2	original	ϕ_o	0.451	0.870	0.661	3.036
IVFC	5	750	1.50	6	2	original	ϕ_o	0.540	0.788	0.664	3.036
IVFC	5	750	1.70	6	2	original	ϕ_o	0.594	0.708	0.651	2.653
IVFC	5	1000	1.25	6	2	original	ϕ_o	0.438	0.876	0.657	3.029
IVFC	5	1000	1.50	6	2	original	ϕ_o	0.528	0.798	0.663	3.024
IVFC	5	1000	1.70	6	2	original	ϕ_o	0.583	0.721	0.652	3.012
IVFC	5	10	1.25	2	2	original	ϕ_o	0.968	0.057	0.512	2.841
IVFC	5	10	1.50	2	2	original	ϕ_o	0.966	0.056	0.511	2.835
IVFC	5	10	1.70	2	2	original	ϕ_o	0.965	0.057	0.511	2.831
IVFC	5	100	1.25	2	2	original	ϕ_o	0.940	0.568	0.754	3.718
IVFC	5	100	1.50	2	2	original	ϕ_o	0.959	0.414	0.687	2.894
IVFC	5	100	1.70	2	2	original	ϕ_o	0.967	0.279	0.623	2.888
IVFC	5	250	1.25	2	2	original	ϕ_o	0.844	0.787	0.815	4.380
IVFC	5	250	1.50	2	2	original	ϕ_o	0.898	0.699	0.798	3.724
IVFC	5	250	1.70	2	2	original	ϕ_o	0.925	0.628	0.776	3.721
IVFC	5	10	4.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	100	4.00	7	4	original	ϕ_o	0.683	0.137	0.410	2.734
IVFC	5	250	4.00	7	4	original	ϕ_o	0.677	0.203	0.440	2.410
IVFC	5	10	0.20	3	4	original	ϕ_o	0.359	0.962	0.661	2.837
IVFC	5	100	0.20	3	4	original	ϕ_o	0.045	0.999	0.522	1.930
IVFC	5	250	0.20	3	4	original	ϕ_o	0.010	1.000	0.505	1.543
IVFC	5	500	0.50	5	4	original	ϕ_o	0.062	0.991	0.526	2.459
IVFC	5	500	0.70	5	4	original	ϕ_o	0.116	0.980	0.548	2.896
IVFC	5	500	1.00	5	4	original	ϕ_o	0.225	0.954	0.589	3.105
IVFC	5	750	0.50	5	4	original	ϕ_o	0.062	0.991	0.526	2.459
IVFC	5	750	0.70	5	4	original	ϕ_o	0.116	0.980	0.548	2.896
IVFC	5	750	1.00	5	4	original	ϕ_o	0.225	0.954	0.589	3.105
IVFC	5	1000	0.50	5	4	original	ϕ_o	0.062	0.991	0.526	2.459
IVFC	5	1000	0.70	5	4	original	ϕ_o	0.116	0.980	0.548	2.896
IVFC	5	1000	1.00	5	4	original	ϕ_o	0.225	0.954	0.589	3.105
IVFC	5	500	4.00	4	2	original	ϕ_o	0.793	0.165	0.479	2.897
IVFC	5	750	4.00	4	2	original	ϕ_o	0.788	0.223	0.505	2.312
IVFC	5	1000	4.00	4	2	original	ϕ_o	0.787	0.222	0.505	2.311
IVFC	5	10	0.20	2	3	original	ϕ_o	0.509	0.955	0.732	3.651
IVFC	5	100	0.20	2	3	original	ϕ_o	0.094	0.998	0.546	2.521
IVFC	5	250	0.20	2	3	original	ϕ_o	0.023	1.000	0.512	2.006
IVFC	5	10	0.20	7	4	original	ϕ_o	0.367	0.947	0.657	2.649
IVFC	5	100	0.20	7	4	original	ϕ_o	0.054	0.999	0.527	1.637
IVFC	5	250	0.20	7	4	original	ϕ_o	0.022	1.000	0.511	1.179
IVFC	5	500	2.00	6	4	original	ϕ_o	0.652	0.643	0.647	3.152
IVFC	5	500	2.30	6	4	original	ϕ_o	0.691	0.515	0.603	2.732
IVFC	5	500	3.00	6	4	original	ϕ_o	0.729	0.265	0.497	2.160
IVFC	5	750	2.00	6	4	original	ϕ_o	0.650	0.650	0.650	3.162

IVFC	5	750	2.30	6	4	original	ϕ_o	0.690	0.523	0.606	2.735
IVFC	5	750	3.00	6	4	original	ϕ_o	0.729	0.271	0.500	2.161
IVFC	5	1000	2.00	6	4	original	ϕ_o	0.650	0.650	0.650	3.162
IVFC	5	1000	2.30	6	4	original	ϕ_o	0.690	0.523	0.606	2.735
IVFC	5	1000	3.00	6	4	original	ϕ_o	0.729	0.271	0.500	2.161
IVFC	5	500	4.00	7	3	original	ϕ_o	0.679	0.233	0.456	2.450
IVFC	5	750	4.00	7	3	original	ϕ_o	0.678	0.234	0.456	2.796
IVFC	5	1000	4.00	7	3	original	ϕ_o	0.678	0.234	0.456	2.796
IVFC	5	10	2.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	2.00	6	2	original	ϕ_o	0.734	0.055	0.394	2.099
IVFC	5	100	2.30	6	2	original	ϕ_o	0.734	0.054	0.394	2.100
IVFC	5	100	3.00	6	2	original	ϕ_o	0.734	0.053	0.393	2.100
IVFC	5	250	2.00	6	2	original	ϕ_o	0.724	0.117	0.421	2.086
IVFC	5	250	2.30	6	2	original	ϕ_o	0.729	0.078	0.404	2.088
IVFC	5	250	3.00	6	2	original	ϕ_o	0.732	0.058	0.395	2.092
IVFC	5	10	0.50	2	6	original	ϕ_o	0.868	0.780	0.824	3.707
IVFC	5	10	0.70	2	6	original	ϕ_o	0.939	0.583	0.761	2.895
IVFC	5	10	1.00	2	6	original	ϕ_o	0.968	0.277	0.623	2.888
IVFC	5	100	0.50	2	6	original	ϕ_o	0.386	0.977	0.681	3.993
IVFC	5	100	0.70	2	6	original	ϕ_o	0.583	0.950	0.766	4.360
IVFC	5	100	1.00	2	6	original	ϕ_o	0.767	0.889	0.828	4.483
IVFC	5	250	0.50	2	6	original	ϕ_o	0.182	0.995	0.589	3.663
IVFC	5	250	0.70	2	6	original	ϕ_o	0.366	0.982	0.674	4.193
IVFC	5	250	1.00	2	6	original	ϕ_o	0.578	0.951	0.765	4.417
IVFC	5	500	2.00	3	6	original	ϕ_o	0.783	0.634	0.709	3.672
IVFC	5	500	2.30	3	6	original	ϕ_o	0.819	0.516	0.667	3.214
IVFC	5	500	3.00	3	6	original	ϕ_o	0.854	0.295	0.574	3.177
IVFC	5	750	2.00	3	6	original	ϕ_o	0.783	0.634	0.709	3.672
IVFC	5	750	2.30	3	6	original	ϕ_o	0.819	0.516	0.667	3.214
IVFC	5	750	3.00	3	6	original	ϕ_o	0.854	0.295	0.574	3.177
IVFC	5	1000	2.00	3	6	original	ϕ_o	0.783	0.634	0.709	3.672
IVFC	5	1000	2.30	3	6	original	ϕ_o	0.819	0.516	0.667	3.214
IVFC	5	1000	3.00	3	6	original	ϕ_o	0.854	0.295	0.574	3.177
IVFC	5	10	0.20	4	6	original	ϕ_o	0.220	0.980	0.600	2.159
IVFC	5	100	0.20	4	6	original	ϕ_o	0.027	1.000	0.513	1.099
IVFC	5	250	0.20	4	6	original	ϕ_o	0.006	1.000	0.503	0.878
IVFC	5	500	4.00	2	4	original	ϕ_o	0.966	0.244	0.605	2.882
IVFC	5	750	4.00	2	4	original	ϕ_o	0.966	0.244	0.605	2.882
IVFC	5	1000	4.00	2	4	original	ϕ_o	0.966	0.244	0.605	2.882
IVFC	5	10	1.25	7	2	original	ϕ_o	0.685	0.116	0.401	2.402
IVFC	5	10	1.50	7	2	original	ϕ_o	0.685	0.114	0.399	2.286
IVFC	5	10	1.70	7	2	original	ϕ_o	0.685	0.113	0.399	2.745
IVFC	5	100	1.25	7	2	original	ϕ_o	0.679	0.248	0.464	1.993
IVFC	5	100	1.50	7	2	original	ϕ_o	0.685	0.193	0.439	2.444
IVFC	5	100	1.70	7	2	original	ϕ_o	0.685	0.172	0.428	2.434
IVFC	5	250	1.25	7	2	original	ϕ_o	0.594	0.546	0.570	2.747
IVFC	5	250	1.50	7	2	original	ϕ_o	0.643	0.414	0.528	2.780
IVFC	5	250	1.70	7	2	original	ϕ_o	0.663	0.333	0.498	2.786

IVFC	5	10	1.25	3	7	original	ϕ_o	0.867	0.136	0.501	2.545
IVFC	5	10	1.50	3	7	original	ϕ_o	0.868	0.086	0.477	2.531
IVFC	5	10	1.70	3	7	original	ϕ_o	0.867	0.077	0.472	2.260
IVFC	5	100	1.25	3	7	original	ϕ_o	0.727	0.724	0.726	3.654
IVFC	5	100	1.50	3	7	original	ϕ_o	0.796	0.588	0.692	3.620
IVFC	5	100	1.70	3	7	original	ϕ_o	0.826	0.482	0.654	3.179
IVFC	5	250	1.25	3	7	original	ϕ_o	0.551	0.892	0.722	3.736
IVFC	5	250	1.50	3	7	original	ϕ_o	0.664	0.813	0.738	3.734
IVFC	5	250	1.70	3	7	original	ϕ_o	0.728	0.737	0.732	3.707
IVFC	5	500	0.20	4	2	original	ϕ_o	0.037	1.000	0.519	1.037
IVFC	5	750	0.20	4	2	original	ϕ_o	0.027	1.000	0.514	0.976
IVFC	5	1000	0.20	4	2	original	ϕ_o	0.027	1.000	0.514	0.975
IVFC	5	500	2.00	5	5	original	ϕ_o	0.625	0.687	0.656	3.134
IVFC	5	500	2.30	5	5	original	ϕ_o	0.673	0.573	0.623	3.154
IVFC	5	500	3.00	5	5	original	ϕ_o	0.726	0.360	0.543	2.783
IVFC	5	750	2.00	5	5	original	ϕ_o	0.625	0.687	0.656	3.134
IVFC	5	750	2.30	5	5	original	ϕ_o	0.673	0.573	0.623	3.154
IVFC	5	750	3.00	5	5	original	ϕ_o	0.726	0.360	0.543	2.783
IVFC	5	1000	2.00	5	5	original	ϕ_o	0.625	0.687	0.656	3.134
IVFC	5	1000	2.30	5	5	original	ϕ_o	0.673	0.573	0.623	3.154
IVFC	5	1000	3.00	5	5	original	ϕ_o	0.726	0.360	0.543	2.783
IVFC	5	10	2.00	2	7	original	ϕ_o	0.965	0.057	0.511	2.830
IVFC	5	10	2.30	2	7	original	ϕ_o	0.964	0.057	0.511	2.828
IVFC	5	10	3.00	2	7	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	5	100	2.00	2	7	original	ϕ_o	0.946	0.523	0.735	3.744
IVFC	5	100	2.30	2	7	original	ϕ_o	0.961	0.391	0.676	2.896
IVFC	5	100	3.00	2	7	original	ϕ_o	0.970	0.167	0.568	2.879
IVFC	5	250	2.00	2	7	original	ϕ_o	0.897	0.727	0.812	4.417
IVFC	5	250	2.30	2	7	original	ϕ_o	0.929	0.636	0.782	3.752
IVFC	5	250	3.00	2	7	original	ϕ_o	0.961	0.407	0.684	3.718
IVFC	5	500	4.00	2	7	original	ϕ_o	0.971	0.161	0.566	2.882
IVFC	5	750	4.00	2	7	original	ϕ_o	0.971	0.161	0.566	2.882
IVFC	5	1000	4.00	2	7	original	ϕ_o	0.971	0.161	0.566	2.882
IVFC	5	500	1.25	4	6	original	ϕ_o	0.391	0.935	0.663	3.366
IVFC	5	500	1.50	4	6	original	ϕ_o	0.520	0.873	0.696	3.430
IVFC	5	500	1.70	4	6	original	ϕ_o	0.602	0.811	0.707	3.470
IVFC	5	750	1.25	4	6	original	ϕ_o	0.391	0.935	0.663	3.366
IVFC	5	750	1.50	4	6	original	ϕ_o	0.520	0.873	0.696	3.430
IVFC	5	750	1.70	4	6	original	ϕ_o	0.602	0.811	0.707	3.470
IVFC	5	1000	1.25	4	6	original	ϕ_o	0.391	0.935	0.663	3.366
IVFC	5	1000	1.50	4	6	original	ϕ_o	0.520	0.873	0.696	3.430
IVFC	5	1000	1.70	4	6	original	ϕ_o	0.602	0.811	0.707	3.470
IVFC	5	10	0.20	4	2	original	ϕ_o	0.353	0.965	0.659	2.583
IVFC	5	100	0.20	4	2	original	ϕ_o	0.118	0.998	0.558	1.684
IVFC	5	250	0.20	4	2	original	ϕ_o	0.068	1.000	0.534	1.274
IVFC	5	500	4.00	7	6	original	ϕ_o	0.691	0.198	0.444	2.813
IVFC	5	750	4.00	7	6	original	ϕ_o	0.691	0.198	0.444	2.813
IVFC	5	1000	4.00	7	6	original	ϕ_o	0.691	0.198	0.444	2.813
IVFC	5	10	0.50	4	7	original	ϕ_o	0.658	0.757	0.707	3.456
IVFC	5	10	0.70	4	7	original	ϕ_o	0.759	0.517	0.638	3.002

IVFC	5	10	1.00	4	7	original	ϕ_o	0.795	0.205	0.500	2.341
IVFC	5	100	0.50	4	7	original	ϕ_o	0.177	0.994	0.585	2.765
IVFC	5	100	0.70	4	7	original	ϕ_o	0.300	0.976	0.638	3.246
IVFC	5	100	1.00	4	7	original	ϕ_o	0.501	0.906	0.704	3.474
IVFC	5	250	0.50	4	7	original	ϕ_o	0.085	0.999	0.542	2.322
IVFC	5	250	0.70	4	7	original	ϕ_o	0.164	0.994	0.579	2.919
IVFC	5	250	1.00	4	7	original	ϕ_o	0.289	0.973	0.631	3.300
IVFC	5	10	0.50	3	6	original	ϕ_o	0.743	0.728	0.735	3.189
IVFC	5	10	0.70	3	6	original	ϕ_o	0.827	0.494	0.660	2.545
IVFC	5	10	1.00	3	6	original	ϕ_o	0.861	0.251	0.556	2.556
IVFC	5	100	0.50	3	6	original	ϕ_o	0.272	0.973	0.622	3.335
IVFC	5	100	0.70	3	6	original	ϕ_o	0.455	0.926	0.691	3.642
IVFC	5	100	1.00	3	6	original	ϕ_o	0.662	0.809	0.736	3.687
IVFC	5	250	0.50	3	6	original	ϕ_o	0.104	0.992	0.548	2.955
IVFC	5	250	0.70	3	6	original	ϕ_o	0.222	0.979	0.600	3.448
IVFC	5	250	1.00	3	6	original	ϕ_o	0.408	0.938	0.673	3.687
IVFC	5	10	0.20	5	3	original	ϕ_o	0.258	0.976	0.617	2.492
IVFC	5	100	0.20	5	3	original	ϕ_o	0.046	0.997	0.522	1.588
IVFC	5	250	0.20	5	3	original	ϕ_o	0.012	0.999	0.506	1.193
IVFC	5	500	0.20	7	5	original	ϕ_o	0.018	1.000	0.509	1.052
IVFC	5	750	0.20	7	5	original	ϕ_o	0.018	1.000	0.509	1.052
IVFC	5	1000	0.20	7	5	original	ϕ_o	0.018	1.000	0.509	1.052
IVFC	5	500	4.00	3	7	original	ϕ_o	0.864	0.143	0.504	2.536
IVFC	5	750	4.00	3	7	original	ϕ_o	0.864	0.143	0.504	2.536
IVFC	5	1000	4.00	3	7	original	ϕ_o	0.864	0.143	0.504	2.536
IVFC	5	10	2.00	4	4	original	ϕ_o	0.789	0.098	0.444	2.290
IVFC	5	10	2.30	4	4	original	ϕ_o	0.789	0.098	0.443	2.873
IVFC	5	10	3.00	4	4	original	ϕ_o	0.789	0.098	0.443	2.287
IVFC	5	100	2.00	4	4	original	ϕ_o	0.796	0.229	0.512	2.960
IVFC	5	100	2.30	4	4	original	ϕ_o	0.799	0.165	0.482	2.334
IVFC	5	100	3.00	4	4	original	ϕ_o	0.797	0.118	0.457	2.317
IVFC	5	250	2.00	4	4	original	ϕ_o	0.729	0.622	0.675	3.544
IVFC	5	250	2.30	4	4	original	ϕ_o	0.760	0.501	0.630	3.517
IVFC	5	250	3.00	4	4	original	ϕ_o	0.790	0.288	0.539	2.965
IVFC	5	10	0.20	7	3	original	ϕ_o	0.382	0.897	0.640	2.572
IVFC	5	100	0.20	7	3	original	ϕ_o	0.076	0.996	0.536	1.729
IVFC	5	250	0.20	7	3	original	ϕ_o	0.038	0.999	0.519	1.293
IVFC	5	10	2.00	5	6	original	ϕ_o	0.750	0.107	0.428	2.778
IVFC	5	10	2.30	5	6	original	ϕ_o	0.749	0.106	0.428	2.188
IVFC	5	10	3.00	5	6	original	ϕ_o	0.748	0.104	0.426	2.768
IVFC	5	100	2.00	5	6	original	ϕ_o	0.726	0.361	0.544	3.227
IVFC	5	100	2.30	5	6	original	ϕ_o	0.739	0.267	0.503	2.796
IVFC	5	100	3.00	5	6	original	ϕ_o	0.745	0.155	0.450	2.195
IVFC	5	250	2.00	5	6	original	ϕ_o	0.636	0.652	0.644	3.146
IVFC	5	250	2.30	5	6	original	ϕ_o	0.683	0.537	0.610	3.164
IVFC	5	250	3.00	5	6	original	ϕ_o	0.729	0.328	0.529	3.203
IVFC	5	10	4.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	100	4.00	7	3	original	ϕ_o	0.685	0.130	0.408	2.423
IVFC	5	250	4.00	7	3	original	ϕ_o	0.683	0.181	0.432	2.804
IVFC	5	500	1.25	6	6	original	ϕ_o	0.450	0.902	0.676	3.241

IVFC	5	500	1.50	6	6	original	ϕ_o	0.544	0.835	0.689	3.237
IVFC	5	500	1.70	6	6	original	ϕ_o	0.603	0.766	0.685	3.215
IVFC	5	750	1.25	6	6	original	ϕ_o	0.450	0.902	0.676	3.241
IVFC	5	750	1.50	6	6	original	ϕ_o	0.544	0.835	0.689	3.237
IVFC	5	750	1.70	6	6	original	ϕ_o	0.603	0.766	0.685	3.215
IVFC	5	1000	1.25	6	6	original	ϕ_o	0.450	0.902	0.676	3.241
IVFC	5	1000	1.50	6	6	original	ϕ_o	0.544	0.835	0.689	3.237
IVFC	5	1000	1.70	6	6	original	ϕ_o	0.603	0.766	0.685	3.215
IVFC	5	10	0.50	4	3	original	ϕ_o	0.704	0.680	0.692	3.515
IVFC	5	10	0.70	4	3	original	ϕ_o	0.773	0.393	0.583	2.974
IVFC	5	10	1.00	4	3	original	ϕ_o	0.792	0.137	0.464	2.892
IVFC	5	100	0.50	4	3	original	ϕ_o	0.313	0.974	0.643	3.177
IVFC	5	100	0.70	4	3	original	ϕ_o	0.483	0.916	0.700	3.443
IVFC	5	100	1.00	4	3	original	ϕ_o	0.683	0.736	0.710	3.547
IVFC	5	250	0.50	4	3	original	ϕ_o	0.146	0.997	0.571	2.644
IVFC	5	250	0.70	4	3	original	ϕ_o	0.233	0.985	0.609	3.145
IVFC	5	250	1.00	4	3	original	ϕ_o	0.394	0.946	0.670	3.436
IVFC	5	500	0.20	5	3	original	ϕ_o	0.005	1.000	0.502	1.033
IVFC	5	750	0.20	5	3	original	ϕ_o	0.004	1.000	0.502	1.026
IVFC	5	1000	0.20	5	3	original	ϕ_o	0.004	1.000	0.502	1.026
IVFC	5	500	1.25	2	3	original	ϕ_o	0.628	0.925	0.776	4.398
IVFC	5	500	1.50	2	3	original	ϕ_o	0.728	0.884	0.806	4.415
IVFC	5	500	1.70	2	3	original	ϕ_o	0.788	0.847	0.818	4.415
IVFC	5	750	1.25	2	3	original	ϕ_o	0.618	0.926	0.772	4.388
IVFC	5	750	1.50	2	3	original	ϕ_o	0.719	0.886	0.803	4.404
IVFC	5	750	1.70	2	3	original	ϕ_o	0.782	0.849	0.816	4.402
IVFC	5	1000	1.25	2	3	original	ϕ_o	0.618	0.926	0.772	4.388
IVFC	5	1000	1.50	2	3	original	ϕ_o	0.719	0.886	0.803	4.404
IVFC	5	1000	1.70	2	3	original	ϕ_o	0.782	0.849	0.816	4.402
IVFC	5	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	4.00	2	6	original	ϕ_o	0.971	0.079	0.525	2.857
IVFC	5	250	4.00	2	6	original	ϕ_o	0.970	0.169	0.570	2.883
IVFC	5	500	0.50	5	6	original	ϕ_o	0.064	0.991	0.527	2.512
IVFC	5	500	0.70	5	6	original	ϕ_o	0.124	0.981	0.552	2.957
IVFC	5	500	1.00	5	6	original	ϕ_o	0.236	0.959	0.597	3.167
IVFC	5	750	0.50	5	6	original	ϕ_o	0.064	0.991	0.527	2.512
IVFC	5	750	0.70	5	6	original	ϕ_o	0.124	0.981	0.552	2.957
IVFC	5	750	1.00	5	6	original	ϕ_o	0.236	0.959	0.597	3.167
IVFC	5	1000	0.50	5	6	original	ϕ_o	0.064	0.991	0.527	2.512
IVFC	5	1000	0.70	5	6	original	ϕ_o	0.124	0.981	0.552	2.957
IVFC	5	1000	1.00	5	6	original	ϕ_o	0.236	0.959	0.597	3.167
IVFC	5	500	0.50	2	7	original	ϕ_o	0.172	0.993	0.583	3.589
IVFC	5	500	0.70	2	7	original	ϕ_o	0.356	0.978	0.667	4.151
IVFC	5	500	1.00	2	7	original	ϕ_o	0.570	0.946	0.758	4.393
IVFC	5	750	0.50	2	7	original	ϕ_o	0.172	0.993	0.583	3.589
IVFC	5	750	0.70	2	7	original	ϕ_o	0.356	0.978	0.667	4.151
IVFC	5	750	1.00	2	7	original	ϕ_o	0.570	0.946	0.758	4.393
IVFC	5	1000	0.50	2	7	original	ϕ_o	0.172	0.993	0.583	3.589
IVFC	5	1000	0.70	2	7	original	ϕ_o	0.356	0.978	0.667	4.151
IVFC	5	1000	1.00	2	7	original	ϕ_o	0.570	0.946	0.758	4.393

IVFC	5	500	2.00	5	2	original	ϕ_o	0.661	0.560	0.611	3.149
IVFC	5	500	2.30	5	2	original	ϕ_o	0.700	0.430	0.565	3.188
IVFC	5	500	3.00	5	2	original	ϕ_o	0.739	0.249	0.494	3.224
IVFC	5	750	2.00	5	2	original	ϕ_o	0.601	0.707	0.654	3.170
IVFC	5	750	2.30	5	2	original	ϕ_o	0.659	0.583	0.621	3.209
IVFC	5	750	3.00	5	2	original	ϕ_o	0.722	0.350	0.536	3.269
IVFC	5	1000	2.00	5	2	original	ϕ_o	0.599	0.708	0.653	3.164
IVFC	5	1000	2.30	5	2	original	ϕ_o	0.657	0.584	0.620	3.202
IVFC	5	1000	3.00	5	2	original	ϕ_o	0.722	0.351	0.536	3.265
IVFC	5	500	1.25	5	6	original	ϕ_o	0.353	0.922	0.637	3.191
IVFC	5	500	1.50	5	6	original	ϕ_o	0.471	0.861	0.666	3.165
IVFC	5	500	1.70	5	6	original	ϕ_o	0.547	0.796	0.672	3.142
IVFC	5	750	1.25	5	6	original	ϕ_o	0.353	0.922	0.637	3.191
IVFC	5	750	1.50	5	6	original	ϕ_o	0.471	0.861	0.666	3.165
IVFC	5	750	1.70	5	6	original	ϕ_o	0.547	0.796	0.672	3.142
IVFC	5	1000	1.25	5	6	original	ϕ_o	0.353	0.922	0.637	3.191
IVFC	5	1000	1.50	5	6	original	ϕ_o	0.471	0.861	0.666	3.165
IVFC	5	1000	1.70	5	6	original	ϕ_o	0.547	0.796	0.672	3.142
IVFC	5	500	2.00	6	7	original	ϕ_o	0.665	0.645	0.655	3.194
IVFC	5	500	2.30	6	7	original	ϕ_o	0.699	0.504	0.602	2.751
IVFC	5	500	3.00	6	7	original	ϕ_o	0.731	0.238	0.485	2.157
IVFC	5	750	2.00	6	7	original	ϕ_o	0.665	0.645	0.655	3.194
IVFC	5	750	2.30	6	7	original	ϕ_o	0.699	0.504	0.602	2.751
IVFC	5	750	3.00	6	7	original	ϕ_o	0.731	0.238	0.485	2.157
IVFC	5	1000	2.00	6	7	original	ϕ_o	0.665	0.645	0.655	3.194
IVFC	5	1000	2.30	6	7	original	ϕ_o	0.699	0.504	0.602	2.751
IVFC	5	1000	3.00	6	7	original	ϕ_o	0.731	0.238	0.485	2.157
IVFC	5	500	0.50	3	6	original	ϕ_o	0.092	0.993	0.543	2.914
IVFC	5	500	0.70	3	6	original	ϕ_o	0.205	0.982	0.594	3.425
IVFC	5	500	1.00	3	6	original	ϕ_o	0.388	0.948	0.668	3.682
IVFC	5	750	0.50	3	6	original	ϕ_o	0.092	0.993	0.543	2.914
IVFC	5	750	0.70	3	6	original	ϕ_o	0.205	0.982	0.594	3.425
IVFC	5	750	1.00	3	6	original	ϕ_o	0.388	0.948	0.668	3.682
IVFC	5	1000	0.50	3	6	original	ϕ_o	0.092	0.993	0.543	2.914
IVFC	5	1000	0.70	3	6	original	ϕ_o	0.205	0.982	0.594	3.425
IVFC	5	1000	1.00	3	6	original	ϕ_o	0.388	0.948	0.668	3.682
IVFC	5	500	2.00	4	4	original	ϕ_o	0.657	0.760	0.709	3.515
IVFC	5	500	2.30	4	4	original	ϕ_o	0.714	0.662	0.688	3.532
IVFC	5	500	3.00	4	4	original	ϕ_o	0.774	0.448	0.611	3.507
IVFC	5	750	2.00	4	4	original	ϕ_o	0.657	0.760	0.709	3.515
IVFC	5	750	2.30	4	4	original	ϕ_o	0.714	0.662	0.688	3.532
IVFC	5	750	3.00	4	4	original	ϕ_o	0.774	0.448	0.611	3.507
IVFC	5	1000	2.00	4	4	original	ϕ_o	0.657	0.760	0.709	3.515
IVFC	5	1000	2.30	4	4	original	ϕ_o	0.714	0.662	0.688	3.532
IVFC	5	1000	3.00	4	4	original	ϕ_o	0.774	0.448	0.611	3.507
IVFC	5	500	2.00	4	6	original	ϕ_o	0.685	0.708	0.696	3.506
IVFC	5	500	2.30	4	6	original	ϕ_o	0.735	0.602	0.668	3.513
IVFC	5	500	3.00	4	6	original	ϕ_o	0.783	0.377	0.580	3.483
IVFC	5	750	2.00	4	6	original	ϕ_o	0.685	0.708	0.696	3.506
IVFC	5	750	2.30	4	6	original	ϕ_o	0.735	0.602	0.668	3.513

IVFC	5	750	3.00	4	6	original	ϕ_o	0.783	0.377	0.580	3.483
IVFC	5	1000	2.00	4	6	original	ϕ_o	0.685	0.708	0.696	3.506
IVFC	5	1000	2.30	4	6	original	ϕ_o	0.735	0.602	0.668	3.513
IVFC	5	1000	3.00	4	6	original	ϕ_o	0.783	0.377	0.580	3.483
IVFC	5	10	2.00	3	5	original	ϕ_o	0.866	0.073	0.470	2.524
IVFC	5	10	2.30	3	5	original	ϕ_o	0.866	0.073	0.469	2.522
IVFC	5	10	3.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	5	100	2.00	3	5	original	ϕ_o	0.857	0.252	0.554	2.543
IVFC	5	100	2.30	3	5	original	ϕ_o	0.863	0.168	0.516	2.537
IVFC	5	100	3.00	3	5	original	ϕ_o	0.866	0.098	0.482	2.527
IVFC	5	250	2.00	3	5	original	ϕ_o	0.792	0.584	0.688	3.592
IVFC	5	250	2.30	3	5	original	ϕ_o	0.825	0.457	0.641	3.160
IVFC	5	250	3.00	3	5	original	ϕ_o	0.857	0.231	0.544	2.538
IVFC	5	500	0.50	5	2	original	ϕ_o	0.103	0.979	0.541	2.555
IVFC	5	500	0.70	5	2	original	ϕ_o	0.172	0.965	0.569	2.917
IVFC	5	500	1.00	5	2	original	ϕ_o	0.303	0.938	0.620	3.071
IVFC	5	750	0.50	5	2	original	ϕ_o	0.071	0.987	0.529	2.437
IVFC	5	750	0.70	5	2	original	ϕ_o	0.120	0.976	0.548	2.857
IVFC	5	750	1.00	5	2	original	ϕ_o	0.225	0.959	0.592	3.062
IVFC	5	1000	0.50	5	2	original	ϕ_o	0.069	0.987	0.528	2.434
IVFC	5	1000	0.70	5	2	original	ϕ_o	0.118	0.976	0.547	2.853
IVFC	5	1000	1.00	5	2	original	ϕ_o	0.222	0.959	0.590	3.058
IVFC	5	10	4.00	5	5	original	ϕ_o	0.747	0.103	0.425	2.763
IVFC	5	100	4.00	5	5	original	ϕ_o	0.750	0.118	0.434	2.789
IVFC	5	250	4.00	5	5	original	ϕ_o	0.747	0.167	0.457	3.196
IVFC	5	500	2.00	7	6	original	ϕ_o	0.638	0.489	0.563	2.920
IVFC	5	500	2.30	7	6	original	ϕ_o	0.662	0.385	0.523	2.891
IVFC	5	500	3.00	7	6	original	ϕ_o	0.684	0.259	0.472	2.849
IVFC	5	750	2.00	7	6	original	ϕ_o	0.638	0.489	0.563	2.920
IVFC	5	750	2.30	7	6	original	ϕ_o	0.662	0.385	0.523	2.891
IVFC	5	750	3.00	7	6	original	ϕ_o	0.684	0.259	0.472	2.849
IVFC	5	1000	2.00	7	6	original	ϕ_o	0.638	0.489	0.563	2.920
IVFC	5	1000	2.30	7	6	original	ϕ_o	0.662	0.385	0.523	2.891
IVFC	5	1000	3.00	7	6	original	ϕ_o	0.684	0.259	0.472	2.849
IVFC	5	10	4.00	4	7	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	5	100	4.00	4	7	original	ϕ_o	0.799	0.117	0.458	3.344
IVFC	5	250	4.00	4	7	original	ϕ_o	0.800	0.197	0.499	2.956
IVFC	5	10	1.25	6	7	original	ϕ_o	0.740	0.061	0.400	2.117
IVFC	5	10	1.50	6	7	original	ϕ_o	0.737	0.054	0.396	2.109
IVFC	5	10	1.70	6	7	original	ϕ_o	0.736	0.053	0.394	2.106
IVFC	5	100	1.25	6	7	original	ϕ_o	0.630	0.714	0.672	2.756
IVFC	5	100	1.50	6	7	original	ϕ_o	0.686	0.531	0.609	2.721
IVFC	5	100	1.70	6	7	original	ϕ_o	0.710	0.385	0.548	2.689
IVFC	5	250	1.25	6	7	original	ϕ_o	0.462	0.889	0.675	3.222
IVFC	5	250	1.50	6	7	original	ϕ_o	0.556	0.815	0.686	3.200
IVFC	5	250	1.70	6	7	original	ϕ_o	0.615	0.737	0.676	3.167
IVFC	5	500	1.25	4	7	original	ϕ_o	0.402	0.932	0.667	3.381
IVFC	5	500	1.50	4	7	original	ϕ_o	0.531	0.864	0.697	3.446
IVFC	5	500	1.70	4	7	original	ϕ_o	0.614	0.801	0.708	3.473
IVFC	5	750	1.25	4	7	original	ϕ_o	0.402	0.932	0.667	3.381

IVFC	5	750	1.50	4	7	original	ϕ_o	0.531	0.864	0.697	3.446
IVFC	5	750	1.70	4	7	original	ϕ_o	0.614	0.801	0.708	3.473
IVFC	5	1000	1.25	4	7	original	ϕ_o	0.402	0.932	0.667	3.381
IVFC	5	1000	1.50	4	7	original	ϕ_o	0.531	0.864	0.697	3.446
IVFC	5	1000	1.70	4	7	original	ϕ_o	0.614	0.801	0.708	3.473
IVFC	5	500	0.20	4	7	original	ϕ_o	0.005	1.000	0.502	0.849
IVFC	5	750	0.20	4	7	original	ϕ_o	0.005	1.000	0.502	0.849
IVFC	5	1000	0.20	4	7	original	ϕ_o	0.005	1.000	0.502	0.849
IVFC	5	10	0.20	3	6	original	ϕ_o	0.265	0.968	0.616	2.575
IVFC	5	100	0.20	3	6	original	ϕ_o	0.023	0.999	0.511	1.598
IVFC	5	250	0.20	3	6	original	ϕ_o	0.004	1.000	0.502	1.282
IVFC	5	500	4.00	6	3	original	ϕ_o	0.736	0.106	0.421	2.116
IVFC	5	750	4.00	6	3	original	ϕ_o	0.734	0.130	0.432	2.115
IVFC	5	1000	4.00	6	3	original	ϕ_o	0.734	0.130	0.432	2.115
IVFC	5	500	0.50	4	6	original	ϕ_o	0.079	0.999	0.539	2.262
IVFC	5	500	0.70	4	6	original	ϕ_o	0.156	0.993	0.575	2.838
IVFC	5	500	1.00	4	6	original	ϕ_o	0.265	0.973	0.619	3.236
IVFC	5	750	0.50	4	6	original	ϕ_o	0.079	0.999	0.539	2.262
IVFC	5	750	0.70	4	6	original	ϕ_o	0.156	0.993	0.575	2.838
IVFC	5	750	1.00	4	6	original	ϕ_o	0.265	0.973	0.619	3.236
IVFC	5	1000	0.50	4	6	original	ϕ_o	0.079	0.999	0.539	2.262
IVFC	5	1000	0.70	4	6	original	ϕ_o	0.156	0.993	0.575	2.838
IVFC	5	1000	1.00	4	6	original	ϕ_o	0.265	0.973	0.619	3.236
IVFC	5	500	2.00	6	2	original	ϕ_o	0.684	0.407	0.545	2.100
IVFC	5	500	2.30	6	2	original	ϕ_o	0.704	0.282	0.493	2.091
IVFC	5	500	3.00	6	2	original	ϕ_o	0.723	0.124	0.423	2.085
IVFC	5	750	2.00	6	2	original	ϕ_o	0.652	0.571	0.611	2.999
IVFC	5	750	2.30	6	2	original	ϕ_o	0.685	0.434	0.560	2.635
IVFC	5	750	3.00	6	2	original	ϕ_o	0.717	0.209	0.463	2.098
IVFC	5	1000	2.00	6	2	original	ϕ_o	0.643	0.588	0.616	2.645
IVFC	5	1000	2.30	6	2	original	ϕ_o	0.680	0.455	0.567	2.632
IVFC	5	1000	3.00	6	2	original	ϕ_o	0.716	0.224	0.470	2.098
IVFC	5	500	1.25	6	7	original	ϕ_o	0.453	0.902	0.678	3.256
IVFC	5	500	1.50	6	7	original	ϕ_o	0.547	0.837	0.692	3.250
IVFC	5	500	1.70	6	7	original	ϕ_o	0.607	0.769	0.688	3.232
IVFC	5	750	1.25	6	7	original	ϕ_o	0.453	0.902	0.678	3.256
IVFC	5	750	1.50	6	7	original	ϕ_o	0.547	0.837	0.692	3.250
IVFC	5	750	1.70	6	7	original	ϕ_o	0.607	0.769	0.688	3.232
IVFC	5	1000	1.25	6	7	original	ϕ_o	0.453	0.902	0.678	3.256
IVFC	5	1000	1.50	6	7	original	ϕ_o	0.547	0.837	0.692	3.250
IVFC	5	1000	1.70	6	7	original	ϕ_o	0.607	0.769	0.688	3.232
IVFC	5	500	4.00	7	5	original	ϕ_o	0.688	0.235	0.462	2.844
IVFC	5	750	4.00	7	5	original	ϕ_o	0.688	0.235	0.462	2.844
IVFC	5	1000	4.00	7	5	original	ϕ_o	0.688	0.235	0.462	2.844
IVFC	5	500	0.20	4	3	original	ϕ_o	0.012	1.000	0.506	0.915
IVFC	5	750	0.20	4	3	original	ϕ_o	0.012	1.000	0.506	0.912
IVFC	5	1000	0.20	4	3	original	ϕ_o	0.012	1.000	0.506	0.912
IVFC	5	500	1.25	2	4	original	ϕ_o	0.645	0.925	0.785	4.428
IVFC	5	500	1.50	2	4	original	ϕ_o	0.744	0.880	0.812	4.434
IVFC	5	500	1.70	2	4	original	ϕ_o	0.804	0.841	0.823	4.425

IVFC	5	750	1.25	2	4	original	ϕ_o	0.645	0.925	0.785	4.428
IVFC	5	750	1.50	2	4	original	ϕ_o	0.744	0.880	0.812	4.434
IVFC	5	750	1.70	2	4	original	ϕ_o	0.804	0.841	0.823	4.425
IVFC	5	1000	1.25	2	4	original	ϕ_o	0.645	0.925	0.785	4.428
IVFC	5	1000	1.50	2	4	original	ϕ_o	0.744	0.880	0.812	4.434
IVFC	5	1000	1.70	2	4	original	ϕ_o	0.804	0.841	0.823	4.425
IVFC	5	500	0.20	3	3	original	ϕ_o	0.006	1.000	0.503	1.400
IVFC	5	750	0.20	3	3	original	ϕ_o	0.006	1.000	0.503	1.379
IVFC	5	1000	0.20	3	3	original	ϕ_o	0.006	1.000	0.503	1.379
IVFC	5	500	0.50	4	5	original	ϕ_o	0.082	0.999	0.540	2.297
IVFC	5	500	0.70	4	5	original	ϕ_o	0.156	0.992	0.574	2.833
IVFC	5	500	1.00	4	5	original	ϕ_o	0.260	0.974	0.617	3.212
IVFC	5	750	0.50	4	5	original	ϕ_o	0.082	0.999	0.540	2.297
IVFC	5	750	0.70	4	5	original	ϕ_o	0.156	0.992	0.574	2.833
IVFC	5	750	1.00	4	5	original	ϕ_o	0.260	0.974	0.617	3.212
IVFC	5	1000	0.50	4	5	original	ϕ_o	0.082	0.999	0.540	2.297
IVFC	5	1000	0.70	4	5	original	ϕ_o	0.156	0.992	0.574	2.833
IVFC	5	1000	1.00	4	5	original	ϕ_o	0.260	0.974	0.617	3.212
IVFC	5	500	1.25	7	5	original	ϕ_o	0.412	0.889	0.650	2.951
IVFC	5	500	1.50	7	5	original	ϕ_o	0.508	0.794	0.651	2.968
IVFC	5	500	1.70	7	5	original	ϕ_o	0.563	0.710	0.636	2.979
IVFC	5	750	1.25	7	5	original	ϕ_o	0.412	0.889	0.650	2.951
IVFC	5	750	1.50	7	5	original	ϕ_o	0.508	0.794	0.651	2.968
IVFC	5	750	1.70	7	5	original	ϕ_o	0.563	0.710	0.636	2.979
IVFC	5	1000	1.25	7	5	original	ϕ_o	0.412	0.889	0.650	2.951
IVFC	5	1000	1.50	7	5	original	ϕ_o	0.508	0.794	0.651	2.968
IVFC	5	1000	1.70	7	5	original	ϕ_o	0.563	0.710	0.636	2.979
IVFC	5	500	0.50	6	6	original	ϕ_o	0.110	0.993	0.552	2.626
IVFC	5	500	0.70	6	6	original	ϕ_o	0.205	0.981	0.593	3.041
IVFC	5	500	1.00	6	6	original	ϕ_o	0.339	0.946	0.642	3.221
IVFC	5	750	0.50	6	6	original	ϕ_o	0.110	0.993	0.552	2.626
IVFC	5	750	0.70	6	6	original	ϕ_o	0.205	0.981	0.593	3.041
IVFC	5	750	1.00	6	6	original	ϕ_o	0.339	0.946	0.642	3.221
IVFC	5	1000	0.50	6	6	original	ϕ_o	0.110	0.993	0.552	2.626
IVFC	5	1000	0.70	6	6	original	ϕ_o	0.205	0.981	0.593	3.041
IVFC	5	1000	1.00	6	6	original	ϕ_o	0.339	0.946	0.642	3.221
IVFC	5	500	0.20	7	3	original	ϕ_o	0.027	1.000	0.513	1.121
IVFC	5	750	0.20	7	3	original	ϕ_o	0.027	1.000	0.513	1.116
IVFC	5	1000	0.20	7	3	original	ϕ_o	0.027	1.000	0.513	1.116
IVFC	5	500	4.00	2	6	original	ϕ_o	0.970	0.171	0.571	2.881
IVFC	5	750	4.00	2	6	original	ϕ_o	0.970	0.171	0.571	2.881
IVFC	5	1000	4.00	2	6	original	ϕ_o	0.970	0.171	0.571	2.881
IVFC	5	500	1.25	4	2	original	ϕ_o	0.440	0.928	0.684	3.390
IVFC	5	500	1.50	4	2	original	ϕ_o	0.556	0.860	0.708	3.444
IVFC	5	500	1.70	4	2	original	ϕ_o	0.627	0.790	0.708	3.468
IVFC	5	750	1.25	4	2	original	ϕ_o	0.354	0.947	0.650	3.312
IVFC	5	750	1.50	4	2	original	ϕ_o	0.481	0.894	0.687	3.376
IVFC	5	750	1.70	4	2	original	ϕ_o	0.563	0.838	0.700	3.403
IVFC	5	1000	1.25	4	2	original	ϕ_o	0.349	0.947	0.648	3.302
IVFC	5	1000	1.50	4	2	original	ϕ_o	0.477	0.894	0.685	3.370

IVFC	5	1000	1.70	4	2	original	ϕ_o	0.561	0.838	0.699	3.395
IVFC	5	500	0.20	3	4	original	ϕ_o	0.005	1.000	0.503	1.429
IVFC	5	750	0.20	3	4	original	ϕ_o	0.005	1.000	0.503	1.420
IVFC	5	1000	0.20	3	4	original	ϕ_o	0.005	1.000	0.503	1.420
IVFC	5	10	0.50	4	2	original	ϕ_o	0.712	0.623	0.667	2.948
IVFC	5	10	0.70	4	2	original	ϕ_o	0.777	0.330	0.554	2.936
IVFC	5	10	1.00	4	2	original	ϕ_o	0.790	0.131	0.460	2.870
IVFC	5	100	0.50	4	2	original	ϕ_o	0.403	0.947	0.675	3.196
IVFC	5	100	0.70	4	2	original	ϕ_o	0.576	0.843	0.709	3.420
IVFC	5	100	1.00	4	2	original	ϕ_o	0.728	0.609	0.668	3.514
IVFC	5	250	0.50	4	2	original	ϕ_o	0.222	0.989	0.606	2.816
IVFC	5	250	0.70	4	2	original	ϕ_o	0.341	0.965	0.653	3.229
IVFC	5	250	1.00	4	2	original	ϕ_o	0.544	0.873	0.708	3.431
IVFC	5	10	0.50	3	7	original	ϕ_o	0.726	0.755	0.741	3.706
IVFC	5	10	0.70	3	7	original	ϕ_o	0.820	0.518	0.669	3.228
IVFC	5	10	1.00	3	7	original	ϕ_o	0.861	0.265	0.563	2.558
IVFC	5	100	0.50	3	7	original	ϕ_o	0.230	0.979	0.605	3.240
IVFC	5	100	0.70	3	7	original	ϕ_o	0.404	0.943	0.673	3.605
IVFC	5	100	1.00	3	7	original	ϕ_o	0.619	0.842	0.730	3.679
IVFC	5	250	0.50	3	7	original	ϕ_o	0.093	0.993	0.543	2.923
IVFC	5	250	0.70	3	7	original	ϕ_o	0.212	0.982	0.597	3.436
IVFC	5	250	1.00	3	7	original	ϕ_o	0.405	0.947	0.676	3.687
IVFC	5	10	4.00	7	7	original	ϕ_o	0.685	0.113	0.399	1.944
IVFC	5	100	4.00	7	7	original	ϕ_o	0.691	0.148	0.419	2.792
IVFC	5	250	4.00	7	7	original	ϕ_o	0.693	0.194	0.444	2.827
IVFC	5	10	0.20	4	3	original	ϕ_o	0.310	0.977	0.643	2.487
IVFC	5	100	0.20	4	3	original	ϕ_o	0.062	0.999	0.531	1.454
IVFC	5	250	0.20	4	3	original	ϕ_o	0.024	1.000	0.512	1.063
IVFC	5	500	4.00	6	5	original	ϕ_o	0.741	0.109	0.425	2.133
IVFC	5	750	4.00	6	5	original	ϕ_o	0.741	0.109	0.425	2.133
IVFC	5	1000	4.00	6	5	original	ϕ_o	0.741	0.109	0.425	2.133
IVFC	5	500	0.20	2	7	original	ϕ_o	0.004	1.000	0.502	1.620
IVFC	5	750	0.20	2	7	original	ϕ_o	0.004	1.000	0.502	1.620
IVFC	5	1000	0.20	2	7	original	ϕ_o	0.004	1.000	0.502	1.620
IVFC	5	500	0.20	7	4	original	ϕ_o	0.019	1.000	0.509	1.090
IVFC	5	750	0.20	7	4	original	ϕ_o	0.019	1.000	0.509	1.090
IVFC	5	1000	0.20	7	4	original	ϕ_o	0.019	1.000	0.509	1.090
IVFC	5	500	0.50	4	4	original	ϕ_o	0.086	0.998	0.542	2.305
IVFC	5	500	0.70	4	4	original	ϕ_o	0.157	0.991	0.574	2.840
IVFC	5	500	1.00	4	4	original	ϕ_o	0.251	0.973	0.612	3.231
IVFC	5	750	0.50	4	4	original	ϕ_o	0.086	0.998	0.542	2.304
IVFC	5	750	0.70	4	4	original	ϕ_o	0.157	0.991	0.574	2.839
IVFC	5	750	1.00	4	4	original	ϕ_o	0.251	0.973	0.612	3.231
IVFC	5	1000	0.50	4	4	original	ϕ_o	0.086	0.998	0.542	2.304
IVFC	5	1000	0.70	4	4	original	ϕ_o	0.157	0.991	0.574	2.839
IVFC	5	1000	1.00	4	4	original	ϕ_o	0.251	0.973	0.612	3.231
IVFC	5	500	1.25	4	3	original	ϕ_o	0.364	0.947	0.655	3.374
IVFC	5	500	1.50	4	3	original	ϕ_o	0.493	0.895	0.694	3.439
IVFC	5	500	1.70	4	3	original	ϕ_o	0.579	0.838	0.708	3.466
IVFC	5	750	1.25	4	3	original	ϕ_o	0.353	0.947	0.650	3.353

IVFC	5	750	1.50	4	3	original	ϕ_o	0.482	0.896	0.689	3.420
IVFC	5	750	1.70	4	3	original	ϕ_o	0.569	0.840	0.704	3.446
IVFC	5	1000	1.25	4	3	original	ϕ_o	0.353	0.947	0.650	3.353
IVFC	5	1000	1.50	4	3	original	ϕ_o	0.482	0.896	0.689	3.420
IVFC	5	1000	1.70	4	3	original	ϕ_o	0.569	0.840	0.704	3.446
IVFC	5	500	2.00	2	2	original	ϕ_o	0.882	0.725	0.803	4.327
IVFC	5	500	2.30	2	2	original	ϕ_o	0.917	0.641	0.779	3.717
IVFC	5	500	3.00	2	2	original	ϕ_o	0.956	0.431	0.693	2.891
IVFC	5	750	2.00	2	2	original	ϕ_o	0.823	0.809	0.816	4.365
IVFC	5	750	2.30	2	2	original	ϕ_o	0.874	0.741	0.808	4.328
IVFC	5	750	3.00	2	2	original	ϕ_o	0.936	0.569	0.753	3.705
IVFC	5	1000	2.00	2	2	original	ϕ_o	0.813	0.817	0.815	4.355
IVFC	5	1000	2.30	2	2	original	ϕ_o	0.866	0.753	0.809	4.316
IVFC	5	1000	3.00	2	2	original	ϕ_o	0.932	0.588	0.760	3.698
IVFC	5	10	2.00	7	7	original	ϕ_o	0.687	0.114	0.400	2.410
IVFC	5	10	2.30	7	7	original	ϕ_o	0.686	0.113	0.400	2.405
IVFC	5	10	3.00	7	7	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	100	2.00	7	7	original	ϕ_o	0.682	0.303	0.492	2.905
IVFC	5	100	2.30	7	7	original	ϕ_o	0.690	0.245	0.467	2.880
IVFC	5	100	3.00	7	7	original	ϕ_o	0.692	0.179	0.436	2.836
IVFC	5	250	2.00	7	7	original	ϕ_o	0.641	0.477	0.559	2.930
IVFC	5	250	2.30	7	7	original	ϕ_o	0.666	0.376	0.521	2.905
IVFC	5	250	3.00	7	7	original	ϕ_o	0.687	0.255	0.471	2.865
IVFC	5	10	2.00	7	6	original	ϕ_o	0.686	0.114	0.400	2.750
IVFC	5	10	2.30	7	6	original	ϕ_o	0.686	0.113	0.400	2.405
IVFC	5	10	3.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	5	100	2.00	7	6	original	ϕ_o	0.685	0.271	0.478	2.861
IVFC	5	100	2.30	7	6	original	ϕ_o	0.692	0.223	0.457	2.500
IVFC	5	100	3.00	7	6	original	ϕ_o	0.694	0.171	0.432	2.819
IVFC	5	250	2.00	7	6	original	ϕ_o	0.639	0.484	0.562	2.911
IVFC	5	250	2.30	7	6	original	ϕ_o	0.663	0.382	0.523	2.885
IVFC	5	250	3.00	7	6	original	ϕ_o	0.685	0.258	0.471	2.842
IVFC	5	10	4.00	6	6	original	ϕ_o	0.732	0.053	0.392	2.097
IVFC	5	100	4.00	6	6	original	ϕ_o	0.735	0.058	0.397	2.104
IVFC	5	250	4.00	6	6	original	ϕ_o	0.736	0.088	0.412	2.114
IVFC	5	10	0.20	5	5	original	ϕ_o	0.226	0.979	0.603	2.336
IVFC	5	100	0.20	5	5	original	ϕ_o	0.033	0.999	0.516	1.385
IVFC	5	250	0.20	5	5	original	ϕ_o	0.008	1.000	0.504	1.069
IVFC	5	500	0.20	2	2	original	ϕ_o	0.016	1.000	0.508	2.006
IVFC	5	750	0.20	2	2	original	ϕ_o	0.009	1.000	0.504	1.862
IVFC	5	1000	0.20	2	2	original	ϕ_o	0.008	1.000	0.504	1.840
IVFC	5	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	4.00	6	4	original	ϕ_o	0.734	0.056	0.395	2.102
IVFC	5	250	4.00	6	4	original	ϕ_o	0.734	0.066	0.400	2.099
IVFC	5	10	2.00	6	4	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	5	10	2.30	6	4	original	ϕ_o	0.732	0.053	0.393	2.099
IVFC	5	10	3.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	2.00	6	4	original	ϕ_o	0.736	0.094	0.415	2.111
IVFC	5	100	2.30	6	4	original	ϕ_o	0.736	0.067	0.402	2.105
IVFC	5	100	3.00	6	4	original	ϕ_o	0.735	0.055	0.395	2.101

IVFC	5	250	2.00	6	4	original	ϕ_o	0.699	0.403	0.551	2.142
IVFC	5	250	2.30	6	4	original	ϕ_o	0.719	0.279	0.499	2.628
IVFC	5	250	3.00	6	4	original	ϕ_o	0.734	0.120	0.427	2.112
IVFC	5	10	0.20	5	2	original	ϕ_o	0.326	0.940	0.633	2.592
IVFC	5	100	0.20	5	2	original	ϕ_o	0.100	0.986	0.543	1.854
IVFC	5	250	0.20	5	2	original	ϕ_o	0.046	0.994	0.520	1.438
IVFC	5	10	1.25	6	6	original	ϕ_o	0.739	0.058	0.399	1.448
IVFC	5	10	1.50	6	6	original	ϕ_o	0.737	0.053	0.395	2.106
IVFC	5	10	1.70	6	6	original	ϕ_o	0.736	0.052	0.394	2.104
IVFC	5	100	1.25	6	6	original	ϕ_o	0.651	0.644	0.647	2.732
IVFC	5	100	1.50	6	6	original	ϕ_o	0.698	0.459	0.578	2.697
IVFC	5	100	1.70	6	6	original	ϕ_o	0.718	0.325	0.521	2.150
IVFC	5	250	1.25	6	6	original	ϕ_o	0.478	0.871	0.675	3.196
IVFC	5	250	1.50	6	6	original	ϕ_o	0.568	0.788	0.678	3.164
IVFC	5	250	1.70	6	6	original	ϕ_o	0.624	0.703	0.664	3.139
IVFC	5	10	2.00	3	7	original	ϕ_o	0.867	0.073	0.470	2.525
IVFC	5	10	2.30	3	7	original	ϕ_o	0.866	0.073	0.469	2.523
IVFC	5	10	3.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	5	100	2.00	3	7	original	ϕ_o	0.849	0.342	0.596	3.158
IVFC	5	100	2.30	3	7	original	ϕ_o	0.859	0.244	0.552	2.548
IVFC	5	100	3.00	3	7	original	ϕ_o	0.865	0.123	0.494	2.533
IVFC	5	250	2.00	3	7	original	ϕ_o	0.790	0.614	0.702	3.679
IVFC	5	250	2.30	3	7	original	ϕ_o	0.824	0.499	0.661	3.670
IVFC	5	250	3.00	3	7	original	ϕ_o	0.856	0.287	0.571	3.185
IVFC	5	10	2.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	10	2.30	7	2	original	ϕ_o	0.685	0.113	0.399	2.745
IVFC	5	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	100	2.00	7	2	original	ϕ_o	0.684	0.154	0.419	2.424
IVFC	5	100	2.30	7	2	original	ϕ_o	0.684	0.144	0.414	2.760
IVFC	5	100	3.00	7	2	original	ϕ_o	0.685	0.130	0.407	2.754
IVFC	5	250	2.00	7	2	original	ϕ_o	0.676	0.257	0.467	2.781
IVFC	5	250	2.30	7	2	original	ϕ_o	0.681	0.217	0.449	2.779
IVFC	5	250	3.00	7	2	original	ϕ_o	0.682	0.175	0.429	2.430
IVFC	5	500	0.20	6	4	original	ϕ_o	0.010	1.000	0.505	1.317
IVFC	5	750	0.20	6	4	original	ϕ_o	0.010	1.000	0.505	1.315
IVFC	5	1000	0.20	6	4	original	ϕ_o	0.010	1.000	0.505	1.315
IVFC	5	500	1.25	7	6	original	ϕ_o	0.441	0.855	0.648	2.920
IVFC	5	500	1.50	7	6	original	ϕ_o	0.539	0.736	0.637	2.949
IVFC	5	500	1.70	7	6	original	ϕ_o	0.591	0.630	0.611	2.942
IVFC	5	750	1.25	7	6	original	ϕ_o	0.441	0.855	0.648	2.920
IVFC	5	750	1.50	7	6	original	ϕ_o	0.539	0.736	0.637	2.949
IVFC	5	750	1.70	7	6	original	ϕ_o	0.591	0.630	0.611	2.942
IVFC	5	1000	1.25	7	6	original	ϕ_o	0.441	0.855	0.648	2.920
IVFC	5	1000	1.50	7	6	original	ϕ_o	0.539	0.736	0.637	2.949
IVFC	5	1000	1.70	7	6	original	ϕ_o	0.591	0.630	0.611	2.942
IVFC	5	10	2.00	5	3	original	ϕ_o	0.748	0.105	0.427	2.767
IVFC	5	10	2.30	5	3	original	ϕ_o	0.748	0.104	0.426	2.767
IVFC	5	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	5	100	2.00	5	3	original	ϕ_o	0.749	0.150	0.450	2.805
IVFC	5	100	2.30	5	3	original	ϕ_o	0.749	0.131	0.440	2.792

IVFC	5	100	3.00	5	3	original	ϕ_o	0.747	0.120	0.433	2.774
IVFC	5	250	2.00	5	3	original	ϕ_o	0.708	0.432	0.570	3.230
IVFC	5	250	2.30	5	3	original	ϕ_o	0.730	0.309	0.520	2.785
IVFC	5	250	3.00	5	3	original	ϕ_o	0.744	0.173	0.458	2.785
IVFC	5	500	0.50	3	2	original	ϕ_o	0.121	0.990	0.555	2.973
IVFC	5	500	0.70	3	2	original	ϕ_o	0.215	0.974	0.594	3.378
IVFC	5	500	1.00	3	2	original	ϕ_o	0.396	0.925	0.660	3.573
IVFC	5	750	0.50	3	2	original	ϕ_o	0.090	0.996	0.543	2.828
IVFC	5	750	0.70	3	2	original	ϕ_o	0.161	0.987	0.574	3.284
IVFC	5	750	1.00	3	2	original	ϕ_o	0.283	0.959	0.621	3.543
IVFC	5	1000	0.50	3	2	original	ϕ_o	0.085	0.996	0.541	2.803
IVFC	5	1000	0.70	3	2	original	ϕ_o	0.153	0.988	0.571	3.267
IVFC	5	1000	1.00	3	2	original	ϕ_o	0.267	0.965	0.616	3.544
IVFC	5	500	2.00	4	3	original	ϕ_o	0.667	0.738	0.703	3.488
IVFC	5	500	2.30	4	3	original	ϕ_o	0.720	0.636	0.678	3.504
IVFC	5	500	3.00	4	3	original	ϕ_o	0.774	0.418	0.596	2.977
IVFC	5	750	2.00	4	3	original	ϕ_o	0.659	0.743	0.701	3.474
IVFC	5	750	2.30	4	3	original	ϕ_o	0.715	0.642	0.678	3.488
IVFC	5	750	3.00	4	3	original	ϕ_o	0.772	0.424	0.598	3.450
IVFC	5	1000	2.00	4	3	original	ϕ_o	0.659	0.743	0.701	3.474
IVFC	5	1000	2.30	4	3	original	ϕ_o	0.715	0.642	0.678	3.488
IVFC	5	1000	3.00	4	3	original	ϕ_o	0.772	0.424	0.598	3.450
IVFC	5	500	2.00	6	3	original	ϕ_o	0.656	0.615	0.635	3.109
IVFC	5	500	2.30	6	3	original	ϕ_o	0.691	0.481	0.586	2.708
IVFC	5	500	3.00	6	3	original	ϕ_o	0.727	0.237	0.482	2.138
IVFC	5	750	2.00	6	3	original	ϕ_o	0.637	0.670	0.653	3.119
IVFC	5	750	2.30	6	3	original	ϕ_o	0.677	0.541	0.609	3.092
IVFC	5	750	3.00	6	3	original	ϕ_o	0.720	0.289	0.504	2.141
IVFC	5	1000	2.00	6	3	original	ϕ_o	0.637	0.670	0.653	3.119
IVFC	5	1000	2.30	6	3	original	ϕ_o	0.677	0.541	0.609	3.092
IVFC	5	1000	3.00	6	3	original	ϕ_o	0.720	0.289	0.504	2.141
IVFC	5	10	0.20	2	5	original	ϕ_o	0.436	0.961	0.699	3.441
IVFC	5	100	0.20	2	5	original	ϕ_o	0.043	0.999	0.521	2.230
IVFC	5	250	0.20	2	5	original	ϕ_o	0.009	1.000	0.504	1.813
IVFC	5	10	0.20	3	3	original	ϕ_o	0.386	0.950	0.668	2.888
IVFC	5	100	0.20	3	3	original	ϕ_o	0.063	0.998	0.530	2.012
IVFC	5	250	0.20	3	3	original	ϕ_o	0.016	1.000	0.508	1.593
IVFC	5	10	0.50	6	7	original	ϕ_o	0.625	0.756	0.690	2.785
IVFC	5	10	0.70	6	7	original	ϕ_o	0.711	0.459	0.585	2.200
IVFC	5	10	1.00	6	7	original	ϕ_o	0.743	0.127	0.435	2.149
IVFC	5	100	0.50	6	7	original	ϕ_o	0.228	0.979	0.603	2.904
IVFC	5	100	0.70	6	7	original	ϕ_o	0.363	0.942	0.652	3.179
IVFC	5	100	1.00	6	7	original	ϕ_o	0.531	0.847	0.689	3.218
IVFC	5	250	0.50	6	7	original	ϕ_o	0.115	0.993	0.554	2.634
IVFC	5	250	0.70	6	7	original	ϕ_o	0.210	0.978	0.594	3.048
IVFC	5	250	1.00	6	7	original	ϕ_o	0.349	0.938	0.643	3.211
IVFC	5	10	2.00	7	4	original	ϕ_o	0.685	0.114	0.400	2.403
IVFC	5	10	2.30	7	4	original	ϕ_o	0.685	0.113	0.399	2.404
IVFC	5	10	3.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	100	2.00	7	4	original	ϕ_o	0.682	0.216	0.449	2.447

IVFC	5	100	2.30	7	4	original	ϕ_o	0.683	0.187	0.435	2.435
IVFC	5	100	3.00	7	4	original	ϕ_o	0.683	0.156	0.419	2.745
IVFC	5	250	2.00	7	4	original	ϕ_o	0.639	0.493	0.566	2.875
IVFC	5	250	2.30	7	4	original	ϕ_o	0.657	0.397	0.527	2.838
IVFC	5	250	3.00	7	4	original	ϕ_o	0.673	0.271	0.472	2.774
IVFC	5	500	0.50	2	6	original	ϕ_o	0.166	0.995	0.581	3.643
IVFC	5	500	0.70	2	6	original	ϕ_o	0.347	0.983	0.665	4.178
IVFC	5	500	1.00	2	6	original	ϕ_o	0.562	0.952	0.757	4.406
IVFC	5	750	0.50	2	6	original	ϕ_o	0.166	0.995	0.581	3.643
IVFC	5	750	0.70	2	6	original	ϕ_o	0.347	0.983	0.665	4.178
IVFC	5	750	1.00	2	6	original	ϕ_o	0.562	0.952	0.757	4.406
IVFC	5	1000	0.50	2	6	original	ϕ_o	0.166	0.995	0.581	3.643
IVFC	5	1000	0.70	2	6	original	ϕ_o	0.347	0.983	0.665	4.178
IVFC	5	1000	1.00	2	6	original	ϕ_o	0.562	0.952	0.757	4.406
IVFC	5	500	1.25	3	4	original	ϕ_o	0.484	0.911	0.698	3.704
IVFC	5	500	1.50	3	4	original	ϕ_o	0.601	0.849	0.725	3.684
IVFC	5	500	1.70	3	4	original	ϕ_o	0.674	0.787	0.730	3.661
IVFC	5	750	1.25	3	4	original	ϕ_o	0.473	0.916	0.694	3.704
IVFC	5	750	1.50	3	4	original	ϕ_o	0.589	0.855	0.722	3.681
IVFC	5	750	1.70	3	4	original	ϕ_o	0.663	0.793	0.728	3.656
IVFC	5	1000	1.25	3	4	original	ϕ_o	0.473	0.916	0.694	3.704
IVFC	5	1000	1.50	3	4	original	ϕ_o	0.589	0.855	0.722	3.681
IVFC	5	1000	1.70	3	4	original	ϕ_o	0.663	0.793	0.728	3.656
IVFC	5	500	0.20	4	5	original	ϕ_o	0.006	1.000	0.503	0.874
IVFC	5	750	0.20	4	5	original	ϕ_o	0.006	1.000	0.503	0.874
IVFC	5	1000	0.20	4	5	original	ϕ_o	0.006	1.000	0.503	0.874
IVFC	5	10	1.25	4	7	original	ϕ_o	0.798	0.114	0.456	2.313
IVFC	5	10	1.50	4	7	original	ϕ_o	0.794	0.098	0.446	2.881
IVFC	5	10	1.70	4	7	original	ϕ_o	0.792	0.094	0.443	2.295
IVFC	5	100	1.25	4	7	original	ϕ_o	0.629	0.803	0.716	3.529
IVFC	5	100	1.50	4	7	original	ϕ_o	0.711	0.685	0.698	3.544
IVFC	5	100	1.70	4	7	original	ϕ_o	0.747	0.585	0.666	3.535
IVFC	5	250	1.25	4	7	original	ϕ_o	0.426	0.930	0.678	3.423
IVFC	5	250	1.50	4	7	original	ϕ_o	0.555	0.859	0.707	3.487
IVFC	5	250	1.70	4	7	original	ϕ_o	0.632	0.794	0.713	3.510
IVFC	5	10	4.00	6	7	original	ϕ_o	0.732	0.053	0.392	2.097
IVFC	5	100	4.00	6	7	original	ϕ_o	0.735	0.060	0.398	2.105
IVFC	5	250	4.00	6	7	original	ϕ_o	0.736	0.093	0.414	2.111
IVFC	5	500	2.00	4	7	original	ϕ_o	0.696	0.702	0.699	3.515
IVFC	5	500	2.30	4	7	original	ϕ_o	0.741	0.602	0.672	3.531
IVFC	5	500	3.00	4	7	original	ϕ_o	0.785	0.383	0.584	3.509
IVFC	5	750	2.00	4	7	original	ϕ_o	0.696	0.702	0.699	3.515
IVFC	5	750	2.30	4	7	original	ϕ_o	0.741	0.602	0.672	3.531
IVFC	5	750	3.00	4	7	original	ϕ_o	0.785	0.383	0.584	3.509
IVFC	5	1000	2.00	4	7	original	ϕ_o	0.696	0.702	0.699	3.515
IVFC	5	1000	2.30	4	7	original	ϕ_o	0.741	0.602	0.672	3.531
IVFC	5	1000	3.00	4	7	original	ϕ_o	0.785	0.383	0.584	3.509
IVFC	5	500	1.25	7	2	original	ϕ_o	0.398	0.827	0.613	2.652
IVFC	5	500	1.50	7	2	original	ϕ_o	0.481	0.720	0.601	2.665
IVFC	5	500	1.70	7	2	original	ϕ_o	0.534	0.635	0.584	2.662

IVFC	5	750	1.25	7	2	original	ϕ_o	0.353	0.883	0.618	2.677
IVFC	5	750	1.50	7	2	original	ϕ_o	0.444	0.785	0.614	2.697
IVFC	5	750	1.70	7	2	original	ϕ_o	0.501	0.700	0.600	2.705
IVFC	5	1000	1.25	7	2	original	ϕ_o	0.348	0.895	0.622	2.704
IVFC	5	1000	1.50	7	2	original	ϕ_o	0.441	0.801	0.621	2.728
IVFC	5	1000	1.70	7	2	original	ϕ_o	0.499	0.718	0.608	2.742
IVFC	5	500	0.20	6	5	original	ϕ_o	0.009	1.000	0.504	1.273
IVFC	5	750	0.20	6	5	original	ϕ_o	0.009	1.000	0.504	1.273
IVFC	5	1000	0.20	6	5	original	ϕ_o	0.009	1.000	0.504	1.273
IVFC	5	500	0.50	2	2	original	ϕ_o	0.219	0.994	0.607	3.749
IVFC	5	500	0.70	2	2	original	ϕ_o	0.378	0.980	0.679	4.187
IVFC	5	500	1.00	2	2	original	ϕ_o	0.564	0.948	0.756	4.385
IVFC	5	750	0.50	2	2	original	ϕ_o	0.152	0.997	0.574	3.588
IVFC	5	750	0.70	2	2	original	ϕ_o	0.285	0.988	0.637	4.072
IVFC	5	750	1.00	2	2	original	ϕ_o	0.459	0.966	0.712	4.342
IVFC	5	1000	0.50	2	2	original	ϕ_o	0.142	0.997	0.569	3.557
IVFC	5	1000	0.70	2	2	original	ϕ_o	0.272	0.988	0.630	4.049
IVFC	5	1000	1.00	2	2	original	ϕ_o	0.443	0.966	0.705	4.329
IVFC	5	500	0.50	6	5	original	ϕ_o	0.109	0.994	0.551	2.622
IVFC	5	500	0.70	6	5	original	ϕ_o	0.198	0.983	0.591	3.033
IVFC	5	500	1.00	6	5	original	ϕ_o	0.331	0.951	0.641	3.213
IVFC	5	750	0.50	6	5	original	ϕ_o	0.109	0.994	0.551	2.622
IVFC	5	750	0.70	6	5	original	ϕ_o	0.198	0.983	0.591	3.033
IVFC	5	750	1.00	6	5	original	ϕ_o	0.331	0.951	0.641	3.213
IVFC	5	1000	0.50	6	5	original	ϕ_o	0.109	0.994	0.551	2.622
IVFC	5	1000	0.70	6	5	original	ϕ_o	0.198	0.983	0.591	3.033
IVFC	5	1000	1.00	6	5	original	ϕ_o	0.331	0.951	0.641	3.213
IVFC	5	10	0.20	2	6	original	ϕ_o	0.379	0.964	0.671	3.245
IVFC	5	100	0.20	2	6	original	ϕ_o	0.029	1.000	0.514	2.020
IVFC	5	250	0.20	2	6	original	ϕ_o	0.006	1.000	0.503	1.706
IVFC	5	500	0.20	4	4	original	ϕ_o	0.007	1.000	0.504	0.911
IVFC	5	750	0.20	4	4	original	ϕ_o	0.007	1.000	0.504	0.911
IVFC	5	1000	0.20	4	4	original	ϕ_o	0.007	1.000	0.504	0.911
IVFC	5	10	0.20	7	7	original	ϕ_o	0.240	0.971	0.606	2.208
IVFC	5	100	0.20	7	7	original	ϕ_o	0.038	0.999	0.519	1.168
IVFC	5	250	0.20	7	7	original	ϕ_o	0.021	1.000	0.511	0.953
IVFC	5	500	2.00	2	4	original	ϕ_o	0.866	0.777	0.822	4.402
IVFC	5	500	2.30	2	4	original	ϕ_o	0.904	0.702	0.803	4.372
IVFC	5	500	3.00	2	4	original	ϕ_o	0.948	0.515	0.731	3.722
IVFC	5	750	2.00	2	4	original	ϕ_o	0.866	0.777	0.822	4.402
IVFC	5	750	2.30	2	4	original	ϕ_o	0.904	0.702	0.803	4.372
IVFC	5	750	3.00	2	4	original	ϕ_o	0.948	0.515	0.731	3.722
IVFC	5	1000	2.00	2	4	original	ϕ_o	0.866	0.777	0.822	4.402
IVFC	5	1000	2.30	2	4	original	ϕ_o	0.904	0.702	0.803	4.372
IVFC	5	1000	3.00	2	4	original	ϕ_o	0.948	0.515	0.731	3.722
IVFC	5	10	0.20	5	4	original	ϕ_o	0.239	0.978	0.608	2.422
IVFC	5	100	0.20	5	4	original	ϕ_o	0.040	0.998	0.519	1.476
IVFC	5	250	0.20	5	4	original	ϕ_o	0.010	1.000	0.505	1.107
IVFC	5	500	0.50	7	2	original	ϕ_o	0.080	0.993	0.536	2.282
IVFC	5	500	0.70	7	2	original	ϕ_o	0.143	0.975	0.559	2.540

IVFC	5	500	1.00	7	2	original	ϕ_o	0.289	0.918	0.603	2.630
IVFC	5	750	0.50	7	2	original	ϕ_o	0.065	0.995	0.530	2.200
IVFC	5	750	0.70	7	2	original	ϕ_o	0.111	0.985	0.548	2.500
IVFC	5	750	1.00	7	2	original	ϕ_o	0.236	0.949	0.593	2.636
IVFC	5	1000	0.50	7	2	original	ϕ_o	0.060	0.996	0.528	2.199
IVFC	5	1000	0.70	7	2	original	ϕ_o	0.104	0.987	0.546	2.508
IVFC	5	1000	1.00	7	2	original	ϕ_o	0.230	0.956	0.593	2.658
IVFC	5	500	0.50	7	5	original	ϕ_o	0.070	0.996	0.533	2.392
IVFC	5	500	0.70	7	5	original	ϕ_o	0.130	0.987	0.559	2.731
IVFC	5	500	1.00	7	5	original	ϕ_o	0.283	0.954	0.619	2.899
IVFC	5	750	0.50	7	5	original	ϕ_o	0.070	0.996	0.533	2.392
IVFC	5	750	0.70	7	5	original	ϕ_o	0.130	0.987	0.559	2.731
IVFC	5	750	1.00	7	5	original	ϕ_o	0.283	0.954	0.619	2.899
IVFC	5	1000	0.50	7	5	original	ϕ_o	0.070	0.996	0.533	2.392
IVFC	5	1000	0.70	7	5	original	ϕ_o	0.130	0.987	0.559	2.731
IVFC	5	1000	1.00	7	5	original	ϕ_o	0.283	0.954	0.619	2.899
IVFC	5	10	0.50	2	3	original	ϕ_o	0.903	0.727	0.815	3.732
IVFC	5	10	0.70	2	3	original	ϕ_o	0.953	0.517	0.735	2.899
IVFC	5	10	1.00	2	3	original	ϕ_o	0.969	0.173	0.571	2.870
IVFC	5	100	0.50	2	3	original	ϕ_o	0.541	0.957	0.749	4.239
IVFC	5	100	0.70	2	3	original	ϕ_o	0.713	0.910	0.811	4.437
IVFC	5	100	1.00	2	3	original	ϕ_o	0.854	0.805	0.829	4.444
IVFC	5	250	0.50	2	3	original	ϕ_o	0.283	0.988	0.635	3.863
IVFC	5	250	0.70	2	3	original	ϕ_o	0.461	0.970	0.716	4.273
IVFC	5	250	1.00	2	3	original	ϕ_o	0.654	0.928	0.791	4.432
IVFC	5	10	1.25	4	2	original	ϕ_o	0.789	0.098	0.444	2.865
IVFC	5	10	1.50	4	2	original	ϕ_o	0.789	0.097	0.443	2.871
IVFC	5	10	1.70	4	2	original	ϕ_o	0.789	0.097	0.443	2.870
IVFC	5	100	1.25	4	2	original	ϕ_o	0.776	0.384	0.580	2.980
IVFC	5	100	1.50	4	2	original	ϕ_o	0.793	0.227	0.510	2.332
IVFC	5	100	1.70	4	2	original	ϕ_o	0.796	0.160	0.478	2.915
IVFC	5	250	1.25	4	2	original	ϕ_o	0.663	0.748	0.705	3.490
IVFC	5	250	1.50	4	2	original	ϕ_o	0.730	0.602	0.666	2.979
IVFC	5	250	1.70	4	2	original	ϕ_o	0.759	0.477	0.618	3.486
IVFC	5	10	2.00	3	6	original	ϕ_o	0.867	0.073	0.470	2.524
IVFC	5	10	2.30	3	6	original	ϕ_o	0.866	0.073	0.469	2.522
IVFC	5	10	3.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	5	100	2.00	3	6	original	ϕ_o	0.854	0.308	0.581	3.149
IVFC	5	100	2.30	3	6	original	ϕ_o	0.861	0.215	0.538	2.545
IVFC	5	100	3.00	3	6	original	ϕ_o	0.866	0.112	0.489	2.532
IVFC	5	250	2.00	3	6	original	ϕ_o	0.791	0.612	0.701	3.642
IVFC	5	250	2.30	3	6	original	ϕ_o	0.824	0.496	0.660	3.197
IVFC	5	250	3.00	3	6	original	ϕ_o	0.857	0.280	0.568	3.164
IVFC	5	500	0.20	6	6	original	ϕ_o	0.008	1.000	0.504	1.265
IVFC	5	750	0.20	6	6	original	ϕ_o	0.008	1.000	0.504	1.265
IVFC	5	1000	0.20	6	6	original	ϕ_o	0.008	1.000	0.504	1.265
IVFC	5	10	1.25	6	3	original	ϕ_o	0.735	0.052	0.394	2.106
IVFC	5	10	1.50	6	3	original	ϕ_o	0.734	0.053	0.393	2.103
IVFC	5	10	1.70	6	3	original	ϕ_o	0.733	0.053	0.393	2.101
IVFC	5	100	1.25	6	3	original	ϕ_o	0.715	0.350	0.533	2.157

IVFC	5	100	1.50	6	3	original	ϕ_o	0.735	0.188	0.461	2.136
IVFC	5	100	1.70	6	3	original	ϕ_o	0.739	0.114	0.426	2.126
IVFC	5	250	1.25	6	3	original	ϕ_o	0.589	0.727	0.658	3.068
IVFC	5	250	1.50	6	3	original	ϕ_o	0.655	0.588	0.621	2.687
IVFC	5	250	1.70	6	3	original	ϕ_o	0.688	0.469	0.578	2.150
IVFC	5	500	1.25	2	5	original	ϕ_o	0.664	0.916	0.790	4.420
IVFC	5	500	1.50	2	5	original	ϕ_o	0.759	0.868	0.814	4.422
IVFC	5	500	1.70	2	5	original	ϕ_o	0.816	0.826	0.821	4.410
IVFC	5	750	1.25	2	5	original	ϕ_o	0.664	0.916	0.790	4.420
IVFC	5	750	1.50	2	5	original	ϕ_o	0.759	0.868	0.814	4.422
IVFC	5	750	1.70	2	5	original	ϕ_o	0.816	0.826	0.821	4.410
IVFC	5	1000	1.25	2	5	original	ϕ_o	0.664	0.916	0.790	4.420
IVFC	5	1000	1.50	2	5	original	ϕ_o	0.759	0.868	0.814	4.422
IVFC	5	1000	1.70	2	5	original	ϕ_o	0.816	0.826	0.821	4.410
IVFC	5	500	4.00	4	4	original	ϕ_o	0.795	0.247	0.521	3.412
IVFC	5	750	4.00	4	4	original	ϕ_o	0.795	0.247	0.521	3.412
IVFC	5	1000	4.00	4	4	original	ϕ_o	0.795	0.247	0.521	3.412
IVFC	5	10	0.50	3	2	original	ϕ_o	0.796	0.519	0.658	3.167
IVFC	5	10	0.70	3	2	original	ϕ_o	0.851	0.275	0.563	2.532
IVFC	5	10	1.00	3	2	original	ϕ_o	0.865	0.091	0.478	2.524
IVFC	5	100	0.50	3	2	original	ϕ_o	0.491	0.910	0.701	3.499
IVFC	5	100	0.70	3	2	original	ϕ_o	0.662	0.784	0.723	3.565
IVFC	5	100	1.00	3	2	original	ϕ_o	0.798	0.529	0.664	3.130
IVFC	5	250	0.50	3	2	original	ϕ_o	0.247	0.970	0.608	3.273
IVFC	5	250	0.70	3	2	original	ϕ_o	0.426	0.923	0.675	3.527
IVFC	5	250	1.00	3	2	original	ϕ_o	0.638	0.804	0.721	3.570
IVFC	5	500	2.00	6	5	original	ϕ_o	0.658	0.653	0.656	3.193
IVFC	5	500	2.30	6	5	original	ϕ_o	0.696	0.522	0.609	3.158
IVFC	5	500	3.00	6	5	original	ϕ_o	0.731	0.252	0.492	2.161
IVFC	5	750	2.00	6	5	original	ϕ_o	0.658	0.653	0.656	3.193
IVFC	5	750	2.30	6	5	original	ϕ_o	0.696	0.522	0.609	3.158
IVFC	5	750	3.00	6	5	original	ϕ_o	0.731	0.252	0.492	2.161
IVFC	5	1000	2.00	6	5	original	ϕ_o	0.658	0.653	0.656	3.193
IVFC	5	1000	2.30	6	5	original	ϕ_o	0.696	0.522	0.609	3.158
IVFC	5	1000	3.00	6	5	original	ϕ_o	0.731	0.252	0.492	2.161
IVFC	5	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	5	100	4.00	7	2	original	ϕ_o	0.685	0.122	0.403	1.948
IVFC	5	250	4.00	7	2	original	ϕ_o	0.683	0.152	0.417	2.755
IVFC	5	500	0.20	3	7	original	ϕ_o	0.004	1.000	0.502	1.239
IVFC	5	750	0.20	3	7	original	ϕ_o	0.004	1.000	0.502	1.239
IVFC	5	1000	0.20	3	7	original	ϕ_o	0.004	1.000	0.502	1.239
IVFC	5	10	1.25	7	4	original	ϕ_o	0.686	0.123	0.405	2.406
IVFC	5	10	1.50	7	4	original	ϕ_o	0.686	0.118	0.402	2.406
IVFC	5	10	1.70	7	4	original	ϕ_o	0.685	0.116	0.401	2.405
IVFC	5	100	1.25	7	4	original	ϕ_o	0.653	0.455	0.554	2.897
IVFC	5	100	1.50	7	4	original	ϕ_o	0.672	0.327	0.500	2.851
IVFC	5	100	1.70	7	4	original	ϕ_o	0.678	0.267	0.473	2.814
IVFC	5	250	1.25	7	4	original	ϕ_o	0.481	0.817	0.649	2.917
IVFC	5	250	1.50	7	4	original	ϕ_o	0.561	0.702	0.631	2.928
IVFC	5	250	1.70	7	4	original	ϕ_o	0.603	0.612	0.608	2.914

IVFC	5	10	0.20	6	3	original	ϕ_o	0.346	0.949	0.648	2.530
IVFC	5	100	0.20	6	3	original	ϕ_o	0.118	0.994	0.556	1.911
IVFC	5	250	0.20	6	3	original	ϕ_o	0.052	0.999	0.525	1.574
IVFC	5	10	0.20	2	7	original	ϕ_o	0.337	0.971	0.654	3.136
IVFC	5	100	0.20	2	7	original	ϕ_o	0.023	1.000	0.511	1.887
IVFC	5	250	0.20	2	7	original	ϕ_o	0.004	1.000	0.502	1.627
IVFC	5	500	0.50	4	2	original	ϕ_o	0.132	0.998	0.565	2.366
IVFC	5	500	0.70	4	2	original	ϕ_o	0.194	0.992	0.593	2.898
IVFC	5	500	1.00	4	2	original	ϕ_o	0.307	0.972	0.639	3.276
IVFC	5	750	0.50	4	2	original	ϕ_o	0.108	0.999	0.553	2.219
IVFC	5	750	0.70	4	2	original	ϕ_o	0.165	0.995	0.580	2.745
IVFC	5	750	1.00	4	2	original	ϕ_o	0.246	0.979	0.612	3.161
IVFC	5	1000	0.50	4	2	original	ϕ_o	0.108	0.999	0.553	2.212
IVFC	5	1000	0.70	4	2	original	ϕ_o	0.165	0.995	0.580	2.734
IVFC	5	1000	1.00	4	2	original	ϕ_o	0.244	0.979	0.612	3.151
IVFC	5	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	5	100	4.00	4	2	original	ϕ_o	0.790	0.098	0.444	2.287
IVFC	5	250	4.00	4	2	original	ϕ_o	0.794	0.105	0.449	2.867
IVFC	5	500	4.00	5	7	original	ϕ_o	0.742	0.207	0.474	2.192
IVFC	5	750	4.00	5	7	original	ϕ_o	0.742	0.207	0.474	2.192
IVFC	5	1000	4.00	5	7	original	ϕ_o	0.742	0.207	0.474	2.192
IVFC	5	500	0.50	5	3	original	ϕ_o	0.062	0.993	0.528	2.478
IVFC	5	500	0.70	5	3	original	ϕ_o	0.119	0.985	0.552	2.932
IVFC	5	500	1.00	5	3	original	ϕ_o	0.229	0.966	0.597	3.147
IVFC	5	750	0.50	5	3	original	ϕ_o	0.060	0.993	0.527	2.470
IVFC	5	750	0.70	5	3	original	ϕ_o	0.117	0.985	0.551	2.923
IVFC	5	750	1.00	5	3	original	ϕ_o	0.225	0.966	0.596	3.146
IVFC	5	1000	0.50	5	3	original	ϕ_o	0.060	0.993	0.527	2.470
IVFC	5	1000	0.70	5	3	original	ϕ_o	0.117	0.985	0.551	2.923
IVFC	5	1000	1.00	5	3	original	ϕ_o	0.225	0.966	0.596	3.146
IVFC	5	10	1.25	6	4	original	ϕ_o	0.736	0.053	0.395	2.104
IVFC	5	10	1.50	6	4	original	ϕ_o	0.734	0.052	0.393	1.439
IVFC	5	10	1.70	6	4	original	ϕ_o	0.733	0.052	0.393	2.100
IVFC	5	100	1.25	6	4	original	ϕ_o	0.692	0.443	0.568	2.152
IVFC	5	100	1.50	6	4	original	ϕ_o	0.722	0.272	0.497	2.138
IVFC	5	100	1.70	6	4	original	ϕ_o	0.733	0.171	0.452	2.124
IVFC	5	250	1.25	6	4	original	ϕ_o	0.539	0.776	0.658	3.041
IVFC	5	250	1.50	6	4	original	ϕ_o	0.618	0.658	0.638	2.664
IVFC	5	250	1.70	6	4	original	ϕ_o	0.661	0.552	0.606	2.654
IVFC	5	10	0.20	4	5	original	ϕ_o	0.259	0.978	0.618	2.336
IVFC	5	100	0.20	4	5	original	ϕ_o	0.036	1.000	0.518	1.218
IVFC	5	250	0.20	4	5	original	ϕ_o	0.010	1.000	0.505	0.929
IVFC	5	10	0.20	2	2	original	ϕ_o	0.576	0.947	0.762	3.844
IVFC	5	100	0.20	2	2	original	ϕ_o	0.170	0.995	0.583	2.902
IVFC	5	250	0.20	2	2	original	ϕ_o	0.056	1.000	0.528	2.383
IVFC	5	500	0.50	5	5	original	ϕ_o	0.062	0.991	0.527	2.480
IVFC	5	500	0.70	5	5	original	ϕ_o	0.119	0.980	0.550	2.928
IVFC	5	500	1.00	5	5	original	ϕ_o	0.229	0.956	0.593	3.146
IVFC	5	750	0.50	5	5	original	ϕ_o	0.062	0.991	0.527	2.480
IVFC	5	750	0.70	5	5	original	ϕ_o	0.119	0.980	0.550	2.928

IVFC	5	750	1.00	5	5	original	ϕ_o	0.229	0.956	0.593	3.146
IVFC	5	1000	0.50	5	5	original	ϕ_o	0.062	0.991	0.527	2.480
IVFC	5	1000	0.70	5	5	original	ϕ_o	0.119	0.980	0.550	2.928
IVFC	5	1000	1.00	5	5	original	ϕ_o	0.229	0.956	0.593	3.146
IVFC	5	500	4.00	4	7	original	ϕ_o	0.800	0.205	0.502	2.962
IVFC	5	750	4.00	4	7	original	ϕ_o	0.800	0.205	0.502	2.962
IVFC	5	1000	4.00	4	7	original	ϕ_o	0.800	0.205	0.502	2.962
IVFC	5	10	2.00	6	7	original	ϕ_o	0.735	0.053	0.394	2.102
IVFC	5	10	2.30	6	7	original	ϕ_o	0.734	0.053	0.393	2.101
IVFC	5	10	3.00	6	7	original	ϕ_o	0.733	0.052	0.392	2.099
IVFC	5	100	2.00	6	7	original	ϕ_o	0.727	0.219	0.473	2.133
IVFC	5	100	2.30	6	7	original	ϕ_o	0.733	0.134	0.434	2.118
IVFC	5	100	3.00	6	7	original	ϕ_o	0.736	0.072	0.404	2.108
IVFC	5	250	2.00	6	7	original	ϕ_o	0.672	0.595	0.633	2.732
IVFC	5	250	2.30	6	7	original	ϕ_o	0.704	0.442	0.573	2.704
IVFC	5	250	3.00	6	7	original	ϕ_o	0.730	0.195	0.463	2.134
IVFC	5	10	0.50	5	5	original	ϕ_o	0.617	0.746	0.681	3.271
IVFC	5	10	0.70	5	5	original	ϕ_o	0.718	0.450	0.584	2.830
IVFC	5	10	1.00	5	5	original	ϕ_o	0.753	0.190	0.472	2.827
IVFC	5	100	0.50	5	5	original	ϕ_o	0.214	0.972	0.593	2.942
IVFC	5	100	0.70	5	5	original	ϕ_o	0.362	0.939	0.650	3.185
IVFC	5	100	1.00	5	5	original	ϕ_o	0.549	0.824	0.687	3.218
IVFC	5	250	0.50	5	5	original	ϕ_o	0.083	0.987	0.535	2.559
IVFC	5	250	0.70	5	5	original	ϕ_o	0.149	0.973	0.561	2.987
IVFC	5	250	1.00	5	5	original	ϕ_o	0.283	0.945	0.614	3.171
IVFC	5	10	0.50	5	2	original	ϕ_o	0.673	0.471	0.572	2.704
IVFC	5	10	0.70	5	2	original	ϕ_o	0.747	0.211	0.479	3.267
IVFC	5	10	1.00	5	2	original	ϕ_o	0.751	0.114	0.432	2.192
IVFC	5	100	0.50	5	2	original	ϕ_o	0.384	0.914	0.649	3.000
IVFC	5	100	0.70	5	2	original	ϕ_o	0.548	0.765	0.656	3.084
IVFC	5	100	1.00	5	2	original	ϕ_o	0.691	0.460	0.576	2.759
IVFC	5	250	0.50	5	2	original	ϕ_o	0.204	0.961	0.583	2.827
IVFC	5	250	0.70	5	2	original	ϕ_o	0.332	0.931	0.631	3.022
IVFC	5	250	1.00	5	2	original	ϕ_o	0.519	0.796	0.658	3.074
IVFC	5	500	1.25	7	4	original	ϕ_o	0.409	0.888	0.649	2.910
IVFC	5	500	1.50	7	4	original	ϕ_o	0.501	0.791	0.646	2.926
IVFC	5	500	1.70	7	4	original	ϕ_o	0.557	0.707	0.632	2.941
IVFC	5	750	1.25	7	4	original	ϕ_o	0.409	0.888	0.649	2.910
IVFC	5	750	1.50	7	4	original	ϕ_o	0.501	0.791	0.646	2.926
IVFC	5	750	1.70	7	4	original	ϕ_o	0.557	0.707	0.632	2.941
IVFC	5	1000	1.25	7	4	original	ϕ_o	0.409	0.888	0.649	2.910
IVFC	5	1000	1.50	7	4	original	ϕ_o	0.501	0.791	0.646	2.926
IVFC	5	1000	1.70	7	4	original	ϕ_o	0.557	0.707	0.632	2.941
IVFC	5	500	1.25	7	7	original	ϕ_o	0.446	0.851	0.648	2.920
IVFC	5	500	1.50	7	7	original	ϕ_o	0.543	0.727	0.635	2.954
IVFC	5	500	1.70	7	7	original	ϕ_o	0.595	0.619	0.607	2.945
IVFC	5	750	1.25	7	7	original	ϕ_o	0.446	0.851	0.648	2.920
IVFC	5	750	1.50	7	7	original	ϕ_o	0.543	0.727	0.635	2.954
IVFC	5	750	1.70	7	7	original	ϕ_o	0.595	0.619	0.607	2.945
IVFC	5	1000	1.25	7	7	original	ϕ_o	0.446	0.851	0.648	2.920

IVFC	5	1000	1.50	7	7	original	ϕ_o	0.543	0.727	0.635	2.954
IVFC	5	1000	1.70	7	7	original	ϕ_o	0.595	0.619	0.607	2.945
IVFC	5	10	2.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	10	2.30	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	10	3.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	5	100	2.00	3	2	original	ϕ_o	0.865	0.097	0.481	2.515
IVFC	5	100	2.30	3	2	original	ϕ_o	0.865	0.083	0.474	2.514
IVFC	5	100	3.00	3	2	original	ϕ_o	0.865	0.075	0.470	2.515
IVFC	5	250	2.00	3	2	original	ϕ_o	0.846	0.253	0.550	2.507
IVFC	5	250	2.30	3	2	original	ϕ_o	0.856	0.172	0.514	2.506
IVFC	5	250	3.00	3	2	original	ϕ_o	0.863	0.103	0.483	2.509
IVFC	5	500	1.25	5	4	original	ϕ_o	0.349	0.911	0.630	3.120
IVFC	5	500	1.50	5	4	original	ϕ_o	0.469	0.846	0.658	3.107
IVFC	5	500	1.70	5	4	original	ϕ_o	0.544	0.780	0.662	3.095
IVFC	5	750	1.25	5	4	original	ϕ_o	0.349	0.911	0.630	3.120
IVFC	5	750	1.50	5	4	original	ϕ_o	0.469	0.846	0.658	3.107
IVFC	5	750	1.70	5	4	original	ϕ_o	0.544	0.780	0.662	3.095
IVFC	5	1000	1.25	5	4	original	ϕ_o	0.349	0.911	0.630	3.120
IVFC	5	1000	1.50	5	4	original	ϕ_o	0.469	0.846	0.658	3.107
IVFC	5	1000	1.70	5	4	original	ϕ_o	0.544	0.780	0.662	3.095
IVFC	5	10	2.00	2	2	original	ϕ_o	0.964	0.057	0.511	2.830
IVFC	5	10	2.30	2	2	original	ϕ_o	0.964	0.057	0.510	2.827
IVFC	5	10	3.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	2.00	2	2	original	ϕ_o	0.971	0.133	0.552	2.872
IVFC	5	100	2.30	2	2	original	ϕ_o	0.971	0.082	0.526	2.862
IVFC	5	100	3.00	2	2	original	ϕ_o	0.969	0.064	0.517	2.846
IVFC	5	250	2.00	2	2	original	ϕ_o	0.948	0.515	0.731	2.894
IVFC	5	250	2.30	2	2	original	ϕ_o	0.961	0.391	0.676	2.892
IVFC	5	250	3.00	2	2	original	ϕ_o	0.969	0.163	0.566	2.872
IVFC	5	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	5	100	4.00	2	5	original	ϕ_o	0.969	0.066	0.517	2.846
IVFC	5	250	4.00	2	5	original	ϕ_o	0.967	0.163	0.565	2.868
IVFC	5	500	1.25	5	2	original	ϕ_o	0.426	0.884	0.655	3.091
IVFC	5	500	1.50	5	2	original	ϕ_o	0.530	0.792	0.661	3.097
IVFC	5	500	1.70	5	2	original	ϕ_o	0.596	0.704	0.650	3.118
IVFC	5	750	1.25	5	2	original	ϕ_o	0.337	0.934	0.635	3.117
IVFC	5	750	1.50	5	2	original	ϕ_o	0.443	0.882	0.662	3.129
IVFC	5	750	1.70	5	2	original	ϕ_o	0.516	0.819	0.668	3.138
IVFC	5	1000	1.25	5	2	original	ϕ_o	0.334	0.934	0.634	3.112
IVFC	5	1000	1.50	5	2	original	ϕ_o	0.440	0.882	0.661	3.124
IVFC	5	1000	1.70	5	2	original	ϕ_o	0.514	0.820	0.667	3.133
IVFC	5	500	0.20	6	2	original	ϕ_o	0.034	1.000	0.517	1.491
IVFC	5	750	0.20	6	2	original	ϕ_o	0.021	1.000	0.510	1.422
IVFC	5	1000	0.20	6	2	original	ϕ_o	0.019	1.000	0.510	1.410
IVFC	5	500	4.00	4	3	original	ϕ_o	0.792	0.237	0.514	2.925
IVFC	5	750	4.00	4	3	original	ϕ_o	0.792	0.240	0.516	3.362
IVFC	5	1000	4.00	4	3	original	ϕ_o	0.792	0.240	0.516	3.362
IVFC	5	500	0.20	3	2	original	ϕ_o	0.011	1.000	0.505	1.558
IVFC	5	750	0.20	3	2	original	ϕ_o	0.008	1.000	0.504	1.452
IVFC	5	1000	0.20	3	2	original	ϕ_o	0.008	1.000	0.504	1.438

IVFC	5	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	5	100	4.00	3	2	original	ϕ_o	0.866	0.073	0.469	2.517
IVFC	5	250	4.00	3	2	original	ϕ_o	0.865	0.083	0.474	1.711
IVFC	5	10	0.20	5	7	original	ϕ_o	0.189	0.983	0.586	2.195
IVFC	5	100	0.20	5	7	original	ϕ_o	0.011	1.000	0.506	1.222
IVFC	5	250	0.20	5	7	original	ϕ_o	0.003	1.000	0.501	1.012
IVFC	5	500	4.00	7	4	original	ϕ_o	0.685	0.233	0.459	2.477
IVFC	5	750	4.00	7	4	original	ϕ_o	0.685	0.233	0.459	2.477
IVFC	5	1000	4.00	7	4	original	ϕ_o	0.685	0.233	0.459	2.477
IVFC	5	10	4.00	5	7	original	ϕ_o	0.748	0.103	0.426	2.765
IVFC	5	100	4.00	5	7	original	ϕ_o	0.747	0.123	0.435	2.192
IVFC	5	250	4.00	5	7	original	ϕ_o	0.742	0.192	0.467	2.792
IVFC	5	10	2.00	5	4	original	ϕ_o	0.750	0.106	0.428	2.773
IVFC	5	10	2.30	5	4	original	ϕ_o	0.749	0.105	0.427	2.770
IVFC	5	10	3.00	5	4	original	ϕ_o	0.748	0.104	0.426	2.765
IVFC	5	100	2.00	5	4	original	ϕ_o	0.750	0.207	0.478	2.818
IVFC	5	100	2.30	5	4	original	ϕ_o	0.752	0.158	0.455	2.817
IVFC	5	100	3.00	5	4	original	ϕ_o	0.751	0.124	0.437	2.800
IVFC	5	250	2.00	5	4	original	ϕ_o	0.677	0.565	0.621	3.187
IVFC	5	250	2.30	5	4	original	ϕ_o	0.713	0.441	0.577	3.203
IVFC	5	250	3.00	5	4	original	ϕ_o	0.743	0.246	0.495	2.796
IVFC	5	500	2.00	7	3	original	ϕ_o	0.603	0.586	0.595	2.911
IVFC	5	500	2.30	7	3	original	ϕ_o	0.635	0.480	0.558	2.891
IVFC	5	500	3.00	7	3	original	ϕ_o	0.668	0.317	0.493	2.849
IVFC	5	750	2.00	7	3	original	ϕ_o	0.601	0.589	0.595	2.908
IVFC	5	750	2.30	7	3	original	ϕ_o	0.633	0.482	0.557	2.888
IVFC	5	750	3.00	7	3	original	ϕ_o	0.667	0.318	0.492	2.842
IVFC	5	1000	2.00	7	3	original	ϕ_o	0.601	0.589	0.595	2.908
IVFC	5	1000	2.30	7	3	original	ϕ_o	0.633	0.482	0.557	2.888
IVFC	5	1000	3.00	7	3	original	ϕ_o	0.667	0.318	0.492	2.842
IVFC	5	10	2.00	6	3	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	5	10	2.30	6	3	original	ϕ_o	0.732	0.053	0.392	2.098
IVFC	5	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	5	100	2.00	6	3	original	ϕ_o	0.738	0.071	0.404	2.114
IVFC	5	100	2.30	6	3	original	ϕ_o	0.737	0.058	0.397	2.110
IVFC	5	100	3.00	6	3	original	ϕ_o	0.735	0.055	0.395	2.106
IVFC	5	250	2.00	6	3	original	ϕ_o	0.716	0.308	0.512	2.139
IVFC	5	250	2.30	6	3	original	ϕ_o	0.729	0.193	0.461	2.125
IVFC	5	250	3.00	6	3	original	ϕ_o	0.736	0.087	0.411	2.108
IVFC	5	10	0.20	4	4	original	ϕ_o	0.301	0.970	0.635	2.514
IVFC	5	100	0.20	4	4	original	ϕ_o	0.049	0.999	0.524	1.408
IVFC	5	250	0.20	4	4	original	ϕ_o	0.013	1.000	0.506	1.028
IVFC	5	500	2.00	5	6	original	ϕ_o	0.625	0.688	0.656	3.154
IVFC	5	500	2.30	5	6	original	ϕ_o	0.672	0.580	0.626	3.176
IVFC	5	500	3.00	5	6	original	ϕ_o	0.725	0.366	0.546	3.218
IVFC	5	750	2.00	5	6	original	ϕ_o	0.625	0.688	0.656	3.154
IVFC	5	750	2.30	5	6	original	ϕ_o	0.672	0.580	0.626	3.176
IVFC	5	750	3.00	5	6	original	ϕ_o	0.725	0.366	0.546	3.218
IVFC	5	1000	2.00	5	6	original	ϕ_o	0.625	0.688	0.656	3.154
IVFC	5	1000	2.30	5	6	original	ϕ_o	0.672	0.580	0.626	3.176

IVFC	5	1000	3.00	5	6	original	ϕ_o	0.725	0.366	0.546	3.218
IVFC	5	10	2.00	2	6	original	ϕ_o	0.965	0.057	0.511	2.830
IVFC	5	10	2.30	2	6	original	ϕ_o	0.964	0.057	0.511	2.828
IVFC	5	10	3.00	2	6	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	5	100	2.00	2	6	original	ϕ_o	0.949	0.523	0.736	3.748
IVFC	5	100	2.30	2	6	original	ϕ_o	0.962	0.387	0.674	2.897
IVFC	5	100	3.00	2	6	original	ϕ_o	0.971	0.159	0.565	2.879
IVFC	5	250	2.00	2	6	original	ϕ_o	0.893	0.737	0.815	4.428
IVFC	5	250	2.30	2	6	original	ϕ_o	0.924	0.650	0.787	3.749
IVFC	5	250	3.00	2	6	original	ϕ_o	0.958	0.423	0.691	3.721
IVFC	5	500	4.00	4	5	original	ϕ_o	0.797	0.208	0.503	3.403
IVFC	5	750	4.00	4	5	original	ϕ_o	0.797	0.208	0.503	3.403
IVFC	5	1000	4.00	4	5	original	ϕ_o	0.797	0.208	0.503	3.403
IVFC	5	500	0.20	2	5	original	ϕ_o	0.005	1.000	0.503	1.778
IVFC	5	750	0.20	2	5	original	ϕ_o	0.005	1.000	0.503	1.778
IVFC	5	1000	0.20	2	5	original	ϕ_o	0.005	1.000	0.503	1.778
IVFC	5	10	1.25	3	3	original	ϕ_o	0.867	0.086	0.476	2.528
IVFC	5	10	1.50	3	3	original	ϕ_o	0.867	0.074	0.470	2.525
IVFC	5	10	1.70	3	3	original	ϕ_o	0.866	0.072	0.469	2.523
IVFC	5	100	1.25	3	3	original	ϕ_o	0.814	0.537	0.676	3.189
IVFC	5	100	1.50	3	3	original	ϕ_o	0.843	0.392	0.618	2.550
IVFC	5	100	1.70	3	3	original	ϕ_o	0.854	0.291	0.573	2.549
IVFC	5	250	1.25	3	3	original	ϕ_o	0.646	0.815	0.731	3.664
IVFC	5	250	1.50	3	3	original	ϕ_o	0.736	0.717	0.727	3.643
IVFC	5	250	1.70	3	3	original	ϕ_o	0.780	0.637	0.709	3.180
IVFC	5	500	1.25	6	5	original	ϕ_o	0.445	0.907	0.676	3.234
IVFC	5	500	1.50	6	5	original	ϕ_o	0.539	0.840	0.690	3.234
IVFC	5	500	1.70	6	5	original	ϕ_o	0.596	0.774	0.685	3.220
IVFC	5	750	1.25	6	5	original	ϕ_o	0.445	0.907	0.676	3.234
IVFC	5	750	1.50	6	5	original	ϕ_o	0.539	0.840	0.690	3.234
IVFC	5	750	1.70	6	5	original	ϕ_o	0.596	0.774	0.685	3.220
IVFC	5	1000	1.25	6	5	original	ϕ_o	0.445	0.907	0.676	3.234
IVFC	5	1000	1.50	6	5	original	ϕ_o	0.539	0.840	0.690	3.234
IVFC	5	1000	1.70	6	5	original	ϕ_o	0.596	0.774	0.685	3.220
IVFC	5	500	0.20	5	4	original	ϕ_o	0.004	1.000	0.502	1.010
IVFC	5	750	0.20	5	4	original	ϕ_o	0.004	1.000	0.502	1.010
IVFC	5	1000	0.20	5	4	original	ϕ_o	0.004	1.000	0.502	1.010
IVFC	5	500	1.25	3	7	original	ϕ_o	0.551	0.892	0.721	3.736
IVFC	5	500	1.50	3	7	original	ϕ_o	0.663	0.813	0.738	3.733
IVFC	5	500	1.70	3	7	original	ϕ_o	0.728	0.738	0.733	3.707
IVFC	5	750	1.25	3	7	original	ϕ_o	0.551	0.892	0.721	3.736
IVFC	5	750	1.50	3	7	original	ϕ_o	0.663	0.813	0.738	3.733
IVFC	5	750	1.70	3	7	original	ϕ_o	0.728	0.738	0.733	3.707
IVFC	5	1000	1.25	3	7	original	ϕ_o	0.551	0.892	0.721	3.736
IVFC	5	1000	1.50	3	7	original	ϕ_o	0.663	0.813	0.738	3.733
IVFC	5	1000	1.70	3	7	original	ϕ_o	0.728	0.738	0.733	3.707
IVFC	5	10	0.50	7	3	original	ϕ_o	0.652	0.373	0.512	2.812
IVFC	5	10	0.70	7	3	original	ϕ_o	0.682	0.176	0.429	2.407
IVFC	5	10	1.00	7	3	original	ϕ_o	0.686	0.132	0.409	2.409
IVFC	5	100	0.50	7	3	original	ϕ_o	0.348	0.925	0.637	2.814

IVFC	5	100	0.70	7	3	original	ϕ_o	0.503	0.784	0.644	2.895
IVFC	5	100	1.00	7	3	original	ϕ_o	0.627	0.545	0.586	2.930
IVFC	5	250	0.50	7	3	original	ϕ_o	0.125	0.990	0.558	2.590
IVFC	5	250	0.70	7	3	original	ϕ_o	0.252	0.966	0.609	2.807
IVFC	5	250	1.00	7	3	original	ϕ_o	0.433	0.865	0.649	2.896
IVFC	5	500	2.00	7	4	original	ϕ_o	0.612	0.588	0.600	2.935
IVFC	5	500	2.30	7	4	original	ϕ_o	0.643	0.487	0.565	2.920
IVFC	5	500	3.00	7	4	original	ϕ_o	0.674	0.324	0.499	2.873
IVFC	5	750	2.00	7	4	original	ϕ_o	0.612	0.588	0.600	2.935
IVFC	5	750	2.30	7	4	original	ϕ_o	0.643	0.487	0.565	2.920
IVFC	5	750	3.00	7	4	original	ϕ_o	0.674	0.324	0.499	2.873
IVFC	5	1000	2.00	7	4	original	ϕ_o	0.612	0.588	0.600	2.935
IVFC	5	1000	2.30	7	4	original	ϕ_o	0.643	0.487	0.565	2.920
IVFC	5	1000	3.00	7	4	original	ϕ_o	0.674	0.324	0.499	2.873
IVFC	5	500	4.00	7	2	original	ϕ_o	0.676	0.215	0.445	2.708
IVFC	5	750	4.00	7	2	original	ϕ_o	0.676	0.231	0.453	2.424
IVFC	5	1000	4.00	7	2	original	ϕ_o	0.676	0.232	0.454	2.752
IVFC	5	500	0.50	4	7	original	ϕ_o	0.078	0.999	0.538	2.275
IVFC	5	500	0.70	4	7	original	ϕ_o	0.156	0.994	0.575	2.873
IVFC	5	500	1.00	4	7	original	ϕ_o	0.272	0.973	0.623	3.258
IVFC	5	750	0.50	4	7	original	ϕ_o	0.078	0.999	0.538	2.275
IVFC	5	750	0.70	4	7	original	ϕ_o	0.156	0.994	0.575	2.873
IVFC	5	750	1.00	4	7	original	ϕ_o	0.272	0.973	0.623	3.258
IVFC	5	1000	0.50	4	7	original	ϕ_o	0.078	0.999	0.538	2.275
IVFC	5	1000	0.70	4	7	original	ϕ_o	0.156	0.994	0.575	2.873
IVFC	5	1000	1.00	4	7	original	ϕ_o	0.272	0.973	0.623	3.258
IVFC	7	10	0.50	3	2	original	ϕ_o	0.728	0.660	0.694	3.605
IVFC	7	10	0.70	3	2	original	ϕ_o	0.834	0.369	0.602	3.148
IVFC	7	10	1.00	3	2	original	ϕ_o	0.863	0.111	0.487	2.521
IVFC	7	100	0.50	3	2	original	ϕ_o	0.262	0.965	0.614	3.502
IVFC	7	100	0.70	3	2	original	ϕ_o	0.442	0.909	0.675	3.591
IVFC	7	100	1.00	3	2	original	ϕ_o	0.691	0.733	0.712	3.570
IVFC	7	250	0.50	3	2	original	ϕ_o	0.138	0.989	0.563	3.247
IVFC	7	250	0.70	3	2	original	ϕ_o	0.218	0.973	0.596	3.503
IVFC	7	250	1.00	3	2	original	ϕ_o	0.370	0.928	0.649	3.582
IVFC	7	10	1.25	2	6	original	ϕ_o	0.968	0.158	0.563	2.865
IVFC	7	10	1.50	2	6	original	ϕ_o	0.967	0.065	0.516	2.842
IVFC	7	10	1.70	2	6	original	ϕ_o	0.966	0.056	0.511	2.834
IVFC	7	100	1.25	2	6	original	ϕ_o	0.731	0.901	0.816	4.479
IVFC	7	100	1.50	2	6	original	ϕ_o	0.818	0.840	0.829	4.470
IVFC	7	100	1.70	2	6	original	ϕ_o	0.865	0.782	0.824	4.450
IVFC	7	250	1.25	2	6	original	ϕ_o	0.487	0.969	0.728	4.437
IVFC	7	250	1.50	2	6	original	ϕ_o	0.599	0.943	0.771	4.451
IVFC	7	250	1.70	2	6	original	ϕ_o	0.676	0.916	0.796	4.456
IVFC	7	500	4.00	4	6	original	ϕ_o	0.780	0.371	0.575	3.457
IVFC	7	750	4.00	4	6	original	ϕ_o	0.780	0.371	0.575	3.457
IVFC	7	1000	4.00	4	6	original	ϕ_o	0.780	0.371	0.575	3.457
IVFC	7	10	0.20	7	2	original	ϕ_o	0.225	0.952	0.589	2.525
IVFC	7	100	0.20	7	2	original	ϕ_o	0.055	0.998	0.527	1.882
IVFC	7	250	0.20	7	2	original	ϕ_o	0.032	1.000	0.516	1.467

IVFC	7	500	0.50	7	4	original	ϕ_o	0.032	0.999	0.515	2.347
IVFC	7	500	0.70	7	4	original	ϕ_o	0.047	0.997	0.522	2.635
IVFC	7	500	1.00	7	4	original	ϕ_o	0.080	0.992	0.536	2.796
IVFC	7	750	0.50	7	4	original	ϕ_o	0.032	0.999	0.515	2.347
IVFC	7	750	0.70	7	4	original	ϕ_o	0.047	0.997	0.522	2.635
IVFC	7	750	1.00	7	4	original	ϕ_o	0.080	0.992	0.536	2.796
IVFC	7	1000	0.50	7	4	original	ϕ_o	0.032	0.999	0.515	2.347
IVFC	7	1000	0.70	7	4	original	ϕ_o	0.047	0.997	0.522	2.635
IVFC	7	1000	1.00	7	4	original	ϕ_o	0.080	0.992	0.536	2.796
IVFC	7	500	4.00	6	5	original	ϕ_o	0.732	0.210	0.471	2.146
IVFC	7	750	4.00	6	5	original	ϕ_o	0.732	0.210	0.471	2.146
IVFC	7	1000	4.00	6	5	original	ϕ_o	0.732	0.210	0.471	2.146
IVFC	7	500	4.00	5	2	original	ϕ_o	0.740	0.213	0.477	2.774
IVFC	7	750	4.00	5	2	original	ϕ_o	0.717	0.364	0.541	3.235
IVFC	7	1000	4.00	5	2	original	ϕ_o	0.716	0.366	0.541	3.231
IVFC	7	500	0.50	4	2	original	ϕ_o	0.078	1.000	0.539	2.307
IVFC	7	500	0.70	4	2	original	ϕ_o	0.120	0.999	0.559	2.756
IVFC	7	500	1.00	4	2	original	ϕ_o	0.169	0.995	0.582	3.125
IVFC	7	750	0.50	4	2	original	ϕ_o	0.057	1.000	0.528	2.189
IVFC	7	750	0.70	4	2	original	ϕ_o	0.094	0.999	0.547	2.625
IVFC	7	750	1.00	4	2	original	ϕ_o	0.144	0.996	0.570	2.993
IVFC	7	1000	0.50	4	2	original	ϕ_o	0.057	1.000	0.528	2.185
IVFC	7	1000	0.70	4	2	original	ϕ_o	0.094	0.999	0.547	2.619
IVFC	7	1000	1.00	4	2	original	ϕ_o	0.144	0.996	0.570	2.982
IVFC	7	500	0.50	4	3	original	ϕ_o	0.044	1.000	0.522	2.239
IVFC	7	500	0.70	4	3	original	ϕ_o	0.087	0.999	0.543	2.699
IVFC	7	500	1.00	4	3	original	ϕ_o	0.142	0.995	0.568	3.050
IVFC	7	750	0.50	4	3	original	ϕ_o	0.044	1.000	0.522	2.221
IVFC	7	750	0.70	4	3	original	ϕ_o	0.087	0.999	0.543	2.680
IVFC	7	750	1.00	4	3	original	ϕ_o	0.142	0.995	0.568	3.025
IVFC	7	1000	0.50	4	3	original	ϕ_o	0.044	1.000	0.522	2.221
IVFC	7	1000	0.70	4	3	original	ϕ_o	0.087	0.999	0.543	2.680
IVFC	7	1000	1.00	4	3	original	ϕ_o	0.142	0.995	0.568	3.025
IVFC	7	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	4.00	2	5	original	ϕ_o	0.969	0.071	0.520	2.847
IVFC	7	250	4.00	2	5	original	ϕ_o	0.956	0.354	0.655	3.656
IVFC	7	10	0.20	2	5	original	ϕ_o	0.360	0.973	0.666	3.468
IVFC	7	100	0.20	2	5	original	ϕ_o	0.020	1.000	0.510	2.296
IVFC	7	250	0.20	2	5	original	ϕ_o	0.003	1.000	0.502	1.903
IVFC	7	500	0.20	6	5	original	ϕ_o	0.003	1.000	0.502	1.412
IVFC	7	750	0.20	6	5	original	ϕ_o	0.003	1.000	0.502	1.412
IVFC	7	1000	0.20	6	5	original	ϕ_o	0.003	1.000	0.502	1.412
IVFC	7	500	0.20	5	7	original	ϕ_o	0.001	1.000	0.501	1.189
IVFC	7	750	0.20	5	7	original	ϕ_o	0.001	1.000	0.501	1.189
IVFC	7	1000	0.20	5	7	original	ϕ_o	0.001	1.000	0.501	1.189
IVFC	7	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	7	100	4.00	7	2	original	ϕ_o	0.685	0.120	0.402	2.406
IVFC	7	250	4.00	7	2	original	ϕ_o	0.683	0.149	0.416	2.755
IVFC	7	500	1.25	4	3	original	ϕ_o	0.179	0.990	0.584	3.227
IVFC	7	500	1.50	4	3	original	ϕ_o	0.231	0.979	0.605	3.340

IVFC	7	500	1.70	4	3	original	ϕ_o	0.296	0.965	0.631	3.394
IVFC	7	750	1.25	4	3	original	ϕ_o	0.177	0.990	0.584	3.199
IVFC	7	750	1.50	4	3	original	ϕ_o	0.224	0.980	0.602	3.314
IVFC	7	750	1.70	4	3	original	ϕ_o	0.285	0.966	0.625	3.364
IVFC	7	1000	1.25	4	3	original	ϕ_o	0.177	0.990	0.584	3.199
IVFC	7	1000	1.50	4	3	original	ϕ_o	0.224	0.980	0.602	3.314
IVFC	7	1000	1.70	4	3	original	ϕ_o	0.285	0.966	0.625	3.364
IVFC	7	10	0.20	3	5	original	ϕ_o	0.190	0.985	0.588	2.756
IVFC	7	100	0.20	3	5	original	ϕ_o	0.016	1.000	0.508	1.833
IVFC	7	250	0.20	3	5	original	ϕ_o	0.003	1.000	0.501	1.515
IVFC	7	10	0.20	4	6	original	ϕ_o	0.151	0.990	0.570	2.154
IVFC	7	100	0.20	4	6	original	ϕ_o	0.012	1.000	0.506	1.200
IVFC	7	250	0.20	4	6	original	ϕ_o	0.001	1.000	0.501	1.002
IVFC	7	10	2.00	5	4	original	ϕ_o	0.750	0.104	0.427	2.772
IVFC	7	10	2.30	5	4	original	ϕ_o	0.749	0.104	0.426	2.769
IVFC	7	10	3.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.766
IVFC	7	100	2.00	5	4	original	ϕ_o	0.722	0.367	0.544	3.218
IVFC	7	100	2.30	5	4	original	ϕ_o	0.742	0.240	0.491	2.796
IVFC	7	100	3.00	5	4	original	ϕ_o	0.750	0.130	0.440	2.801
IVFC	7	250	2.00	5	4	original	ϕ_o	0.497	0.837	0.667	3.161
IVFC	7	250	2.30	5	4	original	ϕ_o	0.593	0.730	0.661	3.140
IVFC	7	250	3.00	5	4	original	ϕ_o	0.702	0.462	0.582	3.158
IVFC	7	500	0.50	6	5	original	ϕ_o	0.055	0.998	0.527	2.631
IVFC	7	500	0.70	6	5	original	ϕ_o	0.105	0.994	0.550	3.008
IVFC	7	500	1.00	6	5	original	ϕ_o	0.186	0.982	0.584	3.168
IVFC	7	750	0.50	6	5	original	ϕ_o	0.055	0.998	0.527	2.631
IVFC	7	750	0.70	6	5	original	ϕ_o	0.105	0.994	0.550	3.008
IVFC	7	750	1.00	6	5	original	ϕ_o	0.186	0.982	0.584	3.168
IVFC	7	1000	0.50	6	5	original	ϕ_o	0.055	0.998	0.527	2.631
IVFC	7	1000	0.70	6	5	original	ϕ_o	0.105	0.994	0.550	3.008
IVFC	7	1000	1.00	6	5	original	ϕ_o	0.186	0.982	0.584	3.168
IVFC	7	500	0.20	6	7	original	ϕ_o	0.003	1.000	0.501	1.386
IVFC	7	750	0.20	6	7	original	ϕ_o	0.003	1.000	0.501	1.386
IVFC	7	1000	0.20	6	7	original	ϕ_o	0.003	1.000	0.501	1.386
IVFC	7	500	4.00	7	4	original	ϕ_o	0.669	0.348	0.508	2.875
IVFC	7	750	4.00	7	4	original	ϕ_o	0.669	0.348	0.508	2.875
IVFC	7	1000	4.00	7	4	original	ϕ_o	0.669	0.348	0.508	2.875
IVFC	7	10	0.20	5	2	original	ϕ_o	0.217	0.968	0.593	2.659
IVFC	7	100	0.20	5	2	original	ϕ_o	0.061	0.989	0.525	1.956
IVFC	7	250	0.20	5	2	original	ϕ_o	0.029	0.996	0.513	1.566
IVFC	7	500	4.00	7	3	original	ϕ_o	0.663	0.338	0.501	2.848
IVFC	7	750	4.00	7	3	original	ϕ_o	0.661	0.341	0.501	2.843
IVFC	7	1000	4.00	7	3	original	ϕ_o	0.661	0.341	0.501	2.843
IVFC	7	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	7	100	4.00	4	2	original	ϕ_o	0.790	0.095	0.443	2.287
IVFC	7	250	4.00	4	2	original	ϕ_o	0.795	0.100	0.447	2.865
IVFC	7	10	1.25	7	2	original	ϕ_o	0.685	0.119	0.402	2.401
IVFC	7	10	1.50	7	2	original	ϕ_o	0.685	0.114	0.400	2.402
IVFC	7	10	1.70	7	2	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	7	100	1.25	7	2	original	ϕ_o	0.656	0.359	0.508	2.788

IVFC	7	100	1.50	7	2	original	ϕ_o	0.678	0.241	0.459	2.791
IVFC	7	100	1.70	7	2	original	ϕ_o	0.682	0.194	0.438	2.436
IVFC	7	250	1.25	7	2	original	ϕ_o	0.430	0.790	0.610	2.700
IVFC	7	250	1.50	7	2	original	ϕ_o	0.534	0.648	0.591	2.722
IVFC	7	250	1.70	7	2	original	ϕ_o	0.594	0.535	0.565	2.735
IVFC	7	10	0.20	4	7	original	ϕ_o	0.135	0.996	0.565	2.057
IVFC	7	100	0.20	4	7	original	ϕ_o	0.008	1.000	0.504	1.130
IVFC	7	250	0.20	4	7	original	ϕ_o	0.001	1.000	0.501	0.987
IVFC	7	10	1.25	5	5	original	ϕ_o	0.751	0.152	0.452	2.809
IVFC	7	10	1.50	5	5	original	ϕ_o	0.751	0.112	0.431	2.789
IVFC	7	10	1.70	5	5	original	ϕ_o	0.750	0.105	0.427	3.173
IVFC	7	100	1.25	5	5	original	ϕ_o	0.462	0.872	0.667	3.183
IVFC	7	100	1.50	5	5	original	ϕ_o	0.585	0.753	0.669	3.152
IVFC	7	100	1.70	5	5	original	ϕ_o	0.649	0.628	0.638	3.167
IVFC	7	250	1.25	5	5	original	ϕ_o	0.170	0.953	0.562	3.198
IVFC	7	250	1.50	5	5	original	ϕ_o	0.243	0.935	0.589	3.190
IVFC	7	250	1.70	5	5	original	ϕ_o	0.326	0.916	0.621	3.166
IVFC	7	500	2.00	4	6	original	ϕ_o	0.443	0.915	0.679	3.426
IVFC	7	500	2.30	4	6	original	ϕ_o	0.558	0.844	0.701	3.455
IVFC	7	500	3.00	4	6	original	ϕ_o	0.709	0.638	0.674	3.479
IVFC	7	750	2.00	4	6	original	ϕ_o	0.443	0.915	0.679	3.426
IVFC	7	750	2.30	4	6	original	ϕ_o	0.558	0.844	0.701	3.455
IVFC	7	750	3.00	4	6	original	ϕ_o	0.709	0.638	0.674	3.479
IVFC	7	1000	2.00	4	6	original	ϕ_o	0.443	0.915	0.679	3.426
IVFC	7	1000	2.30	4	6	original	ϕ_o	0.558	0.844	0.701	3.455
IVFC	7	1000	3.00	4	6	original	ϕ_o	0.709	0.638	0.674	3.479
IVFC	7	10	0.20	5	7	original	ϕ_o	0.113	0.993	0.553	2.274
IVFC	7	100	0.20	5	7	original	ϕ_o	0.005	1.000	0.503	1.387
IVFC	7	250	0.20	5	7	original	ϕ_o	0.001	1.000	0.501	1.196
IVFC	7	10	0.50	5	7	original	ϕ_o	0.400	0.929	0.664	3.268
IVFC	7	10	0.70	5	7	original	ϕ_o	0.561	0.779	0.670	3.171
IVFC	7	10	1.00	5	7	original	ϕ_o	0.718	0.380	0.549	2.191
IVFC	7	100	0.50	5	7	original	ϕ_o	0.068	0.990	0.529	2.834
IVFC	7	100	0.70	5	7	original	ϕ_o	0.117	0.978	0.548	3.134
IVFC	7	100	1.00	5	7	original	ϕ_o	0.191	0.958	0.575	3.229
IVFC	7	250	0.50	5	7	original	ϕ_o	0.033	0.995	0.514	2.587
IVFC	7	250	0.70	5	7	original	ϕ_o	0.064	0.989	0.526	2.997
IVFC	7	250	1.00	5	7	original	ϕ_o	0.109	0.975	0.542	3.179
IVFC	7	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.287
IVFC	7	100	4.00	4	4	original	ϕ_o	0.794	0.103	0.449	2.888
IVFC	7	250	4.00	4	4	original	ϕ_o	0.790	0.254	0.522	2.943
IVFC	7	10	0.50	2	6	original	ϕ_o	0.810	0.841	0.826	4.412
IVFC	7	10	0.70	2	6	original	ϕ_o	0.911	0.666	0.788	3.723
IVFC	7	10	1.00	2	6	original	ϕ_o	0.959	0.388	0.673	2.887
IVFC	7	100	0.50	2	6	original	ϕ_o	0.237	0.994	0.615	3.978
IVFC	7	100	0.70	2	6	original	ϕ_o	0.412	0.979	0.695	4.344
IVFC	7	100	1.00	2	6	original	ϕ_o	0.612	0.947	0.779	4.472
IVFC	7	250	0.50	2	6	original	ϕ_o	0.084	0.999	0.542	3.656
IVFC	7	250	0.70	2	6	original	ϕ_o	0.194	0.997	0.595	4.152
IVFC	7	250	1.00	2	6	original	ϕ_o	0.362	0.985	0.673	4.389

IVFC	7	500	2.00	2	7	original	ϕ_o	0.771	0.857	0.814	4.429
IVFC	7	500	2.30	2	7	original	ϕ_o	0.843	0.795	0.819	4.404
IVFC	7	500	3.00	2	7	original	ϕ_o	0.928	0.619	0.774	3.724
IVFC	7	750	2.00	2	7	original	ϕ_o	0.771	0.857	0.814	4.429
IVFC	7	750	2.30	2	7	original	ϕ_o	0.843	0.795	0.819	4.404
IVFC	7	750	3.00	2	7	original	ϕ_o	0.928	0.619	0.774	3.724
IVFC	7	1000	2.00	2	7	original	ϕ_o	0.771	0.857	0.814	4.429
IVFC	7	1000	2.30	2	7	original	ϕ_o	0.843	0.795	0.819	4.404
IVFC	7	1000	3.00	2	7	original	ϕ_o	0.928	0.619	0.774	3.724
IVFC	7	10	2.00	3	2	original	ϕ_o	0.866	0.070	0.468	2.520
IVFC	7	10	2.30	3	2	original	ϕ_o	0.866	0.071	0.468	2.519
IVFC	7	10	3.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	7	100	2.00	3	2	original	ϕ_o	0.862	0.122	0.492	2.506
IVFC	7	100	2.30	3	2	original	ϕ_o	0.865	0.090	0.477	2.509
IVFC	7	100	3.00	3	2	original	ϕ_o	0.865	0.073	0.469	1.712
IVFC	7	250	2.00	3	2	original	ϕ_o	0.805	0.455	0.630	2.501
IVFC	7	250	2.30	3	2	original	ϕ_o	0.835	0.304	0.569	2.496
IVFC	7	250	3.00	3	2	original	ϕ_o	0.859	0.131	0.495	2.494
IVFC	7	10	2.00	2	3	original	ϕ_o	0.965	0.056	0.510	2.830
IVFC	7	10	2.30	2	3	original	ϕ_o	0.964	0.057	0.510	2.828
IVFC	7	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	2.00	2	3	original	ϕ_o	0.954	0.455	0.705	2.890
IVFC	7	100	2.30	2	3	original	ϕ_o	0.964	0.288	0.626	2.884
IVFC	7	100	3.00	2	3	original	ϕ_o	0.970	0.090	0.530	2.860
IVFC	7	250	2.00	2	3	original	ϕ_o	0.838	0.798	0.818	4.396
IVFC	7	250	2.30	2	3	original	ϕ_o	0.886	0.724	0.805	4.361
IVFC	7	250	3.00	2	3	original	ϕ_o	0.942	0.534	0.738	3.710
IVFC	7	500	0.20	7	4	original	ϕ_o	0.013	1.000	0.507	1.159
IVFC	7	750	0.20	7	4	original	ϕ_o	0.013	1.000	0.507	1.159
IVFC	7	1000	0.20	7	4	original	ϕ_o	0.013	1.000	0.507	1.159
IVFC	7	10	0.50	7	3	original	ϕ_o	0.589	0.560	0.574	2.798
IVFC	7	10	0.70	7	3	original	ϕ_o	0.671	0.236	0.453	2.754
IVFC	7	10	1.00	7	3	original	ϕ_o	0.685	0.141	0.413	2.408
IVFC	7	100	0.50	7	3	original	ϕ_o	0.141	0.988	0.564	2.782
IVFC	7	100	0.70	7	3	original	ϕ_o	0.307	0.934	0.621	2.844
IVFC	7	100	1.00	7	3	original	ϕ_o	0.501	0.760	0.631	2.878
IVFC	7	250	0.50	7	3	original	ϕ_o	0.055	0.998	0.526	2.514
IVFC	7	250	0.70	7	3	original	ϕ_o	0.082	0.996	0.539	2.759
IVFC	7	250	1.00	7	3	original	ϕ_o	0.193	0.981	0.587	2.859
IVFC	7	500	4.00	4	3	original	ϕ_o	0.768	0.419	0.594	3.415
IVFC	7	750	4.00	4	3	original	ϕ_o	0.765	0.427	0.596	3.409
IVFC	7	1000	4.00	4	3	original	ϕ_o	0.765	0.427	0.596	3.409
IVFC	7	10	2.00	7	6	original	ϕ_o	0.686	0.114	0.400	2.748
IVFC	7	10	2.30	7	6	original	ϕ_o	0.686	0.113	0.399	2.405
IVFC	7	10	3.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	7	100	2.00	7	6	original	ϕ_o	0.639	0.434	0.537	2.819
IVFC	7	100	2.30	7	6	original	ϕ_o	0.668	0.330	0.499	2.829
IVFC	7	100	3.00	7	6	original	ϕ_o	0.690	0.205	0.447	2.479
IVFC	7	250	2.00	7	6	original	ϕ_o	0.463	0.811	0.637	2.882
IVFC	7	250	2.30	7	6	original	ϕ_o	0.545	0.695	0.620	2.897

IVFC	7	250	3.00	7	6	original	ϕ_o	0.644	0.440	0.542	2.872
IVFC	7	10	0.20	6	3	original	ϕ_o	0.296	0.963	0.629	2.576
IVFC	7	100	0.20	6	3	original	ϕ_o	0.083	0.996	0.540	1.985
IVFC	7	250	0.20	6	3	original	ϕ_o	0.032	0.999	0.516	1.678
IVFC	7	500	4.00	7	7	original	ϕ_o	0.685	0.249	0.467	2.850
IVFC	7	750	4.00	7	7	original	ϕ_o	0.685	0.249	0.467	2.850
IVFC	7	1000	4.00	7	7	original	ϕ_o	0.685	0.249	0.467	2.850
IVFC	7	500	0.50	3	2	original	ϕ_o	0.068	0.997	0.533	2.948
IVFC	7	500	0.70	3	2	original	ϕ_o	0.121	0.992	0.557	3.312
IVFC	7	500	1.00	3	2	original	ϕ_o	0.197	0.980	0.589	3.511
IVFC	7	750	0.50	3	2	original	ϕ_o	0.048	0.999	0.523	2.801
IVFC	7	750	0.70	3	2	original	ϕ_o	0.091	0.997	0.544	3.199
IVFC	7	750	1.00	3	2	original	ϕ_o	0.155	0.990	0.573	3.445
IVFC	7	1000	0.50	3	2	original	ϕ_o	0.047	0.999	0.523	2.780
IVFC	7	1000	0.70	3	2	original	ϕ_o	0.088	0.997	0.542	3.184
IVFC	7	1000	1.00	3	2	original	ϕ_o	0.149	0.991	0.570	3.440
IVFC	7	500	4.00	2	3	original	ϕ_o	0.943	0.497	0.720	3.685
IVFC	7	750	4.00	2	3	original	ϕ_o	0.941	0.506	0.724	3.685
IVFC	7	1000	4.00	2	3	original	ϕ_o	0.941	0.506	0.724	3.685
IVFC	7	500	1.25	4	2	original	ϕ_o	0.208	0.989	0.598	3.291
IVFC	7	500	1.50	4	2	original	ϕ_o	0.284	0.972	0.628	3.380
IVFC	7	500	1.70	4	2	original	ϕ_o	0.379	0.947	0.663	3.414
IVFC	7	750	1.25	4	2	original	ϕ_o	0.179	0.991	0.585	3.168
IVFC	7	750	1.50	4	2	original	ϕ_o	0.219	0.980	0.600	3.272
IVFC	7	750	1.70	4	2	original	ϕ_o	0.274	0.964	0.619	3.320
IVFC	7	1000	1.25	4	2	original	ϕ_o	0.179	0.991	0.585	3.156
IVFC	7	1000	1.50	4	2	original	ϕ_o	0.219	0.980	0.599	3.257
IVFC	7	1000	1.70	4	2	original	ϕ_o	0.271	0.964	0.617	3.308
IVFC	7	500	1.25	7	4	original	ϕ_o	0.131	0.984	0.557	2.854
IVFC	7	500	1.50	7	4	original	ϕ_o	0.216	0.968	0.592	2.872
IVFC	7	500	1.70	7	4	original	ϕ_o	0.289	0.945	0.617	2.892
IVFC	7	750	1.25	7	4	original	ϕ_o	0.131	0.984	0.557	2.854
IVFC	7	750	1.50	7	4	original	ϕ_o	0.216	0.968	0.592	2.872
IVFC	7	750	1.70	7	4	original	ϕ_o	0.289	0.945	0.617	2.892
IVFC	7	1000	1.25	7	4	original	ϕ_o	0.131	0.984	0.557	2.854
IVFC	7	1000	1.50	7	4	original	ϕ_o	0.216	0.968	0.592	2.872
IVFC	7	1000	1.70	7	4	original	ϕ_o	0.289	0.945	0.617	2.892
IVFC	7	500	1.25	3	4	original	ϕ_o	0.234	0.974	0.604	3.627
IVFC	7	500	1.50	3	4	original	ϕ_o	0.307	0.954	0.630	3.650
IVFC	7	500	1.70	3	4	original	ϕ_o	0.382	0.928	0.655	3.640
IVFC	7	750	1.25	3	4	original	ϕ_o	0.229	0.974	0.601	3.616
IVFC	7	750	1.50	3	4	original	ϕ_o	0.298	0.955	0.626	3.632
IVFC	7	750	1.70	3	4	original	ϕ_o	0.369	0.931	0.650	3.625
IVFC	7	1000	1.25	3	4	original	ϕ_o	0.229	0.974	0.601	3.616
IVFC	7	1000	1.50	3	4	original	ϕ_o	0.298	0.955	0.626	3.632
IVFC	7	1000	1.70	3	4	original	ϕ_o	0.369	0.931	0.650	3.625
IVFC	7	500	4.00	2	5	original	ϕ_o	0.952	0.408	0.680	3.665
IVFC	7	750	4.00	2	5	original	ϕ_o	0.952	0.408	0.680	3.665
IVFC	7	1000	4.00	2	5	original	ϕ_o	0.952	0.408	0.680	3.665
IVFC	7	500	0.20	7	3	original	ϕ_o	0.016	1.000	0.508	1.182

IVFC	7	750	0.20	7	3	original	ϕ_o	0.016	1.000	0.508	1.177
IVFC	7	1000	0.20	7	3	original	ϕ_o	0.016	1.000	0.508	1.177
IVFC	7	500	0.50	4	5	original	ϕ_o	0.033	1.000	0.517	2.252
IVFC	7	500	0.70	4	5	original	ϕ_o	0.075	0.999	0.537	2.690
IVFC	7	500	1.00	4	5	original	ϕ_o	0.133	0.994	0.564	3.016
IVFC	7	750	0.50	4	5	original	ϕ_o	0.033	1.000	0.517	2.252
IVFC	7	750	0.70	4	5	original	ϕ_o	0.075	0.999	0.537	2.690
IVFC	7	750	1.00	4	5	original	ϕ_o	0.133	0.994	0.564	3.016
IVFC	7	1000	0.50	4	5	original	ϕ_o	0.033	1.000	0.517	2.252
IVFC	7	1000	0.70	4	5	original	ϕ_o	0.075	0.999	0.537	2.690
IVFC	7	1000	1.00	4	5	original	ϕ_o	0.133	0.994	0.564	3.016
IVFC	7	500	4.00	3	6	original	ϕ_o	0.857	0.244	0.551	2.944
IVFC	7	750	4.00	3	6	original	ϕ_o	0.857	0.244	0.551	2.944
IVFC	7	1000	4.00	3	6	original	ϕ_o	0.857	0.244	0.551	2.944
IVFC	7	500	1.25	2	6	original	ϕ_o	0.464	0.969	0.717	4.422
IVFC	7	500	1.50	2	6	original	ϕ_o	0.578	0.944	0.761	4.433
IVFC	7	500	1.70	2	6	original	ϕ_o	0.658	0.917	0.787	4.434
IVFC	7	750	1.25	2	6	original	ϕ_o	0.464	0.969	0.717	4.422
IVFC	7	750	1.50	2	6	original	ϕ_o	0.578	0.944	0.761	4.433
IVFC	7	750	1.70	2	6	original	ϕ_o	0.658	0.917	0.787	4.434
IVFC	7	1000	1.25	2	6	original	ϕ_o	0.464	0.969	0.717	4.422
IVFC	7	1000	1.50	2	6	original	ϕ_o	0.578	0.944	0.761	4.433
IVFC	7	1000	1.70	2	6	original	ϕ_o	0.658	0.917	0.787	4.434
IVFC	7	10	1.25	4	4	original	ϕ_o	0.794	0.116	0.455	2.307
IVFC	7	10	1.50	4	4	original	ϕ_o	0.792	0.097	0.444	2.875
IVFC	7	10	1.70	4	4	original	ϕ_o	0.791	0.096	0.443	2.872
IVFC	7	100	1.25	4	4	original	ϕ_o	0.589	0.834	0.711	3.492
IVFC	7	100	1.50	4	4	original	ϕ_o	0.689	0.688	0.688	3.516
IVFC	7	100	1.70	4	4	original	ϕ_o	0.734	0.571	0.653	3.509
IVFC	7	250	1.25	4	4	original	ϕ_o	0.234	0.981	0.608	3.365
IVFC	7	250	1.50	4	4	original	ϕ_o	0.333	0.963	0.648	3.454
IVFC	7	250	1.70	4	4	original	ϕ_o	0.442	0.932	0.687	3.484
IVFC	7	10	4.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	7	100	4.00	3	4	original	ϕ_o	0.866	0.078	0.472	2.518
IVFC	7	250	4.00	3	4	original	ϕ_o	0.859	0.179	0.519	2.517
IVFC	7	500	1.25	7	2	original	ϕ_o	0.161	0.966	0.563	2.608
IVFC	7	500	1.50	7	2	original	ϕ_o	0.245	0.931	0.588	2.625
IVFC	7	500	1.70	7	2	original	ϕ_o	0.311	0.889	0.600	2.633
IVFC	7	750	1.25	7	2	original	ϕ_o	0.116	0.980	0.548	2.613
IVFC	7	750	1.50	7	2	original	ϕ_o	0.185	0.962	0.573	2.645
IVFC	7	750	1.70	7	2	original	ϕ_o	0.250	0.938	0.594	2.662
IVFC	7	1000	1.25	7	2	original	ϕ_o	0.108	0.983	0.546	2.638
IVFC	7	1000	1.50	7	2	original	ϕ_o	0.177	0.968	0.572	2.672
IVFC	7	1000	1.70	7	2	original	ϕ_o	0.244	0.946	0.595	2.690
IVFC	7	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	7	100	4.00	4	3	original	ϕ_o	0.793	0.100	0.446	2.301
IVFC	7	250	4.00	4	3	original	ϕ_o	0.795	0.189	0.492	2.928
IVFC	7	500	1.25	2	2	original	ϕ_o	0.454	0.962	0.708	4.380
IVFC	7	500	1.50	2	2	original	ϕ_o	0.567	0.933	0.750	4.370
IVFC	7	500	1.70	2	2	original	ϕ_o	0.648	0.903	0.776	4.357

IVFC	7	750	1.25	2	2	original	ϕ_o	0.343	0.980	0.661	4.356
IVFC	7	750	1.50	2	2	original	ϕ_o	0.441	0.962	0.701	4.373
IVFC	7	750	1.70	2	2	original	ϕ_o	0.520	0.943	0.732	4.374
IVFC	7	1000	1.25	2	2	original	ϕ_o	0.326	0.981	0.653	4.346
IVFC	7	1000	1.50	2	2	original	ϕ_o	0.421	0.963	0.692	4.360
IVFC	7	1000	1.70	2	2	original	ϕ_o	0.498	0.945	0.722	4.362
IVFC	7	10	1.25	4	5	original	ϕ_o	0.795	0.131	0.463	2.902
IVFC	7	10	1.50	4	5	original	ϕ_o	0.793	0.099	0.446	2.298
IVFC	7	10	1.70	4	5	original	ϕ_o	0.792	0.095	0.443	2.293
IVFC	7	100	1.25	4	5	original	ϕ_o	0.515	0.890	0.702	3.463
IVFC	7	100	1.50	4	5	original	ϕ_o	0.636	0.773	0.704	3.479
IVFC	7	100	1.70	4	5	original	ϕ_o	0.692	0.668	0.680	3.475
IVFC	7	250	1.25	4	5	original	ϕ_o	0.222	0.982	0.602	3.269
IVFC	7	250	1.50	4	5	original	ϕ_o	0.306	0.967	0.636	3.375
IVFC	7	250	1.70	4	5	original	ϕ_o	0.399	0.941	0.670	3.420
IVFC	7	10	4.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	7	100	4.00	7	3	original	ϕ_o	0.685	0.127	0.406	2.775
IVFC	7	250	4.00	7	3	original	ϕ_o	0.681	0.197	0.439	2.453
IVFC	7	10	1.25	6	4	original	ϕ_o	0.736	0.057	0.396	1.442
IVFC	7	10	1.50	6	4	original	ϕ_o	0.734	0.052	0.393	1.439
IVFC	7	10	1.70	6	4	original	ϕ_o	0.733	0.052	0.393	2.100
IVFC	7	100	1.25	6	4	original	ϕ_o	0.628	0.621	0.625	2.650
IVFC	7	100	1.50	6	4	original	ϕ_o	0.688	0.436	0.562	2.134
IVFC	7	100	1.70	6	4	original	ϕ_o	0.713	0.304	0.508	2.129
IVFC	7	250	1.25	6	4	original	ϕ_o	0.371	0.893	0.632	3.026
IVFC	7	250	1.50	6	4	original	ϕ_o	0.474	0.816	0.645	2.990
IVFC	7	250	1.70	6	4	original	ϕ_o	0.547	0.743	0.645	2.957
IVFC	7	500	0.50	3	3	original	ϕ_o	0.047	0.998	0.523	2.831
IVFC	7	500	0.70	3	3	original	ϕ_o	0.096	0.994	0.545	3.245
IVFC	7	500	1.00	3	3	original	ϕ_o	0.166	0.985	0.576	3.485
IVFC	7	750	0.50	3	3	original	ϕ_o	0.047	0.998	0.523	2.776
IVFC	7	750	0.70	3	3	original	ϕ_o	0.094	0.994	0.544	3.188
IVFC	7	750	1.00	3	3	original	ϕ_o	0.162	0.985	0.574	3.430
IVFC	7	1000	0.50	3	3	original	ϕ_o	0.047	0.998	0.523	2.776
IVFC	7	1000	0.70	3	3	original	ϕ_o	0.094	0.994	0.544	3.188
IVFC	7	1000	1.00	3	3	original	ϕ_o	0.162	0.985	0.574	3.430
IVFC	7	500	1.25	7	7	original	ϕ_o	0.164	0.978	0.571	2.807
IVFC	7	500	1.50	7	7	original	ϕ_o	0.263	0.951	0.607	2.840
IVFC	7	500	1.70	7	7	original	ϕ_o	0.350	0.910	0.630	2.867
IVFC	7	750	1.25	7	7	original	ϕ_o	0.164	0.978	0.571	2.807
IVFC	7	750	1.50	7	7	original	ϕ_o	0.263	0.951	0.607	2.840
IVFC	7	750	1.70	7	7	original	ϕ_o	0.350	0.910	0.630	2.867
IVFC	7	1000	1.25	7	7	original	ϕ_o	0.164	0.978	0.571	2.807
IVFC	7	1000	1.50	7	7	original	ϕ_o	0.263	0.951	0.607	2.840
IVFC	7	1000	1.70	7	7	original	ϕ_o	0.350	0.910	0.630	2.867
IVFC	7	10	0.20	6	5	original	ϕ_o	0.212	0.984	0.598	2.420
IVFC	7	100	0.20	6	5	original	ϕ_o	0.031	1.000	0.516	1.667
IVFC	7	250	0.20	6	5	original	ϕ_o	0.008	1.000	0.504	1.449
IVFC	7	10	0.20	6	6	original	ϕ_o	0.202	0.984	0.593	2.359
IVFC	7	100	0.20	6	6	original	ϕ_o	0.020	1.000	0.510	1.613

IVFC	7	250	0.20	6	6	original	ϕ_o	0.004	1.000	0.502	1.418
IVFC	7	10	4.00	7	5	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	7	100	4.00	7	5	original	ϕ_o	0.693	0.143	0.418	2.794
IVFC	7	250	4.00	7	5	original	ϕ_o	0.677	0.318	0.498	2.856
IVFC	7	500	2.00	2	2	original	ϕ_o	0.747	0.849	0.798	4.334
IVFC	7	500	2.30	2	2	original	ϕ_o	0.823	0.783	0.803	4.312
IVFC	7	500	3.00	2	2	original	ϕ_o	0.917	0.620	0.768	3.693
IVFC	7	750	2.00	2	2	original	ϕ_o	0.626	0.910	0.768	4.357
IVFC	7	750	2.30	2	2	original	ϕ_o	0.717	0.868	0.793	4.346
IVFC	7	750	3.00	2	2	original	ϕ_o	0.856	0.744	0.800	4.292
IVFC	7	1000	2.00	2	2	original	ϕ_o	0.603	0.914	0.758	4.340
IVFC	7	1000	2.30	2	2	original	ϕ_o	0.698	0.874	0.786	4.331
IVFC	7	1000	3.00	2	2	original	ϕ_o	0.845	0.759	0.802	4.278
IVFC	7	500	4.00	6	6	original	ϕ_o	0.731	0.198	0.464	2.138
IVFC	7	750	4.00	6	6	original	ϕ_o	0.731	0.198	0.464	2.138
IVFC	7	1000	4.00	6	6	original	ϕ_o	0.731	0.198	0.464	2.138
IVFC	7	500	0.20	3	4	original	ϕ_o	0.002	1.000	0.501	1.576
IVFC	7	750	0.20	3	4	original	ϕ_o	0.002	1.000	0.501	1.566
IVFC	7	1000	0.20	3	4	original	ϕ_o	0.002	1.000	0.501	1.566
IVFC	7	10	1.25	6	6	original	ϕ_o	0.739	0.069	0.404	2.116
IVFC	7	10	1.50	6	6	original	ϕ_o	0.737	0.053	0.395	2.107
IVFC	7	10	1.70	6	6	original	ϕ_o	0.736	0.052	0.394	2.104
IVFC	7	100	1.25	6	6	original	ϕ_o	0.542	0.798	0.670	3.113
IVFC	7	100	1.50	6	6	original	ϕ_o	0.631	0.659	0.645	2.691
IVFC	7	100	1.70	6	6	original	ϕ_o	0.675	0.523	0.599	2.153
IVFC	7	250	1.25	6	6	original	ϕ_o	0.299	0.947	0.623	3.154
IVFC	7	250	1.50	6	6	original	ϕ_o	0.392	0.902	0.647	3.130
IVFC	7	250	1.70	6	6	original	ϕ_o	0.467	0.855	0.661	3.106
IVFC	7	500	4.00	7	2	original	ϕ_o	0.662	0.296	0.479	2.690
IVFC	7	750	4.00	7	2	original	ϕ_o	0.647	0.353	0.500	2.738
IVFC	7	1000	4.00	7	2	original	ϕ_o	0.647	0.356	0.502	2.762
IVFC	7	500	1.25	6	5	original	ϕ_o	0.261	0.963	0.612	3.192
IVFC	7	500	1.50	6	5	original	ϕ_o	0.346	0.934	0.640	3.189
IVFC	7	500	1.70	6	5	original	ϕ_o	0.420	0.901	0.660	3.183
IVFC	7	750	1.25	6	5	original	ϕ_o	0.261	0.963	0.612	3.192
IVFC	7	750	1.50	6	5	original	ϕ_o	0.346	0.934	0.640	3.189
IVFC	7	750	1.70	6	5	original	ϕ_o	0.420	0.901	0.660	3.183
IVFC	7	1000	1.25	6	5	original	ϕ_o	0.261	0.963	0.612	3.192
IVFC	7	1000	1.50	6	5	original	ϕ_o	0.346	0.934	0.640	3.189
IVFC	7	1000	1.70	6	5	original	ϕ_o	0.420	0.901	0.660	3.183
IVFC	7	10	2.00	4	2	original	ϕ_o	0.789	0.096	0.442	2.871
IVFC	7	10	2.30	4	2	original	ϕ_o	0.788	0.097	0.443	2.286
IVFC	7	10	3.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	7	100	2.00	4	2	original	ϕ_o	0.795	0.142	0.469	2.907
IVFC	7	100	2.30	4	2	original	ϕ_o	0.795	0.104	0.449	2.886
IVFC	7	100	3.00	4	2	original	ϕ_o	0.792	0.094	0.443	2.871
IVFC	7	250	2.00	4	2	original	ϕ_o	0.736	0.544	0.640	3.465
IVFC	7	250	2.30	4	2	original	ϕ_o	0.769	0.387	0.578	2.948
IVFC	7	250	3.00	4	2	original	ϕ_o	0.794	0.160	0.477	2.902
IVFC	7	500	0.20	2	7	original	ϕ_o	0.001	1.000	0.501	1.736

IVFC	7	750	0.20	2	7	original	ϕ_o	0.001	1.000	0.501	1.736
IVFC	7	1000	0.20	2	7	original	ϕ_o	0.001	1.000	0.501	1.736
IVFC	7	500	4.00	6	7	original	ϕ_o	0.731	0.193	0.462	2.135
IVFC	7	750	4.00	6	7	original	ϕ_o	0.731	0.193	0.462	2.135
IVFC	7	1000	4.00	6	7	original	ϕ_o	0.731	0.193	0.462	2.135
IVFC	7	10	2.00	4	5	original	ϕ_o	0.790	0.095	0.443	2.290
IVFC	7	10	2.30	4	5	original	ϕ_o	0.789	0.096	0.443	3.308
IVFC	7	10	3.00	4	5	original	ϕ_o	0.789	0.097	0.443	2.872
IVFC	7	100	2.00	4	5	original	ϕ_o	0.742	0.517	0.630	3.456
IVFC	7	100	2.30	4	5	original	ϕ_o	0.772	0.381	0.577	2.952
IVFC	7	100	3.00	4	5	original	ϕ_o	0.795	0.180	0.487	2.917
IVFC	7	250	2.00	4	5	original	ϕ_o	0.538	0.869	0.703	3.458
IVFC	7	250	2.30	4	5	original	ϕ_o	0.634	0.769	0.702	3.462
IVFC	7	250	3.00	4	5	original	ϕ_o	0.741	0.520	0.630	3.443
IVFC	7	10	1.25	5	3	original	ϕ_o	0.751	0.110	0.431	2.195
IVFC	7	10	1.50	5	3	original	ϕ_o	0.750	0.106	0.428	2.774
IVFC	7	10	1.70	5	3	original	ϕ_o	0.749	0.105	0.427	2.770
IVFC	7	100	1.25	5	3	original	ϕ_o	0.593	0.728	0.661	3.164
IVFC	7	100	1.50	5	3	original	ϕ_o	0.682	0.516	0.599	3.217
IVFC	7	100	1.70	5	3	original	ϕ_o	0.719	0.364	0.542	3.244
IVFC	7	250	1.25	5	3	original	ϕ_o	0.236	0.955	0.596	3.221
IVFC	7	250	1.50	5	3	original	ϕ_o	0.368	0.921	0.645	3.195
IVFC	7	250	1.70	5	3	original	ϕ_o	0.472	0.865	0.669	3.171
IVFC	7	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	4.00	6	2	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	7	250	4.00	6	2	original	ϕ_o	0.734	0.053	0.393	2.095
IVFC	7	500	0.50	5	6	original	ϕ_o	0.031	0.995	0.513	2.578
IVFC	7	500	0.70	5	6	original	ϕ_o	0.062	0.988	0.525	2.975
IVFC	7	500	1.00	5	6	original	ϕ_o	0.106	0.977	0.541	3.163
IVFC	7	750	0.50	5	6	original	ϕ_o	0.031	0.995	0.513	2.578
IVFC	7	750	0.70	5	6	original	ϕ_o	0.062	0.988	0.525	2.975
IVFC	7	750	1.00	5	6	original	ϕ_o	0.106	0.977	0.541	3.163
IVFC	7	1000	0.50	5	6	original	ϕ_o	0.031	0.995	0.513	2.578
IVFC	7	1000	0.70	5	6	original	ϕ_o	0.062	0.988	0.525	2.975
IVFC	7	1000	1.00	5	6	original	ϕ_o	0.106	0.977	0.541	3.163
IVFC	7	500	4.00	5	6	original	ϕ_o	0.718	0.368	0.543	2.767
IVFC	7	750	4.00	5	6	original	ϕ_o	0.718	0.368	0.543	2.767
IVFC	7	1000	4.00	5	6	original	ϕ_o	0.718	0.368	0.543	2.767
IVFC	7	10	1.25	7	3	original	ϕ_o	0.685	0.126	0.405	1.947
IVFC	7	10	1.50	7	3	original	ϕ_o	0.685	0.119	0.402	2.404
IVFC	7	10	1.70	7	3	original	ϕ_o	0.685	0.116	0.401	2.404
IVFC	7	100	1.25	7	3	original	ϕ_o	0.606	0.581	0.593	2.901
IVFC	7	100	1.50	7	3	original	ϕ_o	0.657	0.407	0.532	2.892
IVFC	7	100	1.70	7	3	original	ϕ_o	0.673	0.305	0.489	2.870
IVFC	7	250	1.25	7	3	original	ϕ_o	0.315	0.938	0.627	2.883
IVFC	7	250	1.50	7	3	original	ϕ_o	0.424	0.863	0.644	2.898
IVFC	7	250	1.70	7	3	original	ϕ_o	0.500	0.786	0.643	2.914
IVFC	7	500	0.20	3	5	original	ϕ_o	0.002	1.000	0.501	1.461
IVFC	7	750	0.20	3	5	original	ϕ_o	0.002	1.000	0.501	1.461
IVFC	7	1000	0.20	3	5	original	ϕ_o	0.002	1.000	0.501	1.461

IVFC	7	500	0.50	2	6	original	ϕ_o	0.073	0.999	0.536	3.636
IVFC	7	500	0.70	2	6	original	ϕ_o	0.176	0.997	0.586	4.136
IVFC	7	500	1.00	2	6	original	ϕ_o	0.339	0.986	0.662	4.376
IVFC	7	750	0.50	2	6	original	ϕ_o	0.073	0.999	0.536	3.636
IVFC	7	750	0.70	2	6	original	ϕ_o	0.176	0.997	0.586	4.136
IVFC	7	750	1.00	2	6	original	ϕ_o	0.339	0.986	0.662	4.376
IVFC	7	1000	0.50	2	6	original	ϕ_o	0.073	0.999	0.536	3.636
IVFC	7	1000	0.70	2	6	original	ϕ_o	0.176	0.997	0.586	4.136
IVFC	7	1000	1.00	2	6	original	ϕ_o	0.339	0.986	0.662	4.376
IVFC	7	10	2.00	2	5	original	ϕ_o	0.965	0.055	0.510	2.829
IVFC	7	10	2.30	2	5	original	ϕ_o	0.964	0.056	0.510	2.827
IVFC	7	10	3.00	2	5	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	7	100	2.00	2	5	original	ϕ_o	0.933	0.592	0.763	3.721
IVFC	7	100	2.30	2	5	original	ϕ_o	0.952	0.461	0.707	2.888
IVFC	7	100	3.00	2	5	original	ϕ_o	0.966	0.195	0.580	2.871
IVFC	7	250	2.00	2	5	original	ϕ_o	0.768	0.855	0.812	4.406
IVFC	7	250	2.30	2	5	original	ϕ_o	0.837	0.793	0.815	4.380
IVFC	7	250	3.00	2	5	original	ϕ_o	0.920	0.624	0.772	3.702
IVFC	7	10	0.20	4	4	original	ϕ_o	0.188	0.986	0.587	2.501
IVFC	7	100	0.20	4	4	original	ϕ_o	0.026	1.000	0.513	1.486
IVFC	7	250	0.20	4	4	original	ϕ_o	0.004	1.000	0.502	1.151
IVFC	7	500	0.20	7	2	original	ϕ_o	0.016	1.000	0.508	1.187
IVFC	7	750	0.20	7	2	original	ϕ_o	0.014	1.000	0.507	1.132
IVFC	7	1000	0.20	7	2	original	ϕ_o	0.014	1.000	0.507	1.123
IVFC	7	500	0.20	4	6	original	ϕ_o	0.001	1.000	0.500	0.976
IVFC	7	750	0.20	4	6	original	ϕ_o	0.001	1.000	0.500	0.976
IVFC	7	1000	0.20	4	6	original	ϕ_o	0.001	1.000	0.500	0.976
IVFC	7	500	0.50	2	2	original	ϕ_o	0.108	0.999	0.554	3.734
IVFC	7	500	0.70	2	2	original	ϕ_o	0.200	0.995	0.598	4.147
IVFC	7	500	1.00	2	2	original	ϕ_o	0.340	0.982	0.661	4.351
IVFC	7	750	0.50	2	2	original	ϕ_o	0.068	1.000	0.534	3.566
IVFC	7	750	0.70	2	2	original	ϕ_o	0.137	0.998	0.568	4.028
IVFC	7	750	1.00	2	2	original	ϕ_o	0.247	0.990	0.619	4.294
IVFC	7	1000	0.50	2	2	original	ϕ_o	0.063	1.000	0.531	3.541
IVFC	7	1000	0.70	2	2	original	ϕ_o	0.129	0.998	0.563	4.008
IVFC	7	1000	1.00	2	2	original	ϕ_o	0.234	0.991	0.612	4.280
IVFC	7	500	2.00	3	5	original	ϕ_o	0.564	0.842	0.703	3.592
IVFC	7	500	2.30	3	5	original	ϕ_o	0.672	0.752	0.712	3.569
IVFC	7	500	3.00	3	5	original	ϕ_o	0.804	0.512	0.658	3.535
IVFC	7	750	2.00	3	5	original	ϕ_o	0.564	0.842	0.703	3.592
IVFC	7	750	2.30	3	5	original	ϕ_o	0.672	0.752	0.712	3.569
IVFC	7	750	3.00	3	5	original	ϕ_o	0.804	0.512	0.658	3.535
IVFC	7	1000	2.00	3	5	original	ϕ_o	0.564	0.842	0.703	3.592
IVFC	7	1000	2.30	3	5	original	ϕ_o	0.672	0.752	0.712	3.569
IVFC	7	1000	3.00	3	5	original	ϕ_o	0.804	0.512	0.658	3.535
IVFC	7	500	0.20	4	7	original	ϕ_o	0.001	1.000	0.500	0.973
IVFC	7	750	0.20	4	7	original	ϕ_o	0.001	1.000	0.500	0.973
IVFC	7	1000	0.20	4	7	original	ϕ_o	0.001	1.000	0.500	0.973
IVFC	7	10	0.50	6	4	original	ϕ_o	0.591	0.721	0.656	2.700
IVFC	7	10	0.70	6	4	original	ϕ_o	0.700	0.431	0.566	2.161

IVFC	7	10	1.00	6	4	original	ϕ_o	0.738	0.119	0.428	2.136
IVFC	7	100	0.50	6	4	original	ϕ_o	0.230	0.965	0.598	2.969
IVFC	7	100	0.70	6	4	original	ϕ_o	0.348	0.920	0.634	3.053
IVFC	7	100	1.00	6	4	original	ϕ_o	0.516	0.788	0.652	3.022
IVFC	7	250	0.50	6	4	original	ϕ_o	0.100	0.990	0.545	2.734
IVFC	7	250	0.70	6	4	original	ϕ_o	0.168	0.975	0.572	2.980
IVFC	7	250	1.00	6	4	original	ϕ_o	0.273	0.942	0.608	3.036
IVFC	7	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	4.00	6	5	original	ϕ_o	0.734	0.056	0.395	2.099
IVFC	7	250	4.00	6	5	original	ϕ_o	0.729	0.129	0.429	2.104
IVFC	7	10	0.20	3	3	original	ϕ_o	0.266	0.979	0.622	2.931
IVFC	7	100	0.20	3	3	original	ϕ_o	0.031	0.999	0.515	2.099
IVFC	7	250	0.20	3	3	original	ϕ_o	0.009	1.000	0.504	1.729
IVFC	7	10	4.00	7	7	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	7	100	4.00	7	7	original	ϕ_o	0.691	0.153	0.422	2.451
IVFC	7	250	4.00	7	7	original	ϕ_o	0.685	0.249	0.467	2.852
IVFC	7	10	4.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	7	100	4.00	7	4	original	ϕ_o	0.684	0.134	0.409	2.731
IVFC	7	250	4.00	7	4	original	ϕ_o	0.671	0.259	0.465	2.756
IVFC	7	500	1.25	2	4	original	ϕ_o	0.412	0.975	0.694	4.396
IVFC	7	500	1.50	2	4	original	ϕ_o	0.524	0.952	0.738	4.416
IVFC	7	500	1.70	2	4	original	ϕ_o	0.605	0.929	0.767	4.420
IVFC	7	750	1.25	2	4	original	ϕ_o	0.412	0.975	0.694	4.396
IVFC	7	750	1.50	2	4	original	ϕ_o	0.524	0.952	0.738	4.416
IVFC	7	750	1.70	2	4	original	ϕ_o	0.605	0.929	0.767	4.420
IVFC	7	1000	1.25	2	4	original	ϕ_o	0.412	0.975	0.694	4.396
IVFC	7	1000	1.50	2	4	original	ϕ_o	0.524	0.952	0.738	4.416
IVFC	7	1000	1.70	2	4	original	ϕ_o	0.605	0.929	0.767	4.420
IVFC	7	500	4.00	5	5	original	ϕ_o	0.719	0.364	0.542	3.146
IVFC	7	750	4.00	5	5	original	ϕ_o	0.719	0.364	0.542	3.146
IVFC	7	1000	4.00	5	5	original	ϕ_o	0.719	0.364	0.542	3.146
IVFC	7	10	0.50	5	5	original	ϕ_o	0.459	0.899	0.679	3.254
IVFC	7	10	0.70	5	5	original	ϕ_o	0.637	0.657	0.647	3.199
IVFC	7	10	1.00	5	5	original	ϕ_o	0.742	0.273	0.507	3.254
IVFC	7	100	0.50	5	5	original	ϕ_o	0.103	0.980	0.541	2.980
IVFC	7	100	0.70	5	5	original	ϕ_o	0.167	0.965	0.566	3.219
IVFC	7	100	1.00	5	5	original	ϕ_o	0.307	0.931	0.619	3.243
IVFC	7	250	0.50	5	5	original	ϕ_o	0.047	0.992	0.519	2.627
IVFC	7	250	0.70	5	5	original	ϕ_o	0.077	0.983	0.530	3.003
IVFC	7	250	1.00	5	5	original	ϕ_o	0.123	0.968	0.545	3.185
IVFC	7	10	2.00	4	7	original	ϕ_o	0.791	0.093	0.442	2.874
IVFC	7	10	2.30	4	7	original	ϕ_o	0.790	0.095	0.442	2.873
IVFC	7	10	3.00	4	7	original	ϕ_o	0.789	0.097	0.443	2.871
IVFC	7	100	2.00	4	7	original	ϕ_o	0.700	0.681	0.691	3.510
IVFC	7	100	2.30	4	7	original	ϕ_o	0.747	0.542	0.644	3.496
IVFC	7	100	3.00	4	7	original	ϕ_o	0.792	0.285	0.539	2.962
IVFC	7	250	2.00	4	7	original	ϕ_o	0.482	0.904	0.693	3.480
IVFC	7	250	2.30	4	7	original	ϕ_o	0.594	0.826	0.710	3.508
IVFC	7	250	3.00	4	7	original	ϕ_o	0.729	0.617	0.673	3.511
IVFC	7	500	4.00	4	2	original	ϕ_o	0.782	0.286	0.534	2.928

IVFC	7	750	4.00	4	2	original	ϕ_o	0.764	0.395	0.579	3.339
IVFC	7	1000	4.00	4	2	original	ϕ_o	0.763	0.395	0.579	3.333
IVFC	7	500	0.20	2	4	original	ϕ_o	0.002	1.000	0.501	1.880
IVFC	7	750	0.20	2	4	original	ϕ_o	0.002	1.000	0.501	1.880
IVFC	7	1000	0.20	2	4	original	ϕ_o	0.002	1.000	0.501	1.880
IVFC	7	500	0.20	6	4	original	ϕ_o	0.004	1.000	0.502	1.455
IVFC	7	750	0.20	6	4	original	ϕ_o	0.004	1.000	0.502	1.454
IVFC	7	1000	0.20	6	4	original	ϕ_o	0.004	1.000	0.502	1.454
IVFC	7	500	0.20	7	5	original	ϕ_o	0.013	1.000	0.507	1.126
IVFC	7	750	0.20	7	5	original	ϕ_o	0.013	1.000	0.507	1.126
IVFC	7	1000	0.20	7	5	original	ϕ_o	0.013	1.000	0.507	1.126
IVFC	7	10	0.50	6	5	original	ϕ_o	0.567	0.808	0.687	3.202
IVFC	7	10	0.70	6	5	original	ϕ_o	0.680	0.553	0.616	2.741
IVFC	7	10	1.00	6	5	original	ϕ_o	0.737	0.186	0.462	2.149
IVFC	7	100	0.50	6	5	original	ϕ_o	0.185	0.987	0.586	2.992
IVFC	7	100	0.70	6	5	original	ϕ_o	0.290	0.963	0.626	3.174
IVFC	7	100	1.00	6	5	original	ϕ_o	0.444	0.889	0.667	3.169
IVFC	7	250	0.50	6	5	original	ϕ_o	0.081	0.998	0.539	2.688
IVFC	7	250	0.70	6	5	original	ϕ_o	0.141	0.991	0.566	3.042
IVFC	7	250	1.00	6	5	original	ϕ_o	0.235	0.970	0.603	3.159
IVFC	7	500	0.20	4	5	original	ϕ_o	0.001	1.000	0.500	1.002
IVFC	7	750	0.20	4	5	original	ϕ_o	0.001	1.000	0.500	1.002
IVFC	7	1000	0.20	4	5	original	ϕ_o	0.001	1.000	0.500	1.002
IVFC	7	500	1.25	2	5	original	ϕ_o	0.439	0.970	0.705	4.392
IVFC	7	500	1.50	2	5	original	ϕ_o	0.552	0.944	0.748	4.402
IVFC	7	500	1.70	2	5	original	ϕ_o	0.633	0.919	0.776	4.407
IVFC	7	750	1.25	2	5	original	ϕ_o	0.439	0.970	0.705	4.392
IVFC	7	750	1.50	2	5	original	ϕ_o	0.552	0.944	0.748	4.402
IVFC	7	750	1.70	2	5	original	ϕ_o	0.633	0.919	0.776	4.407
IVFC	7	1000	1.25	2	5	original	ϕ_o	0.439	0.970	0.705	4.392
IVFC	7	1000	1.50	2	5	original	ϕ_o	0.552	0.944	0.748	4.402
IVFC	7	1000	1.70	2	5	original	ϕ_o	0.633	0.919	0.776	4.407
IVFC	7	500	1.25	6	2	original	ϕ_o	0.368	0.899	0.633	2.990
IVFC	7	500	1.50	6	2	original	ϕ_o	0.472	0.829	0.650	2.980
IVFC	7	500	1.70	6	2	original	ϕ_o	0.540	0.758	0.649	2.957
IVFC	7	750	1.25	6	2	original	ϕ_o	0.284	0.939	0.612	3.005
IVFC	7	750	1.50	6	2	original	ϕ_o	0.367	0.900	0.634	3.015
IVFC	7	750	1.70	6	2	original	ϕ_o	0.438	0.857	0.648	3.002
IVFC	7	1000	1.25	6	2	original	ϕ_o	0.271	0.941	0.606	2.990
IVFC	7	1000	1.50	6	2	original	ϕ_o	0.351	0.905	0.628	2.996
IVFC	7	1000	1.70	6	2	original	ϕ_o	0.420	0.865	0.642	2.983
IVFC	7	500	1.25	4	7	original	ϕ_o	0.179	0.992	0.585	3.224
IVFC	7	500	1.50	4	7	original	ϕ_o	0.242	0.981	0.611	3.332
IVFC	7	500	1.70	4	7	original	ϕ_o	0.319	0.962	0.641	3.382
IVFC	7	750	1.25	4	7	original	ϕ_o	0.179	0.992	0.585	3.224
IVFC	7	750	1.50	4	7	original	ϕ_o	0.242	0.981	0.611	3.332
IVFC	7	750	1.70	4	7	original	ϕ_o	0.319	0.962	0.641	3.382
IVFC	7	1000	1.25	4	7	original	ϕ_o	0.179	0.992	0.585	3.224
IVFC	7	1000	1.50	4	7	original	ϕ_o	0.242	0.981	0.611	3.332
IVFC	7	1000	1.70	4	7	original	ϕ_o	0.319	0.962	0.641	3.382

IVFC	7	500	2.00	2	3	original	ϕ_o	0.693	0.890	0.792	4.389
IVFC	7	500	2.30	2	3	original	ϕ_o	0.774	0.844	0.809	4.372
IVFC	7	500	3.00	2	3	original	ϕ_o	0.885	0.711	0.798	4.312
IVFC	7	750	2.00	2	3	original	ϕ_o	0.684	0.892	0.788	4.381
IVFC	7	750	2.30	2	3	original	ϕ_o	0.767	0.847	0.807	4.368
IVFC	7	750	3.00	2	3	original	ϕ_o	0.882	0.717	0.799	3.708
IVFC	7	1000	2.00	2	3	original	ϕ_o	0.684	0.892	0.788	4.381
IVFC	7	1000	2.30	2	3	original	ϕ_o	0.767	0.847	0.807	4.368
IVFC	7	1000	3.00	2	3	original	ϕ_o	0.882	0.717	0.799	3.708
IVFC	7	10	4.00	5	5	original	ϕ_o	0.747	0.103	0.425	2.763
IVFC	7	100	4.00	5	5	original	ϕ_o	0.750	0.114	0.432	2.787
IVFC	7	250	4.00	5	5	original	ϕ_o	0.738	0.252	0.495	2.196
IVFC	7	500	0.50	7	6	original	ϕ_o	0.034	0.999	0.516	2.276
IVFC	7	500	0.70	7	6	original	ϕ_o	0.053	0.997	0.525	2.580
IVFC	7	500	1.00	7	6	original	ϕ_o	0.095	0.990	0.542	2.745
IVFC	7	750	0.50	7	6	original	ϕ_o	0.034	0.999	0.516	2.276
IVFC	7	750	0.70	7	6	original	ϕ_o	0.053	0.997	0.525	2.580
IVFC	7	750	1.00	7	6	original	ϕ_o	0.095	0.990	0.542	2.745
IVFC	7	1000	0.50	7	6	original	ϕ_o	0.034	0.999	0.516	2.276
IVFC	7	1000	0.70	7	6	original	ϕ_o	0.053	0.997	0.525	2.580
IVFC	7	1000	1.00	7	6	original	ϕ_o	0.095	0.990	0.542	2.745
IVFC	7	500	0.20	6	6	original	ϕ_o	0.003	1.000	0.501	1.402
IVFC	7	750	0.20	6	6	original	ϕ_o	0.003	1.000	0.501	1.402
IVFC	7	1000	0.20	6	6	original	ϕ_o	0.003	1.000	0.501	1.402
IVFC	7	500	2.00	5	3	original	ϕ_o	0.369	0.914	0.641	3.166
IVFC	7	500	2.30	5	3	original	ϕ_o	0.484	0.848	0.666	3.146
IVFC	7	500	3.00	5	3	original	ϕ_o	0.645	0.617	0.631	3.143
IVFC	7	750	2.00	5	3	original	ϕ_o	0.361	0.915	0.638	3.160
IVFC	7	750	2.30	5	3	original	ϕ_o	0.476	0.852	0.664	3.138
IVFC	7	750	3.00	5	3	original	ϕ_o	0.640	0.627	0.634	3.136
IVFC	7	1000	2.00	5	3	original	ϕ_o	0.361	0.915	0.638	3.160
IVFC	7	1000	2.30	5	3	original	ϕ_o	0.476	0.852	0.664	3.138
IVFC	7	1000	3.00	5	3	original	ϕ_o	0.640	0.627	0.634	3.136
IVFC	7	10	1.25	7	7	original	ϕ_o	0.690	0.132	0.411	2.421
IVFC	7	10	1.50	7	7	original	ϕ_o	0.689	0.119	0.404	2.415
IVFC	7	10	1.70	7	7	original	ϕ_o	0.688	0.116	0.402	1.952
IVFC	7	100	1.25	7	7	original	ϕ_o	0.382	0.896	0.639	2.891
IVFC	7	100	1.50	7	7	original	ϕ_o	0.493	0.780	0.636	2.902
IVFC	7	100	1.70	7	7	original	ϕ_o	0.559	0.669	0.614	2.902
IVFC	7	250	1.25	7	7	original	ϕ_o	0.167	0.977	0.572	2.809
IVFC	7	250	1.50	7	7	original	ϕ_o	0.266	0.951	0.608	2.841
IVFC	7	250	1.70	7	7	original	ϕ_o	0.352	0.909	0.630	2.868
IVFC	7	500	1.25	3	6	original	ϕ_o	0.257	0.968	0.612	3.654
IVFC	7	500	1.50	3	6	original	ϕ_o	0.351	0.942	0.646	3.671
IVFC	7	500	1.70	3	6	original	ϕ_o	0.443	0.909	0.676	3.666
IVFC	7	750	1.25	3	6	original	ϕ_o	0.257	0.968	0.612	3.654
IVFC	7	750	1.50	3	6	original	ϕ_o	0.351	0.942	0.646	3.671
IVFC	7	750	1.70	3	6	original	ϕ_o	0.443	0.909	0.676	3.666
IVFC	7	1000	1.25	3	6	original	ϕ_o	0.257	0.968	0.612	3.654
IVFC	7	1000	1.50	3	6	original	ϕ_o	0.351	0.942	0.646	3.671

IVFC	7	1000	1.70	3	6	original	ϕ_o	0.443	0.909	0.676	3.666
IVFC	7	10	0.50	3	6	original	ϕ_o	0.639	0.841	0.740	3.685
IVFC	7	10	0.70	3	6	original	ϕ_o	0.776	0.627	0.702	3.199
IVFC	7	10	1.00	3	6	original	ϕ_o	0.851	0.324	0.588	3.157
IVFC	7	100	0.50	3	6	original	ϕ_o	0.138	0.989	0.564	3.319
IVFC	7	100	0.70	3	6	original	ϕ_o	0.246	0.972	0.609	3.626
IVFC	7	100	1.00	3	6	original	ϕ_o	0.424	0.922	0.673	3.673
IVFC	7	250	0.50	3	6	original	ϕ_o	0.052	0.997	0.524	2.933
IVFC	7	250	0.70	3	6	original	ϕ_o	0.108	0.991	0.549	3.382
IVFC	7	250	1.00	3	6	original	ϕ_o	0.197	0.977	0.587	3.612
IVFC	7	10	2.00	5	3	original	ϕ_o	0.748	0.104	0.426	2.182
IVFC	7	10	2.30	5	3	original	ϕ_o	0.748	0.103	0.426	2.767
IVFC	7	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	7	100	2.00	5	3	original	ϕ_o	0.743	0.210	0.476	3.237
IVFC	7	100	2.30	5	3	original	ϕ_o	0.748	0.141	0.444	2.796
IVFC	7	100	3.00	5	3	original	ϕ_o	0.747	0.113	0.430	2.773
IVFC	7	250	2.00	5	3	original	ϕ_o	0.590	0.731	0.661	3.156
IVFC	7	250	2.30	5	3	original	ϕ_o	0.659	0.577	0.618	3.168
IVFC	7	250	3.00	5	3	original	ϕ_o	0.727	0.289	0.508	3.196
IVFC	7	500	0.20	7	6	original	ϕ_o	0.014	1.000	0.507	1.090
IVFC	7	750	0.20	7	6	original	ϕ_o	0.014	1.000	0.507	1.090
IVFC	7	1000	0.20	7	6	original	ϕ_o	0.014	1.000	0.507	1.090
IVFC	7	10	2.00	7	4	original	ϕ_o	0.685	0.114	0.400	2.745
IVFC	7	10	2.30	7	4	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	7	10	3.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	7	100	2.00	7	4	original	ϕ_o	0.671	0.284	0.478	2.456
IVFC	7	100	2.30	7	4	original	ϕ_o	0.678	0.222	0.450	2.434
IVFC	7	100	3.00	7	4	original	ϕ_o	0.683	0.161	0.422	2.412
IVFC	7	250	2.00	7	4	original	ϕ_o	0.503	0.768	0.636	2.869
IVFC	7	250	2.30	7	4	original	ϕ_o	0.573	0.656	0.615	2.875
IVFC	7	250	3.00	7	4	original	ϕ_o	0.646	0.430	0.538	2.832
IVFC	7	500	0.50	6	6	original	ϕ_o	0.055	0.998	0.526	2.638
IVFC	7	500	0.70	6	6	original	ϕ_o	0.109	0.994	0.551	3.013
IVFC	7	500	1.00	6	6	original	ϕ_o	0.193	0.979	0.586	3.175
IVFC	7	750	0.50	6	6	original	ϕ_o	0.055	0.998	0.526	2.638
IVFC	7	750	0.70	6	6	original	ϕ_o	0.109	0.994	0.551	3.013
IVFC	7	750	1.00	6	6	original	ϕ_o	0.193	0.979	0.586	3.175
IVFC	7	1000	0.50	6	6	original	ϕ_o	0.055	0.998	0.526	2.638
IVFC	7	1000	0.70	6	6	original	ϕ_o	0.109	0.994	0.551	3.013
IVFC	7	1000	1.00	6	6	original	ϕ_o	0.193	0.979	0.586	3.175
IVFC	7	10	1.25	3	6	original	ϕ_o	0.864	0.164	0.514	2.541
IVFC	7	10	1.50	3	6	original	ϕ_o	0.867	0.094	0.480	2.531
IVFC	7	10	1.70	3	6	original	ϕ_o	0.867	0.078	0.472	2.526
IVFC	7	100	1.25	3	6	original	ϕ_o	0.583	0.837	0.710	3.633
IVFC	7	100	1.50	3	6	original	ϕ_o	0.702	0.728	0.715	3.594
IVFC	7	100	1.70	3	6	original	ϕ_o	0.764	0.633	0.698	3.145
IVFC	7	250	1.25	3	6	original	ϕ_o	0.273	0.959	0.616	3.655
IVFC	7	250	1.50	3	6	original	ϕ_o	0.371	0.928	0.650	3.650
IVFC	7	250	1.70	3	6	original	ϕ_o	0.466	0.892	0.679	3.633
IVFC	7	10	1.25	5	6	original	ϕ_o	0.749	0.168	0.459	2.207

IVFC	7	10	1.50	5	6	original	ϕ_o	0.750	0.113	0.432	2.791
IVFC	7	10	1.70	5	6	original	ϕ_o	0.750	0.104	0.427	2.781
IVFC	7	100	1.25	5	6	original	ϕ_o	0.346	0.914	0.630	3.192
IVFC	7	100	1.50	5	6	original	ϕ_o	0.480	0.852	0.666	3.133
IVFC	7	100	1.70	5	6	original	ϕ_o	0.564	0.762	0.663	3.113
IVFC	7	250	1.25	5	6	original	ϕ_o	0.147	0.962	0.554	3.193
IVFC	7	250	1.50	5	6	original	ϕ_o	0.200	0.946	0.573	3.187
IVFC	7	250	1.70	5	6	original	ϕ_o	0.266	0.931	0.599	3.169
IVFC	7	10	0.50	6	6	original	ϕ_o	0.557	0.817	0.687	3.199
IVFC	7	10	0.70	6	6	original	ϕ_o	0.676	0.571	0.623	2.190
IVFC	7	10	1.00	6	6	original	ϕ_o	0.736	0.194	0.465	2.151
IVFC	7	100	0.50	6	6	original	ϕ_o	0.165	0.989	0.577	2.949
IVFC	7	100	0.70	6	6	original	ϕ_o	0.268	0.968	0.618	3.158
IVFC	7	100	1.00	6	6	original	ϕ_o	0.419	0.900	0.659	3.156
IVFC	7	250	0.50	6	6	original	ϕ_o	0.065	0.997	0.531	2.668
IVFC	7	250	0.70	6	6	original	ϕ_o	0.126	0.992	0.559	3.030
IVFC	7	250	1.00	6	6	original	ϕ_o	0.217	0.973	0.595	3.156
IVFC	7	10	1.25	7	6	original	ϕ_o	0.690	0.128	0.409	2.422
IVFC	7	10	1.50	7	6	original	ϕ_o	0.689	0.119	0.404	2.416
IVFC	7	10	1.70	7	6	original	ϕ_o	0.688	0.116	0.402	2.413
IVFC	7	100	1.25	7	6	original	ϕ_o	0.428	0.828	0.628	2.818
IVFC	7	100	1.50	7	6	original	ϕ_o	0.530	0.690	0.610	2.814
IVFC	7	100	1.70	7	6	original	ϕ_o	0.586	0.579	0.582	2.817
IVFC	7	250	1.25	7	6	original	ϕ_o	0.164	0.974	0.569	2.805
IVFC	7	250	1.50	7	6	original	ϕ_o	0.260	0.945	0.602	2.841
IVFC	7	250	1.70	7	6	original	ϕ_o	0.349	0.904	0.626	2.855
IVFC	7	500	2.00	3	2	original	ϕ_o	0.598	0.798	0.698	3.528
IVFC	7	500	2.30	3	2	original	ϕ_o	0.694	0.704	0.699	3.488
IVFC	7	500	3.00	3	2	original	ϕ_o	0.809	0.453	0.631	3.429
IVFC	7	750	2.00	3	2	original	ϕ_o	0.417	0.896	0.657	3.541
IVFC	7	750	2.30	3	2	original	ϕ_o	0.533	0.832	0.683	3.520
IVFC	7	750	3.00	3	2	original	ϕ_o	0.721	0.655	0.688	3.482
IVFC	7	1000	2.00	3	2	original	ϕ_o	0.384	0.913	0.649	3.553
IVFC	7	1000	2.30	3	2	original	ϕ_o	0.495	0.857	0.676	3.526
IVFC	7	1000	3.00	3	2	original	ϕ_o	0.691	0.686	0.688	3.493
IVFC	7	500	1.25	2	7	original	ϕ_o	0.485	0.964	0.724	4.413
IVFC	7	500	1.50	2	7	original	ϕ_o	0.595	0.936	0.766	4.430
IVFC	7	500	1.70	2	7	original	ϕ_o	0.672	0.909	0.791	4.430
IVFC	7	750	1.25	2	7	original	ϕ_o	0.485	0.964	0.724	4.413
IVFC	7	750	1.50	2	7	original	ϕ_o	0.595	0.936	0.766	4.430
IVFC	7	750	1.70	2	7	original	ϕ_o	0.672	0.909	0.791	4.430
IVFC	7	1000	1.25	2	7	original	ϕ_o	0.485	0.964	0.724	4.413
IVFC	7	1000	1.50	2	7	original	ϕ_o	0.595	0.936	0.766	4.430
IVFC	7	1000	1.70	2	7	original	ϕ_o	0.672	0.909	0.791	4.430
IVFC	7	500	0.20	7	7	original	ϕ_o	0.015	1.000	0.508	1.022
IVFC	7	750	0.20	7	7	original	ϕ_o	0.015	1.000	0.508	1.022
IVFC	7	1000	0.20	7	7	original	ϕ_o	0.015	1.000	0.508	1.022
IVFC	7	10	0.50	7	6	original	ϕ_o	0.534	0.703	0.619	2.842
IVFC	7	10	0.70	7	6	original	ϕ_o	0.648	0.368	0.508	2.431
IVFC	7	10	1.00	7	6	original	ϕ_o	0.688	0.170	0.429	2.432

IVFC	7	100	0.50	7	6	original	ϕ_o	0.087	0.996	0.541	2.630
IVFC	7	100	0.70	7	6	original	ϕ_o	0.136	0.985	0.561	2.803
IVFC	7	100	1.00	7	6	original	ϕ_o	0.285	0.932	0.609	2.827
IVFC	7	250	0.50	7	6	original	ϕ_o	0.035	0.999	0.517	2.300
IVFC	7	250	0.70	7	6	original	ϕ_o	0.058	0.997	0.527	2.597
IVFC	7	250	1.00	7	6	original	ϕ_o	0.105	0.989	0.547	2.749
IVFC	7	500	2.00	6	2	original	ϕ_o	0.615	0.632	0.623	2.598
IVFC	7	500	2.30	6	2	original	ϕ_o	0.661	0.491	0.576	2.094
IVFC	7	500	3.00	6	2	original	ϕ_o	0.706	0.236	0.471	2.082
IVFC	7	750	2.00	6	2	original	ϕ_o	0.532	0.778	0.655	2.980
IVFC	7	750	2.30	6	2	original	ϕ_o	0.599	0.682	0.640	2.962
IVFC	7	750	3.00	6	2	original	ϕ_o	0.684	0.420	0.552	2.608
IVFC	7	1000	2.00	6	2	original	ϕ_o	0.515	0.791	0.653	2.969
IVFC	7	1000	2.30	6	2	original	ϕ_o	0.585	0.700	0.642	2.949
IVFC	7	1000	3.00	6	2	original	ϕ_o	0.676	0.448	0.562	2.604
IVFC	7	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	4.00	2	4	original	ϕ_o	0.970	0.064	0.517	2.847
IVFC	7	250	4.00	2	4	original	ϕ_o	0.962	0.340	0.651	2.887
IVFC	7	500	0.50	4	6	original	ϕ_o	0.032	1.000	0.516	2.231
IVFC	7	500	0.70	4	6	original	ϕ_o	0.073	0.999	0.536	2.695
IVFC	7	500	1.00	4	6	original	ϕ_o	0.135	0.995	0.565	3.040
IVFC	7	750	0.50	4	6	original	ϕ_o	0.032	1.000	0.516	2.231
IVFC	7	750	0.70	4	6	original	ϕ_o	0.073	0.999	0.536	2.695
IVFC	7	750	1.00	4	6	original	ϕ_o	0.135	0.995	0.565	3.040
IVFC	7	1000	0.50	4	6	original	ϕ_o	0.032	1.000	0.516	2.231
IVFC	7	1000	0.70	4	6	original	ϕ_o	0.073	0.999	0.536	2.695
IVFC	7	1000	1.00	4	6	original	ϕ_o	0.135	0.995	0.565	3.040
IVFC	7	10	0.20	3	2	original	ϕ_o	0.298	0.972	0.635	2.992
IVFC	7	100	0.20	3	2	original	ϕ_o	0.052	0.998	0.525	2.290
IVFC	7	250	0.20	3	2	original	ϕ_o	0.019	1.000	0.509	1.931
IVFC	7	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	7	100	4.00	3	3	original	ϕ_o	0.865	0.077	0.471	2.517
IVFC	7	250	4.00	3	3	original	ϕ_o	0.861	0.145	0.503	2.518
IVFC	7	10	0.50	2	3	original	ϕ_o	0.856	0.792	0.824	3.726
IVFC	7	10	0.70	2	3	original	ϕ_o	0.936	0.602	0.769	2.898
IVFC	7	10	1.00	2	3	original	ϕ_o	0.966	0.267	0.617	2.876
IVFC	7	100	0.50	2	3	original	ϕ_o	0.383	0.980	0.682	4.226
IVFC	7	100	0.70	2	3	original	ϕ_o	0.561	0.953	0.757	4.424
IVFC	7	100	1.00	2	3	original	ϕ_o	0.742	0.886	0.814	4.449
IVFC	7	250	0.50	2	3	original	ϕ_o	0.159	0.997	0.578	3.850
IVFC	7	250	0.70	2	3	original	ϕ_o	0.288	0.987	0.638	4.246
IVFC	7	250	1.00	2	3	original	ϕ_o	0.469	0.968	0.719	4.420
IVFC	7	500	4.00	5	4	original	ϕ_o	0.720	0.351	0.536	3.160
IVFC	7	750	4.00	5	4	original	ϕ_o	0.720	0.351	0.536	3.160
IVFC	7	1000	4.00	5	4	original	ϕ_o	0.720	0.351	0.536	3.160
IVFC	7	10	0.50	7	5	original	ϕ_o	0.569	0.629	0.599	2.836
IVFC	7	10	0.70	7	5	original	ϕ_o	0.662	0.288	0.475	2.776
IVFC	7	10	1.00	7	5	original	ϕ_o	0.686	0.154	0.420	2.414
IVFC	7	100	0.50	7	5	original	ϕ_o	0.089	0.995	0.542	2.735
IVFC	7	100	0.70	7	5	original	ϕ_o	0.160	0.981	0.570	2.855

IVFC	7	100	1.00	7	5	original	ϕ_o	0.364	0.894	0.629	2.861
IVFC	7	250	0.50	7	5	original	ϕ_o	0.037	0.999	0.518	2.388
IVFC	7	250	0.70	7	5	original	ϕ_o	0.059	0.997	0.528	2.679
IVFC	7	250	1.00	7	5	original	ϕ_o	0.103	0.990	0.546	2.827
IVFC	7	10	0.20	6	2	original	ϕ_o	0.303	0.956	0.630	2.492
IVFC	7	100	0.20	6	2	original	ϕ_o	0.120	0.996	0.558	2.046
IVFC	7	250	0.20	6	2	original	ϕ_o	0.052	0.999	0.526	1.780
IVFC	7	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	4.00	2	7	original	ϕ_o	0.969	0.107	0.538	2.861
IVFC	7	250	4.00	2	7	original	ϕ_o	0.963	0.351	0.657	2.891
IVFC	7	10	4.00	5	4	original	ϕ_o	0.747	0.103	0.425	2.763
IVFC	7	100	4.00	5	4	original	ϕ_o	0.750	0.110	0.430	2.785
IVFC	7	250	4.00	5	4	original	ϕ_o	0.741	0.221	0.481	3.181
IVFC	7	500	2.00	2	5	original	ϕ_o	0.735	0.873	0.804	4.399
IVFC	7	500	2.30	2	5	original	ϕ_o	0.809	0.816	0.813	4.374
IVFC	7	500	3.00	2	5	original	ϕ_o	0.907	0.660	0.783	4.303
IVFC	7	750	2.00	2	5	original	ϕ_o	0.735	0.873	0.804	4.399
IVFC	7	750	2.30	2	5	original	ϕ_o	0.809	0.816	0.813	4.374
IVFC	7	750	3.00	2	5	original	ϕ_o	0.907	0.660	0.783	4.303
IVFC	7	1000	2.00	2	5	original	ϕ_o	0.735	0.873	0.804	4.399
IVFC	7	1000	2.30	2	5	original	ϕ_o	0.809	0.816	0.813	4.374
IVFC	7	1000	3.00	2	5	original	ϕ_o	0.907	0.660	0.783	4.303
IVFC	7	500	0.20	5	4	original	ϕ_o	0.001	1.000	0.501	1.191
IVFC	7	750	0.20	5	4	original	ϕ_o	0.001	1.000	0.501	1.191
IVFC	7	1000	0.20	5	4	original	ϕ_o	0.001	1.000	0.501	1.191
IVFC	7	10	2.00	2	2	original	ϕ_o	0.964	0.056	0.510	2.830
IVFC	7	10	2.30	2	2	original	ϕ_o	0.964	0.057	0.510	2.828
IVFC	7	10	3.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	2.00	2	2	original	ϕ_o	0.966	0.262	0.614	2.883
IVFC	7	100	2.30	2	2	original	ϕ_o	0.970	0.133	0.551	2.867
IVFC	7	100	3.00	2	2	original	ϕ_o	0.969	0.062	0.516	2.847
IVFC	7	250	2.00	2	2	original	ϕ_o	0.910	0.654	0.782	3.702
IVFC	7	250	2.30	2	2	original	ϕ_o	0.939	0.555	0.747	3.696
IVFC	7	250	3.00	2	2	original	ϕ_o	0.964	0.306	0.635	2.883
IVFC	7	500	1.25	7	3	original	ϕ_o	0.132	0.986	0.559	2.826
IVFC	7	500	1.50	7	3	original	ϕ_o	0.220	0.970	0.595	2.850
IVFC	7	500	1.70	7	3	original	ϕ_o	0.294	0.946	0.620	2.868
IVFC	7	750	1.25	7	3	original	ϕ_o	0.128	0.986	0.557	2.824
IVFC	7	750	1.50	7	3	original	ϕ_o	0.215	0.970	0.593	2.846
IVFC	7	750	1.70	7	3	original	ϕ_o	0.289	0.947	0.618	2.862
IVFC	7	1000	1.25	7	3	original	ϕ_o	0.128	0.986	0.557	2.824
IVFC	7	1000	1.50	7	3	original	ϕ_o	0.215	0.970	0.593	2.846
IVFC	7	1000	1.70	7	3	original	ϕ_o	0.289	0.947	0.618	2.862
IVFC	7	10	0.50	6	2	original	ϕ_o	0.624	0.543	0.584	2.061
IVFC	7	10	0.70	6	2	original	ϕ_o	0.712	0.269	0.490	2.103
IVFC	7	10	1.00	6	2	original	ϕ_o	0.731	0.064	0.397	2.093
IVFC	7	100	0.50	6	2	original	ϕ_o	0.366	0.918	0.642	2.924
IVFC	7	100	0.70	6	2	original	ϕ_o	0.513	0.796	0.654	2.995
IVFC	7	100	1.00	6	2	original	ϕ_o	0.659	0.510	0.585	2.630
IVFC	7	250	0.50	6	2	original	ϕ_o	0.207	0.975	0.591	2.791

IVFC	7	250	0.70	6	2	original	ϕ_o	0.306	0.936	0.621	2.948
IVFC	7	250	1.00	6	2	original	ϕ_o	0.476	0.833	0.654	2.986
IVFC	7	10	0.20	7	3	original	ϕ_o	0.199	0.964	0.582	2.570
IVFC	7	100	0.20	7	3	original	ϕ_o	0.048	0.999	0.523	1.731
IVFC	7	250	0.20	7	3	original	ϕ_o	0.028	1.000	0.514	1.329
IVFC	7	10	0.20	2	6	original	ϕ_o	0.310	0.973	0.642	3.283
IVFC	7	100	0.20	2	6	original	ϕ_o	0.012	1.000	0.506	2.108
IVFC	7	250	0.20	2	6	original	ϕ_o	0.002	1.000	0.501	1.811
IVFC	7	10	2.00	6	7	original	ϕ_o	0.735	0.052	0.393	2.102
IVFC	7	10	2.30	6	7	original	ϕ_o	0.734	0.052	0.393	2.101
IVFC	7	10	3.00	6	7	original	ϕ_o	0.733	0.052	0.392	2.099
IVFC	7	100	2.00	6	7	original	ϕ_o	0.698	0.414	0.556	2.140
IVFC	7	100	2.30	6	7	original	ϕ_o	0.719	0.253	0.486	2.123
IVFC	7	100	3.00	6	7	original	ϕ_o	0.734	0.092	0.413	2.106
IVFC	7	250	2.00	6	7	original	ϕ_o	0.542	0.792	0.667	3.079
IVFC	7	250	2.30	6	7	original	ϕ_o	0.613	0.692	0.653	3.039
IVFC	7	250	3.00	6	7	original	ϕ_o	0.698	0.410	0.554	2.640
IVFC	7	10	0.20	7	7	original	ϕ_o	0.130	0.989	0.560	2.206
IVFC	7	100	0.20	7	7	original	ϕ_o	0.024	1.000	0.512	1.219
IVFC	7	250	0.20	7	7	original	ϕ_o	0.016	1.000	0.508	1.029
IVFC	7	500	2.00	3	3	original	ϕ_o	0.467	0.882	0.675	3.565
IVFC	7	500	2.30	3	3	original	ϕ_o	0.584	0.809	0.696	3.544
IVFC	7	500	3.00	3	3	original	ϕ_o	0.754	0.607	0.680	3.506
IVFC	7	750	2.00	3	3	original	ϕ_o	0.425	0.893	0.659	3.513
IVFC	7	750	2.30	3	3	original	ϕ_o	0.538	0.827	0.683	3.493
IVFC	7	750	3.00	3	3	original	ϕ_o	0.729	0.625	0.677	3.454
IVFC	7	1000	2.00	3	3	original	ϕ_o	0.425	0.893	0.659	3.513
IVFC	7	1000	2.30	3	3	original	ϕ_o	0.538	0.827	0.683	3.493
IVFC	7	1000	3.00	3	3	original	ϕ_o	0.729	0.625	0.677	3.454
IVFC	7	500	1.25	3	5	original	ϕ_o	0.248	0.969	0.608	3.620
IVFC	7	500	1.50	3	5	original	ϕ_o	0.338	0.944	0.641	3.630
IVFC	7	500	1.70	3	5	original	ϕ_o	0.426	0.912	0.669	3.622
IVFC	7	750	1.25	3	5	original	ϕ_o	0.248	0.969	0.608	3.620
IVFC	7	750	1.50	3	5	original	ϕ_o	0.338	0.944	0.641	3.630
IVFC	7	750	1.70	3	5	original	ϕ_o	0.426	0.912	0.669	3.622
IVFC	7	1000	1.25	3	5	original	ϕ_o	0.248	0.969	0.608	3.620
IVFC	7	1000	1.50	3	5	original	ϕ_o	0.338	0.944	0.641	3.630
IVFC	7	1000	1.70	3	5	original	ϕ_o	0.426	0.912	0.669	3.622
IVFC	7	500	0.20	2	3	original	ϕ_o	0.004	1.000	0.502	1.896
IVFC	7	750	0.20	2	3	original	ϕ_o	0.003	1.000	0.502	1.880
IVFC	7	1000	0.20	2	3	original	ϕ_o	0.003	1.000	0.502	1.880
IVFC	7	500	0.50	2	4	original	ϕ_o	0.068	0.999	0.534	3.624
IVFC	7	500	0.70	2	4	original	ϕ_o	0.152	0.997	0.575	4.100
IVFC	7	500	1.00	2	4	original	ϕ_o	0.293	0.988	0.641	4.340
IVFC	7	750	0.50	2	4	original	ϕ_o	0.068	0.999	0.534	3.624
IVFC	7	750	0.70	2	4	original	ϕ_o	0.152	0.997	0.575	4.100
IVFC	7	750	1.00	2	4	original	ϕ_o	0.293	0.988	0.641	4.340
IVFC	7	1000	0.50	2	4	original	ϕ_o	0.068	0.999	0.534	3.624
IVFC	7	1000	0.70	2	4	original	ϕ_o	0.152	0.997	0.575	4.100
IVFC	7	1000	1.00	2	4	original	ϕ_o	0.293	0.988	0.641	4.340

IVFC	7	10	0.20	6	7	original	ϕ_o	0.184	0.986	0.585	2.311
IVFC	7	100	0.20	6	7	original	ϕ_o	0.018	1.000	0.509	1.563
IVFC	7	250	0.20	6	7	original	ϕ_o	0.004	1.000	0.502	1.391
IVFC	7	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	7	100	4.00	5	3	original	ϕ_o	0.746	0.108	0.427	2.765
IVFC	7	250	4.00	5	3	original	ϕ_o	0.744	0.137	0.440	2.761
IVFC	7	500	1.25	6	7	original	ϕ_o	0.268	0.956	0.612	3.207
IVFC	7	500	1.50	6	7	original	ϕ_o	0.356	0.926	0.641	3.202
IVFC	7	500	1.70	6	7	original	ϕ_o	0.430	0.895	0.662	3.191
IVFC	7	750	1.25	6	7	original	ϕ_o	0.268	0.956	0.612	3.207
IVFC	7	750	1.50	6	7	original	ϕ_o	0.356	0.926	0.641	3.202
IVFC	7	750	1.70	6	7	original	ϕ_o	0.430	0.895	0.662	3.191
IVFC	7	1000	1.25	6	7	original	ϕ_o	0.268	0.956	0.612	3.207
IVFC	7	1000	1.50	6	7	original	ϕ_o	0.356	0.926	0.641	3.202
IVFC	7	1000	1.70	6	7	original	ϕ_o	0.430	0.895	0.662	3.191
IVFC	7	10	2.00	6	4	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	7	10	2.30	6	4	original	ϕ_o	0.732	0.053	0.392	2.099
IVFC	7	10	3.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	2.00	6	4	original	ϕ_o	0.730	0.164	0.447	2.116
IVFC	7	100	2.30	6	4	original	ϕ_o	0.735	0.093	0.414	2.108
IVFC	7	100	3.00	6	4	original	ϕ_o	0.735	0.054	0.395	1.438
IVFC	7	250	2.00	6	4	original	ϕ_o	0.628	0.615	0.621	2.619
IVFC	7	250	2.30	6	4	original	ϕ_o	0.675	0.476	0.575	2.602
IVFC	7	250	3.00	6	4	original	ϕ_o	0.721	0.229	0.475	2.111
IVFC	7	10	0.20	7	6	original	ϕ_o	0.152	0.987	0.569	2.374
IVFC	7	100	0.20	7	6	original	ϕ_o	0.026	1.000	0.513	1.371
IVFC	7	250	0.20	7	6	original	ϕ_o	0.015	1.000	0.507	1.106
IVFC	7	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	4.00	2	6	original	ϕ_o	0.970	0.101	0.535	2.862
IVFC	7	250	4.00	2	6	original	ϕ_o	0.959	0.372	0.665	3.700
IVFC	7	500	0.20	5	5	original	ϕ_o	0.001	1.000	0.501	1.189
IVFC	7	750	0.20	5	5	original	ϕ_o	0.001	1.000	0.501	1.189
IVFC	7	1000	0.20	5	5	original	ϕ_o	0.001	1.000	0.501	1.189
IVFC	7	500	1.25	4	6	original	ϕ_o	0.179	0.990	0.585	3.203
IVFC	7	500	1.50	4	6	original	ϕ_o	0.236	0.979	0.608	3.309
IVFC	7	500	1.70	4	6	original	ϕ_o	0.310	0.962	0.636	3.368
IVFC	7	750	1.25	4	6	original	ϕ_o	0.179	0.990	0.585	3.203
IVFC	7	750	1.50	4	6	original	ϕ_o	0.236	0.979	0.608	3.309
IVFC	7	750	1.70	4	6	original	ϕ_o	0.310	0.962	0.636	3.368
IVFC	7	1000	1.25	4	6	original	ϕ_o	0.179	0.990	0.585	3.203
IVFC	7	1000	1.50	4	6	original	ϕ_o	0.236	0.979	0.608	3.309
IVFC	7	1000	1.70	4	6	original	ϕ_o	0.310	0.962	0.636	3.368
IVFC	7	500	0.20	3	6	original	ϕ_o	0.002	1.000	0.501	1.426
IVFC	7	750	0.20	3	6	original	ϕ_o	0.002	1.000	0.501	1.426
IVFC	7	1000	0.20	3	6	original	ϕ_o	0.002	1.000	0.501	1.426
IVFC	7	10	2.00	7	3	original	ϕ_o	0.685	0.114	0.399	2.403
IVFC	7	10	2.30	7	3	original	ϕ_o	0.685	0.113	0.399	2.404
IVFC	7	10	3.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	7	100	2.00	7	3	original	ϕ_o	0.681	0.222	0.451	2.829
IVFC	7	100	2.30	7	3	original	ϕ_o	0.684	0.183	0.434	2.447

IVFC	7	100	3.00	7	3	original	ϕ_o	0.685	0.147	0.416	2.431
IVFC	7	250	2.00	7	3	original	ϕ_o	0.580	0.659	0.620	2.924
IVFC	7	250	2.30	7	3	original	ϕ_o	0.627	0.537	0.582	2.927
IVFC	7	250	3.00	7	3	original	ϕ_o	0.670	0.319	0.495	2.882
IVFC	7	500	0.50	4	7	original	ϕ_o	0.030	1.000	0.515	2.238
IVFC	7	500	0.70	4	7	original	ϕ_o	0.070	0.999	0.535	2.717
IVFC	7	500	1.00	4	7	original	ϕ_o	0.134	0.996	0.565	3.069
IVFC	7	750	0.50	4	7	original	ϕ_o	0.030	1.000	0.515	2.238
IVFC	7	750	0.70	4	7	original	ϕ_o	0.070	0.999	0.535	2.717
IVFC	7	750	1.00	4	7	original	ϕ_o	0.134	0.996	0.565	3.069
IVFC	7	1000	0.50	4	7	original	ϕ_o	0.030	1.000	0.515	2.238
IVFC	7	1000	0.70	4	7	original	ϕ_o	0.070	0.999	0.535	2.717
IVFC	7	1000	1.00	4	7	original	ϕ_o	0.134	0.996	0.565	3.069
IVFC	7	500	0.20	5	2	original	ϕ_o	0.010	0.999	0.505	1.325
IVFC	7	750	0.20	5	2	original	ϕ_o	0.005	1.000	0.502	1.246
IVFC	7	1000	0.20	5	2	original	ϕ_o	0.004	1.000	0.502	1.243
IVFC	7	10	0.50	3	7	original	ϕ_o	0.612	0.866	0.739	3.712
IVFC	7	10	0.70	3	7	original	ϕ_o	0.759	0.658	0.709	3.670
IVFC	7	10	1.00	3	7	original	ϕ_o	0.848	0.347	0.597	2.547
IVFC	7	100	0.50	3	7	original	ϕ_o	0.120	0.991	0.556	3.210
IVFC	7	100	0.70	3	7	original	ϕ_o	0.216	0.978	0.597	3.558
IVFC	7	100	1.00	3	7	original	ϕ_o	0.366	0.940	0.653	3.649
IVFC	7	250	0.50	3	7	original	ϕ_o	0.043	0.997	0.520	2.906
IVFC	7	250	0.70	3	7	original	ϕ_o	0.096	0.993	0.544	3.362
IVFC	7	250	1.00	3	7	original	ϕ_o	0.191	0.982	0.586	3.599
IVFC	7	500	4.00	6	2	original	ϕ_o	0.725	0.097	0.411	2.080
IVFC	7	750	4.00	6	2	original	ϕ_o	0.718	0.179	0.448	2.088
IVFC	7	1000	4.00	6	2	original	ϕ_o	0.716	0.198	0.457	2.088
IVFC	7	10	0.50	2	2	original	ϕ_o	0.866	0.743	0.805	3.708
IVFC	7	10	0.70	2	2	original	ϕ_o	0.943	0.544	0.744	2.890
IVFC	7	10	1.00	2	2	original	ϕ_o	0.967	0.178	0.572	2.865
IVFC	7	100	0.50	2	2	original	ϕ_o	0.480	0.968	0.724	4.313
IVFC	7	100	0.70	2	2	original	ϕ_o	0.655	0.926	0.790	4.418
IVFC	7	100	1.00	2	2	original	ϕ_o	0.817	0.799	0.808	4.368
IVFC	7	250	0.50	2	2	original	ϕ_o	0.238	0.994	0.616	4.051
IVFC	7	250	0.70	2	2	original	ϕ_o	0.386	0.979	0.682	4.328
IVFC	7	250	1.00	2	2	original	ϕ_o	0.579	0.941	0.760	4.399
IVFC	7	10	2.00	5	6	original	ϕ_o	0.750	0.104	0.427	2.779
IVFC	7	10	2.30	5	6	original	ϕ_o	0.750	0.104	0.427	3.168
IVFC	7	10	3.00	5	6	original	ϕ_o	0.748	0.104	0.426	2.770
IVFC	7	100	2.00	5	6	original	ϕ_o	0.650	0.605	0.627	3.133
IVFC	7	100	2.30	5	6	original	ϕ_o	0.699	0.459	0.579	3.172
IVFC	7	100	3.00	5	6	original	ϕ_o	0.740	0.231	0.485	2.796
IVFC	7	250	2.00	5	6	original	ϕ_o	0.393	0.889	0.641	3.130
IVFC	7	250	2.30	5	6	original	ϕ_o	0.512	0.816	0.664	3.103
IVFC	7	250	3.00	5	6	original	ϕ_o	0.662	0.588	0.625	3.112
IVFC	7	10	0.20	3	4	original	ϕ_o	0.243	0.986	0.615	2.887
IVFC	7	100	0.20	3	4	original	ϕ_o	0.022	0.999	0.511	2.035
IVFC	7	250	0.20	3	4	original	ϕ_o	0.005	1.000	0.502	1.688
IVFC	7	10	0.20	5	5	original	ϕ_o	0.136	0.990	0.563	2.406

IVFC	7	100	0.20	5	5	original	ϕ_o	0.018	0.999	0.509	1.532
IVFC	7	250	0.20	5	5	original	ϕ_o	0.003	1.000	0.502	1.241
IVFC	7	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	4.00	2	2	original	ϕ_o	0.967	0.057	0.512	2.836
IVFC	7	250	4.00	2	2	original	ϕ_o	0.969	0.100	0.535	2.856
IVFC	7	10	0.20	6	4	original	ϕ_o	0.249	0.973	0.611	2.528
IVFC	7	100	0.20	6	4	original	ϕ_o	0.044	0.998	0.521	1.827
IVFC	7	250	0.20	6	4	original	ϕ_o	0.010	1.000	0.505	1.545
IVFC	7	500	1.25	4	4	original	ϕ_o	0.173	0.989	0.581	3.200
IVFC	7	500	1.50	4	4	original	ϕ_o	0.220	0.980	0.600	3.326
IVFC	7	500	1.70	4	4	original	ϕ_o	0.279	0.970	0.624	3.386
IVFC	7	750	1.25	4	4	original	ϕ_o	0.173	0.989	0.581	3.200
IVFC	7	750	1.50	4	4	original	ϕ_o	0.220	0.980	0.600	3.326
IVFC	7	750	1.70	4	4	original	ϕ_o	0.279	0.970	0.624	3.386
IVFC	7	1000	1.25	4	4	original	ϕ_o	0.173	0.989	0.581	3.200
IVFC	7	1000	1.50	4	4	original	ϕ_o	0.220	0.980	0.600	3.326
IVFC	7	1000	1.70	4	4	original	ϕ_o	0.279	0.970	0.624	3.386
IVFC	7	10	4.00	3	6	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	7	100	4.00	3	6	original	ϕ_o	0.866	0.085	0.476	2.520
IVFC	7	250	4.00	3	6	original	ϕ_o	0.860	0.225	0.543	3.111
IVFC	7	500	1.25	2	3	original	ϕ_o	0.399	0.973	0.686	4.363
IVFC	7	500	1.50	2	3	original	ϕ_o	0.508	0.951	0.729	4.385
IVFC	7	500	1.70	2	3	original	ϕ_o	0.589	0.928	0.759	4.390
IVFC	7	750	1.25	2	3	original	ϕ_o	0.386	0.974	0.680	4.354
IVFC	7	750	1.50	2	3	original	ϕ_o	0.496	0.951	0.724	4.380
IVFC	7	750	1.70	2	3	original	ϕ_o	0.577	0.930	0.754	4.382
IVFC	7	1000	1.25	2	3	original	ϕ_o	0.386	0.974	0.680	4.354
IVFC	7	1000	1.50	2	3	original	ϕ_o	0.496	0.951	0.724	4.380
IVFC	7	1000	1.70	2	3	original	ϕ_o	0.577	0.930	0.754	4.382
IVFC	7	10	0.50	4	6	original	ϕ_o	0.469	0.885	0.677	3.351
IVFC	7	10	0.70	4	6	original	ϕ_o	0.679	0.680	0.680	3.455
IVFC	7	10	1.00	4	6	original	ϕ_o	0.777	0.319	0.548	2.953
IVFC	7	100	0.50	4	6	original	ϕ_o	0.124	0.994	0.559	2.707
IVFC	7	100	0.70	4	6	original	ϕ_o	0.189	0.984	0.587	3.114
IVFC	7	100	1.00	4	6	original	ϕ_o	0.289	0.964	0.626	3.353
IVFC	7	250	0.50	4	6	original	ϕ_o	0.042	1.000	0.521	2.294
IVFC	7	250	0.70	4	6	original	ϕ_o	0.091	0.997	0.544	2.741
IVFC	7	250	1.00	4	6	original	ϕ_o	0.153	0.991	0.572	3.069
IVFC	7	10	0.20	7	5	original	ϕ_o	0.158	0.986	0.572	2.558
IVFC	7	100	0.20	7	5	original	ϕ_o	0.027	1.000	0.514	1.507
IVFC	7	250	0.20	7	5	original	ϕ_o	0.015	1.000	0.508	1.168
IVFC	7	10	2.00	2	7	original	ϕ_o	0.965	0.055	0.510	2.830
IVFC	7	10	2.30	2	7	original	ϕ_o	0.964	0.056	0.510	2.828
IVFC	7	10	3.00	2	7	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	7	100	2.00	2	7	original	ϕ_o	0.907	0.685	0.796	3.738
IVFC	7	100	2.30	2	7	original	ϕ_o	0.935	0.579	0.757	3.732
IVFC	7	100	3.00	2	7	original	ϕ_o	0.964	0.319	0.641	2.888
IVFC	7	250	2.00	2	7	original	ϕ_o	0.780	0.857	0.819	4.447
IVFC	7	250	2.30	2	7	original	ϕ_o	0.849	0.794	0.822	4.423
IVFC	7	250	3.00	2	7	original	ϕ_o	0.930	0.619	0.774	3.732

IVFC	7	500	0.50	3	5	original	ϕ_o	0.047	0.997	0.522	2.890
IVFC	7	500	0.70	3	5	original	ϕ_o	0.097	0.993	0.545	3.328
IVFC	7	500	1.00	3	5	original	ϕ_o	0.177	0.983	0.580	3.572
IVFC	7	750	0.50	3	5	original	ϕ_o	0.047	0.997	0.522	2.890
IVFC	7	750	0.70	3	5	original	ϕ_o	0.097	0.993	0.545	3.328
IVFC	7	750	1.00	3	5	original	ϕ_o	0.177	0.983	0.580	3.572
IVFC	7	1000	0.50	3	5	original	ϕ_o	0.047	0.997	0.522	2.890
IVFC	7	1000	0.70	3	5	original	ϕ_o	0.097	0.993	0.545	3.328
IVFC	7	1000	1.00	3	5	original	ϕ_o	0.177	0.983	0.580	3.572
IVFC	7	500	4.00	4	4	original	ϕ_o	0.767	0.451	0.609	3.482
IVFC	7	750	4.00	4	4	original	ϕ_o	0.767	0.451	0.609	3.482
IVFC	7	1000	4.00	4	4	original	ϕ_o	0.767	0.451	0.609	3.482
IVFC	7	10	0.20	4	3	original	ϕ_o	0.177	0.992	0.584	2.504
IVFC	7	100	0.20	4	3	original	ϕ_o	0.042	1.000	0.521	1.518
IVFC	7	250	0.20	4	3	original	ϕ_o	0.012	1.000	0.506	1.176
IVFC	7	10	2.00	4	6	original	ϕ_o	0.791	0.092	0.442	2.872
IVFC	7	10	2.30	4	6	original	ϕ_o	0.790	0.095	0.442	2.872
IVFC	7	10	3.00	4	6	original	ϕ_o	0.789	0.097	0.443	2.287
IVFC	7	100	2.00	4	6	original	ϕ_o	0.723	0.596	0.660	3.441
IVFC	7	100	2.30	4	6	original	ϕ_o	0.761	0.459	0.610	2.960
IVFC	7	100	3.00	4	6	original	ϕ_o	0.795	0.230	0.512	2.927
IVFC	7	250	2.00	4	6	original	ϕ_o	0.488	0.889	0.689	3.424
IVFC	7	250	2.30	4	6	original	ϕ_o	0.596	0.804	0.700	3.445
IVFC	7	250	3.00	4	6	original	ϕ_o	0.728	0.574	0.651	3.434
IVFC	7	10	1.25	6	7	original	ϕ_o	0.740	0.074	0.407	2.122
IVFC	7	10	1.50	6	7	original	ϕ_o	0.738	0.054	0.396	2.110
IVFC	7	10	1.70	6	7	original	ϕ_o	0.736	0.052	0.394	2.106
IVFC	7	100	1.25	6	7	original	ϕ_o	0.497	0.847	0.672	3.132
IVFC	7	100	1.50	6	7	original	ϕ_o	0.597	0.736	0.667	3.073
IVFC	7	100	1.70	6	7	original	ϕ_o	0.650	0.614	0.632	2.686
IVFC	7	250	1.25	6	7	original	ϕ_o	0.279	0.950	0.615	3.169
IVFC	7	250	1.50	6	7	original	ϕ_o	0.367	0.913	0.640	3.154
IVFC	7	250	1.70	6	7	original	ϕ_o	0.442	0.875	0.659	3.131
IVFC	7	10	1.25	5	7	original	ϕ_o	0.748	0.181	0.464	2.204
IVFC	7	10	1.50	5	7	original	ϕ_o	0.751	0.113	0.432	2.201
IVFC	7	10	1.70	5	7	original	ϕ_o	0.751	0.102	0.426	2.787
IVFC	7	100	1.25	5	7	original	ϕ_o	0.285	0.937	0.611	3.218
IVFC	7	100	1.50	5	7	original	ϕ_o	0.409	0.898	0.654	3.173
IVFC	7	100	1.70	5	7	original	ϕ_o	0.506	0.832	0.669	3.142
IVFC	7	250	1.25	5	7	original	ϕ_o	0.146	0.963	0.555	3.209
IVFC	7	250	1.50	5	7	original	ϕ_o	0.199	0.951	0.575	3.196
IVFC	7	250	1.70	5	7	original	ϕ_o	0.261	0.937	0.599	3.191
IVFC	7	10	0.20	4	2	original	ϕ_o	0.211	0.987	0.599	2.600
IVFC	7	100	0.20	4	2	original	ϕ_o	0.093	0.999	0.546	1.712
IVFC	7	250	0.20	4	2	original	ϕ_o	0.048	1.000	0.524	1.353
IVFC	7	10	0.50	3	3	original	ϕ_o	0.693	0.720	0.707	3.644
IVFC	7	10	0.70	3	3	original	ϕ_o	0.817	0.478	0.647	3.184
IVFC	7	10	1.00	3	3	original	ϕ_o	0.859	0.211	0.535	2.539
IVFC	7	100	0.50	3	3	original	ϕ_o	0.207	0.982	0.595	3.454
IVFC	7	100	0.70	3	3	original	ϕ_o	0.343	0.951	0.647	3.636

IVFC	7	100	1.00	3	3	original	ϕ_o	0.574	0.857	0.716	3.672
IVFC	7	250	0.50	3	3	original	ϕ_o	0.092	0.996	0.544	3.109
IVFC	7	250	0.70	3	3	original	ϕ_o	0.158	0.989	0.574	3.456
IVFC	7	250	1.00	3	3	original	ϕ_o	0.258	0.967	0.613	3.620
IVFC	7	500	0.50	6	3	original	ϕ_o	0.079	0.996	0.537	2.640
IVFC	7	500	0.70	6	3	original	ϕ_o	0.133	0.990	0.561	2.948
IVFC	7	500	1.00	6	3	original	ϕ_o	0.214	0.971	0.593	3.085
IVFC	7	750	0.50	6	3	original	ϕ_o	0.066	0.997	0.532	2.611
IVFC	7	750	0.70	6	3	original	ϕ_o	0.115	0.992	0.553	2.936
IVFC	7	750	1.00	6	3	original	ϕ_o	0.190	0.977	0.583	3.092
IVFC	7	1000	0.50	6	3	original	ϕ_o	0.066	0.997	0.532	2.611
IVFC	7	1000	0.70	6	3	original	ϕ_o	0.115	0.992	0.553	2.936
IVFC	7	1000	1.00	6	3	original	ϕ_o	0.190	0.977	0.583	3.092
IVFC	7	500	0.50	3	4	original	ϕ_o	0.046	0.998	0.522	2.892
IVFC	7	500	0.70	3	4	original	ϕ_o	0.097	0.995	0.546	3.323
IVFC	7	500	1.00	3	4	original	ϕ_o	0.174	0.986	0.580	3.568
IVFC	7	750	0.50	3	4	original	ϕ_o	0.045	0.998	0.522	2.870
IVFC	7	750	0.70	3	4	original	ϕ_o	0.096	0.995	0.545	3.306
IVFC	7	750	1.00	3	4	original	ϕ_o	0.170	0.986	0.578	3.552
IVFC	7	1000	0.50	3	4	original	ϕ_o	0.045	0.998	0.522	2.870
IVFC	7	1000	0.70	3	4	original	ϕ_o	0.096	0.995	0.545	3.306
IVFC	7	1000	1.00	3	4	original	ϕ_o	0.170	0.986	0.578	3.552
IVFC	7	500	0.20	3	2	original	ϕ_o	0.006	1.000	0.503	1.694
IVFC	7	750	0.20	3	2	original	ϕ_o	0.004	1.000	0.502	1.597
IVFC	7	1000	0.20	3	2	original	ϕ_o	0.004	1.000	0.502	1.584
IVFC	7	10	2.00	6	5	original	ϕ_o	0.734	0.052	0.393	2.101
IVFC	7	10	2.30	6	5	original	ϕ_o	0.733	0.052	0.393	2.099
IVFC	7	10	3.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.098
IVFC	7	100	2.00	6	5	original	ϕ_o	0.715	0.291	0.503	2.123
IVFC	7	100	2.30	6	5	original	ϕ_o	0.728	0.168	0.448	2.112
IVFC	7	100	3.00	6	5	original	ϕ_o	0.734	0.068	0.401	2.101
IVFC	7	250	2.00	6	5	original	ϕ_o	0.578	0.747	0.662	3.064
IVFC	7	250	2.30	6	5	original	ϕ_o	0.639	0.634	0.636	2.670
IVFC	7	250	3.00	6	5	original	ϕ_o	0.706	0.345	0.526	2.127
IVFC	7	500	4.00	6	4	original	ϕ_o	0.729	0.232	0.481	2.145
IVFC	7	750	4.00	6	4	original	ϕ_o	0.729	0.239	0.484	2.147
IVFC	7	1000	4.00	6	4	original	ϕ_o	0.729	0.239	0.484	2.147
IVFC	7	500	0.50	5	2	original	ϕ_o	0.058	0.986	0.522	2.622
IVFC	7	500	0.70	5	2	original	ϕ_o	0.087	0.976	0.531	2.959
IVFC	7	500	1.00	5	2	original	ϕ_o	0.131	0.963	0.547	3.107
IVFC	7	750	0.50	5	2	original	ϕ_o	0.042	0.992	0.517	2.524
IVFC	7	750	0.70	5	2	original	ϕ_o	0.065	0.985	0.525	2.895
IVFC	7	750	1.00	5	2	original	ϕ_o	0.097	0.974	0.536	3.101
IVFC	7	1000	0.50	5	2	original	ϕ_o	0.040	0.992	0.516	2.520
IVFC	7	1000	0.70	5	2	original	ϕ_o	0.063	0.985	0.524	2.892
IVFC	7	1000	1.00	5	2	original	ϕ_o	0.095	0.974	0.535	3.098
IVFC	7	10	1.25	7	5	original	ϕ_o	0.688	0.126	0.407	2.414
IVFC	7	10	1.50	7	5	original	ϕ_o	0.688	0.118	0.403	2.416
IVFC	7	10	1.70	7	5	original	ϕ_o	0.687	0.116	0.402	2.415
IVFC	7	100	1.25	7	5	original	ϕ_o	0.493	0.761	0.627	2.866

IVFC	7	100	1.50	7	5	original	ϕ_o	0.580	0.612	0.596	2.866
IVFC	7	100	1.70	7	5	original	ϕ_o	0.622	0.498	0.560	2.849
IVFC	7	250	1.25	7	5	original	ϕ_o	0.164	0.976	0.570	2.872
IVFC	7	250	1.50	7	5	original	ϕ_o	0.254	0.951	0.602	2.885
IVFC	7	250	1.70	7	5	original	ϕ_o	0.328	0.917	0.623	2.891
IVFC	7	500	2.00	4	3	original	ϕ_o	0.427	0.926	0.676	3.437
IVFC	7	500	2.30	4	3	original	ϕ_o	0.540	0.863	0.701	3.458
IVFC	7	500	3.00	4	3	original	ϕ_o	0.692	0.671	0.681	3.461
IVFC	7	750	2.00	4	3	original	ϕ_o	0.412	0.928	0.670	3.416
IVFC	7	750	2.30	4	3	original	ϕ_o	0.528	0.867	0.697	3.442
IVFC	7	750	3.00	4	3	original	ϕ_o	0.685	0.678	0.681	3.448
IVFC	7	1000	2.00	4	3	original	ϕ_o	0.412	0.928	0.670	3.416
IVFC	7	1000	2.30	4	3	original	ϕ_o	0.528	0.867	0.697	3.442
IVFC	7	1000	3.00	4	3	original	ϕ_o	0.685	0.678	0.681	3.448
IVFC	7	500	4.00	2	4	original	ϕ_o	0.949	0.473	0.711	3.700
IVFC	7	750	4.00	2	4	original	ϕ_o	0.949	0.473	0.711	3.700
IVFC	7	1000	4.00	2	4	original	ϕ_o	0.949	0.473	0.711	3.700
IVFC	7	500	2.00	7	3	original	ϕ_o	0.397	0.885	0.641	2.888
IVFC	7	500	2.30	7	3	original	ϕ_o	0.486	0.798	0.642	2.897
IVFC	7	500	3.00	7	3	original	ϕ_o	0.606	0.571	0.588	2.903
IVFC	7	750	2.00	7	3	original	ϕ_o	0.392	0.888	0.640	2.884
IVFC	7	750	2.30	7	3	original	ϕ_o	0.482	0.801	0.641	2.891
IVFC	7	750	3.00	7	3	original	ϕ_o	0.603	0.575	0.589	2.896
IVFC	7	1000	2.00	7	3	original	ϕ_o	0.392	0.888	0.640	2.884
IVFC	7	1000	2.30	7	3	original	ϕ_o	0.482	0.801	0.641	2.891
IVFC	7	1000	3.00	7	3	original	ϕ_o	0.603	0.575	0.589	2.896
IVFC	7	500	2.00	5	7	original	ϕ_o	0.366	0.907	0.637	3.170
IVFC	7	500	2.30	5	7	original	ϕ_o	0.480	0.845	0.663	3.132
IVFC	7	500	3.00	5	7	original	ϕ_o	0.646	0.633	0.639	3.135
IVFC	7	750	2.00	5	7	original	ϕ_o	0.366	0.907	0.637	3.170
IVFC	7	750	2.30	5	7	original	ϕ_o	0.480	0.845	0.663	3.132
IVFC	7	750	3.00	5	7	original	ϕ_o	0.646	0.633	0.639	3.135
IVFC	7	1000	2.00	5	7	original	ϕ_o	0.366	0.907	0.637	3.170
IVFC	7	1000	2.30	5	7	original	ϕ_o	0.480	0.845	0.663	3.132
IVFC	7	1000	3.00	5	7	original	ϕ_o	0.646	0.633	0.639	3.135
IVFC	7	10	1.25	4	6	original	ϕ_o	0.796	0.148	0.472	2.778
IVFC	7	10	1.50	4	6	original	ϕ_o	0.794	0.103	0.449	2.301
IVFC	7	10	1.70	4	6	original	ϕ_o	0.793	0.094	0.443	2.876
IVFC	7	100	1.25	4	6	original	ϕ_o	0.452	0.916	0.684	3.431
IVFC	7	100	1.50	4	6	original	ϕ_o	0.586	0.823	0.705	3.461
IVFC	7	100	1.70	4	6	original	ϕ_o	0.657	0.734	0.695	3.458
IVFC	7	250	1.25	4	6	original	ϕ_o	0.198	0.983	0.590	3.223
IVFC	7	250	1.50	4	6	original	ϕ_o	0.263	0.970	0.617	3.325
IVFC	7	250	1.70	4	6	original	ϕ_o	0.348	0.948	0.648	3.381
IVFC	7	10	1.25	3	3	original	ϕ_o	0.866	0.099	0.482	2.529
IVFC	7	10	1.50	3	3	original	ϕ_o	0.867	0.074	0.470	3.067
IVFC	7	10	1.70	3	3	original	ϕ_o	0.867	0.071	0.469	2.523
IVFC	7	100	1.25	3	3	original	ϕ_o	0.720	0.725	0.722	3.626
IVFC	7	100	1.50	3	3	original	ϕ_o	0.796	0.582	0.689	3.161
IVFC	7	100	1.70	3	3	original	ϕ_o	0.828	0.463	0.645	3.141

IVFC	7	250	1.25	3	3	original	ϕ_o	0.366	0.937	0.652	3.658
IVFC	7	250	1.50	3	3	original	ϕ_o	0.503	0.883	0.693	3.648
IVFC	7	250	1.70	3	3	original	ϕ_o	0.606	0.823	0.714	3.626
IVFC	7	500	4.00	4	7	original	ϕ_o	0.782	0.375	0.578	3.478
IVFC	7	750	4.00	4	7	original	ϕ_o	0.782	0.375	0.578	3.478
IVFC	7	1000	4.00	4	7	original	ϕ_o	0.782	0.375	0.578	3.478
IVFC	7	500	1.25	3	2	original	ϕ_o	0.263	0.960	0.612	3.568
IVFC	7	500	1.50	3	2	original	ϕ_o	0.362	0.924	0.643	3.566
IVFC	7	500	1.70	3	2	original	ϕ_o	0.463	0.880	0.672	3.556
IVFC	7	750	1.25	3	2	original	ϕ_o	0.208	0.981	0.595	3.529
IVFC	7	750	1.50	3	2	original	ϕ_o	0.257	0.965	0.611	3.560
IVFC	7	750	1.70	3	2	original	ϕ_o	0.307	0.944	0.626	3.555
IVFC	7	1000	1.25	3	2	original	ϕ_o	0.197	0.983	0.590	3.527
IVFC	7	1000	1.50	3	2	original	ϕ_o	0.243	0.969	0.606	3.565
IVFC	7	1000	1.70	3	2	original	ϕ_o	0.287	0.952	0.620	3.566
IVFC	7	10	0.50	7	7	original	ϕ_o	0.506	0.759	0.633	2.875
IVFC	7	10	0.70	7	7	original	ϕ_o	0.639	0.427	0.533	2.810
IVFC	7	10	1.00	7	7	original	ϕ_o	0.687	0.183	0.435	1.980
IVFC	7	100	0.50	7	7	original	ϕ_o	0.074	0.996	0.535	2.562
IVFC	7	100	0.70	7	7	original	ϕ_o	0.114	0.990	0.552	2.804
IVFC	7	100	1.00	7	7	original	ϕ_o	0.241	0.966	0.604	2.879
IVFC	7	250	0.50	7	7	original	ϕ_o	0.041	0.999	0.520	2.247
IVFC	7	250	0.70	7	7	original	ϕ_o	0.062	0.997	0.529	2.578
IVFC	7	250	1.00	7	7	original	ϕ_o	0.104	0.990	0.547	2.752
IVFC	7	10	0.50	2	5	original	ϕ_o	0.832	0.818	0.825	4.411
IVFC	7	10	0.70	2	5	original	ϕ_o	0.925	0.631	0.778	3.722
IVFC	7	10	1.00	2	5	original	ϕ_o	0.964	0.315	0.639	2.883
IVFC	7	100	0.50	2	5	original	ϕ_o	0.266	0.989	0.628	4.083
IVFC	7	100	0.70	2	5	original	ϕ_o	0.439	0.969	0.704	4.365
IVFC	7	100	1.00	2	5	original	ϕ_o	0.642	0.924	0.783	4.435
IVFC	7	250	0.50	2	5	original	ϕ_o	0.094	0.999	0.547	3.680
IVFC	7	250	0.70	2	5	original	ϕ_o	0.197	0.994	0.596	4.145
IVFC	7	250	1.00	2	5	original	ϕ_o	0.353	0.982	0.667	4.353
IVFC	7	10	4.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	7	100	4.00	5	6	original	ϕ_o	0.746	0.121	0.433	2.779
IVFC	7	250	4.00	5	6	original	ϕ_o	0.724	0.319	0.522	3.179
IVFC	7	10	1.25	3	5	original	ϕ_o	0.865	0.138	0.501	2.536
IVFC	7	10	1.50	3	5	original	ϕ_o	0.867	0.084	0.476	2.529
IVFC	7	10	1.70	3	5	original	ϕ_o	0.867	0.074	0.470	2.526
IVFC	7	100	1.25	3	5	original	ϕ_o	0.619	0.814	0.717	3.632
IVFC	7	100	1.50	3	5	original	ϕ_o	0.725	0.699	0.712	3.590
IVFC	7	100	1.70	3	5	original	ϕ_o	0.780	0.597	0.688	3.141
IVFC	7	250	1.25	3	5	original	ϕ_o	0.293	0.957	0.625	3.639
IVFC	7	250	1.50	3	5	original	ϕ_o	0.400	0.920	0.660	3.622
IVFC	7	250	1.70	3	5	original	ϕ_o	0.498	0.875	0.686	3.592
IVFC	7	10	0.20	5	3	original	ϕ_o	0.159	0.989	0.574	2.554
IVFC	7	100	0.20	5	3	original	ϕ_o	0.026	0.998	0.512	1.717
IVFC	7	250	0.20	5	3	original	ϕ_o	0.006	1.000	0.503	1.350
IVFC	7	500	1.25	7	5	original	ϕ_o	0.139	0.981	0.560	2.884
IVFC	7	500	1.50	7	5	original	ϕ_o	0.224	0.964	0.594	2.899

IVFC	7	500	1.70	7	5	original	ϕ_o	0.298	0.938	0.618	2.909
IVFC	7	750	1.25	7	5	original	ϕ_o	0.139	0.981	0.560	2.884
IVFC	7	750	1.50	7	5	original	ϕ_o	0.224	0.964	0.594	2.899
IVFC	7	750	1.70	7	5	original	ϕ_o	0.298	0.938	0.618	2.909
IVFC	7	1000	1.25	7	5	original	ϕ_o	0.139	0.981	0.560	2.884
IVFC	7	1000	1.50	7	5	original	ϕ_o	0.224	0.964	0.594	2.899
IVFC	7	1000	1.70	7	5	original	ϕ_o	0.298	0.938	0.618	2.909
IVFC	7	10	0.50	4	3	original	ϕ_o	0.548	0.832	0.690	3.375
IVFC	7	10	0.70	4	3	original	ϕ_o	0.721	0.570	0.645	2.948
IVFC	7	10	1.00	4	3	original	ϕ_o	0.789	0.193	0.491	2.316
IVFC	7	100	0.50	4	3	original	ϕ_o	0.185	0.992	0.589	3.076
IVFC	7	100	0.70	4	3	original	ϕ_o	0.256	0.977	0.616	3.350
IVFC	7	100	1.00	4	3	original	ϕ_o	0.490	0.901	0.696	3.465
IVFC	7	250	0.50	4	3	original	ϕ_o	0.088	0.999	0.544	2.549
IVFC	7	250	0.70	4	3	original	ϕ_o	0.142	0.995	0.569	2.989
IVFC	7	250	1.00	4	3	original	ϕ_o	0.204	0.985	0.594	3.303
IVFC	7	500	2.00	3	4	original	ϕ_o	0.508	0.870	0.689	3.609
IVFC	7	500	2.30	3	4	original	ϕ_o	0.619	0.795	0.707	3.588
IVFC	7	500	3.00	3	4	original	ϕ_o	0.774	0.602	0.688	3.546
IVFC	7	750	2.00	3	4	original	ϕ_o	0.491	0.875	0.683	3.596
IVFC	7	750	2.30	3	4	original	ϕ_o	0.603	0.803	0.703	3.575
IVFC	7	750	3.00	3	4	original	ϕ_o	0.767	0.609	0.688	3.526
IVFC	7	1000	2.00	3	4	original	ϕ_o	0.491	0.875	0.683	3.596
IVFC	7	1000	2.30	3	4	original	ϕ_o	0.603	0.803	0.703	3.575
IVFC	7	1000	3.00	3	4	original	ϕ_o	0.767	0.609	0.688	3.526
IVFC	7	10	0.50	4	2	original	ϕ_o	0.610	0.781	0.695	3.399
IVFC	7	10	0.70	4	2	original	ϕ_o	0.743	0.495	0.619	3.478
IVFC	7	10	1.00	4	2	original	ϕ_o	0.789	0.170	0.479	2.893
IVFC	7	100	0.50	4	2	original	ϕ_o	0.227	0.985	0.606	3.140
IVFC	7	100	0.70	4	2	original	ϕ_o	0.357	0.955	0.656	3.355
IVFC	7	100	1.00	4	2	original	ϕ_o	0.614	0.797	0.706	3.464
IVFC	7	250	0.50	4	2	original	ϕ_o	0.146	0.998	0.572	2.719
IVFC	7	250	0.70	4	2	original	ϕ_o	0.196	0.992	0.594	3.122
IVFC	7	250	1.00	4	2	original	ϕ_o	0.300	0.971	0.636	3.369
IVFC	7	500	0.50	7	7	original	ϕ_o	0.041	0.999	0.520	2.242
IVFC	7	500	0.70	7	7	original	ϕ_o	0.060	0.997	0.528	2.574
IVFC	7	500	1.00	7	7	original	ϕ_o	0.101	0.990	0.545	2.749
IVFC	7	750	0.50	7	7	original	ϕ_o	0.041	0.999	0.520	2.242
IVFC	7	750	0.70	7	7	original	ϕ_o	0.060	0.997	0.528	2.574
IVFC	7	750	1.00	7	7	original	ϕ_o	0.101	0.990	0.545	2.749
IVFC	7	1000	0.50	7	7	original	ϕ_o	0.041	0.999	0.520	2.242
IVFC	7	1000	0.70	7	7	original	ϕ_o	0.060	0.997	0.528	2.574
IVFC	7	1000	1.00	7	7	original	ϕ_o	0.101	0.990	0.545	2.749
IVFC	7	500	0.20	2	2	original	ϕ_o	0.007	1.000	0.504	2.085
IVFC	7	750	0.20	2	2	original	ϕ_o	0.004	1.000	0.502	1.951
IVFC	7	1000	0.20	2	2	original	ϕ_o	0.004	1.000	0.502	1.930
IVFC	7	10	1.25	5	2	original	ϕ_o	0.750	0.103	0.427	3.178
IVFC	7	10	1.50	5	2	original	ϕ_o	0.749	0.103	0.426	2.775
IVFC	7	10	1.70	5	2	original	ϕ_o	0.749	0.103	0.426	2.184
IVFC	7	100	1.25	5	2	original	ϕ_o	0.694	0.439	0.566	3.173

IVFC	7	100	1.50	5	2	original	ϕ_o	0.737	0.267	0.502	2.808
IVFC	7	100	1.70	5	2	original	ϕ_o	0.751	0.190	0.471	2.824
IVFC	7	250	1.25	5	2	original	ϕ_o	0.451	0.851	0.651	3.051
IVFC	7	250	1.50	5	2	original	ϕ_o	0.578	0.713	0.645	3.066
IVFC	7	250	1.70	5	2	original	ϕ_o	0.646	0.582	0.614	3.110
IVFC	7	500	4.00	7	5	original	ϕ_o	0.672	0.352	0.512	2.895
IVFC	7	750	4.00	7	5	original	ϕ_o	0.672	0.352	0.512	2.895
IVFC	7	1000	4.00	7	5	original	ϕ_o	0.672	0.352	0.512	2.895
IVFC	7	10	0.50	5	6	original	ϕ_o	0.428	0.920	0.674	3.275
IVFC	7	10	0.70	5	6	original	ϕ_o	0.602	0.734	0.668	3.213
IVFC	7	10	1.00	5	6	original	ϕ_o	0.734	0.332	0.533	3.258
IVFC	7	100	0.50	5	6	original	ϕ_o	0.082	0.987	0.534	2.892
IVFC	7	100	0.70	5	6	original	ϕ_o	0.134	0.975	0.555	3.153
IVFC	7	100	1.00	5	6	original	ϕ_o	0.227	0.948	0.587	3.226
IVFC	7	250	0.50	5	6	original	ϕ_o	0.036	0.995	0.515	2.598
IVFC	7	250	0.70	5	6	original	ϕ_o	0.066	0.988	0.527	2.983
IVFC	7	250	1.00	5	6	original	ϕ_o	0.109	0.976	0.543	3.162
IVFC	7	10	2.00	7	5	original	ϕ_o	0.686	0.114	0.400	2.408
IVFC	7	10	2.30	7	5	original	ϕ_o	0.685	0.113	0.399	2.405
IVFC	7	10	3.00	7	5	original	ϕ_o	0.685	0.113	0.399	1.944
IVFC	7	100	2.00	7	5	original	ϕ_o	0.660	0.361	0.511	2.837
IVFC	7	100	2.30	7	5	original	ϕ_o	0.680	0.276	0.478	2.833
IVFC	7	100	3.00	7	5	original	ϕ_o	0.692	0.185	0.439	2.473
IVFC	7	250	2.00	7	5	original	ϕ_o	0.435	0.841	0.638	2.896
IVFC	7	250	2.30	7	5	original	ϕ_o	0.519	0.745	0.632	2.905
IVFC	7	250	3.00	7	5	original	ϕ_o	0.628	0.523	0.576	2.895
IVFC	7	10	1.25	2	4	original	ϕ_o	0.969	0.100	0.535	2.855
IVFC	7	10	1.50	2	4	original	ϕ_o	0.967	0.056	0.512	1.918
IVFC	7	10	1.70	2	4	original	ϕ_o	0.966	0.054	0.510	2.834
IVFC	7	100	1.25	2	4	original	ϕ_o	0.811	0.838	0.825	4.450
IVFC	7	100	1.50	2	4	original	ϕ_o	0.884	0.748	0.816	4.407
IVFC	7	100	1.70	2	4	original	ϕ_o	0.917	0.672	0.794	3.748
IVFC	7	250	1.25	2	4	original	ϕ_o	0.513	0.962	0.738	4.448
IVFC	7	250	1.50	2	4	original	ϕ_o	0.625	0.931	0.778	4.453
IVFC	7	250	1.70	2	4	original	ϕ_o	0.705	0.900	0.802	4.452
IVFC	7	10	4.00	3	7	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	7	100	4.00	3	7	original	ϕ_o	0.866	0.090	0.478	2.520
IVFC	7	250	4.00	3	7	original	ϕ_o	0.858	0.240	0.549	2.950
IVFC	7	500	2.00	3	6	original	ϕ_o	0.584	0.840	0.712	3.636
IVFC	7	500	2.30	3	6	original	ϕ_o	0.691	0.750	0.721	3.616
IVFC	7	500	3.00	3	6	original	ϕ_o	0.813	0.511	0.662	3.172
IVFC	7	750	2.00	3	6	original	ϕ_o	0.584	0.840	0.712	3.636
IVFC	7	750	2.30	3	6	original	ϕ_o	0.691	0.750	0.721	3.616
IVFC	7	750	3.00	3	6	original	ϕ_o	0.813	0.511	0.662	3.172
IVFC	7	1000	2.00	3	6	original	ϕ_o	0.584	0.840	0.712	3.636
IVFC	7	1000	2.30	3	6	original	ϕ_o	0.691	0.750	0.721	3.616
IVFC	7	1000	3.00	3	6	original	ϕ_o	0.813	0.511	0.662	3.172
IVFC	7	10	2.00	5	7	original	ϕ_o	0.750	0.102	0.426	2.778
IVFC	7	10	2.30	5	7	original	ϕ_o	0.750	0.103	0.426	2.189
IVFC	7	10	3.00	5	7	original	ϕ_o	0.749	0.103	0.426	2.770

IVFC	7	100	2.00	5	7	original	ϕ_o	0.613	0.676	0.645	3.117
IVFC	7	100	2.30	5	7	original	ϕ_o	0.678	0.515	0.597	3.148
IVFC	7	100	3.00	5	7	original	ϕ_o	0.736	0.254	0.495	2.785
IVFC	7	250	2.00	5	7	original	ϕ_o	0.381	0.901	0.641	3.152
IVFC	7	250	2.30	5	7	original	ϕ_o	0.497	0.830	0.664	3.114
IVFC	7	250	3.00	5	7	original	ϕ_o	0.656	0.594	0.625	3.122
IVFC	7	500	0.50	5	4	original	ϕ_o	0.031	0.995	0.513	2.541
IVFC	7	500	0.70	5	4	original	ϕ_o	0.057	0.988	0.522	2.936
IVFC	7	500	1.00	5	4	original	ϕ_o	0.097	0.975	0.536	3.133
IVFC	7	750	0.50	5	4	original	ϕ_o	0.031	0.995	0.513	2.541
IVFC	7	750	0.70	5	4	original	ϕ_o	0.057	0.988	0.522	2.936
IVFC	7	750	1.00	5	4	original	ϕ_o	0.097	0.975	0.536	3.133
IVFC	7	1000	0.50	5	4	original	ϕ_o	0.031	0.995	0.513	2.541
IVFC	7	1000	0.70	5	4	original	ϕ_o	0.057	0.988	0.522	2.936
IVFC	7	1000	1.00	5	4	original	ϕ_o	0.097	0.975	0.536	3.133
IVFC	7	10	2.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.521
IVFC	7	10	2.30	3	3	original	ϕ_o	0.866	0.071	0.468	2.521
IVFC	7	10	3.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	7	100	2.00	3	3	original	ϕ_o	0.851	0.295	0.573	2.542
IVFC	7	100	2.30	3	3	original	ϕ_o	0.861	0.183	0.522	2.534
IVFC	7	100	3.00	3	3	original	ϕ_o	0.866	0.091	0.478	2.522
IVFC	7	250	2.00	3	3	original	ϕ_o	0.713	0.722	0.718	3.594
IVFC	7	250	2.30	3	3	original	ϕ_o	0.778	0.616	0.697	3.572
IVFC	7	250	3.00	3	3	original	ϕ_o	0.841	0.359	0.600	3.110
IVFC	7	10	1.25	6	3	original	ϕ_o	0.736	0.054	0.395	2.107
IVFC	7	10	1.50	6	3	original	ϕ_o	0.734	0.052	0.393	2.103
IVFC	7	10	1.70	6	3	original	ϕ_o	0.733	0.053	0.393	1.438
IVFC	7	100	1.25	6	3	original	ϕ_o	0.675	0.529	0.602	2.701
IVFC	7	100	1.50	6	3	original	ϕ_o	0.717	0.321	0.519	2.146
IVFC	7	100	1.70	6	3	original	ϕ_o	0.731	0.196	0.464	2.132
IVFC	7	250	1.25	6	3	original	ϕ_o	0.450	0.855	0.653	3.050
IVFC	7	250	1.50	6	3	original	ϕ_o	0.554	0.764	0.659	3.042
IVFC	7	250	1.70	6	3	original	ϕ_o	0.614	0.674	0.644	2.670
IVFC	7	500	4.00	3	7	original	ϕ_o	0.858	0.240	0.549	2.950
IVFC	7	750	4.00	3	7	original	ϕ_o	0.858	0.240	0.549	2.950
IVFC	7	1000	4.00	3	7	original	ϕ_o	0.858	0.240	0.549	2.950
IVFC	7	500	4.00	3	2	original	ϕ_o	0.853	0.204	0.529	2.506
IVFC	7	750	4.00	3	2	original	ϕ_o	0.826	0.398	0.612	3.062
IVFC	7	1000	4.00	3	2	original	ϕ_o	0.815	0.436	0.626	3.069
IVFC	7	10	4.00	4	7	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	7	100	4.00	4	7	original	ϕ_o	0.800	0.132	0.466	2.913
IVFC	7	250	4.00	4	7	original	ϕ_o	0.786	0.350	0.568	3.475
IVFC	7	10	1.25	7	4	original	ϕ_o	0.685	0.126	0.406	2.404
IVFC	7	10	1.50	7	4	original	ϕ_o	0.685	0.119	0.402	2.405
IVFC	7	10	1.70	7	4	original	ϕ_o	0.685	0.116	0.401	1.946
IVFC	7	100	1.25	7	4	original	ϕ_o	0.561	0.678	0.619	2.884
IVFC	7	100	1.50	7	4	original	ϕ_o	0.630	0.512	0.571	2.868
IVFC	7	100	1.70	7	4	original	ϕ_o	0.655	0.397	0.526	2.843
IVFC	7	250	1.25	7	4	original	ϕ_o	0.222	0.965	0.593	2.869
IVFC	7	250	1.50	7	4	original	ϕ_o	0.324	0.920	0.622	2.865

IVFC	7	250	1.70	7	4	original	ϕ_o	0.400	0.868	0.634	2.863
IVFC	7	10	0.50	2	4	original	ϕ_o	0.848	0.804	0.826	4.410
IVFC	7	10	0.70	2	4	original	ϕ_o	0.931	0.618	0.774	3.724
IVFC	7	10	1.00	2	4	original	ϕ_o	0.966	0.322	0.644	2.888
IVFC	7	100	0.50	2	4	original	ϕ_o	0.316	0.988	0.652	4.185
IVFC	7	100	0.70	2	4	original	ϕ_o	0.498	0.966	0.732	4.410
IVFC	7	100	1.00	2	4	original	ϕ_o	0.695	0.909	0.802	4.462
IVFC	7	250	0.50	2	4	original	ϕ_o	0.108	0.999	0.553	3.776
IVFC	7	250	0.70	2	4	original	ϕ_o	0.221	0.994	0.608	4.208
IVFC	7	250	1.00	2	4	original	ϕ_o	0.385	0.982	0.683	4.408
IVFC	7	10	0.50	4	7	original	ϕ_o	0.450	0.901	0.675	3.375
IVFC	7	10	0.70	4	7	original	ϕ_o	0.672	0.704	0.688	3.449
IVFC	7	10	1.00	4	7	original	ϕ_o	0.775	0.329	0.552	2.953
IVFC	7	100	0.50	4	7	original	ϕ_o	0.101	0.999	0.550	2.657
IVFC	7	100	0.70	4	7	original	ϕ_o	0.165	0.995	0.580	3.113
IVFC	7	100	1.00	4	7	original	ϕ_o	0.249	0.983	0.616	3.386
IVFC	7	250	0.50	4	7	original	ϕ_o	0.034	1.000	0.517	2.278
IVFC	7	250	0.70	4	7	original	ϕ_o	0.077	0.999	0.538	2.762
IVFC	7	250	1.00	4	7	original	ϕ_o	0.142	0.996	0.569	3.118
IVFC	7	500	1.25	6	3	original	ϕ_o	0.288	0.949	0.618	3.109
IVFC	7	500	1.50	6	3	original	ϕ_o	0.369	0.916	0.643	3.111
IVFC	7	500	1.70	6	3	original	ϕ_o	0.436	0.878	0.657	3.108
IVFC	7	750	1.25	6	3	original	ϕ_o	0.259	0.957	0.608	3.118
IVFC	7	750	1.50	6	3	original	ϕ_o	0.334	0.931	0.632	3.123
IVFC	7	750	1.70	6	3	original	ϕ_o	0.397	0.901	0.649	3.117
IVFC	7	1000	1.25	6	3	original	ϕ_o	0.259	0.957	0.608	3.118
IVFC	7	1000	1.50	6	3	original	ϕ_o	0.334	0.931	0.632	3.123
IVFC	7	1000	1.70	6	3	original	ϕ_o	0.397	0.901	0.649	3.117
IVFC	7	10	1.25	3	2	original	ϕ_o	0.866	0.073	0.469	2.520
IVFC	7	10	1.50	3	2	original	ϕ_o	0.866	0.070	0.468	2.521
IVFC	7	10	1.70	3	2	original	ϕ_o	0.866	0.070	0.468	2.521
IVFC	7	100	1.25	3	2	original	ϕ_o	0.792	0.529	0.660	3.089
IVFC	7	100	1.50	3	2	original	ϕ_o	0.836	0.324	0.580	2.508
IVFC	7	100	1.70	3	2	original	ϕ_o	0.852	0.210	0.531	2.507
IVFC	7	250	1.25	3	2	original	ϕ_o	0.547	0.849	0.698	3.563
IVFC	7	250	1.50	3	2	original	ϕ_o	0.680	0.736	0.708	3.534
IVFC	7	250	1.70	3	2	original	ϕ_o	0.747	0.629	0.688	3.487
IVFC	7	500	0.20	4	3	original	ϕ_o	0.004	1.000	0.502	1.040
IVFC	7	750	0.20	4	3	original	ϕ_o	0.004	1.000	0.502	1.036
IVFC	7	1000	0.20	4	3	original	ϕ_o	0.004	1.000	0.502	1.036
IVFC	7	10	2.00	3	5	original	ϕ_o	0.867	0.072	0.469	2.524
IVFC	7	10	2.30	3	5	original	ϕ_o	0.866	0.072	0.469	2.522
IVFC	7	10	3.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	7	100	2.00	3	5	original	ϕ_o	0.828	0.428	0.628	3.116
IVFC	7	100	2.30	3	5	original	ϕ_o	0.851	0.277	0.564	2.533
IVFC	7	100	3.00	3	5	original	ϕ_o	0.865	0.118	0.491	2.525
IVFC	7	250	2.00	3	5	original	ϕ_o	0.628	0.792	0.710	3.560
IVFC	7	250	2.30	3	5	original	ϕ_o	0.719	0.694	0.706	3.524
IVFC	7	250	3.00	3	5	original	ϕ_o	0.823	0.432	0.628	3.459
IVFC	7	500	4.00	6	3	original	ϕ_o	0.727	0.199	0.463	2.125

IVFC	7	750	4.00	6	3	original	ϕ_o	0.719	0.260	0.490	2.124
IVFC	7	1000	4.00	6	3	original	ϕ_o	0.719	0.260	0.490	2.124
IVFC	7	500	1.25	5	7	original	ϕ_o	0.144	0.963	0.554	3.206
IVFC	7	500	1.50	5	7	original	ϕ_o	0.195	0.951	0.573	3.206
IVFC	7	500	1.70	5	7	original	ϕ_o	0.253	0.939	0.596	3.199
IVFC	7	750	1.25	5	7	original	ϕ_o	0.144	0.963	0.554	3.206
IVFC	7	750	1.50	5	7	original	ϕ_o	0.195	0.951	0.573	3.206
IVFC	7	750	1.70	5	7	original	ϕ_o	0.253	0.939	0.596	3.199
IVFC	7	1000	1.25	5	7	original	ϕ_o	0.144	0.963	0.554	3.206
IVFC	7	1000	1.50	5	7	original	ϕ_o	0.195	0.951	0.573	3.206
IVFC	7	1000	1.70	5	7	original	ϕ_o	0.253	0.939	0.596	3.199
IVFC	7	500	1.25	7	6	original	ϕ_o	0.155	0.976	0.566	2.806
IVFC	7	500	1.50	7	6	original	ϕ_o	0.252	0.949	0.601	2.845
IVFC	7	500	1.70	7	6	original	ϕ_o	0.341	0.911	0.626	2.867
IVFC	7	750	1.25	7	6	original	ϕ_o	0.155	0.976	0.566	2.806
IVFC	7	750	1.50	7	6	original	ϕ_o	0.252	0.949	0.601	2.845
IVFC	7	750	1.70	7	6	original	ϕ_o	0.341	0.911	0.626	2.867
IVFC	7	1000	1.25	7	6	original	ϕ_o	0.155	0.976	0.566	2.806
IVFC	7	1000	1.50	7	6	original	ϕ_o	0.252	0.949	0.601	2.845
IVFC	7	1000	1.70	7	6	original	ϕ_o	0.341	0.911	0.626	2.867
IVFC	7	10	4.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	7	100	4.00	7	6	original	ϕ_o	0.693	0.147	0.420	2.462
IVFC	7	250	4.00	7	6	original	ϕ_o	0.683	0.252	0.467	2.494
IVFC	7	500	4.00	3	5	original	ϕ_o	0.855	0.243	0.549	3.116
IVFC	7	750	4.00	3	5	original	ϕ_o	0.855	0.243	0.549	3.116
IVFC	7	1000	4.00	3	5	original	ϕ_o	0.855	0.243	0.549	3.116
IVFC	7	10	2.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	2.00	6	2	original	ϕ_o	0.734	0.053	0.394	2.098
IVFC	7	100	2.30	6	2	original	ϕ_o	0.734	0.052	0.393	2.100
IVFC	7	100	3.00	6	2	original	ϕ_o	0.734	0.052	0.393	2.100
IVFC	7	250	2.00	6	2	original	ϕ_o	0.712	0.205	0.458	2.083
IVFC	7	250	2.30	6	2	original	ϕ_o	0.723	0.119	0.421	2.084
IVFC	7	250	3.00	6	2	original	ϕ_o	0.732	0.060	0.396	2.089
IVFC	7	10	0.50	4	5	original	ϕ_o	0.480	0.874	0.677	3.340
IVFC	7	10	0.70	4	5	original	ϕ_o	0.686	0.645	0.665	3.417
IVFC	7	10	1.00	4	5	original	ϕ_o	0.779	0.271	0.525	2.930
IVFC	7	100	0.50	4	5	original	ϕ_o	0.148	0.993	0.570	2.838
IVFC	7	100	0.70	4	5	original	ϕ_o	0.217	0.982	0.600	3.198
IVFC	7	100	1.00	4	5	original	ϕ_o	0.349	0.957	0.653	3.406
IVFC	7	250	0.50	4	5	original	ϕ_o	0.051	1.000	0.525	2.369
IVFC	7	250	0.70	4	5	original	ϕ_o	0.104	0.997	0.551	2.800
IVFC	7	250	1.00	4	5	original	ϕ_o	0.167	0.991	0.579	3.114
IVFC	7	500	1.25	6	6	original	ϕ_o	0.268	0.958	0.613	3.201
IVFC	7	500	1.50	6	6	original	ϕ_o	0.353	0.927	0.640	3.196
IVFC	7	500	1.70	6	6	original	ϕ_o	0.428	0.895	0.661	3.183
IVFC	7	750	1.25	6	6	original	ϕ_o	0.268	0.958	0.613	3.201
IVFC	7	750	1.50	6	6	original	ϕ_o	0.353	0.927	0.640	3.196
IVFC	7	750	1.70	6	6	original	ϕ_o	0.428	0.895	0.661	3.183

IVFC	7	1000	1.25	6	6	original	ϕ_o	0.268	0.958	0.613	3.201
IVFC	7	1000	1.50	6	6	original	ϕ_o	0.353	0.927	0.640	3.196
IVFC	7	1000	1.70	6	6	original	ϕ_o	0.428	0.895	0.661	3.183
IVFC	7	10	0.20	3	7	original	ϕ_o	0.138	0.991	0.564	2.539
IVFC	7	100	0.20	3	7	original	ϕ_o	0.009	1.000	0.504	1.592
IVFC	7	250	0.20	3	7	original	ϕ_o	0.002	1.000	0.501	1.403
IVFC	7	500	4.00	7	6	original	ϕ_o	0.682	0.254	0.468	2.839
IVFC	7	750	4.00	7	6	original	ϕ_o	0.682	0.254	0.468	2.839
IVFC	7	1000	4.00	7	6	original	ϕ_o	0.682	0.254	0.468	2.839
IVFC	7	10	0.20	5	6	original	ϕ_o	0.125	0.993	0.559	2.355
IVFC	7	100	0.20	5	6	original	ϕ_o	0.009	1.000	0.504	1.459
IVFC	7	250	0.20	5	6	original	ϕ_o	0.001	1.000	0.501	1.215
IVFC	7	500	2.00	5	6	original	ϕ_o	0.373	0.898	0.636	3.141
IVFC	7	500	2.30	5	6	original	ϕ_o	0.491	0.833	0.662	3.110
IVFC	7	500	3.00	5	6	original	ϕ_o	0.648	0.635	0.642	3.123
IVFC	7	750	2.00	5	6	original	ϕ_o	0.373	0.898	0.636	3.141
IVFC	7	750	2.30	5	6	original	ϕ_o	0.491	0.833	0.662	3.110
IVFC	7	750	3.00	5	6	original	ϕ_o	0.648	0.635	0.642	3.123
IVFC	7	1000	2.00	5	6	original	ϕ_o	0.373	0.898	0.636	3.141
IVFC	7	1000	2.30	5	6	original	ϕ_o	0.491	0.833	0.662	3.110
IVFC	7	1000	3.00	5	6	original	ϕ_o	0.648	0.635	0.642	3.123
IVFC	7	10	0.20	3	6	original	ϕ_o	0.168	0.987	0.577	2.651
IVFC	7	100	0.20	3	6	original	ϕ_o	0.010	1.000	0.505	1.732
IVFC	7	250	0.20	3	6	original	ϕ_o	0.002	1.000	0.501	1.443
IVFC	7	10	2.00	3	6	original	ϕ_o	0.867	0.072	0.469	2.524
IVFC	7	10	2.30	3	6	original	ϕ_o	0.866	0.072	0.469	2.522
IVFC	7	10	3.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	7	100	2.00	3	6	original	ϕ_o	0.819	0.479	0.649	3.127
IVFC	7	100	2.30	3	6	original	ϕ_o	0.845	0.336	0.591	3.109
IVFC	7	100	3.00	3	6	original	ϕ_o	0.863	0.151	0.507	2.533
IVFC	7	250	2.00	3	6	original	ϕ_o	0.605	0.819	0.712	3.605
IVFC	7	250	2.30	3	6	original	ϕ_o	0.708	0.725	0.717	3.582
IVFC	7	250	3.00	3	6	original	ϕ_o	0.820	0.483	0.651	3.139
IVFC	7	500	0.20	4	2	original	ϕ_o	0.017	1.000	0.509	1.143
IVFC	7	750	0.20	4	2	original	ϕ_o	0.009	1.000	0.505	1.085
IVFC	7	1000	0.20	4	2	original	ϕ_o	0.009	1.000	0.505	1.084
IVFC	7	500	2.00	7	5	original	ϕ_o	0.403	0.877	0.640	2.923
IVFC	7	500	2.30	7	5	original	ϕ_o	0.491	0.792	0.642	2.924
IVFC	7	500	3.00	7	5	original	ϕ_o	0.615	0.573	0.594	2.937
IVFC	7	750	2.00	7	5	original	ϕ_o	0.403	0.877	0.640	2.923
IVFC	7	750	2.30	7	5	original	ϕ_o	0.491	0.792	0.642	2.924
IVFC	7	750	3.00	7	5	original	ϕ_o	0.615	0.573	0.594	2.937
IVFC	7	1000	2.00	7	5	original	ϕ_o	0.403	0.877	0.640	2.923
IVFC	7	1000	2.30	7	5	original	ϕ_o	0.491	0.792	0.642	2.924
IVFC	7	1000	3.00	7	5	original	ϕ_o	0.615	0.573	0.594	2.937
IVFC	7	500	1.25	5	4	original	ϕ_o	0.134	0.962	0.548	3.160
IVFC	7	500	1.50	5	4	original	ϕ_o	0.189	0.947	0.568	3.157
IVFC	7	500	1.70	5	4	original	ϕ_o	0.251	0.932	0.591	3.136
IVFC	7	750	1.25	5	4	original	ϕ_o	0.134	0.962	0.548	3.160
IVFC	7	750	1.50	5	4	original	ϕ_o	0.189	0.947	0.568	3.157

IVFC	7	750	1.70	5	4	original	ϕ_o	0.251	0.932	0.591	3.136
IVFC	7	1000	1.25	5	4	original	ϕ_o	0.134	0.962	0.548	3.160
IVFC	7	1000	1.50	5	4	original	ϕ_o	0.189	0.947	0.568	3.157
IVFC	7	1000	1.70	5	4	original	ϕ_o	0.251	0.932	0.591	3.136
IVFC	7	10	0.20	2	2	original	ϕ_o	0.506	0.964	0.735	3.865
IVFC	7	100	0.20	2	2	original	ϕ_o	0.095	0.999	0.547	2.948
IVFC	7	250	0.20	2	2	original	ϕ_o	0.025	1.000	0.512	2.440
IVFC	7	10	0.20	4	5	original	ϕ_o	0.172	0.989	0.580	2.330
IVFC	7	100	0.20	4	5	original	ϕ_o	0.018	1.000	0.509	1.312
IVFC	7	250	0.20	4	5	original	ϕ_o	0.003	1.000	0.502	1.054
IVFC	7	10	0.50	3	5	original	ϕ_o	0.646	0.836	0.741	3.706
IVFC	7	10	0.70	3	5	original	ϕ_o	0.780	0.619	0.700	3.199
IVFC	7	10	1.00	3	5	original	ϕ_o	0.853	0.299	0.576	2.548
IVFC	7	100	0.50	3	5	original	ϕ_o	0.159	0.990	0.574	3.373
IVFC	7	100	0.70	3	5	original	ϕ_o	0.271	0.971	0.621	3.652
IVFC	7	100	1.00	3	5	original	ϕ_o	0.463	0.910	0.687	3.681
IVFC	7	250	0.50	3	5	original	ϕ_o	0.060	0.997	0.528	2.970
IVFC	7	250	0.70	3	5	original	ϕ_o	0.119	0.992	0.555	3.397
IVFC	7	250	1.00	3	5	original	ϕ_o	0.211	0.977	0.594	3.616
IVFC	7	10	2.00	4	3	original	ϕ_o	0.789	0.096	0.443	2.872
IVFC	7	10	2.30	4	3	original	ϕ_o	0.789	0.097	0.443	2.872
IVFC	7	10	3.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	7	100	2.00	4	3	original	ϕ_o	0.791	0.283	0.537	2.350
IVFC	7	100	2.30	4	3	original	ϕ_o	0.797	0.186	0.491	2.945
IVFC	7	100	3.00	4	3	original	ϕ_o	0.796	0.110	0.453	2.314
IVFC	7	250	2.00	4	3	original	ϕ_o	0.640	0.767	0.703	3.482
IVFC	7	250	2.30	4	3	original	ϕ_o	0.708	0.644	0.676	3.485
IVFC	7	250	3.00	4	3	original	ϕ_o	0.778	0.387	0.583	3.425
IVFC	7	500	1.25	3	7	original	ϕ_o	0.271	0.967	0.619	3.652
IVFC	7	500	1.50	3	7	original	ϕ_o	0.369	0.939	0.654	3.668
IVFC	7	500	1.70	3	7	original	ϕ_o	0.463	0.904	0.683	3.666
IVFC	7	750	1.25	3	7	original	ϕ_o	0.271	0.967	0.619	3.652
IVFC	7	750	1.50	3	7	original	ϕ_o	0.369	0.939	0.654	3.668
IVFC	7	750	1.70	3	7	original	ϕ_o	0.463	0.904	0.683	3.666
IVFC	7	1000	1.25	3	7	original	ϕ_o	0.271	0.967	0.619	3.652
IVFC	7	1000	1.50	3	7	original	ϕ_o	0.369	0.939	0.654	3.668
IVFC	7	1000	1.70	3	7	original	ϕ_o	0.463	0.904	0.683	3.666
IVFC	7	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	7	100	4.00	2	3	original	ϕ_o	0.968	0.059	0.514	2.842
IVFC	7	250	4.00	2	3	original	ϕ_o	0.965	0.250	0.607	2.876
IVFC	7	10	0.50	6	7	original	ϕ_o	0.543	0.838	0.690	3.210
IVFC	7	10	0.70	6	7	original	ϕ_o	0.666	0.608	0.637	2.752
IVFC	7	10	1.00	6	7	original	ϕ_o	0.736	0.208	0.472	2.160
IVFC	7	100	0.50	6	7	original	ϕ_o	0.142	0.991	0.566	2.898
IVFC	7	100	0.70	6	7	original	ϕ_o	0.232	0.972	0.602	3.153
IVFC	7	100	1.00	6	7	original	ϕ_o	0.368	0.920	0.644	3.181
IVFC	7	250	0.50	6	7	original	ϕ_o	0.062	0.998	0.530	2.643
IVFC	7	250	0.70	6	7	original	ϕ_o	0.119	0.992	0.556	3.016
IVFC	7	250	1.00	6	7	original	ϕ_o	0.204	0.975	0.589	3.157
IVFC	7	10	0.20	2	4	original	ϕ_o	0.407	0.970	0.689	3.613

IVFC	7	100	0.20	2	4	original	ϕ_o	0.029	1.000	0.514	2.447
IVFC	7	250	0.20	2	4	original	ϕ_o	0.004	1.000	0.502	1.979
IVFC	7	10	2.00	6	6	original	ϕ_o	0.735	0.052	0.393	1.438
IVFC	7	10	2.30	6	6	original	ϕ_o	0.734	0.052	0.393	2.101
IVFC	7	10	3.00	6	6	original	ϕ_o	0.733	0.052	0.392	2.099
IVFC	7	100	2.00	6	6	original	ϕ_o	0.711	0.334	0.523	2.136
IVFC	7	100	2.30	6	6	original	ϕ_o	0.726	0.200	0.463	1.452
IVFC	7	100	3.00	6	6	original	ϕ_o	0.735	0.078	0.407	2.108
IVFC	7	250	2.00	6	6	original	ϕ_o	0.561	0.762	0.661	3.066
IVFC	7	250	2.30	6	6	original	ϕ_o	0.629	0.655	0.642	2.684
IVFC	7	250	3.00	6	6	original	ϕ_o	0.706	0.375	0.541	2.141
IVFC	7	500	0.20	6	3	original	ϕ_o	0.008	1.000	0.504	1.542
IVFC	7	750	0.20	6	3	original	ϕ_o	0.005	1.000	0.502	1.521
IVFC	7	1000	0.20	6	3	original	ϕ_o	0.005	1.000	0.502	1.521
IVFC	7	500	2.00	6	3	original	ϕ_o	0.530	0.807	0.669	3.085
IVFC	7	500	2.30	6	3	original	ϕ_o	0.601	0.720	0.660	3.066
IVFC	7	500	3.00	6	3	original	ϕ_o	0.689	0.466	0.578	2.676
IVFC	7	750	2.00	6	3	original	ϕ_o	0.494	0.842	0.668	3.099
IVFC	7	750	2.30	6	3	original	ϕ_o	0.570	0.767	0.669	3.072
IVFC	7	750	3.00	6	3	original	ϕ_o	0.670	0.543	0.606	2.678
IVFC	7	1000	2.00	6	3	original	ϕ_o	0.494	0.842	0.668	3.099
IVFC	7	1000	2.30	6	3	original	ϕ_o	0.570	0.767	0.669	3.072
IVFC	7	1000	3.00	6	3	original	ϕ_o	0.670	0.543	0.606	2.678
IVFC	7	500	2.00	5	4	original	ϕ_o	0.372	0.893	0.633	3.115
IVFC	7	500	2.30	5	4	original	ϕ_o	0.486	0.827	0.656	3.098
IVFC	7	500	3.00	5	4	original	ϕ_o	0.646	0.615	0.630	3.085
IVFC	7	750	2.00	5	4	original	ϕ_o	0.372	0.893	0.633	3.115
IVFC	7	750	2.30	5	4	original	ϕ_o	0.486	0.827	0.656	3.098
IVFC	7	750	3.00	5	4	original	ϕ_o	0.646	0.615	0.630	3.085
IVFC	7	1000	2.00	5	4	original	ϕ_o	0.372	0.893	0.633	3.115
IVFC	7	1000	2.30	5	4	original	ϕ_o	0.486	0.827	0.656	3.098
IVFC	7	1000	3.00	5	4	original	ϕ_o	0.646	0.615	0.630	3.085
IVFC	7	10	2.00	6	3	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	7	10	2.30	6	3	original	ϕ_o	0.732	0.053	0.392	2.098
IVFC	7	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	2.00	6	3	original	ϕ_o	0.737	0.098	0.417	2.118
IVFC	7	100	2.30	6	3	original	ϕ_o	0.736	0.064	0.400	2.111
IVFC	7	100	3.00	6	3	original	ϕ_o	0.735	0.053	0.394	2.106
IVFC	7	250	2.00	6	3	original	ϕ_o	0.674	0.515	0.594	2.143
IVFC	7	250	2.30	6	3	original	ϕ_o	0.705	0.358	0.532	2.131
IVFC	7	250	3.00	6	3	original	ϕ_o	0.731	0.137	0.434	2.110
IVFC	7	500	0.20	6	2	original	ϕ_o	0.015	1.000	0.507	1.599
IVFC	7	750	0.20	6	2	original	ϕ_o	0.006	1.000	0.503	1.534
IVFC	7	1000	0.20	6	2	original	ϕ_o	0.006	1.000	0.503	1.522
IVFC	7	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	7	100	4.00	5	2	original	ϕ_o	0.749	0.105	0.427	2.775
IVFC	7	250	4.00	5	2	original	ϕ_o	0.750	0.106	0.428	2.776
IVFC	7	500	4.00	2	6	original	ϕ_o	0.958	0.376	0.667	2.886
IVFC	7	750	4.00	2	6	original	ϕ_o	0.958	0.376	0.667	2.886
IVFC	7	1000	4.00	2	6	original	ϕ_o	0.958	0.376	0.667	2.886

IVFC	7	500	2.00	6	6	original	ϕ_o	0.530	0.823	0.676	3.156
IVFC	7	500	2.30	6	6	original	ϕ_o	0.603	0.735	0.669	3.123
IVFC	7	500	3.00	6	6	original	ϕ_o	0.693	0.489	0.591	2.708
IVFC	7	750	2.00	6	6	original	ϕ_o	0.530	0.823	0.676	3.156
IVFC	7	750	2.30	6	6	original	ϕ_o	0.603	0.735	0.669	3.123
IVFC	7	750	3.00	6	6	original	ϕ_o	0.693	0.489	0.591	2.708
IVFC	7	1000	2.00	6	6	original	ϕ_o	0.530	0.823	0.676	3.156
IVFC	7	1000	2.30	6	6	original	ϕ_o	0.603	0.735	0.669	3.123
IVFC	7	1000	3.00	6	6	original	ϕ_o	0.693	0.489	0.591	2.708
IVFC	7	10	2.00	7	7	original	ϕ_o	0.687	0.114	0.400	2.409
IVFC	7	10	2.30	7	7	original	ϕ_o	0.686	0.113	0.399	2.405
IVFC	7	10	3.00	7	7	original	ϕ_o	0.685	0.112	0.399	2.402
IVFC	7	100	2.00	7	7	original	ϕ_o	0.624	0.509	0.566	2.895
IVFC	7	100	2.30	7	7	original	ϕ_o	0.658	0.388	0.523	2.877
IVFC	7	100	3.00	7	7	original	ϕ_o	0.686	0.230	0.458	2.846
IVFC	7	250	2.00	7	7	original	ϕ_o	0.466	0.812	0.639	2.897
IVFC	7	250	2.30	7	7	original	ϕ_o	0.548	0.692	0.620	2.909
IVFC	7	250	3.00	7	7	original	ϕ_o	0.645	0.434	0.540	2.890
IVFC	7	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	7	100	4.00	3	2	original	ϕ_o	0.866	0.072	0.469	2.515
IVFC	7	250	4.00	3	2	original	ϕ_o	0.865	0.082	0.473	2.504
IVFC	7	10	2.00	3	4	original	ϕ_o	0.866	0.070	0.468	2.524
IVFC	7	10	2.30	3	4	original	ϕ_o	0.866	0.071	0.468	2.522
IVFC	7	10	3.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	7	100	2.00	3	4	original	ϕ_o	0.841	0.359	0.600	2.536
IVFC	7	100	2.30	3	4	original	ϕ_o	0.856	0.228	0.542	2.531
IVFC	7	100	3.00	3	4	original	ϕ_o	0.865	0.106	0.486	2.525
IVFC	7	250	2.00	3	4	original	ϕ_o	0.660	0.775	0.718	3.590
IVFC	7	250	2.30	3	4	original	ϕ_o	0.738	0.679	0.709	3.556
IVFC	7	250	3.00	3	4	original	ϕ_o	0.826	0.426	0.626	2.530
IVFC	7	500	0.20	5	6	original	ϕ_o	0.001	1.000	0.500	1.202
IVFC	7	750	0.20	5	6	original	ϕ_o	0.001	1.000	0.500	1.202
IVFC	7	1000	0.20	5	6	original	ϕ_o	0.001	1.000	0.500	1.202
IVFC	7	10	1.25	4	2	original	ϕ_o	0.789	0.103	0.446	2.869
IVFC	7	10	1.50	4	2	original	ϕ_o	0.789	0.095	0.442	2.868
IVFC	7	10	1.70	4	2	original	ϕ_o	0.789	0.096	0.442	2.286
IVFC	7	100	1.25	4	2	original	ϕ_o	0.722	0.598	0.660	3.493
IVFC	7	100	1.50	4	2	original	ϕ_o	0.772	0.386	0.579	2.340
IVFC	7	100	1.70	4	2	original	ϕ_o	0.789	0.253	0.521	2.945
IVFC	7	250	1.25	4	2	original	ϕ_o	0.470	0.914	0.692	3.438
IVFC	7	250	1.50	4	2	original	ϕ_o	0.604	0.811	0.707	3.465
IVFC	7	250	1.70	4	2	original	ϕ_o	0.673	0.706	0.690	3.476
IVFC	7	10	4.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	4.00	6	7	original	ϕ_o	0.735	0.059	0.397	2.105
IVFC	7	250	4.00	6	7	original	ϕ_o	0.730	0.156	0.443	2.112
IVFC	7	500	2.00	2	6	original	ϕ_o	0.759	0.865	0.812	4.422
IVFC	7	500	2.30	2	6	original	ϕ_o	0.830	0.804	0.817	4.399
IVFC	7	500	3.00	2	6	original	ϕ_o	0.920	0.640	0.780	3.720
IVFC	7	750	2.00	2	6	original	ϕ_o	0.759	0.865	0.812	4.422
IVFC	7	750	2.30	2	6	original	ϕ_o	0.830	0.804	0.817	4.399

IVFC	7	750	3.00	2	6	original	ϕ_o	0.920	0.640	0.780	3.720
IVFC	7	1000	2.00	2	6	original	ϕ_o	0.759	0.865	0.812	4.422
IVFC	7	1000	2.30	2	6	original	ϕ_o	0.830	0.804	0.817	4.399
IVFC	7	1000	3.00	2	6	original	ϕ_o	0.920	0.640	0.780	3.720
IVFC	7	10	2.00	2	6	original	ϕ_o	0.965	0.055	0.510	2.830
IVFC	7	10	2.30	2	6	original	ϕ_o	0.964	0.056	0.510	2.827
IVFC	7	10	3.00	2	6	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	7	100	2.00	2	6	original	ϕ_o	0.910	0.683	0.797	3.744
IVFC	7	100	2.30	2	6	original	ϕ_o	0.937	0.577	0.757	3.732
IVFC	7	100	3.00	2	6	original	ϕ_o	0.964	0.308	0.636	2.886
IVFC	7	250	2.00	2	6	original	ϕ_o	0.773	0.865	0.819	4.450
IVFC	7	250	2.30	2	6	original	ϕ_o	0.840	0.804	0.822	4.432
IVFC	7	250	3.00	2	6	original	ϕ_o	0.922	0.638	0.780	3.733
IVFC	7	500	0.20	3	7	original	ϕ_o	0.002	1.000	0.501	1.402
IVFC	7	750	0.20	3	7	original	ϕ_o	0.002	1.000	0.501	1.402
IVFC	7	1000	0.20	3	7	original	ϕ_o	0.002	1.000	0.501	1.402
IVFC	7	10	0.50	5	4	original	ϕ_o	0.477	0.878	0.677	3.234
IVFC	7	10	0.70	5	4	original	ϕ_o	0.659	0.595	0.627	2.769
IVFC	7	10	1.00	5	4	original	ϕ_o	0.753	0.217	0.485	2.221
IVFC	7	100	0.50	5	4	original	ϕ_o	0.115	0.979	0.547	3.046
IVFC	7	100	0.70	5	4	original	ϕ_o	0.187	0.962	0.575	3.238
IVFC	7	100	1.00	5	4	original	ϕ_o	0.352	0.922	0.637	3.246
IVFC	7	250	0.50	5	4	original	ϕ_o	0.051	0.992	0.521	2.673
IVFC	7	250	0.70	5	4	original	ϕ_o	0.082	0.982	0.532	3.043
IVFC	7	250	1.00	5	4	original	ϕ_o	0.132	0.966	0.549	3.214
IVFC	7	10	1.25	3	4	original	ϕ_o	0.866	0.109	0.487	2.533
IVFC	7	10	1.50	3	4	original	ϕ_o	0.867	0.076	0.472	2.528
IVFC	7	10	1.70	3	4	original	ϕ_o	0.867	0.071	0.469	2.525
IVFC	7	100	1.25	3	4	original	ϕ_o	0.668	0.776	0.722	3.624
IVFC	7	100	1.50	3	4	original	ϕ_o	0.762	0.649	0.705	3.584
IVFC	7	100	1.70	3	4	original	ϕ_o	0.806	0.536	0.671	3.147
IVFC	7	250	1.25	3	4	original	ϕ_o	0.320	0.951	0.635	3.662
IVFC	7	250	1.50	3	4	original	ϕ_o	0.437	0.908	0.673	3.651
IVFC	7	250	1.70	3	4	original	ϕ_o	0.540	0.858	0.699	3.625
IVFC	7	10	2.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	7	10	2.30	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	7	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	7	100	2.00	7	2	original	ϕ_o	0.684	0.162	0.423	2.770
IVFC	7	100	2.30	7	2	original	ϕ_o	0.684	0.146	0.415	2.420
IVFC	7	100	3.00	7	2	original	ϕ_o	0.685	0.128	0.406	2.414
IVFC	7	250	2.00	7	2	original	ϕ_o	0.646	0.395	0.521	2.763
IVFC	7	250	2.30	7	2	original	ϕ_o	0.669	0.295	0.482	2.768
IVFC	7	250	3.00	7	2	original	ϕ_o	0.681	0.190	0.436	2.430
IVFC	7	500	0.20	2	6	original	ϕ_o	0.001	1.000	0.501	1.801
IVFC	7	750	0.20	2	6	original	ϕ_o	0.001	1.000	0.501	1.801
IVFC	7	1000	0.20	2	6	original	ϕ_o	0.001	1.000	0.501	1.801
IVFC	7	500	0.20	5	3	original	ϕ_o	0.001	1.000	0.501	1.211
IVFC	7	750	0.20	5	3	original	ϕ_o	0.001	1.000	0.501	1.206
IVFC	7	1000	0.20	5	3	original	ϕ_o	0.001	1.000	0.501	1.206
IVFC	7	500	2.00	4	7	original	ϕ_o	0.453	0.910	0.681	3.435

IVFC	7	500	2.30	4	7	original	ϕ_o	0.570	0.835	0.703	3.470
IVFC	7	500	3.00	4	7	original	ϕ_o	0.716	0.638	0.677	3.496
IVFC	7	750	2.00	4	7	original	ϕ_o	0.453	0.910	0.681	3.435
IVFC	7	750	2.30	4	7	original	ϕ_o	0.570	0.835	0.703	3.470
IVFC	7	750	3.00	4	7	original	ϕ_o	0.716	0.638	0.677	3.496
IVFC	7	1000	2.00	4	7	original	ϕ_o	0.453	0.910	0.681	3.435
IVFC	7	1000	2.30	4	7	original	ϕ_o	0.570	0.835	0.703	3.470
IVFC	7	1000	3.00	4	7	original	ϕ_o	0.716	0.638	0.677	3.496
IVFC	7	10	2.00	2	4	original	ϕ_o	0.965	0.055	0.510	2.829
IVFC	7	10	2.30	2	4	original	ϕ_o	0.964	0.056	0.510	2.827
IVFC	7	10	3.00	2	4	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	7	100	2.00	2	4	original	ϕ_o	0.945	0.551	0.748	3.733
IVFC	7	100	2.30	2	4	original	ϕ_o	0.959	0.415	0.687	2.894
IVFC	7	100	3.00	2	4	original	ϕ_o	0.969	0.160	0.564	2.870
IVFC	7	250	2.00	2	4	original	ϕ_o	0.799	0.844	0.821	4.441
IVFC	7	250	2.30	2	4	original	ϕ_o	0.861	0.779	0.820	4.420
IVFC	7	250	3.00	2	4	original	ϕ_o	0.932	0.609	0.770	3.733
IVFC	7	10	0.20	2	3	original	ϕ_o	0.435	0.970	0.702	3.679
IVFC	7	100	0.20	2	3	original	ϕ_o	0.053	1.000	0.526	2.576
IVFC	7	250	0.20	2	3	original	ϕ_o	0.011	1.000	0.506	2.083
IVFC	7	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	4.00	6	4	original	ϕ_o	0.734	0.054	0.394	2.101
IVFC	7	250	4.00	6	4	original	ϕ_o	0.733	0.088	0.410	2.101
IVFC	7	500	2.00	4	4	original	ϕ_o	0.399	0.939	0.669	3.453
IVFC	7	500	2.30	4	4	original	ϕ_o	0.517	0.887	0.702	3.488
IVFC	7	500	3.00	4	4	original	ϕ_o	0.684	0.703	0.694	3.505
IVFC	7	750	2.00	4	4	original	ϕ_o	0.399	0.939	0.669	3.453
IVFC	7	750	2.30	4	4	original	ϕ_o	0.517	0.887	0.702	3.488
IVFC	7	750	3.00	4	4	original	ϕ_o	0.684	0.703	0.694	3.505
IVFC	7	1000	2.00	4	4	original	ϕ_o	0.399	0.939	0.669	3.453
IVFC	7	1000	2.30	4	4	original	ϕ_o	0.517	0.887	0.702	3.488
IVFC	7	1000	3.00	4	4	original	ϕ_o	0.684	0.703	0.694	3.505
IVFC	7	500	0.50	6	4	original	ϕ_o	0.058	0.997	0.528	2.617
IVFC	7	500	0.70	6	4	original	ϕ_o	0.108	0.992	0.550	2.955
IVFC	7	500	1.00	6	4	original	ϕ_o	0.187	0.975	0.581	3.101
IVFC	7	750	0.50	6	4	original	ϕ_o	0.057	0.997	0.527	2.616
IVFC	7	750	0.70	6	4	original	ϕ_o	0.107	0.992	0.549	2.955
IVFC	7	750	1.00	6	4	original	ϕ_o	0.185	0.976	0.580	3.104
IVFC	7	1000	0.50	6	4	original	ϕ_o	0.057	0.997	0.527	2.616
IVFC	7	1000	0.70	6	4	original	ϕ_o	0.107	0.992	0.549	2.955
IVFC	7	1000	1.00	6	4	original	ϕ_o	0.185	0.976	0.580	3.104
IVFC	7	500	2.00	2	4	original	ϕ_o	0.711	0.886	0.799	4.415
IVFC	7	500	2.30	2	4	original	ϕ_o	0.792	0.836	0.814	4.398
IVFC	7	500	3.00	2	4	original	ϕ_o	0.896	0.698	0.797	4.343
IVFC	7	750	2.00	2	4	original	ϕ_o	0.711	0.886	0.799	4.415
IVFC	7	750	2.30	2	4	original	ϕ_o	0.792	0.836	0.814	4.398
IVFC	7	750	3.00	2	4	original	ϕ_o	0.896	0.698	0.797	4.343
IVFC	7	1000	2.00	2	4	original	ϕ_o	0.711	0.886	0.799	4.415
IVFC	7	1000	2.30	2	4	original	ϕ_o	0.792	0.836	0.814	4.398
IVFC	7	1000	3.00	2	4	original	ϕ_o	0.896	0.698	0.797	4.343

IVFC	7	500	2.00	5	5	original	ϕ_o	0.368	0.900	0.634	3.136
IVFC	7	500	2.30	5	5	original	ϕ_o	0.483	0.840	0.661	3.109
IVFC	7	500	3.00	5	5	original	ϕ_o	0.646	0.633	0.639	3.102
IVFC	7	750	2.00	5	5	original	ϕ_o	0.368	0.900	0.634	3.136
IVFC	7	750	2.30	5	5	original	ϕ_o	0.483	0.840	0.661	3.109
IVFC	7	750	3.00	5	5	original	ϕ_o	0.646	0.633	0.639	3.102
IVFC	7	1000	2.00	5	5	original	ϕ_o	0.368	0.900	0.634	3.136
IVFC	7	1000	2.30	5	5	original	ϕ_o	0.483	0.840	0.661	3.109
IVFC	7	1000	3.00	5	5	original	ϕ_o	0.646	0.633	0.639	3.102
IVFC	7	10	2.00	5	5	original	ϕ_o	0.749	0.104	0.426	2.774
IVFC	7	10	2.30	5	5	original	ϕ_o	0.748	0.104	0.426	2.184
IVFC	7	10	3.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.766
IVFC	7	100	2.00	5	5	original	ϕ_o	0.703	0.451	0.577	3.198
IVFC	7	100	2.30	5	5	original	ϕ_o	0.730	0.320	0.525	3.231
IVFC	7	100	3.00	5	5	original	ϕ_o	0.749	0.166	0.457	2.204
IVFC	7	250	2.00	5	5	original	ϕ_o	0.460	0.861	0.660	3.137
IVFC	7	250	2.30	5	5	original	ϕ_o	0.568	0.766	0.667	3.122
IVFC	7	250	3.00	5	5	original	ϕ_o	0.692	0.504	0.598	3.138
IVFC	7	10	0.50	6	3	original	ϕ_o	0.615	0.663	0.639	2.680
IVFC	7	10	0.70	6	3	original	ϕ_o	0.712	0.369	0.540	2.150
IVFC	7	10	1.00	6	3	original	ϕ_o	0.737	0.098	0.418	1.451
IVFC	7	100	0.50	6	3	original	ϕ_o	0.290	0.951	0.620	3.011
IVFC	7	100	0.70	6	3	original	ϕ_o	0.416	0.894	0.655	3.082
IVFC	7	100	1.00	6	3	original	ϕ_o	0.589	0.732	0.661	2.699
IVFC	7	250	0.50	6	3	original	ϕ_o	0.152	0.985	0.569	2.799
IVFC	7	250	0.70	6	3	original	ϕ_o	0.227	0.967	0.597	3.007
IVFC	7	250	1.00	6	3	original	ϕ_o	0.343	0.921	0.632	3.052
IVFC	7	10	0.50	2	7	original	ϕ_o	0.792	0.852	0.822	4.400
IVFC	7	10	0.70	2	7	original	ϕ_o	0.899	0.684	0.791	3.717
IVFC	7	10	1.00	2	7	original	ϕ_o	0.956	0.400	0.678	2.884
IVFC	7	100	0.50	2	7	original	ϕ_o	0.234	0.991	0.612	3.912
IVFC	7	100	0.70	2	7	original	ϕ_o	0.406	0.975	0.691	4.301
IVFC	7	100	1.00	2	7	original	ϕ_o	0.601	0.944	0.772	4.435
IVFC	7	250	0.50	2	7	original	ϕ_o	0.079	0.999	0.539	3.602
IVFC	7	250	0.70	2	7	original	ϕ_o	0.193	0.995	0.594	4.125
IVFC	7	250	1.00	2	7	original	ϕ_o	0.370	0.981	0.676	4.372
IVFC	7	500	0.50	7	5	original	ϕ_o	0.033	0.999	0.516	2.339
IVFC	7	500	0.70	7	5	original	ϕ_o	0.050	0.997	0.523	2.638
IVFC	7	500	1.00	7	5	original	ϕ_o	0.085	0.991	0.538	2.830
IVFC	7	750	0.50	7	5	original	ϕ_o	0.033	0.999	0.516	2.339
IVFC	7	750	0.70	7	5	original	ϕ_o	0.050	0.997	0.523	2.638
IVFC	7	750	1.00	7	5	original	ϕ_o	0.085	0.991	0.538	2.830
IVFC	7	1000	0.50	7	5	original	ϕ_o	0.033	0.999	0.516	2.339
IVFC	7	1000	0.70	7	5	original	ϕ_o	0.050	0.997	0.523	2.638
IVFC	7	1000	1.00	7	5	original	ϕ_o	0.085	0.991	0.538	2.830
IVFC	7	500	0.50	6	7	original	ϕ_o	0.056	0.998	0.527	2.636
IVFC	7	500	0.70	6	7	original	ϕ_o	0.111	0.993	0.552	3.017
IVFC	7	500	1.00	6	7	original	ϕ_o	0.194	0.978	0.586	3.183
IVFC	7	750	0.50	6	7	original	ϕ_o	0.056	0.998	0.527	2.636
IVFC	7	750	0.70	6	7	original	ϕ_o	0.111	0.993	0.552	3.017

IVFC	7	750	1.00	6	7	original	ϕ_o	0.194	0.978	0.586	3.183
IVFC	7	1000	0.50	6	7	original	ϕ_o	0.056	0.998	0.527	2.636
IVFC	7	1000	0.70	6	7	original	ϕ_o	0.111	0.993	0.552	3.017
IVFC	7	1000	1.00	6	7	original	ϕ_o	0.194	0.978	0.586	3.183
IVFC	7	10	1.25	6	5	original	ϕ_o	0.739	0.066	0.403	2.114
IVFC	7	10	1.50	6	5	original	ϕ_o	0.736	0.052	0.394	2.105
IVFC	7	10	1.70	6	5	original	ϕ_o	0.735	0.051	0.393	1.440
IVFC	7	100	1.25	6	5	original	ϕ_o	0.567	0.776	0.672	3.121
IVFC	7	100	1.50	6	5	original	ϕ_o	0.643	0.622	0.633	2.685
IVFC	7	100	1.70	6	5	original	ϕ_o	0.682	0.479	0.580	2.140
IVFC	7	250	1.25	6	5	original	ϕ_o	0.317	0.942	0.630	3.162
IVFC	7	250	1.50	6	5	original	ϕ_o	0.412	0.895	0.653	3.142
IVFC	7	250	1.70	6	5	original	ϕ_o	0.486	0.845	0.666	3.114
IVFC	7	10	0.50	4	4	original	ϕ_o	0.513	0.840	0.677	3.314
IVFC	7	10	0.70	4	4	original	ϕ_o	0.707	0.599	0.653	3.442
IVFC	7	10	1.00	4	4	original	ϕ_o	0.789	0.230	0.509	2.939
IVFC	7	100	0.50	4	4	original	ϕ_o	0.166	0.992	0.579	2.964
IVFC	7	100	0.70	4	4	original	ϕ_o	0.235	0.980	0.608	3.249
IVFC	7	100	1.00	4	4	original	ϕ_o	0.408	0.937	0.673	3.436
IVFC	7	250	0.50	4	4	original	ϕ_o	0.062	0.999	0.531	2.474
IVFC	7	250	0.70	4	4	original	ϕ_o	0.113	0.997	0.555	2.900
IVFC	7	250	1.00	4	4	original	ϕ_o	0.174	0.990	0.582	3.211
IVFC	7	500	4.00	5	3	original	ϕ_o	0.722	0.332	0.527	3.198
IVFC	7	750	4.00	5	3	original	ϕ_o	0.720	0.341	0.530	2.764
IVFC	7	1000	4.00	5	3	original	ϕ_o	0.720	0.341	0.530	2.764
IVFC	7	500	4.00	2	2	original	ϕ_o	0.959	0.361	0.660	3.665
IVFC	7	750	4.00	2	2	original	ϕ_o	0.936	0.539	0.738	3.680
IVFC	7	1000	4.00	2	2	original	ϕ_o	0.931	0.564	0.748	3.672
IVFC	7	500	0.20	3	3	original	ϕ_o	0.003	1.000	0.501	1.545
IVFC	7	750	0.20	3	3	original	ϕ_o	0.003	1.000	0.501	1.527
IVFC	7	1000	0.20	3	3	original	ϕ_o	0.003	1.000	0.501	1.527
IVFC	7	10	1.25	4	7	original	ϕ_o	0.795	0.151	0.473	2.920
IVFC	7	10	1.50	4	7	original	ϕ_o	0.794	0.104	0.449	2.302
IVFC	7	10	1.70	4	7	original	ϕ_o	0.793	0.095	0.444	2.295
IVFC	7	100	1.25	4	7	original	ϕ_o	0.382	0.955	0.668	3.474
IVFC	7	100	1.50	4	7	original	ϕ_o	0.526	0.889	0.708	3.509
IVFC	7	100	1.70	4	7	original	ϕ_o	0.614	0.812	0.713	3.513
IVFC	7	250	1.25	4	7	original	ϕ_o	0.188	0.992	0.590	3.280
IVFC	7	250	1.50	4	7	original	ϕ_o	0.257	0.981	0.619	3.383
IVFC	7	250	1.70	4	7	original	ϕ_o	0.341	0.960	0.651	3.432
IVFC	7	500	1.25	3	3	original	ϕ_o	0.220	0.973	0.597	3.564
IVFC	7	500	1.50	3	3	original	ϕ_o	0.280	0.955	0.618	3.593
IVFC	7	500	1.70	3	3	original	ϕ_o	0.345	0.935	0.640	3.592
IVFC	7	750	1.25	3	3	original	ϕ_o	0.215	0.974	0.594	3.504
IVFC	7	750	1.50	3	3	original	ϕ_o	0.269	0.957	0.613	3.532
IVFC	7	750	1.70	3	3	original	ϕ_o	0.321	0.938	0.630	3.531
IVFC	7	1000	1.25	3	3	original	ϕ_o	0.215	0.974	0.594	3.504
IVFC	7	1000	1.50	3	3	original	ϕ_o	0.269	0.957	0.613	3.532
IVFC	7	1000	1.70	3	3	original	ϕ_o	0.321	0.938	0.630	3.531
IVFC	7	10	1.25	2	7	original	ϕ_o	0.968	0.171	0.570	2.866

IVFC	7	10	1.50	2	7	original	ϕ_o	0.968	0.068	0.518	2.844
IVFC	7	10	1.70	2	7	original	ϕ_o	0.967	0.055	0.511	2.835
IVFC	7	100	1.25	2	7	original	ϕ_o	0.718	0.900	0.809	4.454
IVFC	7	100	1.50	2	7	original	ϕ_o	0.806	0.841	0.824	4.445
IVFC	7	100	1.70	2	7	original	ϕ_o	0.857	0.785	0.821	4.427
IVFC	7	250	1.25	2	7	original	ϕ_o	0.498	0.964	0.731	4.427
IVFC	7	250	1.50	2	7	original	ϕ_o	0.608	0.936	0.772	4.446
IVFC	7	250	1.70	2	7	original	ϕ_o	0.685	0.909	0.797	4.448
IVFC	7	500	2.00	4	5	original	ϕ_o	0.443	0.915	0.679	3.416
IVFC	7	500	2.30	4	5	original	ϕ_o	0.560	0.843	0.701	3.451
IVFC	7	500	3.00	4	5	original	ϕ_o	0.706	0.636	0.671	3.474
IVFC	7	750	2.00	4	5	original	ϕ_o	0.443	0.915	0.679	3.416
IVFC	7	750	2.30	4	5	original	ϕ_o	0.560	0.843	0.701	3.451
IVFC	7	750	3.00	4	5	original	ϕ_o	0.706	0.636	0.671	3.474
IVFC	7	1000	2.00	4	5	original	ϕ_o	0.443	0.915	0.679	3.416
IVFC	7	1000	2.30	4	5	original	ϕ_o	0.560	0.843	0.701	3.451
IVFC	7	1000	3.00	4	5	original	ϕ_o	0.706	0.636	0.671	3.474
IVFC	7	10	1.25	5	4	original	ϕ_o	0.755	0.129	0.442	2.808
IVFC	7	10	1.50	5	4	original	ϕ_o	0.753	0.106	0.430	2.200
IVFC	7	10	1.70	5	4	original	ϕ_o	0.751	0.104	0.428	2.777
IVFC	7	100	1.25	5	4	original	ϕ_o	0.508	0.837	0.672	3.191
IVFC	7	100	1.50	5	4	original	ϕ_o	0.620	0.681	0.650	3.172
IVFC	7	100	1.70	5	4	original	ϕ_o	0.677	0.545	0.611	3.184
IVFC	7	250	1.25	5	4	original	ϕ_o	0.194	0.951	0.572	3.231
IVFC	7	250	1.50	5	4	original	ϕ_o	0.284	0.931	0.607	3.216
IVFC	7	250	1.70	5	4	original	ϕ_o	0.371	0.907	0.639	3.200
IVFC	7	500	2.00	3	7	original	ϕ_o	0.601	0.831	0.716	3.638
IVFC	7	500	2.30	3	7	original	ϕ_o	0.703	0.741	0.722	3.617
IVFC	7	500	3.00	3	7	original	ϕ_o	0.817	0.499	0.658	3.174
IVFC	7	750	2.00	3	7	original	ϕ_o	0.601	0.831	0.716	3.638
IVFC	7	750	2.30	3	7	original	ϕ_o	0.703	0.741	0.722	3.617
IVFC	7	750	3.00	3	7	original	ϕ_o	0.817	0.499	0.658	3.174
IVFC	7	1000	2.00	3	7	original	ϕ_o	0.601	0.831	0.716	3.638
IVFC	7	1000	2.30	3	7	original	ϕ_o	0.703	0.741	0.722	3.617
IVFC	7	1000	3.00	3	7	original	ϕ_o	0.817	0.499	0.658	3.174
IVFC	7	500	4.00	3	3	original	ϕ_o	0.836	0.341	0.589	3.063
IVFC	7	750	4.00	3	3	original	ϕ_o	0.829	0.359	0.594	3.039
IVFC	7	1000	4.00	3	3	original	ϕ_o	0.829	0.359	0.594	3.039
IVFC	7	500	1.25	6	4	original	ϕ_o	0.258	0.957	0.608	3.132
IVFC	7	500	1.50	6	4	original	ϕ_o	0.344	0.929	0.637	3.144
IVFC	7	500	1.70	6	4	original	ϕ_o	0.417	0.894	0.656	3.137
IVFC	7	750	1.25	6	4	original	ϕ_o	0.257	0.958	0.607	3.136
IVFC	7	750	1.50	6	4	original	ϕ_o	0.342	0.931	0.636	3.149
IVFC	7	750	1.70	6	4	original	ϕ_o	0.414	0.897	0.656	3.141
IVFC	7	1000	1.25	6	4	original	ϕ_o	0.257	0.958	0.607	3.136
IVFC	7	1000	1.50	6	4	original	ϕ_o	0.342	0.931	0.636	3.149
IVFC	7	1000	1.70	6	4	original	ϕ_o	0.414	0.897	0.656	3.141
IVFC	7	500	0.50	5	3	original	ϕ_o	0.032	0.996	0.514	2.551
IVFC	7	500	0.70	5	3	original	ϕ_o	0.062	0.992	0.527	2.950
IVFC	7	500	1.00	5	3	original	ϕ_o	0.104	0.981	0.543	3.151

IVFC	7	750	0.50	5	3	original	ϕ_o	0.030	0.996	0.513	2.542
IVFC	7	750	0.70	5	3	original	ϕ_o	0.060	0.992	0.526	2.941
IVFC	7	750	1.00	5	3	original	ϕ_o	0.102	0.981	0.542	3.146
IVFC	7	1000	0.50	5	3	original	ϕ_o	0.030	0.996	0.513	2.542
IVFC	7	1000	0.70	5	3	original	ϕ_o	0.060	0.992	0.526	2.941
IVFC	7	1000	1.00	5	3	original	ϕ_o	0.102	0.981	0.542	3.146
IVFC	7	500	0.50	4	4	original	ϕ_o	0.036	1.000	0.518	2.261
IVFC	7	500	0.70	4	4	original	ϕ_o	0.078	0.999	0.538	2.694
IVFC	7	500	1.00	4	4	original	ϕ_o	0.135	0.994	0.564	3.024
IVFC	7	750	0.50	4	4	original	ϕ_o	0.036	1.000	0.518	2.261
IVFC	7	750	0.70	4	4	original	ϕ_o	0.078	0.999	0.538	2.694
IVFC	7	750	1.00	4	4	original	ϕ_o	0.135	0.994	0.564	3.024
IVFC	7	1000	0.50	4	4	original	ϕ_o	0.036	1.000	0.518	2.261
IVFC	7	1000	0.70	4	4	original	ϕ_o	0.078	0.999	0.538	2.694
IVFC	7	1000	1.00	4	4	original	ϕ_o	0.135	0.994	0.564	3.024
IVFC	7	10	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	7	100	4.00	4	5	original	ϕ_o	0.795	0.110	0.453	2.883
IVFC	7	250	4.00	4	5	original	ϕ_o	0.786	0.269	0.528	3.352
IVFC	7	500	0.20	4	4	original	ϕ_o	0.002	1.000	0.501	1.039
IVFC	7	750	0.20	4	4	original	ϕ_o	0.002	1.000	0.501	1.038
IVFC	7	1000	0.20	4	4	original	ϕ_o	0.002	1.000	0.501	1.038
IVFC	7	500	2.00	7	2	original	ϕ_o	0.397	0.806	0.602	2.644
IVFC	7	500	2.30	7	2	original	ϕ_o	0.474	0.711	0.593	2.659
IVFC	7	500	3.00	7	2	original	ϕ_o	0.597	0.497	0.547	2.671
IVFC	7	750	2.00	7	2	original	ϕ_o	0.340	0.881	0.611	2.677
IVFC	7	750	2.30	7	2	original	ϕ_o	0.420	0.800	0.610	2.691
IVFC	7	750	3.00	7	2	original	ϕ_o	0.559	0.586	0.572	2.716
IVFC	7	1000	2.00	7	2	original	ϕ_o	0.337	0.894	0.615	2.707
IVFC	7	1000	2.30	7	2	original	ϕ_o	0.418	0.816	0.617	2.719
IVFC	7	1000	3.00	7	2	original	ϕ_o	0.558	0.600	0.579	2.750
IVFC	7	10	1.25	4	3	original	ϕ_o	0.790	0.104	0.447	2.295
IVFC	7	10	1.50	4	3	original	ϕ_o	0.789	0.095	0.442	2.288
IVFC	7	10	1.70	4	3	original	ϕ_o	0.789	0.095	0.442	2.288
IVFC	7	100	1.25	4	3	original	ϕ_o	0.651	0.755	0.703	3.502
IVFC	7	100	1.50	4	3	original	ϕ_o	0.732	0.586	0.659	3.518
IVFC	7	100	1.70	4	3	original	ϕ_o	0.767	0.451	0.609	2.993
IVFC	7	250	1.25	4	3	original	ϕ_o	0.278	0.968	0.623	3.419
IVFC	7	250	1.50	4	3	original	ϕ_o	0.420	0.932	0.676	3.463
IVFC	7	250	1.70	4	3	original	ϕ_o	0.528	0.878	0.703	3.471
IVFC	7	500	2.00	6	4	original	ϕ_o	0.514	0.828	0.671	3.116
IVFC	7	500	2.30	6	4	original	ϕ_o	0.588	0.744	0.666	3.102
IVFC	7	500	3.00	6	4	original	ϕ_o	0.685	0.512	0.598	2.708
IVFC	7	750	2.00	6	4	original	ϕ_o	0.512	0.832	0.672	3.124
IVFC	7	750	2.30	6	4	original	ϕ_o	0.586	0.750	0.668	3.111
IVFC	7	750	3.00	6	4	original	ϕ_o	0.684	0.522	0.603	2.714
IVFC	7	1000	2.00	6	4	original	ϕ_o	0.512	0.832	0.672	3.124
IVFC	7	1000	2.30	6	4	original	ϕ_o	0.586	0.750	0.668	3.111
IVFC	7	1000	3.00	6	4	original	ϕ_o	0.684	0.522	0.603	2.714
IVFC	7	10	4.00	4	6	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	7	100	4.00	4	6	original	ϕ_o	0.798	0.114	0.456	2.884

IVFC	7	250	4.00	4	6	original	ϕ_o	0.786	0.314	0.550	3.365
IVFC	7	500	1.25	5	6	original	ϕ_o	0.143	0.963	0.553	3.200
IVFC	7	500	1.50	5	6	original	ϕ_o	0.193	0.948	0.570	3.198
IVFC	7	500	1.70	5	6	original	ϕ_o	0.254	0.934	0.594	3.182
IVFC	7	750	1.25	5	6	original	ϕ_o	0.143	0.963	0.553	3.200
IVFC	7	750	1.50	5	6	original	ϕ_o	0.193	0.948	0.570	3.198
IVFC	7	750	1.70	5	6	original	ϕ_o	0.254	0.934	0.594	3.182
IVFC	7	1000	1.25	5	6	original	ϕ_o	0.143	0.963	0.553	3.200
IVFC	7	1000	1.50	5	6	original	ϕ_o	0.193	0.948	0.570	3.198
IVFC	7	1000	1.70	5	6	original	ϕ_o	0.254	0.934	0.594	3.182
IVFC	7	500	2.00	5	2	original	ϕ_o	0.484	0.835	0.660	3.077
IVFC	7	500	2.30	5	2	original	ϕ_o	0.578	0.730	0.654	3.084
IVFC	7	500	3.00	5	2	original	ϕ_o	0.693	0.451	0.572	3.145
IVFC	7	750	2.00	5	2	original	ϕ_o	0.358	0.917	0.637	3.160
IVFC	7	750	2.30	5	2	original	ϕ_o	0.463	0.867	0.665	3.152
IVFC	7	750	3.00	5	2	original	ϕ_o	0.628	0.666	0.647	3.169
IVFC	7	1000	2.00	5	2	original	ϕ_o	0.355	0.917	0.636	3.156
IVFC	7	1000	2.30	5	2	original	ϕ_o	0.460	0.868	0.664	3.147
IVFC	7	1000	3.00	5	2	original	ϕ_o	0.625	0.668	0.647	3.163
IVFC	7	500	0.50	7	2	original	ϕ_o	0.045	0.998	0.522	2.212
IVFC	7	500	0.70	7	2	original	ϕ_o	0.066	0.995	0.531	2.444
IVFC	7	500	1.00	7	2	original	ϕ_o	0.102	0.984	0.543	2.570
IVFC	7	750	0.50	7	2	original	ϕ_o	0.038	0.999	0.518	2.134
IVFC	7	750	0.70	7	2	original	ϕ_o	0.053	0.997	0.525	2.401
IVFC	7	750	1.00	7	2	original	ϕ_o	0.079	0.991	0.535	2.558
IVFC	7	1000	0.50	7	2	original	ϕ_o	0.037	0.999	0.518	2.129
IVFC	7	1000	0.70	7	2	original	ϕ_o	0.050	0.997	0.523	2.414
IVFC	7	1000	1.00	7	2	original	ϕ_o	0.072	0.992	0.532	2.573
IVFC	7	500	2.00	6	7	original	ϕ_o	0.530	0.824	0.677	3.155
IVFC	7	500	2.30	6	7	original	ϕ_o	0.604	0.737	0.670	3.124
IVFC	7	500	3.00	6	7	original	ϕ_o	0.693	0.482	0.588	2.705
IVFC	7	750	2.00	6	7	original	ϕ_o	0.530	0.824	0.677	3.155
IVFC	7	750	2.30	6	7	original	ϕ_o	0.604	0.737	0.670	3.124
IVFC	7	750	3.00	6	7	original	ϕ_o	0.693	0.482	0.588	2.705
IVFC	7	1000	2.00	6	7	original	ϕ_o	0.530	0.824	0.677	3.155
IVFC	7	1000	2.30	6	7	original	ϕ_o	0.604	0.737	0.670	3.124
IVFC	7	1000	3.00	6	7	original	ϕ_o	0.693	0.482	0.588	2.705
IVFC	7	500	1.25	5	2	original	ϕ_o	0.190	0.950	0.570	3.117
IVFC	7	500	1.50	5	2	original	ϕ_o	0.279	0.929	0.604	3.103
IVFC	7	500	1.70	5	2	original	ϕ_o	0.365	0.901	0.633	3.092
IVFC	7	750	1.25	5	2	original	ϕ_o	0.129	0.966	0.548	3.147
IVFC	7	750	1.50	5	2	original	ϕ_o	0.184	0.956	0.570	3.165
IVFC	7	750	1.70	5	2	original	ϕ_o	0.245	0.946	0.596	3.159
IVFC	7	1000	1.25	5	2	original	ϕ_o	0.127	0.966	0.547	3.143
IVFC	7	1000	1.50	5	2	original	ϕ_o	0.181	0.957	0.569	3.161
IVFC	7	1000	1.70	5	2	original	ϕ_o	0.242	0.946	0.594	3.155
IVFC	7	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	4.00	6	3	original	ϕ_o	0.735	0.054	0.394	2.107
IVFC	7	250	4.00	6	3	original	ϕ_o	0.735	0.063	0.399	2.106
IVFC	7	500	2.00	7	6	original	ϕ_o	0.458	0.821	0.639	2.893

IVFC	7	500	2.30	7	6	original	ϕ_o	0.542	0.705	0.624	2.905
IVFC	7	500	3.00	7	6	original	ϕ_o	0.643	0.445	0.544	2.887
IVFC	7	750	2.00	7	6	original	ϕ_o	0.458	0.821	0.639	2.893
IVFC	7	750	2.30	7	6	original	ϕ_o	0.542	0.705	0.624	2.905
IVFC	7	750	3.00	7	6	original	ϕ_o	0.643	0.445	0.544	2.887
IVFC	7	1000	2.00	7	6	original	ϕ_o	0.458	0.821	0.639	2.893
IVFC	7	1000	2.30	7	6	original	ϕ_o	0.542	0.705	0.624	2.905
IVFC	7	1000	3.00	7	6	original	ϕ_o	0.643	0.445	0.544	2.887
IVFC	7	500	2.00	7	7	original	ϕ_o	0.464	0.815	0.639	2.897
IVFC	7	500	2.30	7	7	original	ϕ_o	0.547	0.695	0.621	2.908
IVFC	7	500	3.00	7	7	original	ϕ_o	0.645	0.436	0.540	2.891
IVFC	7	750	2.00	7	7	original	ϕ_o	0.464	0.815	0.639	2.897
IVFC	7	750	2.30	7	7	original	ϕ_o	0.547	0.695	0.621	2.908
IVFC	7	750	3.00	7	7	original	ϕ_o	0.645	0.436	0.540	2.891
IVFC	7	1000	2.00	7	7	original	ϕ_o	0.464	0.815	0.639	2.897
IVFC	7	1000	2.30	7	7	original	ϕ_o	0.547	0.695	0.621	2.908
IVFC	7	1000	3.00	7	7	original	ϕ_o	0.645	0.436	0.540	2.891
IVFC	7	500	4.00	3	4	original	ϕ_o	0.844	0.333	0.588	2.533
IVFC	7	750	4.00	3	4	original	ϕ_o	0.842	0.341	0.591	2.936
IVFC	7	1000	4.00	3	4	original	ϕ_o	0.842	0.341	0.591	2.936
IVFC	7	10	0.50	5	2	original	ϕ_o	0.584	0.638	0.611	3.014
IVFC	7	10	0.70	5	2	original	ϕ_o	0.724	0.290	0.507	2.755
IVFC	7	10	1.00	5	2	original	ϕ_o	0.750	0.126	0.438	2.797
IVFC	7	100	0.50	5	2	original	ϕ_o	0.213	0.953	0.583	3.066
IVFC	7	100	0.70	5	2	original	ϕ_o	0.360	0.908	0.634	3.081
IVFC	7	100	1.00	5	2	original	ϕ_o	0.596	0.679	0.637	3.085
IVFC	7	250	0.50	5	2	original	ϕ_o	0.104	0.971	0.537	2.889
IVFC	7	250	0.70	5	2	original	ϕ_o	0.160	0.957	0.559	3.080
IVFC	7	250	1.00	5	2	original	ϕ_o	0.299	0.924	0.612	3.087
IVFC	7	500	4.00	5	7	original	ϕ_o	0.720	0.351	0.535	2.766
IVFC	7	750	4.00	5	7	original	ϕ_o	0.720	0.351	0.535	2.766
IVFC	7	1000	4.00	5	7	original	ϕ_o	0.720	0.351	0.535	2.766
IVFC	7	10	2.00	3	7	original	ϕ_o	0.867	0.072	0.469	2.524
IVFC	7	10	2.30	3	7	original	ϕ_o	0.866	0.072	0.469	2.523
IVFC	7	10	3.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	7	100	2.00	3	7	original	ϕ_o	0.801	0.530	0.665	3.116
IVFC	7	100	2.30	3	7	original	ϕ_o	0.837	0.383	0.610	2.535
IVFC	7	100	3.00	3	7	original	ϕ_o	0.862	0.177	0.520	2.533
IVFC	7	250	2.00	3	7	original	ϕ_o	0.601	0.831	0.716	3.638
IVFC	7	250	2.30	3	7	original	ϕ_o	0.703	0.741	0.722	3.617
IVFC	7	250	3.00	3	7	original	ϕ_o	0.817	0.499	0.658	3.174
IVFC	7	500	0.50	2	3	original	ϕ_o	0.073	1.000	0.536	3.581
IVFC	7	500	0.70	2	3	original	ϕ_o	0.150	0.997	0.574	4.054
IVFC	7	500	1.00	2	3	original	ϕ_o	0.284	0.986	0.635	4.306
IVFC	7	750	0.50	2	3	original	ϕ_o	0.067	1.000	0.533	3.566
IVFC	7	750	0.70	2	3	original	ϕ_o	0.142	0.997	0.569	4.043
IVFC	7	750	1.00	2	3	original	ϕ_o	0.274	0.987	0.630	4.295
IVFC	7	1000	0.50	2	3	original	ϕ_o	0.067	1.000	0.533	3.566
IVFC	7	1000	0.70	2	3	original	ϕ_o	0.142	0.997	0.569	4.043
IVFC	7	1000	1.00	2	3	original	ϕ_o	0.274	0.987	0.630	4.295

IVFC	7	10	4.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	4.00	6	6	original	ϕ_o	0.735	0.057	0.396	2.105
IVFC	7	250	4.00	6	6	original	ϕ_o	0.732	0.144	0.438	2.116
IVFC	7	10	0.20	5	4	original	ϕ_o	0.144	0.989	0.567	2.485
IVFC	7	100	0.20	5	4	original	ϕ_o	0.023	0.999	0.511	1.609
IVFC	7	250	0.20	5	4	original	ϕ_o	0.004	1.000	0.502	1.275
IVFC	7	500	0.50	7	3	original	ϕ_o	0.036	0.999	0.517	2.304
IVFC	7	500	0.70	7	3	original	ϕ_o	0.048	0.998	0.523	2.590
IVFC	7	500	1.00	7	3	original	ϕ_o	0.078	0.993	0.535	2.760
IVFC	7	750	0.50	7	3	original	ϕ_o	0.036	0.999	0.517	2.297
IVFC	7	750	0.70	7	3	original	ϕ_o	0.047	0.998	0.523	2.586
IVFC	7	750	1.00	7	3	original	ϕ_o	0.077	0.993	0.535	2.758
IVFC	7	1000	0.50	7	3	original	ϕ_o	0.036	0.999	0.517	2.297
IVFC	7	1000	0.70	7	3	original	ϕ_o	0.047	0.998	0.523	2.586
IVFC	7	1000	1.00	7	3	original	ϕ_o	0.077	0.993	0.535	2.758
IVFC	7	500	2.00	6	5	original	ϕ_o	0.520	0.834	0.677	3.161
IVFC	7	500	2.30	6	5	original	ϕ_o	0.595	0.748	0.671	3.130
IVFC	7	500	3.00	6	5	original	ϕ_o	0.690	0.508	0.599	2.714
IVFC	7	750	2.00	6	5	original	ϕ_o	0.520	0.834	0.677	3.161
IVFC	7	750	2.30	6	5	original	ϕ_o	0.595	0.748	0.671	3.130
IVFC	7	750	3.00	6	5	original	ϕ_o	0.690	0.508	0.599	2.714
IVFC	7	1000	2.00	6	5	original	ϕ_o	0.520	0.834	0.677	3.161
IVFC	7	1000	2.30	6	5	original	ϕ_o	0.595	0.748	0.671	3.130
IVFC	7	1000	3.00	6	5	original	ϕ_o	0.690	0.508	0.599	2.714
IVFC	7	500	1.25	5	3	original	ϕ_o	0.134	0.973	0.554	3.191
IVFC	7	500	1.50	5	3	original	ϕ_o	0.183	0.964	0.573	3.190
IVFC	7	500	1.70	5	3	original	ϕ_o	0.246	0.952	0.599	3.185
IVFC	7	750	1.25	5	3	original	ϕ_o	0.133	0.973	0.553	3.185
IVFC	7	750	1.50	5	3	original	ϕ_o	0.180	0.964	0.572	3.184
IVFC	7	750	1.70	5	3	original	ϕ_o	0.241	0.952	0.597	3.176
IVFC	7	1000	1.25	5	3	original	ϕ_o	0.133	0.973	0.553	3.185
IVFC	7	1000	1.50	5	3	original	ϕ_o	0.180	0.964	0.572	3.184
IVFC	7	1000	1.70	5	3	original	ϕ_o	0.241	0.952	0.597	3.176
IVFC	7	10	4.00	3	5	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	7	100	4.00	3	5	original	ϕ_o	0.866	0.078	0.472	2.520
IVFC	7	250	4.00	3	5	original	ϕ_o	0.861	0.177	0.519	2.530
IVFC	7	500	2.00	4	2	original	ϕ_o	0.514	0.885	0.700	3.445
IVFC	7	500	2.30	4	2	original	ϕ_o	0.610	0.795	0.703	3.457
IVFC	7	500	3.00	4	2	original	ϕ_o	0.728	0.563	0.645	3.447
IVFC	7	750	2.00	4	2	original	ϕ_o	0.404	0.922	0.663	3.366
IVFC	7	750	2.30	4	2	original	ϕ_o	0.522	0.856	0.689	3.383
IVFC	7	750	3.00	4	2	original	ϕ_o	0.683	0.653	0.668	3.392
IVFC	7	1000	2.00	4	2	original	ϕ_o	0.398	0.922	0.660	3.354
IVFC	7	1000	2.30	4	2	original	ϕ_o	0.519	0.856	0.688	3.375
IVFC	7	1000	3.00	4	2	original	ϕ_o	0.682	0.653	0.668	3.385
IVFC	7	10	1.25	2	3	original	ϕ_o	0.969	0.079	0.524	2.848
IVFC	7	10	1.50	2	3	original	ϕ_o	0.967	0.055	0.511	2.837
IVFC	7	10	1.70	2	3	original	ϕ_o	0.966	0.055	0.510	2.835
IVFC	7	100	1.25	2	3	original	ϕ_o	0.842	0.800	0.821	4.419
IVFC	7	100	1.50	2	3	original	ϕ_o	0.903	0.698	0.800	3.739

IVFC	7	100	1.70	2	3	original	ϕ_o	0.931	0.612	0.771	3.730
IVFC	7	250	1.25	2	3	original	ϕ_o	0.592	0.941	0.767	4.437
IVFC	7	250	1.50	2	3	original	ϕ_o	0.695	0.903	0.799	4.441
IVFC	7	250	1.70	2	3	original	ϕ_o	0.764	0.866	0.815	4.429
IVFC	7	500	0.50	2	5	original	ϕ_o	0.075	0.999	0.537	3.643
IVFC	7	500	0.70	2	5	original	ϕ_o	0.170	0.997	0.583	4.118
IVFC	7	500	1.00	2	5	original	ϕ_o	0.318	0.986	0.652	4.347
IVFC	7	750	0.50	2	5	original	ϕ_o	0.075	0.999	0.537	3.643
IVFC	7	750	0.70	2	5	original	ϕ_o	0.170	0.997	0.583	4.118
IVFC	7	750	1.00	2	5	original	ϕ_o	0.318	0.986	0.652	4.347
IVFC	7	1000	0.50	2	5	original	ϕ_o	0.075	0.999	0.537	3.643
IVFC	7	1000	0.70	2	5	original	ϕ_o	0.170	0.997	0.583	4.118
IVFC	7	1000	1.00	2	5	original	ϕ_o	0.318	0.986	0.652	4.347
IVFC	7	10	1.25	6	2	original	ϕ_o	0.732	0.051	0.392	2.094
IVFC	7	10	1.50	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	10	1.70	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	7	100	1.25	6	2	original	ϕ_o	0.712	0.276	0.494	2.111
IVFC	7	100	1.50	6	2	original	ϕ_o	0.729	0.119	0.424	2.099
IVFC	7	100	1.70	6	2	original	ϕ_o	0.733	0.070	0.401	2.097
IVFC	7	250	1.25	6	2	original	ϕ_o	0.588	0.684	0.636	2.612
IVFC	7	250	1.50	6	2	original	ϕ_o	0.657	0.505	0.581	2.097
IVFC	7	250	1.70	6	2	original	ϕ_o	0.688	0.364	0.526	2.093
IVFC	7	500	0.50	2	7	original	ϕ_o	0.076	0.999	0.538	3.583
IVFC	7	500	0.70	2	7	original	ϕ_o	0.186	0.995	0.591	4.112
IVFC	7	500	1.00	2	7	original	ϕ_o	0.358	0.981	0.670	4.360
IVFC	7	750	0.50	2	7	original	ϕ_o	0.076	0.999	0.538	3.583
IVFC	7	750	0.70	2	7	original	ϕ_o	0.186	0.995	0.591	4.112
IVFC	7	750	1.00	2	7	original	ϕ_o	0.358	0.981	0.670	4.360
IVFC	7	1000	0.50	2	7	original	ϕ_o	0.076	0.999	0.538	3.583
IVFC	7	1000	0.70	2	7	original	ϕ_o	0.186	0.995	0.591	4.112
IVFC	7	1000	1.00	2	7	original	ϕ_o	0.358	0.981	0.670	4.360
IVFC	7	500	0.50	5	7	original	ϕ_o	0.033	0.995	0.514	2.571
IVFC	7	500	0.70	5	7	original	ϕ_o	0.063	0.989	0.526	2.986
IVFC	7	500	1.00	5	7	original	ϕ_o	0.108	0.975	0.542	3.179
IVFC	7	750	0.50	5	7	original	ϕ_o	0.033	0.995	0.514	2.571
IVFC	7	750	0.70	5	7	original	ϕ_o	0.063	0.989	0.526	2.986
IVFC	7	750	1.00	5	7	original	ϕ_o	0.108	0.975	0.542	3.179
IVFC	7	1000	0.50	5	7	original	ϕ_o	0.033	0.995	0.514	2.571
IVFC	7	1000	0.70	5	7	original	ϕ_o	0.063	0.989	0.526	2.986
IVFC	7	1000	1.00	5	7	original	ϕ_o	0.108	0.975	0.542	3.179
IVFC	7	500	1.25	5	5	original	ϕ_o	0.139	0.962	0.550	3.185
IVFC	7	500	1.50	5	5	original	ϕ_o	0.191	0.947	0.569	3.191
IVFC	7	500	1.70	5	5	original	ϕ_o	0.252	0.934	0.593	3.176
IVFC	7	750	1.25	5	5	original	ϕ_o	0.139	0.962	0.550	3.185
IVFC	7	750	1.50	5	5	original	ϕ_o	0.191	0.947	0.569	3.191
IVFC	7	750	1.70	5	5	original	ϕ_o	0.252	0.934	0.593	3.176
IVFC	7	1000	1.25	5	5	original	ϕ_o	0.139	0.962	0.550	3.185
IVFC	7	1000	1.50	5	5	original	ϕ_o	0.191	0.947	0.569	3.191
IVFC	7	1000	1.70	5	5	original	ϕ_o	0.252	0.934	0.593	3.176
IVFC	7	10	2.00	4	4	original	ϕ_o	0.790	0.096	0.443	2.290

IVFC	7	10	2.30	4	4	original	ϕ_o	0.789	0.097	0.443	2.872
IVFC	7	10	3.00	4	4	original	ϕ_o	0.789	0.097	0.443	2.287
IVFC	7	100	2.00	4	4	original	ϕ_o	0.771	0.402	0.587	3.473
IVFC	7	100	2.30	4	4	original	ϕ_o	0.789	0.265	0.527	2.954
IVFC	7	100	3.00	4	4	original	ϕ_o	0.797	0.129	0.463	2.319
IVFC	7	250	2.00	4	4	original	ϕ_o	0.573	0.854	0.714	3.502
IVFC	7	250	2.30	4	4	original	ϕ_o	0.658	0.751	0.704	3.510
IVFC	7	250	3.00	4	4	original	ϕ_o	0.751	0.504	0.627	3.474
IVFC	7	500	0.50	5	5	original	ϕ_o	0.031	0.995	0.513	2.552
IVFC	7	500	0.70	5	5	original	ϕ_o	0.059	0.988	0.524	2.950
IVFC	7	500	1.00	5	5	original	ϕ_o	0.102	0.975	0.539	3.150
IVFC	7	750	0.50	5	5	original	ϕ_o	0.031	0.995	0.513	2.552
IVFC	7	750	0.70	5	5	original	ϕ_o	0.059	0.988	0.524	2.950
IVFC	7	750	1.00	5	5	original	ϕ_o	0.102	0.975	0.539	3.150
IVFC	7	1000	0.50	5	5	original	ϕ_o	0.031	0.995	0.513	2.552
IVFC	7	1000	0.70	5	5	original	ϕ_o	0.059	0.988	0.524	2.950
IVFC	7	1000	1.00	5	5	original	ϕ_o	0.102	0.975	0.539	3.150
IVFC	7	10	0.20	2	7	original	ϕ_o	0.270	0.980	0.625	3.178
IVFC	7	100	0.20	2	7	original	ϕ_o	0.010	1.000	0.505	1.984
IVFC	7	250	0.20	2	7	original	ϕ_o	0.002	1.000	0.501	1.743
IVFC	7	10	1.25	3	7	original	ϕ_o	0.864	0.178	0.521	2.544
IVFC	7	10	1.50	3	7	original	ϕ_o	0.867	0.098	0.482	2.533
IVFC	7	10	1.70	3	7	original	ϕ_o	0.867	0.079	0.473	2.527
IVFC	7	100	1.25	3	7	original	ϕ_o	0.517	0.872	0.694	3.619
IVFC	7	100	1.50	3	7	original	ϕ_o	0.652	0.773	0.713	3.587
IVFC	7	100	1.70	3	7	original	ϕ_o	0.729	0.681	0.705	3.560
IVFC	7	250	1.25	3	7	original	ϕ_o	0.271	0.967	0.619	3.653
IVFC	7	250	1.50	3	7	original	ϕ_o	0.369	0.939	0.654	3.668
IVFC	7	250	1.70	3	7	original	ϕ_o	0.464	0.904	0.684	3.667
IVFC	7	500	0.50	3	7	original	ϕ_o	0.043	0.997	0.520	2.905
IVFC	7	500	0.70	3	7	original	ϕ_o	0.096	0.993	0.544	3.360
IVFC	7	500	1.00	3	7	original	ϕ_o	0.191	0.982	0.586	3.598
IVFC	7	750	0.50	3	7	original	ϕ_o	0.043	0.997	0.520	2.905
IVFC	7	750	0.70	3	7	original	ϕ_o	0.096	0.993	0.544	3.360
IVFC	7	750	1.00	3	7	original	ϕ_o	0.191	0.982	0.586	3.598
IVFC	7	1000	0.50	3	7	original	ϕ_o	0.043	0.997	0.520	2.905
IVFC	7	1000	0.70	3	7	original	ϕ_o	0.096	0.993	0.544	3.360
IVFC	7	1000	1.00	3	7	original	ϕ_o	0.191	0.982	0.586	3.598
IVFC	7	10	1.25	2	2	original	ϕ_o	0.968	0.060	0.514	2.842
IVFC	7	10	1.50	2	2	original	ϕ_o	0.967	0.055	0.511	1.915
IVFC	7	10	1.70	2	2	original	ϕ_o	0.965	0.055	0.510	1.914
IVFC	7	100	1.25	2	2	original	ϕ_o	0.899	0.683	0.791	3.703
IVFC	7	100	1.50	2	2	original	ϕ_o	0.939	0.556	0.748	2.892
IVFC	7	100	1.70	2	2	original	ϕ_o	0.955	0.442	0.698	2.890
IVFC	7	250	1.25	2	2	original	ϕ_o	0.704	0.884	0.794	4.382
IVFC	7	250	1.50	2	2	original	ϕ_o	0.800	0.810	0.805	4.336
IVFC	7	250	1.70	2	2	original	ϕ_o	0.856	0.749	0.802	4.302
IVFC	7	500	1.25	4	5	original	ϕ_o	0.173	0.989	0.581	3.179
IVFC	7	500	1.50	4	5	original	ϕ_o	0.231	0.979	0.605	3.295
IVFC	7	500	1.70	4	5	original	ϕ_o	0.307	0.963	0.635	3.353

IVFC	7	750	1.25	4	5	original	ϕ_o	0.173	0.989	0.581	3.179
IVFC	7	750	1.50	4	5	original	ϕ_o	0.231	0.979	0.605	3.295
IVFC	7	750	1.70	4	5	original	ϕ_o	0.307	0.963	0.635	3.353
IVFC	7	1000	1.25	4	5	original	ϕ_o	0.173	0.989	0.581	3.179
IVFC	7	1000	1.50	4	5	original	ϕ_o	0.231	0.979	0.605	3.295
IVFC	7	1000	1.70	4	5	original	ϕ_o	0.307	0.963	0.635	3.353
IVFC	7	500	4.00	4	5	original	ϕ_o	0.777	0.375	0.576	3.453
IVFC	7	750	4.00	4	5	original	ϕ_o	0.777	0.375	0.576	3.453
IVFC	7	1000	4.00	4	5	original	ϕ_o	0.777	0.375	0.576	3.453
IVFC	7	500	0.20	2	5	original	ϕ_o	0.002	1.000	0.501	1.873
IVFC	7	750	0.20	2	5	original	ϕ_o	0.002	1.000	0.501	1.873
IVFC	7	1000	0.20	2	5	original	ϕ_o	0.002	1.000	0.501	1.873
IVFC	7	500	0.50	6	2	original	ϕ_o	0.107	0.995	0.551	2.609
IVFC	7	500	0.70	6	2	original	ϕ_o	0.172	0.983	0.577	2.870
IVFC	7	500	1.00	6	2	original	ϕ_o	0.268	0.948	0.608	2.972
IVFC	7	750	0.50	6	2	original	ϕ_o	0.076	0.997	0.537	2.527
IVFC	7	750	0.70	6	2	original	ϕ_o	0.128	0.990	0.559	2.812
IVFC	7	750	1.00	6	2	original	ϕ_o	0.209	0.967	0.588	2.968
IVFC	7	1000	0.50	6	2	original	ϕ_o	0.071	0.997	0.534	2.506
IVFC	7	1000	0.70	6	2	original	ϕ_o	0.121	0.990	0.556	2.796
IVFC	7	1000	1.00	6	2	original	ϕ_o	0.198	0.968	0.583	2.953
IVFC	7	500	4.00	2	7	original	ϕ_o	0.963	0.351	0.657	2.890
IVFC	7	750	4.00	2	7	original	ϕ_o	0.963	0.351	0.657	2.890
IVFC	7	1000	4.00	2	7	original	ϕ_o	0.963	0.351	0.657	2.890
IVFC	7	500	0.50	3	6	original	ϕ_o	0.043	0.997	0.520	2.898
IVFC	7	500	0.70	3	6	original	ϕ_o	0.094	0.993	0.544	3.350
IVFC	7	500	1.00	3	6	original	ϕ_o	0.182	0.982	0.582	3.600
IVFC	7	750	0.50	3	6	original	ϕ_o	0.043	0.997	0.520	2.898
IVFC	7	750	0.70	3	6	original	ϕ_o	0.094	0.993	0.544	3.350
IVFC	7	750	1.00	3	6	original	ϕ_o	0.182	0.982	0.582	3.600
IVFC	7	1000	0.50	3	6	original	ϕ_o	0.043	0.997	0.520	2.898
IVFC	7	1000	0.70	3	6	original	ϕ_o	0.094	0.993	0.544	3.350
IVFC	7	1000	1.00	3	6	original	ϕ_o	0.182	0.982	0.582	3.600
IVFC	7	10	0.50	7	4	original	ϕ_o	0.589	0.591	0.590	2.846
IVFC	7	10	0.70	7	4	original	ϕ_o	0.671	0.257	0.464	2.775
IVFC	7	10	1.00	7	4	original	ϕ_o	0.685	0.144	0.415	2.409
IVFC	7	100	0.50	7	4	original	ϕ_o	0.106	0.995	0.550	2.831
IVFC	7	100	0.70	7	4	original	ϕ_o	0.240	0.963	0.602	2.902
IVFC	7	100	1.00	7	4	original	ϕ_o	0.442	0.838	0.640	2.889
IVFC	7	250	0.50	7	4	original	ϕ_o	0.036	0.999	0.517	2.488
IVFC	7	250	0.70	7	4	original	ϕ_o	0.059	0.997	0.528	2.748
IVFC	7	250	1.00	7	4	original	ϕ_o	0.126	0.989	0.558	2.852
IVFC	7	10	2.00	5	2	original	ϕ_o	0.748	0.103	0.426	2.182
IVFC	7	10	2.30	5	2	original	ϕ_o	0.748	0.103	0.426	2.767
IVFC	7	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	7	100	2.00	5	2	original	ϕ_o	0.754	0.130	0.442	2.814
IVFC	7	100	2.30	5	2	original	ϕ_o	0.753	0.110	0.432	2.795
IVFC	7	100	3.00	5	2	original	ϕ_o	0.751	0.105	0.428	2.784
IVFC	7	250	2.00	5	2	original	ϕ_o	0.702	0.401	0.552	3.163
IVFC	7	250	2.30	5	2	original	ϕ_o	0.732	0.273	0.502	3.217

IVFC	7	250	3.00	5	2	original	ϕ_o	0.750	0.137	0.444	2.795
IVFC	7	10	0.50	3	4	original	ϕ_o	0.672	0.765	0.719	3.648
IVFC	7	10	0.70	3	4	original	ϕ_o	0.804	0.520	0.662	3.171
IVFC	7	10	1.00	3	4	original	ϕ_o	0.858	0.231	0.544	2.538
IVFC	7	100	0.50	3	4	original	ϕ_o	0.183	0.986	0.584	3.430
IVFC	7	100	0.70	3	4	original	ϕ_o	0.308	0.962	0.635	3.646
IVFC	7	100	1.00	3	4	original	ϕ_o	0.510	0.886	0.698	3.672
IVFC	7	250	0.50	3	4	original	ϕ_o	0.072	0.997	0.534	3.058
IVFC	7	250	0.70	3	4	original	ϕ_o	0.135	0.991	0.563	3.436
IVFC	7	250	1.00	3	4	original	ϕ_o	0.230	0.974	0.602	3.630
IVFC	7	10	0.50	7	2	original	ϕ_o	0.607	0.434	0.521	2.677
IVFC	7	10	0.70	7	2	original	ϕ_o	0.670	0.210	0.440	2.392
IVFC	7	10	1.00	7	2	original	ϕ_o	0.684	0.130	0.407	1.947
IVFC	7	100	0.50	7	2	original	ϕ_o	0.212	0.957	0.585	2.682
IVFC	7	100	0.70	7	2	original	ϕ_o	0.405	0.829	0.617	2.700
IVFC	7	100	1.00	7	2	original	ϕ_o	0.582	0.556	0.569	2.723
IVFC	7	250	0.50	7	2	original	ϕ_o	0.081	0.994	0.537	2.511
IVFC	7	250	0.70	7	2	original	ϕ_o	0.137	0.980	0.558	2.654
IVFC	7	250	1.00	7	2	original	ϕ_o	0.304	0.909	0.606	2.686
IVFC	7	10	4.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	7	100	4.00	5	7	original	ϕ_o	0.746	0.123	0.435	2.789
IVFC	7	250	4.00	5	7	original	ϕ_o	0.725	0.313	0.519	3.178
IVFC	7	500	2.00	7	4	original	ϕ_o	0.396	0.883	0.639	2.906
IVFC	7	500	2.30	7	4	original	ϕ_o	0.487	0.795	0.641	2.917
IVFC	7	500	3.00	7	4	original	ϕ_o	0.612	0.577	0.595	2.924
IVFC	7	750	2.00	7	4	original	ϕ_o	0.396	0.883	0.639	2.906
IVFC	7	750	2.30	7	4	original	ϕ_o	0.487	0.795	0.641	2.917
IVFC	7	750	3.00	7	4	original	ϕ_o	0.612	0.577	0.595	2.924
IVFC	7	1000	2.00	7	4	original	ϕ_o	0.396	0.883	0.639	2.906
IVFC	7	1000	2.30	7	4	original	ϕ_o	0.487	0.795	0.641	2.917
IVFC	7	1000	3.00	7	4	original	ϕ_o	0.612	0.577	0.595	2.924
IVFC	7	10	0.50	5	3	original	ϕ_o	0.514	0.833	0.673	3.177
IVFC	7	10	0.70	5	3	original	ϕ_o	0.690	0.475	0.583	3.212
IVFC	7	10	1.00	5	3	original	ϕ_o	0.751	0.156	0.453	2.205
IVFC	7	100	0.50	5	3	original	ϕ_o	0.137	0.978	0.557	3.102
IVFC	7	100	0.70	5	3	original	ϕ_o	0.221	0.960	0.590	3.241
IVFC	7	100	1.00	5	3	original	ϕ_o	0.435	0.893	0.664	3.193
IVFC	7	250	0.50	5	3	original	ϕ_o	0.058	0.993	0.525	2.771
IVFC	7	250	0.70	5	3	original	ϕ_o	0.096	0.984	0.540	3.098
IVFC	7	250	1.00	5	3	original	ϕ_o	0.152	0.969	0.560	3.223
IVFC	7	10	0.20	7	4	original	ϕ_o	0.189	0.983	0.586	2.661
IVFC	7	100	0.20	7	4	original	ϕ_o	0.029	1.000	0.514	1.655
IVFC	7	250	0.20	7	4	original	ϕ_o	0.016	1.000	0.508	1.242
IVFC	7	10	1.25	2	5	original	ϕ_o	0.968	0.094	0.531	2.850
IVFC	7	10	1.50	2	5	original	ϕ_o	0.967	0.056	0.511	2.838
IVFC	7	10	1.70	2	5	original	ϕ_o	0.966	0.054	0.510	2.834
IVFC	7	100	1.25	2	5	original	ϕ_o	0.771	0.862	0.817	4.436
IVFC	7	100	1.50	2	5	original	ϕ_o	0.857	0.786	0.821	4.407
IVFC	7	100	1.70	2	5	original	ϕ_o	0.898	0.712	0.805	3.738
IVFC	7	250	1.25	2	5	original	ϕ_o	0.477	0.963	0.720	4.396

IVFC	7	250	1.50	2	5	original	ϕ_o	0.591	0.934	0.763	4.410
IVFC	7	250	1.70	2	5	original	ϕ_o	0.671	0.907	0.789	4.416
IVFC	10	10	4.00	2	2	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	10	100	4.00	2	2	original	ϕ_o	0.967	0.055	0.511	2.837
IVFC	10	250	4.00	2	2	original	ϕ_o	0.967	0.156	0.562	2.862
IVFC	10	10	0.20	5	2	original	ϕ_o	0.138	0.974	0.556	2.669
IVFC	10	100	0.20	5	2	original	ϕ_o	0.047	0.991	0.519	1.987
IVFC	10	250	0.20	5	2	original	ϕ_o	0.023	0.997	0.510	1.622
IVFC	10	500	4.00	5	7	original	ϕ_o	0.666	0.569	0.617	3.120
IVFC	10	750	4.00	5	7	original	ϕ_o	0.666	0.569	0.617	3.120
IVFC	10	1000	4.00	5	7	original	ϕ_o	0.666	0.569	0.617	3.120
IVFC	10	500	0.50	3	4	original	ϕ_o	0.028	0.999	0.514	2.853
IVFC	10	500	0.70	3	4	original	ϕ_o	0.062	0.997	0.530	3.224
IVFC	10	500	1.00	3	4	original	ϕ_o	0.116	0.992	0.554	3.459
IVFC	10	750	0.50	3	4	original	ϕ_o	0.028	0.999	0.514	2.837
IVFC	10	750	0.70	3	4	original	ϕ_o	0.062	0.997	0.530	3.210
IVFC	10	750	1.00	3	4	original	ϕ_o	0.115	0.993	0.554	3.443
IVFC	10	1000	0.50	3	4	original	ϕ_o	0.028	0.999	0.514	2.837
IVFC	10	1000	0.70	3	4	original	ϕ_o	0.062	0.997	0.530	3.210
IVFC	10	1000	1.00	3	4	original	ϕ_o	0.115	0.993	0.554	3.443
IVFC	10	500	0.20	6	4	original	ϕ_o	0.001	1.000	0.501	1.521
IVFC	10	750	0.20	6	4	original	ϕ_o	0.001	1.000	0.501	1.520
IVFC	10	1000	0.20	6	4	original	ϕ_o	0.001	1.000	0.501	1.520
IVFC	10	10	1.25	2	6	original	ϕ_o	0.965	0.223	0.594	2.870
IVFC	10	10	1.50	2	6	original	ϕ_o	0.967	0.078	0.522	2.845
IVFC	10	10	1.70	2	6	original	ϕ_o	0.966	0.056	0.511	2.835
IVFC	10	100	1.25	2	6	original	ϕ_o	0.605	0.944	0.775	4.451
IVFC	10	100	1.50	2	6	original	ϕ_o	0.714	0.900	0.807	4.450
IVFC	10	100	1.70	2	6	original	ϕ_o	0.785	0.855	0.820	4.434
IVFC	10	250	1.25	2	6	original	ϕ_o	0.333	0.988	0.661	4.390
IVFC	10	250	1.50	2	6	original	ϕ_o	0.434	0.974	0.704	4.401
IVFC	10	250	1.70	2	6	original	ϕ_o	0.515	0.958	0.737	4.410
IVFC	10	10	1.25	6	5	original	ϕ_o	0.738	0.085	0.412	1.451
IVFC	10	10	1.50	6	5	original	ϕ_o	0.736	0.054	0.395	2.106
IVFC	10	10	1.70	6	5	original	ϕ_o	0.735	0.051	0.393	1.440
IVFC	10	100	1.25	6	5	original	ϕ_o	0.460	0.863	0.661	3.096
IVFC	10	100	1.50	6	5	original	ϕ_o	0.570	0.746	0.658	3.045
IVFC	10	100	1.70	6	5	original	ϕ_o	0.629	0.627	0.628	2.652
IVFC	10	250	1.25	6	5	original	ϕ_o	0.218	0.969	0.594	3.110
IVFC	10	250	1.50	6	5	original	ϕ_o	0.287	0.944	0.615	3.100
IVFC	10	250	1.70	6	5	original	ϕ_o	0.350	0.913	0.631	3.075
IVFC	10	500	2.00	6	3	original	ϕ_o	0.398	0.887	0.643	3.065
IVFC	10	500	2.30	6	3	original	ϕ_o	0.484	0.832	0.658	3.046
IVFC	10	500	3.00	6	3	original	ϕ_o	0.626	0.649	0.638	2.662
IVFC	10	750	2.00	6	3	original	ϕ_o	0.353	0.909	0.631	3.062
IVFC	10	750	2.30	6	3	original	ϕ_o	0.437	0.863	0.650	3.048
IVFC	10	750	3.00	6	3	original	ϕ_o	0.591	0.714	0.652	2.664
IVFC	10	1000	2.00	6	3	original	ϕ_o	0.353	0.909	0.631	3.062
IVFC	10	1000	2.30	6	3	original	ϕ_o	0.437	0.863	0.650	3.048
IVFC	10	1000	3.00	6	3	original	ϕ_o	0.591	0.714	0.652	2.664

IVFC	10	500	4.00	7	3	original	ϕ_o	0.604	0.569	0.587	2.889
IVFC	10	750	4.00	7	3	original	ϕ_o	0.600	0.576	0.588	2.884
IVFC	10	1000	4.00	7	3	original	ϕ_o	0.600	0.576	0.588	2.884
IVFC	10	500	4.00	5	3	original	ϕ_o	0.661	0.551	0.606	3.113
IVFC	10	750	4.00	5	3	original	ϕ_o	0.657	0.561	0.609	3.103
IVFC	10	1000	4.00	5	3	original	ϕ_o	0.657	0.561	0.609	3.103
IVFC	10	10	0.20	2	7	original	ϕ_o	0.219	0.986	0.602	3.189
IVFC	10	100	0.20	2	7	original	ϕ_o	0.006	1.000	0.503	2.032
IVFC	10	250	0.20	2	7	original	ϕ_o	0.001	1.000	0.500	1.802
IVFC	10	10	4.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	10	100	4.00	7	3	original	ϕ_o	0.685	0.128	0.407	2.421
IVFC	10	250	4.00	7	3	original	ϕ_o	0.674	0.267	0.470	2.859
IVFC	10	10	1.25	3	7	original	ϕ_o	0.858	0.229	0.544	2.538
IVFC	10	10	1.50	3	7	original	ϕ_o	0.866	0.116	0.491	2.534
IVFC	10	10	1.70	3	7	original	ϕ_o	0.866	0.084	0.475	2.527
IVFC	10	100	1.25	3	7	original	ϕ_o	0.331	0.938	0.634	3.554
IVFC	10	100	1.50	3	7	original	ϕ_o	0.462	0.876	0.669	3.524
IVFC	10	100	1.70	3	7	original	ϕ_o	0.575	0.806	0.691	3.506
IVFC	10	250	1.25	3	7	original	ϕ_o	0.175	0.983	0.579	3.530
IVFC	10	250	1.50	3	7	original	ϕ_o	0.226	0.972	0.599	3.558
IVFC	10	250	1.70	3	7	original	ϕ_o	0.273	0.958	0.615	3.569
IVFC	10	10	0.20	2	5	original	ϕ_o	0.296	0.981	0.638	3.474
IVFC	10	100	0.20	2	5	original	ϕ_o	0.012	1.000	0.506	2.327
IVFC	10	250	0.20	2	5	original	ϕ_o	0.001	1.000	0.501	1.954
IVFC	10	500	1.25	4	4	original	ϕ_o	0.106	0.996	0.551	3.049
IVFC	10	500	1.50	4	4	original	ϕ_o	0.133	0.993	0.563	3.183
IVFC	10	500	1.70	4	4	original	ϕ_o	0.157	0.990	0.574	3.277
IVFC	10	750	1.25	4	4	original	ϕ_o	0.106	0.996	0.551	3.049
IVFC	10	750	1.50	4	4	original	ϕ_o	0.133	0.993	0.563	3.183
IVFC	10	750	1.70	4	4	original	ϕ_o	0.157	0.990	0.574	3.277
IVFC	10	1000	1.25	4	4	original	ϕ_o	0.106	0.996	0.551	3.049
IVFC	10	1000	1.50	4	4	original	ϕ_o	0.133	0.993	0.563	3.183
IVFC	10	1000	1.70	4	4	original	ϕ_o	0.157	0.990	0.574	3.277
IVFC	10	500	2.00	7	5	original	ϕ_o	0.193	0.968	0.581	2.820
IVFC	10	500	2.30	7	5	original	ϕ_o	0.274	0.941	0.608	2.839
IVFC	10	500	3.00	7	5	original	ϕ_o	0.450	0.824	0.637	2.884
IVFC	10	750	2.00	7	5	original	ϕ_o	0.193	0.968	0.581	2.820
IVFC	10	750	2.30	7	5	original	ϕ_o	0.274	0.941	0.608	2.839
IVFC	10	750	3.00	7	5	original	ϕ_o	0.450	0.824	0.637	2.884
IVFC	10	1000	2.00	7	5	original	ϕ_o	0.193	0.968	0.581	2.820
IVFC	10	1000	2.30	7	5	original	ϕ_o	0.274	0.941	0.608	2.839
IVFC	10	1000	3.00	7	5	original	ϕ_o	0.450	0.824	0.637	2.884
IVFC	10	10	0.50	5	2	original	ϕ_o	0.458	0.778	0.618	2.873
IVFC	10	10	0.70	5	2	original	ϕ_o	0.673	0.396	0.534	2.641
IVFC	10	10	1.00	5	2	original	ϕ_o	0.749	0.147	0.448	2.797
IVFC	10	100	0.50	5	2	original	ϕ_o	0.134	0.962	0.548	3.053
IVFC	10	100	0.70	5	2	original	ϕ_o	0.208	0.943	0.575	3.060
IVFC	10	100	1.00	5	2	original	ϕ_o	0.447	0.840	0.643	3.004
IVFC	10	250	0.50	5	2	original	ϕ_o	0.077	0.977	0.527	2.862
IVFC	10	250	0.70	5	2	original	ϕ_o	0.105	0.966	0.535	3.043

IVFC	10	250	1.00	5	2	original	ϕ_o	0.163	0.951	0.557	3.048
IVFC	10	500	0.50	7	7	original	ϕ_o	0.031	1.000	0.515	2.181
IVFC	10	500	0.70	7	7	original	ϕ_o	0.041	0.999	0.520	2.446
IVFC	10	500	1.00	7	7	original	ϕ_o	0.058	0.997	0.527	2.599
IVFC	10	750	0.50	7	7	original	ϕ_o	0.031	1.000	0.515	2.181
IVFC	10	750	0.70	7	7	original	ϕ_o	0.041	0.999	0.520	2.446
IVFC	10	750	1.00	7	7	original	ϕ_o	0.058	0.997	0.527	2.599
IVFC	10	1000	0.50	7	7	original	ϕ_o	0.031	1.000	0.515	2.181
IVFC	10	1000	0.70	7	7	original	ϕ_o	0.041	0.999	0.520	2.446
IVFC	10	1000	1.00	7	7	original	ϕ_o	0.058	0.997	0.527	2.599
IVFC	10	10	0.20	6	5	original	ϕ_o	0.171	0.990	0.580	2.434
IVFC	10	100	0.20	6	5	original	ϕ_o	0.021	1.000	0.510	1.717
IVFC	10	250	0.20	6	5	original	ϕ_o	0.004	1.000	0.502	1.511
IVFC	10	500	1.25	5	5	original	ϕ_o	0.092	0.975	0.534	3.081
IVFC	10	500	1.50	5	5	original	ϕ_o	0.114	0.965	0.540	3.095
IVFC	10	500	1.70	5	5	original	ϕ_o	0.136	0.957	0.546	3.099
IVFC	10	750	1.25	5	5	original	ϕ_o	0.092	0.975	0.534	3.081
IVFC	10	750	1.50	5	5	original	ϕ_o	0.114	0.965	0.540	3.095
IVFC	10	750	1.70	5	5	original	ϕ_o	0.136	0.957	0.546	3.099
IVFC	10	1000	1.25	5	5	original	ϕ_o	0.092	0.975	0.534	3.081
IVFC	10	1000	1.50	5	5	original	ϕ_o	0.114	0.965	0.540	3.095
IVFC	10	1000	1.70	5	5	original	ϕ_o	0.136	0.957	0.546	3.099
IVFC	10	10	0.50	3	6	original	ϕ_o	0.473	0.910	0.692	3.676
IVFC	10	10	0.70	3	6	original	ϕ_o	0.679	0.748	0.713	3.606
IVFC	10	10	1.00	3	6	original	ϕ_o	0.830	0.408	0.619	3.135
IVFC	10	100	0.50	3	6	original	ϕ_o	0.096	0.994	0.545	3.270
IVFC	10	100	0.70	3	6	original	ϕ_o	0.168	0.984	0.576	3.562
IVFC	10	100	1.00	3	6	original	ϕ_o	0.268	0.960	0.614	3.628
IVFC	10	250	0.50	3	6	original	ϕ_o	0.035	0.998	0.516	2.890
IVFC	10	250	0.70	3	6	original	ϕ_o	0.075	0.996	0.535	3.286
IVFC	10	250	1.00	3	6	original	ϕ_o	0.134	0.988	0.561	3.497
IVFC	10	500	1.25	2	3	original	ϕ_o	0.257	0.990	0.624	4.319
IVFC	10	500	1.50	2	3	original	ϕ_o	0.349	0.978	0.663	4.336
IVFC	10	500	1.70	2	3	original	ϕ_o	0.425	0.965	0.695	4.342
IVFC	10	750	1.25	2	3	original	ϕ_o	0.247	0.990	0.619	4.308
IVFC	10	750	1.50	2	3	original	ϕ_o	0.336	0.979	0.657	4.331
IVFC	10	750	1.70	2	3	original	ϕ_o	0.412	0.966	0.689	4.337
IVFC	10	1000	1.25	2	3	original	ϕ_o	0.247	0.990	0.619	4.308
IVFC	10	1000	1.50	2	3	original	ϕ_o	0.336	0.979	0.657	4.331
IVFC	10	1000	1.70	2	3	original	ϕ_o	0.412	0.966	0.689	4.337
IVFC	10	10	1.25	7	2	original	ϕ_o	0.684	0.123	0.403	2.401
IVFC	10	10	1.50	7	2	original	ϕ_o	0.685	0.115	0.400	1.943
IVFC	10	10	1.70	7	2	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	10	100	1.25	7	2	original	ϕ_o	0.600	0.513	0.556	2.731
IVFC	10	100	1.50	7	2	original	ϕ_o	0.659	0.332	0.495	2.771
IVFC	10	100	1.70	7	2	original	ϕ_o	0.674	0.244	0.459	2.436
IVFC	10	250	1.25	7	2	original	ϕ_o	0.267	0.932	0.600	2.661
IVFC	10	250	1.50	7	2	original	ϕ_o	0.379	0.845	0.612	2.690
IVFC	10	250	1.70	7	2	original	ϕ_o	0.460	0.749	0.605	2.712
IVFC	10	500	0.20	4	3	original	ϕ_o	0.001	1.000	0.501	1.126

IVFC	10	750	0.20	4	3	original	ϕ_o	0.001	1.000	0.501	1.124
IVFC	10	1000	0.20	4	3	original	ϕ_o	0.001	1.000	0.501	1.124
IVFC	10	500	0.20	2	2	original	ϕ_o	0.004	1.000	0.502	2.127
IVFC	10	750	0.20	2	2	original	ϕ_o	0.003	1.000	0.501	2.000
IVFC	10	1000	0.20	2	2	original	ϕ_o	0.002	1.000	0.501	1.981
IVFC	10	500	1.25	5	2	original	ϕ_o	0.113	0.965	0.539	3.052
IVFC	10	500	1.50	5	2	original	ϕ_o	0.147	0.956	0.551	3.050
IVFC	10	500	1.70	5	2	original	ϕ_o	0.193	0.945	0.569	3.043
IVFC	10	750	1.25	5	2	original	ϕ_o	0.088	0.975	0.532	3.062
IVFC	10	750	1.50	5	2	original	ϕ_o	0.105	0.970	0.538	3.081
IVFC	10	750	1.70	5	2	original	ϕ_o	0.126	0.966	0.546	3.088
IVFC	10	1000	1.25	5	2	original	ϕ_o	0.086	0.975	0.531	3.059
IVFC	10	1000	1.50	5	2	original	ϕ_o	0.103	0.970	0.537	3.076
IVFC	10	1000	1.70	5	2	original	ϕ_o	0.124	0.966	0.545	3.084
IVFC	10	500	4.00	6	4	original	ϕ_o	0.703	0.401	0.552	2.673
IVFC	10	750	4.00	6	4	original	ϕ_o	0.702	0.412	0.557	2.679
IVFC	10	1000	4.00	6	4	original	ϕ_o	0.702	0.412	0.557	2.679
IVFC	10	500	0.50	7	6	original	ϕ_o	0.026	1.000	0.513	2.206
IVFC	10	500	0.70	7	6	original	ϕ_o	0.033	0.999	0.516	2.452
IVFC	10	500	1.00	7	6	original	ϕ_o	0.048	0.997	0.523	2.602
IVFC	10	750	0.50	7	6	original	ϕ_o	0.026	1.000	0.513	2.206
IVFC	10	750	0.70	7	6	original	ϕ_o	0.033	0.999	0.516	2.452
IVFC	10	750	1.00	7	6	original	ϕ_o	0.048	0.997	0.523	2.602
IVFC	10	1000	0.50	7	6	original	ϕ_o	0.026	1.000	0.513	2.206
IVFC	10	1000	0.70	7	6	original	ϕ_o	0.033	0.999	0.516	2.452
IVFC	10	1000	1.00	7	6	original	ϕ_o	0.048	0.997	0.523	2.602
IVFC	10	500	0.20	4	4	original	ϕ_o	0.001	1.000	0.500	1.126
IVFC	10	750	0.20	4	4	original	ϕ_o	0.001	1.000	0.500	1.126
IVFC	10	1000	0.20	4	4	original	ϕ_o	0.001	1.000	0.500	1.126
IVFC	10	10	1.25	5	6	original	ϕ_o	0.742	0.235	0.489	2.798
IVFC	10	10	1.50	5	6	original	ϕ_o	0.749	0.132	0.440	2.800
IVFC	10	10	1.70	5	6	original	ϕ_o	0.750	0.106	0.428	2.195
IVFC	10	100	1.25	5	6	original	ϕ_o	0.181	0.948	0.565	3.128
IVFC	10	100	1.50	5	6	original	ϕ_o	0.265	0.923	0.594	3.090
IVFC	10	100	1.70	5	6	original	ϕ_o	0.365	0.894	0.629	3.070
IVFC	10	250	1.25	5	6	original	ϕ_o	0.101	0.975	0.538	3.088
IVFC	10	250	1.50	5	6	original	ϕ_o	0.122	0.964	0.543	3.094
IVFC	10	250	1.70	5	6	original	ϕ_o	0.143	0.955	0.549	3.091
IVFC	10	500	2.00	3	3	original	ϕ_o	0.280	0.948	0.614	3.492
IVFC	10	500	2.30	3	3	original	ϕ_o	0.363	0.914	0.639	3.483
IVFC	10	500	3.00	3	3	original	ϕ_o	0.594	0.769	0.681	3.464
IVFC	10	750	2.00	3	3	original	ϕ_o	0.268	0.951	0.609	3.424
IVFC	10	750	2.30	3	3	original	ϕ_o	0.332	0.921	0.627	3.415
IVFC	10	750	3.00	3	3	original	ϕ_o	0.542	0.792	0.667	3.392
IVFC	10	1000	2.00	3	3	original	ϕ_o	0.268	0.951	0.609	3.424
IVFC	10	1000	2.30	3	3	original	ϕ_o	0.332	0.921	0.627	3.415
IVFC	10	1000	3.00	3	3	original	ϕ_o	0.542	0.792	0.667	3.392
IVFC	10	500	4.00	6	2	original	ϕ_o	0.717	0.147	0.432	2.080
IVFC	10	750	4.00	6	2	original	ϕ_o	0.698	0.311	0.504	2.093
IVFC	10	1000	4.00	6	2	original	ϕ_o	0.691	0.345	0.518	2.090

IVFC	10	10	0.20	7	7	original	ϕ_o	0.082	0.995	0.538	2.170
IVFC	10	100	0.20	7	7	original	ϕ_o	0.021	1.000	0.510	1.250
IVFC	10	250	0.20	7	7	original	ϕ_o	0.012	1.000	0.506	1.067
IVFC	10	500	0.50	6	4	original	ϕ_o	0.032	0.999	0.516	2.604
IVFC	10	500	0.70	6	4	original	ϕ_o	0.064	0.997	0.531	2.919
IVFC	10	500	1.00	6	4	original	ϕ_o	0.119	0.989	0.554	3.049
IVFC	10	750	0.50	6	4	original	ϕ_o	0.031	0.999	0.515	2.603
IVFC	10	750	0.70	6	4	original	ϕ_o	0.064	0.997	0.530	2.918
IVFC	10	750	1.00	6	4	original	ϕ_o	0.118	0.989	0.553	3.052
IVFC	10	1000	0.50	6	4	original	ϕ_o	0.031	0.999	0.515	2.603
IVFC	10	1000	0.70	6	4	original	ϕ_o	0.064	0.997	0.530	2.918
IVFC	10	1000	1.00	6	4	original	ϕ_o	0.118	0.989	0.553	3.052
IVFC	10	10	0.20	2	2	original	ϕ_o	0.432	0.974	0.703	3.868
IVFC	10	100	0.20	2	2	original	ϕ_o	0.062	1.000	0.531	2.953
IVFC	10	250	0.20	2	2	original	ϕ_o	0.015	1.000	0.508	2.461
IVFC	10	10	1.25	4	6	original	ϕ_o	0.788	0.214	0.501	3.416
IVFC	10	10	1.50	4	6	original	ϕ_o	0.794	0.121	0.458	2.304
IVFC	10	10	1.70	4	6	original	ϕ_o	0.793	0.099	0.446	2.296
IVFC	10	100	1.25	4	6	original	ϕ_o	0.270	0.970	0.620	3.366
IVFC	10	100	1.50	4	6	original	ϕ_o	0.419	0.931	0.675	3.418
IVFC	10	100	1.70	4	6	original	ϕ_o	0.524	0.872	0.698	3.429
IVFC	10	250	1.25	4	6	original	ϕ_o	0.125	0.993	0.559	3.083
IVFC	10	250	1.50	4	6	original	ϕ_o	0.157	0.989	0.573	3.201
IVFC	10	250	1.70	4	6	original	ϕ_o	0.189	0.983	0.586	3.272
IVFC	10	10	4.00	4	6	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	10	100	4.00	4	6	original	ϕ_o	0.796	0.146	0.471	2.892
IVFC	10	250	4.00	4	6	original	ϕ_o	0.750	0.485	0.617	2.943
IVFC	10	500	4.00	6	7	original	ϕ_o	0.709	0.348	0.529	2.656
IVFC	10	750	4.00	6	7	original	ϕ_o	0.709	0.348	0.529	2.656
IVFC	10	1000	4.00	6	7	original	ϕ_o	0.709	0.348	0.529	2.656
IVFC	10	10	0.50	5	6	original	ϕ_o	0.268	0.952	0.610	3.233
IVFC	10	10	0.70	5	6	original	ϕ_o	0.422	0.866	0.644	3.089
IVFC	10	10	1.00	5	6	original	ϕ_o	0.683	0.479	0.581	3.121
IVFC	10	100	0.50	5	6	original	ϕ_o	0.059	0.990	0.525	2.863
IVFC	10	100	0.70	5	6	original	ϕ_o	0.094	0.981	0.538	3.099
IVFC	10	100	1.00	5	6	original	ϕ_o	0.138	0.965	0.551	3.150
IVFC	10	250	0.50	5	6	original	ϕ_o	0.023	0.997	0.510	2.586
IVFC	10	250	0.70	5	6	original	ϕ_o	0.047	0.991	0.519	2.922
IVFC	10	250	1.00	5	6	original	ϕ_o	0.078	0.982	0.530	3.070
IVFC	10	500	0.50	2	7	original	ϕ_o	0.040	1.000	0.520	3.556
IVFC	10	500	0.70	2	7	original	ϕ_o	0.107	0.999	0.553	4.064
IVFC	10	500	1.00	2	7	original	ϕ_o	0.227	0.994	0.611	4.317
IVFC	10	750	0.50	2	7	original	ϕ_o	0.040	1.000	0.520	3.556
IVFC	10	750	0.70	2	7	original	ϕ_o	0.107	0.999	0.553	4.064
IVFC	10	750	1.00	2	7	original	ϕ_o	0.227	0.994	0.611	4.317
IVFC	10	1000	0.50	2	7	original	ϕ_o	0.040	1.000	0.520	3.556
IVFC	10	1000	0.70	2	7	original	ϕ_o	0.107	0.999	0.553	4.064
IVFC	10	1000	1.00	2	7	original	ϕ_o	0.227	0.994	0.611	4.317
IVFC	10	10	1.25	3	3	original	ϕ_o	0.864	0.120	0.492	2.528
IVFC	10	10	1.50	3	3	original	ϕ_o	0.866	0.077	0.472	2.524

IVFC	10	10	1.70	3	3	original	ϕ_o	0.866	0.071	0.469	2.522
IVFC	10	100	1.25	3	3	original	ϕ_o	0.569	0.844	0.706	3.616
IVFC	10	100	1.50	3	3	original	ϕ_o	0.709	0.719	0.714	3.579
IVFC	10	100	1.70	3	3	original	ϕ_o	0.774	0.611	0.693	3.129
IVFC	10	250	1.25	3	3	original	ϕ_o	0.236	0.969	0.603	3.578
IVFC	10	250	1.50	3	3	original	ϕ_o	0.303	0.947	0.625	3.605
IVFC	10	250	1.70	3	3	original	ϕ_o	0.389	0.917	0.653	3.594
IVFC	10	10	0.20	4	4	original	ϕ_o	0.154	0.993	0.574	2.462
IVFC	10	100	0.20	4	4	original	ϕ_o	0.015	1.000	0.508	1.541
IVFC	10	250	0.20	4	4	original	ϕ_o	0.002	1.000	0.501	1.227
IVFC	10	500	2.00	6	6	original	ϕ_o	0.381	0.901	0.641	3.108
IVFC	10	500	2.30	6	6	original	ϕ_o	0.478	0.843	0.661	3.084
IVFC	10	500	3.00	6	6	original	ϕ_o	0.627	0.663	0.645	3.042
IVFC	10	750	2.00	6	6	original	ϕ_o	0.381	0.901	0.641	3.108
IVFC	10	750	2.30	6	6	original	ϕ_o	0.478	0.843	0.661	3.084
IVFC	10	750	3.00	6	6	original	ϕ_o	0.627	0.663	0.645	3.042
IVFC	10	1000	2.00	6	6	original	ϕ_o	0.381	0.901	0.641	3.108
IVFC	10	1000	2.30	6	6	original	ϕ_o	0.478	0.843	0.661	3.084
IVFC	10	1000	3.00	6	6	original	ϕ_o	0.627	0.663	0.645	3.042
IVFC	10	10	2.00	2	2	original	ϕ_o	0.965	0.055	0.510	2.830
IVFC	10	10	2.30	2	2	original	ϕ_o	0.964	0.056	0.510	2.827
IVFC	10	10	3.00	2	2	original	ϕ_o	0.964	0.057	0.510	2.825
IVFC	10	100	2.00	2	2	original	ϕ_o	0.959	0.370	0.665	2.886
IVFC	10	100	2.30	2	2	original	ϕ_o	0.967	0.214	0.591	2.875
IVFC	10	100	3.00	2	2	original	ϕ_o	0.969	0.067	0.518	2.848
IVFC	10	250	2.00	2	2	original	ϕ_o	0.851	0.739	0.795	4.253
IVFC	10	250	2.30	2	2	original	ϕ_o	0.905	0.651	0.778	3.681
IVFC	10	250	3.00	2	2	original	ϕ_o	0.955	0.420	0.688	2.884
IVFC	10	500	1.25	3	4	original	ϕ_o	0.159	0.987	0.573	3.513
IVFC	10	500	1.50	3	4	original	ϕ_o	0.200	0.978	0.589	3.542
IVFC	10	500	1.70	3	4	original	ϕ_o	0.235	0.968	0.602	3.545
IVFC	10	750	1.25	3	4	original	ϕ_o	0.156	0.987	0.572	3.495
IVFC	10	750	1.50	3	4	original	ϕ_o	0.196	0.979	0.587	3.525
IVFC	10	750	1.70	3	4	original	ϕ_o	0.229	0.969	0.599	3.526
IVFC	10	1000	1.25	3	4	original	ϕ_o	0.156	0.987	0.572	3.495
IVFC	10	1000	1.50	3	4	original	ϕ_o	0.196	0.979	0.587	3.525
IVFC	10	1000	1.70	3	4	original	ϕ_o	0.229	0.969	0.599	3.526
IVFC	10	10	0.20	7	6	original	ϕ_o	0.097	0.993	0.545	2.331
IVFC	10	100	0.20	7	6	original	ϕ_o	0.022	1.000	0.511	1.390
IVFC	10	250	0.20	7	6	original	ϕ_o	0.011	1.000	0.506	1.144
IVFC	10	500	0.50	6	7	original	ϕ_o	0.029	0.999	0.514	2.618
IVFC	10	500	0.70	6	7	original	ϕ_o	0.065	0.997	0.531	2.974
IVFC	10	500	1.00	6	7	original	ϕ_o	0.125	0.990	0.558	3.114
IVFC	10	750	0.50	6	7	original	ϕ_o	0.029	0.999	0.514	2.618
IVFC	10	750	0.70	6	7	original	ϕ_o	0.065	0.997	0.531	2.974
IVFC	10	750	1.00	6	7	original	ϕ_o	0.125	0.990	0.558	3.114
IVFC	10	1000	0.50	6	7	original	ϕ_o	0.029	0.999	0.514	2.618
IVFC	10	1000	0.70	6	7	original	ϕ_o	0.065	0.997	0.531	2.974
IVFC	10	1000	1.00	6	7	original	ϕ_o	0.125	0.990	0.558	3.114
IVFC	10	10	0.50	6	4	original	ϕ_o	0.502	0.818	0.660	3.069

IVFC	10	10	0.70	6	4	original	ϕ_o	0.653	0.547	0.600	2.662
IVFC	10	10	1.00	6	4	original	ϕ_o	0.733	0.184	0.458	2.139
IVFC	10	100	0.50	6	4	original	ϕ_o	0.166	0.977	0.571	2.946
IVFC	10	100	0.70	6	4	original	ϕ_o	0.253	0.951	0.602	3.028
IVFC	10	100	1.00	6	4	original	ϕ_o	0.403	0.869	0.636	2.995
IVFC	10	250	0.50	6	4	original	ϕ_o	0.064	0.995	0.530	2.713
IVFC	10	250	0.70	6	4	original	ϕ_o	0.113	0.986	0.549	2.941
IVFC	10	250	1.00	6	4	original	ϕ_o	0.188	0.966	0.577	2.997
IVFC	10	500	4.00	7	4	original	ϕ_o	0.608	0.578	0.593	2.910
IVFC	10	750	4.00	7	4	original	ϕ_o	0.608	0.578	0.593	2.910
IVFC	10	1000	4.00	7	4	original	ϕ_o	0.608	0.578	0.593	2.910
IVFC	10	10	0.20	7	3	original	ϕ_o	0.113	0.986	0.550	2.525
IVFC	10	100	0.20	7	3	original	ϕ_o	0.039	1.000	0.519	1.719
IVFC	10	250	0.20	7	3	original	ϕ_o	0.021	1.000	0.511	1.342
IVFC	10	10	0.50	5	4	original	ϕ_o	0.303	0.932	0.618	3.191
IVFC	10	10	0.70	5	4	original	ϕ_o	0.526	0.776	0.651	3.078
IVFC	10	10	1.00	5	4	original	ϕ_o	0.733	0.313	0.523	2.783
IVFC	10	100	0.50	5	4	original	ϕ_o	0.082	0.984	0.533	3.010
IVFC	10	100	0.70	5	4	original	ϕ_o	0.120	0.972	0.546	3.181
IVFC	10	100	1.00	5	4	original	ϕ_o	0.200	0.950	0.575	3.187
IVFC	10	250	0.50	5	4	original	ϕ_o	0.034	0.995	0.515	2.659
IVFC	10	250	0.70	5	4	original	ϕ_o	0.058	0.988	0.523	2.986
IVFC	10	250	1.00	5	4	original	ϕ_o	0.091	0.975	0.533	3.124
IVFC	10	500	4.00	5	2	original	ϕ_o	0.712	0.357	0.535	3.132
IVFC	10	750	4.00	5	2	original	ϕ_o	0.645	0.614	0.630	3.141
IVFC	10	1000	4.00	5	2	original	ϕ_o	0.643	0.616	0.630	3.136
IVFC	10	10	4.00	7	7	original	ϕ_o	0.685	0.113	0.399	2.745
IVFC	10	100	4.00	7	7	original	ϕ_o	0.687	0.185	0.436	2.463
IVFC	10	250	4.00	7	7	original	ϕ_o	0.645	0.412	0.529	2.874
IVFC	10	500	0.20	6	6	original	ϕ_o	0.001	1.000	0.500	1.471
IVFC	10	750	0.20	6	6	original	ϕ_o	0.001	1.000	0.500	1.471
IVFC	10	1000	0.20	6	6	original	ϕ_o	0.001	1.000	0.500	1.471
IVFC	10	10	2.00	3	6	original	ϕ_o	0.867	0.072	0.469	2.523
IVFC	10	10	2.30	3	6	original	ϕ_o	0.866	0.071	0.469	2.522
IVFC	10	10	3.00	3	6	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	10	100	2.00	3	6	original	ϕ_o	0.748	0.625	0.687	3.499
IVFC	10	100	2.30	3	6	original	ϕ_o	0.807	0.478	0.643	3.085
IVFC	10	100	3.00	3	6	original	ϕ_o	0.857	0.213	0.535	2.525
IVFC	10	250	2.00	3	6	original	ϕ_o	0.372	0.910	0.641	3.542
IVFC	10	250	2.30	3	6	original	ϕ_o	0.500	0.853	0.676	3.522
IVFC	10	250	3.00	3	6	original	ϕ_o	0.735	0.656	0.696	3.478
IVFC	10	10	0.20	2	4	original	ϕ_o	0.338	0.979	0.659	3.618
IVFC	10	100	0.20	2	4	original	ϕ_o	0.018	1.000	0.509	2.478
IVFC	10	250	0.20	2	4	original	ϕ_o	0.002	1.000	0.501	2.028
IVFC	10	10	0.50	7	2	original	ϕ_o	0.548	0.565	0.556	2.643
IVFC	10	10	0.70	7	2	original	ϕ_o	0.651	0.273	0.462	2.697
IVFC	10	10	1.00	7	2	original	ϕ_o	0.683	0.140	0.411	2.402
IVFC	10	100	0.50	7	2	original	ϕ_o	0.107	0.987	0.547	2.626
IVFC	10	100	0.70	7	2	original	ϕ_o	0.245	0.943	0.594	2.658
IVFC	10	100	1.00	7	2	original	ϕ_o	0.461	0.735	0.598	2.682

IVFC	10	250	0.50	7	2	original	ϕ_o	0.057	0.998	0.527	2.415
IVFC	10	250	0.70	7	2	original	ϕ_o	0.077	0.994	0.536	2.568
IVFC	10	250	1.00	7	2	original	ϕ_o	0.149	0.978	0.563	2.635
IVFC	10	10	0.50	6	5	original	ϕ_o	0.471	0.874	0.673	3.179
IVFC	10	10	0.70	6	5	original	ϕ_o	0.624	0.665	0.644	2.720
IVFC	10	10	1.00	6	5	original	ϕ_o	0.726	0.270	0.498	2.152
IVFC	10	100	0.50	6	5	original	ϕ_o	0.134	0.994	0.564	2.972
IVFC	10	100	0.70	6	5	original	ϕ_o	0.210	0.979	0.595	3.136
IVFC	10	100	1.00	6	5	original	ϕ_o	0.331	0.936	0.633	3.135
IVFC	10	250	0.50	6	5	original	ϕ_o	0.049	0.999	0.524	2.675
IVFC	10	250	0.70	6	5	original	ϕ_o	0.091	0.997	0.544	2.999
IVFC	10	250	1.00	6	5	original	ϕ_o	0.158	0.986	0.572	3.109
IVFC	10	500	0.20	5	3	original	ϕ_o	0.000	1.000	0.500	1.298
IVFC	10	750	0.20	5	3	original	ϕ_o	0.000	1.000	0.500	1.293
IVFC	10	1000	0.20	5	3	original	ϕ_o	0.000	1.000	0.500	1.293
IVFC	10	500	0.20	3	3	original	ϕ_o	0.002	1.000	0.501	1.630
IVFC	10	750	0.20	3	3	original	ϕ_o	0.002	1.000	0.501	1.613
IVFC	10	1000	0.20	3	3	original	ϕ_o	0.002	1.000	0.501	1.613
IVFC	10	10	0.50	4	4	original	ϕ_o	0.337	0.934	0.635	3.220
IVFC	10	10	0.70	4	4	original	ϕ_o	0.601	0.759	0.680	3.363
IVFC	10	10	1.00	4	4	original	ϕ_o	0.769	0.358	0.564	3.442
IVFC	10	100	0.50	4	4	original	ϕ_o	0.119	0.997	0.558	2.867
IVFC	10	100	0.70	4	4	original	ϕ_o	0.168	0.992	0.580	3.133
IVFC	10	100	1.00	4	4	original	ϕ_o	0.256	0.978	0.617	3.344
IVFC	10	250	0.50	4	4	original	ϕ_o	0.032	1.000	0.516	2.438
IVFC	10	250	0.70	4	4	original	ϕ_o	0.069	0.999	0.534	2.800
IVFC	10	250	1.00	4	4	original	ϕ_o	0.112	0.996	0.554	3.066
IVFC	10	10	0.50	2	7	original	ϕ_o	0.720	0.891	0.806	4.394
IVFC	10	10	0.70	2	7	original	ϕ_o	0.848	0.750	0.799	4.355
IVFC	10	10	1.00	2	7	original	ϕ_o	0.942	0.489	0.715	2.881
IVFC	10	100	0.50	2	7	original	ϕ_o	0.151	0.996	0.574	3.891
IVFC	10	100	0.70	2	7	original	ϕ_o	0.294	0.988	0.641	4.264
IVFC	10	100	1.00	2	7	original	ϕ_o	0.476	0.968	0.722	4.408
IVFC	10	250	0.50	2	7	original	ϕ_o	0.042	1.000	0.521	3.574
IVFC	10	250	0.70	2	7	original	ϕ_o	0.110	0.999	0.554	4.079
IVFC	10	250	1.00	2	7	original	ϕ_o	0.234	0.994	0.614	4.331
IVFC	10	500	0.50	5	4	original	ϕ_o	0.017	0.997	0.507	2.536
IVFC	10	500	0.70	5	4	original	ϕ_o	0.035	0.992	0.514	2.897
IVFC	10	500	1.00	5	4	original	ϕ_o	0.065	0.983	0.524	3.049
IVFC	10	750	0.50	5	4	original	ϕ_o	0.017	0.997	0.507	2.536
IVFC	10	750	0.70	5	4	original	ϕ_o	0.035	0.992	0.514	2.897
IVFC	10	750	1.00	5	4	original	ϕ_o	0.065	0.983	0.524	3.049
IVFC	10	1000	0.50	5	4	original	ϕ_o	0.017	0.997	0.507	2.536
IVFC	10	1000	0.70	5	4	original	ϕ_o	0.035	0.992	0.514	2.897
IVFC	10	1000	1.00	5	4	original	ϕ_o	0.065	0.983	0.524	3.049
IVFC	10	10	1.25	5	4	original	ϕ_o	0.753	0.154	0.453	2.812
IVFC	10	10	1.50	5	4	original	ϕ_o	0.753	0.110	0.431	2.789
IVFC	10	10	1.70	5	4	original	ϕ_o	0.751	0.103	0.427	2.777
IVFC	10	100	1.25	5	4	original	ϕ_o	0.316	0.920	0.618	3.151
IVFC	10	100	1.50	5	4	original	ϕ_o	0.461	0.853	0.657	3.121

IVFC	10	100	1.70	5	4	original	ϕ_o	0.563	0.751	0.657	3.110
IVFC	10	250	1.25	5	4	original	ϕ_o	0.116	0.966	0.541	3.146
IVFC	10	250	1.50	5	4	original	ϕ_o	0.154	0.955	0.555	3.151
IVFC	10	250	1.70	5	4	original	ϕ_o	0.202	0.944	0.573	3.146
IVFC	10	10	0.50	7	7	original	ϕ_o	0.359	0.879	0.619	2.765
IVFC	10	10	0.70	7	7	original	ϕ_o	0.550	0.583	0.567	2.730
IVFC	10	10	1.00	7	7	original	ϕ_o	0.672	0.250	0.461	2.425
IVFC	10	100	0.50	7	7	original	ϕ_o	0.047	0.999	0.523	2.467
IVFC	10	100	0.70	7	7	original	ϕ_o	0.069	0.997	0.533	2.685
IVFC	10	100	1.00	7	7	original	ϕ_o	0.113	0.990	0.551	2.769
IVFC	10	250	0.50	7	7	original	ϕ_o	0.032	1.000	0.516	2.188
IVFC	10	250	0.70	7	7	original	ϕ_o	0.041	0.999	0.520	2.452
IVFC	10	250	1.00	7	7	original	ϕ_o	0.059	0.997	0.528	2.602
IVFC	10	10	0.20	2	3	original	ϕ_o	0.367	0.979	0.673	3.684
IVFC	10	100	0.20	2	3	original	ϕ_o	0.037	1.000	0.519	2.601
IVFC	10	250	0.20	2	3	original	ϕ_o	0.007	1.000	0.504	2.127
IVFC	10	500	4.00	5	5	original	ϕ_o	0.663	0.573	0.618	3.082
IVFC	10	750	4.00	5	5	original	ϕ_o	0.663	0.573	0.618	3.082
IVFC	10	1000	4.00	5	5	original	ϕ_o	0.663	0.573	0.618	3.082
IVFC	10	500	1.25	7	6	original	ϕ_o	0.068	0.994	0.531	2.662
IVFC	10	500	1.50	7	6	original	ϕ_o	0.103	0.987	0.545	2.710
IVFC	10	500	1.70	7	6	original	ϕ_o	0.143	0.979	0.561	2.751
IVFC	10	750	1.25	7	6	original	ϕ_o	0.068	0.994	0.531	2.662
IVFC	10	750	1.50	7	6	original	ϕ_o	0.103	0.987	0.545	2.710
IVFC	10	750	1.70	7	6	original	ϕ_o	0.143	0.979	0.561	2.751
IVFC	10	1000	1.25	7	6	original	ϕ_o	0.068	0.994	0.531	2.662
IVFC	10	1000	1.50	7	6	original	ϕ_o	0.103	0.987	0.545	2.710
IVFC	10	1000	1.70	7	6	original	ϕ_o	0.143	0.979	0.561	2.751
IVFC	10	500	1.25	3	3	original	ϕ_o	0.154	0.986	0.570	3.449
IVFC	10	500	1.50	3	3	original	ϕ_o	0.193	0.978	0.586	3.484
IVFC	10	500	1.70	3	3	original	ϕ_o	0.226	0.969	0.597	3.497
IVFC	10	750	1.25	3	3	original	ϕ_o	0.152	0.986	0.569	3.391
IVFC	10	750	1.50	3	3	original	ϕ_o	0.189	0.978	0.583	3.422
IVFC	10	750	1.70	3	3	original	ϕ_o	0.218	0.970	0.594	3.430
IVFC	10	1000	1.25	3	3	original	ϕ_o	0.152	0.986	0.569	3.391
IVFC	10	1000	1.50	3	3	original	ϕ_o	0.189	0.978	0.583	3.422
IVFC	10	1000	1.70	3	3	original	ϕ_o	0.218	0.970	0.594	3.430
IVFC	10	10	0.20	4	5	original	ϕ_o	0.139	0.994	0.566	2.301
IVFC	10	100	0.20	4	5	original	ϕ_o	0.011	1.000	0.505	1.376
IVFC	10	250	0.20	4	5	original	ϕ_o	0.001	1.000	0.500	1.133
IVFC	10	500	4.00	3	5	original	ϕ_o	0.828	0.392	0.610	3.469
IVFC	10	750	4.00	3	5	original	ϕ_o	0.828	0.392	0.610	3.469
IVFC	10	1000	4.00	3	5	original	ϕ_o	0.828	0.392	0.610	3.469
IVFC	10	10	0.20	6	4	original	ϕ_o	0.199	0.981	0.590	2.544
IVFC	10	100	0.20	6	4	original	ϕ_o	0.031	0.999	0.515	1.865
IVFC	10	250	0.20	6	4	original	ϕ_o	0.006	1.000	0.503	1.604
IVFC	10	10	1.25	2	5	original	ϕ_o	0.967	0.139	0.553	2.859
IVFC	10	10	1.50	2	5	original	ϕ_o	0.967	0.060	0.513	2.840
IVFC	10	10	1.70	2	5	original	ϕ_o	0.966	0.053	0.510	2.834
IVFC	10	100	1.25	2	5	original	ϕ_o	0.645	0.917	0.781	4.419

IVFC	10	100	1.50	2	5	original	ϕ_o	0.764	0.858	0.811	4.411
IVFC	10	100	1.70	2	5	original	ϕ_o	0.834	0.800	0.817	4.392
IVFC	10	250	1.25	2	5	original	ϕ_o	0.324	0.985	0.654	4.354
IVFC	10	250	1.50	2	5	original	ϕ_o	0.425	0.969	0.697	4.366
IVFC	10	250	1.70	2	5	original	ϕ_o	0.511	0.950	0.730	4.373
IVFC	10	500	1.25	6	3	original	ϕ_o	0.192	0.972	0.582	3.063
IVFC	10	500	1.50	6	3	original	ϕ_o	0.255	0.953	0.604	3.071
IVFC	10	500	1.70	6	3	original	ϕ_o	0.310	0.933	0.621	3.075
IVFC	10	750	1.25	6	3	original	ϕ_o	0.167	0.977	0.572	3.066
IVFC	10	750	1.50	6	3	original	ϕ_o	0.224	0.961	0.592	3.074
IVFC	10	750	1.70	6	3	original	ϕ_o	0.273	0.944	0.609	3.072
IVFC	10	1000	1.25	6	3	original	ϕ_o	0.167	0.977	0.572	3.066
IVFC	10	1000	1.50	6	3	original	ϕ_o	0.224	0.961	0.592	3.074
IVFC	10	1000	1.70	6	3	original	ϕ_o	0.273	0.944	0.609	3.072
IVFC	10	10	1.25	5	7	original	ϕ_o	0.732	0.274	0.503	3.216
IVFC	10	10	1.50	5	7	original	ϕ_o	0.748	0.138	0.443	2.802
IVFC	10	10	1.70	5	7	original	ϕ_o	0.750	0.106	0.428	2.789
IVFC	10	100	1.25	5	7	original	ϕ_o	0.155	0.958	0.556	3.126
IVFC	10	100	1.50	5	7	original	ϕ_o	0.210	0.943	0.577	3.097
IVFC	10	100	1.70	5	7	original	ϕ_o	0.285	0.925	0.605	3.078
IVFC	10	250	1.25	5	7	original	ϕ_o	0.100	0.975	0.537	3.091
IVFC	10	250	1.50	5	7	original	ϕ_o	0.122	0.966	0.544	3.098
IVFC	10	250	1.70	5	7	original	ϕ_o	0.141	0.958	0.550	3.091
IVFC	10	10	2.00	3	3	original	ϕ_o	0.866	0.070	0.468	3.073
IVFC	10	10	2.30	3	3	original	ϕ_o	0.866	0.071	0.468	2.521
IVFC	10	10	3.00	3	3	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	100	2.00	3	3	original	ϕ_o	0.827	0.438	0.632	2.536
IVFC	10	100	2.30	3	3	original	ϕ_o	0.850	0.281	0.565	2.531
IVFC	10	100	3.00	3	3	original	ϕ_o	0.864	0.107	0.486	2.522
IVFC	10	250	2.00	3	3	original	ϕ_o	0.539	0.847	0.693	3.581
IVFC	10	250	2.30	3	3	original	ϕ_o	0.657	0.758	0.708	3.561
IVFC	10	250	3.00	3	3	original	ϕ_o	0.797	0.525	0.661	3.101
IVFC	10	500	2.00	7	3	original	ϕ_o	0.183	0.975	0.579	2.817
IVFC	10	500	2.30	7	3	original	ϕ_o	0.271	0.951	0.611	2.840
IVFC	10	500	3.00	7	3	original	ϕ_o	0.453	0.829	0.641	2.880
IVFC	10	750	2.00	7	3	original	ϕ_o	0.178	0.976	0.577	2.809
IVFC	10	750	2.30	7	3	original	ϕ_o	0.265	0.952	0.609	2.833
IVFC	10	750	3.00	7	3	original	ϕ_o	0.447	0.834	0.641	2.873
IVFC	10	1000	2.00	7	3	original	ϕ_o	0.178	0.976	0.577	2.809
IVFC	10	1000	2.30	7	3	original	ϕ_o	0.265	0.952	0.609	2.833
IVFC	10	1000	3.00	7	3	original	ϕ_o	0.447	0.834	0.641	2.873
IVFC	10	10	4.00	5	7	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	10	100	4.00	5	7	original	ϕ_o	0.744	0.159	0.451	2.791
IVFC	10	250	4.00	5	7	original	ϕ_o	0.676	0.521	0.598	3.117
IVFC	10	500	0.50	3	2	original	ϕ_o	0.044	0.999	0.522	2.901
IVFC	10	500	0.70	3	2	original	ϕ_o	0.082	0.997	0.540	3.237
IVFC	10	500	1.00	3	2	original	ϕ_o	0.137	0.992	0.565	3.428
IVFC	10	750	0.50	3	2	original	ϕ_o	0.030	1.000	0.515	2.783
IVFC	10	750	0.70	3	2	original	ϕ_o	0.060	0.999	0.529	3.131
IVFC	10	750	1.00	3	2	original	ϕ_o	0.104	0.997	0.550	3.347

IVFC	10	1000	0.50	3	2	original	ϕ_o	0.030	1.000	0.515	2.762
IVFC	10	1000	0.70	3	2	original	ϕ_o	0.059	0.999	0.529	3.114
IVFC	10	1000	1.00	3	2	original	ϕ_o	0.101	0.997	0.549	3.334
IVFC	10	500	0.20	2	7	original	ϕ_o	0.001	1.000	0.500	1.797
IVFC	10	750	0.20	2	7	original	ϕ_o	0.001	1.000	0.500	1.797
IVFC	10	1000	0.20	2	7	original	ϕ_o	0.001	1.000	0.500	1.797
IVFC	10	10	0.50	5	5	original	ϕ_o	0.285	0.937	0.611	3.212
IVFC	10	10	0.70	5	5	original	ϕ_o	0.477	0.820	0.649	3.058
IVFC	10	10	1.00	5	5	original	ϕ_o	0.706	0.387	0.546	3.164
IVFC	10	100	0.50	5	5	original	ϕ_o	0.073	0.985	0.529	2.951
IVFC	10	100	0.70	5	5	original	ϕ_o	0.111	0.974	0.542	3.156
IVFC	10	100	1.00	5	5	original	ϕ_o	0.172	0.954	0.563	3.187
IVFC	10	250	0.50	5	5	original	ϕ_o	0.031	0.995	0.513	2.616
IVFC	10	250	0.70	5	5	original	ϕ_o	0.056	0.988	0.522	2.945
IVFC	10	250	1.00	5	5	original	ϕ_o	0.087	0.976	0.532	3.078
IVFC	10	500	1.25	4	6	original	ϕ_o	0.109	0.996	0.552	3.056
IVFC	10	500	1.50	4	6	original	ϕ_o	0.139	0.993	0.566	3.178
IVFC	10	500	1.70	4	6	original	ϕ_o	0.168	0.990	0.579	3.251
IVFC	10	750	1.25	4	6	original	ϕ_o	0.109	0.996	0.552	3.056
IVFC	10	750	1.50	4	6	original	ϕ_o	0.139	0.993	0.566	3.178
IVFC	10	750	1.70	4	6	original	ϕ_o	0.168	0.990	0.579	3.251
IVFC	10	1000	1.25	4	6	original	ϕ_o	0.109	0.996	0.552	3.056
IVFC	10	1000	1.50	4	6	original	ϕ_o	0.139	0.993	0.566	3.178
IVFC	10	1000	1.70	4	6	original	ϕ_o	0.168	0.990	0.579	3.251
IVFC	10	10	0.50	3	7	original	ϕ_o	0.441	0.927	0.684	3.691
IVFC	10	10	0.70	3	7	original	ϕ_o	0.651	0.777	0.714	3.620
IVFC	10	10	1.00	3	7	original	ϕ_o	0.819	0.438	0.628	3.127
IVFC	10	100	0.50	3	7	original	ϕ_o	0.084	0.995	0.539	3.149
IVFC	10	100	0.70	3	7	original	ϕ_o	0.152	0.988	0.570	3.478
IVFC	10	100	1.00	3	7	original	ϕ_o	0.244	0.969	0.607	3.568
IVFC	10	250	0.50	3	7	original	ϕ_o	0.028	0.998	0.513	2.864
IVFC	10	250	0.70	3	7	original	ϕ_o	0.063	0.996	0.529	3.266
IVFC	10	250	1.00	3	7	original	ϕ_o	0.122	0.990	0.556	3.486
IVFC	10	10	4.00	4	7	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	10	100	4.00	4	7	original	ϕ_o	0.796	0.189	0.493	2.923
IVFC	10	250	4.00	4	7	original	ϕ_o	0.749	0.530	0.639	3.479
IVFC	10	10	4.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	10	100	4.00	5	3	original	ϕ_o	0.746	0.105	0.425	2.763
IVFC	10	250	4.00	5	3	original	ϕ_o	0.737	0.188	0.462	2.756
IVFC	10	500	2.00	2	5	original	ϕ_o	0.580	0.930	0.755	4.364
IVFC	10	500	2.30	2	5	original	ϕ_o	0.682	0.891	0.787	4.353
IVFC	10	500	3.00	2	5	original	ϕ_o	0.837	0.767	0.802	4.318
IVFC	10	750	2.00	2	5	original	ϕ_o	0.580	0.930	0.755	4.364
IVFC	10	750	2.30	2	5	original	ϕ_o	0.682	0.891	0.787	4.353
IVFC	10	750	3.00	2	5	original	ϕ_o	0.837	0.767	0.802	4.318
IVFC	10	1000	2.00	2	5	original	ϕ_o	0.580	0.930	0.755	4.364
IVFC	10	1000	2.30	2	5	original	ϕ_o	0.682	0.891	0.787	4.353
IVFC	10	1000	3.00	2	5	original	ϕ_o	0.837	0.767	0.802	4.318
IVFC	10	10	2.00	2	7	original	ϕ_o	0.965	0.054	0.510	2.829
IVFC	10	10	2.30	2	7	original	ϕ_o	0.964	0.055	0.510	1.911

IVFC	10	10	3.00	2	7	original	ϕ_o	0.964	0.056	0.510	2.826
IVFC	10	100	2.00	2	7	original	ϕ_o	0.852	0.776	0.814	4.393
IVFC	10	100	2.30	2	7	original	ϕ_o	0.901	0.685	0.793	4.366
IVFC	10	100	3.00	2	7	original	ϕ_o	0.952	0.449	0.700	2.885
IVFC	10	250	2.00	2	7	original	ϕ_o	0.642	0.919	0.781	4.423
IVFC	10	250	2.30	2	7	original	ϕ_o	0.740	0.876	0.808	4.423
IVFC	10	250	3.00	2	7	original	ϕ_o	0.881	0.733	0.807	4.389
IVFC	10	10	1.25	3	5	original	ϕ_o	0.861	0.179	0.520	2.534
IVFC	10	10	1.50	3	5	original	ϕ_o	0.866	0.094	0.480	2.528
IVFC	10	10	1.70	3	5	original	ϕ_o	0.867	0.076	0.471	2.525
IVFC	10	100	1.25	3	5	original	ϕ_o	0.431	0.903	0.667	3.605
IVFC	10	100	1.50	3	5	original	ϕ_o	0.586	0.815	0.701	3.562
IVFC	10	100	1.70	3	5	original	ϕ_o	0.681	0.727	0.704	3.530
IVFC	10	250	1.25	3	5	original	ϕ_o	0.194	0.977	0.586	3.524
IVFC	10	250	1.50	3	5	original	ϕ_o	0.245	0.962	0.604	3.530
IVFC	10	250	1.70	3	5	original	ϕ_o	0.296	0.941	0.619	3.533
IVFC	10	500	2.00	3	2	original	ϕ_o	0.385	0.904	0.645	3.492
IVFC	10	500	2.30	3	2	original	ϕ_o	0.508	0.836	0.672	3.470
IVFC	10	500	3.00	3	2	original	ϕ_o	0.711	0.633	0.672	3.427
IVFC	10	750	2.00	3	2	original	ϕ_o	0.261	0.960	0.610	3.468
IVFC	10	750	2.30	3	2	original	ϕ_o	0.323	0.929	0.626	3.463
IVFC	10	750	3.00	3	2	original	ϕ_o	0.534	0.805	0.669	3.431
IVFC	10	1000	2.00	3	2	original	ϕ_o	0.245	0.965	0.605	3.462
IVFC	10	1000	2.30	3	2	original	ϕ_o	0.297	0.940	0.619	3.459
IVFC	10	1000	3.00	3	2	original	ϕ_o	0.491	0.835	0.663	3.433
IVFC	10	10	0.20	6	7	original	ϕ_o	0.143	0.990	0.567	2.331
IVFC	10	100	0.20	6	7	original	ϕ_o	0.011	1.000	0.506	1.616
IVFC	10	250	0.20	6	7	original	ϕ_o	0.001	1.000	0.501	1.459
IVFC	10	500	0.50	5	7	original	ϕ_o	0.022	0.997	0.509	2.561
IVFC	10	500	0.70	5	7	original	ϕ_o	0.044	0.992	0.518	2.924
IVFC	10	500	1.00	5	7	original	ϕ_o	0.076	0.983	0.529	3.082
IVFC	10	750	0.50	5	7	original	ϕ_o	0.022	0.997	0.509	2.561
IVFC	10	750	0.70	5	7	original	ϕ_o	0.044	0.992	0.518	2.924
IVFC	10	750	1.00	5	7	original	ϕ_o	0.076	0.983	0.529	3.082
IVFC	10	1000	0.50	5	7	original	ϕ_o	0.022	0.997	0.509	2.561
IVFC	10	1000	0.70	5	7	original	ϕ_o	0.044	0.992	0.518	2.924
IVFC	10	1000	1.00	5	7	original	ϕ_o	0.076	0.983	0.529	3.082
IVFC	10	500	1.25	6	6	original	ϕ_o	0.174	0.980	0.577	3.136
IVFC	10	500	1.50	6	6	original	ϕ_o	0.234	0.962	0.598	3.131
IVFC	10	500	1.70	6	6	original	ϕ_o	0.288	0.942	0.615	3.124
IVFC	10	750	1.25	6	6	original	ϕ_o	0.174	0.980	0.577	3.136
IVFC	10	750	1.50	6	6	original	ϕ_o	0.234	0.962	0.598	3.131
IVFC	10	750	1.70	6	6	original	ϕ_o	0.288	0.942	0.615	3.124
IVFC	10	1000	1.25	6	6	original	ϕ_o	0.174	0.980	0.577	3.136
IVFC	10	1000	1.50	6	6	original	ϕ_o	0.234	0.962	0.598	3.131
IVFC	10	1000	1.70	6	6	original	ϕ_o	0.288	0.942	0.615	3.124
IVFC	10	10	4.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	10	100	4.00	7	4	original	ϕ_o	0.683	0.136	0.410	2.401
IVFC	10	250	4.00	7	4	original	ϕ_o	0.649	0.388	0.519	2.810
IVFC	10	500	1.25	6	5	original	ϕ_o	0.167	0.982	0.575	3.134

IVFC	10	500	1.50	6	5	original	ϕ_o	0.227	0.966	0.597	3.136
IVFC	10	500	1.70	6	5	original	ϕ_o	0.281	0.948	0.614	3.128
IVFC	10	750	1.25	6	5	original	ϕ_o	0.167	0.982	0.575	3.134
IVFC	10	750	1.50	6	5	original	ϕ_o	0.227	0.966	0.597	3.136
IVFC	10	750	1.70	6	5	original	ϕ_o	0.281	0.948	0.614	3.128
IVFC	10	1000	1.25	6	5	original	ϕ_o	0.167	0.982	0.575	3.134
IVFC	10	1000	1.50	6	5	original	ϕ_o	0.227	0.966	0.597	3.136
IVFC	10	1000	1.70	6	5	original	ϕ_o	0.281	0.948	0.614	3.128
IVFC	10	500	0.50	4	6	original	ϕ_o	0.012	1.000	0.506	2.242
IVFC	10	500	0.70	4	6	original	ϕ_o	0.034	1.000	0.517	2.630
IVFC	10	500	1.00	4	6	original	ϕ_o	0.076	0.998	0.537	2.901
IVFC	10	750	0.50	4	6	original	ϕ_o	0.012	1.000	0.506	2.242
IVFC	10	750	0.70	4	6	original	ϕ_o	0.034	1.000	0.517	2.630
IVFC	10	750	1.00	4	6	original	ϕ_o	0.076	0.998	0.537	2.901
IVFC	10	1000	0.50	4	6	original	ϕ_o	0.012	1.000	0.506	2.242
IVFC	10	1000	0.70	4	6	original	ϕ_o	0.034	1.000	0.517	2.630
IVFC	10	1000	1.00	4	6	original	ϕ_o	0.076	0.998	0.537	2.901
IVFC	10	500	0.50	4	5	original	ϕ_o	0.013	1.000	0.506	2.249
IVFC	10	500	0.70	4	5	original	ϕ_o	0.036	1.000	0.518	2.624
IVFC	10	500	1.00	4	5	original	ϕ_o	0.077	0.998	0.538	2.872
IVFC	10	750	0.50	4	5	original	ϕ_o	0.013	1.000	0.506	2.249
IVFC	10	750	0.70	4	5	original	ϕ_o	0.036	1.000	0.518	2.624
IVFC	10	750	1.00	4	5	original	ϕ_o	0.077	0.998	0.538	2.872
IVFC	10	1000	0.50	4	5	original	ϕ_o	0.013	1.000	0.506	2.249
IVFC	10	1000	0.70	4	5	original	ϕ_o	0.036	1.000	0.518	2.624
IVFC	10	1000	1.00	4	5	original	ϕ_o	0.077	0.998	0.538	2.872
IVFC	10	10	2.00	6	6	original	ϕ_o	0.735	0.052	0.393	2.103
IVFC	10	10	2.30	6	6	original	ϕ_o	0.734	0.052	0.393	2.101
IVFC	10	10	3.00	6	6	original	ϕ_o	0.733	0.052	0.392	2.099
IVFC	10	100	2.00	6	6	original	ϕ_o	0.675	0.488	0.582	2.638
IVFC	10	100	2.30	6	6	original	ϕ_o	0.709	0.317	0.513	2.121
IVFC	10	100	3.00	6	6	original	ϕ_o	0.733	0.109	0.421	2.110
IVFC	10	250	2.00	6	6	original	ϕ_o	0.428	0.861	0.644	3.031
IVFC	10	250	2.30	6	6	original	ϕ_o	0.519	0.783	0.651	2.998
IVFC	10	250	3.00	6	6	original	ϕ_o	0.655	0.559	0.607	2.628
IVFC	10	10	2.00	4	7	original	ϕ_o	0.791	0.092	0.442	2.873
IVFC	10	10	2.30	4	7	original	ϕ_o	0.790	0.094	0.442	2.872
IVFC	10	10	3.00	4	7	original	ϕ_o	0.789	0.096	0.443	2.288
IVFC	10	100	2.00	4	7	original	ϕ_o	0.581	0.835	0.708	3.474
IVFC	10	100	2.30	4	7	original	ϕ_o	0.670	0.716	0.693	3.464
IVFC	10	100	3.00	4	7	original	ϕ_o	0.764	0.439	0.601	2.958
IVFC	10	250	2.00	4	7	original	ϕ_o	0.270	0.978	0.624	3.403
IVFC	10	250	2.30	4	7	original	ϕ_o	0.391	0.942	0.667	3.440
IVFC	10	250	3.00	4	7	original	ϕ_o	0.618	0.791	0.705	3.482
IVFC	10	500	2.00	6	7	original	ϕ_o	0.384	0.901	0.642	3.111
IVFC	10	500	2.30	6	7	original	ϕ_o	0.479	0.844	0.661	3.084
IVFC	10	500	3.00	6	7	original	ϕ_o	0.626	0.664	0.645	3.037
IVFC	10	750	2.00	6	7	original	ϕ_o	0.384	0.901	0.642	3.111
IVFC	10	750	2.30	6	7	original	ϕ_o	0.479	0.844	0.661	3.084
IVFC	10	750	3.00	6	7	original	ϕ_o	0.626	0.664	0.645	3.037

IVFC	10	1000	2.00	6	7	original	ϕ_o	0.384	0.901	0.642	3.111
IVFC	10	1000	2.30	6	7	original	ϕ_o	0.479	0.844	0.661	3.084
IVFC	10	1000	3.00	6	7	original	ϕ_o	0.626	0.664	0.645	3.037
IVFC	10	500	0.50	5	3	original	ϕ_o	0.018	0.998	0.508	2.546
IVFC	10	500	0.70	5	3	original	ϕ_o	0.040	0.995	0.518	2.895
IVFC	10	500	1.00	5	3	original	ϕ_o	0.074	0.988	0.531	3.056
IVFC	10	750	0.50	5	3	original	ϕ_o	0.017	0.998	0.507	2.538
IVFC	10	750	0.70	5	3	original	ϕ_o	0.038	0.995	0.517	2.888
IVFC	10	750	1.00	5	3	original	ϕ_o	0.071	0.988	0.530	3.049
IVFC	10	1000	0.50	5	3	original	ϕ_o	0.017	0.998	0.507	2.538
IVFC	10	1000	0.70	5	3	original	ϕ_o	0.038	0.995	0.517	2.888
IVFC	10	1000	1.00	5	3	original	ϕ_o	0.071	0.988	0.530	3.049
IVFC	10	10	1.25	3	6	original	ϕ_o	0.860	0.207	0.534	2.537
IVFC	10	10	1.50	3	6	original	ϕ_o	0.866	0.108	0.487	2.530
IVFC	10	10	1.70	3	6	original	ϕ_o	0.866	0.082	0.474	2.526
IVFC	10	100	1.25	3	6	original	ϕ_o	0.389	0.917	0.653	3.598
IVFC	10	100	1.50	3	6	original	ϕ_o	0.540	0.841	0.691	3.566
IVFC	10	100	1.70	3	6	original	ϕ_o	0.644	0.761	0.702	3.532
IVFC	10	250	1.25	3	6	original	ϕ_o	0.182	0.978	0.580	3.533
IVFC	10	250	1.50	3	6	original	ϕ_o	0.230	0.964	0.597	3.547
IVFC	10	250	1.70	3	6	original	ϕ_o	0.275	0.947	0.611	3.555
IVFC	10	10	4.00	5	6	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	10	100	4.00	5	6	original	ϕ_o	0.744	0.145	0.444	2.785
IVFC	10	250	4.00	5	6	original	ϕ_o	0.680	0.519	0.600	3.109
IVFC	10	500	2.00	6	4	original	ϕ_o	0.370	0.904	0.637	3.074
IVFC	10	500	2.30	6	4	original	ϕ_o	0.463	0.851	0.657	3.058
IVFC	10	500	3.00	6	4	original	ϕ_o	0.612	0.684	0.648	3.041
IVFC	10	750	2.00	6	4	original	ϕ_o	0.367	0.906	0.637	3.082
IVFC	10	750	2.30	6	4	original	ϕ_o	0.460	0.854	0.657	3.069
IVFC	10	750	3.00	6	4	original	ϕ_o	0.610	0.692	0.651	3.052
IVFC	10	1000	2.00	6	4	original	ϕ_o	0.367	0.906	0.637	3.082
IVFC	10	1000	2.30	6	4	original	ϕ_o	0.460	0.854	0.657	3.069
IVFC	10	1000	3.00	6	4	original	ϕ_o	0.610	0.692	0.651	3.052
IVFC	10	10	1.25	7	7	original	ϕ_o	0.687	0.154	0.421	1.967
IVFC	10	10	1.50	7	7	original	ϕ_o	0.688	0.124	0.406	1.957
IVFC	10	10	1.70	7	7	original	ϕ_o	0.688	0.118	0.403	2.412
IVFC	10	100	1.25	7	7	original	ϕ_o	0.189	0.975	0.582	2.802
IVFC	10	100	1.50	7	7	original	ϕ_o	0.307	0.935	0.621	2.811
IVFC	10	100	1.70	7	7	original	ϕ_o	0.393	0.872	0.632	2.826
IVFC	10	250	1.25	7	7	original	ϕ_o	0.081	0.993	0.537	2.670
IVFC	10	250	1.50	7	7	original	ϕ_o	0.115	0.987	0.551	2.725
IVFC	10	250	1.70	7	7	original	ϕ_o	0.156	0.979	0.568	2.760
IVFC	10	10	2.00	5	2	original	ϕ_o	0.748	0.103	0.426	2.182
IVFC	10	10	2.30	5	2	original	ϕ_o	0.748	0.103	0.425	2.767
IVFC	10	10	3.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.765
IVFC	10	100	2.00	5	2	original	ϕ_o	0.751	0.161	0.456	2.819
IVFC	10	100	2.30	5	2	original	ϕ_o	0.753	0.117	0.435	2.803
IVFC	10	100	3.00	5	2	original	ϕ_o	0.752	0.103	0.427	2.783
IVFC	10	250	2.00	5	2	original	ϕ_o	0.630	0.603	0.617	3.059
IVFC	10	250	2.30	5	2	original	ϕ_o	0.692	0.428	0.560	3.128

IVFC	10	250	3.00	5	2	original	ϕ_o	0.743	0.180	0.462	2.789
IVFC	10	10	0.20	6	6	original	ϕ_o	0.162	0.990	0.576	2.377
IVFC	10	100	0.20	6	6	original	ϕ_o	0.012	1.000	0.506	1.668
IVFC	10	250	0.20	6	6	original	ϕ_o	0.001	1.000	0.501	1.484
IVFC	10	10	2.00	5	6	original	ϕ_o	0.750	0.102	0.426	2.778
IVFC	10	10	2.30	5	6	original	ϕ_o	0.750	0.103	0.426	2.775
IVFC	10	10	3.00	5	6	original	ϕ_o	0.749	0.103	0.426	2.770
IVFC	10	100	2.00	5	6	original	ϕ_o	0.512	0.806	0.659	3.053
IVFC	10	100	2.30	5	6	original	ϕ_o	0.614	0.671	0.642	3.078
IVFC	10	100	3.00	5	6	original	ϕ_o	0.717	0.365	0.541	3.185
IVFC	10	250	2.00	5	6	original	ϕ_o	0.190	0.940	0.565	3.080
IVFC	10	250	2.30	5	6	original	ϕ_o	0.277	0.920	0.598	3.072
IVFC	10	250	3.00	5	6	original	ϕ_o	0.520	0.799	0.659	3.053
IVFC	10	500	4.00	3	6	original	ϕ_o	0.835	0.393	0.614	3.121
IVFC	10	750	4.00	3	6	original	ϕ_o	0.835	0.393	0.614	3.121
IVFC	10	1000	4.00	3	6	original	ϕ_o	0.835	0.393	0.614	3.121
IVFC	10	500	0.20	4	7	original	ϕ_o	0.000	1.000	0.500	1.054
IVFC	10	750	0.20	4	7	original	ϕ_o	0.000	1.000	0.500	1.054
IVFC	10	1000	0.20	4	7	original	ϕ_o	0.000	1.000	0.500	1.054
IVFC	10	500	1.25	3	7	original	ϕ_o	0.174	0.983	0.579	3.529
IVFC	10	500	1.50	3	7	original	ϕ_o	0.226	0.972	0.599	3.558
IVFC	10	500	1.70	3	7	original	ϕ_o	0.273	0.958	0.615	3.568
IVFC	10	750	1.25	3	7	original	ϕ_o	0.174	0.983	0.579	3.529
IVFC	10	750	1.50	3	7	original	ϕ_o	0.226	0.972	0.599	3.558
IVFC	10	750	1.70	3	7	original	ϕ_o	0.273	0.958	0.615	3.568
IVFC	10	1000	1.25	3	7	original	ϕ_o	0.174	0.983	0.579	3.529
IVFC	10	1000	1.50	3	7	original	ϕ_o	0.226	0.972	0.599	3.558
IVFC	10	1000	1.70	3	7	original	ϕ_o	0.273	0.958	0.615	3.568
IVFC	10	10	1.25	3	4	original	ϕ_o	0.863	0.134	0.499	2.531
IVFC	10	10	1.50	3	4	original	ϕ_o	0.867	0.082	0.474	2.528
IVFC	10	10	1.70	3	4	original	ϕ_o	0.867	0.072	0.469	2.526
IVFC	10	100	1.25	3	4	original	ϕ_o	0.495	0.877	0.686	3.606
IVFC	10	100	1.50	3	4	original	ϕ_o	0.648	0.773	0.710	3.571
IVFC	10	100	1.70	3	4	original	ϕ_o	0.729	0.677	0.703	3.548
IVFC	10	250	1.25	3	4	original	ϕ_o	0.211	0.974	0.593	3.574
IVFC	10	250	1.50	3	4	original	ϕ_o	0.267	0.958	0.612	3.592
IVFC	10	250	1.70	3	4	original	ϕ_o	0.332	0.934	0.633	3.589
IVFC	10	500	0.20	7	4	original	ϕ_o	0.010	1.000	0.505	1.201
IVFC	10	750	0.20	7	4	original	ϕ_o	0.010	1.000	0.505	1.201
IVFC	10	1000	0.20	7	4	original	ϕ_o	0.010	1.000	0.505	1.201
IVFC	10	10	2.00	7	6	original	ϕ_o	0.686	0.114	0.400	1.948
IVFC	10	10	2.30	7	6	original	ϕ_o	0.686	0.113	0.399	2.405
IVFC	10	10	3.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	10	100	2.00	7	6	original	ϕ_o	0.544	0.629	0.587	2.760
IVFC	10	100	2.30	7	6	original	ϕ_o	0.608	0.489	0.548	2.766
IVFC	10	100	3.00	7	6	original	ϕ_o	0.674	0.281	0.477	2.806
IVFC	10	250	2.00	7	6	original	ϕ_o	0.236	0.950	0.593	2.782
IVFC	10	250	2.30	7	6	original	ϕ_o	0.335	0.904	0.620	2.805
IVFC	10	250	3.00	7	6	original	ϕ_o	0.523	0.716	0.619	2.851
IVFC	10	10	0.50	2	2	original	ϕ_o	0.803	0.799	0.801	4.330

IVFC	10	10	0.70	2	2	original	ϕ_o	0.918	0.608	0.763	2.891
IVFC	10	10	1.00	2	2	original	ϕ_o	0.964	0.248	0.606	2.867
IVFC	10	100	0.50	2	2	original	ϕ_o	0.354	0.984	0.669	4.297
IVFC	10	100	0.70	2	2	original	ϕ_o	0.517	0.957	0.737	4.398
IVFC	10	100	1.00	2	2	original	ϕ_o	0.713	0.867	0.790	4.346
IVFC	10	250	0.50	2	2	original	ϕ_o	0.153	0.998	0.576	4.014
IVFC	10	250	0.70	2	2	original	ϕ_o	0.265	0.992	0.628	4.293
IVFC	10	250	1.00	2	2	original	ϕ_o	0.430	0.968	0.699	4.371
IVFC	10	500	1.25	7	3	original	ϕ_o	0.053	0.996	0.524	2.711
IVFC	10	500	1.50	7	3	original	ϕ_o	0.075	0.992	0.534	2.754
IVFC	10	500	1.70	7	3	original	ϕ_o	0.105	0.987	0.546	2.779
IVFC	10	750	1.25	7	3	original	ϕ_o	0.053	0.996	0.524	2.703
IVFC	10	750	1.50	7	3	original	ϕ_o	0.074	0.992	0.533	2.747
IVFC	10	750	1.70	7	3	original	ϕ_o	0.103	0.988	0.546	2.774
IVFC	10	1000	1.25	7	3	original	ϕ_o	0.053	0.996	0.524	2.703
IVFC	10	1000	1.50	7	3	original	ϕ_o	0.074	0.992	0.533	2.747
IVFC	10	1000	1.70	7	3	original	ϕ_o	0.103	0.988	0.546	2.774
IVFC	10	500	0.50	2	5	original	ϕ_o	0.040	1.000	0.520	3.611
IVFC	10	500	0.70	2	5	original	ϕ_o	0.098	0.999	0.549	4.065
IVFC	10	500	1.00	2	5	original	ϕ_o	0.202	0.996	0.599	4.294
IVFC	10	750	0.50	2	5	original	ϕ_o	0.040	1.000	0.520	3.611
IVFC	10	750	0.70	2	5	original	ϕ_o	0.098	0.999	0.549	4.065
IVFC	10	750	1.00	2	5	original	ϕ_o	0.202	0.996	0.599	4.294
IVFC	10	1000	0.50	2	5	original	ϕ_o	0.040	1.000	0.520	3.611
IVFC	10	1000	0.70	2	5	original	ϕ_o	0.098	0.999	0.549	4.065
IVFC	10	1000	1.00	2	5	original	ϕ_o	0.202	0.996	0.599	4.294
IVFC	10	10	2.00	4	2	original	ϕ_o	0.789	0.096	0.442	3.306
IVFC	10	10	2.30	4	2	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	10	10	3.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	10	100	2.00	4	2	original	ϕ_o	0.790	0.211	0.500	2.930
IVFC	10	100	2.30	4	2	original	ϕ_o	0.794	0.123	0.458	2.898
IVFC	10	100	3.00	4	2	original	ϕ_o	0.793	0.092	0.442	2.290
IVFC	10	250	2.00	4	2	original	ϕ_o	0.662	0.708	0.685	3.435
IVFC	10	250	2.30	4	2	original	ϕ_o	0.724	0.561	0.642	3.427
IVFC	10	250	3.00	4	2	original	ϕ_o	0.783	0.262	0.522	2.918
IVFC	10	10	4.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	4.00	6	2	original	ϕ_o	0.733	0.052	0.393	2.100
IVFC	10	250	4.00	6	2	original	ϕ_o	0.733	0.052	0.393	2.092
IVFC	10	10	2.00	3	5	original	ϕ_o	0.867	0.071	0.469	2.524
IVFC	10	10	2.30	3	5	original	ϕ_o	0.866	0.071	0.469	2.522
IVFC	10	10	3.00	3	5	original	ϕ_o	0.866	0.072	0.469	2.520
IVFC	10	100	2.00	3	5	original	ϕ_o	0.770	0.581	0.676	3.091
IVFC	10	100	2.30	3	5	original	ϕ_o	0.821	0.422	0.621	2.518
IVFC	10	100	3.00	3	5	original	ϕ_o	0.861	0.165	0.513	2.521
IVFC	10	250	2.00	3	5	original	ϕ_o	0.407	0.894	0.651	3.505
IVFC	10	250	2.30	3	5	original	ϕ_o	0.538	0.824	0.681	3.478
IVFC	10	250	3.00	3	5	original	ϕ_o	0.748	0.610	0.679	3.423
IVFC	10	10	2.00	3	7	original	ϕ_o	0.867	0.072	0.470	2.524
IVFC	10	10	2.30	3	7	original	ϕ_o	0.866	0.071	0.469	2.523
IVFC	10	10	3.00	3	7	original	ϕ_o	0.866	0.072	0.469	2.520

IVFC	10	100	2.00	3	7	original	ϕ_o	0.708	0.678	0.693	3.478
IVFC	10	100	2.30	3	7	original	ϕ_o	0.786	0.536	0.661	3.081
IVFC	10	100	3.00	3	7	original	ϕ_o	0.852	0.254	0.553	3.077
IVFC	10	250	2.00	3	7	original	ϕ_o	0.371	0.921	0.646	3.576
IVFC	10	250	2.30	3	7	original	ϕ_o	0.496	0.866	0.681	3.560
IVFC	10	250	3.00	3	7	original	ϕ_o	0.726	0.682	0.704	3.537
IVFC	10	10	2.00	5	3	original	ϕ_o	0.748	0.103	0.426	2.768
IVFC	10	10	2.30	5	3	original	ϕ_o	0.748	0.103	0.426	2.767
IVFC	10	10	3.00	5	3	original	ϕ_o	0.748	0.103	0.425	2.179
IVFC	10	100	2.00	5	3	original	ϕ_o	0.719	0.344	0.531	3.230
IVFC	10	100	2.30	5	3	original	ϕ_o	0.741	0.199	0.470	2.797
IVFC	10	100	3.00	5	3	original	ϕ_o	0.747	0.111	0.429	2.774
IVFC	10	250	2.00	5	3	original	ϕ_o	0.400	0.894	0.647	3.109
IVFC	10	250	2.30	5	3	original	ϕ_o	0.528	0.798	0.663	3.099
IVFC	10	250	3.00	5	3	original	ϕ_o	0.682	0.485	0.584	3.135
IVFC	10	500	1.25	4	3	original	ϕ_o	0.113	0.996	0.554	3.074
IVFC	10	500	1.50	4	3	original	ϕ_o	0.139	0.993	0.566	3.210
IVFC	10	500	1.70	4	3	original	ϕ_o	0.166	0.990	0.578	3.284
IVFC	10	750	1.25	4	3	original	ϕ_o	0.113	0.996	0.554	3.048
IVFC	10	750	1.50	4	3	original	ϕ_o	0.139	0.993	0.566	3.178
IVFC	10	750	1.70	4	3	original	ϕ_o	0.163	0.990	0.576	3.252
IVFC	10	1000	1.25	4	3	original	ϕ_o	0.113	0.996	0.554	3.048
IVFC	10	1000	1.50	4	3	original	ϕ_o	0.139	0.993	0.566	3.178
IVFC	10	1000	1.70	4	3	original	ϕ_o	0.163	0.990	0.576	3.252
IVFC	10	500	1.25	4	2	original	ϕ_o	0.139	0.996	0.568	3.159
IVFC	10	500	1.50	4	2	original	ϕ_o	0.169	0.993	0.581	3.276
IVFC	10	500	1.70	4	2	original	ϕ_o	0.204	0.987	0.595	3.329
IVFC	10	750	1.25	4	2	original	ϕ_o	0.111	0.997	0.554	3.030
IVFC	10	750	1.50	4	2	original	ϕ_o	0.139	0.994	0.566	3.134
IVFC	10	750	1.70	4	2	original	ϕ_o	0.163	0.990	0.576	3.200
IVFC	10	1000	1.25	4	2	original	ϕ_o	0.111	0.997	0.554	3.020
IVFC	10	1000	1.50	4	2	original	ϕ_o	0.139	0.994	0.566	3.121
IVFC	10	1000	1.70	4	2	original	ϕ_o	0.163	0.990	0.576	3.185
IVFC	10	10	0.50	5	7	original	ϕ_o	0.253	0.952	0.603	3.219
IVFC	10	10	0.70	5	7	original	ϕ_o	0.374	0.891	0.633	3.079
IVFC	10	10	1.00	5	7	original	ϕ_o	0.636	0.553	0.595	3.050
IVFC	10	100	0.50	5	7	original	ϕ_o	0.049	0.993	0.521	2.802
IVFC	10	100	0.70	5	7	original	ϕ_o	0.083	0.985	0.534	3.069
IVFC	10	100	1.00	5	7	original	ϕ_o	0.124	0.970	0.547	3.147
IVFC	10	250	0.50	5	7	original	ϕ_o	0.022	0.997	0.509	2.577
IVFC	10	250	0.70	5	7	original	ϕ_o	0.044	0.992	0.518	2.927
IVFC	10	250	1.00	5	7	original	ϕ_o	0.076	0.983	0.530	3.077
IVFC	10	500	0.50	2	4	original	ϕ_o	0.036	1.000	0.518	3.588
IVFC	10	500	0.70	2	4	original	ϕ_o	0.086	0.999	0.543	4.046
IVFC	10	500	1.00	2	4	original	ϕ_o	0.182	0.997	0.589	4.293
IVFC	10	750	0.50	2	4	original	ϕ_o	0.036	1.000	0.518	3.588
IVFC	10	750	0.70	2	4	original	ϕ_o	0.086	0.999	0.543	4.046
IVFC	10	750	1.00	2	4	original	ϕ_o	0.182	0.997	0.589	4.293
IVFC	10	1000	0.50	2	4	original	ϕ_o	0.036	1.000	0.518	3.588
IVFC	10	1000	0.70	2	4	original	ϕ_o	0.086	0.999	0.543	4.046

IVFC	10	1000	1.00	2	4	original	ϕ_o	0.182	0.997	0.589	4.293
IVFC	10	10	4.00	3	3	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	10	100	4.00	3	3	original	ϕ_o	0.866	0.075	0.470	2.515
IVFC	10	250	4.00	3	3	original	ϕ_o	0.852	0.237	0.544	2.514
IVFC	10	10	0.50	3	3	original	ϕ_o	0.554	0.845	0.700	3.583
IVFC	10	10	0.70	3	3	original	ϕ_o	0.755	0.593	0.674	3.141
IVFC	10	10	1.00	3	3	original	ϕ_o	0.850	0.264	0.557	2.531
IVFC	10	100	0.50	3	3	original	ϕ_o	0.152	0.990	0.571	3.402
IVFC	10	100	0.70	3	3	original	ϕ_o	0.229	0.973	0.601	3.576
IVFC	10	100	1.00	3	3	original	ϕ_o	0.378	0.929	0.654	3.630
IVFC	10	250	0.50	3	3	original	ϕ_o	0.063	0.998	0.530	3.053
IVFC	10	250	0.70	3	3	original	ϕ_o	0.115	0.994	0.554	3.371
IVFC	10	250	1.00	3	3	original	ϕ_o	0.184	0.983	0.584	3.526
IVFC	10	10	4.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	100	4.00	3	4	original	ϕ_o	0.866	0.079	0.472	2.516
IVFC	10	250	4.00	3	4	original	ϕ_o	0.843	0.297	0.570	2.509
IVFC	10	500	0.50	5	2	original	ϕ_o	0.047	0.990	0.518	2.610
IVFC	10	500	0.70	5	2	original	ϕ_o	0.066	0.982	0.524	2.904
IVFC	10	500	1.00	5	2	original	ϕ_o	0.092	0.972	0.532	3.037
IVFC	10	750	0.50	5	2	original	ϕ_o	0.029	0.995	0.512	2.516
IVFC	10	750	0.70	5	2	original	ϕ_o	0.048	0.990	0.519	2.842
IVFC	10	750	1.00	5	2	original	ϕ_o	0.071	0.982	0.526	3.019
IVFC	10	1000	0.50	5	2	original	ϕ_o	0.027	0.995	0.511	2.514
IVFC	10	1000	0.70	5	2	original	ϕ_o	0.046	0.990	0.518	2.839
IVFC	10	1000	1.00	5	2	original	ϕ_o	0.069	0.982	0.525	3.016
IVFC	10	500	1.25	5	4	original	ϕ_o	0.088	0.974	0.531	3.073
IVFC	10	500	1.50	5	4	original	ϕ_o	0.110	0.965	0.537	3.074
IVFC	10	500	1.70	5	4	original	ϕ_o	0.133	0.957	0.545	3.080
IVFC	10	750	1.25	5	4	original	ϕ_o	0.088	0.974	0.531	3.073
IVFC	10	750	1.50	5	4	original	ϕ_o	0.110	0.965	0.537	3.074
IVFC	10	750	1.70	5	4	original	ϕ_o	0.133	0.957	0.545	3.080
IVFC	10	1000	1.25	5	4	original	ϕ_o	0.088	0.974	0.531	3.073
IVFC	10	1000	1.50	5	4	original	ϕ_o	0.110	0.965	0.537	3.074
IVFC	10	1000	1.70	5	4	original	ϕ_o	0.133	0.957	0.545	3.080
IVFC	10	500	1.25	2	6	original	ϕ_o	0.311	0.989	0.650	4.374
IVFC	10	500	1.50	2	6	original	ϕ_o	0.410	0.975	0.692	4.380
IVFC	10	500	1.70	2	6	original	ϕ_o	0.491	0.959	0.725	3.454
IVFC	10	750	1.25	2	6	original	ϕ_o	0.311	0.989	0.650	4.374
IVFC	10	750	1.50	2	6	original	ϕ_o	0.410	0.975	0.692	4.380
IVFC	10	750	1.70	2	6	original	ϕ_o	0.491	0.959	0.725	3.454
IVFC	10	1000	1.25	2	6	original	ϕ_o	0.311	0.989	0.650	4.374
IVFC	10	1000	1.50	2	6	original	ϕ_o	0.410	0.975	0.692	4.380
IVFC	10	1000	1.70	2	6	original	ϕ_o	0.491	0.959	0.725	3.454
IVFC	10	10	1.25	2	7	original	ϕ_o	0.964	0.240	0.602	2.869
IVFC	10	10	1.50	2	7	original	ϕ_o	0.967	0.085	0.526	2.847
IVFC	10	10	1.70	2	7	original	ϕ_o	0.966	0.057	0.512	1.916
IVFC	10	100	1.25	2	7	original	ϕ_o	0.597	0.942	0.769	4.425
IVFC	10	100	1.50	2	7	original	ϕ_o	0.702	0.900	0.801	4.424
IVFC	10	100	1.70	2	7	original	ϕ_o	0.773	0.857	0.815	4.416
IVFC	10	250	1.25	2	7	original	ϕ_o	0.340	0.985	0.663	4.381

IVFC	10	250	1.50	2	7	original	ϕ_o	0.445	0.970	0.707	4.401
IVFC	10	250	1.70	2	7	original	ϕ_o	0.527	0.952	0.740	4.414
IVFC	10	10	0.50	5	3	original	ϕ_o	0.334	0.920	0.627	3.106
IVFC	10	10	0.70	5	3	original	ϕ_o	0.582	0.655	0.618	3.046
IVFC	10	10	1.00	5	3	original	ϕ_o	0.742	0.205	0.474	2.782
IVFC	10	100	0.50	5	3	original	ϕ_o	0.098	0.983	0.541	3.059
IVFC	10	100	0.70	5	3	original	ϕ_o	0.139	0.969	0.554	3.182
IVFC	10	100	1.00	5	3	original	ϕ_o	0.234	0.945	0.590	3.139
IVFC	10	250	0.50	5	3	original	ϕ_o	0.041	0.995	0.518	2.753
IVFC	10	250	0.70	5	3	original	ϕ_o	0.073	0.989	0.531	3.030
IVFC	10	250	1.00	5	3	original	ϕ_o	0.107	0.977	0.542	3.131
IVFC	10	10	0.20	5	6	original	ϕ_o	0.085	0.995	0.540	2.361
IVFC	10	100	0.20	5	6	original	ϕ_o	0.006	1.000	0.503	1.533
IVFC	10	250	0.20	5	6	original	ϕ_o	0.001	1.000	0.500	1.310
IVFC	10	500	0.20	5	2	original	ϕ_o	0.007	1.000	0.503	1.404
IVFC	10	750	0.20	5	2	original	ϕ_o	0.002	1.000	0.501	1.337
IVFC	10	1000	0.20	5	2	original	ϕ_o	0.001	1.000	0.501	1.334
IVFC	10	500	4.00	2	3	original	ϕ_o	0.911	0.630	0.770	3.682
IVFC	10	750	4.00	2	3	original	ϕ_o	0.908	0.639	0.773	3.680
IVFC	10	1000	4.00	2	3	original	ϕ_o	0.908	0.639	0.773	3.680
IVFC	10	500	2.00	4	6	original	ϕ_o	0.245	0.978	0.611	3.336
IVFC	10	500	2.30	4	6	original	ϕ_o	0.355	0.948	0.652	3.384
IVFC	10	500	3.00	4	6	original	ϕ_o	0.583	0.812	0.697	3.426
IVFC	10	750	2.00	4	6	original	ϕ_o	0.245	0.978	0.611	3.336
IVFC	10	750	2.30	4	6	original	ϕ_o	0.355	0.948	0.652	3.384
IVFC	10	750	3.00	4	6	original	ϕ_o	0.583	0.812	0.697	3.426
IVFC	10	1000	2.00	4	6	original	ϕ_o	0.245	0.978	0.611	3.336
IVFC	10	1000	2.30	4	6	original	ϕ_o	0.355	0.948	0.652	3.384
IVFC	10	1000	3.00	4	6	original	ϕ_o	0.583	0.812	0.697	3.426
IVFC	10	10	2.00	6	3	original	ϕ_o	0.733	0.053	0.393	2.100
IVFC	10	10	2.30	6	3	original	ϕ_o	0.732	0.053	0.392	2.098
IVFC	10	10	3.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	2.00	6	3	original	ϕ_o	0.733	0.148	0.441	2.122
IVFC	10	100	2.30	6	3	original	ϕ_o	0.736	0.081	0.408	2.112
IVFC	10	100	3.00	6	3	original	ϕ_o	0.735	0.052	0.394	2.107
IVFC	10	250	2.00	6	3	original	ϕ_o	0.611	0.666	0.638	2.645
IVFC	10	250	2.30	6	3	original	ϕ_o	0.668	0.521	0.594	2.630
IVFC	10	250	3.00	6	3	original	ϕ_o	0.720	0.223	0.472	2.114
IVFC	10	500	4.00	6	6	original	ϕ_o	0.709	0.356	0.533	2.141
IVFC	10	750	4.00	6	6	original	ϕ_o	0.709	0.356	0.533	2.141
IVFC	10	1000	4.00	6	6	original	ϕ_o	0.709	0.356	0.533	2.141
IVFC	10	500	0.50	2	6	original	ϕ_o	0.040	1.000	0.520	3.604
IVFC	10	500	0.70	2	6	original	ϕ_o	0.102	0.999	0.551	4.088
IVFC	10	500	1.00	2	6	original	ϕ_o	0.215	0.996	0.605	4.330
IVFC	10	750	0.50	2	6	original	ϕ_o	0.040	1.000	0.520	3.604
IVFC	10	750	0.70	2	6	original	ϕ_o	0.102	0.999	0.551	4.088
IVFC	10	750	1.00	2	6	original	ϕ_o	0.215	0.996	0.605	4.330
IVFC	10	1000	0.50	2	6	original	ϕ_o	0.040	1.000	0.520	3.604
IVFC	10	1000	0.70	2	6	original	ϕ_o	0.102	0.999	0.551	4.088
IVFC	10	1000	1.00	2	6	original	ϕ_o	0.215	0.996	0.605	4.330

IVFC	10	500	2.00	5	2	original	ϕ_o	0.287	0.917	0.602	3.041
IVFC	10	500	2.30	5	2	original	ϕ_o	0.397	0.877	0.637	3.035
IVFC	10	500	3.00	5	2	original	ϕ_o	0.599	0.687	0.643	3.040
IVFC	10	750	2.00	5	2	original	ϕ_o	0.178	0.955	0.566	3.096
IVFC	10	750	2.30	5	2	original	ϕ_o	0.255	0.938	0.596	3.104
IVFC	10	750	3.00	5	2	original	ϕ_o	0.465	0.857	0.661	3.114
IVFC	10	1000	2.00	5	2	original	ϕ_o	0.175	0.955	0.565	3.090
IVFC	10	1000	2.30	5	2	original	ϕ_o	0.251	0.938	0.594	3.097
IVFC	10	1000	3.00	5	2	original	ϕ_o	0.461	0.858	0.660	3.110
IVFC	10	500	2.00	2	6	original	ϕ_o	0.606	0.928	0.767	4.393
IVFC	10	500	2.30	2	6	original	ϕ_o	0.707	0.885	0.796	4.386
IVFC	10	500	3.00	2	6	original	ϕ_o	0.859	0.752	0.805	4.351
IVFC	10	750	2.00	2	6	original	ϕ_o	0.606	0.928	0.767	4.393
IVFC	10	750	2.30	2	6	original	ϕ_o	0.707	0.885	0.796	4.386
IVFC	10	750	3.00	2	6	original	ϕ_o	0.859	0.752	0.805	4.351
IVFC	10	1000	2.00	2	6	original	ϕ_o	0.606	0.928	0.767	4.393
IVFC	10	1000	2.30	2	6	original	ϕ_o	0.707	0.885	0.796	4.386
IVFC	10	1000	3.00	2	6	original	ϕ_o	0.859	0.752	0.805	4.351
IVFC	10	10	1.25	6	3	original	ϕ_o	0.736	0.057	0.397	2.110
IVFC	10	10	1.50	6	3	original	ϕ_o	0.734	0.052	0.393	2.103
IVFC	10	10	1.70	6	3	original	ϕ_o	0.733	0.053	0.393	2.101
IVFC	10	100	1.25	6	3	original	ϕ_o	0.621	0.667	0.644	2.692
IVFC	10	100	1.50	6	3	original	ϕ_o	0.691	0.462	0.576	2.146
IVFC	10	100	1.70	6	3	original	ϕ_o	0.716	0.305	0.511	2.139
IVFC	10	250	1.25	6	3	original	ϕ_o	0.339	0.914	0.627	3.023
IVFC	10	250	1.50	6	3	original	ϕ_o	0.437	0.854	0.645	3.020
IVFC	10	250	1.70	6	3	original	ϕ_o	0.518	0.789	0.653	3.008
IVFC	10	10	1.25	5	3	original	ϕ_o	0.751	0.115	0.433	2.785
IVFC	10	10	1.50	5	3	original	ϕ_o	0.750	0.104	0.427	2.775
IVFC	10	10	1.70	5	3	original	ϕ_o	0.749	0.103	0.426	2.769
IVFC	10	100	1.25	5	3	original	ϕ_o	0.416	0.879	0.648	3.098
IVFC	10	100	1.50	5	3	original	ϕ_o	0.581	0.724	0.653	3.108
IVFC	10	100	1.70	5	3	original	ϕ_o	0.660	0.560	0.610	3.158
IVFC	10	250	1.25	5	3	original	ϕ_o	0.131	0.969	0.550	3.135
IVFC	10	250	1.50	5	3	original	ϕ_o	0.179	0.959	0.569	3.125
IVFC	10	250	1.70	5	3	original	ϕ_o	0.255	0.943	0.599	3.120
IVFC	10	10	0.20	5	3	original	ϕ_o	0.107	0.992	0.549	2.559
IVFC	10	100	0.20	5	3	original	ϕ_o	0.018	0.999	0.508	1.775
IVFC	10	250	0.20	5	3	original	ϕ_o	0.002	1.000	0.501	1.434
IVFC	10	10	1.25	4	4	original	ϕ_o	0.792	0.148	0.470	2.902
IVFC	10	10	1.50	4	4	original	ϕ_o	0.792	0.101	0.446	2.296
IVFC	10	10	1.70	4	4	original	ϕ_o	0.791	0.096	0.443	2.292
IVFC	10	100	1.25	4	4	original	ϕ_o	0.419	0.938	0.678	2.700
IVFC	10	100	1.50	4	4	original	ϕ_o	0.577	0.838	0.707	3.461
IVFC	10	100	1.70	4	4	original	ϕ_o	0.657	0.731	0.694	3.476
IVFC	10	250	1.25	4	4	original	ϕ_o	0.145	0.993	0.569	3.232
IVFC	10	250	1.50	4	4	original	ϕ_o	0.191	0.987	0.589	3.356
IVFC	10	250	1.70	4	4	original	ϕ_o	0.250	0.979	0.614	3.412
IVFC	10	10	0.50	3	4	original	ϕ_o	0.522	0.876	0.699	3.602
IVFC	10	10	0.70	3	4	original	ϕ_o	0.727	0.650	0.688	3.134

IVFC	10	10	1.00	3	4	original	ϕ_o	0.845	0.297	0.571	2.525
IVFC	10	100	0.50	3	4	original	ϕ_o	0.130	0.991	0.561	3.380
IVFC	10	100	0.70	3	4	original	ϕ_o	0.208	0.978	0.593	3.587
IVFC	10	100	1.00	3	4	original	ϕ_o	0.335	0.944	0.639	3.627
IVFC	10	250	0.50	3	4	original	ϕ_o	0.047	0.998	0.523	3.009
IVFC	10	250	0.70	3	4	original	ϕ_o	0.093	0.995	0.544	3.348
IVFC	10	250	1.00	3	4	original	ϕ_o	0.159	0.985	0.572	3.531
IVFC	10	500	4.00	5	6	original	ϕ_o	0.666	0.574	0.620	3.111
IVFC	10	750	4.00	5	6	original	ϕ_o	0.666	0.574	0.620	3.111
IVFC	10	1000	4.00	5	6	original	ϕ_o	0.666	0.574	0.620	3.111
IVFC	10	500	2.00	5	5	original	ϕ_o	0.185	0.943	0.564	3.098
IVFC	10	500	2.30	5	5	original	ϕ_o	0.267	0.926	0.596	3.086
IVFC	10	500	3.00	5	5	original	ϕ_o	0.487	0.826	0.656	3.068
IVFC	10	750	2.00	5	5	original	ϕ_o	0.185	0.943	0.564	3.098
IVFC	10	750	2.30	5	5	original	ϕ_o	0.267	0.926	0.596	3.086
IVFC	10	750	3.00	5	5	original	ϕ_o	0.487	0.826	0.656	3.068
IVFC	10	1000	2.00	5	5	original	ϕ_o	0.185	0.943	0.564	3.098
IVFC	10	1000	2.30	5	5	original	ϕ_o	0.267	0.926	0.596	3.086
IVFC	10	1000	3.00	5	5	original	ϕ_o	0.487	0.826	0.656	3.068
IVFC	10	10	2.00	4	3	original	ϕ_o	0.789	0.096	0.442	2.872
IVFC	10	10	2.30	4	3	original	ϕ_o	0.789	0.096	0.443	2.871
IVFC	10	10	3.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	10	100	2.00	4	3	original	ϕ_o	0.768	0.432	0.600	3.500
IVFC	10	100	2.30	4	3	original	ϕ_o	0.789	0.279	0.534	2.963
IVFC	10	100	3.00	4	3	original	ϕ_o	0.796	0.123	0.460	2.918
IVFC	10	250	2.00	4	3	original	ϕ_o	0.492	0.895	0.694	3.431
IVFC	10	250	2.30	4	3	original	ϕ_o	0.602	0.804	0.703	3.445
IVFC	10	250	3.00	4	3	original	ϕ_o	0.732	0.558	0.645	3.442
IVFC	10	10	2.00	5	4	original	ϕ_o	0.750	0.103	0.426	2.771
IVFC	10	10	2.30	5	4	original	ϕ_o	0.749	0.103	0.426	3.156
IVFC	10	10	3.00	5	4	original	ϕ_o	0.748	0.103	0.425	2.766
IVFC	10	100	2.00	5	4	original	ϕ_o	0.663	0.564	0.613	3.136
IVFC	10	100	2.30	5	4	original	ϕ_o	0.712	0.393	0.553	3.184
IVFC	10	100	3.00	5	4	original	ϕ_o	0.747	0.163	0.455	2.800
IVFC	10	250	2.00	5	4	original	ϕ_o	0.296	0.921	0.608	3.133
IVFC	10	250	2.30	5	4	original	ϕ_o	0.405	0.883	0.644	3.116
IVFC	10	250	3.00	5	4	original	ϕ_o	0.609	0.685	0.647	3.094
IVFC	10	500	0.50	7	4	original	ϕ_o	0.024	1.000	0.512	2.268
IVFC	10	500	0.70	7	4	original	ϕ_o	0.030	0.999	0.515	2.514
IVFC	10	500	1.00	7	4	original	ϕ_o	0.042	0.998	0.520	2.673
IVFC	10	750	0.50	7	4	original	ϕ_o	0.024	1.000	0.512	2.268
IVFC	10	750	0.70	7	4	original	ϕ_o	0.030	0.999	0.515	2.514
IVFC	10	750	1.00	7	4	original	ϕ_o	0.042	0.998	0.520	2.673
IVFC	10	1000	0.50	7	4	original	ϕ_o	0.024	1.000	0.512	2.268
IVFC	10	1000	0.70	7	4	original	ϕ_o	0.030	0.999	0.515	2.514
IVFC	10	1000	1.00	7	4	original	ϕ_o	0.042	0.998	0.520	2.673
IVFC	10	10	0.20	7	4	original	ϕ_o	0.106	0.992	0.549	2.622
IVFC	10	100	0.20	7	4	original	ϕ_o	0.023	1.000	0.512	1.652
IVFC	10	250	0.20	7	4	original	ϕ_o	0.013	1.000	0.507	1.270
IVFC	10	500	2.00	2	7	original	ϕ_o	0.628	0.919	0.774	4.401

IVFC	10	500	2.30	2	7	original	ϕ_o	0.727	0.877	0.802	4.400
IVFC	10	500	3.00	2	7	original	ϕ_o	0.875	0.734	0.805	4.364
IVFC	10	750	2.00	2	7	original	ϕ_o	0.628	0.919	0.774	4.401
IVFC	10	750	2.30	2	7	original	ϕ_o	0.727	0.877	0.802	4.400
IVFC	10	750	3.00	2	7	original	ϕ_o	0.875	0.734	0.805	4.364
IVFC	10	1000	2.00	2	7	original	ϕ_o	0.628	0.919	0.774	4.401
IVFC	10	1000	2.30	2	7	original	ϕ_o	0.727	0.877	0.802	4.400
IVFC	10	1000	3.00	2	7	original	ϕ_o	0.875	0.734	0.805	4.364
IVFC	10	10	4.00	2	6	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	10	100	4.00	2	6	original	ϕ_o	0.967	0.161	0.564	2.867
IVFC	10	250	4.00	2	6	original	ϕ_o	0.939	0.529	0.734	3.700
IVFC	10	10	1.25	6	7	original	ϕ_o	0.739	0.099	0.419	2.130
IVFC	10	10	1.50	6	7	original	ϕ_o	0.738	0.056	0.397	2.112
IVFC	10	10	1.70	6	7	original	ϕ_o	0.736	0.052	0.394	2.106
IVFC	10	100	1.25	6	7	original	ϕ_o	0.362	0.906	0.634	3.088
IVFC	10	100	1.50	6	7	original	ϕ_o	0.486	0.832	0.659	3.037
IVFC	10	100	1.70	6	7	original	ϕ_o	0.565	0.751	0.658	3.009
IVFC	10	250	1.25	6	7	original	ϕ_o	0.188	0.975	0.581	3.105
IVFC	10	250	1.50	6	7	original	ϕ_o	0.247	0.953	0.600	3.093
IVFC	10	250	1.70	6	7	original	ϕ_o	0.303	0.929	0.616	3.074
IVFC	10	500	4.00	4	7	original	ϕ_o	0.737	0.559	0.648	3.462
IVFC	10	750	4.00	4	7	original	ϕ_o	0.737	0.559	0.648	3.462
IVFC	10	1000	4.00	4	7	original	ϕ_o	0.737	0.559	0.648	3.462
IVFC	10	500	0.20	7	2	original	ϕ_o	0.009	1.000	0.504	1.219
IVFC	10	750	0.20	7	2	original	ϕ_o	0.007	1.000	0.504	1.170
IVFC	10	1000	0.20	7	2	original	ϕ_o	0.007	1.000	0.504	1.160
IVFC	10	10	0.20	4	3	original	ϕ_o	0.146	0.996	0.571	2.482
IVFC	10	100	0.20	4	3	original	ϕ_o	0.031	1.000	0.516	1.563
IVFC	10	250	0.20	4	3	original	ϕ_o	0.005	1.000	0.503	1.248
IVFC	10	10	2.00	2	4	original	ϕ_o	0.965	0.054	0.509	2.829
IVFC	10	10	2.30	2	4	original	ϕ_o	0.964	0.055	0.510	2.826
IVFC	10	10	3.00	2	4	original	ϕ_o	0.964	0.057	0.510	2.826
IVFC	10	100	2.00	2	4	original	ϕ_o	0.918	0.651	0.785	3.734
IVFC	10	100	2.30	2	4	original	ϕ_o	0.944	0.536	0.740	3.716
IVFC	10	100	3.00	2	4	original	ϕ_o	0.965	0.257	0.611	2.878
IVFC	10	250	2.00	2	4	original	ϕ_o	0.665	0.910	0.788	4.425
IVFC	10	250	2.30	2	4	original	ϕ_o	0.761	0.861	0.811	4.414
IVFC	10	250	3.00	2	4	original	ϕ_o	0.890	0.715	0.802	3.724
IVFC	10	10	0.20	5	4	original	ϕ_o	0.099	0.992	0.545	2.488
IVFC	10	100	0.20	5	4	original	ϕ_o	0.016	0.999	0.507	1.668
IVFC	10	250	0.20	5	4	original	ϕ_o	0.002	1.000	0.501	1.361
IVFC	10	10	1.25	5	2	original	ϕ_o	0.750	0.105	0.427	2.782
IVFC	10	10	1.50	5	2	original	ϕ_o	0.749	0.102	0.426	2.775
IVFC	10	10	1.70	5	2	original	ϕ_o	0.749	0.102	0.426	3.170
IVFC	10	100	1.25	5	2	original	ϕ_o	0.618	0.620	0.619	3.071
IVFC	10	100	1.50	5	2	original	ϕ_o	0.700	0.396	0.548	2.735
IVFC	10	100	1.70	5	2	original	ϕ_o	0.732	0.266	0.499	3.241
IVFC	10	250	1.25	5	2	original	ϕ_o	0.271	0.921	0.596	3.023
IVFC	10	250	1.50	5	2	original	ϕ_o	0.414	0.864	0.639	3.008
IVFC	10	250	1.70	5	2	original	ϕ_o	0.516	0.779	0.648	3.014

IVFC	10	10	0.50	2	4	original	ϕ_o	0.778	0.853	0.815	4.405
IVFC	10	10	0.70	2	4	original	ϕ_o	0.896	0.682	0.789	3.706
IVFC	10	10	1.00	2	4	original	ϕ_o	0.960	0.411	0.686	2.891
IVFC	10	100	0.50	2	4	original	ϕ_o	0.216	0.995	0.606	4.156
IVFC	10	100	0.70	2	4	original	ϕ_o	0.361	0.983	0.672	4.390
IVFC	10	100	1.00	2	4	original	ϕ_o	0.558	0.949	0.754	4.441
IVFC	10	250	0.50	2	4	original	ϕ_o	0.063	1.000	0.531	3.737
IVFC	10	250	0.70	2	4	original	ϕ_o	0.139	0.998	0.569	4.164
IVFC	10	250	1.00	2	4	original	ϕ_o	0.260	0.993	0.627	4.366
IVFC	10	500	2.00	5	3	original	ϕ_o	0.179	0.960	0.570	3.092
IVFC	10	500	2.30	5	3	original	ϕ_o	0.259	0.942	0.600	3.087
IVFC	10	500	3.00	5	3	original	ϕ_o	0.487	0.828	0.658	3.075
IVFC	10	750	2.00	5	3	original	ϕ_o	0.176	0.960	0.568	3.085
IVFC	10	750	2.30	5	3	original	ϕ_o	0.254	0.942	0.598	3.081
IVFC	10	750	3.00	5	3	original	ϕ_o	0.478	0.832	0.655	3.067
IVFC	10	1000	2.00	5	3	original	ϕ_o	0.176	0.960	0.568	3.085
IVFC	10	1000	2.30	5	3	original	ϕ_o	0.254	0.942	0.598	3.081
IVFC	10	1000	3.00	5	3	original	ϕ_o	0.478	0.832	0.655	3.067
IVFC	10	500	0.20	3	6	original	ϕ_o	0.001	1.000	0.500	1.524
IVFC	10	750	0.20	3	6	original	ϕ_o	0.001	1.000	0.500	1.524
IVFC	10	1000	0.20	3	6	original	ϕ_o	0.001	1.000	0.500	1.524
IVFC	10	500	0.50	6	3	original	ϕ_o	0.045	0.999	0.522	2.622
IVFC	10	500	0.70	6	3	original	ϕ_o	0.081	0.995	0.538	2.914
IVFC	10	500	1.00	6	3	original	ϕ_o	0.137	0.986	0.562	3.044
IVFC	10	750	0.50	6	3	original	ϕ_o	0.036	0.999	0.517	2.594
IVFC	10	750	0.70	6	3	original	ϕ_o	0.068	0.996	0.532	2.896
IVFC	10	750	1.00	6	3	original	ϕ_o	0.119	0.989	0.554	3.034
IVFC	10	1000	0.50	6	3	original	ϕ_o	0.036	0.999	0.517	2.594
IVFC	10	1000	0.70	6	3	original	ϕ_o	0.068	0.996	0.532	2.896
IVFC	10	1000	1.00	6	3	original	ϕ_o	0.119	0.989	0.554	3.034
IVFC	10	500	0.20	7	5	original	ϕ_o	0.010	1.000	0.505	1.169
IVFC	10	750	0.20	7	5	original	ϕ_o	0.010	1.000	0.505	1.169
IVFC	10	1000	0.20	7	5	original	ϕ_o	0.010	1.000	0.505	1.169
IVFC	10	500	2.00	7	4	original	ϕ_o	0.177	0.974	0.576	2.826
IVFC	10	500	2.30	7	4	original	ϕ_o	0.260	0.952	0.606	2.851
IVFC	10	500	3.00	7	4	original	ϕ_o	0.449	0.831	0.640	2.897
IVFC	10	750	2.00	7	4	original	ϕ_o	0.177	0.974	0.576	2.826
IVFC	10	750	2.30	7	4	original	ϕ_o	0.260	0.952	0.606	2.851
IVFC	10	750	3.00	7	4	original	ϕ_o	0.449	0.831	0.640	2.897
IVFC	10	1000	2.00	7	4	original	ϕ_o	0.177	0.974	0.576	2.826
IVFC	10	1000	2.30	7	4	original	ϕ_o	0.260	0.952	0.606	2.851
IVFC	10	1000	3.00	7	4	original	ϕ_o	0.449	0.831	0.640	2.897
IVFC	10	500	0.20	6	7	original	ϕ_o	0.001	1.000	0.500	1.456
IVFC	10	750	0.20	6	7	original	ϕ_o	0.001	1.000	0.500	1.456
IVFC	10	1000	0.20	6	7	original	ϕ_o	0.001	1.000	0.500	1.456
IVFC	10	10	2.00	2	5	original	ϕ_o	0.965	0.054	0.509	2.829
IVFC	10	10	2.30	2	5	original	ϕ_o	0.964	0.055	0.510	2.827
IVFC	10	10	3.00	2	5	original	ϕ_o	0.964	0.056	0.510	2.826
IVFC	10	100	2.00	2	5	original	ϕ_o	0.898	0.694	0.796	4.351
IVFC	10	100	2.30	2	5	original	ϕ_o	0.931	0.585	0.758	3.707

IVFC	10	100	3.00	2	5	original	ϕ_o	0.960	0.309	0.635	2.876
IVFC	10	250	2.00	2	5	original	ϕ_o	0.627	0.917	0.772	4.380
IVFC	10	250	2.30	2	5	original	ϕ_o	0.727	0.873	0.800	4.374
IVFC	10	250	3.00	2	5	original	ϕ_o	0.866	0.737	0.801	4.325
IVFC	10	500	4.00	7	2	original	ϕ_o	0.600	0.484	0.542	2.688
IVFC	10	750	4.00	7	2	original	ϕ_o	0.552	0.603	0.577	2.735
IVFC	10	1000	4.00	7	2	original	ϕ_o	0.552	0.614	0.583	2.754
IVFC	10	500	0.20	7	3	original	ϕ_o	0.009	1.000	0.505	1.217
IVFC	10	750	0.20	7	3	original	ϕ_o	0.009	1.000	0.505	1.213
IVFC	10	1000	0.20	7	3	original	ϕ_o	0.009	1.000	0.505	1.213
IVFC	10	500	1.25	5	3	original	ϕ_o	0.096	0.981	0.539	3.079
IVFC	10	500	1.50	5	3	original	ϕ_o	0.114	0.975	0.544	3.089
IVFC	10	500	1.70	5	3	original	ϕ_o	0.132	0.970	0.551	3.095
IVFC	10	750	1.25	5	3	original	ϕ_o	0.094	0.981	0.538	3.075
IVFC	10	750	1.50	5	3	original	ϕ_o	0.112	0.975	0.544	3.086
IVFC	10	750	1.70	5	3	original	ϕ_o	0.130	0.970	0.550	3.086
IVFC	10	1000	1.25	5	3	original	ϕ_o	0.094	0.981	0.538	3.075
IVFC	10	1000	1.50	5	3	original	ϕ_o	0.112	0.975	0.544	3.086
IVFC	10	1000	1.70	5	3	original	ϕ_o	0.130	0.970	0.550	3.086
IVFC	10	500	2.00	7	7	original	ϕ_o	0.241	0.957	0.599	2.794
IVFC	10	500	2.30	7	7	original	ϕ_o	0.339	0.912	0.625	2.824
IVFC	10	500	3.00	7	7	original	ϕ_o	0.523	0.719	0.621	2.868
IVFC	10	750	2.00	7	7	original	ϕ_o	0.241	0.957	0.599	2.794
IVFC	10	750	2.30	7	7	original	ϕ_o	0.339	0.912	0.625	2.824
IVFC	10	750	3.00	7	7	original	ϕ_o	0.523	0.719	0.621	2.868
IVFC	10	1000	2.00	7	7	original	ϕ_o	0.241	0.957	0.599	2.794
IVFC	10	1000	2.30	7	7	original	ϕ_o	0.339	0.912	0.625	2.824
IVFC	10	1000	3.00	7	7	original	ϕ_o	0.523	0.719	0.621	2.868
IVFC	10	10	0.50	4	2	original	ϕ_o	0.463	0.886	0.674	3.319
IVFC	10	10	0.70	4	2	original	ϕ_o	0.687	0.646	0.666	3.441
IVFC	10	10	1.00	4	2	original	ϕ_o	0.783	0.236	0.510	3.379
IVFC	10	100	0.50	4	2	original	ϕ_o	0.186	0.993	0.589	3.039
IVFC	10	100	0.70	4	2	original	ϕ_o	0.235	0.984	0.609	3.284
IVFC	10	100	1.00	4	2	original	ϕ_o	0.478	0.904	0.691	3.405
IVFC	10	250	0.50	4	2	original	ϕ_o	0.106	0.999	0.552	2.640
IVFC	10	250	0.70	4	2	original	ϕ_o	0.148	0.997	0.573	3.004
IVFC	10	250	1.00	4	2	original	ϕ_o	0.198	0.992	0.595	3.276
IVFC	10	500	0.20	7	7	original	ϕ_o	0.011	1.000	0.506	1.061
IVFC	10	750	0.20	7	7	original	ϕ_o	0.011	1.000	0.506	1.061
IVFC	10	1000	0.20	7	7	original	ϕ_o	0.011	1.000	0.506	1.061
IVFC	10	500	0.20	4	2	original	ϕ_o	0.007	1.000	0.504	1.214
IVFC	10	750	0.20	4	2	original	ϕ_o	0.003	1.000	0.501	1.158
IVFC	10	1000	0.20	4	2	original	ϕ_o	0.003	1.000	0.501	1.157
IVFC	10	500	2.00	7	6	original	ϕ_o	0.228	0.955	0.592	2.788
IVFC	10	500	2.30	7	6	original	ϕ_o	0.328	0.911	0.620	2.817
IVFC	10	500	3.00	7	6	original	ϕ_o	0.519	0.726	0.622	2.867
IVFC	10	750	2.00	7	6	original	ϕ_o	0.228	0.955	0.592	2.788
IVFC	10	750	2.30	7	6	original	ϕ_o	0.328	0.911	0.620	2.817
IVFC	10	750	3.00	7	6	original	ϕ_o	0.519	0.726	0.622	2.867
IVFC	10	1000	2.00	7	6	original	ϕ_o	0.228	0.955	0.592	2.788

IVFC	10	1000	2.30	7	6	original	ϕ_o	0.328	0.911	0.620	2.817
IVFC	10	1000	3.00	7	6	original	ϕ_o	0.519	0.726	0.622	2.867
IVFC	10	500	0.50	6	5	original	ϕ_o	0.028	1.000	0.514	2.618
IVFC	10	500	0.70	6	5	original	ϕ_o	0.061	0.998	0.530	2.966
IVFC	10	500	1.00	6	5	original	ϕ_o	0.116	0.993	0.554	3.104
IVFC	10	750	0.50	6	5	original	ϕ_o	0.028	1.000	0.514	2.618
IVFC	10	750	0.70	6	5	original	ϕ_o	0.061	0.998	0.530	2.966
IVFC	10	750	1.00	6	5	original	ϕ_o	0.116	0.993	0.554	3.104
IVFC	10	1000	0.50	6	5	original	ϕ_o	0.028	1.000	0.514	2.618
IVFC	10	1000	0.70	6	5	original	ϕ_o	0.061	0.998	0.530	2.966
IVFC	10	1000	1.00	6	5	original	ϕ_o	0.116	0.993	0.554	3.104
IVFC	10	10	4.00	4	4	original	ϕ_o	0.788	0.097	0.443	2.287
IVFC	10	100	4.00	4	4	original	ϕ_o	0.795	0.103	0.449	2.888
IVFC	10	250	4.00	4	4	original	ϕ_o	0.767	0.398	0.583	3.410
IVFC	10	10	4.00	6	3	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	4.00	6	3	original	ϕ_o	0.735	0.054	0.394	2.107
IVFC	10	250	4.00	6	3	original	ϕ_o	0.735	0.079	0.407	2.106
IVFC	10	500	2.00	6	5	original	ϕ_o	0.372	0.909	0.641	3.113
IVFC	10	500	2.30	6	5	original	ϕ_o	0.466	0.855	0.660	3.092
IVFC	10	500	3.00	6	5	original	ϕ_o	0.618	0.682	0.650	3.055
IVFC	10	750	2.00	6	5	original	ϕ_o	0.372	0.909	0.641	3.113
IVFC	10	750	2.30	6	5	original	ϕ_o	0.466	0.855	0.660	3.092
IVFC	10	750	3.00	6	5	original	ϕ_o	0.618	0.682	0.650	3.055
IVFC	10	1000	2.00	6	5	original	ϕ_o	0.372	0.909	0.641	3.113
IVFC	10	1000	2.30	6	5	original	ϕ_o	0.466	0.855	0.660	3.092
IVFC	10	1000	3.00	6	5	original	ϕ_o	0.618	0.682	0.650	3.055
IVFC	10	10	4.00	2	7	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	10	100	4.00	2	7	original	ϕ_o	0.967	0.171	0.569	2.866
IVFC	10	250	4.00	2	7	original	ϕ_o	0.947	0.501	0.724	3.703
IVFC	10	10	2.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	10	2.30	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	10	3.00	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	2.00	6	2	original	ϕ_o	0.734	0.055	0.395	2.097
IVFC	10	100	2.30	6	2	original	ϕ_o	0.734	0.051	0.393	2.099
IVFC	10	100	3.00	6	2	original	ϕ_o	0.734	0.052	0.393	2.101
IVFC	10	250	2.00	6	2	original	ϕ_o	0.693	0.315	0.504	2.082
IVFC	10	250	2.30	6	2	original	ϕ_o	0.714	0.181	0.447	2.080
IVFC	10	250	3.00	6	2	original	ϕ_o	0.730	0.070	0.400	2.087
IVFC	10	500	0.20	5	7	original	ϕ_o	0.001	1.000	0.500	1.281
IVFC	10	750	0.20	5	7	original	ϕ_o	0.001	1.000	0.500	1.281
IVFC	10	1000	0.20	5	7	original	ϕ_o	0.001	1.000	0.500	1.281
IVFC	10	500	0.20	3	2	original	ϕ_o	0.003	1.000	0.502	1.769
IVFC	10	750	0.20	3	2	original	ϕ_o	0.002	1.000	0.501	1.683
IVFC	10	1000	0.20	3	2	original	ϕ_o	0.002	1.000	0.501	1.671
IVFC	10	500	2.00	2	2	original	ϕ_o	0.602	0.911	0.757	4.296
IVFC	10	500	2.30	2	2	original	ϕ_o	0.698	0.862	0.780	4.289
IVFC	10	500	3.00	2	2	original	ϕ_o	0.857	0.724	0.790	4.244
IVFC	10	750	2.00	2	2	original	ϕ_o	0.459	0.952	0.705	4.313
IVFC	10	750	2.30	2	2	original	ϕ_o	0.558	0.925	0.742	4.306
IVFC	10	750	3.00	2	2	original	ϕ_o	0.743	0.835	0.789	4.280

IVFC	10	1000	2.00	2	2	original	ϕ_o	0.435	0.954	0.695	4.301
IVFC	10	1000	2.30	2	2	original	ϕ_o	0.532	0.929	0.730	4.292
IVFC	10	1000	3.00	2	2	original	ϕ_o	0.722	0.845	0.784	4.265
IVFC	10	10	2.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	10	10	2.30	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	10	10	3.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	10	100	2.00	7	2	original	ϕ_o	0.681	0.182	0.432	2.426
IVFC	10	100	2.30	7	2	original	ϕ_o	0.683	0.155	0.419	2.420
IVFC	10	100	3.00	7	2	original	ϕ_o	0.685	0.130	0.407	2.414
IVFC	10	250	2.00	7	2	original	ϕ_o	0.563	0.592	0.577	2.742
IVFC	10	250	2.30	7	2	original	ϕ_o	0.625	0.449	0.537	2.759
IVFC	10	250	3.00	7	2	original	ϕ_o	0.674	0.241	0.457	2.758
IVFC	10	500	2.00	4	4	original	ϕ_o	0.219	0.982	0.601	3.368
IVFC	10	500	2.30	4	4	original	ϕ_o	0.315	0.965	0.640	3.425
IVFC	10	500	3.00	4	4	original	ϕ_o	0.547	0.861	0.704	3.466
IVFC	10	750	2.00	4	4	original	ϕ_o	0.219	0.982	0.601	3.368
IVFC	10	750	2.30	4	4	original	ϕ_o	0.315	0.965	0.640	3.425
IVFC	10	750	3.00	4	4	original	ϕ_o	0.547	0.861	0.704	3.466
IVFC	10	1000	2.00	4	4	original	ϕ_o	0.219	0.982	0.601	3.368
IVFC	10	1000	2.30	4	4	original	ϕ_o	0.315	0.965	0.640	3.425
IVFC	10	1000	3.00	4	4	original	ϕ_o	0.547	0.861	0.704	3.466
IVFC	10	500	1.25	2	4	original	ϕ_o	0.268	0.992	0.630	4.347
IVFC	10	500	1.50	2	4	original	ϕ_o	0.361	0.980	0.671	4.365
IVFC	10	500	1.70	2	4	original	ϕ_o	0.438	0.966	0.702	4.370
IVFC	10	750	1.25	2	4	original	ϕ_o	0.268	0.992	0.630	4.347
IVFC	10	750	1.50	2	4	original	ϕ_o	0.361	0.980	0.671	4.365
IVFC	10	750	1.70	2	4	original	ϕ_o	0.438	0.966	0.702	4.370
IVFC	10	1000	1.25	2	4	original	ϕ_o	0.268	0.992	0.630	4.347
IVFC	10	1000	1.50	2	4	original	ϕ_o	0.361	0.980	0.671	4.365
IVFC	10	1000	1.70	2	4	original	ϕ_o	0.438	0.966	0.702	4.370
IVFC	10	10	2.00	6	4	original	ϕ_o	0.733	0.052	0.393	1.398
IVFC	10	10	2.30	6	4	original	ϕ_o	0.732	0.052	0.392	2.099
IVFC	10	10	3.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	2.00	6	4	original	ϕ_o	0.717	0.258	0.488	2.117
IVFC	10	100	2.30	6	4	original	ϕ_o	0.730	0.146	0.438	2.109
IVFC	10	100	3.00	6	4	original	ϕ_o	0.735	0.059	0.397	2.101
IVFC	10	250	2.00	6	4	original	ϕ_o	0.525	0.747	0.636	2.900
IVFC	10	250	2.30	6	4	original	ϕ_o	0.606	0.636	0.621	2.582
IVFC	10	250	3.00	6	4	original	ϕ_o	0.696	0.363	0.529	2.109
IVFC	10	500	2.00	3	5	original	ϕ_o	0.339	0.928	0.633	3.518
IVFC	10	500	2.30	3	5	original	ϕ_o	0.457	0.875	0.666	3.506
IVFC	10	500	3.00	3	5	original	ϕ_o	0.701	0.690	0.696	3.486
IVFC	10	750	2.00	3	5	original	ϕ_o	0.339	0.928	0.633	3.518
IVFC	10	750	2.30	3	5	original	ϕ_o	0.457	0.875	0.666	3.506
IVFC	10	750	3.00	3	5	original	ϕ_o	0.701	0.690	0.696	3.486
IVFC	10	1000	2.00	3	5	original	ϕ_o	0.339	0.928	0.633	3.518
IVFC	10	1000	2.30	3	5	original	ϕ_o	0.457	0.875	0.666	3.506
IVFC	10	1000	3.00	3	5	original	ϕ_o	0.701	0.690	0.696	3.486
IVFC	10	10	2.00	7	7	original	ϕ_o	0.687	0.114	0.401	2.409
IVFC	10	10	2.30	7	7	original	ϕ_o	0.686	0.113	0.399	2.745

IVFC	10	10	3.00	7	7	original	ϕ_o	0.685	0.112	0.399	2.744
IVFC	10	100	2.00	7	7	original	ϕ_o	0.502	0.740	0.621	2.837
IVFC	10	100	2.30	7	7	original	ϕ_o	0.580	0.594	0.587	2.845
IVFC	10	100	3.00	7	7	original	ϕ_o	0.662	0.343	0.502	2.844
IVFC	10	250	2.00	7	7	original	ϕ_o	0.244	0.956	0.600	2.793
IVFC	10	250	2.30	7	7	original	ϕ_o	0.341	0.910	0.626	2.824
IVFC	10	250	3.00	7	7	original	ϕ_o	0.525	0.715	0.620	2.868
IVFC	10	500	0.20	5	4	original	ϕ_o	0.000	1.000	0.500	1.279
IVFC	10	750	0.20	5	4	original	ϕ_o	0.000	1.000	0.500	1.279
IVFC	10	1000	0.20	5	4	original	ϕ_o	0.000	1.000	0.500	1.279
IVFC	10	500	0.50	5	6	original	ϕ_o	0.019	0.997	0.508	2.568
IVFC	10	500	0.70	5	6	original	ϕ_o	0.041	0.992	0.516	2.915
IVFC	10	500	1.00	5	6	original	ϕ_o	0.072	0.983	0.528	3.070
IVFC	10	750	0.50	5	6	original	ϕ_o	0.019	0.997	0.508	2.568
IVFC	10	750	0.70	5	6	original	ϕ_o	0.041	0.992	0.516	2.915
IVFC	10	750	1.00	5	6	original	ϕ_o	0.072	0.983	0.528	3.070
IVFC	10	1000	0.50	5	6	original	ϕ_o	0.019	0.997	0.508	2.568
IVFC	10	1000	0.70	5	6	original	ϕ_o	0.041	0.992	0.516	2.915
IVFC	10	1000	1.00	5	6	original	ϕ_o	0.072	0.983	0.528	3.070
IVFC	10	500	4.00	2	4	original	ϕ_o	0.920	0.610	0.765	3.693
IVFC	10	750	4.00	2	4	original	ϕ_o	0.920	0.610	0.765	3.693
IVFC	10	1000	4.00	2	4	original	ϕ_o	0.920	0.610	0.765	3.693
IVFC	10	10	0.50	6	6	original	ϕ_o	0.460	0.879	0.670	3.176
IVFC	10	10	0.70	6	6	original	ϕ_o	0.617	0.683	0.650	2.721
IVFC	10	10	1.00	6	6	original	ϕ_o	0.724	0.285	0.505	2.152
IVFC	10	100	0.50	6	6	original	ϕ_o	0.114	0.994	0.554	2.930
IVFC	10	100	0.70	6	6	original	ϕ_o	0.187	0.982	0.584	3.119
IVFC	10	100	1.00	6	6	original	ϕ_o	0.303	0.944	0.623	3.124
IVFC	10	250	0.50	6	6	original	ϕ_o	0.035	0.999	0.517	2.654
IVFC	10	250	0.70	6	6	original	ϕ_o	0.074	0.997	0.535	2.985
IVFC	10	250	1.00	6	6	original	ϕ_o	0.139	0.987	0.563	3.097
IVFC	10	10	2.00	4	5	original	ϕ_o	0.790	0.094	0.442	2.290
IVFC	10	10	2.30	4	5	original	ϕ_o	0.789	0.095	0.442	2.871
IVFC	10	10	3.00	4	5	original	ϕ_o	0.789	0.097	0.443	2.287
IVFC	10	100	2.00	4	5	original	ϕ_o	0.680	0.678	0.679	3.440
IVFC	10	100	2.30	4	5	original	ϕ_o	0.729	0.547	0.638	3.434
IVFC	10	100	3.00	4	5	original	ϕ_o	0.782	0.278	0.530	3.369
IVFC	10	250	2.00	4	5	original	ϕ_o	0.341	0.957	0.649	3.393
IVFC	10	250	2.30	4	5	original	ϕ_o	0.470	0.907	0.689	3.416
IVFC	10	250	3.00	4	5	original	ϕ_o	0.663	0.705	0.684	3.426
IVFC	10	10	0.20	3	2	original	ϕ_o	0.205	0.986	0.595	2.993
IVFC	10	100	0.20	3	2	original	ϕ_o	0.040	0.999	0.519	2.313
IVFC	10	250	0.20	3	2	original	ϕ_o	0.014	1.000	0.507	1.984
IVFC	10	10	1.25	7	3	original	ϕ_o	0.684	0.131	0.408	2.406
IVFC	10	10	1.50	7	3	original	ϕ_o	0.684	0.122	0.403	2.744
IVFC	10	10	1.70	7	3	original	ϕ_o	0.685	0.118	0.401	2.404
IVFC	10	100	1.25	7	3	original	ϕ_o	0.495	0.758	0.627	2.848
IVFC	10	100	1.50	7	3	original	ϕ_o	0.595	0.591	0.593	2.880
IVFC	10	100	1.70	7	3	original	ϕ_o	0.640	0.457	0.549	2.886
IVFC	10	250	1.25	7	3	original	ϕ_o	0.143	0.991	0.567	2.833

IVFC	10	250	1.50	7	3	original	ϕ_o	0.244	0.971	0.608	2.859
IVFC	10	250	1.70	7	3	original	ϕ_o	0.321	0.938	0.630	2.871
IVFC	10	10	2.00	3	2	original	ϕ_o	0.866	0.070	0.468	2.520
IVFC	10	10	2.30	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	10	3.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	100	2.00	3	2	original	ϕ_o	0.855	0.176	0.515	2.494
IVFC	10	100	2.30	3	2	original	ϕ_o	0.863	0.109	0.486	2.502
IVFC	10	100	3.00	3	2	original	ϕ_o	0.865	0.073	0.469	1.711
IVFC	10	250	2.00	3	2	original	ϕ_o	0.727	0.627	0.677	3.049
IVFC	10	250	2.30	3	2	original	ϕ_o	0.791	0.471	0.631	3.031
IVFC	10	250	3.00	3	2	original	ϕ_o	0.848	0.198	0.523	2.481
IVFC	10	500	2.00	4	3	original	ϕ_o	0.234	0.979	0.607	3.365
IVFC	10	500	2.30	4	3	original	ϕ_o	0.342	0.955	0.649	3.406
IVFC	10	500	3.00	4	3	original	ϕ_o	0.566	0.834	0.700	3.432
IVFC	10	750	2.00	4	3	original	ϕ_o	0.226	0.979	0.603	3.338
IVFC	10	750	2.30	4	3	original	ϕ_o	0.327	0.957	0.642	3.383
IVFC	10	750	3.00	4	3	original	ϕ_o	0.554	0.839	0.697	3.414
IVFC	10	1000	2.00	4	3	original	ϕ_o	0.226	0.979	0.603	3.338
IVFC	10	1000	2.30	4	3	original	ϕ_o	0.327	0.957	0.642	3.383
IVFC	10	1000	3.00	4	3	original	ϕ_o	0.554	0.839	0.697	3.414
IVFC	10	500	1.25	2	7	original	ϕ_o	0.331	0.985	0.658	4.366
IVFC	10	500	1.50	2	7	original	ϕ_o	0.434	0.970	0.702	4.383
IVFC	10	500	1.70	2	7	original	ϕ_o	0.514	0.952	0.733	4.393
IVFC	10	750	1.25	2	7	original	ϕ_o	0.331	0.985	0.658	4.366
IVFC	10	750	1.50	2	7	original	ϕ_o	0.434	0.970	0.702	4.383
IVFC	10	750	1.70	2	7	original	ϕ_o	0.514	0.952	0.733	4.393
IVFC	10	1000	1.25	2	7	original	ϕ_o	0.331	0.985	0.658	4.366
IVFC	10	1000	1.50	2	7	original	ϕ_o	0.434	0.970	0.702	4.383
IVFC	10	1000	1.70	2	7	original	ϕ_o	0.514	0.952	0.733	4.393
IVFC	10	10	1.25	7	6	original	ϕ_o	0.688	0.143	0.415	2.425
IVFC	10	10	1.50	7	6	original	ϕ_o	0.688	0.122	0.405	2.416
IVFC	10	10	1.70	7	6	original	ϕ_o	0.687	0.118	0.403	2.413
IVFC	10	100	1.25	7	6	original	ϕ_o	0.241	0.941	0.591	2.732
IVFC	10	100	1.50	7	6	original	ϕ_o	0.361	0.866	0.614	2.728
IVFC	10	100	1.70	7	6	original	ϕ_o	0.444	0.779	0.612	2.738
IVFC	10	250	1.25	7	6	original	ϕ_o	0.078	0.994	0.536	2.666
IVFC	10	250	1.50	7	6	original	ϕ_o	0.114	0.986	0.550	2.709
IVFC	10	250	1.70	7	6	original	ϕ_o	0.153	0.976	0.565	2.746
IVFC	10	500	2.00	4	7	original	ϕ_o	0.252	0.979	0.616	3.354
IVFC	10	500	2.30	4	7	original	ϕ_o	0.363	0.946	0.655	3.399
IVFC	10	500	3.00	4	7	original	ϕ_o	0.594	0.806	0.700	3.447
IVFC	10	750	2.00	4	7	original	ϕ_o	0.252	0.979	0.616	3.354
IVFC	10	750	2.30	4	7	original	ϕ_o	0.363	0.946	0.655	3.399
IVFC	10	750	3.00	4	7	original	ϕ_o	0.594	0.806	0.700	3.447
IVFC	10	1000	2.00	4	7	original	ϕ_o	0.252	0.979	0.616	3.354
IVFC	10	1000	2.30	4	7	original	ϕ_o	0.363	0.946	0.655	3.399
IVFC	10	1000	3.00	4	7	original	ϕ_o	0.594	0.806	0.700	3.447
IVFC	10	500	4.00	2	6	original	ϕ_o	0.938	0.532	0.735	3.681
IVFC	10	750	4.00	2	6	original	ϕ_o	0.938	0.532	0.735	3.681
IVFC	10	1000	4.00	2	6	original	ϕ_o	0.938	0.532	0.735	3.681

IVFC	10	10	2.00	5	5	original	ϕ_o	0.749	0.102	0.426	2.772
IVFC	10	10	2.30	5	5	original	ϕ_o	0.748	0.103	0.426	2.769
IVFC	10	10	3.00	5	5	original	ϕ_o	0.748	0.103	0.425	2.181
IVFC	10	100	2.00	5	5	original	ϕ_o	0.626	0.652	0.639	3.120
IVFC	10	100	2.30	5	5	original	ϕ_o	0.690	0.485	0.587	3.156
IVFC	10	100	3.00	5	5	original	ϕ_o	0.741	0.234	0.487	2.800
IVFC	10	250	2.00	5	5	original	ϕ_o	0.249	0.928	0.588	3.100
IVFC	10	250	2.30	5	5	original	ϕ_o	0.356	0.899	0.627	3.090
IVFC	10	250	3.00	5	5	original	ϕ_o	0.584	0.727	0.655	3.084
IVFC	10	500	0.50	5	5	original	ϕ_o	0.018	0.997	0.507	2.547
IVFC	10	500	0.70	5	5	original	ϕ_o	0.038	0.992	0.515	2.895
IVFC	10	500	1.00	5	5	original	ϕ_o	0.069	0.983	0.526	3.054
IVFC	10	750	0.50	5	5	original	ϕ_o	0.018	0.997	0.507	2.547
IVFC	10	750	0.70	5	5	original	ϕ_o	0.038	0.992	0.515	2.895
IVFC	10	750	1.00	5	5	original	ϕ_o	0.069	0.983	0.526	3.054
IVFC	10	1000	0.50	5	5	original	ϕ_o	0.018	0.997	0.507	2.547
IVFC	10	1000	0.70	5	5	original	ϕ_o	0.038	0.992	0.515	2.895
IVFC	10	1000	1.00	5	5	original	ϕ_o	0.069	0.983	0.526	3.054
IVFC	10	500	4.00	7	7	original	ϕ_o	0.644	0.415	0.530	2.872
IVFC	10	750	4.00	7	7	original	ϕ_o	0.644	0.415	0.530	2.872
IVFC	10	1000	4.00	7	7	original	ϕ_o	0.644	0.415	0.530	2.872
IVFC	10	500	4.00	3	3	original	ϕ_o	0.776	0.514	0.645	3.451
IVFC	10	750	4.00	3	3	original	ϕ_o	0.752	0.539	0.645	3.010
IVFC	10	1000	4.00	3	3	original	ϕ_o	0.752	0.539	0.645	3.010
IVFC	10	10	0.20	4	7	original	ϕ_o	0.110	0.998	0.554	2.053
IVFC	10	100	0.20	4	7	original	ϕ_o	0.003	1.000	0.502	1.206
IVFC	10	250	0.20	4	7	original	ϕ_o	0.000	1.000	0.500	1.066
IVFC	10	500	1.25	3	2	original	ϕ_o	0.185	0.984	0.584	3.486
IVFC	10	500	1.50	3	2	original	ϕ_o	0.232	0.969	0.601	3.507
IVFC	10	500	1.70	3	2	original	ϕ_o	0.280	0.951	0.615	3.500
IVFC	10	750	1.25	3	2	original	ϕ_o	0.142	0.993	0.568	3.419
IVFC	10	750	1.50	3	2	original	ϕ_o	0.181	0.987	0.584	3.461
IVFC	10	750	1.70	3	2	original	ϕ_o	0.213	0.979	0.596	3.471
IVFC	10	1000	1.25	3	2	original	ϕ_o	0.137	0.993	0.565	3.404
IVFC	10	1000	1.50	3	2	original	ϕ_o	0.172	0.988	0.580	3.450
IVFC	10	1000	1.70	3	2	original	ϕ_o	0.201	0.981	0.591	3.460
IVFC	10	10	4.00	7	6	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	10	100	4.00	7	6	original	ϕ_o	0.691	0.166	0.429	2.466
IVFC	10	250	4.00	7	6	original	ϕ_o	0.645	0.414	0.529	2.852
IVFC	10	500	4.00	3	7	original	ϕ_o	0.837	0.386	0.612	3.126
IVFC	10	750	4.00	3	7	original	ϕ_o	0.837	0.386	0.612	3.126
IVFC	10	1000	4.00	3	7	original	ϕ_o	0.837	0.386	0.612	3.126
IVFC	10	500	1.25	2	2	original	ϕ_o	0.307	0.984	0.646	4.325
IVFC	10	500	1.50	2	2	original	ϕ_o	0.406	0.966	0.686	4.322
IVFC	10	500	1.70	2	2	original	ϕ_o	0.487	0.947	0.717	4.313
IVFC	10	750	1.25	2	2	original	ϕ_o	0.218	0.993	0.605	4.298
IVFC	10	750	1.50	2	2	original	ϕ_o	0.289	0.984	0.637	4.315
IVFC	10	750	1.70	2	2	original	ϕ_o	0.354	0.973	0.664	4.316
IVFC	10	1000	1.25	2	2	original	ϕ_o	0.206	0.993	0.600	4.289
IVFC	10	1000	1.50	2	2	original	ϕ_o	0.274	0.985	0.629	4.302

IVFC	10	1000	1.70	2	2	original	ϕ_o	0.335	0.975	0.655	4.304
IVFC	10	10	0.20	6	2	original	ϕ_o	0.245	0.969	0.607	2.510
IVFC	10	100	0.20	6	2	original	ϕ_o	0.091	0.998	0.544	2.073
IVFC	10	250	0.20	6	2	original	ϕ_o	0.034	0.999	0.517	1.815
IVFC	10	500	1.25	6	2	original	ϕ_o	0.258	0.945	0.601	2.961
IVFC	10	500	1.50	6	2	original	ϕ_o	0.342	0.901	0.621	2.951
IVFC	10	500	1.70	6	2	original	ϕ_o	0.418	0.853	0.636	2.934
IVFC	10	750	1.25	6	2	original	ϕ_o	0.191	0.966	0.579	2.958
IVFC	10	750	1.50	6	2	original	ϕ_o	0.255	0.942	0.599	2.966
IVFC	10	750	1.70	6	2	original	ϕ_o	0.310	0.917	0.614	2.968
IVFC	10	1000	1.25	6	2	original	ϕ_o	0.180	0.967	0.574	2.936
IVFC	10	1000	1.50	6	2	original	ϕ_o	0.241	0.944	0.593	2.944
IVFC	10	1000	1.70	6	2	original	ϕ_o	0.293	0.921	0.607	2.943
IVFC	10	10	0.20	6	3	original	ϕ_o	0.238	0.972	0.605	2.594
IVFC	10	100	0.20	6	3	original	ϕ_o	0.064	0.998	0.531	2.015
IVFC	10	250	0.20	6	3	original	ϕ_o	0.020	0.999	0.510	1.722
IVFC	10	10	2.00	6	7	original	ϕ_o	0.735	0.052	0.393	2.103
IVFC	10	10	2.30	6	7	original	ϕ_o	0.734	0.052	0.393	2.101
IVFC	10	10	3.00	6	7	original	ϕ_o	0.733	0.052	0.392	2.099
IVFC	10	100	2.00	6	7	original	ϕ_o	0.645	0.585	0.615	2.637
IVFC	10	100	2.30	6	7	original	ϕ_o	0.692	0.403	0.548	2.122
IVFC	10	100	3.00	6	7	original	ϕ_o	0.728	0.140	0.434	2.107
IVFC	10	250	2.00	6	7	original	ϕ_o	0.398	0.879	0.639	3.035
IVFC	10	250	2.30	6	7	original	ϕ_o	0.493	0.810	0.651	2.998
IVFC	10	250	3.00	6	7	original	ϕ_o	0.636	0.602	0.619	2.624
IVFC	10	10	0.50	3	5	original	ϕ_o	0.486	0.908	0.697	3.690
IVFC	10	10	0.70	3	5	original	ϕ_o	0.685	0.740	0.713	3.621
IVFC	10	10	1.00	3	5	original	ϕ_o	0.834	0.388	0.611	2.530
IVFC	10	100	0.50	3	5	original	ϕ_o	0.111	0.994	0.553	3.326
IVFC	10	100	0.70	3	5	original	ϕ_o	0.183	0.984	0.584	3.598
IVFC	10	100	1.00	3	5	original	ϕ_o	0.290	0.957	0.623	3.639
IVFC	10	250	0.50	3	5	original	ϕ_o	0.041	0.998	0.520	2.929
IVFC	10	250	0.70	3	5	original	ϕ_o	0.083	0.996	0.540	3.303
IVFC	10	250	1.00	3	5	original	ϕ_o	0.145	0.988	0.566	3.501
IVFC	10	500	0.20	2	5	original	ϕ_o	0.001	1.000	0.500	1.926
IVFC	10	750	0.20	2	5	original	ϕ_o	0.001	1.000	0.500	1.926
IVFC	10	1000	0.20	2	5	original	ϕ_o	0.001	1.000	0.500	1.926
IVFC	10	500	4.00	4	6	original	ϕ_o	0.733	0.558	0.646	3.440
IVFC	10	750	4.00	4	6	original	ϕ_o	0.733	0.558	0.646	3.440
IVFC	10	1000	4.00	4	6	original	ϕ_o	0.733	0.558	0.646	3.440
IVFC	10	10	2.00	6	5	original	ϕ_o	0.734	0.052	0.393	2.101
IVFC	10	10	2.30	6	5	original	ϕ_o	0.733	0.052	0.393	2.099
IVFC	10	10	3.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.098
IVFC	10	100	2.00	6	5	original	ϕ_o	0.686	0.432	0.559	2.121
IVFC	10	100	2.30	6	5	original	ϕ_o	0.715	0.269	0.492	2.114
IVFC	10	100	3.00	6	5	original	ϕ_o	0.733	0.088	0.410	2.104
IVFC	10	250	2.00	6	5	original	ϕ_o	0.452	0.850	0.651	3.036
IVFC	10	250	2.30	6	5	original	ϕ_o	0.541	0.766	0.654	2.998
IVFC	10	250	3.00	6	5	original	ϕ_o	0.664	0.528	0.596	2.616
IVFC	10	10	1.25	5	5	original	ϕ_o	0.747	0.197	0.472	2.807

IVFC	10	10	1.50	5	5	original	ϕ_o	0.750	0.124	0.437	2.796
IVFC	10	10	1.70	5	5	original	ϕ_o	0.750	0.106	0.428	2.779
IVFC	10	100	1.25	5	5	original	ϕ_o	0.265	0.930	0.597	3.144
IVFC	10	100	1.50	5	5	original	ϕ_o	0.402	0.886	0.644	3.106
IVFC	10	100	1.70	5	5	original	ϕ_o	0.511	0.815	0.663	3.096
IVFC	10	250	1.25	5	5	original	ϕ_o	0.111	0.968	0.539	3.101
IVFC	10	250	1.50	5	5	original	ϕ_o	0.138	0.957	0.548	3.106
IVFC	10	250	1.70	5	5	original	ϕ_o	0.171	0.947	0.559	3.110
IVFC	10	500	4.00	4	2	original	ϕ_o	0.747	0.462	0.604	3.394
IVFC	10	750	4.00	4	2	original	ϕ_o	0.706	0.579	0.642	3.337
IVFC	10	1000	4.00	4	2	original	ϕ_o	0.705	0.579	0.642	3.330
IVFC	10	500	4.00	2	2	original	ϕ_o	0.941	0.498	0.720	3.661
IVFC	10	750	4.00	2	2	original	ϕ_o	0.886	0.672	0.779	3.662
IVFC	10	1000	4.00	2	2	original	ϕ_o	0.876	0.692	0.784	4.197
IVFC	10	500	0.20	3	4	original	ϕ_o	0.001	1.000	0.501	1.661
IVFC	10	750	0.20	3	4	original	ϕ_o	0.001	1.000	0.501	1.649
IVFC	10	1000	0.20	3	4	original	ϕ_o	0.001	1.000	0.501	1.649
IVFC	10	500	0.50	4	3	original	ϕ_o	0.018	1.000	0.509	2.240
IVFC	10	500	0.70	4	3	original	ϕ_o	0.045	1.000	0.522	2.632
IVFC	10	500	1.00	4	3	original	ϕ_o	0.085	0.998	0.541	2.564
IVFC	10	750	0.50	4	3	original	ϕ_o	0.018	1.000	0.509	2.224
IVFC	10	750	0.70	4	3	original	ϕ_o	0.045	1.000	0.522	2.614
IVFC	10	750	1.00	4	3	original	ϕ_o	0.085	0.998	0.541	2.883
IVFC	10	1000	0.50	4	3	original	ϕ_o	0.018	1.000	0.509	2.224
IVFC	10	1000	0.70	4	3	original	ϕ_o	0.045	1.000	0.522	2.614
IVFC	10	1000	1.00	4	3	original	ϕ_o	0.085	0.998	0.541	2.883
IVFC	10	500	0.20	6	5	original	ϕ_o	0.001	1.000	0.500	1.480
IVFC	10	750	0.20	6	5	original	ϕ_o	0.001	1.000	0.500	1.480
IVFC	10	1000	0.20	6	5	original	ϕ_o	0.001	1.000	0.500	1.480
IVFC	10	10	4.00	7	5	original	ϕ_o	0.685	0.113	0.399	2.746
IVFC	10	100	4.00	7	5	original	ϕ_o	0.693	0.151	0.422	2.463
IVFC	10	250	4.00	7	5	original	ϕ_o	0.624	0.516	0.570	2.878
IVFC	10	10	0.50	6	2	original	ϕ_o	0.567	0.644	0.606	2.876
IVFC	10	10	0.70	6	2	original	ϕ_o	0.692	0.354	0.523	2.093
IVFC	10	10	1.00	6	2	original	ϕ_o	0.731	0.077	0.404	1.435
IVFC	10	100	0.50	6	2	original	ϕ_o	0.279	0.947	0.613	2.904
IVFC	10	100	0.70	6	2	original	ϕ_o	0.418	0.873	0.646	2.967
IVFC	10	100	1.00	6	2	original	ϕ_o	0.604	0.628	0.616	2.607
IVFC	10	250	0.50	6	2	original	ϕ_o	0.155	0.986	0.570	2.773
IVFC	10	250	0.70	6	2	original	ϕ_o	0.226	0.960	0.593	2.927
IVFC	10	250	1.00	6	2	original	ϕ_o	0.363	0.900	0.632	2.961
IVFC	10	10	4.00	2	5	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	10	100	4.00	2	5	original	ϕ_o	0.968	0.097	0.533	2.850
IVFC	10	250	4.00	2	5	original	ϕ_o	0.937	0.508	0.723	3.665
IVFC	10	10	0.20	5	5	original	ϕ_o	0.094	0.992	0.543	2.410
IVFC	10	100	0.20	5	5	original	ϕ_o	0.012	0.999	0.506	1.597
IVFC	10	250	0.20	5	5	original	ϕ_o	0.001	1.000	0.501	1.330
IVFC	10	500	1.25	3	5	original	ϕ_o	0.165	0.984	0.574	3.500
IVFC	10	500	1.50	3	5	original	ϕ_o	0.210	0.973	0.591	3.514
IVFC	10	500	1.70	3	5	original	ϕ_o	0.252	0.960	0.606	3.520

IVFC	10	750	1.25	3	5	original	ϕ_o	0.165	0.984	0.574	3.500
IVFC	10	750	1.50	3	5	original	ϕ_o	0.210	0.973	0.591	3.514
IVFC	10	750	1.70	3	5	original	ϕ_o	0.252	0.960	0.606	3.520
IVFC	10	1000	1.25	3	5	original	ϕ_o	0.165	0.984	0.574	3.500
IVFC	10	1000	1.50	3	5	original	ϕ_o	0.210	0.973	0.591	3.514
IVFC	10	1000	1.70	3	5	original	ϕ_o	0.252	0.960	0.606	3.520
IVFC	10	10	1.25	6	2	original	ϕ_o	0.732	0.051	0.391	1.432
IVFC	10	10	1.50	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	10	1.70	6	2	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	1.25	6	2	original	ϕ_o	0.690	0.390	0.540	2.107
IVFC	10	100	1.50	6	2	original	ϕ_o	0.722	0.186	0.454	2.104
IVFC	10	100	1.70	6	2	original	ϕ_o	0.731	0.096	0.413	2.100
IVFC	10	250	1.25	6	2	original	ϕ_o	0.497	0.798	0.648	2.952
IVFC	10	250	1.50	6	2	original	ϕ_o	0.597	0.648	0.623	2.589
IVFC	10	250	1.70	6	2	original	ϕ_o	0.651	0.509	0.580	2.579
IVFC	10	10	4.00	3	2	original	ϕ_o	0.865	0.071	0.468	2.520
IVFC	10	100	4.00	3	2	original	ϕ_o	0.866	0.071	0.468	2.514
IVFC	10	250	4.00	3	2	original	ϕ_o	0.863	0.089	0.476	2.494
IVFC	10	10	1.25	6	6	original	ϕ_o	0.738	0.091	0.415	2.124
IVFC	10	10	1.50	6	6	original	ϕ_o	0.737	0.055	0.396	2.108
IVFC	10	10	1.70	6	6	original	ϕ_o	0.736	0.052	0.394	2.105
IVFC	10	100	1.25	6	6	original	ϕ_o	0.423	0.880	0.651	3.077
IVFC	10	100	1.50	6	6	original	ϕ_o	0.540	0.777	0.659	3.038
IVFC	10	100	1.70	6	6	original	ϕ_o	0.610	0.673	0.642	2.663
IVFC	10	250	1.25	6	6	original	ϕ_o	0.198	0.973	0.585	3.099
IVFC	10	250	1.50	6	6	original	ϕ_o	0.266	0.950	0.608	3.090
IVFC	10	250	1.70	6	6	original	ϕ_o	0.326	0.920	0.623	3.065
IVFC	10	500	2.00	7	2	original	ϕ_o	0.218	0.945	0.582	2.599
IVFC	10	500	2.30	7	2	original	ϕ_o	0.298	0.901	0.600	2.624
IVFC	10	500	3.00	7	2	original	ϕ_o	0.453	0.741	0.597	2.661
IVFC	10	750	2.00	7	2	original	ϕ_o	0.151	0.970	0.560	2.609
IVFC	10	750	2.30	7	2	original	ϕ_o	0.226	0.947	0.586	2.636
IVFC	10	750	3.00	7	2	original	ϕ_o	0.383	0.843	0.613	2.687
IVFC	10	1000	2.00	7	2	original	ϕ_o	0.143	0.974	0.558	2.638
IVFC	10	1000	2.30	7	2	original	ϕ_o	0.219	0.953	0.586	2.661
IVFC	10	1000	3.00	7	2	original	ϕ_o	0.381	0.855	0.618	2.712
IVFC	10	500	1.25	7	2	original	ϕ_o	0.076	0.991	0.533	2.530
IVFC	10	500	1.50	7	2	original	ϕ_o	0.104	0.982	0.543	2.555
IVFC	10	500	1.70	7	2	original	ϕ_o	0.140	0.971	0.556	2.577
IVFC	10	750	1.25	7	2	original	ϕ_o	0.059	0.994	0.527	2.502
IVFC	10	750	1.50	7	2	original	ϕ_o	0.075	0.990	0.532	2.548
IVFC	10	750	1.70	7	2	original	ϕ_o	0.096	0.984	0.540	2.576
IVFC	10	1000	1.25	7	2	original	ϕ_o	0.054	0.995	0.525	2.527
IVFC	10	1000	1.50	7	2	original	ϕ_o	0.068	0.991	0.529	2.574
IVFC	10	1000	1.70	7	2	original	ϕ_o	0.088	0.986	0.537	2.603
IVFC	10	500	4.00	6	5	original	ϕ_o	0.707	0.380	0.544	2.679
IVFC	10	750	4.00	6	5	original	ϕ_o	0.707	0.380	0.544	2.679
IVFC	10	1000	4.00	6	5	original	ϕ_o	0.707	0.380	0.544	2.679
IVFC	10	500	1.25	2	5	original	ϕ_o	0.289	0.990	0.639	4.339
IVFC	10	500	1.50	2	5	original	ϕ_o	0.384	0.976	0.680	4.349

IVFC	10	500	1.70	2	5	original	ϕ_o	0.465	0.959	0.712	4.358
IVFC	10	750	1.25	2	5	original	ϕ_o	0.289	0.990	0.639	4.339
IVFC	10	750	1.50	2	5	original	ϕ_o	0.384	0.976	0.680	4.349
IVFC	10	750	1.70	2	5	original	ϕ_o	0.465	0.959	0.712	4.358
IVFC	10	1000	1.25	2	5	original	ϕ_o	0.289	0.990	0.639	4.339
IVFC	10	1000	1.50	2	5	original	ϕ_o	0.384	0.976	0.680	4.349
IVFC	10	1000	1.70	2	5	original	ϕ_o	0.465	0.959	0.712	4.358
IVFC	10	500	4.00	7	6	original	ϕ_o	0.643	0.420	0.532	2.861
IVFC	10	750	4.00	7	6	original	ϕ_o	0.643	0.420	0.532	2.861
IVFC	10	1000	4.00	7	6	original	ϕ_o	0.643	0.420	0.532	2.861
IVFC	10	10	4.00	2	4	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	10	100	4.00	2	4	original	ϕ_o	0.969	0.077	0.523	2.850
IVFC	10	250	4.00	2	4	original	ϕ_o	0.948	0.481	0.714	3.698
IVFC	10	500	1.25	6	4	original	ϕ_o	0.170	0.976	0.573	3.079
IVFC	10	500	1.50	6	4	original	ϕ_o	0.226	0.960	0.593	3.082
IVFC	10	500	1.70	6	4	original	ϕ_o	0.279	0.944	0.611	3.081
IVFC	10	750	1.25	6	4	original	ϕ_o	0.168	0.976	0.572	3.081
IVFC	10	750	1.50	6	4	original	ϕ_o	0.224	0.961	0.593	3.088
IVFC	10	750	1.70	6	4	original	ϕ_o	0.277	0.945	0.611	3.087
IVFC	10	1000	1.25	6	4	original	ϕ_o	0.168	0.976	0.572	3.081
IVFC	10	1000	1.50	6	4	original	ϕ_o	0.224	0.961	0.593	3.088
IVFC	10	1000	1.70	6	4	original	ϕ_o	0.277	0.945	0.611	3.087
IVFC	10	10	0.50	2	3	original	ϕ_o	0.791	0.843	0.817	4.410
IVFC	10	10	0.70	2	3	original	ϕ_o	0.905	0.664	0.784	3.702
IVFC	10	10	1.00	2	3	original	ϕ_o	0.962	0.348	0.655	2.880
IVFC	10	100	0.50	2	3	original	ϕ_o	0.280	0.988	0.634	4.200
IVFC	10	100	0.70	2	3	original	ϕ_o	0.439	0.973	0.706	4.408
IVFC	10	100	1.00	2	3	original	ϕ_o	0.628	0.927	0.777	4.424
IVFC	10	250	0.50	2	3	original	ϕ_o	0.101	0.999	0.550	3.815
IVFC	10	250	0.70	2	3	original	ϕ_o	0.191	0.995	0.593	4.206
IVFC	10	250	1.00	2	3	original	ϕ_o	0.337	0.983	0.660	4.374
IVFC	10	10	0.20	3	5	original	ϕ_o	0.118	0.994	0.556	2.772
IVFC	10	100	0.20	3	5	original	ϕ_o	0.012	1.000	0.506	1.898
IVFC	10	250	0.20	3	5	original	ϕ_o	0.002	1.000	0.501	1.599
IVFC	10	10	0.50	6	7	original	ϕ_o	0.444	0.887	0.666	3.181
IVFC	10	10	0.70	6	7	original	ϕ_o	0.601	0.718	0.660	3.108
IVFC	10	10	1.00	6	7	original	ϕ_o	0.721	0.308	0.515	2.157
IVFC	10	100	0.50	6	7	original	ϕ_o	0.103	0.996	0.549	2.874
IVFC	10	100	0.70	6	7	original	ϕ_o	0.166	0.985	0.575	3.107
IVFC	10	100	1.00	6	7	original	ϕ_o	0.261	0.952	0.606	3.134
IVFC	10	250	0.50	6	7	original	ϕ_o	0.036	0.999	0.517	2.626
IVFC	10	250	0.70	6	7	original	ϕ_o	0.073	0.997	0.535	2.971
IVFC	10	250	1.00	6	7	original	ϕ_o	0.134	0.989	0.562	3.096
IVFC	10	10	2.00	7	5	original	ϕ_o	0.686	0.114	0.400	2.408
IVFC	10	10	2.30	7	5	original	ϕ_o	0.685	0.113	0.399	2.405
IVFC	10	10	3.00	7	5	original	ϕ_o	0.685	0.113	0.399	1.944
IVFC	10	100	2.00	7	5	original	ϕ_o	0.591	0.547	0.569	2.826
IVFC	10	100	2.30	7	5	original	ϕ_o	0.638	0.411	0.524	2.812
IVFC	10	100	3.00	7	5	original	ϕ_o	0.684	0.234	0.459	2.809
IVFC	10	250	2.00	7	5	original	ϕ_o	0.223	0.957	0.590	2.811

IVFC	10	250	2.30	7	5	original	ϕ_o	0.304	0.922	0.613	2.825
IVFC	10	250	3.00	7	5	original	ϕ_o	0.481	0.780	0.630	2.859
IVFC	10	500	0.50	2	2	original	ϕ_o	0.067	1.000	0.533	3.693
IVFC	10	500	0.70	2	2	original	ϕ_o	0.127	0.999	0.563	4.091
IVFC	10	500	1.00	2	2	original	ϕ_o	0.222	0.993	0.607	4.300
IVFC	10	750	0.50	2	2	original	ϕ_o	0.040	1.000	0.520	3.529
IVFC	10	750	0.70	2	2	original	ϕ_o	0.085	0.999	0.542	3.975
IVFC	10	750	1.00	2	2	original	ϕ_o	0.155	0.997	0.576	4.241
IVFC	10	1000	0.50	2	2	original	ϕ_o	0.037	1.000	0.518	3.503
IVFC	10	1000	0.70	2	2	original	ϕ_o	0.079	0.999	0.539	3.957
IVFC	10	1000	1.00	2	2	original	ϕ_o	0.147	0.997	0.572	4.224
IVFC	10	500	2.00	2	4	original	ϕ_o	0.550	0.940	0.745	4.374
IVFC	10	500	2.30	2	4	original	ϕ_o	0.652	0.904	0.778	4.371
IVFC	10	500	3.00	2	4	original	ϕ_o	0.818	0.797	0.807	4.339
IVFC	10	750	2.00	2	4	original	ϕ_o	0.550	0.940	0.745	4.374
IVFC	10	750	2.30	2	4	original	ϕ_o	0.652	0.904	0.778	4.371
IVFC	10	750	3.00	2	4	original	ϕ_o	0.818	0.797	0.807	4.339
IVFC	10	1000	2.00	2	4	original	ϕ_o	0.550	0.940	0.745	4.374
IVFC	10	1000	2.30	2	4	original	ϕ_o	0.652	0.904	0.778	4.371
IVFC	10	1000	3.00	2	4	original	ϕ_o	0.818	0.797	0.807	4.339
IVFC	10	10	4.00	6	6	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	4.00	6	6	original	ϕ_o	0.735	0.058	0.397	2.105
IVFC	10	250	4.00	6	6	original	ϕ_o	0.718	0.253	0.486	2.118
IVFC	10	500	2.00	3	6	original	ϕ_o	0.351	0.927	0.639	3.575
IVFC	10	500	2.30	3	6	original	ϕ_o	0.475	0.874	0.674	3.563
IVFC	10	500	3.00	3	6	original	ϕ_o	0.719	0.690	0.704	3.144
IVFC	10	750	2.00	3	6	original	ϕ_o	0.351	0.927	0.639	3.575
IVFC	10	750	2.30	3	6	original	ϕ_o	0.475	0.874	0.674	3.563
IVFC	10	750	3.00	3	6	original	ϕ_o	0.719	0.690	0.704	3.144
IVFC	10	1000	2.00	3	6	original	ϕ_o	0.351	0.927	0.639	3.575
IVFC	10	1000	2.30	3	6	original	ϕ_o	0.475	0.874	0.674	3.563
IVFC	10	1000	3.00	3	6	original	ϕ_o	0.719	0.690	0.704	3.144
IVFC	10	10	0.20	4	6	original	ϕ_o	0.121	0.995	0.558	2.138
IVFC	10	100	0.20	4	6	original	ϕ_o	0.005	1.000	0.503	1.273
IVFC	10	250	0.20	4	6	original	ϕ_o	0.000	1.000	0.500	1.084
IVFC	10	500	1.25	7	5	original	ϕ_o	0.062	0.994	0.528	2.751
IVFC	10	500	1.50	7	5	original	ϕ_o	0.088	0.989	0.538	2.783
IVFC	10	500	1.70	7	5	original	ϕ_o	0.120	0.983	0.551	2.799
IVFC	10	750	1.25	7	5	original	ϕ_o	0.062	0.994	0.528	2.751
IVFC	10	750	1.50	7	5	original	ϕ_o	0.088	0.989	0.538	2.783
IVFC	10	750	1.70	7	5	original	ϕ_o	0.120	0.983	0.551	2.799
IVFC	10	1000	1.25	7	5	original	ϕ_o	0.062	0.994	0.528	2.751
IVFC	10	1000	1.50	7	5	original	ϕ_o	0.088	0.989	0.538	2.783
IVFC	10	1000	1.70	7	5	original	ϕ_o	0.120	0.983	0.551	2.799
IVFC	10	10	1.25	4	3	original	ϕ_o	0.790	0.122	0.456	2.889
IVFC	10	10	1.50	4	3	original	ϕ_o	0.789	0.095	0.442	2.869
IVFC	10	10	1.70	4	3	original	ϕ_o	0.789	0.094	0.442	2.288
IVFC	10	100	1.25	4	3	original	ϕ_o	0.522	0.880	0.701	3.440
IVFC	10	100	1.50	4	3	original	ϕ_o	0.654	0.737	0.695	3.475
IVFC	10	100	1.70	4	3	original	ϕ_o	0.715	0.615	0.665	3.499

IVFC	10	250	1.25	4	3	original	ϕ_o	0.180	0.986	0.583	3.302
IVFC	10	250	1.50	4	3	original	ϕ_o	0.244	0.974	0.609	3.387
IVFC	10	250	1.70	4	3	original	ϕ_o	0.339	0.954	0.646	3.422
IVFC	10	500	2.00	5	6	original	ϕ_o	0.184	0.942	0.563	3.099
IVFC	10	500	2.30	5	6	original	ϕ_o	0.266	0.923	0.595	3.093
IVFC	10	500	3.00	5	6	original	ϕ_o	0.496	0.819	0.658	3.067
IVFC	10	750	2.00	5	6	original	ϕ_o	0.184	0.942	0.563	3.099
IVFC	10	750	2.30	5	6	original	ϕ_o	0.266	0.923	0.595	3.093
IVFC	10	750	3.00	5	6	original	ϕ_o	0.496	0.819	0.658	3.067
IVFC	10	1000	2.00	5	6	original	ϕ_o	0.184	0.942	0.563	3.099
IVFC	10	1000	2.30	5	6	original	ϕ_o	0.266	0.923	0.595	3.093
IVFC	10	1000	3.00	5	6	original	ϕ_o	0.496	0.819	0.658	3.067
IVFC	10	500	0.20	4	6	original	ϕ_o	0.000	1.000	0.500	1.058
IVFC	10	750	0.20	4	6	original	ϕ_o	0.000	1.000	0.500	1.058
IVFC	10	1000	0.20	4	6	original	ϕ_o	0.000	1.000	0.500	1.058
IVFC	10	10	4.00	5	4	original	ϕ_o	0.747	0.103	0.425	2.763
IVFC	10	100	4.00	5	4	original	ϕ_o	0.750	0.109	0.429	2.786
IVFC	10	250	4.00	5	4	original	ϕ_o	0.715	0.372	0.544	3.145
IVFC	10	500	2.00	3	7	original	ϕ_o	0.371	0.921	0.646	3.575
IVFC	10	500	2.30	3	7	original	ϕ_o	0.495	0.866	0.681	3.559
IVFC	10	500	3.00	3	7	original	ϕ_o	0.726	0.682	0.704	3.537
IVFC	10	750	2.00	3	7	original	ϕ_o	0.371	0.921	0.646	3.575
IVFC	10	750	2.30	3	7	original	ϕ_o	0.495	0.866	0.681	3.559
IVFC	10	750	3.00	3	7	original	ϕ_o	0.726	0.682	0.704	3.537
IVFC	10	1000	2.00	3	7	original	ϕ_o	0.371	0.921	0.646	3.575
IVFC	10	1000	2.30	3	7	original	ϕ_o	0.495	0.866	0.681	3.559
IVFC	10	1000	3.00	3	7	original	ϕ_o	0.726	0.682	0.704	3.537
IVFC	10	10	0.50	2	5	original	ϕ_o	0.760	0.863	0.812	4.394
IVFC	10	10	0.70	2	5	original	ϕ_o	0.888	0.695	0.792	3.702
IVFC	10	10	1.00	2	5	original	ϕ_o	0.957	0.410	0.683	2.884
IVFC	10	100	0.50	2	5	original	ϕ_o	0.179	0.996	0.587	4.058
IVFC	10	100	0.70	2	5	original	ϕ_o	0.311	0.986	0.648	4.328
IVFC	10	100	1.00	2	5	original	ϕ_o	0.503	0.957	0.730	4.413
IVFC	10	250	0.50	2	5	original	ϕ_o	0.052	1.000	0.526	3.649
IVFC	10	250	0.70	2	5	original	ϕ_o	0.122	0.999	0.560	4.096
IVFC	10	250	1.00	2	5	original	ϕ_o	0.231	0.993	0.612	4.311
IVFC	10	10	1.25	4	5	original	ϕ_o	0.789	0.178	0.484	2.910
IVFC	10	10	1.50	4	5	original	ϕ_o	0.793	0.108	0.451	2.300
IVFC	10	10	1.70	4	5	original	ϕ_o	0.792	0.096	0.444	2.294
IVFC	10	100	1.25	4	5	original	ϕ_o	0.345	0.960	0.653	3.410
IVFC	10	100	1.50	4	5	original	ϕ_o	0.496	0.897	0.696	3.439
IVFC	10	100	1.70	4	5	original	ϕ_o	0.592	0.817	0.705	3.435
IVFC	10	250	1.25	4	5	original	ϕ_o	0.137	0.994	0.565	3.136
IVFC	10	250	1.50	4	5	original	ϕ_o	0.176	0.989	0.582	3.262
IVFC	10	250	1.70	4	5	original	ϕ_o	0.227	0.982	0.605	3.335
IVFC	10	500	0.20	4	5	original	ϕ_o	0.000	1.000	0.500	1.085
IVFC	10	750	0.20	4	5	original	ϕ_o	0.000	1.000	0.500	1.085
IVFC	10	1000	0.20	4	5	original	ϕ_o	0.000	1.000	0.500	1.085
IVFC	10	10	0.50	7	4	original	ϕ_o	0.492	0.749	0.620	2.804
IVFC	10	10	0.70	7	4	original	ϕ_o	0.641	0.373	0.507	2.756

IVFC	10	10	1.00	7	4	original	ϕ_o	0.682	0.161	0.421	2.748
IVFC	10	100	0.50	7	4	original	ϕ_o	0.054	0.998	0.526	2.748
IVFC	10	100	0.70	7	4	original	ϕ_o	0.104	0.994	0.549	2.841
IVFC	10	100	1.00	7	4	original	ϕ_o	0.282	0.944	0.613	2.842
IVFC	10	250	0.50	7	4	original	ϕ_o	0.027	1.000	0.513	2.392
IVFC	10	250	0.70	7	4	original	ϕ_o	0.034	0.999	0.516	2.639
IVFC	10	250	1.00	7	4	original	ϕ_o	0.052	0.997	0.524	2.757
IVFC	10	10	0.50	7	6	original	ϕ_o	0.402	0.827	0.615	2.719
IVFC	10	10	0.70	7	6	original	ϕ_o	0.579	0.514	0.547	2.682
IVFC	10	10	1.00	7	6	original	ϕ_o	0.676	0.222	0.449	2.422
IVFC	10	100	0.50	7	6	original	ϕ_o	0.052	0.998	0.525	2.516
IVFC	10	100	0.70	7	6	original	ϕ_o	0.082	0.996	0.539	2.677
IVFC	10	100	1.00	7	6	original	ϕ_o	0.142	0.980	0.561	2.723
IVFC	10	250	0.50	7	6	original	ϕ_o	0.026	1.000	0.513	2.231
IVFC	10	250	0.70	7	6	original	ϕ_o	0.034	0.999	0.516	2.470
IVFC	10	250	1.00	7	6	original	ϕ_o	0.053	0.997	0.525	2.604
IVFC	10	500	2.00	3	4	original	ϕ_o	0.303	0.943	0.623	3.540
IVFC	10	500	2.30	3	4	original	ϕ_o	0.403	0.901	0.652	3.533
IVFC	10	500	3.00	3	4	original	ϕ_o	0.636	0.750	0.693	3.509
IVFC	10	750	2.00	3	4	original	ϕ_o	0.293	0.945	0.619	3.520
IVFC	10	750	2.30	3	4	original	ϕ_o	0.385	0.905	0.645	3.507
IVFC	10	750	3.00	3	4	original	ϕ_o	0.619	0.759	0.689	3.486
IVFC	10	1000	2.00	3	4	original	ϕ_o	0.293	0.945	0.619	3.520
IVFC	10	1000	2.30	3	4	original	ϕ_o	0.385	0.905	0.645	3.507
IVFC	10	1000	3.00	3	4	original	ϕ_o	0.619	0.759	0.689	3.486
IVFC	10	500	0.50	6	6	original	ϕ_o	0.028	0.999	0.514	2.623
IVFC	10	500	0.70	6	6	original	ϕ_o	0.064	0.997	0.530	2.969
IVFC	10	500	1.00	6	6	original	ϕ_o	0.123	0.991	0.557	3.111
IVFC	10	750	0.50	6	6	original	ϕ_o	0.028	0.999	0.514	2.623
IVFC	10	750	0.70	6	6	original	ϕ_o	0.064	0.997	0.530	2.969
IVFC	10	750	1.00	6	6	original	ϕ_o	0.123	0.991	0.557	3.111
IVFC	10	1000	0.50	6	6	original	ϕ_o	0.028	0.999	0.514	2.623
IVFC	10	1000	0.70	6	6	original	ϕ_o	0.064	0.997	0.530	2.969
IVFC	10	1000	1.00	6	6	original	ϕ_o	0.123	0.991	0.557	3.111
IVFC	10	10	0.20	3	7	original	ϕ_o	0.094	0.995	0.545	2.563
IVFC	10	100	0.20	3	7	original	ϕ_o	0.006	1.000	0.503	1.674
IVFC	10	250	0.20	3	7	original	ϕ_o	0.001	1.000	0.501	1.499
IVFC	10	10	2.00	2	6	original	ϕ_o	0.965	0.054	0.510	2.829
IVFC	10	10	2.30	2	6	original	ϕ_o	0.964	0.055	0.510	2.827
IVFC	10	10	3.00	2	6	original	ϕ_o	0.964	0.056	0.510	2.826
IVFC	10	100	2.00	2	6	original	ϕ_o	0.859	0.773	0.816	4.402
IVFC	10	100	2.30	2	6	original	ϕ_o	0.904	0.682	0.793	3.722
IVFC	10	100	3.00	2	6	original	ϕ_o	0.951	0.440	0.695	2.883
IVFC	10	250	2.00	2	6	original	ϕ_o	0.628	0.927	0.777	4.418
IVFC	10	250	2.30	2	6	original	ϕ_o	0.727	0.884	0.806	4.415
IVFC	10	250	3.00	2	6	original	ϕ_o	0.868	0.750	0.809	4.390
IVFC	10	10	2.00	3	4	original	ϕ_o	0.867	0.070	0.468	2.523
IVFC	10	10	2.30	3	4	original	ϕ_o	0.866	0.070	0.468	2.522
IVFC	10	10	3.00	3	4	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	100	2.00	3	4	original	ϕ_o	0.801	0.516	0.659	3.102

IVFC	10	100	2.30	3	4	original	ϕ_o	0.838	0.354	0.596	3.089
IVFC	10	100	3.00	3	4	original	ϕ_o	0.863	0.137	0.500	2.520
IVFC	10	250	2.00	3	4	original	ϕ_o	0.462	0.879	0.670	3.571
IVFC	10	250	2.30	3	4	original	ϕ_o	0.589	0.805	0.697	3.538
IVFC	10	250	3.00	3	4	original	ϕ_o	0.761	0.595	0.678	3.465
IVFC	10	10	0.50	7	3	original	ϕ_o	0.507	0.715	0.611	2.756
IVFC	10	10	0.70	7	3	original	ϕ_o	0.644	0.333	0.489	2.716
IVFC	10	10	1.00	7	3	original	ϕ_o	0.682	0.156	0.419	2.409
IVFC	10	100	0.50	7	3	original	ϕ_o	0.074	0.997	0.535	2.706
IVFC	10	100	0.70	7	3	original	ϕ_o	0.155	0.988	0.572	2.792
IVFC	10	100	1.00	7	3	original	ϕ_o	0.363	0.897	0.630	2.818
IVFC	10	250	0.50	7	3	original	ϕ_o	0.040	0.999	0.520	2.414
IVFC	10	250	0.70	7	3	original	ϕ_o	0.048	0.999	0.523	2.646
IVFC	10	250	1.00	7	3	original	ϕ_o	0.073	0.997	0.535	2.788
IVFC	10	500	1.25	5	6	original	ϕ_o	0.097	0.976	0.536	3.093
IVFC	10	500	1.50	5	6	original	ϕ_o	0.119	0.965	0.542	3.106
IVFC	10	500	1.70	5	6	original	ϕ_o	0.139	0.956	0.548	3.105
IVFC	10	750	1.25	5	6	original	ϕ_o	0.097	0.976	0.536	3.093
IVFC	10	750	1.50	5	6	original	ϕ_o	0.119	0.965	0.542	3.106
IVFC	10	750	1.70	5	6	original	ϕ_o	0.139	0.956	0.548	3.105
IVFC	10	1000	1.25	5	6	original	ϕ_o	0.097	0.976	0.536	3.093
IVFC	10	1000	1.50	5	6	original	ϕ_o	0.119	0.965	0.542	3.106
IVFC	10	1000	1.70	5	6	original	ϕ_o	0.139	0.956	0.548	3.105
IVFC	10	10	1.25	2	2	original	ϕ_o	0.967	0.073	0.520	2.846
IVFC	10	10	1.50	2	2	original	ϕ_o	0.967	0.054	0.510	1.916
IVFC	10	10	1.70	2	2	original	ϕ_o	0.966	0.054	0.510	2.832
IVFC	10	100	1.25	2	2	original	ϕ_o	0.833	0.756	0.794	4.283
IVFC	10	100	1.50	2	2	original	ϕ_o	0.908	0.643	0.776	3.676
IVFC	10	100	1.70	2	2	original	ϕ_o	0.938	0.543	0.740	2.887
IVFC	10	250	1.25	2	2	original	ϕ_o	0.565	0.934	0.749	4.351
IVFC	10	250	1.50	2	2	original	ϕ_o	0.681	0.878	0.780	4.317
IVFC	10	250	1.70	2	2	original	ϕ_o	0.758	0.822	0.790	4.286
IVFC	10	500	2.00	4	2	original	ϕ_o	0.312	0.965	0.639	3.387
IVFC	10	500	2.30	4	2	original	ϕ_o	0.440	0.922	0.681	3.408
IVFC	10	500	3.00	4	2	original	ϕ_o	0.640	0.740	0.690	3.414
IVFC	10	750	2.00	4	2	original	ϕ_o	0.213	0.977	0.595	3.270
IVFC	10	750	2.30	4	2	original	ϕ_o	0.306	0.951	0.629	3.309
IVFC	10	750	3.00	4	2	original	ϕ_o	0.548	0.823	0.685	3.348
IVFC	10	1000	2.00	4	2	original	ϕ_o	0.213	0.977	0.595	3.254
IVFC	10	1000	2.30	4	2	original	ϕ_o	0.301	0.951	0.626	3.299
IVFC	10	1000	3.00	4	2	original	ϕ_o	0.544	0.823	0.683	3.340
IVFC	10	500	0.50	7	3	original	ϕ_o	0.024	1.000	0.512	2.225
IVFC	10	500	0.70	7	3	original	ϕ_o	0.030	0.999	0.515	2.460
IVFC	10	500	1.00	7	3	original	ϕ_o	0.040	0.998	0.519	2.634
IVFC	10	750	0.50	7	3	original	ϕ_o	0.024	1.000	0.512	2.221
IVFC	10	750	0.70	7	3	original	ϕ_o	0.030	0.999	0.515	2.456
IVFC	10	750	1.00	7	3	original	ϕ_o	0.040	0.998	0.519	2.632
IVFC	10	1000	0.50	7	3	original	ϕ_o	0.024	1.000	0.512	2.221
IVFC	10	1000	0.70	7	3	original	ϕ_o	0.030	0.999	0.515	2.456
IVFC	10	1000	1.00	7	3	original	ϕ_o	0.040	0.998	0.519	2.632

IVFC	10	500	4.00	7	5	original	ϕ_o	0.610	0.569	0.589	2.914
IVFC	10	750	4.00	7	5	original	ϕ_o	0.610	0.569	0.589	2.914
IVFC	10	1000	4.00	7	5	original	ϕ_o	0.610	0.569	0.589	2.914
IVFC	10	500	4.00	4	4	original	ϕ_o	0.711	0.631	0.671	3.475
IVFC	10	750	4.00	4	4	original	ϕ_o	0.711	0.631	0.671	3.475
IVFC	10	1000	4.00	4	4	original	ϕ_o	0.711	0.631	0.671	3.475
IVFC	10	10	0.20	3	3	original	ϕ_o	0.175	0.991	0.583	2.935
IVFC	10	100	0.20	3	3	original	ϕ_o	0.023	1.000	0.511	2.142
IVFC	10	250	0.20	3	3	original	ϕ_o	0.005	1.000	0.502	1.800
IVFC	10	500	1.25	3	6	original	ϕ_o	0.167	0.984	0.576	3.539
IVFC	10	500	1.50	3	6	original	ϕ_o	0.216	0.973	0.594	3.557
IVFC	10	500	1.70	3	6	original	ϕ_o	0.259	0.959	0.609	3.566
IVFC	10	750	1.25	3	6	original	ϕ_o	0.167	0.984	0.576	3.539
IVFC	10	750	1.50	3	6	original	ϕ_o	0.216	0.973	0.594	3.557
IVFC	10	750	1.70	3	6	original	ϕ_o	0.259	0.959	0.609	3.566
IVFC	10	1000	1.25	3	6	original	ϕ_o	0.167	0.984	0.576	3.539
IVFC	10	1000	1.50	3	6	original	ϕ_o	0.216	0.973	0.594	3.557
IVFC	10	1000	1.70	3	6	original	ϕ_o	0.259	0.959	0.609	3.566
IVFC	10	500	0.50	7	5	original	ϕ_o	0.024	1.000	0.512	2.264
IVFC	10	500	0.70	7	5	original	ϕ_o	0.031	0.999	0.515	2.519
IVFC	10	500	1.00	7	5	original	ϕ_o	0.045	0.997	0.521	2.688
IVFC	10	750	0.50	7	5	original	ϕ_o	0.024	1.000	0.512	2.264
IVFC	10	750	0.70	7	5	original	ϕ_o	0.031	0.999	0.515	2.519
IVFC	10	750	1.00	7	5	original	ϕ_o	0.045	0.997	0.521	2.688
IVFC	10	1000	0.50	7	5	original	ϕ_o	0.024	1.000	0.512	2.264
IVFC	10	1000	0.70	7	5	original	ϕ_o	0.031	0.999	0.515	2.519
IVFC	10	1000	1.00	7	5	original	ϕ_o	0.045	0.997	0.521	2.688
IVFC	10	500	4.00	4	5	original	ϕ_o	0.731	0.556	0.643	3.438
IVFC	10	750	4.00	4	5	original	ϕ_o	0.731	0.556	0.643	3.438
IVFC	10	1000	4.00	4	5	original	ϕ_o	0.731	0.556	0.643	3.438
IVFC	10	500	2.00	6	2	original	ϕ_o	0.521	0.764	0.642	2.908
IVFC	10	500	2.30	6	2	original	ϕ_o	0.594	0.656	0.625	2.873
IVFC	10	500	3.00	6	2	original	ϕ_o	0.682	0.376	0.529	2.550
IVFC	10	750	2.00	6	2	original	ϕ_o	0.400	0.867	0.633	2.955
IVFC	10	750	2.30	6	2	original	ϕ_o	0.487	0.805	0.646	2.940
IVFC	10	750	3.00	6	2	original	ϕ_o	0.623	0.611	0.617	2.598
IVFC	10	1000	2.00	6	2	original	ϕ_o	0.379	0.875	0.627	2.931
IVFC	10	1000	2.30	6	2	original	ϕ_o	0.466	0.817	0.641	2.922
IVFC	10	1000	3.00	6	2	original	ϕ_o	0.606	0.638	0.622	2.887
IVFC	10	500	1.25	5	7	original	ϕ_o	0.099	0.975	0.537	3.102
IVFC	10	500	1.50	5	7	original	ϕ_o	0.121	0.966	0.543	3.105
IVFC	10	500	1.70	5	7	original	ϕ_o	0.139	0.958	0.549	3.107
IVFC	10	750	1.25	5	7	original	ϕ_o	0.099	0.975	0.537	3.102
IVFC	10	750	1.50	5	7	original	ϕ_o	0.121	0.966	0.543	3.105
IVFC	10	750	1.70	5	7	original	ϕ_o	0.139	0.958	0.549	3.107
IVFC	10	1000	1.25	5	7	original	ϕ_o	0.099	0.975	0.537	3.102
IVFC	10	1000	1.50	5	7	original	ϕ_o	0.121	0.966	0.543	3.105
IVFC	10	1000	1.70	5	7	original	ϕ_o	0.139	0.958	0.549	3.107
IVFC	10	500	2.00	4	5	original	ϕ_o	0.245	0.977	0.611	3.323
IVFC	10	500	2.30	4	5	original	ϕ_o	0.362	0.947	0.654	3.374

IVFC	10	500	3.00	4	5	original	ϕ_o	0.588	0.806	0.697	3.425
IVFC	10	750	2.00	4	5	original	ϕ_o	0.245	0.977	0.611	3.323
IVFC	10	750	2.30	4	5	original	ϕ_o	0.362	0.947	0.654	3.374
IVFC	10	750	3.00	4	5	original	ϕ_o	0.588	0.806	0.697	3.425
IVFC	10	1000	2.00	4	5	original	ϕ_o	0.245	0.977	0.611	3.323
IVFC	10	1000	2.30	4	5	original	ϕ_o	0.362	0.947	0.654	3.374
IVFC	10	1000	3.00	4	5	original	ϕ_o	0.588	0.806	0.697	3.425
IVFC	10	10	4.00	6	7	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	4.00	6	7	original	ϕ_o	0.735	0.061	0.398	2.103
IVFC	10	250	4.00	6	7	original	ϕ_o	0.712	0.281	0.496	2.113
IVFC	10	500	0.50	3	5	original	ϕ_o	0.031	0.998	0.515	2.852
IVFC	10	500	0.70	3	5	original	ϕ_o	0.065	0.996	0.531	3.232
IVFC	10	500	1.00	3	5	original	ϕ_o	0.121	0.991	0.556	3.458
IVFC	10	750	0.50	3	5	original	ϕ_o	0.031	0.998	0.515	2.852
IVFC	10	750	0.70	3	5	original	ϕ_o	0.065	0.996	0.531	3.232
IVFC	10	750	1.00	3	5	original	ϕ_o	0.121	0.991	0.556	3.458
IVFC	10	1000	0.50	3	5	original	ϕ_o	0.031	0.998	0.515	2.852
IVFC	10	1000	0.70	3	5	original	ϕ_o	0.065	0.996	0.531	3.232
IVFC	10	1000	1.00	3	5	original	ϕ_o	0.121	0.991	0.556	3.458
IVFC	10	10	2.00	7	4	original	ϕ_o	0.685	0.114	0.400	2.745
IVFC	10	10	2.30	7	4	original	ϕ_o	0.685	0.113	0.399	1.944
IVFC	10	10	3.00	7	4	original	ϕ_o	0.685	0.113	0.399	2.403
IVFC	10	100	2.00	7	4	original	ϕ_o	0.647	0.413	0.530	2.843
IVFC	10	100	2.30	7	4	original	ϕ_o	0.666	0.299	0.482	2.804
IVFC	10	100	3.00	7	4	original	ϕ_o	0.680	0.180	0.430	2.416
IVFC	10	250	2.00	7	4	original	ϕ_o	0.309	0.924	0.616	2.819
IVFC	10	250	2.30	7	4	original	ϕ_o	0.401	0.862	0.631	2.828
IVFC	10	250	3.00	7	4	original	ϕ_o	0.565	0.656	0.610	2.845
IVFC	10	10	4.00	4	5	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	10	100	4.00	4	5	original	ϕ_o	0.795	0.121	0.458	2.888
IVFC	10	250	4.00	4	5	original	ϕ_o	0.759	0.422	0.590	3.385
IVFC	10	10	4.00	4	3	original	ϕ_o	0.788	0.097	0.443	2.872
IVFC	10	100	4.00	4	3	original	ϕ_o	0.793	0.097	0.445	2.893
IVFC	10	250	4.00	4	3	original	ϕ_o	0.787	0.285	0.536	2.341
IVFC	10	10	0.50	4	7	original	ϕ_o	0.304	0.961	0.633	3.292
IVFC	10	10	0.70	4	7	original	ϕ_o	0.524	0.851	0.687	3.377
IVFC	10	10	1.00	4	7	original	ϕ_o	0.737	0.490	0.614	3.436
IVFC	10	100	0.50	4	7	original	ϕ_o	0.060	1.000	0.530	2.600
IVFC	10	100	0.70	4	7	original	ϕ_o	0.109	0.998	0.554	2.995
IVFC	10	100	1.00	4	7	original	ϕ_o	0.166	0.994	0.580	3.266
IVFC	10	250	0.50	4	7	original	ϕ_o	0.014	1.000	0.507	2.282
IVFC	10	250	0.70	4	7	original	ϕ_o	0.038	1.000	0.519	2.686
IVFC	10	250	1.00	4	7	original	ϕ_o	0.081	0.999	0.540	2.971
IVFC	10	500	4.00	2	7	original	ϕ_o	0.947	0.501	0.724	3.695
IVFC	10	750	4.00	2	7	original	ϕ_o	0.947	0.501	0.724	3.695
IVFC	10	1000	4.00	2	7	original	ϕ_o	0.947	0.501	0.724	3.695
IVFC	10	10	2.00	4	4	original	ϕ_o	0.790	0.096	0.443	2.872
IVFC	10	10	2.30	4	4	original	ϕ_o	0.789	0.096	0.443	2.288
IVFC	10	10	3.00	4	4	original	ϕ_o	0.789	0.097	0.443	2.873
IVFC	10	100	2.00	4	4	original	ϕ_o	0.726	0.572	0.649	3.475

IVFC	10	100	2.30	4	4	original	ϕ_o	0.763	0.418	0.591	3.455
IVFC	10	100	3.00	4	4	original	ϕ_o	0.794	0.171	0.482	2.922
IVFC	10	250	2.00	4	4	original	ϕ_o	0.386	0.949	0.668	3.456
IVFC	10	250	2.30	4	4	original	ϕ_o	0.513	0.891	0.702	3.464
IVFC	10	250	3.00	4	4	original	ϕ_o	0.683	0.681	0.682	3.464
IVFC	10	10	4.00	7	2	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	10	100	4.00	7	2	original	ϕ_o	0.685	0.118	0.402	2.406
IVFC	10	250	4.00	7	2	original	ϕ_o	0.683	0.156	0.419	2.423
IVFC	10	10	0.20	4	2	original	ϕ_o	0.180	0.993	0.586	2.575
IVFC	10	100	0.20	4	2	original	ϕ_o	0.077	1.000	0.539	1.731
IVFC	10	250	0.20	4	2	original	ϕ_o	0.033	1.000	0.517	1.404
IVFC	10	10	4.00	6	5	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	4.00	6	5	original	ϕ_o	0.734	0.055	0.395	2.099
IVFC	10	250	4.00	6	5	original	ϕ_o	0.718	0.225	0.472	2.106
IVFC	10	500	1.25	4	7	original	ϕ_o	0.107	0.997	0.552	3.077
IVFC	10	500	1.50	4	7	original	ϕ_o	0.137	0.995	0.566	3.199
IVFC	10	500	1.70	4	7	original	ϕ_o	0.170	0.992	0.581	3.276
IVFC	10	750	1.25	4	7	original	ϕ_o	0.107	0.997	0.552	3.077
IVFC	10	750	1.50	4	7	original	ϕ_o	0.137	0.995	0.566	3.199
IVFC	10	750	1.70	4	7	original	ϕ_o	0.170	0.992	0.581	3.276
IVFC	10	1000	1.25	4	7	original	ϕ_o	0.107	0.997	0.552	3.077
IVFC	10	1000	1.50	4	7	original	ϕ_o	0.137	0.995	0.566	3.199
IVFC	10	1000	1.70	4	7	original	ϕ_o	0.170	0.992	0.581	3.276
IVFC	10	10	4.00	3	7	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	100	4.00	3	7	original	ϕ_o	0.864	0.104	0.484	2.519
IVFC	10	250	4.00	3	7	original	ϕ_o	0.837	0.386	0.612	3.126
IVFC	10	500	0.20	2	6	original	ϕ_o	0.001	1.000	0.500	1.858
IVFC	10	750	0.20	2	6	original	ϕ_o	0.001	1.000	0.500	1.858
IVFC	10	1000	0.20	2	6	original	ϕ_o	0.001	1.000	0.500	1.858
IVFC	10	10	0.20	7	2	original	ϕ_o	0.130	0.981	0.556	2.475
IVFC	10	100	0.20	7	2	original	ϕ_o	0.046	0.999	0.522	1.858
IVFC	10	250	0.20	7	2	original	ϕ_o	0.025	1.000	0.512	1.476
IVFC	10	10	2.00	4	6	original	ϕ_o	0.791	0.092	0.442	2.871
IVFC	10	10	2.30	4	6	original	ϕ_o	0.790	0.094	0.442	2.289
IVFC	10	10	3.00	4	6	original	ϕ_o	0.789	0.096	0.443	2.288
IVFC	10	100	2.00	4	6	original	ϕ_o	0.634	0.754	0.694	3.426
IVFC	10	100	2.30	4	6	original	ϕ_o	0.703	0.629	0.666	3.419
IVFC	10	100	3.00	4	6	original	ϕ_o	0.776	0.361	0.568	2.934
IVFC	10	250	2.00	4	6	original	ϕ_o	0.278	0.966	0.622	3.344
IVFC	10	250	2.30	4	6	original	ϕ_o	0.401	0.928	0.665	3.378
IVFC	10	250	3.00	4	6	original	ϕ_o	0.622	0.759	0.691	3.405
IVFC	10	10	1.25	4	2	original	ϕ_o	0.789	0.117	0.453	2.877
IVFC	10	10	1.50	4	2	original	ϕ_o	0.789	0.095	0.442	2.867
IVFC	10	10	1.70	4	2	original	ϕ_o	0.789	0.095	0.442	2.720
IVFC	10	100	1.25	4	2	original	ϕ_o	0.642	0.744	0.693	3.447
IVFC	10	100	1.50	4	2	original	ϕ_o	0.730	0.554	0.642	2.949
IVFC	10	100	1.70	4	2	original	ϕ_o	0.767	0.396	0.581	2.953
IVFC	10	250	1.25	4	2	original	ϕ_o	0.290	0.975	0.632	3.374
IVFC	10	250	1.50	4	2	original	ϕ_o	0.450	0.923	0.686	3.419
IVFC	10	250	1.70	4	2	original	ϕ_o	0.557	0.850	0.703	3.429

IVFC	10	500	4.00	4	3	original	ϕ_o	0.713	0.600	0.657	3.422
IVFC	10	750	4.00	4	3	original	ϕ_o	0.708	0.608	0.658	3.408
IVFC	10	1000	4.00	4	3	original	ϕ_o	0.708	0.608	0.658	3.408
IVFC	10	10	4.00	4	2	original	ϕ_o	0.788	0.097	0.443	2.873
IVFC	10	100	4.00	4	2	original	ϕ_o	0.791	0.093	0.442	2.286
IVFC	10	250	4.00	4	2	original	ϕ_o	0.795	0.106	0.450	2.865
IVFC	10	10	0.50	4	6	original	ϕ_o	0.313	0.955	0.634	3.263
IVFC	10	10	0.70	4	6	original	ϕ_o	0.551	0.835	0.693	3.386
IVFC	10	10	1.00	4	6	original	ϕ_o	0.740	0.478	0.609	3.451
IVFC	10	100	0.50	4	6	original	ϕ_o	0.083	0.998	0.540	2.644
IVFC	10	100	0.70	4	6	original	ϕ_o	0.132	0.993	0.563	2.992
IVFC	10	100	1.00	4	6	original	ϕ_o	0.190	0.984	0.587	3.244
IVFC	10	250	0.50	4	6	original	ϕ_o	0.018	1.000	0.509	2.295
IVFC	10	250	0.70	4	6	original	ϕ_o	0.048	0.999	0.524	2.673
IVFC	10	250	1.00	4	6	original	ϕ_o	0.092	0.997	0.545	2.928
IVFC	10	500	2.00	5	7	original	ϕ_o	0.184	0.946	0.565	3.108
IVFC	10	500	2.30	5	7	original	ϕ_o	0.261	0.929	0.595	3.105
IVFC	10	500	3.00	5	7	original	ϕ_o	0.487	0.831	0.659	3.084
IVFC	10	750	2.00	5	7	original	ϕ_o	0.184	0.946	0.565	3.108
IVFC	10	750	2.30	5	7	original	ϕ_o	0.261	0.929	0.595	3.105
IVFC	10	750	3.00	5	7	original	ϕ_o	0.487	0.831	0.659	3.084
IVFC	10	1000	2.00	5	7	original	ϕ_o	0.184	0.946	0.565	3.108
IVFC	10	1000	2.30	5	7	original	ϕ_o	0.261	0.929	0.595	3.105
IVFC	10	1000	3.00	5	7	original	ϕ_o	0.487	0.831	0.659	3.084
IVFC	10	500	0.20	6	3	original	ϕ_o	0.002	1.000	0.501	1.601
IVFC	10	750	0.20	6	3	original	ϕ_o	0.001	1.000	0.501	1.578
IVFC	10	1000	0.20	6	3	original	ϕ_o	0.001	1.000	0.501	1.578
IVFC	10	500	0.20	6	2	original	ϕ_o	0.006	1.000	0.503	1.650
IVFC	10	750	0.20	6	2	original	ϕ_o	0.002	1.000	0.501	1.590
IVFC	10	1000	0.20	6	2	original	ϕ_o	0.002	1.000	0.501	1.580
IVFC	10	10	4.00	6	4	original	ϕ_o	0.732	0.052	0.392	2.097
IVFC	10	100	4.00	6	4	original	ϕ_o	0.734	0.053	0.394	2.101
IVFC	10	250	4.00	6	4	original	ϕ_o	0.728	0.141	0.435	1.440
IVFC	10	500	4.00	6	3	original	ϕ_o	0.706	0.348	0.527	2.129
IVFC	10	750	4.00	6	3	original	ϕ_o	0.689	0.438	0.563	2.643
IVFC	10	1000	4.00	6	3	original	ϕ_o	0.689	0.438	0.563	2.643
IVFC	10	500	0.50	4	4	original	ϕ_o	0.014	1.000	0.507	2.252
IVFC	10	500	0.70	4	4	original	ϕ_o	0.037	1.000	0.519	2.627
IVFC	10	500	1.00	4	4	original	ϕ_o	0.077	0.998	0.538	2.884
IVFC	10	750	0.50	4	4	original	ϕ_o	0.014	1.000	0.507	2.251
IVFC	10	750	0.70	4	4	original	ϕ_o	0.037	1.000	0.519	2.627
IVFC	10	750	1.00	4	4	original	ϕ_o	0.077	0.998	0.538	2.884
IVFC	10	1000	0.50	4	4	original	ϕ_o	0.014	1.000	0.507	2.251
IVFC	10	1000	0.70	4	4	original	ϕ_o	0.037	1.000	0.519	2.627
IVFC	10	1000	1.00	4	4	original	ϕ_o	0.077	0.998	0.538	2.884
IVFC	10	10	1.25	2	3	original	ϕ_o	0.968	0.113	0.540	1.924
IVFC	10	10	1.50	2	3	original	ϕ_o	0.967	0.057	0.512	2.838
IVFC	10	10	1.70	2	3	original	ϕ_o	0.966	0.054	0.510	2.834
IVFC	10	100	1.25	2	3	original	ϕ_o	0.754	0.863	0.809	4.404
IVFC	10	100	1.50	2	3	original	ϕ_o	0.846	0.774	0.810	4.368

IVFC	10	100	1.70	2	3	original	ϕ_o	0.894	0.697	0.795	3.716
IVFC	10	250	1.25	2	3	original	ϕ_o	0.456	0.969	0.712	4.406
IVFC	10	250	1.50	2	3	original	ϕ_o	0.563	0.944	0.753	4.406
IVFC	10	250	1.70	2	3	original	ϕ_o	0.641	0.916	0.778	4.403
IVFC	10	10	4.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.825
IVFC	10	100	4.00	2	3	original	ϕ_o	0.968	0.059	0.513	2.843
IVFC	10	250	4.00	2	3	original	ϕ_o	0.956	0.374	0.665	2.880
IVFC	10	10	1.25	7	5	original	ϕ_o	0.687	0.135	0.411	2.413
IVFC	10	10	1.50	7	5	original	ϕ_o	0.687	0.122	0.404	2.754
IVFC	10	10	1.70	7	5	original	ϕ_o	0.687	0.117	0.402	2.414
IVFC	10	100	1.25	7	5	original	ϕ_o	0.323	0.917	0.620	2.803
IVFC	10	100	1.50	7	5	original	ϕ_o	0.437	0.812	0.624	2.801
IVFC	10	100	1.70	7	5	original	ϕ_o	0.512	0.707	0.609	2.814
IVFC	10	250	1.25	7	5	original	ϕ_o	0.075	0.994	0.534	2.754
IVFC	10	250	1.50	7	5	original	ϕ_o	0.109	0.987	0.548	2.780
IVFC	10	250	1.70	7	5	original	ϕ_o	0.147	0.979	0.563	2.794
IVFC	10	10	0.50	3	2	original	ϕ_o	0.610	0.796	0.703	3.571
IVFC	10	10	0.70	3	2	original	ϕ_o	0.794	0.484	0.639	3.122
IVFC	10	10	1.00	3	2	original	ϕ_o	0.859	0.141	0.500	2.518
IVFC	10	100	0.50	3	2	original	ϕ_o	0.193	0.981	0.587	3.449
IVFC	10	100	0.70	3	2	original	ϕ_o	0.287	0.955	0.621	3.542
IVFC	10	100	1.00	3	2	original	ϕ_o	0.528	0.853	0.691	3.553
IVFC	10	250	0.50	3	2	original	ϕ_o	0.101	0.994	0.548	3.188
IVFC	10	250	0.70	3	2	original	ϕ_o	0.162	0.987	0.574	3.430
IVFC	10	250	1.00	3	2	original	ϕ_o	0.248	0.965	0.606	3.528
IVFC	10	500	0.50	3	3	original	ϕ_o	0.030	0.999	0.514	2.794
IVFC	10	500	0.70	3	3	original	ϕ_o	0.063	0.997	0.530	3.158
IVFC	10	500	1.00	3	3	original	ϕ_o	0.114	0.992	0.553	3.383
IVFC	10	750	0.50	3	3	original	ϕ_o	0.030	0.999	0.514	2.752
IVFC	10	750	0.70	3	3	original	ϕ_o	0.063	0.997	0.530	3.112
IVFC	10	750	1.00	3	3	original	ϕ_o	0.112	0.992	0.552	3.329
IVFC	10	1000	0.50	3	3	original	ϕ_o	0.030	0.999	0.514	2.752
IVFC	10	1000	0.70	3	3	original	ϕ_o	0.063	0.997	0.530	3.112
IVFC	10	1000	1.00	3	3	original	ϕ_o	0.112	0.992	0.552	3.329
IVFC	10	500	0.20	7	6	original	ϕ_o	0.010	1.000	0.505	1.129
IVFC	10	750	0.20	7	6	original	ϕ_o	0.010	1.000	0.505	1.129
IVFC	10	1000	0.20	7	6	original	ϕ_o	0.010	1.000	0.505	1.129
IVFC	10	10	4.00	3	6	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	100	4.00	3	6	original	ϕ_o	0.865	0.093	0.479	2.519
IVFC	10	250	4.00	3	6	original	ϕ_o	0.841	0.359	0.600	3.451
IVFC	10	500	4.00	3	4	original	ϕ_o	0.797	0.504	0.650	3.090
IVFC	10	750	4.00	3	4	original	ϕ_o	0.791	0.513	0.652	3.476
IVFC	10	1000	4.00	3	4	original	ϕ_o	0.791	0.513	0.652	3.476
IVFC	10	500	0.20	3	7	original	ϕ_o	0.001	1.000	0.501	1.498
IVFC	10	750	0.20	3	7	original	ϕ_o	0.001	1.000	0.501	1.498
IVFC	10	1000	0.20	3	7	original	ϕ_o	0.001	1.000	0.501	1.498
IVFC	10	10	1.25	6	4	original	ϕ_o	0.736	0.065	0.401	2.112
IVFC	10	10	1.50	6	4	original	ϕ_o	0.734	0.052	0.393	2.102
IVFC	10	10	1.70	6	4	original	ϕ_o	0.733	0.052	0.392	2.100
IVFC	10	100	1.25	6	4	original	ϕ_o	0.542	0.745	0.643	2.963

IVFC	10	100	1.50	6	4	original	ϕ_o	0.637	0.578	0.607	2.620
IVFC	10	100	1.70	6	4	original	ϕ_o	0.684	0.437	0.560	2.620
IVFC	10	250	1.25	6	4	original	ϕ_o	0.259	0.938	0.598	2.985
IVFC	10	250	1.50	6	4	original	ϕ_o	0.342	0.893	0.618	2.962
IVFC	10	250	1.70	6	4	original	ϕ_o	0.419	0.842	0.631	2.937
IVFC	10	10	0.50	6	3	original	ϕ_o	0.542	0.770	0.656	3.035
IVFC	10	10	0.70	6	3	original	ϕ_o	0.683	0.475	0.579	2.141
IVFC	10	10	1.00	6	3	original	ϕ_o	0.736	0.142	0.439	2.137
IVFC	10	100	0.50	6	3	original	ϕ_o	0.222	0.968	0.595	2.990
IVFC	10	100	0.70	6	3	original	ϕ_o	0.317	0.934	0.626	3.058
IVFC	10	100	1.00	6	3	original	ϕ_o	0.500	0.826	0.663	3.060
IVFC	10	250	0.50	6	3	original	ϕ_o	0.109	0.991	0.550	2.779
IVFC	10	250	0.70	6	3	original	ϕ_o	0.166	0.979	0.573	2.979
IVFC	10	250	1.00	6	3	original	ϕ_o	0.255	0.954	0.605	3.020
IVFC	10	500	0.50	4	7	original	ϕ_o	0.011	1.000	0.505	2.247
IVFC	10	500	0.70	4	7	original	ϕ_o	0.034	1.000	0.517	2.648
IVFC	10	500	1.00	4	7	original	ϕ_o	0.074	0.999	0.536	2.926
IVFC	10	750	0.50	4	7	original	ϕ_o	0.011	1.000	0.505	2.247
IVFC	10	750	0.70	4	7	original	ϕ_o	0.034	1.000	0.517	2.648
IVFC	10	750	1.00	4	7	original	ϕ_o	0.074	0.999	0.536	2.926
IVFC	10	1000	0.50	4	7	original	ϕ_o	0.011	1.000	0.505	2.247
IVFC	10	1000	0.70	4	7	original	ϕ_o	0.034	1.000	0.517	2.648
IVFC	10	1000	1.00	4	7	original	ϕ_o	0.074	0.999	0.536	2.926
IVFC	10	500	0.20	2	4	original	ϕ_o	0.001	1.000	0.500	1.934
IVFC	10	750	0.20	2	4	original	ϕ_o	0.001	1.000	0.500	1.934
IVFC	10	1000	0.20	2	4	original	ϕ_o	0.001	1.000	0.500	1.934
IVFC	10	500	0.20	5	6	original	ϕ_o	0.000	1.000	0.500	1.296
IVFC	10	750	0.20	5	6	original	ϕ_o	0.000	1.000	0.500	1.296
IVFC	10	1000	0.20	5	6	original	ϕ_o	0.000	1.000	0.500	1.296
IVFC	10	10	0.20	5	7	original	ϕ_o	0.076	0.995	0.536	2.284
IVFC	10	100	0.20	5	7	original	ϕ_o	0.003	1.000	0.502	1.464
IVFC	10	250	0.20	5	7	original	ϕ_o	0.001	1.000	0.500	1.289
IVFC	10	500	0.20	3	5	original	ϕ_o	0.001	1.000	0.501	1.554
IVFC	10	750	0.20	3	5	original	ϕ_o	0.001	1.000	0.501	1.554
IVFC	10	1000	0.20	3	5	original	ϕ_o	0.001	1.000	0.501	1.554
IVFC	10	10	2.00	5	7	original	ϕ_o	0.750	0.100	0.425	2.778
IVFC	10	10	2.30	5	7	original	ϕ_o	0.750	0.102	0.426	2.774
IVFC	10	10	3.00	5	7	original	ϕ_o	0.749	0.103	0.426	2.579
IVFC	10	100	2.00	5	7	original	ϕ_o	0.431	0.867	0.649	3.063
IVFC	10	100	2.30	5	7	original	ϕ_o	0.557	0.753	0.655	3.064
IVFC	10	100	3.00	5	7	original	ϕ_o	0.701	0.419	0.560	3.162
IVFC	10	250	2.00	5	7	original	ϕ_o	0.188	0.946	0.567	3.088
IVFC	10	250	2.30	5	7	original	ϕ_o	0.269	0.926	0.598	3.078
IVFC	10	250	3.00	5	7	original	ϕ_o	0.505	0.812	0.658	3.063
IVFC	10	10	0.20	3	6	original	ϕ_o	0.103	0.994	0.548	2.676
IVFC	10	100	0.20	3	6	original	ϕ_o	0.007	1.000	0.504	1.802
IVFC	10	250	0.20	3	6	original	ϕ_o	0.001	1.000	0.500	1.537
IVFC	10	10	0.20	7	5	original	ϕ_o	0.098	0.993	0.545	2.515
IVFC	10	100	0.20	7	5	original	ϕ_o	0.023	1.000	0.511	1.514
IVFC	10	250	0.20	7	5	original	ϕ_o	0.013	1.000	0.507	1.204

IVFC	10	500	0.50	3	7	original	ϕ_o	0.028	0.998	0.513	2.864
IVFC	10	500	0.70	3	7	original	ϕ_o	0.063	0.996	0.529	3.265
IVFC	10	500	1.00	3	7	original	ϕ_o	0.122	0.990	0.556	3.485
IVFC	10	750	0.50	3	7	original	ϕ_o	0.028	0.998	0.513	2.864
IVFC	10	750	0.70	3	7	original	ϕ_o	0.063	0.996	0.529	3.265
IVFC	10	750	1.00	3	7	original	ϕ_o	0.122	0.990	0.556	3.485
IVFC	10	1000	0.50	3	7	original	ϕ_o	0.028	0.998	0.513	2.864
IVFC	10	1000	0.70	3	7	original	ϕ_o	0.063	0.996	0.529	3.265
IVFC	10	1000	1.00	3	7	original	ϕ_o	0.122	0.990	0.556	3.485
IVFC	10	10	0.50	4	3	original	ϕ_o	0.364	0.924	0.644	3.272
IVFC	10	10	0.70	4	3	original	ϕ_o	0.637	0.714	0.676	3.392
IVFC	10	10	1.00	4	3	original	ϕ_o	0.777	0.287	0.532	2.925
IVFC	10	100	0.50	4	3	original	ϕ_o	0.146	0.997	0.571	2.960
IVFC	10	100	0.70	4	3	original	ϕ_o	0.196	0.989	0.592	3.233
IVFC	10	100	1.00	4	3	original	ϕ_o	0.318	0.961	0.640	3.399
IVFC	10	250	0.50	4	3	original	ϕ_o	0.054	0.999	0.527	2.501
IVFC	10	250	0.70	4	3	original	ϕ_o	0.097	0.998	0.548	2.875
IVFC	10	250	1.00	4	3	original	ϕ_o	0.145	0.994	0.570	3.157
IVFC	10	500	4.00	3	2	original	ϕ_o	0.827	0.343	0.585	3.012
IVFC	10	750	4.00	3	2	original	ϕ_o	0.732	0.580	0.656	3.418
IVFC	10	1000	4.00	3	2	original	ϕ_o	0.699	0.621	0.660	3.423
IVFC	10	10	2.00	7	3	original	ϕ_o	0.685	0.114	0.400	2.745
IVFC	10	10	2.30	7	3	original	ϕ_o	0.685	0.113	0.399	2.286
IVFC	10	10	3.00	7	3	original	ϕ_o	0.685	0.113	0.399	2.402
IVFC	10	100	2.00	7	3	original	ϕ_o	0.670	0.303	0.486	2.868
IVFC	10	100	2.30	7	3	original	ϕ_o	0.679	0.221	0.450	2.456
IVFC	10	100	3.00	7	3	original	ϕ_o	0.684	0.155	0.419	2.431
IVFC	10	250	2.00	7	3	original	ϕ_o	0.430	0.860	0.645	2.890
IVFC	10	250	2.30	7	3	original	ϕ_o	0.521	0.759	0.640	2.918
IVFC	10	250	3.00	7	3	original	ϕ_o	0.632	0.508	0.570	2.928
IVFC	10	500	4.00	2	5	original	ϕ_o	0.927	0.558	0.743	3.666
IVFC	10	750	4.00	2	5	original	ϕ_o	0.927	0.558	0.743	3.666
IVFC	10	1000	4.00	2	5	original	ϕ_o	0.927	0.558	0.743	3.666
IVFC	10	500	2.00	2	3	original	ϕ_o	0.536	0.939	0.738	4.344
IVFC	10	500	2.30	2	3	original	ϕ_o	0.634	0.905	0.770	4.340
IVFC	10	500	3.00	2	3	original	ϕ_o	0.800	0.806	0.803	4.302
IVFC	10	750	2.00	2	3	original	ϕ_o	0.523	0.941	0.732	4.338
IVFC	10	750	2.30	2	3	original	ϕ_o	0.622	0.908	0.765	4.331
IVFC	10	750	3.00	2	3	original	ϕ_o	0.792	0.810	0.801	4.302
IVFC	10	1000	2.00	2	3	original	ϕ_o	0.523	0.941	0.732	4.338
IVFC	10	1000	2.30	2	3	original	ϕ_o	0.622	0.908	0.765	4.331
IVFC	10	1000	3.00	2	3	original	ϕ_o	0.792	0.810	0.801	4.302
IVFC	10	10	0.50	7	5	original	ϕ_o	0.456	0.793	0.624	2.779
IVFC	10	10	0.70	7	5	original	ϕ_o	0.622	0.425	0.524	2.745
IVFC	10	10	1.00	7	5	original	ϕ_o	0.680	0.182	0.431	2.409
IVFC	10	100	0.50	7	5	original	ϕ_o	0.052	0.998	0.525	2.631
IVFC	10	100	0.70	7	5	original	ϕ_o	0.083	0.996	0.539	2.765
IVFC	10	100	1.00	7	5	original	ϕ_o	0.184	0.976	0.580	2.795
IVFC	10	250	0.50	7	5	original	ϕ_o	0.027	1.000	0.513	2.304
IVFC	10	250	0.70	7	5	original	ϕ_o	0.034	0.999	0.517	2.556

IVFC	10	250	1.00	7	5	original	ϕ_o	0.052	0.997	0.525	2.709
IVFC	10	500	1.25	4	5	original	ϕ_o	0.106	0.996	0.551	3.032
IVFC	10	500	1.50	4	5	original	ϕ_o	0.135	0.993	0.564	3.160
IVFC	10	500	1.70	4	5	original	ϕ_o	0.164	0.990	0.577	3.237
IVFC	10	750	1.25	4	5	original	ϕ_o	0.106	0.996	0.551	3.032
IVFC	10	750	1.50	4	5	original	ϕ_o	0.135	0.993	0.564	3.160
IVFC	10	750	1.70	4	5	original	ϕ_o	0.164	0.990	0.577	3.237
IVFC	10	1000	1.25	4	5	original	ϕ_o	0.106	0.996	0.551	3.032
IVFC	10	1000	1.50	4	5	original	ϕ_o	0.135	0.993	0.564	3.160
IVFC	10	1000	1.70	4	5	original	ϕ_o	0.164	0.990	0.577	3.237
IVFC	10	10	1.25	4	7	original	ϕ_o	0.786	0.220	0.503	3.419
IVFC	10	10	1.50	4	7	original	ϕ_o	0.794	0.123	0.458	2.305
IVFC	10	10	1.70	4	7	original	ϕ_o	0.793	0.100	0.446	2.879
IVFC	10	100	1.25	4	7	original	ϕ_o	0.217	0.987	0.602	3.393
IVFC	10	100	1.50	4	7	original	ϕ_o	0.335	0.966	0.650	3.452
IVFC	10	100	1.70	4	7	original	ϕ_o	0.446	0.928	0.687	3.473
IVFC	10	250	1.25	4	7	original	ϕ_o	0.114	0.997	0.555	3.133
IVFC	10	250	1.50	4	7	original	ϕ_o	0.146	0.995	0.570	3.254
IVFC	10	250	1.70	4	7	original	ϕ_o	0.180	0.992	0.586	3.329
IVFC	10	10	0.50	2	6	original	ϕ_o	0.740	0.882	0.811	4.400
IVFC	10	10	0.70	2	6	original	ϕ_o	0.867	0.730	0.798	4.365
IVFC	10	10	1.00	2	6	original	ϕ_o	0.947	0.470	0.709	2.883
IVFC	10	100	0.50	2	6	original	ϕ_o	0.153	0.999	0.576	3.959
IVFC	10	100	0.70	2	6	original	ϕ_o	0.289	0.992	0.640	4.309
IVFC	10	100	1.00	2	6	original	ϕ_o	0.477	0.973	0.725	4.445
IVFC	10	250	0.50	2	6	original	ϕ_o	0.047	1.000	0.523	3.624
IVFC	10	250	0.70	2	6	original	ϕ_o	0.116	0.999	0.558	4.104
IVFC	10	250	1.00	2	6	original	ϕ_o	0.233	0.996	0.614	4.346
IVFC	10	500	1.25	6	7	original	ϕ_o	0.176	0.979	0.578	3.140
IVFC	10	500	1.50	6	7	original	ϕ_o	0.235	0.961	0.598	3.130
IVFC	10	500	1.70	6	7	original	ϕ_o	0.289	0.941	0.615	3.127
IVFC	10	750	1.25	6	7	original	ϕ_o	0.176	0.979	0.578	3.140
IVFC	10	750	1.50	6	7	original	ϕ_o	0.235	0.961	0.598	3.130
IVFC	10	750	1.70	6	7	original	ϕ_o	0.289	0.941	0.615	3.127
IVFC	10	1000	1.25	6	7	original	ϕ_o	0.176	0.979	0.578	3.140
IVFC	10	1000	1.50	6	7	original	ϕ_o	0.235	0.961	0.598	3.130
IVFC	10	1000	1.70	6	7	original	ϕ_o	0.289	0.941	0.615	3.127
IVFC	10	500	0.20	2	3	original	ϕ_o	0.003	1.000	0.501	1.948
IVFC	10	750	0.20	2	3	original	ϕ_o	0.002	1.000	0.501	1.936
IVFC	10	1000	0.20	2	3	original	ϕ_o	0.002	1.000	0.501	1.936
IVFC	10	10	4.00	3	5	original	ϕ_o	0.866	0.071	0.468	2.520
IVFC	10	100	4.00	3	5	original	ϕ_o	0.866	0.080	0.473	2.517
IVFC	10	250	4.00	3	5	original	ϕ_o	0.844	0.295	0.570	2.523
IVFC	10	10	1.25	2	4	original	ϕ_o	0.968	0.149	0.559	2.863
IVFC	10	10	1.50	2	4	original	ϕ_o	0.967	0.061	0.514	2.840
IVFC	10	10	1.70	2	4	original	ϕ_o	0.966	0.053	0.510	2.834
IVFC	10	100	1.25	2	4	original	ϕ_o	0.698	0.899	0.798	4.438
IVFC	10	100	1.50	2	4	original	ϕ_o	0.807	0.829	0.818	4.420
IVFC	10	100	1.70	2	4	original	ϕ_o	0.866	0.759	0.813	4.402
IVFC	10	250	1.25	2	4	original	ϕ_o	0.360	0.985	0.672	4.412

IVFC	10	250	1.50	2	4	original	ϕ_o	0.467	0.968	0.717	4.417
IVFC	10	250	1.70	2	4	original	ϕ_o	0.550	0.948	0.749	4.422
IVFC	10	10	1.25	3	2	original	ϕ_o	0.866	0.076	0.471	2.520
IVFC	10	10	1.50	3	2	original	ϕ_o	0.866	0.069	0.468	2.521
IVFC	10	10	1.70	3	2	original	ϕ_o	0.866	0.069	0.467	2.520
IVFC	10	100	1.25	3	2	original	ϕ_o	0.708	0.683	0.696	3.504
IVFC	10	100	1.50	3	2	original	ϕ_o	0.795	0.482	0.638	3.046
IVFC	10	100	1.70	3	2	original	ϕ_o	0.831	0.328	0.580	2.496
IVFC	10	250	1.25	3	2	original	ϕ_o	0.349	0.928	0.639	3.538
IVFC	10	250	1.50	3	2	original	ϕ_o	0.502	0.856	0.679	3.519
IVFC	10	250	1.70	3	2	original	ϕ_o	0.612	0.775	0.694	3.489
IVFC	10	10	4.00	5	2	original	ϕ_o	0.748	0.103	0.425	2.764
IVFC	10	100	4.00	5	2	original	ϕ_o	0.750	0.104	0.427	2.775
IVFC	10	250	4.00	5	2	original	ϕ_o	0.750	0.105	0.427	2.775
IVFC	10	10	0.50	4	5	original	ϕ_o	0.320	0.950	0.635	3.251
IVFC	10	10	0.70	4	5	original	ϕ_o	0.558	0.809	0.684	3.348
IVFC	10	10	1.00	4	5	original	ϕ_o	0.749	0.411	0.580	3.406
IVFC	10	100	0.50	4	5	original	ϕ_o	0.101	0.997	0.549	2.758
IVFC	10	100	0.70	4	5	original	ϕ_o	0.152	0.993	0.572	3.079
IVFC	10	100	1.00	4	5	original	ϕ_o	0.225	0.982	0.603	3.319
IVFC	10	250	0.50	4	5	original	ϕ_o	0.026	1.000	0.513	2.356
IVFC	10	250	0.70	4	5	original	ϕ_o	0.059	0.999	0.529	2.721
IVFC	10	250	1.00	4	5	original	ϕ_o	0.105	0.997	0.551	2.969
IVFC	10	10	4.00	5	5	original	ϕ_o	0.747	0.103	0.425	2.763
IVFC	10	100	4.00	5	5	original	ϕ_o	0.750	0.118	0.434	2.197
IVFC	10	250	4.00	5	5	original	ϕ_o	0.709	0.416	0.562	3.137
IVFC	10	500	0.50	2	3	original	ϕ_o	0.042	1.000	0.521	3.541
IVFC	10	500	0.70	2	3	original	ϕ_o	0.091	0.999	0.545	4.000
IVFC	10	500	1.00	2	3	original	ϕ_o	0.175	0.995	0.585	4.260
IVFC	10	750	0.50	2	3	original	ϕ_o	0.038	1.000	0.519	3.527
IVFC	10	750	0.70	2	3	original	ϕ_o	0.085	0.999	0.542	3.988
IVFC	10	750	1.00	2	3	original	ϕ_o	0.167	0.995	0.581	4.248
IVFC	10	1000	0.50	2	3	original	ϕ_o	0.038	1.000	0.519	3.527
IVFC	10	1000	0.70	2	3	original	ϕ_o	0.085	0.999	0.542	3.988
IVFC	10	1000	1.00	2	3	original	ϕ_o	0.167	0.995	0.581	4.248
IVFC	10	10	2.00	2	3	original	ϕ_o	0.965	0.055	0.510	2.831
IVFC	10	10	2.30	2	3	original	ϕ_o	0.964	0.056	0.510	2.828
IVFC	10	10	3.00	2	3	original	ϕ_o	0.963	0.057	0.510	2.826
IVFC	10	100	2.00	2	3	original	ϕ_o	0.934	0.566	0.750	3.702
IVFC	10	100	2.30	2	3	original	ϕ_o	0.954	0.410	0.682	2.882
IVFC	10	100	3.00	2	3	original	ϕ_o	0.968	0.140	0.554	2.863
IVFC	10	250	2.00	2	3	original	ϕ_o	0.741	0.866	0.803	4.388
IVFC	10	250	2.30	2	3	original	ϕ_o	0.817	0.804	0.810	4.362
IVFC	10	250	3.00	2	3	original	ϕ_o	0.913	0.640	0.776	3.702
IVFC	10	500	1.25	7	7	original	ϕ_o	0.078	0.994	0.536	2.668
IVFC	10	500	1.50	7	7	original	ϕ_o	0.112	0.987	0.550	2.724
IVFC	10	500	1.70	7	7	original	ϕ_o	0.153	0.980	0.566	2.759
IVFC	10	750	1.25	7	7	original	ϕ_o	0.078	0.994	0.536	2.668
IVFC	10	750	1.50	7	7	original	ϕ_o	0.112	0.987	0.550	2.724
IVFC	10	750	1.70	7	7	original	ϕ_o	0.153	0.980	0.566	2.759

IVFC	10	1000	1.25	7	7	original	ϕ_o	0.078	0.994	0.536	2.668
IVFC	10	1000	1.50	7	7	original	ϕ_o	0.112	0.987	0.550	2.724
IVFC	10	1000	1.70	7	7	original	ϕ_o	0.153	0.980	0.566	2.759
IVFC	10	500	0.20	5	5	original	ϕ_o	0.000	1.000	0.500	1.279
IVFC	10	750	0.20	5	5	original	ϕ_o	0.000	1.000	0.500	1.279
IVFC	10	1000	0.20	5	5	original	ϕ_o	0.000	1.000	0.500	1.279
IVFC	10	500	2.00	5	4	original	ϕ_o	0.184	0.942	0.563	3.077
IVFC	10	500	2.30	5	4	original	ϕ_o	0.263	0.922	0.592	3.059
IVFC	10	500	3.00	5	4	original	ϕ_o	0.487	0.817	0.652	3.045
IVFC	10	750	2.00	5	4	original	ϕ_o	0.184	0.942	0.563	3.077
IVFC	10	750	2.30	5	4	original	ϕ_o	0.263	0.922	0.592	3.059
IVFC	10	750	3.00	5	4	original	ϕ_o	0.487	0.817	0.652	3.045
IVFC	10	1000	2.00	5	4	original	ϕ_o	0.184	0.942	0.563	3.077
IVFC	10	1000	2.30	5	4	original	ϕ_o	0.263	0.922	0.592	3.059
IVFC	10	1000	3.00	5	4	original	ϕ_o	0.487	0.817	0.652	3.045
IVFC	10	500	0.50	6	2	original	ϕ_o	0.067	0.998	0.533	2.601
IVFC	10	500	0.70	6	2	original	ϕ_o	0.114	0.992	0.553	2.844
IVFC	10	500	1.00	6	2	original	ϕ_o	0.187	0.973	0.580	2.944
IVFC	10	750	0.50	6	2	original	ϕ_o	0.043	0.999	0.521	2.510
IVFC	10	750	0.70	6	2	original	ϕ_o	0.078	0.996	0.537	2.793
IVFC	10	750	1.00	6	2	original	ϕ_o	0.136	0.985	0.560	2.932
IVFC	10	1000	0.50	6	2	original	ϕ_o	0.041	0.999	0.520	2.494
IVFC	10	1000	0.70	6	2	original	ϕ_o	0.074	0.996	0.535	2.777
IVFC	10	1000	1.00	6	2	original	ϕ_o	0.129	0.985	0.557	2.917
IVFC	10	500	4.00	5	4	original	ϕ_o	0.661	0.556	0.609	3.068
IVFC	10	750	4.00	5	4	original	ϕ_o	0.661	0.556	0.609	3.068
IVFC	10	1000	4.00	5	4	original	ϕ_o	0.661	0.556	0.609	3.068
IVFC	10	500	1.25	7	4	original	ϕ_o	0.057	0.995	0.526	2.735
IVFC	10	500	1.50	7	4	original	ϕ_o	0.080	0.991	0.535	2.775
IVFC	10	500	1.70	7	4	original	ϕ_o	0.108	0.986	0.547	2.798
IVFC	10	750	1.25	7	4	original	ϕ_o	0.057	0.995	0.526	2.735
IVFC	10	750	1.50	7	4	original	ϕ_o	0.080	0.991	0.535	2.775
IVFC	10	750	1.70	7	4	original	ϕ_o	0.108	0.986	0.547	2.798
IVFC	10	1000	1.25	7	4	original	ϕ_o	0.057	0.995	0.526	2.735
IVFC	10	1000	1.50	7	4	original	ϕ_o	0.080	0.991	0.535	2.775
IVFC	10	1000	1.70	7	4	original	ϕ_o	0.108	0.986	0.547	2.798
IVFC	10	500	0.50	4	2	original	ϕ_o	0.042	1.000	0.521	2.295
IVFC	10	500	0.70	4	2	original	ϕ_o	0.073	0.999	0.536	2.679
IVFC	10	500	1.00	4	2	original	ϕ_o	0.111	0.998	0.555	2.988
IVFC	10	750	0.50	4	2	original	ϕ_o	0.024	1.000	0.512	2.197
IVFC	10	750	0.70	4	2	original	ϕ_o	0.049	1.000	0.524	2.571
IVFC	10	750	1.00	4	2	original	ϕ_o	0.084	0.998	0.541	2.871
IVFC	10	1000	0.50	4	2	original	ϕ_o	0.024	1.000	0.512	2.195
IVFC	10	1000	0.70	4	2	original	ϕ_o	0.049	1.000	0.524	2.567
IVFC	10	1000	1.00	4	2	original	ϕ_o	0.084	0.998	0.541	2.864
IVFC	10	10	1.25	7	4	original	ϕ_o	0.684	0.132	0.408	2.406
IVFC	10	10	1.50	7	4	original	ϕ_o	0.685	0.122	0.403	2.404
IVFC	10	10	1.70	7	4	original	ϕ_o	0.685	0.117	0.401	2.404
IVFC	10	100	1.25	7	4	original	ϕ_o	0.420	0.847	0.634	2.836
IVFC	10	100	1.50	7	4	original	ϕ_o	0.528	0.706	0.617	2.845

IVFC	10	100	1.70	7	4	original	ϕ_o	0.597	0.582	0.590	2.855
IVFC	10	250	1.25	7	4	original	ϕ_o	0.087	0.994	0.541	2.790
IVFC	10	250	1.50	7	4	original	ϕ_o	0.150	0.984	0.567	2.798
IVFC	10	250	1.70	7	4	original	ϕ_o	0.213	0.967	0.590	2.808
IVFC	10	500	0.50	3	6	original	ϕ_o	0.028	0.998	0.513	2.859
IVFC	10	500	0.70	3	6	original	ϕ_o	0.062	0.996	0.529	3.256
IVFC	10	500	1.00	3	6	original	ϕ_o	0.120	0.991	0.555	3.486
IVFC	10	750	0.50	3	6	original	ϕ_o	0.028	0.998	0.513	2.859
IVFC	10	750	0.70	3	6	original	ϕ_o	0.062	0.996	0.529	3.256
IVFC	10	750	1.00	3	6	original	ϕ_o	0.120	0.991	0.555	3.486
IVFC	10	1000	0.50	3	6	original	ϕ_o	0.028	0.998	0.513	2.859
IVFC	10	1000	0.70	3	6	original	ϕ_o	0.062	0.996	0.529	3.256
IVFC	10	1000	1.00	3	6	original	ϕ_o	0.120	0.991	0.555	3.486
IVFC	10	10	0.20	2	6	original	ϕ_o	0.253	0.981	0.617	3.293
IVFC	10	100	0.20	2	6	original	ϕ_o	0.007	1.000	0.504	2.152
IVFC	10	250	0.20	2	6	original	ϕ_o	0.001	1.000	0.500	1.866
IVFC	10	500	0.50	7	2	original	ϕ_o	0.028	0.999	0.514	2.140
IVFC	10	500	0.70	7	2	original	ϕ_o	0.039	0.998	0.519	2.338
IVFC	10	500	1.00	7	2	original	ϕ_o	0.058	0.996	0.527	2.476
IVFC	10	750	0.50	7	2	original	ϕ_o	0.025	0.999	0.512	2.072
IVFC	10	750	0.70	7	2	original	ϕ_o	0.034	0.999	0.516	2.294
IVFC	10	750	1.00	7	2	original	ϕ_o	0.047	0.997	0.522	2.437
IVFC	10	1000	0.50	7	2	original	ϕ_o	0.025	0.999	0.512	2.066
IVFC	10	1000	0.70	7	2	original	ϕ_o	0.034	0.999	0.516	2.297
IVFC	10	1000	1.00	7	2	original	ϕ_o	0.045	0.997	0.521	2.455
IVFC	10	10	0.20	3	4	original	ϕ_o	0.158	0.994	0.576	2.896
IVFC	10	100	0.20	3	4	original	ϕ_o	0.015	1.000	0.507	2.086
IVFC	10	250	0.20	3	4	original	ϕ_o	0.002	1.000	0.501	1.760

List of Figures

1.1 Comparision between closed-set classification and open-set classification 2

2.1 Differences between OpenMax and G-OpenMax 7

3.1 How distances to the MAV relate to Weibull Probability 13
3.2 Example of a dendrogram 14

4.1 emnist examples 18

6.1 Baseline-model 27
6.2 Negative Fixes 28
6.3 Normalization Factors 29
6.4 All the optimizations combined 30
6.5 Baseline vs. clustering 31
6.6 Every clustering type vs baseline 32

List of Tables

4.1 Structure and organization of the EMNIST dataset. 17

List of Algorithms

1 EVT Meta-Recognition Calibration for Open Set Deep Networks, with per class Weibull fit η largest distance to mean activation vector. Returns libMR models ρ_c, which includes parameters β for shifting the data as well as the Weibull shape and scale parameters: γ_c, λ_c. 11

2 OpenMax probability estimation returns the probability for each known class. . . . 12

3 EVT Meta-Recognition Calibration for Open Set Deep Networks with deep feature clustering and per class, Weibull fit η largest distance to mean activation vector. Returns libMR models ρ_j, which includes parameters τ_j for shifting the data as well as the Weibull shape and scale parameters: κ_i, λ_i. 21

List of Acronyms

OSC Open-Set Classification . . . 1
AD Anomaly Detection . . . 1
OOD Out-of-Distribution Detection . . . 5
MNIST Modified NIST . . . 17
EMNIST Extended Modified NIST . . . 2
NIST National Institute of Standards and Technology . . . 17
EVT Extreme Value Theory . . . iii
GEV Generalized Extreme Value . . . 9
CDF Cumulative Distribution Function . . . 9
PDF Probability Density Function . . . 9
AV activation vector . . . 11
MAV mean activation vector . . . 6
CNN Convolutional Neural Network . . . 25
GAN Generative Adversarial Network . . . 1
OSCR Open-Set Classification Rate . . . 3
CCR Correct Classification Rate . . . 22
FPR False Positive Rate . . . 22
DBSCAN Density-based spatial clustering of applications with noise . . . 2
OSRC Open-set recognition/classification . . . 5
VAST Vision And Security Technology Lab . . . 2
PROSER PlaceholdeRs for Open-SEt Recognition . . . 1
EVM Extreme Value Maschine . . . 1
EOS Entropic Open-Set Loss . . . 1
ML machine learning . . . 1
TFC Training features clustering . . . 22
VFC Validation features clustering . . . 22
IC Input clustering . . . 22
ITFC Input trainings feature clustering . . . 22
IVFC Input validation feature clustering . . . 22

Bibliography

(2014). Clustering. In Ben-David, S. and Shalev-Shwartz, S., editors, *Understanding Machine Learning: From Theory to Algorithms*, pages 264–277. Cambridge University Press, Cambridge.

Bendale, A. and Boult, T. (2015). Towards Open Set Deep Networks. arXiv:1511.06233 [cs].

Bisgin, H., Palechor, A., Suter, M., and Gunther, M. (2023). Large-Scale Evaluation of Open-Set Image Classification Techniques.

Bridle, J. (1989). Training Stochastic Model Recognition Algorithms as Networks can Lead to Maximum Mutual Information Estimation of Parameters. In *Advances in Neural Information Processing Systems*, volume 2. Morgan-Kaufmann.

Cohen, G., Afshar, S., Tapson, J., and van Schaik, A. (2017). EMNIST: an extension of MNIST to handwritten letters. arXiv:1702.05373 [cs] version: 1.

Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer, London ; New York, 2001st edition edition.

Dhamija, A. R., Günther, M., and Boult, T. E. (2018). Reducing Network Agnostophobia. arXiv:1811.04110 [cs].

Dunn, J. C. (1973). A Fuzzy Relative of the ISODATA Process and Its Use in Detecting Compact Well-Separated Clusters. *Journal of Cybernetics*, 3(3):32–57. Publisher: Taylor & Francis _eprint: https://doi.org/10.1080/01969727308546046.

Ester, M., Kriegel, H.-P., and Xu, X. (1996). A Density-Based Algorithm for Discovering Clusters in Large Spatial Databases with Noise.

Ezugwu, A. E., Ikotun, A. M., Oyelade, O. O., Abualigah, L., Agushaka, J. O., Eke, C. I., and Akinyelu, A. A. (2022). A comprehensive survey of clustering algorithms: State-of-the-art machine learning applications, taxonomy, challenges, and future research prospects. *Engineering Applications of Artificial Intelligence*, 110:104743.

Figueiredo, E., Macedo, M., Siqueira, H. V., Santana, C. J., Gokhale, A., and Bastos-Filho, C. J. A. (2019). Swarm intelligence for clustering — A systematic review with new perspectives on data mining. *Engineering Applications of Artificial Intelligence*, 82:313–329.

Ge, Z., Demyanov, S., Chen, Z., and Garnavi, R. (2017). Generative OpenMax for Multi-Class Open Set Classification. arXiv:1707.07418 [cs].

Geng, C., Huang, S.-j., and Chen, S. (2021). Recent Advances in Open Set Recognition: A Survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 43(10):3614–3631. arXiv:1811.08581 [cs, stat].

Goodfellow, I., Bengio, Y., and Courville, A. (2016). *Deep Learning*. The MIT Press, Cambridge, Massachusetts, illustrated edition edition.

Grother, P. (1995). NIST Special Database 19 Handprinted Forms and Characters Database.

Günther, M., Cruz, S., Rudd, E. M., and Boult, T. E. (2017). Toward Open-Set Face Recognition. arXiv:1705.01567 [cs].

Henrydoss, J., Cruz, S., Li, C., Günther, M., and Boult, T. E. (2020). Enhancing Open-Set Recognition using Clustering-based Extreme Value Machine (C-EVM). In *2020 IEEE International Conference on Big Data (Big Data)*, pages 441–448.

Kızılersü, A., Kreer, M., and Thomas, A. W. (2018). The Weibull Distribution. *Significance*, 15(2):10–11.

Lecun, Y., Bottou, L., Bengio, Y., and Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11):2278–2324. Conference Name: Proceedings of the IEEE.

Li, C., Günther, M., Dhamija, A. R., Cruz, S., Jafarzadeh, M., Ahmad, T., and Boult, T. E. (2022). Agglomerative Clustering with Threshold Optimization via Extreme Value Theory. *Algorithms*, 15(5):170. Number: 5 Publisher: MDPI Publishing.

Li, Q., Yan, G., Wang, S., and Zhao, B. (2023). A novel open-set clustering algorithm. *Information Sciences*, 648:119561.

Lyu, Z., Gutierrez, N. B., and Beksi, W. J. (2022). MetaMax: Improved Open-Set Deep Neural Networks via Weibull Calibration. arXiv:2211.10872 [cs].

MacQueen, J. (1967). Some methods for classification and analysis of multivariate observations. In *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability, Volume 1: Statistics*, volume 5.1, pages 281–298. University of California Press.

Miller, D., Sünderhauf, N., Milford, M., and Dayoub, F. (2021). Class Anchor Clustering: a Loss for Distance-based Open Set Recognition. arXiv:2004.02434 [cs].

Nguyen, A., Yosinski, J., and Clune, J. (2015). Deep Neural Networks are Easily Fooled: High Confidence Predictions for Unrecognizable Images. arXiv:1412.1897 [cs].

Palechor, A., Bhoumik, A., and Günther, M. (2022). Large-Scale Open-Set Classification Protocols for ImageNet. arXiv:2210.06789 [cs].

Rudd, E. M., Jain, L. P., Scheirer, W. J., and Boult, T. E. (2018). The Extreme Value Machine. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 40(3):762–768. arXiv:1506.06112 [cs].

Sarfraz, M. S., Sharma, V., and Stiefelhagen, R. (2019). Efficient Parameter-free Clustering Using First Neighbor Relations. arXiv:1902.11266 [cs].

Scheirer, W. J., Rocha, A., Micheals, R. J., and Boult, T. E. (2011). Meta-Recognition: The Theory and Practice of Recognition Score Analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 33(8):1689–1695.

Scheirer, W. J., Rocha, A., Sapkota, A., and Boult, T. E. (2012). Towards Open Set Recognition. *IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE*.

von Luxburg, U. (2007). A tutorial on spectral clustering. *Statistics and Computing*, 17(4):395–416.

Xu, X., Ester, M., Kriegel, H.-P., and Sander, J. (1998). A distribution-based clustering algorithm for mining in large spatial databases. In *Proceedings 14th International Conference on Data Engineering*, pages 324–331. ISSN: 1063-6382.

Zhou, D.-W., Ye, H.-J., and Zhan, D.-C. (2021). Learning Placeholders for Open-Set Recognition. arXiv:2103.15086 [cs].