Queries on Cash Database

Songlin Wang, Jing Cao, Weimin Yang, Shiyu Ran




Table of Contents

- Exercise 47
- Exercise 58
- Exercise 59
- Exercise 62
- Exercise 63
- Exercise 64
- Exercise 94
- Exercise 95

Exercise 47 All Person Members Living in a City with a Location Which Has Limousines


```
SELECT DISTINCT firstname, lastname, (pm.address).city
FROM cash.personmember pm INNER JOIN cash.location l ON (pm.address).city = (l.address).city
WHERE EXISTS (SELECT * FROM cash.limousine li WHERE l.id=li.home);
```





Exercise 58 The Maximum Kilometer Value

SELECT MAX(kilometers) **FROM** cash.vehicle





Exercise 59

Question: the vehicle with the highest odometer value

```
select *
from cash.vehicle
where kilometers = (select max(kilometers) from cash.vehicle)
```

Result:

id	type	licenseplate	make	model	motornumber	kilometers	isoperational	operationstart	lastservice	gasconsumption	insurance	home	avggas
1036	Sedan	ZH-8201	Mercury	Sable	32977785	77984.000	TRUE	2005-01-01	2028-01-01	6733.63	(1001,1200.00)	1005	8.61

Title of the presentation, Author 10/31/2023 Page 5

Exercise 62 The number of limousines per location

SELECT I.shortname, COUNT(v.id) FROM cash.location I **LEFT OUTER JOIN** cash.limousine v **ON** l.id = v.home **GROUP BY I** shortname

	shortname character	count bigint	â
1	ust		1
2	lei		0
3	irc		0
4	wip		0
5	swb		0
6	moe		1
7	oer		1
8	zrh		2
9	grs		1
10 see			1



Exercise 63

Question: the highest number of limousines per location

```
select max(cnt) maxnum_lim
from (
    select loc.id, count(lim.id) cnt
    from cash.location loc left join cash.limousine lim on loc.id=lim.home
    group by loc.id
) t
```

Result:

	maxnum_lim bigint	â
1		2

Title of the presentation, Author 10/31/2023 Page 7 WITH count_limousine AS (SELECT I.shortname, COUNT(v.id) AS limCount

FROM cash.location I

RIGHT OUTER JOIN cash.limousine v

ON I.id = v.home

GROUP BY I.shortname)

shortname character	limcount bigint	
zrh	2	

SELECT shortname, limCount

FROM count_limousine


WHERE limCount = (SELECT max(limCount) FROM count_limousine)

Exercise 94 All Members Who Have Reserved a Vehicle at a Location Other Than Their Home Location

SELECT DISTINCT membernr

FROM cash.member mb INNER JOIN cash.reservation r ON mb.id = r.member INNER JOIN cash.vehicle v ON r.vehicle = v.id

WHERE mb.homelocation <> v.home;



ACCREDITED BY EAEVE/FVE



Exercise 95

All members who have reserved a vehicle at a location other than their home location even though the vehicle type exists at their home location.

```
Query History
Query
    SELECT m.memberNr, r.resNumber
    FROM cash.reservation AS r LEFT JOIN cash.member AS m ON r.member = m.id
    LEFT JOIN cash.vehicle AS v on r.vehicle = v.id
    WHERE m.homelocation <> v.home
          AND (SELECT COUNT(*)
 5
                      FROM cash.vehicle c
                             WHERE c.home = m.homelocation
                                   And c.type = v.type) > 0;
```

Data Output Messages Notifications					
=+			<u>•</u> ~		
	membernr integer	resnumber integer			
1	1024	2019			
2	1024	2017			
3	1024	6			
4	1024	4			
5	1024	1836			
6	1024	1834			
7	1024	1653			
8	1024	1651			
9	1024	1470			

University of Bern | University of Zurich Vetsuisse-faculty

10/31/2023

Title of the presentation, Author Page 10



Thank you!